BELLSOUTH® / CLEC Agreement

Customer Name: Southern Telcom Network, Inc.

| Southern Telcom Network, Inc. Interconnection Agreement | 2 |
|---|-----|
| Table of Contents | 3 |
| General Terms and Conditions | 5 |
| Att 1 - Resale | 25 |
| Att 1 - Resale Discounts and Rates | 53 |
| Att 2 - UNEs | 62 |
| Att 2 - UNE Rates | 140 |
| Att 3 - Network Interconnection | 556 |
| Att 3 - Local Interconnection Rates | 587 |
| Att 4 - Collocation - Central Office | 596 |
| Att 4 - Collocation Rates | 635 |
| Att 5 - Access to Numbers and Number Portability | 682 |
| Att 6 - Ordering | 686 |
| Att 7 - Billing | 693 |
| Att 7 - ODUF ADUF EODUF CMDS Rates | 711 |
| Att 8 - Rights of Way | 720 |
| Att 9 - Performance Measurements | 722 |
| Att 10 - Disaster Recovery Plan | 875 |
| Att 11 - BFR and NBR Process | 884 |

INTERCONNECTION AGREEMENT BETWEEN BELLSOUTH TELECOMMUNICATIONS INC. AND

Southern Telcom Network, Inc.

TABLE OF CONTENTS

General Terms and Conditions

| - | $\overline{}$ | | ~ | | ٠ | . • | | | |
|---|---------------|----|---|---|---|-----|---|---|---|
| | 1 | et | 1 | n | 1 | tı. | ^ | n | C |
| | | | | | | | | | |

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 7. Liability and Indemnification
- 8. Intellectual Property Rights and Indemnification
- 9. Proprietary and Confidential Information
- 10. Resolution of Disputes
- 11. Taxes
- 12. Force Majeure
- 13. Adoption of Agreements
- 14. Modification of Agreement
- 15. Non-waiver of Legal Rights
- 16. Indivisibility
- 17. Waivers
- 18. Governing Law
- 19. Assignments
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Filing of Agreement
- 25. Compliance with Applicable Law
- 26. Necessary Approvals
- 27. Good Faith Performance
- 28. Nonexclusive Dealings
- 29. Rate True-Up
- 30. Survival
- 31. Entire Agreement

TABLE OF CONTENTS (cont'd)

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
- **Attachment 7 Billing**
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- Attachment 11-Bona Fide Request/New Business Request Process

AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and Southern Telcom Network, Inc. ("Southern Telcom"), a Nevada corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or Southern Telcom or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Southern Telcom is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Southern Telcom wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and, solely in connection therewith, may wish to utilize collocation space as set forth in Attachment 4 of this Agreement); and

WHEREAS, the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Southern Telcom agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communications Commission.

General Terms and Conditions means this document including all of the terms, provisions and conditions set forth herein.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. CLEC Certification

- Prior to execution of this Agreement, Southern Telcom agrees to provide BellSouth in writing Southern Telcom's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent Southern Telcom is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, Southern Telcom will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement. Upon notification, BellSouth will file this Agreement with the appropriate Commission for approval.

2. Term of the Agreement

2.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.

- 2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement").
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- If, as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to Southern Telcom pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in the Subsequent Agreement.

3. Operational Support Systems

Southern Telcom shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement in Attachment 1 and/or in Attachments 2, 3 and 5, as applicable.

4. Parity

When Southern Telcom purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its Affiliates, subsidiaries and End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Southern Telcom shall be at least equal in quality to that which BellSouth provides to itself, its Affiliates or any other Telecommunications carrier. The quality of the interconnection between the network of BellSouth and the network of Southern Telcom shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by Southern Telcom.

5. White Pages Listings

- 5.1 BellSouth shall provide Southern Telcom and its customers access to white pages directory listings under the following terms:
- 5.2 <u>Listings</u>. Southern Telcom shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Southern Telcom residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Interconnection Agreement. Directory listings will make no distinction between Southern Telcom and BellSouth subscribers.
- 5.2.1 Rates. So long as Southern Telcom provides subscriber listing information (SLI) to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to Southern Telcom one (1) primary White Pages listing per Southern Telcom subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.3 Procedures for Submitting Southern Telcom SLI are found in The BellSouth Business Rules for Local Ordering.
- 5.4 Southern Telcom authorizes BellSouth to release all Southern Telcom SLI provided to BellSouth by Southern Telcom to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), Section A38.2, as the same may be amended from time to time. Such Southern Telcom SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- 5.4.1 No compensation shall be paid to Southern Telcom for BellSouth's receipt of Southern Telcom SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Southern Telcom's SLI, or costs on an ongoing basis to administer the release of Southern Telcom SLI, Southern Telcom shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Southern Telcom's SLI, Southern Telcom will be notified. If Southern Telcom does not wish to pay its proportionate share of these reasonable costs, Southern Telcom may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Southern Telcom shall amend this Agreement accordingly. Southern Telcom will be liable for all costs incurred until the effective date of the amendment.
- Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Southern Telcom under this Agreement. Southern Telcom shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Southern Telcom listings or use of the SLI

provided pursuant to this Agreement. BellSouth may forward to Southern Telcom any complaints received by BellSouth relating to the accuracy or quality of Southern Telcom listings.

- 5.4.3 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.5 <u>Unlisted/Non-Published Subscribers</u>. Southern Telcom will be required to provide to BellSouth the names, addresses and telephone numbers of all Southern Telcom customers who wish to be omitted from directories. Unlisted/Non-Published SLI will be subject to the rates as set forth in BellSouth's General Subscriber Services Tariff.
- 5.6 <u>Inclusion of Southern Telcom End Users in Directory Assistance Database</u>.

 BellSouth will include and maintain Southern Telcom subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and Southern Telcom shall provide such Directory Assistance listings to BellSouth at no recurring charge.
- 5.7 <u>Listing Information Confidentiality</u>. BellSouth will afford Southern Telcom's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 5.8 <u>Additional and Designer Listings</u>. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.9 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to Southern Telcom subscribers at no charge or as specified in a separate agreement with BellSouth's agent.

6. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 6.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for Southern Telcom, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Southern Telcom End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Southern Telcom End Users for the same length of time it maintains such information for its own End Users.
- Subpoenas Directed to Southern Telcom. Where BellSouth is providing to Southern Telcom Telcommunications Services for resale or providing to Southern Telcom the local switching function, then Southern Telcom agrees that in those cases where Southern Telcom receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Southern Telcom End Users, and where Southern Telcom does not have the requested information, Southern

Telcom will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 6.1 above.

In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

7. Liability and Indemnification

- 7.1 <u>Southern Telcom Liability</u>. In the event that Southern Telcom consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Southern Telcom under this Agreement.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to Southern Telcom for any act or omission of another Telecommunications company providing services to Southern Telcom.

7.3 Limitation of Liability

- 7.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any negligent act or omission in its performance of this Agreement, whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 7.3.3 Neither BellSouth nor Southern Telcom shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's

negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.

- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- 7.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. The Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 7.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

8. Intellectual Property Rights and Indemnification

8.1 <u>No License.</u> No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the Other Party. The

Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the Other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the Other Party.

- 8.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 8.3 Intellectual Property Remedies
- 8.3.1 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 preceding.
- 8.3.2 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 8.3.2.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.3.2.2 obtain a license sufficient to allow such use to continue.

- 8.3.2.3 In the event Section 8.3.2.1 or 8.3.2.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 8.3.3 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 8.3.4 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 8.4 <u>Dispute Resolution.</u> Any claim arising under this Section 8 shall be excluded from the dispute resolution procedures set forth in Section 10 and shall be brought in a court of competent jurisdiction.

9. Proprietary and Confidential Information

- 9.1 Proprietary and Confidential Information. It may be necessary for BellSouth and Southern Telcom, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 9.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise

authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.

- 9.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:
- 9.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- 9.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 9.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 9.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 9.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 9 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

10. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

11. Taxes

- 11.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 11.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- 11.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 11.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such

contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

- 11.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 11.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 11.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- 11.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such

contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

- 11.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 11.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

12. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Southern Telcom, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

13. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to Southern Telcom any interconnection,

service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement that was adopted.

14. Modification of Agreement

- 14.1 If Southern Telcom changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Southern Telcom to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- 14.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Southern Telcom or BellSouth to perform any material terms of this Agreement, Southern Telcom or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

15. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

16. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the

generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of collocation space under this Agreement if the covenants and promises of the other Party with respect to the other services provided under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are interdependent, and that payment obligations under this Agreement are intended to be recouped against other payment obligations under this Agreement.

17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

18. Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

19. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement in its entirety to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of Southern Telcom, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, Southern Telcom shall not assign this Agreement to any Affiliate or non-affiliated entity unless either (1) Southern Telcom pays all

bills, past due and current, under this Agreement, or (2) Southern Telcom's assignee expressly assumes liability for payment of such bills.

20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street, 8th floor Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

Southern Telcom Network, Inc.

Kathy Robins P.O. Box 1161 Mountain Home, AR 72654

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- Notwithstanding the foregoing, BellSouth may provide Southern Telcom notice via Internet posting of price changes and changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

23. Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

24. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Southern Telcom shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by Southern Telcom. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Southern Telcom is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

25. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

26. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

27. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

28. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Southern Telcom as a requesting carrier under the Act).

29. Rate True-Up

- 29.1 This section applies to Network Interconnection and/or Unbundled Network Elements and Other Services rates that are expressly subject to true-up under this Agreement.
- 29.2 The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties shall submit the matter to the Dispute Resolution process in accordance with the provisions of Section 10 of the General Terms and Conditions of this Agreement.
- An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Southern Telcom specifically or upon all carriers generally, such as a generic cost proceeding.

30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

31. Entire Agreement

This Agreement means the General Terms and Conditions, the Attachments identified in Section 31.2 below, and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed

under prior agreements between the Parties shall be governed by the terms of this Agreement and Southern Telcom acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement includes Attachments with provisions for the following:

Resale
Network Elements and Other Services
Network Interconnection
Collocation
Access to Numbers and Number Portability
Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
Billing
Rights-of-Way, Conduits and Pole Attachments
Performance Measurements
BellSouth Disaster Recovery Plan
Bona Fide Request/New Business Request Process

The following services are included as options for purchase by Southern Telcom pursuant to the terms and conditions set forth in this Agreement. Southern Telcom may elect to purchase said services by written request to its Local Contract Manager if applicable:

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)
LNP Data Base Query Service

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

| BellSouth Telecommunications, Inc. | Southern Telcom Network, Inc. |
|---|-------------------------------|
| By: Original on File | By: Original on File |
| Name: Elizabeth R. A Shiroishi | Name: Fred Roberts |
| Title: Director | Title: President |
| Date: 4/8/03 | Date: March 31, 2003 |

Attachment 1

Page 1

Attachment 1

Resale

Table of Contents

| 1. | Discount Rates | 3 |
|-----|---|-----------|
| 2. | Definition of Terms | 3 |
| 3. | General Provisions | 4 |
| 4. | BellSouth's Provision of Services to Southern Telcom | 8 |
| 5. | Maintenance of Services | 9 |
| 6. | Establishment of Service | 10 |
| 7. | Discontinuance of Service | 10 |
| 8. | Operator Services (Operator Call Processing and Directory Assistance) | 11 |
| 9. | Line Information Database (LIDB) | 15 |
| 10. | RAO Hosting | 15 |
| 11. | Optional Daily Usage File (ODUF) | 15 |
| 12. | Enhanced Optional Daily Usage File (EODUF) | 15 |
| Res | sale Restrictions | Exhibit A |
| Lin | ne Information Database (LIDB) Storage Agreemt | Exhibit B |
| Op | tional Daily Usage File (ODUF) | Exhibit C |
| Enl | hanced Option Daily Usage File (EODUF) | Exhibit D |
| Res | sale Discounts and Rates | Exhibit E |

RESALE

1. Discount Rates

- 1.1 The discount rates applied to Southern Telcom purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit E. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.
- 1.2 The telecommunications services available for purchase by Southern Telcom for the purposes of resale to Southern Telcom's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit E to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Southern Telcom, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

3. General Provisions

- 3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Southern Telcom for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.
- 3.1.1 When Southern Telcom provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if Southern Telcom does not resell Lifeline service to any end users, and if Southern Telcom agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's General Subscriber Services Tariff, the discount shall be 21.56%.
- 3.1.2.1 In the event Southern Telcom resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon Southern Telcom and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service end users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 Southern Telcom must provide written notification to BellSouth within 30 days prior to either providing its own operator services/ directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%.
- 3.2 Southern Telcom may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.2.1 Southern Telcom must resell services to other End Users.
- 3.2.2 Southern Telcom cannot be a competitive local exchange telecommunications company for the single purpose of selling to itself.
- 3.3 Southern Telcom will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Southern Telcom for said services.

- 3.4 Southern Telcom will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of Southern Telcom. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Southern Telcom. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When an End User of Southern Telcom or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the End User's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the End User's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and Southern Telcom will refrain from contacting an End User who has placed or whose selected carrier has placed on the End User's behalf an order to change the End User's service provider from BellSouth or Southern Telcom to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides resold services to Southern Telcom, BellSouth will provide Southern Telcom with on line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Southern Telcom acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Southern Telcom acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Southern Telcom shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.

- 3.8 BellSouth will allow Southern Telcom to designate up to 100 intermediate telephone numbers per CLLIC, for Southern Telcom's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Southern Telcom acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.
- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Southern Telcom's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If Southern Telcom or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Southern Telcom has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Southern Telcom remain the property of BellSouth.
- 3.15 White page directory listings for Southern Telcom End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 Southern Telcom must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available the interactive interfaces by which Southern Telcom may submit a Local Service Request (LSR) electronically as set forth in Attachment 2 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit E to this Agreement. An individual LSR

will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit E to this Agreement. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 3.16.3 <u>Denial/Restoral OSS Charge.</u> In the event Southern Telcom provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 <u>Cancellation OSS Charge.</u> Southern Telcom will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for Southern Telcom per the Bona Fide Request/New Business Request process as set forth in Attachment 6 of this Agreement.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.20 In the event Southern Telcom acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Southern Telcom that Special Assembly at the wholesale discount at Southern Telcom's option. Southern Telcom shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for Southern Telcom customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Southern Telcom customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Southern Telcom customer service information in the

ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.

- 3.22 BellSouth shall bill, and Southern Telcom shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- 3.23 Pursuant to 47 CFR Section 51.617, BellSouth shall bill to Southern Telcom, and Southern Telcom shall pay, the End User common line charges identical to the End User common line charges BellSouth bills its End Users.

4. BellSouth's Provision of Services to Southern Telcom

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Southern Telcom to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Southern Telcom shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Southern Telcom for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 Southern Telcom may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.
- 4.4 If Southern Telcom cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in

accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.

- 4.5 <u>Service Jointly Provisioned with an Independent Company or Competitive Local Exchange Company Areas</u>
- 4.5.1 BellSouth will in some instances provision resold services in accordance with the General Subscriber Services Tariff and Private Line Tariffs jointly with an Independent Company or other Competitive Local Exchange Carrier.
- 4.5.2 When Southern Telcom assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- 4.5.3 Service terminating in an Independent Company or other Competitive Local Exchange Carrier area will be provisioned and billed by the Independent Company or other Competitive Local Exchange Carrier directly to Southern Telcom.
- 4.5.4 Southern Telcom must establish a billing arrangement with the Independent Company or other Competitive Local Exchange Carrier prior to assuming an end user account where such circumstances apply.
- 4.5.5 Specific guidelines regarding such services are available on BellSouth's website @ www.interconnection.bellsouth.com.

5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.2 Southern Telcom or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 Southern Telcom accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 Southern Telcom will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- 5.5 For all repair requests, Southern Telcom shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- 5.6 BellSouth will bill Southern Telcom for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The

standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.

5.7 BellSouth reserves the right to contact Southern Telcom's End Users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

- After receiving certification as a local exchange carrier from the applicable regulatory agency, Southern Telcom will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish accounts for resold services ("master account"). Southern Telcom is required to provide the following before a master account is established: proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- 6.1.1 If Southern Telcom needs to change its OCN(s) under which it operates when Southern Telcom has already bee conducting business utilizing those OCN(s), Southern Telcom shall bear all costs incurred by BellSouth to convert Southern Telcom Southern Telcom to the new OCN(s). OCN conversion charges include all time required to make system updates to all of Southern Telcom's end user customer records. Appropriate charges will appear in the OC&C section of Southern Telcom's bill.
- 6.2 Southern Telcom shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that Southern Telcom will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for Southern Telcom's End User customer.
- BellSouth will accept a request directly from the End User for conversion of the End User's service from Southern Telcom to BellSouth or will accept a request from another CLEC for conversion of the End User's service from Southern Telcom to such other CLEC. Upon completion of the conversion BellSouth will notify Southern Telcom that such conversion has been completed.

7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to Southern Telcom's End User on behalf of, and at the request of, Southern Telcom. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Southern Telcom.
- 7.1.2 At the request of Southern Telcom, BellSouth will disconnect a Southern Telcom End User customer.

- 7.1.3 All requests by Southern Telcom for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 Southern Telcom will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Southern Telcom when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Southern Telcom and/or the End User against any claim, loss or damage arising from providing this information to Southern Telcom. It is the responsibility of Southern Telcom to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

8. Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 8.2.1 Process 0+ and 0- dialed local calls
- 8.2.2 Process 0+ and 0- intraLATA toll calls.
- Process calls that are billed to Southern Telcom end user's calling card that can be validated by BellSouth.
- 8.2.4 Process person-to-person calls.
- 8.2.5 Process collect calls.
- 8.2.6 Provide the capability for callers to bill a third party and shall also process such calls.
- 8.2.7 Process station-to-station calls.
- 8.2.8 Process Busy Line Verify and Emergency Line Interrupt requests.
- 8.2.9 Process emergency call trace originated by Public Safety Answering Points.
- 8.2.10 Process operator-assisted directory assistance calls.

8.2.11 Adhere to equal access requirements, providing Southern Telcom local end users the same IXC access that BellSouth provides its own operator service. 8.2.12 Exercise at least the same level of fraud control in providing Operator Service to Southern Telcom that BellSouth provides for its own operator service. 8.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. 8.2.14 Direct customer account and other similar inquiries to the customer service center designated by Southern Telcom. 8.2.15 Provide call records to Southern Telcom in accordance with ODUF standards. 8.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 8.3 Directory Assistance Service 8.3.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 8.3.2 Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by Southern Telcom's end user. BellSouth shall provide caller-optional directory assistance call completion service at rates set forth in BellSouth's General Subscriber Services Tariff to one of the provided listings. 8.3.3 **Directory Assistance Service Updates** 8.3.3.1 BellSouth shall update end user listings changes daily. These changes include: 8.3.3.1.1 New end user connections 8.3.3.1.2 End user disconnections 8.3.3.1.3 End user address changes 8.3.3.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies. 8.4 Branding for Operator Call Processing and Directory Assistance 8.4.1 BellSouth's branding feature provides a definable announcement to Southern Telcom end users using Directory Assistance (DA)/ Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Southern Telcom's

name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in Exhibit E of this Attachment.

- 8.4.2 BellSouth offers three branding offering options to Southern Telcom when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.
- 8.4.3 Upon receipt of the branding order from Southern Telcom, the order is considered firm after ten (10) business days. Should Southern Telcom decide to cancel the order, written notification to Southern Telcom's BellSouth Account Executive is required. If Southern Telcom decides to cancel after ten (10) business days from receipt of the branding order, Southern Telcom shall pay all charges per the order.
- 8.4.4 Selective Call Routing using Line Class Codes (SCR-LCC)
- 8.4.4.1 Where Southern Telcom resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route Southern Telcom's end user calls to that provider through Selective Call Routing.
- 8.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Southern Telcom to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 8.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.
- 8.4.4.4 Where available, Southern Telcom specific and unique line class codes are programmed in each BellSouth end office switch were Southern Telcom intends to service end users with customized OCP/DA branding. The line class codes specifically identify Southern Telcom's end users so OCP/DA calls can be routed over the appropriate trunk group to the request OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Southern Telcom intends to provide Southern Telcombranded OCP/DA to its end users in these multiple rate areas.
- 8.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require Southern Telcom to order dedicated transport and trunking from each BellSouth end office identified by Southern Telcom, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Southern Telcom Operator Service Provider for Self Branding. Separate trunk groups are required for Operator

Services and for Directory Assistance. Rates for transport and trunks are set forth in applicable BellSouth Tariffs.

- 8.4.4.6 The rates for SCR-LCC are as set forth in Exhibit E of this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office.
- 8.4.4.7 Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Southern Telcom to the BellSouth Tops. The calls are routed to "No Announcement."
- 8.4.5 Branding via Originating Line Number Screening (OLNS)
- 8.4.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via OLNS software. When utilizing this method of Unbranding or Custom Branding Southern Telcom shall not be required to purchase direct trunking.
- 8.4.5.2 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance Southern Telcom must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To Implement Unbranding and Custom Branding via OLNS software, Southern Telcom must submit a manual order form which requires, among other things, Southern Telcom's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Southern Telcom shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Southern Telcom's purchase of Unbranding and Custom Branding using OLNS software for any particular TOPS, all Southern Telcom end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 8.4.5.3 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in Exhibit E of this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Southern Telcom applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Southern Telcom shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Call Processing platforms as set forth in Exhibit E of this Attachment.
- 8.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and

Network Applications Vehicle (NAV) equipment for which Southern Telcom requires service.

- 8.4.5.5 Directory Assistance customized branding uses:
- 8.4.5.5.1 the recording of Southern Telcom
- 8.4.5.5.2 the loading of the recording in each switch.
- 8.4.5.6 Operator Call Processing customized branding uses:
- 8.4.5.6.1 the recording of Southern Telcom
- 8.4.5.6.2 the loading of the recording in each switch.
- 8.4.5.6.3 the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.

9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to Southern Telcom's Account Manager stating a requested activation date.

10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

11. Optional Daily Usage File (ODUF)

- The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for ODUF are as set forth in Exhibit E of this Attachment.
- 11.2. BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date.

12. Enhanced Optional Daily Usage File (EODUF)

- The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit D. Rates for EODUF are as set forth in Exhibit E of this Attachment.
- BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 3)

| Type of Service | 1 | AL |] | FL | (| GA | J | ΚY |] | LA | I | MS | , | NC | 1 | SC | r | TN |
|--------------------------|------------|-------------------|----------|-------------|-----------|-------------|-----------|-------------|----------|-------------|-----------|------------|----------|-------------|---------|-----------|----------|----------|
| Type of Service | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount |
| | | | | | | | | | | | | | | | | | | |
| 1 Grandfathered | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Services (Note 1) | | | | | | | | | | | | | | | | | | |
| 2 Promotions - > 90 | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Days(Note 2) | | | | | | | | | | | | | | | | | | |
| 3 Promotions - \leq 90 | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| Days (Note 2) | | | | | | | | | | | | | | | | | | |
| 4 Lifeline/Link Up | Yes | Yes | Yes | Yes | Yes | Yes | No | No | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Services | | | | | | | | | | | | | | | | | | <u> </u> |
| 5 911/E911 Services | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | No | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 6 N11 Services | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No | No | Yes | Yes | Yes | Yes | No | No | Yes | Yes |
| 7 MemoryCall®Service | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 8 Mobile Services | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 9 Federal Subscriber | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| Line Charges | | | | | | | | | | | | | | | | | | |
| 10 Non-RecurCharges | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No |
| 11 End User Line Chg- | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| Number Portability | | | | | | | | | | | | | | | | | | |
| 12 Public Telephone | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | Yes | Yes |
| Access Svc(PTAS) | | | | | | | | | | | | | | | | | | |
| 13 Inside Wire Maint | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| Service Plan | | | | | | | | | | | | | | | | | | |
| Applicable No | tes: | | | | | | | | | | | | | | | | | |
| 1. Grandfathere | d servic | es can be | resold o | nly to exis | sting sub | oscribers o | f the gra | andfathere | d servic | e. | | | | | | | | |
| 2. Where availab | le for res | sale, pron | otions v | will be ma | de avail | able only | to End U | Jsers who | would h | nave qualit | fied for | the promo | tion had | d it been p | rovided | by BellSo | uth dire | ctly. |
| 3. Some of BellSo | outh's lo | cal exchar | ige and | toll teleco | mmunic | ations ser | vices are | e not avail | able in | certain cer | ntral off | ices and a | reas | | | | | |

LINE INFORMATION DATA BASE (LIDB)

RESALE STORAGE AGREEMENT

I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Southern Telcom.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by Southern Telcom.
- J. Get-Data refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- K. Originating Line Number Screening ("OLNS") refers to the query service used to determine the billing, screening and call handling indicators, station type and Account Owner provided to BellSouth by Southern Telcom for originating line numbers.
- L. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.

II. General

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Southern Telcom and pursuant to which BellSouth, its LIDB customers and Southern Telcom shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Southern Telcom's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Southern Telcom understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Southern Telcom, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Resale Agreement upon notice to Southern Telcom's account team and/or Local Contract Manager activate this LIDB Storage Agreement. The General Terms and Conditions of the Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.
- B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Southern Telcom has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

3. OLNS

BellSouth is authorized to provide originating line screening information for billing services restrictions, station type, call handling indicators, presubscribed interLATA and local carrier and account owner on the lines of Southern Telcom from which a call originates.

4. GetData

BellSouth is authorized to provide, at a minimum, the account owner and/or Regional Accounting Office information on the lines of Southern Telcom indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

5. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Southern Telcom of fraud alerts so that Southern Telcom may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Southern Telcom pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to Southern Telcom for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Southern Telcom's data from BellSouth's data, the following shall apply:

- (1) BellSouth will identify Southern Telcom end user originated long distance charges and will return those charges to the interexchange carrer as not covered by the existing B&C agreement. Southern Telcom is responsible for entering into the appropriate agreement with interexchange carriers for handling of long distance charges by their end users.
- (2) BellSouth shall have no obligation to become involved in any disputes between Southern Telcom and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Southern Telcom. It shall be the responsibility of Southern Telcom and the B&C Customers to negotiate and arrange for any appropriate adjustments.

IV. Fees for Service and Taxes

- A. Southern Telcom will not be charged a fee for storage services provided by BellSouth to Southern Telcom, as described in this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Southern Telcom in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

Optional Daily Usage File

- 1. Upon written request from Southern Telcom, BellSouth will provide the Optional Daily Usage File (ODUF) service to Southern Telcom pursuant to the terms and conditions set forth in this section.
- 2. Southern Telcom shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 3. The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Southern Telcom customer.
- 4. Charges for ODUF will appear on Southern Telcom's monthly bills. The charges are as set forth in Exhibit E to this Attachment. ODUF charges are billed once a month for the previous month's usage. Southern Telcom will be billed at the ODUF rates that are in effect at the end of the previous month.
- 5. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in Southern Telcom's billing system will be the responsibility of Southern Telcom. If, however, Southern Telcom should encounter significant volumes of errored messages that prevent processing by Southern Telcom within its systems, BellSouth will work with Southern Telcom to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the ODUF feed.
- 6.1 ODUF Message to be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to Southern Telcom:
 - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
 - Measured billable Local
 - Directory Assistance messages
 - IntraLATA Toll

- WATS and 800 Service
- N11
- Information Service Provider Messages
- Operator Services Messages
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Southern Telcom.
- 6.1.4 In the event that Southern Telcom detects a duplicate on ODUF they receive from BellSouth, Southern Telcom will drop the duplicate message and will not return the duplicate to BellSouth).
- 6.2 ODUF Physical File Characteristics
- 6.2.1 The ODUF will be distributed to Southern Telcom via CONNECT:Direct, Connect: Enterprise Client or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Southern Telcom for the purpose of data transmission when utilizing CONNECT:Direct. Where a dedicated line is required, Southern Telcom will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Southern Telcom will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Southern Telcom. Additionally, all message toll charges associated with the use of the dial circuit by Southern Telcom will be the responsibility of Southern Telcom. Associated equipment on the BellSouth

end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Southern Telcom end for the purpose of data transmission will be the responsibility of Southern Telcom.

6.2.3 If Southern Telcom utilizes CONNECT:Enterprise Client for data file transmission, purchase of the CONNECT:Enterprise Client software will be the responsibility of Southern Telcom.

6.3 ODUF Packing Specifications

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Southern Telcom which BellSouth RAO is sending the message. BellSouth and Southern Telcom will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Southern Telcom and resend the data as appropriate.

The data will be packed using ATIS EMI records.

6.4 ODUF Pack Rejection

6.4.1 Southern Telcom will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Southern Telcom will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Southern Telcom by BellSouth.

6.5 ODUF Control Data

Southern Telcom will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Southern Telcom received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Southern Telcom for reasons stated in the above section.

6.6 ODUF Testing

Upon request from Southern Telcom, BellSouth shall send test files to Southern Telcom for the ODUF. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Southern

Attachment 1
Page 25
Exhibit C

Telcom set up a production (live) file. The live test may consist of Southern Telcom's employees making test calls for the types of services Southern Telcom requests on the ODUF. These test calls are logged by Southern Telcom, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

Enhanced Optional Daily Usage File

- 1. Upon written request from Southern Telcom, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Southern Telcom pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Southern Telcom shall furnish all relevant information required by BellSouth for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of the EODUF will appear on Southern Telcom's monthly bills. EODUF charges are billed at the EODUF rates that are in effect at the end of the previous month. The charges are as set forth in Exhibit E to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of Southern Telcom will be the responsibility of Southern Telcom. If, however, Southern Telcom should encounter significant volumes of errored messages that prevent processing by Southern Telcom within its systems, BellSouth will work with Southern Telcom to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the EODUF feed.
- 7.1 <u>Usage To Be Transmitted</u>
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Southern Telcom:

Customer usage data for flat rated local call originating from Southern Telcom's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

Version 4Q02: 12/18/02

Conversation Time

Method of Recording

From RAO

Rate Class

Message Type

Billing Indicators

Bill to Number

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to O DUF. Any duplicate messages detected will be deleted and not sent to Southern Telcom.
- 7.1.3 In the event that Southern Telcom detects a duplicate on EODUF they receive from BellSouth, Southern Telcom will drop the duplicate message (Southern Telcom will not return the duplicate to BellSouth).
- 7.2 Physical File Characteristics
- 7.2.1 The EODUF feed will be distributed to Southern Telcom via Connect: Direct, Connect: Enterprise Client or another mutually agreed medium. The EODUF messages will be intermingled among Southern Telcom's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holiday.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Southern Telcom for the purpose of data transmission as set forth in Section 6.2.2 above.
- 7.2.3 If Southern Telcom utilizes CONNECT: Enterprise Client for data file transmission, purchase of the CONNECT: Enterprise Client software will be the responsibility of Southern Telcom.
- 7.3 Packing Specifications
- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

Version 4Q02: 12/18/02

7.3.2 The OCN, From (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Southern Telcom which BellSouth RAO is sending the message. BellSouth and Southern Telcom will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Southern Telcom and resend the data as appropriate.

The data will be packed using ATIS EMI Records.

| RESALE DIS | COUNTS AND RATES - Alabama | | | | | | | | | | | | Attachi | | | bit: E |
|--------------|---|--------|------|----------|-------|----------|---------------|---------------|---------------|---------------|-----------|-----------|-------------|-------------|-------------|--|
| | | | | <u> </u> | | | | <u> </u> | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | 1 | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per I SR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | po. 20.1 | po. 2011 | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | | | | | | | | | | Disc 1st | DISC Auu |
| | | | | | | Rec | Nonreci | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| APPLICABLE I | NECOLINIE | | 1 | | | + + | | | | | | | | | | |
| | | | 1 | | | 40.00 | | | | | | | | | | |
| | Residence % | | | | | 16.30 | | | | | | | | | | |
| | Business % | | | | | 16.30 | | | | | | | | | | |
| | CSAs % SUPPORT SYSTEMS (OSS) RATES | | 1 1 | | - | 16.30 | | | | | | - | | | 1 | |
| | Electronic LSR | | 1 | | SOMEC | | 0.50 | 0.50 | 0.50 | 0.50 | | | | | | |
| | Manual LSR | | | | SOMEC | | 3.50 19.99 | 3.50 19.99 | 3.50 19.99 | 3.50 19.99 | | | | | | |
| | LL ROUTING USING LINE CLASS CODES (SCR-LCC) | | 1 | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| | | | 1 | | | | | | | | | | | | | |
| | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | | | 84.70 | 84.70 | 4444 | 14.11 | | | | | | |
| | SWITCH SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | COETI | MADE | | | | 84.70 | 84.70 | 14.11 | 14.11 | | | | | | |
| | Recording of DA Custom Branded Announcement | SUFIN | WAKE | | _ | - | 3,000,00 | 3.000.00 | | | | | | | | |
| | Loading of DA Custom Branded Annuarcement per Switch per | 1 | 1 | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | OCN | | | | | | 1,170,00 | 1.170.00 | | | | | | | | |
| | SSISTANCE UNBRANDING via OLNS SOFTWARE | | | | - | - | 1,170.00 | 1,170.00 | - | | | | | | - | |
| | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| | Loading of DA per Switch per OCN | | | | - | - | 16.00 | 16.00 | - | | | | | | - | |
| | SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFTV | VARE | | | | 10.00 | 10.00 | | | | | | | | |
| | Recording of Custom Branded OA Announcement | 301 11 | TAIL | | | + + | 7.000.00 | 7.000.00 | | | | | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | - | 7,000.00 | 7,000.00 | | | | | | | | |
| | per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| | Loading of OA Custom Branded Announcement per Switch per | | | | | - | 000.00 | 000.00 | | | | | | | | |
| | OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| | SISTANCE UNBRANDING via OLNS SOFTWARE | | | | | † † | 1,110100 | ., | | | | | | | | |
| | Loading of OA per OCN (Regional) | | | | | | 1,200,00 | 1,200,00 | | | | | | | | |
| ODUF/EODUF | | | | | | | , | , | | | | | | | | |
| OPTIO | NAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | ODUF: Recording, per message | | | | | 0.000011 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | | | | 0.004101 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 42.67 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.000094 | | | | | | | | | | |
| | CED OPTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | | | | | | | | |
| | EODUF: Message Processing, per message | | | | | 0.22 | | | | | | | | | | |

| RESALE DIS | COUNTS AND RATES - Florida | | | | | | | | | | | | Attachi | | | bit: E |
|--------------|--|--------|------|-----|-------|------------|----------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | Manual Svc | | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | | Add'l | Disc 1st | Disc Add' |
| | | | | | | | | | | | | | 1st | Addi | DISC 1St | DISC Add |
| | | | | | | Rec | Nonreci | urring | Nonrecurring | Disconnect | | | | Rates(\$) | | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| APPLICABLE I | | | | | | | | | | | | | | | | |
| | Residence % | | | | | 21.83 | | | | | | | | | | |
| | Business % | | | | | 16.81 | | | | | | | | | | |
| | CSAs % | | | | | 16.81 | | | | | | | | | | |
| | SUPPORT SYSTEMS (OSS) RATES | | | | | | | | | | | | | | | |
| | Electronic LSR | | | | SOMEC | | 3.50 | 3.50 | 3.50 | 3.50 | | | | | | |
| | Manual LSR | | | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| | ALL ROUTING USING LINE CLASS CODES (SCR-LCC) | | | | | | | | | | | | | | | |
| | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| | Switch | | | | | | 93.55 | 93.55 | 11.46 | 11.46 | | | | | | |
| DIRECTORY A | SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFT | NARE | | | | | | | | | | | | | |
| | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | Loading of DA Custom Branded Anouncement per Switch per | | | | | | | | | | | | | | | |
| | OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| | SSISTANCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| OPERATOR AS | SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFTV | VARE | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| | per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| | Loading of OA Custom Branded Announcement per Switch per | | | | | | | | | | | | | | | |
| | OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| | SSISTANCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| ODUF/EODUF | | | | | | | | | | | | | | | | |
| | NAL DAILY USAGE FILE (ODUF) | | | • | | | | | | | | | | | | |
| | ODUF: Recording, per message | | | • | | 0.0000071 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | | • | | 0.002146 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 35.91 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00010375 | | | | | | | | | | |
| ENHAN | ICED OPTIONAL DAILY USAGE FILE (EODUF) | | | | | İ | | | | | | | | | | |
| | EODUF: Message Processing, per message | | | | | 0.080698 | | | | | | | | | | |

| RESALE DISCOUN | ITS AND RATES - Georgia | | | | | | | | | | | | Attachr | ment: 1 | Exhil | bit: E |
|--------------------|---|--------|--|-----|-------|-----------|----------|-----------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Increment |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual S |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs |
| | | "" | | | | | | | | | • | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| | | | | | | 1 | Nonrec | rina | Nonrecurring | n Diagonnoot | | | 000 | Rates(\$) | | |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | FIISL | Add I | FIISL | Add I | SOMEC | SOWAN | SUMAN | SOWAN | SOWAN | SOWAN |
| APPLICABLE DISCOL | INTS | | | | | | | | | | | | | | | |
| Reside | - | | 1 | | | 20.30 | | | | | | | | | | |
| Busine | | | | | | 17.30 | | | | | | | | | | |
| CSAs o | ½ | | | | | 17.30 | | | | | | | | | | |
| | ORT SYSTEMS (OSS) RATES | | | | | | | | | | | | | | | |
| | nic LSR | | | | SOMEC | | 3.50 | 3.50 | 3.50 | 3.50 | | | | | | |
| Manua | ILSR | | | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| SELECTIVE CALL RO | UTING USING LINE CLASS CODES (SCR-LCC) | | | | | | | | | | | | | | | |
| Selecti | ve Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| Switch | | | | | | | 199.56 | 199.56 | | | | | | | | |
| DIRECTORY ASSISTA | NCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFT | NARE | | | | | | | | | | | | | |
| Record | ling of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| Loadin | g of DA Custom Branded Anouncement per Switch per | | | | | | | | | | | | | | | |
| OCN | | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| DIRECTORY ASSISTA | NCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| | g of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| | g of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| | NCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFTV | VARE | | | | | | | | | | | | | |
| | ling of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| | g of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| per OC | | | | | | | 500.00 | 500.00 | | | | | | | | |
| | g of OA Custom Branded Announcement per Switch per | | | | | | | | | | | | | | | |
| OCN | | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| | NCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| | g of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| ODUF/EODUF SERVICE | | | | | | | | | | | | | | | | |
| | ILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | Recording, per message | | | | | 0.0001275 | | | | | | | | | | |
| | Message Processing, per message | | | | | 0.0082548 | | | | | | | | | | |
| | Message Processing, per Magnetic Tape provisioned | | | | | 28.85 | | | | | | | | | | |
| | Data Transmission (CONNECT:DIRECT), per message | | | | | 0.0000434 | | | | | | | | | | |
| | PTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | | | | | | | | |
| EODUI | F: Message Processing, per message | | | | | 0.0034555 | | | | | | | | | | |

| RESALE DISCOUN | ITS AND RATES - Kentucky | | | | | | | | | | | | Attachi | ment: 1 | Exhil | bit: E |
|--------------------|---|--------|--|-----|-------|------------|----------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Increment |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual S |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs |
| | | "" | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| | | | | | | | Nonrec | urrina | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | l |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | 7144 | | 7144 | 0020 | | | | | |
| APPLICABLE DISCOL | INTS | | | | | | | | | | | | | | | |
| Reside | - | | | | | 16.79 | | | | | | | | | | |
| Busine | | | | | | 15.54 | | | | | | | | | | |
| CSAs 9 | % | | | | | 15.54 | | | | | | | | | | |
| | ORT SYSTEMS (OSS) RATES | | | | | | | | | | | | | | | |
| | nic LSR | | | | SOMEC | | 3.50 | 3.50 | 3.50 | 3.50 | | | | | | |
| Manua | ILSR | | | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| SELECTIVE CALL RO | UTING USING LINE CLASS CODES (SCR-LCC) | | | | | | | | | | | | | | | |
| Selecti | ve Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| Switch | | | | | | | 93.53 | 93.53 | 15.58 | 15.58 | | | | | | |
| DIRECTORY ASSISTA | NCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFT | NARE | | | | | | | | | | | | | |
| Record | ling of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| Loadin | g of DA Custom Branded Anouncement per Switch per | | | | | | | | | | | | | | | |
| OCN | | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| | NCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| | g of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| | g of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| | NCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFTV | VARE | | | | | | | | | | | | | |
| | ling of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| | g of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| per OC | | | | | | | 500.00 | 500.00 | | | | | | | | |
| | g of OA Custom Branded Announcement per Switch per | | | | | | | | | | | | | | | |
| OCN | | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| | NCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| | g of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| ODUF/EODUF SERVICE | | | | | | | | | | | | | | | | |
| | ILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | Recording, per message | | | | | 0.0000136 | | | | | | | | | | |
| | Message Processing, per message | | | | | 0.002506 | | | | | | | | | | |
| | Message Processing, per Magnetic Tape provisioned | | | | | 35.90 | | | | | | | | | | |
| | Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00010372 | | | | | | | | | | |
| | PTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | | | | | | | | |
| EODU | F: Message Processing, per message | | | | | 0.235889 | | | | | | | | | | |

| RESALE DISCOUN | NTS AND RATES - Louisiana | | | | | | | | | | | | Attachi | | | bit: E |
|-----------------------------|---|--------|--|-----|--------|--|----------|---------------|--------------|---------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | p | , | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | | | | | | | | | | D130 131 | DISC Add |
| | | | | | | Rec | Nonreci | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| APPLICABLE DISCOU | INITO | | 1 | | | + + | | | | | | | | | | |
| | | - | | | | 20.72 | | | | | | | | | | |
| Reside | | | ├ | | | 20.72 | | | | | | | | | | |
| Busine CSAs ^o | | | 1 | | | 20.72 9.05 | | | | | | | | | | |
| | | - | | | | 9.05 | | | | | | | | | | |
| | ORT SYSTEMS (OSS) RATES | - | | | 001450 | | 0.50 | 0.50 | 0.50 | 0.50 | | | | | | |
| Manua | onic LSR | | ├ | | SOMEC | | 3.50 | 3.50 19.99 | | 3.50 19.99 | | | | | | |
| | | | ├ | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| | UTING USING LINE CLASS CODES (SCR-LCC) | | 1 | | | | | | | | | | | | | |
| Selecti | ve Routing Per Unique Line Class Code Per Request Per | | | | | | 00.05 | 00.05 | | | | | | | | |
| | NCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | COET | MADE. | | | - | 82.25 | 82.25 | | | | | | | | |
| | ling of DA Custom Branded Announcement | SUFIV | VARE | | | | 3,000,00 | 3.000.00 | | | | | | | | |
| | g of DA Custom Branded Announcement g of DA Custom Branded Anouncement per Switch per | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| OCN | g of DA Custom Branded Anouncement per Switch per | | | | | | 1.170.00 | 1.170.00 | | | | | | | | |
| | NCE UNBRANDING via OLNS SOFTWARE | | } | | _ | | 1,170.00 | 1,170.00 | | | | | | | | |
| | g of DA per OCN (1 OCN per Order) | | 1 | | | | 420.00 | 420.00 | | | | | | | | |
| | g of DA per Switch per OCN | | } | | _ | | 16.00 | 16.00 | | | | | | | | |
| | OF THE SWILL PER OCK NCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS | COETIA | VADE | | _ | | 16.00 | 16.00 | | | | | | | | |
| | ling of Custom Branded OA Announcement | 3011 | VANL | | _ | - | 7.000.00 | 7.000.00 | - | | | | | | - | |
| | g of Custom Branded OA Announcement per shelf/NAV | - | | | _ | - | 7,000.00 | 7,000.00 | - | | | | | | - | |
| per OC | | | | | | | 500.00 | 500.00 | | | | | | | | |
| | g of OA Custom Branded Announcement per Switch per | - | | | _ | - | 300.00 | 300.00 | - | | | | | | - | |
| OCN | g of OA custom branded Announcement per Switch per | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| | NCE UNBRANDING via OLNS SOFTWARE | | | | | + + | 1,170.00 | 1,170.00 | | | | | | | | |
| | g of OA per OCN (Regional) | | 1 | | | | 1,200,00 | 1,200,00 | | | | | | | | |
| ODUF/EODUF SERVICE | | | | | | + | 1,200.00 | 1,200.00 | | | | | | | | |
| | AILY USAGE FILE (ODUF) | | 1 | | + | | | | | | | | | | | |
| | Recording, per message | | 1 | | | 0.0000117 | | | | | | | | | | |
| | : Message Processing, per message | l | † † | | | 0.004641 | - | | | | 1 | | | | | - |
| | Message Processing, per Magnetic Tape provisioned | 1 | 1 1 | | | 48.45 | + | | | | | | | | <u> </u> | |
| | : Data Transmission (CONNECT:DIRECT), per message | 1 | 1 1 | | | 0.00010568 | + | | | | | | | | <u> </u> | |
| | PTIONAL DAILY USAGE FILE (EODUF) | 1 | 1 1 | | | 5.00010000 | - | | | | | | | | - | |
| | F: Message Processing, per message | 1 | 1 1 | | | 0.250015 | - | | | | | | | | | |
| | | l | . | | | 0.200010 | | | l l | | 1 | l | | | 1 | |

| RESALE DIS | COUNTS AND RATES - Mississippi | | | | | | | | | | | | Attachi | | | bit: E |
|--------------|---|----------|--|-----|---------|------------|---------------|---------------|---------------|---------------|-----------|-----------|-------------|-------------|-------------|------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | Manually | Manual Svc | | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per I SR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | po. 20.1 | po. 2011 | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| _ | | | | | | | | | | | | | | | Disc 1st | DISC Auu |
| | | | | | | Rec | Nonreci | | Nonrecurring | | | | | Rates(\$) | | |
| | | | 1 | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| APPLICABLE I | DISCOUNTS | | 1 | | | | | | | | | | | | | |
| | | | 1 | | | 45.75 | | | | | | | | | | |
| | Residence % | <u> </u> | | | | 15.75 | | | | | | | | | | |
| | Business % CSAs % | | 1 | | | 15.75 | | | | | | | | | | |
| | | | 1 | | | 15.75 | | | | | | | | | | |
| | SUPPORT SYSTEMS (OSS) RATES Electronic LSR | | 1 | | SOMEC | | 0.50 | 0.50 | 0.50 | 0.50 | | | | | | |
| | Manual LSR | | 1 | | SOMEC | | 3.50 19.99 | 3.50 19.99 | 3.50 19.99 | 3.50 19.99 | | | | | | |
| | ALL ROUTING USING LINE CLASS CODES (SCR-LCC) | | 1 | | SOIVIAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| | | | 1 | | | | | | | | | | | | | |
| | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | | | 85.19 | 85.19 | 4440 | 4440 | | | | | | |
| | SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | COETI | MADE | | _ | | 85.19 | 85.19 | 14.19 | 14.19 | | | | | | |
| DIRECTORY A | Recording of DA Custom Branded Announcement | SUFIN | WAKE | | | | 3.000.00 | 3.000.00 | | | | | | | | |
| | Loading of DA Custom Branded Annuarcement per Switch per | 1 | 1 | | _ | | 3,000.00 | 3,000.00 | | | | | | | | |
| | OCN | | | | | | 1.170.00 | 1.170.00 | | | | | | | | |
| | SSISTANCE UNBRANDING via OLNS SOFTWARE | | 1 | | _ | - | 1,170.00 | 1,170.00 | | | | | | | - | |
| | Loading of DA per OCN (1 OCN per Order) | | 1 | | | | 420.00 | 420.00 | | | | | | | | |
| | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| | SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFTV | VARE | | | | 10.00 | 10.00 | | | | | | | | |
| OI ENATOR AC | Recording of Custom Branded OA Announcement | 301 11 | TAIL | | | 1 | 7.000.00 | 7.000.00 | | | | | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| | per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| | Loading of OA Custom Branded Announcement per Switch per | | | | | | 000.00 | 000.00 | | | | | | | | |
| | OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| | SISTANCE UNBRANDING via OLNS SOFTWARE | | t | | | | ., | ., | | | | | | | | |
| | Loading of OA per OCN (Regional) | | | | | | 1,200,00 | 1,200,00 | | | | | | | | |
| ODUF/EODUF | | | | | | | , | , | | | | | | | | |
| OPTIO | NAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | ODUF: Recording, per message | | | | | 0.0000063 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | | | 1 | 0.004707 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | 1 | 49.04 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00010669 | | | | | | | | | | |
| | CED OPTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | | | | | | | | |
| | EODUF: Message Processing, per message | | | | | 0.250424 | | | | | i | | | | | |

| | | | | | | | | | | | | | | nent: 1 | | bit: E |
|--------------|---|--------|--|-----|--------|-----------|----------|---------------|---------------|---------------|-----------|-----------|-------------|-------------|-------------|------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | ner I SR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | po. 20.1 | po. 2011 | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | | | | | | | | | | Disc 1st | DISC Auu |
| | | | | | | Rec | Nonreci | | Nonrecurring | | | | | Rates(\$) | | |
| | | | <u> </u> | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| APPLICABLE I | DISCOUNTS | | 1 | | | | | | | | | | | | | |
| | | | - | | | 04.50 | | | | | | | | | | |
| | Residence % | | - | | | 21.50 | | | | | | | | | | |
| | Business % CSAs % | | <u> </u> | | | 17.60 | | | | | | | | | | |
| | | | | | | 17.60 | | | | | | | | | | |
| | L SUPPORT SYSTEMS (OSS) RATES | | | | 001450 | | 0.50 | 0.50 | 0.50 | 0.50 | | | | | | |
| | Electronic LSR Manual LSR | | - | | SOMEC | | 3.50 | 3.50 19.99 | 3.50 19.99 | 3.50 19.99 | | | | | | |
| | | | - | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| | ALL ROUTING USING LINE CLASS CODES (SCR-LCC) | | <u> </u> | | | | | | | | | | | | | |
| | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | | | 00.05 | 00.05 | 4444 | 4444 | | | | | | |
| | SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | COLL | MADE | | | | 82.25 | 82.25 | 14.14 | 14.14 | | | | | | |
| | Recording of DA Custom Branded Announcement | SUFIN | VAKE | | | | 3,000,00 | 3.000.00 | | | | | | | | |
| | Loading of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per | | 1 | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | ICOA Custom Branded Anouncement per Switch per IOCN | | | | | | 1.170.00 | 1.170.00 | | | | | | | | |
| | SSISTANCE UNBRANDING via OLNS SOFTWARE | - | 1 | | _ | | 1,170.00 | 1,170.00 | | | | | | | | |
| | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| | Loading of DA per Och (1 Och per Order) Loading of DA per Switch per OCN | - | 1 | | _ | | 16.00 | 16.00 | | | | | | | | |
| | SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | COETV | VADE | | _ | | 16.00 | 16.00 | | | | | | | | |
| | Recording of Custom Branded OA Announcement | 30111 | VANL | | _ | | 7.000.00 | 7.000.00 | | | | | | | - | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | 1 | | _ | | 7,000.00 | 7,000.00 | | | | | | | - | |
| | per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| | Loading of OA Custom Branded Announcement per Switch per | | 1 - | | - | | 300.00 | 300.00 | | | | - | | | - | - |
| | OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| | SSISTANCE UNBRANDING via OLNS SOFTWARE | | t - t | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| | Loading of OA per OCN (Regional) | | | | | | 1,200,00 | 1,200,00 | | | | | | | | |
| ODUF/EODUF S | | | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| | NAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | ODUF: Recording, per message | | 1 | | | 0.0003 | | | | | | 1 | | | | i |
| | ODUF: Message Processing, per message | | 1 1 | | | 0.0032 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | t t | | İ | 54.61 | | | | | | İ | | | | İ |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | t t | | İ | 0.00004 | | | | | | İ | | | | İ |
| | NCED OPTIONAL DAILY USAGE FILE (EODUF) | | 1 | | | | | | | | | 1 | | | | i |
| | EODUF: Message Processing, per message | | 1 1 | | 1 | 0.2285406 | | | | | | 1 | | | 1 | 1 |

| RESALE DIS | SCOUNTS AND RATES - South Carolina | | | | | | | | | | | | Attachi | ment: 1 | Exhil | bit: E |
|-------------|--|--------|--|-----|----------|------------|----------|-----------|--------------|------------|-----------|-----------|-------------|-------------|--------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Increment |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual S |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs |
| | | "" | | | | | | | | | • | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| 1 | | | | | | | Nonreci | ırrina | Nonrecurring | Disconnect | | | 220 | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | FIISL | Auu i | FIISL | Auu i | SOMEC | JOWAN | JOWAN | JOWAN | JOWAN | SOWAN |
| APPLICABLE | DISCOUNTS | | l | | | | | | | | | | | | | |
| 1 | Residence % | | | | | 14.80 | | | | | | | | | | |
| | Business % | | t - t | | | 14.80 | | | | | | | | | | |
| | CSAs % | | t | | | 8.98 | | | | | | | | | | |
| | L SUPPORT SYSTEMS (OSS) RATES | | | | | | | | | | | | | | | |
| | Electronic LSR | | | | SOMEC | | 3.50 | 3.50 | 3.50 | 3.50 | | | | | | |
| | Manual LSR | | | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| SELECTIVE C | ALL ROUTING USING LINE CLASS CODES (SCR-LCC) | | | | | | | | | | | | | | | |
| | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| | Switch | | | | | | 84.89 | 84.89 | 14.14 | 14.14 | | | | | | |
| DIRECTORY A | SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFT | WARE | | | | | | | | | | | | | |
| | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | Loading of DA Custom Branded Anouncement per Switch per | | | | | | | | | | | | | | | |
| | OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| | SSISTANCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| OPERATOR AS | SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFTV | VARE | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| | per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| | Loading of OA Custom Branded Announcement per Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| ODEDATOR A | SSISTANCE UNBRANDING via OLNS SOFTWARE | | - | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| OF ERATOR A | Loading of OA per OCN (Regional) | | | | | | 1,200,00 | 1.200.00 | | | | | | | | |
| ODUF/EODUF | | | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| | NAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| 01 110 | ODUF: Recording, per message | | t | | | 0.0000216 | | | | | | 1 | | | | 1 |
| | ODUF: Message Processing, per message | | | | + | 0.004704 | - | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | t - t | | <u> </u> | 48.87 | + | | | | 1 | 1 | | | | 1 |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | t - t | | <u> </u> | 0.00010863 | + | | | | 1 | 1 | | | | 1 |
| | NCED OPTIONAL DAILY USAGE FILE (EODUF) | | | | + | 3.00010000 | - | | | | | | | | | |
| | EODUF: Message Processing, per message | | | | - | 0.258301 | + | | | | | 1 | | | | |

| | | | | | | | | | | | | | Attachi | ment: 1 | Exnii | bit: E |
|--------------|--|--------|--|-----|-------|-----------|--------------|-----------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Increment |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | "" | | | | | | | | | • | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| | | | | | | | Nonrecurring | | Nonrecurring | n Disconnect | | | 088 | Rates(\$) | | |
| | | | 1 | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | 1 | | + | | FIISL | Auu i | FIISL | Auu i | SOWIEC | JOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| APPLICABLE I | DISCOUNTS | | | | | | | | | | | | | | | |
| | Residence % | | 1 1 | | | 16.00 | | | | | | | | | | 1 |
| | Business % | | | | | 16.00 | | | | | | | | | | |
| | CSAs % | | | | | 16.00 | | | | | | | | | | |
| | SUPPORT SYSTEMS (OSS) RATES | | | | | | | | | | | | | | | |
| | Electronic LSR | | | | SOMEC | | 3.50 | 3.50 | 3.50 | 3.50 | | | | | | |
| | Manual LSR | | | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| SELECTIVE C/ | ALL ROUTING USING LINE CLASS CODES (SCR-LCC) | | | | | | | | | | | | | | | |
| | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| | Switch | | | | | | 179.60 | 179.60 | | | | | | | | |
| DIRECTORY AS | SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFT | NARE | | | | | | | | | | | | | |
| | Recording of DA Custom Branded Announcement | | | | | | 1,555.00 | 1,553.00 | 7.03 | 7.03 | | | | | | |
| | Loading of DA Custom Branded Anouncement per Switch per | | | | | | | | | | | | | | | ĺ |
| | OCN | | | | | | 240.71 | 240.71 | | | | | | | | |
| | SSISTANCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| | SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFTV | VARE | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | | | 1,555.00 | 1,555.00 | | | | | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| | per OCN | | | | | | 240.71 | 240.71 | | | | | | | | |
| | Loading of OA Custom Branded Announcement per Switch per OCN | | | | | | 240.71 | 240.71 | | | | | | | | |
| | SSISTANCE UNBRANDING via OLNS SOFTWARE | | 1 | | _ | | 240.71 | 240.71 | | | | | | | | |
| | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200,00 | | | | | | | | |
| ODUF/EODUF : | | - | 1 | | | | 1,200.00 | 1,200.00 | | | 1 | | | | | |
| | NAL DAILY USAGE FILE (ODUF) | | 1 | | + | | | | | | ļ | - | | | | - |
| | ODUF: Recording, per message | 1 | 1 | | - | 0.0000044 | | | | | 1 | - | | | | |
| | ODUF: Message Processing, per message | | | | | 0.0027366 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | + | 52.75 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | + | 0.0000339 | | | | | | | | | | |
| | ICED OPTIONAL DAILY USAGE FILE (EODUF) | l | 1 | | + | 0.0000339 | | | | | | 1 | | | | |
| | EODUF: Message Processing, per message | - | 1 | | + | 0.004 | | | | | 1 | | | | | |

Attachment 2

Network Elements and Other Services

Version 4Q02: 12/18/02

TABLE OF CONTENTS

| l | INTRODUCTION | 3 |
|-----------|---|------------|
| 2 | UNBUNDLED LOOPS | 4 |
| 3 | HIGH FREQUENCY SPECTRUM NETWORK ELEMENT | . 26 |
| 4 | LOCAL SWITCHING | . 37 |
| 5 | UNBUNDLED NETWORK ELEMENT COMBINATIONS | . 44 |
| 6 | TRANSPORT, CHANNELIZATION AND DARK FIBER | . 50 |
| 7 SCR | BELLSOUTH SWITCHED ACCESS ("SWA") 8XX TOLL FREE DIALING TEN DIGIT EENING SERVICE | . 55 |
| 8 | LINE INFORMATION DATABASE (LIDB) | . 55 |
| 9 | SIGNALING | . 58 |
| 10 | OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE). | . 64 |
| 11 | AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) | . 70 |
| 12 | CALLING NAME (CNAM) DATABASE SERVICE | . 71 |
| 13 ADV | SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ANCED INTELLIGENT NETWORK (AIN) ACCESS | |
| 14 | BASIC 911 AND E911 | . 72 |
| 15 | OPERATIONAL SUPPORT SYSTEMS (OSS) | . 73 |
| LID | B Storage Agreement Exhibit | t A |
| Rate | es Exhibit | t B |

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Southern Telcom in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to Southern Telcom. The rates for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require Southern Telcom to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Southern Telcom used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Southern Telcom, and to the extent technically feasible, provide to Southern Telcom access to its Network Elements for the provision of Southern Telcom's telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Southern Telcom may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner Southern Telcom chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by Southern Telcom to the demarcation point associated with Southern Telcom's collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Southern Telcom may not purchase unbundled network elements (UNEs) or convert special access circuits to UNEs if such network elements will be used to provide wireless telecommunications services.
- 1.7 BellSouth shall not connect individual UNEs or combinations of UNEs to BellSouth tariffed services.
- 1.8 If Southern Telcom reports a trouble on a UNE and no trouble actually exists on the BellSouth portion, BellSouth will charge Southern Telcom for any dispatching

and testing (both inside and outside the CO) required by BellSouth in order to confirm the UNE's working status.

1.9 Rates

- 1.9.1 The prices that Southern Telcom shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If Southern Telcom purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.9.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.9.3 If Southern Telcom modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Southern Telcom in accordance with FCC No. 1 Tariff, Section 5.
- 1.9.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

2 Unbundled Loops

2.1 General

- 2.1.1 The local loop Network Element ("Loop") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to Southern Telcom's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested Loop type is not available and cannot be made available through BellSouth's Unbundled Loop Modification process, then Southern Telcom can use the Special Construction process to request that BellSouth place facilities in order to meet Southern Telcom's Loop requirements. Standard Loop intervals shall not apply to the Special Construction process.

- 2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.5 The Loop shall be provided to Southern Telcom in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 Southern Telcom may utilize the unbundled Loops to provide telecommunications services as long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where Southern Telcom has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting Loop will be maintained as an unbundled copper Loop (UCL), and Southern Telcom shall pay the recurring and non-recurring charges for a UCL. For non-service specific Loops (e.g. UCL, Loops modified by Southern Telcom using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the end user's location. If Southern Telcom wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, UCL-ND, Southern Telcom may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit B of this Attachment.

2.1.8 **Loop Testing/Trouble Reporting**

2.1.8.1 Southern Telcom will be responsible for testing and isolating troubles on the Loops. Southern Telcom must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. At the time of the trouble report, Southern Telcom will be required to provide the results of the Southern Telcom test which indicate a problem on the BellSouth provided Loop.

- 2.1.8.2 Once Southern Telcom has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If Southern Telcom reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Southern Telcom for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.

2.1.9 <u>Order Coordination and Order Coordination-Time Specific</u>

- 2.1.9.1 "Order Coordination" (OC) allows BellSouth and Southern Telcom to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Southern Telcom's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.9.2 "Order Coordination – Time Specific" (OC-TS) allows Southern Telcom to order a specific time for OC to take place. BellSouth will make every effort to accommodate Southern Telcom's specific conversion time request. However, BellSouth reserves the right to negotiate with Southern Telcom a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. Southern Telcom may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Southern Telcom specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.10 **CLEC to CLEC Conversions for Unbundled Loops**

2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Southern Telcom when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in Southern Telcom's Interconnection Agreement before requesting a conversion.

- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to Southern Telcom pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

2.1.10.4

| | Order Coordination (OC) | Order Coordination - Time Specific (OC-TS) | Test Points | DLR | Charge for Dispatch and Testing if No Trouble Found |
|---|---|---|------------------------------------|---|---|
| SL-1 (Non- Designed) | Chargeable Option | Chargeable Option | Not available | Chargeable Option – ordered as Engineering Information Document | Charged for Dispatch inside and outside Central Office |
| UCL-ND (Non- Designed) | Chargeable Option | Not Available | Not Available | Chargeable Option – ordered as Engineering Information Document | Charged for Dispatch inside and outside Central Office |
| Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed) | Included | Chargeable Option | Included | Included | Charged for Dispatch outside Central Office |
| Unbundled Digital Loop (Designed) | Included | Chargeable Option (except on Universal Digital Channel) | Included (where appropriate) | Included | Charged for Dispatch outside Central Office |
| Unbundled Copper Loop (Designed) | Chargeable in accordance with Section 2 | Not available | Included | Included | Charged for Dispatch outside Central Office |

For UVL-SL1 and UCLs, Southern Telcom must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)

- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Southern Telcom will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI Loops when reuse of existing facilities has been requested by Southern Telcom. Southern Telcom may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Southern Telcom may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to Southern Telcom. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Southern Telcom to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 **Unbundled Digital Loops**

2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will

come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.

- 2.3.2 BellSouth shall make available the following UDLs: 2.3.2.1 2-wire Unbundled ISDN Digital Loop 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible) 2.3.2.3 2-wire Unbundled ADSL Compatible Loop 2.3.2.4 2-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled HDSL Compatible Loop 2.3.2.6 4-wire Unbundled DS1 Digital Loop 2.3.2.7 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below 2.3.2.8 DS3 Loop 2.3.2.9 STS-1 Loop 2.3.2.10 OC-3 Loop 2.3.2.11 OC-12 Loop 2.3.2.12 OC-48 Loop 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. Southern Telcom will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable Loop to support IDSL service.
- 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable Loop. These specifications are listed in BellSouth's TR73600.
- 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL.

- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the end-user's location.
- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC-3 Loop/OC-12 Loop/OC-48 Loop. OC-3/OC-12/OC-48 Loops are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in

its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 - 155.52 Mbps; OC-12 - 622.08 Mbps; and OC-48 - 2488 Mbps.

2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 **Unbundled Copper Loop – Designed (UCL-D)**

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 Ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Southern Telcom.
- 2.4.2.5 These Loops are not intended to support any particular services and may be utilized by Southern Telcom to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:

- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, Southern Telcom can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Southern Telcom may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Southern Telcom to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.4.3.6 Southern Telcom may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by Southern Telcom, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, Southern Telcom will require access to a copper twisted pair Loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that Southern Telcom can use the Loop for a variety of services by attaching appropriate terminal equipment at the ends. Southern Telcom will determine the type of service that will be provided over the Loop. BellSouth's Unbundled Loop Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the Loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.
- 2.5.4 In those cases where Southern Telcom has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 ULM includes the following: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on Loops of any length.
- 2.5.6 Southern Telcom shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Southern Telcom desires BellSouth to condition.
- 2.5.7 When requesting ULM for a Loop that BellSouth has previously provisioned for Southern Telcom, Southern Telcom will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Southern Telcom is available at the location for which the ULM was requested, Southern Telcom will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Southern Telcom will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

2.6.1 Where Southern Telcom has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Southern Telcom. If a suitable

alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Southern Telcom (e.g. hairpinning):

- 1.Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
- 2.Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
- 3. If capacity exists, provide "side-door" porting through the switch.
- 4.If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the Loop facilities. Southern Telcom will then have the option of paying the one-time SC rates to place the Loop.

2.7 <u>Network Interface Device (NID)</u>

- 2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Southern Telcom to connect Southern Telcom's Loop facilities to the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Southern Telcom may access the end user's customer-premises wiring by any of the following means and Southern Telcom shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Southern Telcom to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.

- 2.7.3.1.2 Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Southern Telcom may request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Southern Telcom's responsibility to ensure there is no safety hazard, and Southern Telcom will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Southern Telcom shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Southern Telcom shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Southern Telcom to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.

- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the distribution media and/or cross connect to Southern Telcom's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Southern Telcom may request BellSouth to do additional work to the NID on a time and material basis. When Southern Telcom deploys its own local Loops in a multiple-line termination device, Southern Telcom shall specify the quantity of NIDs connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.4 If Southern Telcom requests a UCSL and it is not available, Southern Telcom may request the Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.5 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility

from the cross-connect device in the building equipment room up to and including the point of demarcation at the end user's premises.

- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Southern Telcom's use on this cross-connect panel. Southern Telcom will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.7 For access to Voice Grade USLD and UCSL, Southern Telcom shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Southern Telcom's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

Through the Service Inquiry (SI) process, BellSouth will determine whether access

costs required to provision the Unbundled Sub-Loops. Southern Telcom will have the option to proceed under the SC process to modify the BellSouth facilities.

- to Unbundled Sub-Loops at the location requested by Southern Telcom is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Southern Telcom's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the Website address:

 http://www.interconnection.bellsouth.com/products/html/unes.html. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room to accommodate Southern Telcom's request for Unbundled Sub-Loops, Southern Telcom may request BellSouth's Special Construction (SC) process to determine additional
- 2.8.2.9 The site set-up must be completed before Southern Telcom can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Southern Telcom's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.10 Once the site set-up is complete, Southern Telcom will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when Southern Telcom requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Southern Telcom for sub-loop pairs, expedite charges will apply for intervals less than 5 days.

2.8.2.8

2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual end user's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the enduser's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow the other Party to place its facilities to the end user.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire ("Provisioning Party") will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the end users premises, Southern Telcom will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Southern Telcom for each pair activated commensurate to the price specified in Southern Telcom's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide

service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the end-user is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.
- 2.8.3.3.9 The Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.11.1 If the Requesting Party issued a LSR to disconnect an end-user from the Provisioning Party in order to use a UNTW pair, the Requesting Party will be billed for the use of the pair back to the disconnect order date.

2.8.3.3.11.2 If the Requesting Party activated a UNTW pair on which the Provisioning Party was not previously providing service, the Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 <u>Unbundled Sub-Loop Feeder</u>

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves one or more end user locations.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level Loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2-wire or 4-wire communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of Southern Telcom's loop distribution elements onto BellSouth's feeder system.

2.8.4.5 Requirements

- 2.8.4.5.1 Southern Telcom will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the requested level of feeder element. In those cases in which there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, Southern Telcom may request, through the BellSouth Special Construction process, a determination of costs to provide the sub-loop feeder element to Southern Telcom. Southern Telcom will then have the option of paying the special construction charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder DS3 and above

- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) collocation arrangement and the Remote Terminal (RT) associated with the SWC that serves an end user location.
- 2.8.4.6.2 The sub-loop feeder shall be utilized for voice and digital traffic. It may be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities and shall require a Service Inquiry.
- 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
- 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements
- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a Design Layout Record (DLR) for this network element.
- 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.
- 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

2.8.5 **Unbundled Loop Concentration (ULC)**

- 2.8.5.1 BellSouth will provide to Southern Telcom Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local Loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96
 BellSouth Loops to be concentrated onto two or more DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and will connect to Southern Telcom at Southern Telcom's collocation site. System B will allow up to 192 BellSouth Loops to be concentrated onto 4 or more DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to Southern Telcom's collocation space. ULC service is offered with concentration (2 DS1s for 96 channels) or without concentration (4 DS1s for 96 channels) and with or without protection. A Loop Interface element will be required for each Loop that is terminated onto the ULC system.

2.8.6 <u>Unbundled Sub-Loop Concentration (USLC)</u>

- 2.8.6.1 Where facilities permit, Southern Telcom may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- 2.8.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of Southern Telcom's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of Southern Telcom's sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to Southern Telcom's demarcation point associated with Southern Telcom's collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.
- 2.8.6.3 Southern Telcom is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected by a BellSouth technician to a cross-connect panel within the BellSouth RT/cross-box and shall allow Southern Telcom's sub-loops to be placed on the USLC and transported to Southern Telcom's collocation space at a DS1 level.

2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from an end user's premises connected via a cross connect to the demarcation point associated with Southern Telcom's collocation space in the end user's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Southern Telcom to utilize Dark Fiber Loops.

2.8.7.2 Requirements

2.8.7.2.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period.

BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

- 2.8.7.2.2 Southern Telcom is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.2.3 BellSouth shall use its commercially reasonable efforts to provide to Southern Telcom information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry ("SI") from Southern Telcom.
- 2.8.7.2.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Southern Telcom within twenty (20) business days after Southern Telcom submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Southern Telcom to connect Southern Telcom provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup (LMU)**

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Southern Telcom LMU information so that Southern Telcom can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Southern Telcom intends to install and the services Southern Telcom wishes to provide. This section addresses LMU as a preordering transaction, distinct from Southern Telcom ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering Loop Make-Up are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide Southern Telcom LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Southern Telcom as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC on facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth

receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI (Loop Makeup Service Inquiry) submitted by the requesting CLEC.

2.9.1.5 Southern Telcom may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Southern Telcom and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Southern Telcom's ability to provide advanced data services over the ordered Loop type. Further, if Southern Telcom orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Southern Telcom is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 Southern Telcom may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if Southern Telcom needs further Loop information in order to determine Loop service capability, Southern Telcom may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Southern Telcom may reserve up to ten Loop facilities. For a Manual LMUSI, Southern Telcom may reserve up to three Loop facilities.
- 2.9.3.2 Southern Telcom may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to

Southern Telcom. During and prior to Southern Telcom placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Southern Telcom does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.

2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 Ordering of Other UNE Services

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Southern Telcom will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Southern Telcom does not reserve facilities upon an initial LMUSI, Southern Telcom's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- 2.9.4.2 Where Southern Telcom has reserved multiple Loop facilities on a single reservation, Southern Telcom may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Southern Telcom, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Southern Telcom. If the ordered Loop type is not available, Southern Telcom may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

3 High Frequency Spectrum Network Element

- 3.1 General
- 3.1.1 BellSouth shall provide Southern Telcom access to the high frequency spectrum of the local Loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Southern Telcom the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400

Hertz, depending on equipment and facilities) for the purposes of providing voice service. Southern Telcom shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to Southern Telcom on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Southern Telcom requests that BellSouth modify a Loop longer than 18,000 ft. and such modification significantly degrades the voice services on the Loop, Southern Telcom shall pay for the Loop to be restored to its original state.
- 3.1.5 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Southern Telcom desires to continue providing xDSL service on such Loop, Southern Telcom shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give Southern Telcom notice in a reasonable time prior to disconnect, which notice shall give Southern Telcom an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and Southern Telcom purchases the full stand-alone Loop, Southern Telcom may elect the type of Loop it will purchase. Southern Telcom will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event Southern Telcom purchases a voice grade Loop, Southern Telcom acknowledges that such Loop may not remain xDSL compatible.
- 3.1.6 Only one competitive local exchange carrier (CLEC) shall be permitted access to the High Frequency Spectrum of any particular Loop.
- 3.2 Provisioning of High Frequency Spectrum and Splitter Space

- 3.2.1 BellSouth will provide Southern Telcom with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Southern Telcom must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop.
- 3.2.1.2 Southern Telcom may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Southern Telcom's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Southern Telcom in a central office in which Southern Telcom is located, Southern Telcom shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Southern Telcom shall pay the electronic or manual ordering charges as applicable when Southern Telcom orders High Frequency Spectrum for end-user service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Southern Telcom's data.

3.3 **BellSouth Provided Splitter**

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Southern Telcom access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Southern Telcom's xDSL equipment in Southern Telcom's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide Southern Telcom with a carrier notification letter, informing Southern Telcom of change. Southern Telcom shall purchase ports on the splitter in increments of 8, 24, or 96 ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Southern Telcom shall purchase ports on the splitter in increments of 24 or 96 ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Southern Telcom's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Southern Telcom's DS0 termination point as possible. Southern Telcom shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Southern Telcom on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will

cross-connect the splitter data ports to a specified Southern Telcom DS0 at such time that a Southern Telcom end user's service is established.

3.4 **CLEC Provided Splitter**

- 3.4.1 Southern Telcom may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Southern Telcom may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Southern Telcom in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Southern Telcom may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Ordering**

- 3.5.1 Southern Telcom shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Southern Telcom the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Southern Telcom access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Southern Telcom shall pay the rates for such services, as described in Exhibit B.

3.6 **Maintenance and Repair**

- 3.6.1 Southern Telcom shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Southern Telcom is using a BellSouth owned splitter, Southern Telcom may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Southern Telcom provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the

Termination Point. Southern Telcom will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

- 3.6.3 Southern Telcom shall inform its end users to direct data problems to Southern Telcom, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Southern Telcom, BellSouth will notify Southern Telcom. Southern Telcom will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Southern Telcom will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Southern Telcom's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

3.7.1 General

- 3.7.2 Line splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end-users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers. Southern Telcom shall provide BellSouth with a signed Letter of Authorization ("LOA") between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Southern Telcom will not provide voice and data services.
- 3.7.3 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by Southern Telcom or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.

3.7.4 When end users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Southern Telcom for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Southern Telcom or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Southern Telcom or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Southern Telcom or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 **Provisioning Line Splitting and Splitter Space**

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Southern Telcom or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the network interface device (NID) at the end user's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the network interface device (NID) at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 Ordering

- 3.9.1 Southern Telcom shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with Line Splitting.
- 3.9.2 BellSouth shall provide Southern Telcom the Local Service Request ("LSR") format to be used when ordering Line Splitting service.

- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Southern Telcom access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Southern Telcom shall pay the rates for such services as described in Exhibit B.
- 3.9.5 BellSouth will provide Loop modification to Southern Telcom on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

 HTTP://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment.

3.10 Maintenance

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Southern Telcom will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Southern Telcom shall inform its end users to direct data problems to Southern Telcom, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.10.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such Loop.
- 3.10.5 If Southern Telcom is not the data provider, Southern Telcom shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions,

causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

3.11 Remote Site High Frequency Spectrum

- 3.11.1 General
- 3.11.2 BellSouth shall provide Southern Telcom access to the high frequency spectrum of the local sub-loop as an unbundled network element (UNE) only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.11.3 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper sub-loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Southern Telcom the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for whom BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the sub-loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Southern Telcom shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.11.4 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub-loop. An unloaded copper sub-loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.11.5 BellSouth will provide Loop Modification to Southern Telcom on an existing subloop in accordance with procedures developed in the Line Sharing Collaborative. Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Southern Telcom requests modifications on a subloop longer than 18,000 ft. and requested modifications significantly degrades the voice services on the Loop, Southern Telcom shall pay for the Loop to be restored to its original state.

- 3.11.6 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continues to provide analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Southern Telcom desires to continue providing xDSL service on such sub-loop, Southern Telcom shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give Southern Telcom notice in a reasonable time prior to disconnect, which notice shall give Southern Telcom an adequate opportunity to notify BellSouth of its intent to purchase such sub-loop. In those cases where BellSouth no longer provides voice service to the end user and Southern Telcom purchases the full stand-alone sub-loop, Southern Telcom may elect the type of sub-loop it will purchase. Southern Telcom will pay the appropriate recurring and non-recurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event Southern Telcom purchases a voice grade Loop, Southern Telcom acknowledges that such sub-loop may not remain xDSL compatible.
- 3.11.7 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular sub-loop.

3.12 Provisioning of High Frequency Spectrum and Splitter Space

- 3.12.1 BellSouth will provide Southern Telcom with access to the High Frequency Spectrum as follows:
- 3.12.1.1 To order High Frequency Spectrum on a particular sub-loop, Southern Telcom must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated at the remote site that serves the end-user of such sub-loop.
- 3.12.1.2 Southern Telcom may provide its own splitters or may order splitters in a remote site once the Southern Telcom has installed its DSLAM at that remote site.

 BellSouth will install splitters within thirty-six (36) calendar days of Southern Telcom's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.
- 3.12.1.3 Once a splitter is installed on behalf of Southern Telcom in a remote site in which Southern Telcom is located, Southern Telcom shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and Southern Telcom shall pay applicable for High Frequency Spectrum end-user activation.

3.13 BellSouth Owned Splitter

3.13.1 BellSouth will select, purchase, install and maintain a splitter at the remote site.

The Southern Telcom's meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). Southern Telcom will provide a

cable facility to the BellSouth FDI. BellSouth will splice the Southern Telcom's cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect the Southern Telcom's cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to the Southern Telcom's xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.

- 3.13.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in the Southern Telcom's Remote Terminal (RT) collocation space and routed back to the Southern Telcom's network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide Southern Telcom with a carrier notification letter informing Southern Telcom of change. Southern Telcom shall purchase ports on the splitter in increments of 24 ports.
- 3.13.3 BellSouth will install the splitter in (i) a common area close to Southern Telcom's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Southern Telcom's DS0 termination point as possible. Southern Telcom shall have access to the splitter for test purposes regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified Southern Telcom DS0 at such time that a Southern Telcom end user's service is established.

3.14 **CLEC Owned Splitter**

- 3.14.1 Southern Telcom may at its option purchase, install and maintain splitters in its collocation arrangements. Southern Telcom may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. Southern Telcom will be required to activate cable pairs in no less than 8 (eight) pair increments.
- 3.14.2 Any splitters installed by Southern Telcom in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Southern Telcom may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.15 **Ordering**

3.15.1 Southern Telcom shall use BellSouth's Remote Splitter Ordering Document ("RSOD") to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.

- 3.15.2 BellSouth will provide Southern Telcom the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.15.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.15.4 BellSouth will provide Southern Telcom access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Southern Telcom shall pay the rates for such services as described in Exhibit B.
- 3.15.5 BellSouth shall test the data portion of the sub-loop to ensure the continuity of the wiring for Southern Telcom's data.

3.16 **Maintenance and Repair**

- 3.16.1 Southern Telcom shall have access for repair and maintenance purposes to any sub-loop for which it has access to the High Frequency Spectrum. If Southern Telcom is using a BellSouth owned splitter, Southern Telcom may access the sub-loop at the point where the data signal exits. If Southern Telcom provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.16.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Southern Telcom will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.16.3 Southern Telcom shall inform its end users to direct data problems to Southern Telcom, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the sub-loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the sub-loop.
- 3.16.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Southern Telcom, BellSouth will notify Southern Telcom. Southern Telcom will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Southern Telcom will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Southern Telcom's access to the High Frequency Spectrum on such sub-loop. BellSouth will not be responsible for any loss of data as a result of this action.

4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Southern Telcom for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Southern Telcom for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include but are not limited to the connection between a Loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include but are not limited to the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Southern Telcom when Southern Telcom serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 4.2.3 In the event that Southern Telcom orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge Southern Telcom the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.

- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Southern Telcom's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that Southern Telcom purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Southern Telcom local end user, or originated by a BellSouth local end user and terminated to a Southern Telcom local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Southern Telcom the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Southern Telcom shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.7 Where Southern Telcom purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Southern Telcom end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge Southern Telcom the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Southern Telcom shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Southern Telcom the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.9 **Unbundled Port Features**

4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.

- 4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the- BFR/NBR process.
- 4.2.9.4 BellSouth will provide to Southern Telcom selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by Southern Telcom will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.10 Remote Call Forwarding

- 4.2.10.1 As an option, BellSouth shall make available to Southern Telcom an unbundled port with Remote Call Forwarding capability ("URCF service"). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Southern Telcom will ensure that the following conditions are satisfied:
- 4.2.10.1.1 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);
- 4.2.10.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.10.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.10.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.10.2 In addition to the charge for the URCF service port, BellSouth shall charge Southern Telcom the rates set forth in Exhibit B for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward- to number (service).

4.2.11 **Provision for Local Switching**

4.2.11.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.

- 4.2.11.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.11.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.11.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Southern Telcom all AIN triggers in connection with its SMS/SCE offering.
- 4.2.11.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Southern Telcom.

4.2.12 <u>Local Switching Interfaces.</u>

- 4.2.12.1 Southern Telcom shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.12.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.12.1.2 Coin phone signaling;
- 4.2.12.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.12.1.4 Two-wire analog interface to PBX;
- 4.2.12.1.5 Four-wire analog interface to PBX;
- 4.2.12.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.12.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.12.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.12.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Southern Telcom and BellSouth;
- 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Southern Telcom.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from Southern Telcom's local switch.

- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Southern Telcom's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Southern Telcom's traffic overflowing from direct end office high usage trunk groups.

4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers

- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Southern Telcom. AIN Selective Carrier Routing will provide Southern Telcom with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to preselected destinations.
- 4.4.2 Southern Telcom shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by Southern Telcom, the routing of Southern Telcom's end user calls shall be pursuant to information provided by Southern Telcom and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering AIN Selective Carrier Routing Regional Service, Southern Telcom shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit B of this Attachment. For each Southern Telcom end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. Southern Telcom shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B,

AIN_SCR Central Office Identification Form - Form C, AIN_SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has 30 days to respond to Southern Telcom's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Southern Telcom, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.

- 4.4.7 The non-recurring End Office Establishment Charge will be billed to Southern Telcom following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to Southern Telcom following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to Southern Telcom following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.5.2.2 There are no spare copper Loops capable of supporting the xDSL services Southern Telcom seeks to offer;
- 4.5.2.3 BellSouth has not permitted Southern Telcom to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has Southern Telcom obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and

- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement incorporated herein by this reference.

5 Unbundled Network Element Combinations

5.1 For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by Southern Telcom are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" network elements shall mean that the particular network elements requested by Southern Telcom are not already combined by BellSouth in the location requested by Southern Telcom but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" network elements shall mean that the particular network elements requested by Southern Telcom are not elements that BellSouth combines for its use in its network.

5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled Loops as defined in Section 2 and unbundled dedicated transport as defined in Section 6. BellSouth shall provide Southern Telcom with EELs where they are available.
- 5.2.2 EELs are intended to provide service connectivity from an end user's location through that end user's SWC to Southern Telcom's collocation space in a BellSouth central office. The circuit must be connected to Southern Telcom's switch for the purpose of provisioning circuit telephone exchange service to Southern Telcom's end-user customers. Southern Telcom may connect EELs within Southern Telcom's collocation space to other transport terminating into Southern Telcom's switch. Southern Telcom may connect the local loops to an unbundled local channel to form an EEL provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below. Provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below, the circuit may, upon Southern Telcom's request, terminate to a CLEC's Point of Presence ("POP"). Southern Telcom will provide a significant amount of local exchange service over the requested combination, as described in Section 5.3.1 et seq. below. Upon BellSouth's request, Southern Telcom shall indicate under what local usage option Southern Telcom seeks to qualify. Southern Telcom shall be deemed to be providing a significant amount of local exchange service over the requested combination if one of the options listed in Section 5.3.1.1 through 5.3.1.3 is met. BellSouth shall have the right to audit Southern Telcom's EELs as specified in Section 5.3.3 below.

5.3 Conversions from Special Access Service to EELs

- 5.3.1 Southern Telcom may convert existing (Currently Combined) special access services to combinations of Loop and transport network elements, whether or not Southern Telcom self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Southern Telcom does not use the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Southern Telcom requests to convert any special access services to combinations of Loop and transport network elements at UNE prices, Southern Telcom shall provide to BellSouth a certification that Southern Telcom is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option Southern Telcom seeks to qualify for conversion of special access circuits. Southern Telcom shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 5.3.1.1 **Option 1:** Southern Telcom certifies that it is the exclusive provider of an end user's local exchange service. The Loop-transport combinations must terminate at Southern Telcom's collocation arrangement in at least one BellSouth central office. This option does not allow Loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, Southern Telcom is the end user's only local service provider, and thus is providing more than a significant amount of local exchange service. Southern Telcom can then use the Loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- 5.3.1.2 **Option 2:** Southern Telcom certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dial tone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the Loop portion of the Loop-transport combination have at least 5 percent local voice traffic individually, and the entire Loop facility has at least 10 percent local voice traffic. When a Loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. The Loop-transport combination must terminate at Southern Telcom's collocation arrangement in at least one BellSouth central office. This option does not allow Loop-transport combinations to be connected to BellSouth tariffed services; or
- 5.3.1.3 **Option 3:** Southern Telcom certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dial tone service and at least 50 percent of the traffic on each of these local dial tone channels is local voice traffic, and that the entire Loop facility has at least 33

percent local voice traffic. When a Loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. This option does not allow Loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Southern Telcom does not need to provide a defined portion of the end user's local service, but the active channels on any Loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.

- 5.3.2 In addition, there may be extraordinary circumstances where Southern Telcom is providing a significant amount of local exchange service but does not qualify under any of the three options set forth in Section 5.3.1 et seq. In such case, Southern Telcom may petition the FCC for a waiver of the local usage options set forth above. If a waiver is granted, then upon either Party's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.3 BellSouth may, at its sole discretion, audit Southern Telcom's records in order to verify compliance with the local usage option provided by Southern Telcom pursuant to Section 5.3.1. The audit shall be conducted by a third party independent auditor, and Southern Telcom shall be given thirty days written notice of BellSouth's intent to audit. Such audit shall occur no more than one time in a calendar year unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Southern Telcom shall reimburse BellSouth for the cost of the audit. If, based on the audit, Southern Telcom is not providing a significant amount of local exchange traffic over the combinations of Loop and transport network elements, BellSouth will convert such combinations of Loop and transport network elements to special access services in accordance with BellSouth's tariffs and will bill Southern Telcom for appropriate retroactive reimbursement. If the Parties disagree as to whether the audits indicate that Southern Telcom is not providing a significant amount of local exchange traffic, the dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement.

In the event Southern Telcom converts special access circuits to combinations of Loop and transport UNEs pursuant to the terms of this Section, Southern Telcom shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

- 5.4 Rates
- 5.4.1 Currently Combined EELs listed below in Sections 5.4.1.1-5.4.1.14 shall be billed at the nonrecurring switch-as-is charge and recurring charges for that combination as set forth in Exhibit B of this Attachment. Currently Combined EELs not listed

below shall be billed at the sum of the nonrecurring and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.

| 5.4.1.1 | DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop |
|----------|--|
| 5.4.1.2 | DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop |
| 5.4.1.3 | DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop |
| 5.4.1.4 | DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop |
| 5.4.1.5 | DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop |
| 5.4.1.6 | DS1 Interoffice Channel + DS1 Local Loop |
| 5.4.1.7 | DS3 Interoffice Channel + DS3 Local Loop |
| 5.4.1.8 | STS-1 Interoffice Channel + STS-1 Local Loop |
| 5.4.1.9 | DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop |
| 5.4.1.10 | STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop |
| 5.4.1.11 | 2-wire VG Interoffice Channel + 2-wire VG Local Loop |
| 5.4.1.12 | 4wire VG Interoffice Channel + 4-wire VG Local Loop |
| 5.4.1.13 | 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop |
| 5.4.1.14 | 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop |

- 5.4.2 Ordinarily Combined EELs listed above shall be billed the sum of the nonrecurring and recurring charges for that combination as set forth in Exhibit B of this Attachment. Ordinarily combined EELs not listed in Sections 5.4.1.1-5.4.1.14 shall be billed the sum of the nonrecurring charges and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.
- 5.4.3 To the extent that Southern Telcom requests an EEL combination Not Typically Combined in the BellSouth network, the rates, terms and conditions shall be determined pursuant to the Bona Fide Request Process.

5.5 UNE Port/Loop Combinations

- 5.5.1 Combinations of port and Loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/ Loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.5.2 Except as set forth in Section 5.5.3 below, BellSouth shall provide UNE port/Loop combinations described in Section 5.5.5 below that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit B. Except as set forth in Section 5.5.3 below, BellSouth shall provide UNE port/Loop combinations not described in Section 5.5.5 below or Not Typically Combined Combinations in accordance with the Bona Fide Request process.
- 5.5.3 BellSouth is not required to provide combinations of port and Loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 5.5.3.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Southern Telcom if Southern Telcom's customer has 4 or more DS0 equivalent lines.
- 5.5.3.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and Loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled

network element and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/Loop combination, such rate shall be negotiated by the Parties.

- 5.5.4 BellSouth shall make 911 updates in the BellSouth 911 database for Southern Telcom's UNE port/Loop combinations. BellSouth will not bill Southern Telcom for 911 surcharges. Southern Telcom is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5.5 Combination Offerings
- 5.5.5.1 2-wire voice grade port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.2 2-wire voice grade Coin port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.3 2-wire voice grade DID port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.4 2-wire CENTREX port, voice grade Loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.5 2-wire ISDN Basic Rate Interface, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.6 4-wire ISDN Primary Rate Interface, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6 Other UNE Combinations

5.6.1 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Southern Telcom in addition to those specifically referenced in this Section 5 above, where available. Such combinations shall not be connected to BellSouth tariffed services. To the extent Southern Telcom requests a combination for which BellSouth does not have methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

5.6.2 Rates

5.6.3 The rates for Ordinarily Combined UNE Combinations provisioned pursuant to this Section 5.6 shall be the sum of the recurring rates and nonrecurring rates for the individual network elements as set forth in Exhibit B of this Attachment. The rates for Currently Combined UNE Combinations provisioned pursuant to this Section 5.6 shall be the sum of the recurring rates for the individual network elements as set forth in Exhibit B, in addition to a nonrecurring charge set forth in Exhibit B. To the extent Southern Telcom requests a Not Typically Combined Combination pursuant to this Section 5.6, or to the extent Southern Telcom requests any combination for which BellSouth has not developed methods and procedures to provide such combination, rates and/or methods and procedures for such combination shall be established pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 **Transport**

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Southern Telcom for the provision of a telecommunications service. Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Southern Telcom.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Southern Telcom exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, Southern Telcom to connect such interoffice facilities to equipment designated by Southern Telcom, including but not limited to, Southern Telcom's collocated facilities; and
- 6.1.2.4 Permit, to the extent technically feasible, Southern Telcom to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:
- 6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between Southern Telcom's Point of Presence ("POP") and Southern Telcom's collocation space in the BellSouth Serving Wire Center for Southern Telcom's POP, and

6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations. 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways: 6.2.1.3.1 As capacity on a shared UNE facility. 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Southern Telcom. 6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators. 6.2.2 **Technical Requirements** 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Southern Telcom designated traffic. 6.2.2.2 For DS1 or VT1.5 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards. 6.2.2.3 For DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards. 6.2.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport: 6.2.2.4.1 DS0 Equivalent; 6.2.2.4.2 DS1; 6.2.2.4.3 DS3; and 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704. 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. Southern Telcom shall specify the termination points for Dedicated Transport. 6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth

in the applicable industry technical references.

- 6.2.2.7 BellSouth Technical References:
- 6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.2.7.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.2.7.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Southern Telcom may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems and COCIs:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- DS1 COCI, which can be activated on a DS3 Channelization System.
- 6.3.2.3 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.
- Voice Grade, Digital Data and ISDN can be activated on a DS1 Channelization System through the use of a COCI.
- 6.3.2.5 Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.2.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 Technical Requirements
- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Southern Telcom's channelization equipment must adhere strictly to form and protocol standards. Southern Telcom must also adhere

to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

- 6.3.3.2 DS0 to DS1 Channelization
- 6.3.3.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.
- 6.3.3.3 DS1 to DS3 Channelization
- 6.3.3.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- 6.3.3.4 DS1 to STS Channelization
- 6.3.3.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings.

6.4 **Dark Fiber Transport**

Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics. Dark Fiber Transport is offered in two configurations: Interoffice Channel, between Southern Telcom's collocation arrangement within the POP serving wire center and the end user service wire center and Local Channel, from Southern Telcom's POP to Southern Telcom's collocation arrangement in the POP serving wire center. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Southern Telcom to utilize Dark Fiber Transport.

6.4.2 Requirements

BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.

- 6.4.2.2 Southern Telcom is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.2.3 BellSouth shall use its best efforts to provide to Southern Telcom information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Southern Telcom. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.2.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Southern Telcom within twenty (20) business days after Southern Telcom submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Southern Telcom to connect Southern Telcom provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service

- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database ("8XX SCP Database") is a Signaling control Point ("SCP") that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point ("SSP") or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service ("8XX TFD Service") utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Southern Telcom's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Southern Telcom.
- 7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8 Line Information Database (LIDB)

8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Southern Telcom must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling

cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to Southern Telcom any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process Southern Telcom's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Southern Telcom what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.3 Within two (2) weeks after a request by Southern Telcom, BellSouth shall provide Southern Telcom with a list of the customer data items, which Southern Telcom would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of Southern Telcom data to the LIDB shall be solely at the direction of Southern Telcom. Such direction from Southern Telcom will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for Southern Telcom data upon Southern Telcom's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Southern Telcom customer records will be missing from LIDB, as measured by Southern Telcom audits. BellSouth will audit Southern Telcom records in LIDB against DBAS to identify record mismatches and provide this data to a designated Southern Telcom contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to

Southern Telcom within one business day of audit. Once reconciled records are received back from Southern Telcom, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Southern Telcom to negotiate a time frame for the updates, not to exceed three business days.

- 8.2.10 BellSouth shall perform backup and recovery of all of Southern Telcom's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide Southern Telcom with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Southern Telcom and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of Southern Telcom data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Southern Telcom in writing.
- 8.2.13 BellSouth shall provide Southern Telcom performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Southern Telcom at least at parity with BellSouth Customer Data. BellSouth shall obtain from Southern Telcom the screening information associated with LIDB Data Screening of Southern Telcom data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Southern Telcom under the BFR/NBR process as set forth in Attachment 11.
- 8.2.14 BellSouth shall accept queries to LIDB associated with Southern Telcom customer records and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.

- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage ("PCLU") factor. Southern Telcom shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Southern Telcom shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

9 Signaling

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2 **Signaling Link Transport**

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between Southern Telcom-designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 9.2.2 Technical Requirements
- 9.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 9.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 9.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).

- 9.2.4 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.2.4.1 An A-link layer shall consist of two links.
- 9.2.4.2 A B-link layer shall consist of four links.
- 9.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 9.2.4.4 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.2.4.5 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.2.5 Interface Requirements
- 9.2.5.1 There shall be a DS1 (1.544 Mbps) interface at Southern Telcom's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.3 **Signaling Transfer Points (STPs)**
- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated

Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Southern Telcom local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Southern Telcom local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Southern Telcom or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Southern Telcom database, then Southern Telcom agrees to provide BellSouth with the Destination Point Code for Southern Telcom database.
- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Southern Telcom or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.4 SS7 Advanced Intelligent Network (AIN) Access

9.4.1 When technically feasible and upon request by Southern Telcom, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Southern Telcom's SS7 network to exchange TCAP queries and responses with a Southern Telcom SCP.

- 9.4.2 SS7 AIN Access shall provide Southern Telcom SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Southern Telcom SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Southern Telcom SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect Southern Telcom or Southern Telcom-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Southern Telcom local switching systems; and,
- 9.4.3.1.2 A B-link interface from Southern Telcom local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Southern Telcom local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Southern Telcom switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Southern Telcom local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Southern Telcom switching system has a valid signaling relationship.

9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Southern Telcom from any signaling point or network interconnected through BellSouth's SS7 network where the Southern Telcom SCP has a valid signaling relationship.

9.5 **Service Control Points/Databases**

- 9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.6 <u>Local Number Portability Database</u>

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.7 **SS7 Network Interconnection**

9.7.1 SS7 Network Interconnection is the interconnection of Southern Telcom local signaling transfer point switches or Southern Telcom local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Southern Telcom local or tandem switching

systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Southern Telcom or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a Southern Telcom local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Southern Telcom local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes Global Title Translation (GTT) and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Southern Telcom local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Southern Telcom local STPs and shall not include SCCP Subsystem Management of the destination.
- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.

- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect Southern Telcom or Southern Telcom-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from Southern Telcom local or tandem switching systems; and
- 9.7.9.1.2 B-link interface from Southern Telcom STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from Southern Telcom local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Southern Telcom switching system has a valid signaling relationship.

10 Operator Services (Operator Call Processing and Directory Assistance)

- Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.
- 10.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 10.2.1 Process 0+ and 0- dialed local calls.
- 10.2.2 Process 0+ and 0- intraLATA toll calls.

10.2.3 Process calls that are billed to Southern Telcom end user's calling card that can be validated by BellSouth. 10.2.4 Process person-to-person calls. 10.2.5 Process collect calls. 10.2.6 Provide the capability for callers to bill to a third party and shall also process such calls. 10.2.7 Process station-to-station calls. 10.2.8 Process Busy Line Verify and Emergency Line Interrupt requests. 10.2.9 Process emergency call trace originated by Public Safety Answering Points. 10.2.10 Process operator-assisted directory assistance calls. 10.2.11 Adhere to equal access requirements, providing Southern Telcom local end users the same IXC access as provided to BellSouth end users. 10.2.12 Exercise at least the same level of fraud control in providing Operator Service to Southern Telcom that BellSouth provides for its own operator service. 10.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls. 10.2.14 Direct customer account and other similar inquiries to the customer service center designated by Southern Telcom. 10.2.15 Provide call records to Southern Telcom in accordance with ODUF standards specified in Attachment 7. 10.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 10.3 **Directory Assistance Service** 10.3.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 10.3.2 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Southern Telcom's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.

10.3.3 **Directory Assistance Service Updates** 10.3.3.1 BellSouth shall update end user listings changes daily. These changes include: 10.3.3.1.1 New end user connections; 10.3.3.1.2 End user disconnections; 10.3.3.1.3 End user address changes. 10.3.3.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies. 10.4 **Branding for Operator Call Processing and Directory Assistance** 10.4.1 BellSouth's branding feature provides a definable announcement to Southern Telcom end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Southern Telcom to have its calls custom branded with Southern Telcom's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in this Attachment. 10.4.2 BellSouth offers three branding offering options to Southern Telcom when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding. 10.4.3 Upon receipt of the custom branding order from Southern Telcom, the order is considered firm after ten business days. Should Southern Telcom decide to cancel the order, written notification to Southern Telcom's Local Contract Manager is required. If Southern Telcom decides to cancel after ten business days from receipt of the custom branding order, Southern Telcom shall pay all charges per the order. 10.4.4 **Selective Call Routing Using Line Class Codes (SCR-LCC)** 10.4.4.1 Where Southern Telcom purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route Southern Telcom's end user calls to that provider through Selective Call Routing.

office switches.

10.4.4.2

Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Southern Telcom to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end

- 10.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 10.4.4.4 Where available, Southern Telcom specific and unique line class codes are programmed in each BellSouth end office switch where Southern Telcom intends to serve end users with customized OCP/DA branding. The line class codes specifically identify Southern Telcom's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Southern Telcom intends to provide Southern Telcom -branded OCP/DA to its end users in these multiple rate areas.
- 10.4.4.5 BellSouth Branding is the default branding offering.
- 10.4.4.6 SCR-LCC supporting Custom Branding and Self Branding require Southern Telcom to order dedicated trunking from each BellSouth end office identified by Southern Telcom, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Southern Telcom Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.7 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Southern Telcom to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4.8 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/Loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/Loop switch combinations.
- 10.4.4.9 UNE Provider Branding via Originating Line Number Screening (OLNS)
- 10.4.4.9 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Southern Telcom shall not be required to purchase dedicated trunking.

- 10.4.4.10 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, Southern Telcom must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Southern Telcom must submit a manual order form which requires, among other things, Southern Telcom's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Southern Telcom shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Southern Telcom's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Southern Telcom end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.4.11 BellSouth Branding is the default branding offering.
- 10.4.4.12 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Southern Telcom applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Southern Telcom shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in this Attachment. Further, where Southern Telcom is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

10.4.5 Facilities Based Carrier Branding

- 10.4.5.1 All Service Levels require Southern Telcom to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.5.2 Unbranding is the default branding offering.
- 10.4.5.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.
- 10.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Southern Telcom requires service.
- 10.4.5.5 Directory Assistance customized branding uses:
- 10.4.5.5.1 the recording of Southern Telcom;

- 10.4.5.5.2 the loading of the recording in each switch.
- 10.4.5.6 Operator Call Processing customized branding uses:
- 10.4.5.6.1 the recording of Southern Telcom;
- 10.4.5.6.2 the loading of the recording in each switch (North Carolina);
- the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.

10.5 <u>Directory Assistance Database Service (DADS)</u>

- BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to Southern Telcom end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). Southern Telcom agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, Southern Telcom agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.
- 10.5.2 BellSouth shall initially provide Southern Telcom with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30-45 days after receiving an order from Southern Telcom to prepare the Base File.
- 10.5.3 BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since Southern Telcom's previous update. Delivery of updates will commence immediately after Southern Telcom receives the Base File. Updates will be provided via magnetic tape unless BellSouth and Southern Telcom mutually develop CONNECT: Direct TM electronic connectivity. Southern Telcom will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- 10.5.4 Southern Telcom authorizes the inclusion of Southern Telcom Directory Assistance listings in the BellSouth Directory Assistance products including but not limited to DADS. Any other use is not authorized.

10.6 <u>Direct Access to Directory Assistance Service</u>

- Direct Access to Directory Assistance Service (DADAS) will provide Southern Telcom's directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide Southern Telcom with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to Southern Telcom by BellSouth upon subscription to the service. Subscription to DADAS requires that Southern Telcom utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.
- 10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC Tariff No. 1.

11 Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point ("PSAP") to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- BellSouth shall provide Southern Telcom access to the ALI/DMS database.

 BellSouth shall provide error reports from the ALI/DMS database to Southern Telcom after Southern Telcom provides end user information for input into the ALI/DMS database.
- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Southern Telcom requests otherwise and shall be updated if Southern Telcom requests, provided Southern Telcom supplies BellSouth with the updates.
- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 11.3 Interface Requirements
- 11.3.1 The interface between the E911 Switch or Tandem and the ALI/DMS database for Southern Telcom end users shall meet industry standards.

12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Southern Telcom the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Southern Telcom shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than 60 days prior to Southern Telcom's access to BellSouth's CNAM Database Services and shall be addressed to Southern Telcom's Local Contract Manager.
- BellSouth's provision of CNAM Database Services to Southern Telcom requires interconnection from Southern Telcom to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Southern Telcom shall provide its own CNAM SSP. Southern Telcom's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Southern Telcom elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Southern Telcom desires to query.
- If Southern Telcom queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by Southern Telcom for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Southern Telcom in the BellSouth specified format and shall contain records for every working telephone number that can originate

phone calls. It is the responsibility of Southern Telcom to provide accurate information to BellSouth on a current basis.

- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Southern Telcom CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

13 Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access

- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Southern Telcom the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Southern Telcom. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Southern Telcom service logic and data from unauthorized access.
- When Southern Telcom selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Southern Telcom to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- Southern Telcom access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.6 BellSouth shall allow Southern Telcom to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Basic 911 and E911

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- 14.2 <u>Basic 911 Service Provisioning.</u> BellSouth will provide to Southern Telcom a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for

network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Southern Telcom will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Southern Telcom will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Southern Telcom will be required to begin using E911 procedures.

- 14.3 E911 Service Provisioning. Southern Telcom shall install a minimum of two dedicated trunks originating from the Southern Telcom serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Southern Telcom will be required to provide BellSouth daily updates to the E911 database. Southern Telcom will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Southern Telcom will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Southern Telcom shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Southern Telcom beyond applicable charges for BellSouth trunking arrangements.
- 14.5 Basic 911 and E911 functions provided to Southern Telcom shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

15 Operational Support Systems (OSS)

BellSouth has developed and made available the following electronic interfaces by which Southern Telcom may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange
TAG Telecommunications Access Gateway

- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.
- 15.3 Denial/Restoral OSS Charge
- 15.3.1 In the event Southern Telcom provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge
- Southern Telcom will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.6 Network Elements and Other Services Manual Additive
- The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB)

FACILITIES BASED STORAGE AGREEMENT

I. Definitions

- A. Billing number a number that Southern Telcom creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by Southern Telcom.
- C. Special billing number a ten-digit number that identifies a billing account established by Southern Telcom.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by Southern Telcom that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Southern Telcom.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Southern Telcom.
- J. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.
- K. GetData refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- L. Originating Line Number Screening ("OLNS") refers to the query service used to determine the billing, screening and call handling indicators, station type, and Account Owner provided to BellSouth by Southern Telcom for originating line numbers.

II. General

Version 1003: 02/28/03

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Southern Telcom and pursuant to which BellSouth, its LIDB customers and Southern Telcom shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Southern Telcom's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Southern Telcom understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Southern Telcom, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to Southern Telcom's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.
- B. BellSouth will provide responses to on-line, call-by-call queries to local exchange line and/or billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Southern Telcom has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. OLNS

BellSouth is authorized to provide originating line screening information for billing and services restrictions, station type, and Account Owner on the lines of Southern Telcom from which a call originates.

4. GetData

BellSouth is authorized to provide, at a minimum, the Account Owner and/or Regional Accounting Office information on the lines of Southern Telcom indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

5. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Southern Telcom of fraud alerts so that Southern Telcom may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Southern Telcom pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Southern Telcom for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Southern Telcom's data from BellSouth's data, the following terms and conditions shall apply:

- 1. BellSouth will identify Southern Telcom's end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement with interexchange carriers for handling of long distance charges by their end users.
- 2. BellSouth shall have no obligation to become involved in any disputes between Southern Telcom and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Southern Telcom. It shall be the responsibility of Southern Telcom and the B&C Customers to negotiate and arrange for any appropriate adjustments.

IV. Fees for Service and Taxes

- A. Southern Telcom will not be charged a fee for storage services provided by BellSouth to Southern Telcom as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by

Southern Telcom in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

| UNB | UNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attach | ment: 2 | Exhil | oit: B |
|----------|----------|---|-----------|----------|-------------------------|----------------|-------------------|-----------------|-----------------|-----------------|-----------------|---------------|--------------|--|--|--|---------------------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | lust a mi | | | | | | | | | Elec | | Manual Svc | | | Manual Svo |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | po. 20.1 | po. 2011 | Electronic- | | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | | | | | | | | | 1st | Add'I | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonred | curring | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | | | SOMAN | | SOMAN | SOMAN |
| | The "Zo | one" shown in the sections for stand-alone loops or loops as | part of | a com | bination refers to Ge | eographically | y Deaveraged U | NE Zones. To | view Geograp | hically Deavera | ged UNE Zon | e Designation | ons by Cent | ral Office, ref | er to Internet | Website: | |
| | http://w | ww.interconnection.bellsouth.com/become_a_clec/html/inter | rconnec | tion.h | m | | | | | | | | | | | | |
| OPER | | . SUPPORT SYSTEMS | | | | | | | | | | | | | | | |
| | NOTE: | (1) Electronic Service Order: CLEC should contact its contract | ct nego | tiator i | it prefers the state | specific elec | tronic service o | rdering charge | es as ordered b | y the State Co | mmissions. T | he electron | ic service o | rdering charg | ge currently co | ontained in thi | is rate |
| | exhibit | is the BellSouth regional electronic service ordering charge. | CLEC | may el | ect either the state s | pecific Com | mission ordered | I rates for the | electronic serv | ice ordering ch | arges, or CLE | C may elec | the region | al electronic | service orderi | ng charge. | |
| | NOTE: | (2) Any element that can be ordered electronically will be bill | ed acco | rding | to the SOMEC rate I | isted in this | category. Pleas | e refer to Bell | South's Busine | ess Rules for L | ocal Ordering | (BBR-LO) to | determine | if a product | can be ordere | d electronical | ly. For |
| | those e | lements that cannot be ordered electronically at present per t | the BBF | R-LO, ti | ne listed SOMEC rate | e in this cate | gory reflects the | e charge that v | vould be billed | to a CLEC on | ce electronic o | ordering cap | abilities co | me on-line fo | r that elemen | t. Otherwise, | the manual |
| | orderin | g charge, SOMAN, will be applied to a CLECs bill when it sub | omits ar | LSR | o BellSouth. | | | - | | | | | | | | | |
| | | Electronic OSS Charge, per LSR, submitted via BST's OSS | | | | | | | | | | | | | | | |
| | | interactive interfaces (Regional) | 1 | 1 | İ | SOMEC | | 3.50 | | | | | | I | | I | |
| | | Manual Service Order Charge, per LSR, Disconnect Only (AL) | | | | SOMAN | | | | 1.97 | | | | | | | |
| UNE S | SERVICE | DATE ADVANCEMENT CHARGE | | | | | | | | | | | | | | | |
| | | The Expedite charge will be maintained commensurate with | BellSou | th's F | CC No.1 Tariff, Section | on 5 as appli | icable. | | | | | | | | | | 1 |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | ALL UNE EXCEPT | | | | | | | | | | | | |
| 1 | | Day | 1 | 1 | UNE-P | SDASP | | 200.00 | | | | | | I | | I | l |
| UNBU | NDLED E | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 12.58 | 37.81 | 17.56 | 23.49 | 5.30 | | 15.66 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 21.05 | 37.81 | 17.56 | 23.49 | 5.30 | | 15.66 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 34.34 | 37.81 | 17.56 | 23.49 | 5.30 | | 15.66 | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | | Premise | | | UEANL | URETL | | 8.33 | 0.83 | | | | 15.66 | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 34.16 | | | | | 15.66 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.85 | | | | | 15.66 | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | | (UVL-SL1) | | | UEANL | UREWO | | 15.78 | 8.94 | | | | 15.66 | | | | |
| | | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | | | | | | | | | | | | |
| | | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.44 | | | | | | | | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 8.15 | | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | | | | | | | | | |
| | | (per LSR) | | | UEANL | OCOSL | | 18.09 | | | | | | | | | |
| | 2-WIRE | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | - | 1 | UEQ | UEQ2X | 11.20 | 34.14 | 15.10 | 21.25 | 4.15 | | 15.66 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | l I | | UEQ | UEQ2X | 13.27 | 34.14 | 15.10 | 21.25 | 4.15 | | 15.66 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | I | 3 | UEQ | UEQ2X | 15.07 | 34.14 | 15.10 | 21.25 | 4.15 | | 15.66 | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | l | | | | | | | | | 1 | | 1 | |
| | | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | 15.66 | | ļ | |] |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | l | | | | | | | | | 1 | | 1 | |
| | | Designed (per loop) | ļ | <u> </u> | UEQ | USBMC | | 8.15 | | | | | | . | | . | ļ |
| | | Unbundled Copper Loop, Non-Design Copper Loop, billing for | 1 | 1 | l | | | | | | | | | I | | I | |
| | | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 13.44 | | | | | 15.66 | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 34.16 | | | | | 15.66 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 19.85 | | | | | 15.66 | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | | (UCL-ND) | | | UEQ | UREWO | | 14.27 | 7.43 | | | | 15.66 | | | | |
| UNBU | | XCHANGE ACCESS LOOP | <u> </u> | <u> </u> | | | | | | | | | | | | | |
| | 2-WIRE | ANALOG VOICE GRADE LOOP | <u> </u> | <u> </u> | | | | | | | | | | | | | |
| 1 | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | 1 | | LIEBOD LIEBOD | | 40 == | 07.01 | 47 | 00.10 | F | | 45.00 | I | | I | |
| <u> </u> | + | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 12.58 | 37.81 | 17.56 | 23.49 | 5.30 | - | 15.66 | 1 | | 1 | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | 1 | | HEDOD MEDOD | LIEADO | 10.50 | 07.01 | 47.50 | 20.42 | 5.00 | | 45.00 | I | | I | |
| <u> </u> | + | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 12.58 | 37.81 | 17.56 | 23.49 | 5.30 | 1 | 15.66 | | | | - |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | 2 | HEDOD HEDOD | LIEALO | 04.05 | 07.04 | 47.50 | 00.40 | F 00 | | 45.00 | 1 | | 1 | |
| | + | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 21.05 | 37.81 | 17.56 | 23.49 | 5.30 | 1 | 15.66 | | | | ļ |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | 1 | _ | HEDOD HEDOD | LIEADO | 04.05 | 07.04 | 47.50 | 00.40 | F 00 | | 45.00 | I | | I | 1 |
| <u> </u> | + | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 21.05 | 37.81 | 17.56 | 23.49 | 5.30 | ! | 15.66 | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | 1 | 3 | HEDOD HEDOD | LIEALS | 04.04 | 07.04 | 47.50 | 00.40 | F 00 | | 45.00 | I | | I | |
| | + | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 34.34 | 37.81 | 17.56 | 23.49 | 5.30 | - | 15.66 | 1 | | 1 | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | 1 | _ | HEDOD WEDOD | LIEADO | 0404 | 07.01 | 17.50 | 20.42 | | | 45.00 | I | | I | 1 |
| 1 | 1 | Zone 3 | 1 | 3 | UEPSR UEPSB | UEABS | 34.34 | 37.81 | 17.56 | 23.49 | 5.30 | 1 | 15.66 | 1 | 1 | 1 | l |

Version 4Q02: 01/21/03

| UNB | UNDLE | D NETWORK ELEMENTS - Alabama | | | | - | | | | | | | | Attach | ment: 2 | Exhil | bit: B |
|----------|----------|---|------------------|--|--------------|---------------|-------|--------|------------|--------------|----------|--------------|--------------|--|--|-------------|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | | |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | 1 | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | Manually | | | | Order vs. |
| CAIL | COICI | KATE EEEMENTO | m | 20116 | 500 | 0000 | | | KATEO (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | 1 | | | | | | | NI | | _ N | . D' | | | 000 | D-((A) | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | 001141 |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNBU | | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | + | Order Coordination for Specified Conversion Time (per LSR) | | J | UEA | OCOSL | 30.14 | 18.09 | 33.00 | 77.27 | 7.44 | 1 | 15.00 | | | | - |
| - | + | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | 1 | 1 | OLA. | OOOOL | | 10.09 | | 1 | | 1 | | | | | 1 |
| | | | | 1 | UEA | UEAR2 | 44.00 | 00.00 | FF 00 | 47.04 | 7.44 | 1 | 45.00 | | | | |
| | - | Battery Signaling - Zone 1 | 1 | 1 | UEA | UEAK2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | <u> </u> |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | l | | | | | | | 1 | | | | | |
| | | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | ļ |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | 1 | | | | | | | 1 | | | | | |
| | | Battery Signaling - Zone 3 | <u> </u> | 3 | UEA | UEAR2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 18.09 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.72 | 36.36 | | | | 15.66 | | | | |
| | | Loop Tagging - Service Level 2 (SL2) | | | UEA | URETL | | 10.45 | 1.03 | | | | 15.66 | | | | |
| | 4-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 38.58 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 3 | | | - | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | + | Order Coordination for Specified Conversion Time (per LSR) | | J | UEA | OCOSL | 00.02 | 18.09 | 34.31 | 33.14 | 14.50 | 1 | 15.00 | | | | - |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | - | UEA | UREWO | | 87.72 | 36.36 | | | 1 | 15.66 | | | | + |
| | 0.14(10) | E ISDN DIGITAL GRADE LOOP | | | UEA | UKEWU | | 01.12 | 30.30 | | | ļ | 13.00 | | | | |
| | 2-WIRE | | | . | | 1141.014 | 04.00 | | | =0.00 | 10.51 | | 4= 00 | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 21.88 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 2 | | | UDN | U1L2X | 32.85 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 48.55 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | |
| | | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 18.09 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.63 | 44.16 | | | | 15.66 | | | | |
| | 2-WIRE | Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | | 1 | - 1 | 1 | UDC | UDC2X | 21.88 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | | 2 | 1 | 2 | UDC | UDC2X | 32.85 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | t i | t - | | 1 | | | | 52.30 | | İ | 1 | İ | İ | | |
| l | | 3 | Li | 3 | UDC | UDC2X | 48.55 | 117.24 | 79.77 | 52.88 | 10.54 | 1 | 15.66 | 1 | 1 | | |
| | + | CLEC to CLEC Conversion Charge without outside dispatch | ' - | ۲Ť | UDC | UREWO | 70.00 | 91.63 | 44.16 | 02.00 | 10.04 | | 15.66 | | | | + |
| | 2-WIPF | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIRI F | LOOP | | 3112110 | | 01.00 | 77.10 | | | | 10.00 | | | | |
| | - WIINE | 2 Wire Unbundled ADSL Loop including manual service inquiry | DEL | | | + | | | | 1 | | 1 | 1 | 1 | 1 | | |
| | | & facility reservation - Zone 1 | 1 | 1 | UAL | 11/1/27 | 11.01 | 110.00 | 60.00 | 47.24 | 7.44 | I | 15.60 | Ì | İ | | |
| | - | | 1 | | UAL | UAL2X | 11.01 | 110.00 | 68.00 | 41.24 | 7.44 | 1 | 15.66 | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | 1 | I _ | UAL | LIALOY | 10.70 | 440.00 | 00.00 | 47.01 | - | I | 45.00 | Ì | İ | | |
| <u> </u> | | & facility reservation - Zone 2 | <u> </u> | 2 | UAL | UAL2X | 12.73 | 110.00 | 68.00 | 47.24 | 7.44 | 1 | 15.66 | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | 1 | | | | | | | 1 | | | | | |
| | | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 14.30 | 110.00 | 68.00 | 47.24 | 7.44 | | 15.66 | | | | 1 |
| | | Order Coordination for Specified Conversion Time (per LSR) | |] | UAL | OCOSL | | 18.09 | | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | 1 | 1 | | | | | | | | | i | <u> </u> | | | |
| | | facility reservaton - Zone 1 | <u> </u> | _1 | UAL | UAL2W | 11.01 | 90.00 | 57.00 | 47.24 | 7.44 | <u> </u> | 15.66 | <u></u> | <u> </u> | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | | facility reservaton - Zone 2 | 1 | 2 | UAL | UAL2W | 12.73 | 90.00 | 57.00 | 47.24 | 7.44 | I | 15.66 | Ì | İ | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | 1 | | | | | |
| | | facility reservaton - Zone 3 | 1 | 3 | UAL | UAL2W | 14.30 | 90.00 | 57.00 | 47.24 | 7.44 | I | 15.66 | Ì | İ | | |
| | 1 | Order Coordination for Specified Conversion Time (per LSR) | 1 | Ť | UAL | OCOSL | | 18.09 | 000 | | | 1 | | † | | | † |
| | 1 | CLEC to CLEC Conversion Charge without outside dispatch | 1 | 1 | UAL | UREWO | | 86.20 | 40.40 | | | 1 | 15.66 | | | | † |
| | 2-WIDE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | OOP | J | 3112110 | | 55.20 | -0.40 | <u> </u> | | | 10.00 | | | | |
| | Z-VVIRE | 2 Wire Unbundled HDSL Loop including manual service inquiry | T | LOOP | | + | | | | 1 | | 1 | | 1 | 1 | | + |
| | | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 8.74 | 110.00 | 68.00 | 47.24 | 7.44 | 1 | 15.66 | | | | |
| - | - | | 1 | 1 | UITL | UNLZX | 8.74 | 110.00 | 00.00 | 41.24 | 7.44 | 1 | 15.06 | 1 | 1 | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | L | 1, 11, 10, 10 | 40.1- | 440.00 | 00.00 | 47.01 | | 1 | 45.00 | 1 | 1 | | |
| | 1 | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.17 | 110.00 | 68.00 | 47.24 | 7.44 | 1 | 15.66 | 1 | 1 | | |

| UNBUNDL | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | Svc Order | | | ment: 2 | | bit: B |
|--|--|-------------|--|------|---------|------------------|------------------|------------------|-----------------------|---------------------|-----------|---|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES (\$) | | | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | + | | FIISL | Auu i | FIISL | Auu i | SOMEC | SUMAN | SOWAN | SOWAN | SOWAN | SOWAN |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 11.44 | 110.00 | 68.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.09 | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 8.74 | 90.00 | 57.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.17 | 90.00 | 57.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 11.44 | 90.00 | 57.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.09 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.14 | 40.40 | | | | 15.66 | | | | |
| 4-WII | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | IIBLE | LOOP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | 1 | UHL | UHL4X | 13.95 | 148.36 | 68.00 | 51.70 | 9.73 | | 15.66 | | | | |
| | and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry | - | | UIIL | υπι4λ | 13.95 | 148.36 | 00.00 | 51.70 | 9.73 | | 10.00 | | - | 1 | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 15.56 | 148.36 | 68.00 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | - | OFIL | UI IL4X | 13.30 | 140.30 | 00.00 | 31.70 | 5.13 | | 13.00 | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 15.25 | 148.36 | 68.00 | 51.70 | 9.73 | | 15.66 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | 10.20 | 18.09 | 00.00 | 00 | 00 | | 10.00 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 13.95 | 94.00 | 57.00 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 15.56 | 94.00 | 57.00 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 15.25 | 94.00 | 57.00 | 51.70 | 9.73 | | 15.66 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.09 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.14 | 40.40 | | | | 15.66 | | | | |
| 4-WIF | RE DS1 DIGITAL LOOP | | <u> </u> | | 1101307 | | | | | | | 1= 00 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | | USL | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 3 | USL | USLXX | 154.18 314.52 | 252.47 252.47 | 157.54 157.54 | 44.70 44.70 | 11.71 11.71 | | 15.66 15.66 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | USL | OCOSL | 314.52 | 18.09 | 157.54 | 44.70 | 11.71 | | 15.00 | | | | - |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 101.09 | 43.05 | | | - | 15.66 | | | | |
| 4-WIF | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | USL | UKLVVO | | 101.09 | 43.03 | | | | 13.00 | | | | |
| · · · · · | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 18.09 | | | | | | | | | 1 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | 1 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | ļ | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | 1 | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 18.09 | 49.75 | | | | 15.66 | | | | |
| 2-14/10 | CLEC to CLEC Conversion Charge without outside dispatch RE Unbundled COPPER LOOP | | | UDL | UREWO | | 102.13 | 49.75 | | | 1 | 10.00 | | | 1 | 1 |
| Z-VVII | 2-Wire Unbundled Copper Loop/Short including manual service | | | | + | | | | | | | | | - | 1 | + |
| | inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 11.01 | 112.46 | 65.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service | | | | 7 | | 10 | 22.00 | | | | | | | | |
| | inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 12.73 | 112.46 | 65.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2 Wire Unbundled Copper Loop/Short including manual service | | | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 14.30 | 112.46 | 65.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | _ | - | | - | | | | | | |
| | inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCLPW | 11.01 | 91.46 | 54.30 | 47.24 | 7.44 | | 15.66 | | | | 1 |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | 1 | l | 1 | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | ı | 2 | UCL | UCLPW | 12.73 | 91.46 | 54.30 | 47.24 | 7.44 | | 15.66 | | | | |

| | ED NETWORK ELEMENTO. ALL | | | | | | | | | | | - | | | | |
|------------|---|----------|----------|----------------|-----------|--------|--------|-------------|--------------|-------|------------|-----------|-------------|-------------|-------------|-------------|
| UNBUNDL | ED NETWORK ELEMENTS - Alabama | | 1 | 1 | 1 | 1 | | | | | ı <u>.</u> | | | ment: 2 | | bit: B |
| | | | | | | | | | | | | | Incremental | Incremental | | Incremental |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| 04750000 | DATE ELEMENTO | Interi | - | 500 | 11000 | | | D 4 TEO (6) | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | 1 | | | | | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | _ | | | | | | | | | | | | | , |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 14.30 | 91.46 | 54.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 31.42 | 112.46 | 65.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | _ | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 55.01 | 112.46 | 65.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | _ | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 80.00 | 112.46 | 65.30 | 47.24 | 7.44 | | 15.66 | | | | |
| \vdash | Order Coordination for Unbundled Copper Loops (per loop) | <u> </u> | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | └── |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | l . | ١. | | 1101 6:11 | | | = | | _ ,. | | | | | | 1 ' |
| \vdash | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 31.42 | 91.46 | 54.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | _ | | | | | | | | | | | | | |
| \vdash | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 55.01 | 91.46 | 54.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | _ | | | | | | | | | | | | | · |
| | inquiry and facility reservation - Zone 3 | l l | 3 | UCL | UCL2W | 80.00 | 91.46 | 54.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 97.23 | 42.48 | | | | 15.66 | | | | |
| 4-WIF | E COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 17.36 | 135.21 | 88.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 20.76 | 135.21 | 88.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 28.21 | 135.21 | 88.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | I | 1 | UCL | UCL4W | 17.36 | 114.21 | 67.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | I | 2 | UCL | UCL4W | 20.76 | 114.21 | 67.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | I | 3 | UCL | UCL4W | 28.21 | 114.21 | 67.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 49.35 | 135.21 | 88.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | 1 | | l <u>.</u> . | 1 | | | | | | | | | | | 1 |
| | inquiry and facility reservation - Zone 2 | <u> </u> | 2 | UCL | UCL4L | 92.45 | 135.21 | 88.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | 1 | l . | l <u>.</u> . | 1 | | | | | | | | | | | 1 |
| \vdash | inquiry and facility reservation - Zone 3 | ļ | 3 | UCL | UCL4L | 127.39 | 135.21 | 88.05 | 51.70 | 9.73 | | 15.66 | | | | |
| \vdash | Order Coordination for Unbundled Copper Loops (per loop) | ļ | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 1 | l <u>.</u> . | 1 |] | | | | | 1 | | | | | 1 |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | 49.35 | 114.21 | 67.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 1 | l <u>.</u> . | 1 |] | | | | | 1 | | | | | 1 |
| \vdash | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 92.45 | 114.21 | 67.05 | 51.70 | 9.73 | | 15.66 | | | | |
| 1 1 | 4-Wire Unbundled Copper Loop/Long - without manual svc. | 1 . | _ | l <u>.</u> . | 1 | l l | | | | _ | | | | | | 1 |
| \vdash | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL40 | 127.39 | 114.21 | 67.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | ļ | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | |
| | CLEC to CLEC conversion Charge without outside dispatch | ļ | <u> </u> | UCL | UREWO | | 97.23 | 42.48 | | | | 15.66 | | | | ├ |
| LOOP MODIF | ICATION | ļ | <u> </u> | | _ | | | | | | | | | | | ├── |
| | | 1 | 1 | UAL, UHL, UCL, | |] | | | | | 1 | | | | | 1 |
| | Haland Halland Madrana B. C. Communication | 1 | 1 | UEQ, ULS, UEA, | |] | | | | | 1 | | | | | 1 |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | 1 . | 1 | UEANL, UEPSR, | |] | | | | | 1 | | | | | 1 |
| | pair less than or equal to 18k ft | | | UEPSB | ULM2L | ļļ | 0.00 | 0.00 | | | | 15.66 | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire | 1 . | | l | l | | | | | | | | | | | 1 |
| \vdash | greater than 18k ft | | <u> </u> | UCL, ULS, UEQ | ULM2G | | 170.51 | 170.51 | | | | 15.66 | | | | ├ |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | 1 . | 1 | | |] | | | | | 1 | | | | | 1 |
| | less than or equal to 18K ft | | | UHL, UCL | ULM4L | | 0.00 | 0.00 | | | l | 15.66 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | Svc Order | 1 - | | ment: 2 | 1 | bit: B |
|-------------|---|-------------|--|------------------------|----------|------------|--------|--------|--------------|------------|-----------|---|---|---|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | RATES (\$) | | | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonred | urring | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | | | | | | | | | | | |
| | pair greater than 18k ft | I | | UCL | ULM4G | | 170.51 | 170.51 | | | | 15.66 | | | | |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| | Haland Halland Marker Start Barrell (British Tar Barrell | | | UEQ,ULS,UEA, | | | | | | | | | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UEANL, UEPSR, UEPSB | ULMBT | | 32.41 | 32.41 | | | | 15.66 | | | | |
| SUB-LOOPS | per unbundied loop | - ' | | UEPSB | ULIVIB I | | 32.41 | 32.41 | | | | 15.00 | | | | |
| | oop Distribution | | | | | | | | | | | | | | | |
| Oub L | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | + + | | | | | | | | | | | |
| | Up | 1 | | UEANL | USBSA | | 244.42 | | | | | 15.66 | | | | |
| | | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | 1 | 1 | UEANL | USBSB | | 22.64 | | | | | 15.66 | | | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | | | | | | | | | | | | | |
| | Facility Set-Up | - 1 | | UEANL | USBSC | | 177.45 | | | | | 15.66 | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | | | L | I | | | | | | | | | | | |
| | Set-Up | | <u> </u> | UEANL | USBSD | | 55.15 | | | | | 15.66 | | | ļ | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 1 | LIFANII | LICONIO | 44.04 | 05.00 | 20.00 | 45.05 | 0.70 | | 45.00 | | | | |
| | Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 1 | UEANL | USBN2 | 11.21 | 65.80 | 30.96 | 45.25 | 6.70 | | 15.66 | | | 1 | |
| | | | 2 | LIFANI | USBN2 | 11.94 | CE 00 | 30.96 | 45,25 | 6.70 | | 45.00 | | | | |
| | Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 2 | UEANL | USBN2 | 11.94 | 65.80 | 30.96 | 45.25 | 6.70 | | 15.66 | | | | |
| | Zone 3 | | 3 | UEANL | USBN2 | 16.86 | 65.80 | 30.96 | 45.25 | 6.70 | | 15.66 | | | | |
| | Zone 3 | | 3 | OLANE | OODINZ | 10.00 | 05.00 | 30.30 | 40.20 | 0.70 | | 13.00 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.15 | 8.15 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 8.46 | 79.03 | 44.19 | 49.71 | 9.07 | | 15.66 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN4 | 16.67 | 79.03 | 44.19 | 49.71 | 9.07 | | 15.66 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 32.57 | 79.03 | 44.19 | 49.71 | 9.07 | | 15.66 | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.15 | 8.15 | 45.05 | | | 1= 00 | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR2 | 2.27 | 53.01 | 18.17 | 45.25 | 6.70 | | 15.66 | | | | |
| | Order Coordination for Unbundled Sub-Loope, per sub-loop pair | | | UEANL | USBMC | | 8.15 | 8.15 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 5.16 | 59.25 | 24.41 | 49.71 | 9.07 | | 15.66 | | | | |
| | Sub-Loop 4-vviile intrabuliding Network Cable (INC) | | | OLANE | OODIN | 3.10 | 33.23 | 24.41 | 43.71 | 3.07 | | 13.00 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.15 | 8.15 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 6.22 | 65.80 | 30.96 | 45.25 | 6.70 | | 15.66 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS2X | 8.76 | 65.80 | 30.96 | 45.25 | 6.70 | | 15.66 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS2X | 11.27 | 65.80 | 30.96 | 45.25 | 6.70 | | 15.66 | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | <u></u> | UEF | USBMC | | 8.15 | 8.15 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 6.11 | 79.03 | 44.19 | 49.71 | 9.07 | | 15.66 | | ļ | | |
| ļ | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS4X | 12.61 | 79.03 | 44.19 | 49.71 | 9.07 | | 15.66 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | 1 | 3 | UEF | UCS4X | 15.36 | 79.03 | 44.19 | 49.71 | 9.07 | | 15.66 | | | | 1 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.15 | 8.15 | | | | | | 1 | | |
| Unber | ndled Sub-Loop Modification | 1 | | OLI | OSDIVIC | | 0.15 | 0.15 | | | | | | | 1 | |
| - Cilbui | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | + + | | | | | | | | | | 1 | |
| | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 175.78 | 5.10 | | | | 15.66 | | 1 | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load | | 1 | | | | | | | | | | | | | |
| | Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 175.78 | 5.10 | | | | 15.66 | | | | |
| | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged | | | | | | | | | | | | | | | |
| | Tap Removal, per PR unloaded | | <u> </u> | UEF | ULM4T | | 278.20 | 6.11 | | | | 15.66 | | | | |
| I be been | ndled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | |
| Unbul | | | | | | | | | | | | | | | | 1 |
| | Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID) | | | UENTW | UENPP | 0.40 | 30.01 | | | | | 15.66 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | , | , | | ment: 2 | | bit: B |
|--|--|-------------|----------|-------------------------|----------------|----------------|------------------|----------------|----------------|----------------|--|---|--|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 63.97 | 49.11 | | | | 15.66 | | | | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 5.87 | 5.87 | | | | 15.66 | | | | 1 |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 5.87 | 5.87 | | | | 15.66 | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-L | oop Feeder | | | | | | | | | | | | | | | ĺ |
| | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up | | | UEA, UDN,UCL,UDL,UDC | USBFW | | 244.42 | | | | | 15.66 | | | | |
| | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA, | | | | | | | | | | | | |
| | set-up | | | UDN,UCL,UDL,UDC | USBFX | | 22.64 | 22.64 | | | | 15.66 | | | | |
| | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 519.95 | 11.32 | | | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | 1 | UEA | USBFA | 8.03 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | |
| | Grade - Zone 2 | | 2 | UEA | USBFA | 12.00 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFA | 20.39 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | |
| | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 18.09 | | | | | | | | | |
| | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFB | 8.03 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFB | 12.00 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3 | | 3 | UEA | USBFB | 20.39 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | |
| | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 18.09 | | | | | | | | | ĺ |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1 | | 1 | UEA | USBFC | 8.03 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2 | | 2 | UEA | USBFC | 12.00 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 20.39 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 18.09 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFD | 19.21 | 107.56 | 70.09 | 62.05 | 17.40 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFD | 23.47 | 107.56 | 70.09 | 62.05 | 17.40 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3 | | 3 | UEA | USBFD | 39.63 | 107.56 | 70.09 | 62.05 | 17.40 | | 15.66 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 18.09 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFE | 19.21 | 107.56 | 70.09 | 62.05 | 17.40 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFE | 23.47 | 107.56 | 70.09 | 62.05 | 17.40 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFE | 39.63 | 107.56 | 70.09 | 62.05 | 17.40 | | 15.66 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 18.09 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 14.87 | 106.16 | 68.69 | 55.64 | 13.29 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 21.69 | 106.16 | 68.69 | 55.64 | 13.29 | <u> </u> | 15.66 | | | | ļ |
| igwdow | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 32.51 | 106.16 | 68.69 | 55.64 | 13.29 | | 15.66 | | | . | ļ |
| | Order Coordination For Specified Conversion Time, Per LSR | | <u> </u> | UDN | OCOSL | | 18.09 | | | 10 | | 1= 5- | | | | <u> </u> |
| \vdash | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 14.87 | 106.16 | 68.69 | 55.64 | 13.29 | } | 15.66 | 1 | | ! | |
| \vdash | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | - | 3 | UDC UDC | USBFS USBFS | 21.69 32.51 | 106.16 106.16 | 68.69 68.69 | 55.64 55.64 | 13.29 13.29 | | 15.66 15.66 | | - | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | | USL | USBFS | 32.51 55.09 | 106.16 | 68.69 | 55.64 62.05 | 13.29 17.40 | 1 | 15.66 15.66 | | - | | |
| \vdash | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | - | | USL | USBFG | 124.69 | 101.85 | 64.38 | 62.05 | 17.40 | } | 15.66 | 1 | 1 | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | | USL | USBFG | 294.62 | 101.85 | 64.38 | | 17.40 | 1 | 15.66 | 1 | 1 | t | |
| | Order Coordination For Specified Conversion Time, Per LSR | | 3 | USL | OCOSL | 294.02 | 18.09 | 04.38 | 02.05 | 17.40 | 1 | 10.00 | 1 | 1 | t | |
| | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFH | 5.75 | 83.78 | 46.32 | 53.02 | 10.67 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | T | | | | | | | | | | | | | |
| | 2 | | 2 | UCL | USBFH | 4.93 | 83.78 | 46.32 | 53.02 | 10.67 | | 15.66 | | | 1 | |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|-------------|---|-------------|----------|------------|----------------|----------|-----------------|------------|--------------|-------|--|-----------|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | | | | | | | | | | | | | |
| | 3 | | 3 | UCL | USBFH | 3.96 | 83.78 | 46.32 | 53.02 | 10.67 | | 15.66 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | <u> </u> | UCL | OCOSL | 10 =1 | 18.09 | 20.50 | == 00 | 10.00 | | 1= 00 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | | UCL | USBFJ | 12.71 | 100.99 | 63.53 | 57.90 | 13.26 | | 15.66 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | | UCL | USBFJ | 9.69 | 100.99 | 63.53 | 57.90 | 13.26 | | 15.66 | | | | <u> </u> |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 Order Coordination For Specified Conversion Time, per LSR | | 3 | UCL UCL | USBFJ OCOSL | 14.37 | 100.99 18.09 | 63.53 | 57.90 | 13.26 | | 15.66 | | | | - |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 19.20 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | + |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 21.64 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | | UDL | USBFN | 23.75 | 101.85 | 64.38 | | 17.40 | | 15.66 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | 3 | ODL | OODI IV | 23.73 | 101.05 | 04.50 | 02.03 | 17.40 | | 13.00 | | | | + |
| | Zone 1 | | 1 | UDL | USBFO | 19.20 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFO | 21.64 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFO | 23.75 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | |
| | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 18.09 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | 1 | UDL | USBFP | 19.20 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | |
| | Zone 2 | | 2 | UDL | USBFP | 21.64 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFP | 23.75 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 18.09 | | | | | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-Lo | op Feeder | | | | | | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Per Mile Per Month | ı | | UE3 | 1L5SL | 13.55 | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | l l | | UE3 | USBF1 | 332.40 | 3,400.58 | 407.00 | 160.47 | 90.97 | | 15.66 | | | | |
| | Sub Loop Feeder – STS-1 – Per Mile Per Month | | | UDLSX | 1L5SL | 13.55 | | | | | | | | | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | | | UDLSX | USBF7 | 357.36 | 3,400.58 | 407.00 | 160.47 | 90.97 | | 15.66 | | | | |
| | Sub Loop Feeder – OC-3 – Per Mile Per Month | | | UDLO3 | 1L5SL | 10.28 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month | | | UDLO3 | USBF5 | 54.89 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Per Month | <u> </u> | | UDLO3 | USBF2 | 538.69 | 3,400.58 | 407.00 | 160.47 | 90.97 | | 15.66 | | | | + |
| | Sub Loop Feeder - OC-12 - Per Mile Per Month | | | UDL12 | 1L5SL | 12.66 | 3,400.30 | 407.00 | 100.47 | 90.97 | | 13.00 | | | | |
| | Sub Loop Feeder - OC-12 - Fer Mille Fer World Sub Loop Feeder - OC-12 - Facility Termination Protection Per | | | ODLIZ | ILJUL | 12.00 | | | | | | | | | | |
| | Month | - 1 | | UDL12 | USBF6 | 620.18 | | | | | | | 1 | | 1 | |
| | Sub Loop Feeder - OC-12 - Facility Termination Per Month | Ė | | UDL12 | USBF3 | 1,729.00 | 3,400.58 | 407.00 | 160.47 | 90.97 | | 15.66 | | | | |
| | Sub Loop Feeder - OC-48 - Per Mile Per Month | - 1 | | UDL48 | 1L5SL | 41.51 | | | | | | | | 1 | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month | ı | | UDL48 | USBF9 | 310.30 | | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Per Month | i | | UDL48 | USBF4 | 1,495.00 | 3,586.58 | 407.00 | 160.47 | 90.97 | | 15.66 | İ | | İ | |
| | Sub Loop Feeder - OC-12 Interface On OC-48 | i | | UDL48 | USBF8 | 350.09 | 804.67 | 407.00 | 160.47 | 90.97 | | 15.66 | | | | |
| UNBUNDLED L | OOP CONCENTRATION | | | | | | | | | | | | | 1 | | |
| | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 364.17 | 325.41 | 325.41 | | | | 15.66 | | | | |
| | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 43.70 | 135.59 | 135.59 | | | | 15.66 | | | | |
| | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 395.12 | 325.41 | 325.41 | | | | | | | | |
| | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 73.64 | 135.59 | 135.59 | | | | 15.66 | | | | |
| | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 4.16 | 63.29 | 46.07 | 16.79 | 4.70 | | 15.66 | | | | |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) | | | UDN | ULCC1 | 6.60 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite Card) | | | UDC | ULCCU | 6.60 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |
| | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | | | 0.00 | 10.04 | 10.10 | 5.50 | 5.50 | | .0.00 | | | | |
| | Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | UEA | ULCC2 | 1.65 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |
| | Loop Interface (SPOTS Card) | | | UEA | ULCCR | 9.81 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card) | | | UEA | ULCC4 | 5.85 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |

| ONRONDLE | ED NETWORK ELEMENTS - Alabama | | | 1 | | 1 | | | | | 1 - | T - | | ment: 2 | | bit: B |
|-------------|--|-------------|----------|-------------------------------------|--|--------|--------|------------|--------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates (\$) | I . | <u> </u> |
| | | | 1 | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 28.60 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |
| | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | | | | | | | | | | | | | | |
| | Interface | | | UDL | ULCC7 | 8.67 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |
| | Unbundled Loop Concentration - Digital 56 Kbps Data Loop | | | l | | | | | | | | | | | | |
| | Interface | | | UDL | ULCC5 | 8.67 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | 1 |
| | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | UDL | ULCC6 | 8.67 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |
| UNF OTHER. | PROVISIONING ONLY - NO RATE | | | ODL | OLCCO | 6.07 | 10.54 | 10.46 | 3.39 | 5.50 | | 13.00 | | | | |
| J T T | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | | | | UEANL,UEF,UEQ,U | | | | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| UNE OTHER, | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | ļ | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | 1 | LIEA LIOI | HODES | | | | | | | | | | | |
| | rate | | | UEA,USL,UCL,UDL | USBFR CCOSF | 0.00 | 0.00 | | | | | | | | | 1 |
| + | Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | 1 | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPAC | ITY UNBUNDLED LOCAL LOOP | | 1 | 002 | 0002. | 0.00 | 0.00 | | | | | | | | | |
| | : minimum billing period of three months for DS3 and above L | ocal Lo | ор | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 8.38 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 308.98 | 451.52 | 263.94 | 119.49 | 83.58 | | 15.66 | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 8.38 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | 05207 | 120.12 | 0.00 | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 319.83 | 451.52 | 263.94 | 119.49 | 83.58 | | 15.66 | | | | |
| LOOP MAKE- | | | | | | | | | | | | | | | | |
| | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 20.00 | 20.00 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 21.00 | 21.00 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or | | | | | | | | | | | | | | | |
| HICH EDEC!! | spare facility queried (Mechanized) ENCY SPECTRUM | 1 | <u> </u> | UMK | PSUMK | | 0.59 | 0.59 | ļ — | | | | | | | |
| | SHARING | - | 1 | | - | | | | 1 | | 1 | | | | 1 | |
| | TERS-CENTRAL OFFICE BASED | 1 | - | | | | | | | | | | | | | |
| U. E.I. | Line Sharing Splitter, per System 96 Line Capacity | | | ULS | ULSDA | 155.97 | 188.79 | 0.00 | 177.98 | 0.00 | | 15.66 | | | <u> </u> | † |
| | Line Sharing Splitter, per System 24 Line Capacity | | | ULS | ULSDB | 38.99 | 188.79 | 0.00 | 177.98 | 0.00 | | 15.66 | | | İ | |
| | Line Sharing Splitter, Per System, 8 Line Capacity | | | ULS | ULSD8 | 12.73 | 377.58 | 0.00 | 355.96 | 0.00 | | 15.66 | | | | |
| | Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD) | | | ULS | ULSDG | | 86.47 | 0.00 | 49.84 | 0.00 | | 15.66 | | | | |
| END U | JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC | Y SPEC | TRUM | | | | | | | | | | | | <u> </u> | |
| | Line Sharing - per Line Activation (BST Owned splitter) | | | ULS | ULSDC | 0.61 | 18.51 | 10.60 | 10.01 | 4.92 | | 15.66 | | | | |
| | Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter | | | ULS | ULSDS | | 16.39 | 8.19 | | | | 15.66 | | | | |
| | Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter | | | ULS | ULSCS | | 16.39 | 8.19 | | | | 15.66 | | | | |
| | Line Sharing - per Line Activation (DLEC owned Splitter) | | <u> </u> | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.02 | 9.83 | | 15.66 | | | 1 | <u> </u> |
| | SPLITTING | | | - | | 0.01 | | | 20.02 | 2.30 | | .0.00 | | | 1 | 1 |
| | JSER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | Line Splitting - per line activation DLEC owned splitter | Ī | | UEPSR UEPSB | UREOS | 0.61 | | • | | • | | | | | | |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 37.01 | 21.19 | 20.02 | 9.83 | | 15.66 | | | | |

Version 4Q02: 01/21/03 Page 8 of 416

| UNBUN |)LED | NETWORK ELEMENTS - Alabama | | | • | | | | | | | | | | ment: 2 | | bit: B |
|---------|------|--|-------------|----------|---------------------|----------------|-----------------|------------------|------------------|----------------|----------------|---|---|--|--|---|--|
| CATEGOR | RY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | - | | | | | - | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | l | 1 |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | L | Line Splitting - per line activation BST owned - virtual | ı | | UEPSR UEPSB | UREBV | 0.61 | 37.01 | 21.19 | 20.02 | 9.83 | | 15.66 | | | | |
| | | E SITE HIGH FREQUENCY SPECTRUM | | | | | | | | | | | | | | | |
| SF | | ERS-REMOTE SITE | | | | | | | | | | | | | | | |
| | | Remote Site Line Share BellSouth Owned Splitter, 24 Port | ı | | ULS | ULSRB | 40.01 | 114.83 | 0.00 | 85.03 | 0.00 | | 15.66 | | | | |
| | | Remote Site Line Share Cable Pair Activation CLEC Owned at | | | | | | | | | | | | | | | |
| | | RS and Deactivation | 1 1/4 | | ULS | ULSTG | | 95.66 | 0.00 | 68.25 | 0.00 | | 15.66 | | | | |
| EN | | ER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM Remote Site Line Share Line Activationfor End User Served at | VI AKA | REMO | I E SITE LINE SHARI | NG | | | | - | | | | | | | |
| | | RS, BST Splitter | ١, | | ULS | ULSRC | 0.61 | 37.01 | 21.19 | 20.02 | 9.83 | | 15.66 | | | | |
| | | RS Line Share Line Activation for End User served at RS, CLEC | - | | OLO | OLOICO | 0.01 | 37.01 | 21.13 | 20.02 | 9.03 | | 13.00 | | | | |
| | | Splitter | l ı | | ULS | ULSTC | 0.61 | 37.01 | 21.19 | 20.02 | 9.83 | | 15.66 | | | | |
| | F | Remote Site Line Share Subsequent Activity-RS BST Owned | | | | | | | | | | | | | | | |
| | | Splitter | I | | ULS | ULSRS | | 49.16 | 17.83 | | | | 15.66 | | | | |
| | | Remote Site Line Share Subsequent Activity-RS CLEC Owned | | | | | | | | | | | | | | | |
| | | Splitter | I | | ULS | ULSTS | | 49.16 | 17.83 | | | | 15.66 | | | | |
| | | EDICATED TRANSPORT | | <u> </u> | | | D00 (| | | | | | | | | | |
| | | NTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu FFICE CHANNEL - DEDICATED TRANSPORT | m billin | g perio | oa - below DS3=one | month, abov | e DS3=four mo | ntns | | - | | | | | | | |
| IIN | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | - | | | | | | | | | | - | |
| | | Per Mile per month | | | U1TVX | 1L5XX | 0.008838 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | 01117 | 120701 | 0.000000 | | | İ | | | | | | | |
| | | Facility Termination | | | U1TVX | U1TV2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | I | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | | | | | | | | | | | | | |
| | | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.008838 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | ł | | | | | | | | | | | | | | |
| | | Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | 1 | U1TVX | U1TR2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | | interonice Channer - Dedicated Transport - 4-wire voice Grade - Per Mile per month | 1 | | U1TVX | 1L5XX | 0.008838 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | UTIVA | ILJAA | 0.008838 | | | + | | | | | | 1 | |
| | | - Facility Termination | | | U1TVX | U1TV4 | 18.73 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | | per month | | | U1TDX | 1L5XX | 0.008838 | | | | | | | | | | |
| | | nteroffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | | Termination | | | U1TDX | U1TD5 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | LIATOV | 41.500/ | 0.00000 | | | | | | | | | | |
| - | | per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | <u> </u> | U1TDX | 1L5XX | 0.008838 | | | | | | | | | | |
| | | Termination | | | U1TDX | U1TD6 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | OTTEX | 011100 | 10.12 | 40.04 | 27.41 | 10.74 | 0.00 | | 10.00 | | | | |
| | | month | | | U1TD1 | 1L5XX | 0.18 | | | | | | | | | | |
| | I | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | 1 | Termination | | | U1TD1 | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | |
| | | nteroffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | U1TD3 | 1L5XX | 4.09 | | | | | | | | | | |
| | Į. | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 703.52 | 278.75 | 162.76 | 60.20 | 58.46 | | 15.66 | | | | |
| | | Internification per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | 01103 | UTIF3 | 703.52 | 2/8./5 | 102.76 | 60.20 | 58.46 | | 15.00 | | | - | |
| | | month | | | U1TS1 | 1L5XX | 4.09 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | 01101 | 120701 | | | | | | | | | | | |
| | | Termination | L | L | U1TS1 | U1TFS | 701.37 | 278.75 | 162.76 | 60.20 | 58.46 | | 15.66 | | <u> </u> | <u> </u> | |
| | | CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| NC | | LOCAL CHANNEL DEDICATED TRANSPORT - minimum billir | ng perio | d = be | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade | | | ULDVX | ULDV2 | 13.97 | 193.10 | 33.17 | 36.64 | 3.20 | | 15.66 | | | ļ | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | | ULDVX | ULDR2 | 13.97 | 193.10 | 33.17 | 36.64 | 3.20 | | 15.66 | | | | 1 |
| - | | Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1 - Zone 1 | | 4 | ULDVX ULDD1 | ULDV4 ULDF1 | 14.93 35.76 | 193.53 177.47 | 33.60 153.72 | 27.11 22.19 | 3.67 15.26 | | 15.66 15.66 | | | | |
| | - 11 | | ı | | OLDDI | | 33.76 | | | | | | | | ļ | | |
| | | | | 2 | ULDD1 | UI DF1 | 49 98 | 177 47 | 153 72 | 22 19 1 | 15 26 | | 15 66 | | | | |
| | L | Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 | | 2 | ULDD1 ULDD1 | ULDF1 ULDF1 | 49.98 107.63 | 177.47 177.47 | 153.72 153.72 | 22.19 22.19 | 15.26 15.26 | | 15.66 15.66 | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - Alabama | | | 1 | • | | | | | | | | | ment: 2 | | bit: B |
|--|---|-------------|--|--------------|----------|-----------|--------|------------|--|------------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3 | ULDF3 | 416.54 | 451.52 | 263.94 | | 83.58 | | 15.66 | | | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 6.92 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1 | ULDFS | 408.49 | 451.52 | 263.94 | 119.49 | 83.58 | | 15.66 | | | | |
| DARK FIBER | R | | | | | | | | | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Local Channel | | | UDF | 1L5DC | 60.32 | | | | | | | | | | |
| | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 639.09 | 137.87 | 317.06 | 197.66 | | 15.66 | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | UDF | 1L5DF | 00.04 | | | | | | | | | | |
| | Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | 22.34 | 639.09 | 137.87 | 317.06 | 197.66 | | 15.66 | | | | |
| - | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | 1 | 1 | UDF | UDF 14 | | 639.09 | 137.07 | 317.00 | 197.00 | 1 | 13.00 | | | | |
| 1 1 | Thereof per month - Local Loop | | | UDF | 1L5DL | 60.32 | | | | | | | | | | |
| | NRC Dark Fiber - Local Loop | - | | UDF | UDFL4 | 00.52 | 639.09 | 137.87 | 317.06 | 197.66 | | 15.66 | | | 1 | |
| 8XX ACCESS | S TEN DIGIT SCREENING | 1 | | 1 | 1 | | 300.00 | .001 | 350 | .050 | | .0.00 | | | | t |
| 1 | 8XX Access Ten Digit Screening, Per Call | 1 | | OHD | | 0.00056 | | | | | | | | İ | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | 1 | | | 1 | | | | | | | | | | | İ |
| oxdot | Number Reserved | <u> </u> | | OHD | N8R1X | | 2.58 | 0.44 | | | <u> </u> | 15.66 | | | | <u> </u> |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | | | | | | - | | | | | | | | |
| | POTS Translations | | | OHD | | | 5.94 | 0.81 | 4.57 | 0.54 | | 15.66 | | | | |
| _ | 8XX Access Ten Digit Screening, Per 8XX No. Established With | | 1 | L | I | | | | | | | | | | | |
| \vdash | POTS Translations | | | OHD | N8FTX | | 5.94 | 0.81 | 4.57 | 0.54 | | 15.66 | | | | |
| | 8XX Access Ten Digit Screening, Customized Area of Service | | 1 | OLID. | NOECH | | | | | | | | | | | |
| \vdash | Per 8XX Number | 1 | 1 | OHD | N8FCX | | 2.58 | 1.29 | | | | 15.66 | | | | |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | 1 | OHD | N8FMX | | 3.02 | 1.73 | | | | 15.66 | | | | |
| \vdash | Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Change Charge Per Request | 1 | 1 | OHD | N8FAX | | 3.02 | 0.44 | 1 | | | 15.66 | | - | | |
| | 8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination | 1 | | טו וט | INOI AV | | 3.02 | 0.44 | | | - | 13.00 | | | | |
| | Features | | 1 | OHD | N8FDX | | 2.58 | | | | | 15.66 | | | | |
| | 8XX Access Ten Digit Screening, w/ 8FL No. Delivery | 1 | | OHD | 1.0. 5/ | 0.000565 | 2.00 | | † † | | <u> </u> | 10.00 | | | 1 | † |
| | 8XX Access Ten Digit Screening, w/ POTS No. Delivery | | | OHD | 1 | 0.000565 | | | | | | | | | | |
| LINE INFOR | MATION DATA BASE ACCESS (LIDB) | 1 | | İ | | | | | 1 | | | | 1 | | | |
| | LIDB Common Transport Per Query | | | OQT | | 0.00002 | | | | | | | | | | |
| | LIDB Validation Per Query | | | OQU | | 0.012002 | | | | | | | | | | |
| | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 34.32 | - | 42.08 | - | | 15.66 | | | | |
| SIGNALING | | | | | | | | | | | | | | | | |
| \vdash | CCS7 Signaling Connection, Per 56Kbps Facility | | | ļ | 1 | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | 15.66 | | | | |
| \vdash | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 130.83 | | | | | | | | ļ | | |
| \vdash | CCS7 Signaling Usage, Per Call Setup Message | 1 | 1 | LIDD | + | 0.0000142 | | | | | | | | | | |
| \vdash | CCS7 Signaling Usage, Per TCAP Message | 1 | - | UDB | TDD | 0.0000569 | 05.50 | 25.52 | 40.44 | 40.44 | 1 | 45.00 | | | | - |
| \vdash | CCS7 Signaling Connection, Per link (A link) | 1 | | UDB | TPP++ | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | 15.66 | | - | 1 | |
| 1 1 | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | 1 | UDB | TPP++ | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | 15.66 | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | UDB | IFFTT | 0.0000142 | 33.33 | 33.33 | 10.44 | 10.44 | | 13.00 | - | - | 1 | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | 1 | | UDB | STU56 | 650.33 | | | | | | | | | 1 | |
| | CCS7 Signaling Point Code, per Originating Point Code | 1 | | | 2.000 | 300.00 | | | † | | | | 1 | | 1 | t |
| 1 1 | Establishment or Change, per STP affected | | 1 | UDB | CCAPO | | 29.01 | 29.01 | 35.57 | 35.57 | | 15.66 | | | | |
| E911 SERVIO | | 1 | | | | | | | | | | | | | | İ |
| | Local Channel - Dedicated - 2-wr Voice Grade | | | | | 13.97 | 193.10 | 33.17 | 36.64 | 3.20 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | | 0.008838 | | - | | - | | | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | | | 1 | 1 | | | | | - | | | | | | |
| \vdash | Termination | | | ļ | 1 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| \vdash | Local Channel - Dedicated - DS1 - Zone 1 | | | ļ | 1 | 35.76 | 177.47 | 153.72 | 22.19 | 15.26 | | 15.66 | | | | |
| \vdash | Local Channel - Dedicated - DS1 - Zone 2 | 1 | <u> </u> | | _ | 49.98 | 177.47 | 153.72 | 22.19 | 15.26 | | 15.66 | | | | |
| \vdash | Local Channel - Dedicated - DS1 - Zone 3 | 1 | ļ | | | 107.63 | 177.47 | 153.72 | 22.19 | 15.26 | | 15.66 | ļ | | ļ | |
| \vdash | Interoffice Transport - Dedicated - DS1 Per Mile | 1 | | 1 | + | 0.18 | | | | | | | | | 1 | |
| | Intereffice Transport Dedicated DS4 Per Facility Termination | | 1 | 1 | 1 | 60.40 | 90.07 | 04 04 | 16.05 | 44.44 | | 15.00 | | | | |
| CALLING NA | Interoffice Transport - Dedicated - DS1 Per Facility Termination ME (CNAM) SERVICE | 1 | - | | + | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | - | 15.66 | - | - | 1 | - |
| CALLING NA | CNAM For DB Owners - Service Establishment | | | OQV | | | 22.95 | | 21.11 | | | | | | | |

| UNBUND | DLED NETWORK ELEMENTS - Alabama | _ | | | | 1 | | | | | | | | ment: 2 | | bit: B |
|--|--|-------------|--|-----|--------|----------|----------|------------|--------------|------------|---|---|--|--|---|--|
| CATEGOR | RY RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | 220 | Rates (\$) | | <u> </u> |
| | | | | | | Rec | First | Add'l | First | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CNAM For Non DB Owners - Service Establishment | - | 1 | OQV | + | | 22.95 | Auu i | 21.11 | Add I | SOWIEC | SOWAN | SOWAN | SOWAN | SOWAN | SUMAN |
| | CNAM For DB Owners - Service Provisioning With Point Code | | | OQV | + | | 22.93 | | 21.11 | | 1 | | | | | 1 |
| | Establishment | | | OQV | | | 990.88 | 732.84 | 268.93 | 197.74 | | | | | | |
| | CNAM For Non DB Owners - Service Provisioning With Point | | | OQV | _ | | 550.00 | 702.04 | 200.00 | 107.74 | | | | | | 1 |
| | Code Establishment | | | oqv | | | 342.33 | 245.14 | 275.25 | 197.74 | | | | | | |
| | CNAM for DB Owners, Per Query | | | OQV | | 0.000902 | 0 12.00 | 2.0 | 2.0.20 | | | | | | | |
| | CNAM for Non DB Owners, Per Query | | | OQV | | 0.000902 | | | | | | | | | | |
| LNP Query | | | | | | 0.00000 | | | | | | | | | | |
| | LNP Charge Per query | | | | | 0.000757 | | | | | | | | | | |
| | LNP Service Establishment Manual | | | | | 0.000.0. | 12.52 | | 11.51 | | | 15.66 | | | | |
| | LNP Service Provisioning with Point Code Establishment | | | | | | 593.49 | 303.20 | 268.93 | 197.74 | | 15.66 | | | | |
| OPERATO | R CALL PROCESSING | | | 1 | 1 | | 3000 | 555.20 | 200.00 | .07 | | .0.00 | | 1 | Ì | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | 1 | | | | | | | | | t | | 1 |
| | LIDB | | | | 1 | 1.20 | | | | | | | | 1 | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using | | | 1 | 1 | 0 | | | | | | | | 1 | Ì | |
| | Foreign LIDB | | | | 1 | 1.24 | | | | | | | | I | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST | | | | | | | | | | | | | | | |
| | LIDB | | | | | 0.20 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using | | | | | 0.20 | | | | | | | | | | |
| | Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWARD | OPERATOR SERVICES | | 1 | | + | 0.20 | | | | | | | | | | + |
| IIIII C | Inward Operator Services - Verification, Per Minute | | | | | 1.15 | | | | | | | | | | 1 |
| | Inward Operator Services - Verification and Emergency Interrup | ıt | | | _ | 1.10 | | | | | | | | | | 1 |
| | - Per Minute | ` | | | | 1.15 | | | | | | | | | | |
| BRANDING | G - OPERATOR CALL PROCESSING | | 1 | | + | 0 | | | | | | | | | | + |
| | cility based CLEC | | 1 | | + | | | | | | | | | | | + |
| | Recording of Custom Branded OA Announcement | | 1 | | CBAOS | | 7,000.00 | 7,000.00 | | | | 15.66 | | | | + |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | 1 | | 02/100 | | 7,000.00 | 1,000.00 | | | | 10.00 | | | | + |
| | per OCN | | | | CBAOL | | 500.00 | 500.00 | | | | 15.66 | | | | |
| UN | IEP CLEC | | 1 | | 02/102 | | 000.00 | 000.00 | | | | 10.00 | | | | + |
| | Recording of Custom Branded OA Announcement | | 1 | | + | | 7,000.00 | 7,000.00 | | | | 15.66 | | | | + |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | 1 | | + | | 7,000.00 | 7,000.00 | | | | 10.00 | | | | |
| | per OCN | | | | | | 500.00 | 500.00 | | | | 15.66 | | | | |
| Un | branding via OLNS for UNEP CLEC | | | | _ | | 000.00 | 000.00 | | | | 10.00 | | | | 1 |
| <u> </u> | Loading of OA per OCN (Regional) | | 1 | | + | | 1,200.00 | 1,200.00 | | | | 15.66 | | | | + |
| DIRECTOR | RY ASSISTANCE SERVICES | | 1 | | + | | 1,200.00 | 1,200.00 | | | | 10.00 | | | | |
| | RECTORY ASSISTANCE ACCESS SERVICE | | 1 | | + | | | | | | | | | | | |
| H-1 | Directory Assistance Access Service Calls, Charge Per Call | | | | + | 0.275 | | | | | | | | | | - |
| DIE | RECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE | (DACC) | 1 | | + | 0.2.0 | | | | | | | | | | |
| H | Directory Assistance Call Completion Access Service (DACC), | 1 | | | | | | | | | | | | | | |
| | Per Call Attempt | | | | | 0.10 | | | | | | | | | | |
| NU | JMBER SERVICES INTERCEPT ACCESS SERVICE | | | | | 0.10 | | | | | | | | | | |
| | RY ASSISTANCE SERVICES | | 1 | | + | | | | | | | | | | | + |
| | RECTORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | _ | | | | | | | | | | | 1 |
| H | Directory Assistance Data Base Service Charge Per Listing | | 1 | | + | 0.04 | | | | | | | | | | |
| | Directory Assistance Data Base Service Charge Fer Listing Directory Assistance Data Base Service, per month | | 1 | | DBSOF | 150.00 | | | | | | | | <u> </u> | | t |
| BRANDING | G - DIRECTORY ASSISTANCE | | | | 22001 | 100.00 | | | | | | | | t | | 1 |
| | cility Based CLEC | - | 1 | | + | | | | | | 1 | | | - | <u> </u> | |
| | Recording and Provisioning of DA Custom Branded | | 1 | | 1 | | | | | | | | | <u> </u> | | t |
| | Announcement | | | AMT | CBADA | | 3,000.00 | 3,000.00 | | | | 15.66 | | I | | |
| | Loading of Custom Branded Announcement per Switch per | | 1 | | 32, 2, | | 5,555.00 | 0,000.00 | | | 1 | .0.50 | | 1 | | 1 |
| | OCN | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | 15.66 | | I | | |
| UN | IEP CLEC | 1 | 1 | | 32, 20 | | ., | ., | | | 1 | .0.50 | | <u> </u> | | † |
| J | Recording of DA Custom Branded Announcement | - | 1 | | + | | 3,000.00 | 3,000.00 | | | 1 | 15.66 | | - | <u> </u> | |
| | Loading of DA Custom Branded Announcement per Switch per | 1 | 1 | | + | | 5,555.00 | 0,000.00 | | | 1 | .0.50 | | <u> </u> | | † |
| | OCN | | | | 1 | | 1,170.00 | 1,170.00 | | | | 15.66 | | I | | |
| Hn | branding via OLNS for UNEP CLEC | 1 | 1 | | + | | 1,170.00 | 1,170.00 | | | 1 | 10.00 | | <u> </u> | | † |
| H 1011 | Loading of DA per OCN (1 OCN per Order) | | | | + | | 420.00 | 420.00 | | | 1 | 15.66 | | t | 1 | |
| | Loading of DA per Switch per OCN | + | 1 | 1 | + | | 16.00 | 16.00 | } | | 1 | 15.66 | | | } | + |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | 1 | | • | | | | | | 1 - | | ment: 2 | | bit: B |
|--|--|--|------|--------------|-----------|----------|-----------------|--------------|--|------------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| 1 | | | | | | | Nonro | urrina | Nonrecurring | Disconnect | | | 220 | Rates (\$) | | 1 |
| | | | | | | Rec | Nonrec First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| SELECTIVE R | OUTING | | | | | | FIISL | Auu i | FIISL | Add I | SOMEC | SOWAN | SUMAN | SOWAN | SOWAN | SOWAN |
| OLLLO IIVE K | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| | Switch | | | | USRCR | | 84.70 | 84.70 | 14.11 | 14.11 | | 15.66 | | | | |
| VIRTUAL COL | | | | | CONTON | | 00 | 00 | | | | 10.00 | | | | |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| | Splitting | | | UEPSR, UEPSB | VE1LS | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| PHYSICAL CO | DLLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| | Splitting | | | UEPSR, UEPSB | PE1LS | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| AIN SELECTIV | /E CARRIER ROUTING | | | | | | | | | | | | | | | |
| | Regional Service Establishment | | | SRC | SRCEC | | 101,098.91 | | 8,590.70 | | | 15.66 | | | | |
| | End Office Establishment | ļ | | SRC | SRCEO | | 169.88 | 169.88 | 1.70 | 1.70 | | 15.66 | | | | 1 |
| AIN BELLE | Query NRC, per query | ļ | | SRC | | 0.002749 | | | | | | | | | | |
| AIN - BELLSO | UTH AIN SMS ACCESS SERVICE | ļ | | | + | | | | | | | | | | | - |
| | AIN SMS Access Service - Service Establishment, Per State, | l | | AANI | CAMCE | | 20.41 | 00.44 | 40.00 | 40.00 | | 45.00 | | | | 1 |
| | Initial Setup | | | A1N | CAMSE | | 39.44 | 39.44 | 40.69 | 40.69 | | 15.66 | | - | 1 | |
| | AIN CARC Access Comics - Bost Consenting - Diet/Channel Access | | | AANI | CAMDP | | 7.00 | 7.00 | 0.00 | 9.09 | | 45.00 | | | | |
| | AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access | | | A1N A1N | CAM1P | | 7.83 7.83 | 7.83 7.83 | 9.09 9.09 | 9.09 | | 15.66 15.66 | | | | |
| | AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User | | | AIN | CAIVITP | | 7.83 | 7.83 | 9.09 | 9.09 | | 15.00 | | | | - |
| | ID Code | | | A1N | CAMAU | | 35.00 | 35.00 | 27.06 | 27.06 | | 15.66 | | | | |
| | AIN SMS Access Service - Security Card, Per User ID Code, | | | AIN | CAIVIAU | | 35.00 | 35.00 | 27.06 | 27.00 | | 15.66 | | | | |
| | Initial or Replacement | | | A1N | CAMRC | | 41.88 | 41.88 | 11.71 | 11.71 | | 15.66 | | | | |
| | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | 7.111 | O/ WII CO | 0.002188 | 41.00 | 41.00 | 11.71 | 11.71 | | 10.00 | | | | |
| | AIN SMS Access Service - Session, Per Minute | | | | | 0.59 | | | | | | | | | | |
| | AIN SMS Access Service - Company Performed Session, Per | | | | | 0.00 | | | | | | | | | | |
| | Minute | | | | | 0.73 | | | | | | | | | | |
| AIN - BELLSO | UTH AIN TOOLKIT SERVICE | | | | | | | | | | | | | | | |
| | AIN Toolkit Service - Service Establishment Charge, Per State, | | | | | | | | | | | | | | | |
| | Initial Setup | | | CAM | BAPSC | | 39.44 | 39.44 | 40.69 | 40.69 | | 15.66 | | | | |
| | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 4,202.17 | 4,202.17 | | | | 15.66 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, Term. Attempt | | | | BAPTT | | 7.83 | 7.83 | 9.09 | 9.09 | | 15.66 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, Off-Hook Delay | | | | BAPTD | | 7.83 | 7.83 | 9.09 | 9.09 | | 15.66 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | 1 | | | DADT: | | | | | | | , | | | | I |
| ļļ | DN, Off-Hook Immediate | ! | | | BAPTM | | 7.83 | 7.83 | 9.09 | 9.09 | | 15.66 | | | | - |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | 1 | | | BARTO | | 24 47 | 24.47 | 14.00 | 14.00 | | 15.00 | | | | I |
| | DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | <u> </u> | - | | BAPTO | | 34.47 | 34.47 | 14.36 | 14.36 | | 15.66 | | - | - | - |
| | DN. CDP | 1 | | | BAPTC | | 34.47 | 34.47 | 14.36 | 14.36 | | 15.66 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DAF IU | | 34.47 | 34.47 | 14.30 | 14.30 | - | 10.00 | | | | |
| | DN, Feature Code | 1 | | | BAPTF | | 34.47 | 34.47 | 14.36 | 14.36 | | 15.66 | | | | I |
| | AlN Toolkit Service - Query Charge, Per Query | 1 | | | | 0.05 | 04.47 | J-117 | 14.50 | 14.50 | <u> </u> | 10.00 | | | 1 | I |
| | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | | | | | 2.00 | | | | | | | | | | 1 |
| | Subscription, Per Node, Per Query | 1 | | | | 0.00582 | | | | | | | | | | I |
| İ | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | | | | | | | | | | | | | | İ |
| | Account, Per 100 Kilobytes | <u> </u> | | <u> </u> | <u> </u> | 0.05 | | | <u> </u> | | <u></u> | | | <u> </u> | | <u> </u> |
| | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | Subscription | | | CAM | BAPMS | 10.17 | 7.83 | 7.83 | 5.50 | 5.50 | | 15.66 | | | | |
| | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | l | | | | | | | | | | | | <u> </u> | | |
| | Subscription | | | CAM | BAPLS | 2.87 | 8.66 | 8.66 | | | | 15.66 | | | | |
| | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | 1 | | L | L | | | | | | | | | | | |
| | Subscription | ļ | | CAM | BAPDS | 7.39 | 7.83 | 7.83 | 5.50 | 5.50 | | 15.66 | | ļ | | 1 |
| | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | 1 | | | | | | | | | | | | | | I |
| ENULA NOTE - | Service Subscription | ! | | CAM | BAPES | 0.10 | 8.66 | 8.66 | ļ | | | 15.66 | | | | - |
| ENHANCED EX | XTENDED LINK (EELs) | l | L | <u> </u> | | | | | l | | | | | | | |
| | The monthly recurring and non-recurring charges below will | | | | | | | | | | | | | | | |

| <u>UNBUND</u> LF | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|------------------|--|-------------|--------|----------------|--------|--------|--------|------------|--------------|-------|--------|-----------|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | 001441 | | Rates (\$) | 001441 | 001111 |
| NOTE | : Minimum billing is one month for DS1 and below and three m | | | DC4i | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | | | | + | | | | | | | | | | - | |
| Z-VVIIN | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | LKOFF | ICL IN | I | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | |
| | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | 15.66 | | | | |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.53 | 6.58 | 4.72 | | | | 15.66 | | | | |
| [| Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | l | | LINOVA | LIENIA | | | | | | | 4-00 | | 1 | I | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | ! | 1 |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | _ | 11000 | | 00.05 | 00.00 | 55.00 | 47.04 | 7.44 | | 45.00 | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | 3 | UNCVX | LIEALO | 20.44 | 00.00 | 55.00 | 47.04 | 7.44 | | 45.00 | | | | |
| | Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | UNCVX | UEAL2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | per month | | | UNCVX | 1D1VG | 0.53 | 6.58 | 4.72 | | | | 15.66 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVA | IDIVG | 0.55 | 0.30 | 4.72 | | | | 15.00 | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| 4-WIR | E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | FROFE | ICE TR | | ONCCC | | 5.55 | 3.33 | 0.30 | 0.30 | | 13.00 | | | | |
| 7 1111 | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | I | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.58 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.18 | | | | | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | | | | | | | | | | | | | |
| | Month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | | | | | | | | | | | | | | |
| | Month | | | UNC1X | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | 15.66 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | | | . =- | | | | 4= 00 | | | | |
| | per month | | | UNCVX | 1D1VG | 0.53 | 6.58 | 4.72 | | | | 15.66 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | UNCVX | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1 | | 1 | UNCVX | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.58 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | UNCVA | UEAL4 | 30.30 | 131.97 | 94.51 | 39.14 | 14.50 | | 15.00 | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | 1 | 3 | 0110 VX | OLAL4 | 00.02 | 151.97 | 34.31 | 55.14 | 14.50 | | 10.00 | | | - | |
| | per month | l | | UNCVX | 1D1VG | 0.53 | 6.58 | 4.72 | | | | 15.66 | | | 1 | |
| - | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | | | 0.00 | 0.00 | 2 | | | | .0.00 | | 1 | 1 | |
| | Is Charge | l | | UNC1X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | 1 | |
| 4-WIR | E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT (EEL | | | - | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | , | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | <u></u> | 1 | UNCDX | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | <u> </u> | <u> </u> | <u> </u> | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| 1 | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | 1 | | | | | | | | | | | | 1 | _ | |
| | | | 3 | UNCDX | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | ĺ | 15.66 | | 1 | 1 | 1 |
| | Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCDA | ODLOG | 37.00 | 120.21 | 00.00 | 33.14 | 17.00 | | 10.00 | | | | |

| NRONDLE | D NETWORK ELEMENTS - Alabama | | | 1 | , , | | | | | | | _ | | nent: 2 | | bit: B |
|---------|--|-------------|-------|-----------------|-------|-----------------|------------------|------------------|----------------|-------|---|---|---|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | 15.66 | | | | ĺ |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.12 | 6.58 | 4.72 | | | | 15.66 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System - | | 3 | UNCDX | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | 1D1DD | 1.12 | 6.58 | 4.72 | | | | 15.66 | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| 4-WIRE | 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT (EEL) | | | | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | Ì |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | 15.66 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | | 1D1DD | | | | 10.54 | 3.73 | | | | | | |
| | combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | UNCDX | | 1.12 | 6.58 | 4.72 | 50.44 | | | 15.66 | | | | |
| | Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 1 | UNCDX | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 2 | UNCDX | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System | | 3 | UNCDX | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | 1D1DD | 1.12 | 6.58 | 4.72 | | | | 15.66 | | | | |
| 4 WIDE | Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE | | CE TD | UNC1X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | <u> </u> |
| 4-4414 | Transport - Zone 1 | LAUFFI | 1 | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | | - | | | | | | | | | |
| | Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | Per Month Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | |
| | Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | |
| A-WIDE | Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE | | CE TP | UNC1X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | <u> </u> |
| 4-VVIKE | First DS1Loop in DS3 Interoffice Transport Combination - Zone | LKOFFI | JE IK | ` | HELVY | 00.55 | 050.47 | 457.54 | 44.70 | 44.74 | | 45.00 | | | | |
| | 1 First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 2 | UNC1X UNC1X | USLXX | 82.55 154.18 | 252.47 252.47 | 157.54 157.54 | 44.70 44.70 | 11.71 | | 15.66 15.66 | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhil | oit: B |
|--|--|--|-------------|----------------|----------------|------------------|------------------|-----------------|--|----------------|-----------|----------------|-------------|-------------|-------------|-------------|
| | , and and | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | "" | | | | | | | | | | _ | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| - I | | | + | | + | 1 | Nonrec | urring | Nonrecurring | Disconnect | | l | 088 | Rates (\$) | | |
| | | | 1 | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOM AN | SOMAN | SOMAN |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 1 | | | | 1 11 51 | Auu | 11131 | Addi | COME | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR |
| | 3 | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC3X | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | LINGOV | LIATEO | 700.50 | 070.75 | 100 70 | 00.00 | 50.40 | | 45.00 | | | | |
| | month DS3 to DS1 Channel System combination per month | | 1 | UNC3X UNC3X | U1TF3 MQ3 | 703.52 166.10 | 278.75 178.14 | 162.76 93.97 | 60.20 33.26 | 58.46 31.83 | | 15.66 15.66 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | 1 | 1 | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | 33.20 | 31.03 | | 15.66 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | 1 | 1 | ONOTA | 00101 | 12.70 | 0.00 | 7.72 | | | | 10.00 | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 2 | 1 | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | _ | LINIOAN | 1101.307 | 6=- | c=c -= | | | | | | | | | |
| | Zone 3 DS3 Interface Unit (DS1 COCI) combination per month | ļ | 3 | UNC1X UNC1X | USLXX UC1D1 | 314.52 12.70 | 252.47 | 157.54 | 44.70 | 11.71 | 1 | 15.66 | | - | - | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | 1 | UNCIA | OCIDI | 12.70 | 6.58 | 4.72 | | | | | | | | |
| | Is Charge | | | UNC3X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| 2-WIR | E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN | TEROFF | ICE TR | | 0.1000 | | 0.00 | 0.00 | 0.00 | 0.00 | | 10.00 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | ` <i>'</i> | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per | | 3 | UNCVA | UEALZ | 30.14 | 00.00 | 55.00 | 41.24 | 7.44 | | 15.00 | | | | |
| | Mile Per Month | | | UNCVX | 1L5XX | 0.008838 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade | | | 0110171 | 120701 | 0.000000 | | | İ | | | | | | | |
| | combination - Facility Termination per month | | | UNCVX | U1TV2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | - | | | | | | | | | | | | | | |
| | Is Charge | | 1 | UNCVX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| 4-WIR | E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN | TEROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | + - | ONOVA | OLALT | 20.04 | 131.37 | 34.31 | 33.14 | 14.50 | | 15.00 | | | | |
| 1 1 | Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.58 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | 1 | 1 | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | İ | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - 4-wire VG combination - Per | | | | 41.500: | | | | | | | | | | | |
| \vdash | Mile Per Month | | <u> </u> | UNCVX | 1L5XX | 0.008838 | | | - | | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 18.73 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | + | OINCVA | 01174 | 10.73 | 40.54 | 21.41 | 10.74 | 0.90 | - | 13.00 | | | | |
| | Is Charge | | | UNCVX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| DS3 D | IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | CE TRA | NSPOR | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Per | | | | | | | | | | | | | | | |
| | Mile per month | | | UNC3X | 1L5ND | 8.38 | | | ļ | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - | | | LINGOV | LIESDY | 200.00 | 454.50 | 202.24 | 140.40 | 00.50 | | 45.00 | | 1 | 1 | |
| \vdash | Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month | 1 | | UNC3X UNC3X | UE3PX 1L5XX | 308.98 4.09 | 451.52 | 263.94 | 119.49 | 83.58 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility | | | 014037 | ILUAA | 4.09 | | | | | | | | | | |
| | Termination per per month | | | UNC3X | U1TF3 | 703.52 | 278.75 | 162.76 | 60.20 | 58.46 | | 15.66 | | 1 | 1 | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | - | | - | | | | | | | | | | | | |
| | Is Charge | | | UNC3X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| STS1 | DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE T | RANSP | ORT (EEL) | | | | | | | | | | | | |
| 1 1 | High Capacity Unbundled Local Loop - STS1 combination - Per | | | LINIOOV | 41.5115 | | | | 1 | | | | | | | |
| \vdash | Mile per month High Capacity Unbundled Local Loop - STS1 combination - | | 1 | UNCSX | 1L5ND | 8.38 | | | | | - | | | | | |
| | Facility Termination per month | | | UNCSX | UDLS1 | 319.83 | 451.52 | 263.94 | 119.49 | 83.58 | | 15.66 | | | | |
| | p army community or morning | 1 | | 12.100/1 | 10000 | 310.00 | 101.02 | 200.04 | 110.40 | 00.00 | 1 | 10.00 | | 1 | 1 | <u> </u> |

| CATEGORY | O NETWORK ELEMENTS - Alabama RATE ELEMENTS | | | | | | | | | | | | | ment: 2 | | oit: B |
|-------------------------------|--|---------|--------|----------------|----------|--------|--------|------------|--------------|-------|-----------|-----------|-------------|-------------|-------------|-------------|
| CATEGORY | RATE ELEMENTS | | 1 | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| CATEGORY | RATE ELEMENTS | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | Intori | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| | | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | F | p | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | 1 | | | | | | | | | | |
| 'll | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | 001441 | | Rates (\$) | 001141 | 001111 |
| | Intereffice Transport Dedicated CTC4 combination DesMile | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | ł |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | UNCOX | ILJAA | 4.09 | | | | | 1 | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 701.37 | 278.75 | 162.76 | 60.20 | 58.46 | | 15.66 | | | | ł |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | 0.100/1 | 00 | 701.07 | 2.00 | .020 | 00.20 | 00.10 | | 10.00 | | | | |
| | Is Charge | | | UNCSX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | f |
| 2-WIRE | ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL |) | | | | | | | | | | | | | í |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | i |
| | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 21.88 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | <u> </u> |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | _ | | | | | | | | | | | | | ł |
| | Transport - Zone 2 | | 2 | UNCNX | U1L2X | 32.85 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | —— |
| . | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3 | | 3 | UNCNX | U1L2X | 48.55 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | ł |
| -+ | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNC1X | 1L5XX | 0.18 | 111.24 | 19.11 | 5∠.88 | 10.54 | | 10.00 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Fer Mile Interoffice Transport - Dedicated - DS1 combination - Facility | 1 | | 014017 | ILUAA | 0.10 | | | | | - | | | | | |
| . | Termination per month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | i |
| | Channelization - Channel System DS1 to DS0 combination - | | | | 1 | 22.10 | | 2.101 | | | | .5.50 | | | | i |
| | per month | | | UNC1X | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | 15.66 | | | | ł |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| , | combination - per month | | | UNCNX | UC1CA | 2.41 | 6.58 | 4.72 | | | | 15.66 | | | | <u> </u> |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | ł |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21.88 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | LINIONIN | 1141.00/ | 00.05 | 447.04 | 70.77 | 50.00 | 40.54 | | 45.00 | | | | ł |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.85 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 48.55 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | ł |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | 3 | UNCINA | UILZX | 40.55 | 117.24 | 15.11 | 32.00 | 10.54 | | 13.00 | | | | |
| | combintaion- per month | | | UNCNX | UC1CA | 2.41 | 6.58 | 4.72 | | | | | | | | ł |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | ī |
| | Is Charge | | | UNC1X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | ł |
| | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE T | RANSPORT (EEL) | | | | | | | | | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | ł |
| | Zone 1 | | 1 | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | 2 | LINIOAN | 1101.307 | 45440 | 050 47 | 457.54 | 44.70 | 44.74 | | 45.00 | | | | ł |
| | Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination - | | | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | - | 15.66 | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | l |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | 5 | 5.1017 | 3027 | 317.32 | 202.41 | 107.04 | 44.70 | 11.71 | | 10.00 | | | | ſ |
| | Per Month | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | l |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | 1 | | | | | | | | | | | | | | l |
| | Termination | | | UNCSX | U1TFS | 701.37 | 278.75 | 162.76 | 60.20 | 58.46 | | 15.66 | | | | <u> </u> |
| | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | 15.66 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | | | | | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | LINICAY | LICLYY | 00.55 | 050 4- | 457.51 | 44.70 | | | 45.00 | | | | l |
| | Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination - | 1 | 1 | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | - | 15.66 | | | | |
| . | Zone 2 | | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | ł |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | 5.1017 | 3027 | 134.10 | 202.41 | 107.04 | 44.70 | 11.71 | | 10.00 | | | | <u> </u> |
| | Zone 3 | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | ł |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | l |
| | Is Charge | | | UNCSX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | <u> </u> |
| 4-WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI | FFICE T | RANSI | PORT (EEL) | | | | | | | | | | | | <u> </u> |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | LINODY | LIDI 50 | 22.2- | | 22.5 | | | | | | | | l |
| $\longrightarrow \longmapsto$ | Combination - Zone 1 | 1 | 1 | UNCDX | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | 1 | 15.66 | | | | |
| , | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | i |
| . | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | OINODA | ODESO | 33.95 | 120.27 | 00.00 | 35.14 | 14.50 | | 13.00 | | - | | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | ł |

| ONRON | IDLE | D NETWORK ELEMENTS - Alabama | | | 1 | 1 | 1 | | | | | | | | ment: 2 | | bit: B |
|---------|--------|---|-------------|--------------|---------------------|----------------|-----------------|------------------|------------------|----------------|----------------|---|---|---|---|---|--|
| CATEGO | RY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | LINCDY | 1L5XX | 0.000000 | | | | | | | | | | |
| | | Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | UNCDX | 1L5XX | 0.008838 | | | | | | | | | + | |
| | | Facility Termination | | | UNCDX | U1TD5 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONODA | OTTEG | 10.12 | 40.04 | 27.41 | 10.74 | 0.00 | | 10.00 | | | | |
| | | Is Charge | | | UNCDX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| 4 | | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE 1 | RANS | PORT (EEL) | | | | | | | | | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | | Combination - Zone 1 | | 1 | UNCDX | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | _ | | l | | | | | | | | | | | |
| | | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 37.88 | 126.27 | 88.80 | EO 14 | 14.50 | | 15.66 | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 3 | UNCDX | UDL64 | 37.88 | 120.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | - | |
| | | Per Mile | | | UNCDX | 1L5XX | 0.008838 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | ONOBA | 120/01 | 0.000000 | | | | | | | | | | |
| | | Facility Termination | | | UNCDX | U1TD6 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | | Is Charge | | | UNCDX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| | | IETWORK ELEMENTS | | | | | | | | | | | | | | | |
| | | used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | | used as ordinarily combined network elements in All States, the | | | | | As Is Charge of | loes not. | | | | | | | | | |
| N | lonrec | curring Currently Combined Network Elements "Switch As Is" | Charge | (One a | applies to each com | bination) | | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | 110000 | 1111000 | | 5 50 | 5.50 | 0.00 | 0.00 | | 45.00 | | | | |
| | | Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | - | |
| | | Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONODA | 011000 | | 0.00 | 0.00 | 0.50 | 0.00 | | 10.00 | | | 1 | |
| | | Is Charge - DS1 | | | UNC1X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | | Is Charge - DS3 | | | UNC3X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | | ls Charge - STS1 | | | UNCSX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| N | IOTE: | Local Channel - Dedicated Transport - minimum billing period | d - Belo | w DS3 | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade | | | UNCVX | ULDV2 | 13.97 | 193.10 | 33.17 | 36.64 | 3.20 | | 15.66 | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade | | | UNCVX | ULDV4 | 14.93 | 193.53 | 33.60 | 37.11 | 3.67 | | 15.66 | | | | |
| | | Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNC1X | ULDF1 | 35.76 | 177.47 | 153.72 | 22.19 | 15.26 | | 15.66 | | | | |
| | | Local Channel - Dedicated -DS1 Per Month Zone 2 Local Channel - Dedicated - DS1- Per Month Zone 3 | | | UNC1X UNC1X | ULDF1 ULDF1 | 49.98 107.63 | 177.47 177.47 | 153.72 153.72 | 22.19 22.19 | 15.26 15.26 | | 15.66 15.66 | | | + | |
| - | | Local Channel - Dedicated - DS3 - Per Mile per month | | 3 | UNC3X | 1L5NC | 6.92 | 177.47 | 155.72 | 22.19 | 15.20 | | 15.00 | | | - | |
| | | Local Channel - Dedicated - DS3 - Fel Mile per month Local Channel - Dedicated - DS3 - Facility Termination | | | UNC3X | ULDF3 | 416.54 | 451.52 | 263.94 | 119.49 | 83.58 | | 15.66 | | | | 1 |
| - | | Local Channel - Dedicated - BSS - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 6.92 | 431.32 | 203.54 | 115.45 | 03.30 | | 13.00 | | | 1 | |
| - | | Local Channel - Dedicated - STS-1 - Facility Termination | | | UNCSX | ULDFS | 408.49 | 451.52 | 263.94 | 119.49 | 83.58 | | 15.66 | | | 1 | |
| C | ption | al Features & Functions: | | | | | | | | | | | | | | 1 | |
| N | ULTIF | PLEXERS | | | | | | | | | | | | | | | |
| N | IOTE: | minimum billing period is one month for DS1 to DS0 Channel | Systen | n and i | nterfaces | | | | | | | | | | | | |
| N | IOTE: | minimum billing period is three months for DS3 to DS1 and a | bove C | hannel | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | 15.66 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | l | | | | | | | | | | | 1 | |
| | | month (2.4-64kbs) | | <u> </u> | UDL | 1D1DD | 1.12 | 6.58 | 4.72 | | | | 15.66 | | | ļ | ļ |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | l | | LIBN | 110404 | | 0 =0 | 4 === | | | | 45.00 | | 1 | | |
| | | month | <u> </u> | <u> </u> | UDN | UC1CA | 2.41 | 6.58 | 4.72 | | | | 15.66 | | ļ | _ | <u> </u> |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month DS3 to DS1 Channel System per month | | <u> </u> | UEA UXTD3 | 1D1VG MQ3 | 0.53 166.13 | 6.58 178.14 | 4.72 93.97 | 33.26 | 31.83 | 1 | 15.66 15.66 | | | | |
| - | | STS1 to DS1 Channel System per month | <u> </u> | <u> </u> | UXTS1 | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | 15.66 | | | | 1 |
| | | DS3 Interface Unit (DS1 COCI) used with Loop per month | 1 | | USL | UC1D1 | 166.13 | 6.58 | 93.97 4.72 | 33.∠6 | 31.83 | | 15.66 | | 1 | | |
| | | IDOS INTENACE ONIT (DO I OOOI) USEU WITH LOOP PER MONTH | | 1 | UUL | OCIDI | 12.70 | 0.30 | 4.12 | | | ļ | 10.00 | | | <u> </u> | 1 |
| - | | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|----------------|--|--|--------|-----------------------|----------------|-----------------|-----------------|----------------|----------------|--------------|--|----------------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | COMEC | COMAN | | Rates (\$) | COMAN | COMAN |
| + | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel | | | | - | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | per month | | | U1TD1 | UC1D1 | 12.70 | 6.58 | 4.72 | | | | 15.66 | | | | İ |
| Sub-Lo | pop Feeder | | | | | | | | İ | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | | SW | UNC1X | USBFG | | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | UNC1X | USBFG | 55.09 | 101.85 | 64.38 | 62.05 | 17.40 | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | UNC1X | USBFG | 124.69 | 101.85 | 64.38 | 62.05 | 17.40 | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | UNC1X | USBFG | 294.62 | 101.85 | 64.38 | 62.05 | 17.40 | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4 | | 4 | UNC1X | USBFG | | | | | | | | | | | |
| | LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | nge Ports | | | | | L | | | | | | | | | | |
| | Although the Port Rate includes all available features in GA, I | ΛΥ, LA δ | s≀iN,t | ne desired features v | will need to b | oe oraered usir | ig retail USOCs | 5 | _ | | 1 | | | | - | |
| Z-WIRI | E VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | - | - | |
| | LACTIONING FORES - 2-VVIIIE ANDIONY LINE FORE RES. | 1 | | OLFOR | OLFKL | 1.38 | 2.38 | 2.21 | 1.42 | 1.33 | } | 13.00 | 1 | 1 | 1 | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | <u> </u> |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | Exchange Ports - 2-Wire VG unbundled AL extended local | | | | | | | | | | | | | | | İ |
| | dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | UEPSR | UEPAR | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | with Caller ID (LUM) Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan | | | UEPSR | UEPAP | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | without Caller Id | | | UEPSR | UEPWA | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability | | | UEPSR | UEPRT | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | ĺ |
| - | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | 1.42 | 1.33 | | 15.66 | | | | |
| FEATU | | | | OLFOR | USAGC | 0.00 | 0.00 | 0.00 | | | | 13.00 | | | | |
| ILAIC | All Available Vertical Features | | | UEPSR | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| 2-WIRI | VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | | | | | | | | | | | | |
| | Bus Exchange Ports - 2-Wire VG unbundled Line Port with | | | UEPSB | UEPBL | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | Exchange Ports - 2-Wire VG unbundled AL extended local | | | | | | | | | | | | | | | |
| | dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAW | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan without Caller ID | | | UEPSB | UEPWB | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID Capability | | | UEPSB | UEPBE | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | 1.72 | 1.00 | | 15.66 | | | | |
| FEATU | | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSB | UEPVF | 1.98 | 0.00 | 0.00 | ļ | | | 15.66 | | | | |
| EXCH | ANGE PORT RATES (DID & PBX) | | | LIEDOE | HEDES | | 2 | | | | | | | | | ↓ |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE UEPSP | UEPRD UEPPC | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 0.90 | 1 | 15.66 | - | 1 | | ├ |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPC | 1.38 1.38 | 31.27 31.27 | 14.85 14.85 | 13.94 13.94 | 0.90 | 1 | 15.66 15.66 | | | - | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | 1 | | UEPSP | UEPPO UEPP1 | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | } | 15.66 | 1 | 1 | 1 | |
| | 2-Wire VG Line Side Unbundled incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | 1 | 15.66 | | 1 | | |
| - | 2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port | 1 | | UEPSP | UEPA2 | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | — |
| <u> </u> | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | l | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |

| ONBONDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | ment: 2 | Exhil | |
|-----------------|--|-------------|---------|-------------------|-------------------|----------------|----------------------|----------------------|-------------------|----------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual S Order vs Electronic Disc Add |
| | | | | | | Dee | Nonre | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPSP | UEPXE | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPSP | UEPXL | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | 4= 00 | | | | |
| | Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | UEPSP | UEPXM | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| | Discount Room Calling Port | | | UEPSP | UEPXO | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | 10.01 | 0.00 | | 15.66 | | | | |
| FEATU | | | | 02. 0. | 00,100 | 0.00 | 0.00 | 0.00 | | | | 10.00 | | | | |
| | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| EXCH | ANGE PORT RATES (COIN) | | | | | | | | | | | | | | | |
| | Exchange Ports - Coin Port | | | | | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | Transmission/usage charges associated with POTS circuit sv | | | | | | | | | | | | | | | |
| | Access to B Channel or D Channel Packet capabilities will be | availal | ole onl | y through BFR/New | Business Re | quest Process. | Rates for the | packet capabi | lities will be de | termined via t | he Bona Fid | le Request/I | New Busines: | Request Pro | cess. | |
| | LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| EXCH | ANGE PORT RATES | | | LIEBEV . | LIEBBO | | | | ===== | | | 4= 00 | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | 15.66 | | | | |
| | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability | | | UEPDD | UEPDD | 60.09 | 202.02 | 95.69 | 72.59 | 2.46 | | 15.66 | | | | |
| | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 9.79 | 72.77 | 52.99 | 47.79 | 10.74 | | 15.66 | | | | |
| | All Features Offered | | | UEPTX UEPSX | UEPVF | 1.98 | 0.00 | 0.00 | 41.13 | 10.74 | | 13.00 | | | | |
| NOTE: | Transmission/usage charges associated with POTS circuit sv | vitched | usage | | | | | | nission by B-Ch | annels associ | ated with 2- | wire ISDN r | orts. | | | |
| | Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Request Pro | cess. | |
| | Exchange Ports - 2-Wire ISDN Port Channel Profiles | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 84.32 | 203.81 | 101.56 | 79.18 | 20.06 | | 15.66 | | | | |
| | NDLED PORT with REMOTE CALL FORWARDING CAPABILITY | | | | | | | | | | | | | | | |
| UNBU | NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | Halanda Hala Barretta Onli Francis Pro One in Land Online Bro | | | LIED) (D | LIEDI O | 4.00 | 0.00 | 0.07 | 4 40 | 4.00 | | 45.00 | | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res | | | UEPVR UEPVR | UERLC | 1.38 1.38 | 2.38 2.38 | 2.27 2.27 | 1.42 1.42 | 1.33 1.33 | | 15.66 15.66 | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTR | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| Non-P | ecurring | | | OLI VIX | OLIVIN | 1.30 | 2.50 | 2.21 | 1.72 | 1.55 | | 13.00 | | | | |
| INOII-IX | Unbundled Remote Call Forwarding Service - Conversion - | | | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPVR | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | |
| | allowed change (PIC and LPIC) | | | UEPVR | USACC | <u> </u> | 0.10 | 0.10 | <u> </u> | | | 15.66 | | <u> </u> | | <u> </u> |
| UNBU | NDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | | | | | | | | · | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | | | | | | | | | | | | 4= 00 | | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.38 | 2.38 | 2.27 | 1.42 1.42 | 1.33 | | 15.66 | | | | |
| | | | | | LIEDTE | 4.00 | | | | | | 15.66 | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.38 | 2.38 | 2.27 | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB UEPVB | UERTE UERTR | 1.38 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and | | | UEPVB | UERTR | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| Non-R | Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling | | | | | | | | | | | | | | | |
| Non-R | Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and | | | UEPVB | UERTR | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| Non-R | Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling ecurring | | | UEPVB | UERTR | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| Non-R | Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling ecurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with | | | UEPVB UEPVB | UERVJ | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 15.66 | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling ecurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) | | | UEPVB UEPVB | UERVJ | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 15.66 | | | | |
| UNBUNDLED | Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling ecurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE | | | UEPVB UEPVB | UERTR UERVJ USAC2 | 1.38 | 2.38 2.38 0.10 | 2.27 2.27 0.10 | 1.42 | 1.33 | | 15.66 15.66 | | | | |
| UNBUNDLED | Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling ecurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE ffice Switching (Port Usage) | | | UEPVB UEPVB | UERTR UERVJ USAC2 | 1.38 | 2.38 2.38 0.10 | 2.27 2.27 0.10 | 1.42 | 1.33 | | 15.66 15.66 | | | | |
| UNBUNDLED | Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling ecurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE ffice Switching (Port Usage) End Office Switching Function, Per MOU | | | UEPVB UEPVB | UERTR UERVJ USAC2 | 1.38 1.38 | 2.38 2.38 0.10 | 2.27 2.27 0.10 | 1.42 | 1.33 | | 15.66 15.66 | | | | |
| UNBUNDLED End O | Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling ecurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE ffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU | | | UEPVB UEPVB | UERTR UERVJ USAC2 | 1.38 | 2.38 2.38 0.10 | 2.27 2.27 0.10 | 1.42 | 1.33 | | 15.66 15.66 | | | | |
| UNBUNDLED End O | Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling ecurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE ffice Switching (Port Usage) End Office Switching Function, Per MOU | | | UEPVB UEPVB | UERTR UERVJ USAC2 | 1.38 1.38 | 2.38 2.38 0.10 | 2.27 2.27 0.10 | 1.42 | 1.33 | | 15.66 15.66 | | | | |

| UNBUNE | DLEI | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|--|--------|--|--|--|----------------------|--|----------------|-----------------|---------------|-----------------|--|--|-------------|-------------|--|--------------|--------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | | | Manual Svo |
| CATEGOR | RΥ | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | | | | | | |
| OAT LOOK | ٠. | NATE ELEMENTO | m | 20110 | 500 | 0000 | | | πΑΤΕΟ (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | | | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonred | | Nonrecurring | n Diagonnoot | | | 000 | Rates (\$) | | |
| | | | - | - | | | Rec | | | | | 001150 | 001441 | | | 0011411 | 001111 |
| | | T . T . I B O I B . MOU | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Tandem Trunk Port - Shared, Per MOU | | | | | 0.0002015 | | | | | | | | | | |
| Co | ommo | on Transport | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | | | 0.0000023 | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | | | 0.0003224 | | | | | | | | | | |
| UNBUNDL | LED P | ORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| Co | ost Ba | ased Rates are applied where BellSouth is required by FCC ar | nd/or St | ate Co | mmission rule to pro | ovide Unbun | dled Local Swi | tching or Swite | ch Ports. | | | | | | | | |
| Fe | eature | es shall apply to the Unbundled Port/Loop Combination - Cos | t Based | Rate s | ection in the same | manner as th | ey are applied | to the Stand-A | Ione Unbundle | ed Port section | of this Rate E | xhibit. | | | | | |
| | | fice and Tandem Switching Usage and Common Transport Us | | | | | | | | | | | n Port/Loop | Combinatio | ns. | | |
| | | st and additional Port nonrecurring charges apply to Not Curr | | | | | | | | | | | | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | J J | | | | | | | | |
| | | ort/Loop Combination Rates | 1 | | | | | | | | | 1 | | | | 1 | |
| OII | | 2-Wire VG Loop/Port Combo - Zone 1 | 1 | 1 | | 1 | 12.70 | | | | | | | | 1 | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | 1 | 2 | | + | 21.19 | | | - | | | | | + | } | |
| — | | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | - | 3 | | + | 34.80 | | | | - | | | | + | | - |
| | | | | 3 | | + | 34.80 | | | | | 1 | | | 1 | 1 | |
| L UN | | pop Rates | <u> </u> | <u> </u> | UEBBY . | | | | | | | . | | | | | ļ |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 11.55 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 20.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 33.65 | | | | | | | | | | |
| 2-\ | Wire | Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire voice Grade unbundled Alabama extended local dialing | | | | | | | | _ | | | | | | | |
| | | parity port with Caller ID - res | | | UEPRX | UEPAR | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID | | 1 | OLI TOX | 02.7 | | 10.10 | 10.00 | 2 | 0.00 | | 10.00 | | | | |
| | | (LUM) | | | UEPRX | UEPAP | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Unbundled Alabama Residence Dialing Plan | | | OLITIX | OLIA | 1.10 | 40.13 | 13.03 | 24.31 | 0.03 | | 13.00 | | + | | |
| | | without Caller ID | | | UEPRX | UEPWA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | | | | UEPRX | UEPWA | 1.15 | 40.19 | 19.83 | 24.91 | 0.03 | ļ | 15.00 | | | | |
| | | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | 4= 00 | | | | |
| | | Capability | | | UEPRX | UEPRT | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| FE | EATU | | | | | ļ., | | | | | | | | | | | |
| | | All Features Offered | | | UEPRX | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| LC | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| NC | ONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPRX | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch with change | l | | UEPRX | USACC | | 0.10 | 0.10 | | | | 15.66 | | 1 | | 1 |
| ДΓ | DDITI | ONAL NRCs | | 1 | | 1 | 1 | | | İ | İ | 1 | | | İ | İ | İ |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | 1 | | 1 | 1 | | | İ | İ | 1 | | | İ | İ | İ |
| | | Activity | l | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.66 | | 1 | | |
| 2-1 | WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | SE. 100 | 55/102 | 0.00 | 3.00 | 0.00 | | | | 10.00 | | † | <u> </u> | |
| | | ort/Loop Combination Rates | | | | 1 | | | | 1 | 1 | 1 | | | 1 | 1 | 1 |
| - Joh | 4L F | 2-Wire VG Loop/Port Combo - Zone 1 | 1 | 1 | | + | 10.70 | | | - | | | | | + | } | |
| \vdash | | | | | | | 12.70 | | | | | | | | | - | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | + | 21.19 | | | | | 1 | | | | 1 | |
| - | ·- · | 2-Wire VG Loop/Port Combo - Zone 3 | . | 3 | | + | 34.80 | | | | 1 | 1 | | | + | 1 | |
| UN | NE LC | pop Rates | <u> </u> | <u> </u> | HEDDY | LIEBLY | | | | | ļ | ļ | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 11.55 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 20.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 33.65 | | | | | 1 | | | 1 | | ļ |
| 2-\ | Wire | Voice Grade Line Port (Bus) | | <u></u> | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire voice Grade unbundled Alabama extended local dialing | | | | | | | | | | | | | | | İ |
| 1 1 | | parity port with Caller ID - bus | l | | UEPBX | UEPAW | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | 1 | | |
| 1 | | | | 1 | | | | | . 5.50 | | 0.00 | i | .0.00 | | 1 | | |

| ONBOND | DLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|---|-------------|------|----------------|----------------|----------------|----------------|----------------|----------------|--------------|---|---|--|--|---|---|
| CATEGORY | RY RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled Alabama Business Dialing Plan without | t | | | | | | | | | | | | | | |
| | Caller ID | | | UEPBX | UEPWB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | | | | | | | | | | | | | |
| - 10 | Capability | | | UEPBX | UEPBE | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| LOC | DCAL NUMBER PORTABILITY | 1 | 1 | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| EE/ | Local Number Portability (1 per port) EATURES | 1 | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| | All Features Offered | | 1 | UEPBX | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| NO. | ONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | 1 | 1 | OLI DX | OLI VI | 1.00 | 0.00 | 0.00 | | | | 10.00 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | 1 | | | | | | | | | | | |
| | Switch-as-is | | | UEPBX | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | | |
| ADI | DDITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 15.66 | | | | |
| | WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| UNI | NE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.70 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.19 34.80 | | | | | | | | | | |
| LINE | 2-Wire VG Loop/Port Combo - Zone 3 | 1 | 3 | | - | 34.80 | | | | | | | | | | |
| UNI | NE Loop Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 11.55 | | | | | | | | | | |
| -+ | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | 1 | 2 | UEPRG | UEPLX | 20.04 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 33.65 | | | | | | | | | | |
| 2-W | Wire Voice Grade Line Port Rates (RES - PBX) | 1 | | OLI IKO | OLI LX | 00.00 | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | 1 | | | | | | | | | | | |
| | Res | | | UEPRG | UEPRD | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| LO | OCAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.66 | | | | |
| FE/ | EATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| NO | ONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | LIEBBO | 110400 | | 7.04 | 4.00 | | | | 45.00 | | | | |
| AD. | Conversion - Switch-As-Is DDITIONAL NRCs | 1 | 1 | UEPRG | USAC2 | | 7.91 | 1.90 | | | | 15.66 | | | | |
| ADI | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | - | | | | | | | | | | | | | |
| | Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.66 | | | | |
| + | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | 1 | 1 | OLI KO | OOAOZ | 0.00 | 0.00 | 0.00 | | | | 13.00 | | | | |
| | Group | | | | | | 7.32 | 7.32 | | | | 15.66 | | | | |
| 2-W | WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | - | | | | | | | | | |
| UNI | NE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.70 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.19 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 34.80 | | | | | | | | | | |
| UNF | NE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 11.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 20.04 | | | | | | | | | | |
| 2 14 | 2-Wire Voice Grade Loop (SL 1) - Zone 3 Wire Voice Grade Line Port Rates (BUS - PBX) | 1 | 3 | UEPPX | UEPLX | 33.65 | | | | | | | | | 1 | 1 |
| Z-VV | ***** *Olde Glade Lille Folt Nates (DUS - FDA) | 1 | 1 | | 1 | | | | | | | 1 | | | 1 | 1 |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | 1 | | UEPPX | UEPPC | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| -+ | Line Side Unbundled Outward PBX Trunk Port - Bus | 1 | | UEPPX | UEPPO | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | 1 | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | 1 | | UEPPX | UEPP1 | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | İ | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Alabama | | | | 1 | - | _ | | | | | | | 1 | | İ |
| | Calling Port | <u> </u> | | UEPPX | UEPA2 | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | 1 | 1 | UEPPX | UEPXA | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | l | 15.66 | | | 1 | 1 |
| | | 4 | | | | | | | | | | | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX UEPPX | UEPXB UEPXC | 1.15 1.15 | 69.08 69.08 | 32.41 32.41 | 37.43 37.43 | 6.20 6.20 | | 15.66 15.66 | | | | |

| NRONDL | ED NETWORK ELEMENTS - Alabama | | | 1 | | | | | | | 1 - | | | nent: 2 | | bit: B |
|---------|--|-------------|--|--------------|---------|-------|--------|------------|--------------|---------------------------------------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increments Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPPX | UEPXE | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | 4= 00 | | | | |
| | Administrative Calling Port | | | UEPPX | UEPXL | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | ULFFA | OLFAIVI | 1.13 | 09.00 | 32.41 | 37.43 | 0.20 | | 13.00 | | | | |
| | Discount Room Calling Port | | | UEPPX | UEPXO | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | 1 | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.66 | | | | |
| FEAT | URES | | | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| NONE | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | \bot | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | 1 | l | 1 | | _ | _ | | | | | | | I | |
| | Conversion - Switch-As-Is | | <u> </u> | UEPPX | USAC2 | | 7.91 | 1.90 | | | | 15.66 | | | | |
| ADDI | TIONAL NRCs | | | | 1 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.66 | | | | |
| | Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | UEPPA | USASZ | 0.00 | 0.00 | 0.00 | | | | 15.00 | | | | + |
| | Group | | | | | | 7.32 | 7.32 | | | | 15.66 | | | | |
| 2-WIE | RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | PT | | | + | | 1.32 | 1.52 | | | | 13.00 | | | | |
| | Port/Loop Combination Rates | <u> </u> | | | + | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 12.70 | | | | | | | | | 1 | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 21.19 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 34.80 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 11.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 20.04 | | | | | | | | | | |
| - 1111 | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 33.65 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS) | | | UEPCO | UEPRF | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| - | 2-Wire Coin 2-Way with Operator Screening (AL, KY) | | | UEPCO | UEPRE | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | - | - |
| | 2-Wire Coin 2-Way with Operator Screening (AL, KT) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | ULFCO | OLFKL | 1.13 | 40.19 | 19.03 | 24.51 | 0.03 | | 13.00 | | | | |
| | 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | 02. 00 | 02.101 | | 10.10 | 10.00 | 201 | 0.00 | | 10.00 | | | 1 | |
| | (AL, LA, MS) | | | UEPCO | UEPRB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening & Blocking: | | | | | | | | | | | | | | | |
| | 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (AL, FL) | | | UEPCO | UEPRK | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | LIEBOO | LIEBBLI | 4.45 | 40.40 | 40.00 | 04.04 | 0.00 | | 45.00 | | | | |
| | 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | 021 00 | JLI JK | 1.10 | 40.19 | 19.03 | 24.31 | 0.03 | | 13.00 | | | t | |
| | LA) | | | UEPCO | UEPCR | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| ADDI | TIONAL UNE COIN PORT/LOOP (RC) | | | | 1 1 | | | | | 2.30 | | | | | 1 | † |
| | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 1.56 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.66 | | | | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | l | 1 | | _ | _ | | | | | | | 1 | |
| | Switch-as-is | | ļ | UEPCO | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | | <u> </u> |
| ADDI | TIONAL NRCs | | <u> </u> | | + + | | | | 1 | | | | | | 1 | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | l | 1 | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 15.66 | | | I | Ì |

| DURONDE | ED NETWORK ELEMENTS - Alabama | | | | , | | | | | | | | | ment: 2 | | bit: B |
|---------|--|--|----------|-------|--------|----------|--------|------------|--|------------|---|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-WII | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | E LINE F | ORT (| RES) | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | l ' | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 15.76 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 24.23 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 37.52 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFR | UECF2 | 14.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 22.85 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 36.14 | | | | | | | | | | |
| 2-Wii | e Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire voice Grade unbundled Alabama extended local dialing | | | | | | | | | | | | | | | |
| | parity port with Caller ID - res | | | UEPFR | UEPAR | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | 1 | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPFR | UEPAP | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID | | | UEPFR | UEPWA | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| INTE | ROFFICE TRANSPORT | | | 02 | 02 | 1.00 | 00.00 | 01.21 | .0.00 | 0 | | 10.00 | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | UEPFR | U1TV2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| FEAT | or Fraction Mile | | | UEPFR | 1L5XX | 0.008838 | | | | | | | | | | |
| FEA | | <u> </u> | <u> </u> | UEPFR | UEPVF | 4.00 | 0.00 | 0.00 | | | | 45.00 | | | | - |
| 1.00 | All Features Offered | <u> </u> | <u> </u> | UEPFR | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| LUCA | AL NUMBER PORTABILITY Local Number Portability (1 per port) | - | - | UEPFR | LNPCX | 0.35 | | | | | | | | | | 1 |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | - | UEPFR | LINPUX | 0.35 | | | | | | | | | | ļ |
| NON | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | - | | | | | | | | | | | | | ļ |
| | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 8.48 | 1.87 | | | | 15.66 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | UEFFK | USACZ | | 0.40 | 1.01 | - | | | 15.00 | | | - | |
| | Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 8.48 | 1.87 | | | | 15.66 | | | | |
| 2 14/11 | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | I INIE I | ODT (| | USACC | | 0.40 | 1.01 | | | | 15.00 | | | | - |
| | Port/Loop Combination Rates | LLINE | I NO | 1 | + | | | | - | | | | | | - | |
| UNE | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 15.76 | | | + | | | | | | | 1 |
| - | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | 1 | 1 | 24.23 | | | + + | | | | | 1 | | 1 |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 3 | 1 | 1 | 37.52 | | | + + | | | | | 1 | | 1 |
| UNF | Loop Rates | | - | 1 | + | 31.32 | | | | | | | | | | 1 |
| 0.112 | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 14.38 | | | + + | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 22.85 | | | † † | | | | | | t | 1 |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 36.14 | | | | | | | | | | |
| 2-Wii | e Voice Grade Line Port (Bus) | | Ť | | 520.2 | 55.17 | | | † † | | | | | | <u> </u> | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | 1 | 1 | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | † | | UEPFB | UEPBC | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | 1 | 1 | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | İ | İ | |
| | 2-Wire voice Grade unbundled Alabama extended local dialing | | | | | | | | | | | | | | | |
| | parity port with Caller ID - bus | 1 | 1 | UEPFB | UEPAW | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | l | I | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | l | | UEPFB | UEPB1 | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | İ | İ | |
| | 2-Wire Voice Unbundled Alabama Business Dialing Plan without Caller ID | | | UEPFB | UEPWB | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| LOCA | AL NUMBER PORTABILITY | | | 1 | | | 55.56 | J/ | .5.55 | 0 | | 70.00 | | İ | 1 | |
| | Local Number Portability (1 per port) | † | | UEPFB | LNPCX | 0.35 | | | † † | | | | | 1 | 1 | |
| INTE | ROFFICE TRANSPORT | | | 1 | 1 | 2.20 | | | † † | | | | | 1 | t | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | l | | 1 | 1 | | | | 1 1 | | | | | İ | İ | |
| | Termination | | 1 | UEPFB | U1TV2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | 1 | 1 | UEPFB | 1L5XX | 0.008838 | | | 1 | | | | | Ì | I | |
| | URES | 1 | | | | | | | | | | | | | | Ì |

| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | DLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | ment: 2 | | ibit: B |
|--|---|-------------|----------|--------|---------|----------|--------|------------|--|------------|---|---|--|--|---|------------------------------------|
| CATEGOR | RY RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Sv Order vs. |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | All Features Offered | | | UEPFB | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | 1 |
| NO | ONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | 1 |
| | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 8.48 | 1.87 | | | | 15.66 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change | | | UEPFB | USACC | | 8.48 | 1.87 | | | | 15.66 | | | | |
| 2-V | WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| UN | NE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 15.76 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 24.23 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 37.52 | | | | | | | | | | |
| UN | NE Loop Rates | | | | | | | | ĺ | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 14.38 | | | i i | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 22.85 | | | 1 | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 36.14 | | | | | | | | | | 1 |
| 2-V | Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | 1 | | | | | | | 1 |
| | | | | | | | | | | | | | | | | 1 |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | + |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | † |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Alabama | | | 02 | 02 | 1.00 | | 00.00 | 01110 | 0.01 | | 10.00 | | | | 1 |
| | Calling Port | | | UEPFP | UEPA2 | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | |
| -+ | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | + |
| -+ | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | + |
| -+ | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | + |
| -+ | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | + |
| -+ | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | + |
| -+ | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | OLITI | OLI AD | 1.00 | 110.27 | 00.00 | 01.10 | 0.04 | | 10.00 | | | | + |
| | Capable Port | | | UEPFP | UEPXE | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | |
| -+ | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | OLITI | OLIAL | 1.00 | 110.27 | 00.00 | 01.10 | 0.04 | | 10.00 | | | | + |
| | Administrative Calling Port | | | UEPFP | UEPXL | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | |
| -+ | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | OLFIF | ULFAL | 1.30 | 119.21 | 09.03 | 01.10 | 0.34 | | 13.00 | | | | + |
| | Room Calling Port | | | UEPFP | UEPXM | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | - | | OLFIF | ULFAIVI | 1.50 | 119.21 | 09.03 | 01.10 | 0.34 | | 13.00 | | | - | |
| | Discount Room Calling Port | | | UEPFP | UEPXO | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | - | | UEPFP | UEPXS | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | - | |
| | DCAL NUMBER PORTABILITY | | - | UEPFP | UEPAS | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.00 | | | | + |
| | Local Number Portability (1 per port) | | - | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.66 | | | | + |
| INIT | TEROFFICE TRANSPORT | | - | UEFFF | LINFCF | 3.13 | 0.00 | 0.00 | | | | 15.00 | | | | + |
| IIN I | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | - | | | | | | | | | | | | | + |
| | | | | UEPFP | U1TV2 | 21.13 | 40.54 | 07.44 | 40.74 | 0.00 | | | | | | |
| $-\!\!\!\!+\!\!\!\!\!-$ | Termination | | - | UEPFP | 01172 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | + |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | LIEDED | 41.500/ | 0.000000 | | | | | | | | | | |
| | or Fraction Mile | | | UEPFP | 1L5XX | 0.008838 | | | | | | | | | | |
| FE/ | EATURES | | | | | | | | | | | 4= 00 | | | | |
| | All Features Offered | | | UEPFP | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| NO | ONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | 4= 00 | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 8.48 | 1.87 | | | | 15.66 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | 1 | | UEDED | 110400 | | | | | | 1 | , | | l | I | |
| INDIA. | Combination - Conversion - Switch with change | 1 | | UEPFP | USACC | | 8.48 | 1.87 | | | ļ | 15.66 | | 1 | | + |
| | ED PORT/LOOP COMBINATIONS - COST BASED RATES | DOD= | | | | | | | | | | | | | 1 | + |
| | WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PURI | | 1 | | | | | | | | | | | - | + |
| UN | NE Port/Loop Combination Rates | | . | | | | | | | | | | | | | 4 |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | <u> </u> | 1 | 1 | | 22.40 | | | | | | | | | - | + |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 30.88 | | | | | | | | | | 4 |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | 1 | 3 | 1 | 1 | 44.17 | | | 1 | | ı | i | | 1 | l | <u> </u> |
| | | | | 1 | | | - | | | | | | | | | |
| UN | NE Loop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 14.38 | | | | | | | | | | |

| NNRANDLI | ED NETWORK ELEMENTS - Alabama | | | | | | 1 | | | | | | | | ment: 2 | | bit: B |
|----------|--|--|--------------|--------|----------------|--------|----------|--------|------------|--------------|--------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | В | scs | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Rec | Nonred | urring | Nonrecurring | g Disconnect | | | oss | Rates (\$) | • | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | | UECD1 | 36.14 | | | | | | | | | | |
| UNE I | Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPPX | | UEPD1 | 8.02 | 207.31 | 73.74 | 107.14 | 11.20 | | 15.66 | | | | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is | | | UEPPX | | USAC1 | | 7.31 | 1.87 | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes | | | UEPPX | | USA1C | | 7.31 | 1.87 | | | | | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | | 1 |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | | 26.78 | 26.78 | | | | | | | | |
| Telep | hone Number/Trunk Group Establisment Charges | ļ | | L | | ļ | | | | | | | | | ļ | ļ | |
| | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | | | ļ | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | ļ | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | | | ļ | ļ | ļ |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | ļ | <u> </u> | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | ! | <u> </u> | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | | | ļ | - | |
| 1.004 | Reserve DID Numbers | | - | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| LOCA | | | | UEPPX | | LNPCP | 2.45 | 0.00 | 0.00 | | | | | | | | |
| 2 14/15 | Local Number Portability (1 per port) RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | NE CIDE | DODI | | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | - | |
| | Port/Loop Combination Rates | NE SIDE | PORI | l 1 | | - | | | | | | | | | | | |
| ONE | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 1 | UEPPB | UEPPR | | 27.28 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 37.86 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 53.84 | | | | | | | | | | |
| UNE I | Loop Rates | | Ŭ | 02.75 | <u> </u> | | 00.01 | | | | | | | | | | |
| 0.12 | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 19.03 | | | | | | | | | | t |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 29.62 | | | | | | | | | | |
| + | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 45.60 | | | | | | | | | | † |
| UNE | Port Rate | | Ŭ | 02.75 | <u> </u> | COLLA | 10.00 | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 8.24 | 190.01 | 132.76 | 100.67 | 21.28 | | 15.66 | | | | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 38.51 | 27.02 | | | | 15.66 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | | |
| LOCA | AL NUMBER PORTABILITY | <u></u> | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | _ | | | |
| B-CH | ANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | ļ | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | 1 | |
| | CVS (EWSD) | ļ | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | 1 | |
| | CSD CSD | 1 | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | ļ | ļ |
| в-сн | ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | ن,MS, & | I'N) | LIEBBE | | | 0 | | | | | | | | | | <u> </u> |
| | CVS/CSD (DMS/5ESS) | | <u> </u> | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | 1 | | | | | | ! | |
| | CVS (EWSD) | | - | UEPPB | UEPPR UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | 1 | | | | | - | | |
| HEED | TERMINAL PROFILE | | - | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | 1 | | | | | - | | |
| USER | User Terminal Profile (EWSD only) | 1 | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | 1 | | |
| VEDT | ICAL FEATURES | | | JEITD | OLFFR | JIONA | 0.00 | 0.00 | 0.00 | 1 | | | | | 1 | t | \vdash |
| VERT | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 1.98 | 0.00 | 0.00 | | | | | | | t | — |
| INTER | ROFFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile and | | | 02110 | OLITIN | JE1 VI | 1.30 | 0.00 | 0.00 | | | | | | | | |
| | facilities termination | | | | UEPPR | M1GNC | 21.14 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.008838 | 0.00 | 0.00 | | | | 0.00 | | | | |
| | RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK Port/Loop Combination Rates | PORT | | | | 1 | | | | | | - | | | | | 1 |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | | 166.87 | | | | | | | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|----------|--------|---------|--------|--------|------------|--|-------|--|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | всѕ | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | 238.50 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | OLFFF | - | 238.30 | | | | | | | | | | |
| | Zone 3 | | 3 | UEPPP | | 398.85 | | | | | | | | | | |
| UNE L | oop Rates | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | USL4P | 82.55 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | USL4P | 154.18 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | 314.52 | | | | | | | | | | |
| UNE F | Port Rate | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | UEPPP | 84.32 | 456.28 | 259.10 | 123.88 | 31.77 | | 15.66 | | | | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| 1 | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | LIEDDD | 110465 | | | =0.5- | | | | | | 1 | | |
| 455 | Combination - Conversion -Switch-as-is | | <u> </u> | UEPPP | USACP | 0.00 | 119.07 | 78.56 | — | | <u> </u> | 15.66 | | ļ | ļ | |
| ADDIT | TIONAL NRCs | | <u> </u> | | + | | | | 1 | | } | | | 1 | 1 | |
| 1 | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | LIEDDD | DDZTE | | 0.40 | | | | | | | 1 | | |
| | Inward/two way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | <u> </u> | UEPPP | PR7TF | | 0.49 | | | | | | | | | - |
| | | | | UEPPP | PR7TO | | 11.51 | | | | | | | | | |
| | Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | UEPPP | PR/IU | | 11.51 | | | | | | | | | |
| | Subsequent Inward Tel Numbers | | | UEPPP | PR7ZT | | 23.02 | | | | | | | | | |
| 1.004 | L NUMBER PORTABILITY | | | UEPPP | PR/ZI | | 23.02 | | | | 1 | | | | | |
| LOCA | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | 1 | | | | | |
| INTER | RFACE (Provsioning Only) | | | ULFFF | LINECIN | 1.75 | | | | | | | | | | |
| | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New o | or Additional "B" Channel | | | | | 0.00 | | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 14.53 | | | | | | | | | |
| | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 14.53 | | | | | | | | | |
| | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 14.53 | | | | | | | | | |
| CALL | TYPES | | | | | | | | | | | | | | | |
| | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Intero | ffice Channel Mileage | | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 60.34 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | |
| 4 18/15 | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.18 | | | | | | | | | | |
| | E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT Port/Loop Combination Rates | | 1 | | + | | | | | | | | | | 1 | |
| UNE | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | - | 1 | UEPDC | + | 142.64 | | | | | | | | - | 1 | |
| + | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 2 | UEPDC | + | 214.26 | | | | | | | | 1 | 1 | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | + | 374.61 | | | | | | | | | 1 | + |
| UNFI | Loop Rates | | 3 | 021 00 | + | 3/4.01 | | | 1 | | 1 | | | 1 | 1 | |
| ONE L | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 82.55 | | | | | | | | | 1 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 154.18 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | | UEPDC | USLDC | 314.52 | | | 1 | | | | | İ | | |
| UNE F | Port Rate | | Ť | _ | | | | | | | | | | İ | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 60.09 | 454.49 | 253.23 | 117.29 | 14.17 | Ì | 15.66 | | 1 | | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is | | | UEPDC | USAC4 | | 129.49 | 67.02 | | | | 15.66 | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | | 129.49 | 67.02 | | | | 15.66 | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk | | | UEPDC | USAWB | | 129.49 | 67.02 | | | | 15.66 | | | | |
| ADDIT | FIONAL NRCs | | | _ | | | | 552 | | | | | | İ | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 14.48 | 14.48 | | | 1 | 15.66 | | 1 | | 1 |

| NDUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | ment: 2 | | bit: B |
|---------|---|--|----------|-------------------|----------------|----------|-----------------|-----------------|-----------------------|----------|-------|-----------|---|---|---|--------------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | N | RATES (\$) | | Discount | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | | COMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | + | | FIRSt | Addi | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 14.48 | 14.48 | | | | 15.66 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel | | | OLI DO | ODITO | | 14.40 | 14.40 | | | | 15.00 | | | | + |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 14.48 | 14.48 | | | | 15.66 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 14.48 | 14.48 | | | | 15.66 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 14.48 | 14.48 | | | | 15.66 | | | | |
| BIPOL | AR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 600.00 | | | | | | | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 600.00 | | | | | | | | |
| Alterna | te Mark Inversion | | | LIEDDO | MCOCE | | 0.00 | 0.00 | | | | | | | | |
| | AMI -Superframe Format AMI - Extended SuperFrame Format | | | UEPDC UEPDC | MCOSF MCOPO | | 0.00 | 0.00 | | | | | | | - | |
| Tolonh | one Number/Trunk Group Establisment Charges | | <u> </u> | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | + |
| relepii | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | | | | + |
| - | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | | | | | + |
| + | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | 0.00 | | | | | | | | | + |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | | | | | | | | | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| Dedica | ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digita | Loop | with 4-Wire DDITS | Trunk Port | | | | | | | | | | | 1 |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | 1 |
| | Termination) | | | UEPDC | 1LNO1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.18 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | 1 |
| | miles | | | UEPDC | 1LNOB | 0.18 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | - |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.18 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | 1 |
| 4-WIRE | DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | | | | | | | | | | | | | | | |
| | ystem can have up to 24 combinations of rates depending on | type ar | nd num | ber of ports used | | | | | | | | | | | | |
| UNE D | S1 Loop | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 82.55 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 154.18 | 0.00 | 0.00 | | | | | | | | |
| LINE D | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 314.52 | 0.00 | 0.00 | | | | | | | | |
| UNE D | 60 Channelization Capacities (D4 Channel Bank Configuration | ns) | 1 | UEPMG | VUM24 | 101.40 | 0.00 | 0.00 | | | | | | | | + |
| + | 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 202.80 | 0.00 | 0.00 | | | | | | 1 | t | + |
| | 96 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM96 | 405.60 | 0.00 | 0.00 | | | | | | | | + |
| - | 144 DS0 Channel Capacity - 1 per 6 DS1s | 1 | <u> </u> | UEPMG | VUM14 | 608.40 | 0.00 | 0.00 | | | | | | | I | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 811.20 | 0.00 | 0.00 | | | | | | İ | 1 | T |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,014.00 | 0.00 | 0.00 | | | | | | | | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,216.80 | 0.00 | 0.00 | | | | | | | | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,622.40 | 0.00 | 0.00 | | | | | | | | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,028.00 | 0.00 | 0.00 | | | | | | | | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,433.60 | 0.00 | 0.00 | | | | | | | | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | L | <u> </u> | UEPMG | VUM67 | 2,839.20 | 0.00 | 0.00 | | | | | | | 1 | ↓ |
| INon-Re | curring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | stem | | | | | | | | | <u> </u> |
| | num System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--|--|-------------|---------|---------------------|---------------|--------------------|----------------|----------------|--|--|------------|---------------|--|--------------|-------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - | Incrementa Charge - |
| | | | | | | _ 1 | Nonre | curring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | NRC - Conversion (Currently Combined) with or without | | | | | | | | | | | | | | | |
| | BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 150.48 | 8.36 | | | | 15.66 | | | | İ |
| System | n Additions at End User Locations Where 4-Wire DS1 Loop with | th Chan | nelizat | ion with Port Comb | ination Curre | ently Exists and | | | | | | | | | | |
| New (N | Not Currently Combined) in all states, except in Density Zone 1 | of Top | 8 MSA | ı's | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port | | | | | | | | | | | | | | | İ |
| | and Assoc Fea Activation | | | UEPMG | VUMD4 | 0.00 | 716.11 | 468.04 | 148.75 | 17.65 | | 15.66 | | | | |
| Bipolar | r 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 600.00 | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | LIEDMO | CCOEF | 0.00 | 0.00 | 000.00 | | | | | | | | İ |
| Altorna | Subsequent Activity Only ate Mark Inversion (AMI) | | | UEPMG | CCOEF | 0.00 | 0.00 | 600.00 | | | | | | | | |
| Aitema | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | - |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Fychar | nge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | OLI WO | WICCI C | 0.00 | 0.00 | 0.00 | | | | | | | | - |
| | nge Ports | 1 | | | | | | | | | | | | | | |
| | | | | | | † | | | 1 | 1 | | | | İ | İ | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.66 | | | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.66 | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.66 | | | | ĺ |
| 1 | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 8.05 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.66 | | | | |
| 1 | Unbundled Exchange Ports, 2-Wire Channelized – Outdial – | | | | | | | | | | | | | | | |
| | (AL, KY, LA, MS, & TN)(Conversion from Network Access | | | | | | | | | | | | | | | |
| | Service) | | | UEPPX | UEPCY | 1.15 | | | | | | 15.66 | | | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) | | | UEPPX | UEPCT | 1.15 | | | | | | 15.66 | | | | |
| - | 2-Wire Channelized PBX Area Calling Service Combination Port | | | ULFFX | OLFCI | 1.13 | | | | | 1 | 13.00 | | | | - |
| | (AL Only) | | | UEPPX | UEPA4 | 1.15 | 0.00 | 0.00 | | | | 15.66 | | | | |
| | 2 Wire Channelized PBX Area Calling Service Outgoing Only | | | OLITA | OLI 74 | 1.10 | 0.00 | 0.00 | | | | 10.00 | | | | |
| | Port (AL Only) | | | UEPPX | UEPA3 | 1.15 | 0.00 | 0.00 | | | | 15.66 | | | | l |
| Feature | e Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| | Bank | | | UEPPX | 1PQWM | 0.56 | 54.55 | | | | | 15.66 | | | | l |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| | D4 Bank | | | UEPPX | 1PQWU | 0.56 | 77.03 | | | | | 15.66 | | | | |
| | none Number/ Group Establishment Charges for DID Service | | | | ļ <u> </u> | | | | | | | | | | | |
| \vdash | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers - groups of 20 - Valid all States | 1 | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | 1 | 1 | | | | 1 |
| | Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers | - | | UEPPX UEPPX | ND5 ND6 | 0.00 | 0.00 | 0.00 | - | - | | | | - | - | |
| \vdash | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | - | - | | | | | | |
| I ocal f | Number Portability | | | OLIFA | V | 0.00 | 0.00 | 0.00 | | | | | | 1 | 1 | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | JRES - Vertical and Optional | | | 0=11 A | _111 01 | 3.13 | 0.00 | 0.00 | - | - | <u> </u> | | | | | — |
| | Switching Features Offered with Line Side Ports Only | | | | | † | | | 1 | 1 | | | | 1 | 1 | |
| | All Features Available | | | UEPPX | UEPVF | 1.98 | 0.00 | 0.00 | 1 | 1 | | | | | | |
| | 2-Wire Voice Unbundled Alabama Business Dialing Plan without | | | | | | | 1 | 1 | 1 | | | | | | |
| <u> </u> | Caller ID | <u></u> | | UEPBX | UEPWB | 14.00 | 90.00 | 90.00 | <u> </u> | <u> </u> | <u></u> | 15.66 | | <u> </u> | <u> </u> | <u>1</u> |
| | CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | t Based Rates are applied where BellSouth is required by FCC | | | | | | | | | | | | | | | |
| | tures shall apply to the Unbundled Port/Loop Combination - C | | | | | | | | | | | | | | | |
| | Office and Tandem Switching Usage and Common Transport | | | | | | | | | | | | | | l | 1 |
| | first and additional Port nonrecurring charges apply to Not Cu | urrently | Combi | ined Combos. For | Currently Co | mbined Combo | s, the nonrect | urring charges | shall be those | e identified in t | he Nonrecu | rring - Curre | ently Combine | ed sections. | Additional NF | Cs may |
| | also and are categorized accordingly. | | | | | | | | | | | | | | | |
| | ket Rates for Unbundled Centrex Port/Loop Combination will | | otiated | on an Individual Ca | se Basis, un | til further notice | э. | | | | | | | | | |
| | CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo |) | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | • | |

Version 4Q02: 01/21/03 Page 28 of 416

| INRAND | LED | NETWORK ELEMENTS - Alabama | | | • | | | | | | | | | | ment: 2 | | bit: B |
|---------------|--------|--|-------------|-------------|--------|--------|--------|--------|------------|--------------|------------|---|---|--|--|---|--|
| ATEGORY | Y | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | l . | oss | Rates (\$) | | |
| | | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LINE | F Poi | rt/Loop Combination Rates (Non-Design) | | | | + | | 11100 | Addi | 11130 | Addi | COME | COMPAR | COMPAN | COMPAR | COMPAR | COMPAN |
| 0.4. | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | + | | | | + | | 1 | | | | | + |
| | | Non-Design | | 1 | UEP91 | | 12.70 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | <u> </u> | OLI 01 | | 12.70 | | | | | | | | | | + |
| | | Non-Design | | 2 | UEP91 | | 21.19 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI OI | | 21.10 | | | | | | | | | | + |
| | | Non-Design | | 3 | UEP91 | | 34.80 | | | | | | | | | | |
| UNI | | rt/Loop Combination Rates (Design) | | | 02.0. | + | 0 1.00 | | | + | | 1 | | | | | + |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | + | | | | + | | 1 | | | | | + |
| | | Design | | 1 | UEP91 | | 15.53 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | - | OLI 01 | + | 10.00 | | | + | | 1 | | | | | + |
| | | Design | | 2 | UEP91 | | 24.00 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | - | OLI 01 | | 24.00 | | | | | | | | | | + |
| | | Design | | 3 | UEP91 | | 37.29 | | | | | | | | | | |
| LINE | | op Rate | | 3 | OLI 31 | | 37.23 | | | | | | | | | | + |
| OIVE | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 11.55 | | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | - | 2 | UEP91 | UECS1 | 20.04 | | | - | | - | | | | - | + |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP91 | UECS1 | 33.65 | | | | | | | | | | + |
| _ | | | | | UEP91 | UECS2 | 14.38 | | | | | | | | | | + |
| - | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | - | 1 | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | - | 2 | UEP91 | UECS2 | 22.85 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | - | 3 | UEP91 | UECS2 | 36.14 | | | | | | | | | | |
| | E Poi | | | | | | | | | | | | | | | | |
| All | | s (Except North Carolina and Sout Carolina) | | | LIEDA. | LIEDVA | | 10.10 | 10.00 | 2121 | | | 4= 00 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | 40.40 | | | | | 4= 00 | | | | |
| | | Area | | | UEP91 | UEPYB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP91 | UEPYH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term - Basic Local Area | | | UEP91 | UEPYZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2 | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - | Basic Local Area | | | UEP91 | UEPY9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | 1 | | | | | | | | | | | | <u> </u> | _ | |
| | | Basic Local Area | | | UEP91 | UEPY2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| AL, | | LA, MS, & TN Only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | - 2 | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | (| Center)2 | <u></u> | | UEP91 | UEPQM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | <u></u> | 15.66 | | <u> </u> | <u> </u> | <u> </u> |
| | 12 | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | 1 | | | | | | | |
| | - | Term | l | | UEP91 | UEPQZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | 1 | 1 |
| | | | | | | | | | | 1 | | | | | | | |
| | 2 | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | l | | UEP91 | UEPQ9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | Ì | I | 1 |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| Loc | | vitching | | | | | | | | 1 | | | | | | | |
| | (| Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.5488 | | | | | | | | | | |
| Loc | | umber Portability | | | | | | | | 1 | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | 1 | | | | | | | |
| Fea | atures | | | | | | | | | 1 | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP91 | UEPVF | 1.98 | | | † † | | | | | İ | İ | 1 |
| | | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 405.52 | | † † | | | | | İ | İ | T |
| \rightarrow | | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 1.98 | | | † † | | | | | İ | 1 | |
| NAF | | | 1 | | 1 | 1 | | | | | | | | | 1 | t | + |
| | | Jnbundled Network Access Register - Combination | 1 | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | 1 | t | |
| - | | Unbundled Network Access Register - Combination Jinbundled Network Access Register - Indial | 1 | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | | Unbundled Network Access Register - Outdial | - | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | 1 | | 1 | 1 | | | ł | + |

| | D NETWORK ELEMENTS - Alabama | | | | | | | | | | _ | - | | nent: 2 | | bit: B |
|-------------------------------|--|-------------|------|----------------|----------------|-------------------|-----------------|------------|--------------|-------|---|---|--|--|---|--------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | llaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | 15.66 | | | | |
| Interof | ffice Channel Mileage - 2-Wire | | | LIEDOA | 144000 | 04.40 | 40.54 | 07.44 | 40.74 | 0.00 | | 45.00 | | | | - |
| \longrightarrow | Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 UEP91 | M1GBC M1GBM | 21.13 0.008838 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | + |
| Featur | re Activations (DS0) Centrex Loops on Channelized DS1 Service | • | | OLF91 | IVITGBIVI | 0.006636 | | | 1 | | | | | | | + |
| | annel Bank Feature Activations | | | | 1 | | | | 1 | | | | | | | + |
| - 54 6116 | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.56 | | | | | | | | | | + |
| | | | | | | 0.00 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP91 | 1PQW6 | 0.56 | | | | | | | | | | 1 |
| | Slot | | | UEP91 | 1PQW7 | 0.56 | | | | | | | | | 1 | |
| -+ | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | <u> </u> | // 54.1// | 0.50 | | | | | | | | | t | + |
| \bot | Different Wire Center | | | UEP91 | 1PQWP | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP91 | 1PQWQ | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.56 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | Conversion - Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP91 | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | | |
| | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 37.75 | 16.58 | | | | 15.66 | | | | |
| $\longrightarrow \longmapsto$ | New Centrex Standard Common Block | | | UEP91 | M1ACS M1ACC | 0.00 | 667.21 | | | | | 15.66 | | | - | + |
| -+ | New Centrex Customized Common Block Secondary Block, per Block | | | UEP91 UEP91 | M2CC1 | 0.00 | 667.21 78.02 | | | | | 15.66 15.66 | | | | + |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 72.73 | | | | | 15.66 | | | | + |
| UNF-P | P CENTREX - 5ESS (Valid in All States) | | | OLI 31 | UKLOA | 0.00 | 12.13 | | | | | 13.00 | | | | + |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | 1 |
| | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP95 | | 12.70 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP95 | | 21.19 | | | | | | | | | | |
| -+ | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI 93 | | 21.13 | | | | | | | | | | + |
| | Non-Design | | 3 | UEP95 | | 34.80 | | | | | | | | | | |
| UNE P | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | 1 |
| | Design | | 1 | UEP95 | | 15.53 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP95 | | 24.00 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP95 | | 37.29 | | | | | | | | | | |
| UNE L | oop Rate | | | | | 51.20 | | | | | | | | | 1 | † |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 11.55 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 20.04 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 33.65 | | • | | • | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 14.38 | | | | | | | | | ļ | |
| $-\!\!+\!\!\!-\!\!\!-$ | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 22.85 | | | | | | | | | | |
| LINES | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 36.14 | | | | | | | | | 1 | ₩ |
| All Sta | Port Rate | | | | 1 | | | | | | | | | | 1 | + |
| All Sta | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | + |
| -+ | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | + |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | UEP95 | | 1.15 | 40.19 | 19.83 | 24.91 | | | 15.66 | | | | |
| | Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP95 | UEPYH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | - | + |

| NURONDE | ED NETWORK ELEMENTS - Alabama | | | • | | | | | | | | | | ment: 2 | | bit: B |
|---------|---|-------------|------|----------------|----------------|--------------|--------|------------|--------------|------------|---|---|--|--|---|-------------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | 1 |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | 1 |
| | - Basic Local Area | | | UEP95 | UEPY9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP95 | UEPY2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| AL, K | Y, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 | | | UEP95 | UEPQM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | 1 | 1 |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | 1 | I | |
| | Term | | | UEP95 | UEPQZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | L | | | | | | | | | | | | | | 1 | 1 |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| Local | Switching | | | LIEDAE | LIBEOO | 0.5100 | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.5488 | | | | | | | | | | |
| Local | Number Portability | | | | LLIBOO | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Featu | | | | LIEDOF | LIEDVE | 4.00 | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 1.98 | 405.50 | | | | | | | | | - |
| | All Select Features Offered, per port | | | UEP95 UEP95 | UEPVS UEPVC | 0.00 1.98 | 405.52 | | | | | | | | | + |
| NARS | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 1.98 | | | | | | | | | | + |
| NAKS | Unbundled Network Access Register - Combination | | - | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial | | - | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | 1 | | | | | + |
| Misco | ellaneous Terminations | | | OLI 33 | OAROX | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | e Trunk Side | | | | | | | | | | | | | | | + |
| 2 *** | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | 15.66 | | | | + |
| 4-Wire | e Digital (1.544 Megabits) | | | 02. 00 | 02.120 | 0.00 | 110.01 | | 00.00 | 00 | | 10.00 | | | | + |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 60.09 | 202.02 | 95.69 | 72.59 | 2.46 | | 15.66 | | | | + |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.46 | | 1 - 1 - 1 | | | 15.66 | | | | |
| Intero | office Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | 1 |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.008838 | | | | | | | | | | 1 |
| Featu | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | 1 |
| D4 Ch | nannel Bank Feature Activations | | | | | | | | | | | | | | | 1 |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.56 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQW7 | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.56 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | l | 1 | | | | | | | | | l | I | 1 |
| | Slot | | | UEP95 | 1PQWQ | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.56 | | | | | | | | | | 1 |
| Non-F | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | LIEBOE | 110465 | | | | | | | 4-0- | | | 1 | |
| _ | changes, per port | | | UEP95 | USAC2 | | 0.10 | 0.10 | | | | 15.66 | 1 | | - | |
| | Conversion of Existing Centrex Common Block, each | | | UEP95 | USACN | 0.00 | 37.75 | 16.58 | 1 | | | 15.66 | 1 | | ! | + |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 667.21 | | | | | 15.66 | | | - | + |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 667.21 | | | | | 15.66 | | | | |
| | NAR Establishment Charge, Per Occasion | I | 1 | UEP95 | URECA | 0.00 | 72.73 | | | | | 15.66 | | | | <u> </u> |

| IUNBUN | DLEC | NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhib | oit: B |
|--|-------|--|--|--|----------|----------|--------|--------|------------|--------------|-------|-----------|-----------|-------------|-------------|-------------|-------------|
| 3,123,11 | 1 | PERMENTO / NOVOMO | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | Intori | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATEGOR | RY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | F | F | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | N | | | . B' | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | SOMEC | SOMAN | | Rates (\$) | 0011411 | SOMAN |
| 118 | NE D | CENTREX - DMS100 (Valid in All States) | | | | + | | First | Add'l | First | Add'l | SOMEC | SUMAN | SOMAN | SOMAN | SOMAN | SUMAN |
| | | /G Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates (Non-Design) | | | | + | | | | | | | | | | | |
| , , , , , , , , , , , , , , , , , , , | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 1 | UEP9D | | 12.70 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 2 | UEP9D | | 21.19 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 3 | UEP9D | | 34.80 | | | | | | | | | | |
| UN | | rt/Loop Combination Rates (Design) | <u> </u> | <u> </u> | | | | | | | | | | | ļ | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | 1 | UEP9D | | 45 50 | | | | | | 1 | | | | |
| \vdash | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9D | + | 15.53 | | | | | - | | | | | |
| | | 2-wire vG Loop/2-wire voice Grade Port (Centrex)Port Combo - Design | 1 | 2 | UEP9D | | 24.00 | | | | | | 1 | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | | <u> </u> | + | 24.00 | | | | | | | | | | |
| | | Design | l | 3 | UEP9D | | 37.29 | | | | | | | | | | |
| UN | | op Rate | | | | † | 323 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 11.55 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 20.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 33.65 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 14.38 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 22.85 | | | | | | | | | | |
| <u> </u> | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 36.14 | | | | | | | | | | |
| | | rt Rate | | | | | | | | | | | | | | | |
| AL | LL ST | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | <u> </u> | UEP9D | UEPYA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | - | 15.66 | | | | |
| - | | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | UEF9D | UEPTA | 1.15 | 40.19 | 19.03 | 24.91 | 6.63 | | 15.00 | | | | |
| | | Area | | | UEP9D | UEPYB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | 02.03 | 025 | 0 | 10.10 | 10.00 | 2 | 0.00 | | 10.00 | | | | |
| | | Area | | | UEP9D | UEPYC | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYD | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYE | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | l | | LIEDOD | LIEDVE | | 40.40 | 10.00 | 04.61 | 0.00 | | 45.00 | | | | |
| | | Area 2 Wire Voice Grade Port (Centrey / EBS M5313)\\ 2 Pagis Legal | | | UEP9D | UEPYF | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | - | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | 1 | | UEP9D | UEPYG | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | 021 00 | JLI IG | 1.13 | 40.19 | 13.03 | 24.31 | 0.03 | - | 13.00 | | | | |
| | | Area | l | | UEP9D | UEPYT | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | | | 0 | .0.10 | .0.00 | 201 | 2.00 | | .0.50 | | | | |
| | | Area | l | | UEP9D | UEPYU | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | | | | | | | | | | | | | |
| | | Area |] | | UEP9D | UEPYV | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | Ţ | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | 1 | | l | 1 | \neg | | | | | |] | | | | |
| \vdash | | Area | ļ | <u> </u> | UEP9D | UEPY3 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | l | | UEP9D | UEPYH | 1.15 | 40.19 | 19.83 | 24.04 | 6.00 | | 15.66 | | | | |
| ++ | | Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | <u> </u> | <u> </u> | UEF9D | UEPIH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 10.00 | | - | | |
| | | Indication))3 Basic Local Area | 1 | | UEP9D | UEPYW | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | 1 | | 021 00 | JE1 1 VV | 1.13 | 70.19 | 13.03 | 27.31 | 0.03 | 1 | 10.00 | | 1 | | |
| | | Basic Local Area | 1 | | UEP9D | UEPYJ | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | 1 | | | | | | | | 1 | | |
| | | 2 Basic Local Area | | | UEP9D | UEPYM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | l | | | | | | | | | | 1 | | | | |
| | | Basic Local Area | ļ | | UEP9D | UEPYO | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | l | | LIEDOD | LIEDVD | ا ــ ا | 00.00 | | 40.00 | | | 45.00 | | | | |
| | | Basic Local Area | l | | UEP9D | UEPYP | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | l | | |

| UNBUNDI F | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Δttachi | ment: 2 | Fyhil | bit: B |
|--|---|-------------|----------|----------------|----------------|--------------|----------------|----------------|----------------|--------------|--|----------------|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | Nonre | | Nonroquerine | g Disconnect | | | 1st | Add'l Rates (\$) | Disc 1st | Disc Add'l |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYQ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | OLFBD | OLF13 | 1.13 | 90.38 | 31.21 | 40.00 | 6.77 | | 13.00 | | | | |
| | Basic Local Area | | | UEP9D | UEPY4 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9D | UEPY7 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | Term | | | UEP9D | UEPYZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| AL, K | /, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| - | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.15 1.15 | 40.19 40.19 | 19.83 19.83 | 24.91 24.91 | 6.63 | | 15.66 | | | | |
| - | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D UEP9D | UEPQE UEPQF | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 6.63 | | 15.66 15.66 | | | | - |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQW | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | — |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | 0 | | .0.50 | 251 | | | .0.00 | | | | |
| | 2 | | | UEP9D | UEPQM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | <u> </u> | 15.66 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | _ | |
| | | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrey/differ SWC /EBS-M5009)2, 3 | | | UEP9D UEP9D | UEPQP UEPQQ | 1.15 | 90.38 90.38 | 57.27 57.27 | 48.66 48.66 | 8.77 8.77 | 1 | 15.66 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | 1 | OEP9D | UEPQQ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | - |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | , , | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | <u> </u> |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPQZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | | | | | | | | | | | | | | | | |
| \vdash | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | ļ | | UEP9D | UEPQ9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | ļ | ļ | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | l | 1 | UEP9D | UEPQ2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | l | 15.66 | <u> </u> | l | | |

| NRONDLEI | NETWORK ELEMENTS - Alabama | | | , | | | | | | | | , | | ment: 2 | | bit: B |
|----------------|--|-------------|--|--------|---------|----------|--|------------|--|------------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | I | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | l . | |
| | | | 1 | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| l ocal S | witching | | | | | | 11130 | Auu i | 11130 | Auu i | JONIEC | JONIAN | JOHAN | JONAN | JOHIAN | JONAN |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.5488 | | | | | | | | | | |
| | lumber Portability | | | OLF 9D | UNLOS | 0.3400 | | | - | | | | | | - | - |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | - | | | | | | - | - |
| Feature | | | | OLI 3D | LIVI CC | 0.55 | | | | | | | | | | |
| | All Standard Features Offered, per port | | 1 | UEP9D | UEPVF | 1.98 | | | + + | | | | | | | |
| | All Select Features Offered, per port | | 1 | UEP9D | UEPVS | 0.00 | 405.52 | | + + | | | | | | | |
| | All Centrex Control Features Offered, per port | | 1 | UEP9D | UEPVC | 1.98 | 403.32 | | | | | | | | | |
| NARS | All Certifiex Control Features Offered, per port | | | OLI 3D | OLI VO | 1.50 | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Miscell | aneous Terminations | | 1 | OL: 3D | UANUA | 0.00 | 0.00 | 0.00 | | | 1 | | | | 1 | |
| | Trunk Side | | | | + | | | | - | | | | | | - | |
| | Trunk Side Trunk Side Terminations, each | | 1 | UEP9D | CEND6 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | 1 | 15.66 | | 1 | | |
| | Digital (1.544 Megabits) | | | OLF 9D | CLINDO | 6.03 | 119.51 | 10.74 | 39.90 | 3.70 | | 13.00 | | | | |
| | DS1 Circuit Terminations, each | | 1 | UEP9D | M1HD1 | 60.09 | 202.02 | 95.69 | 72.59 | 2.46 | 1 | 15.66 | | 1 | | |
| | DS0 Channels Activiated per Channel | | <u> </u> | UEP9D | M1HDO | 0.00 | 14.46 | 95.09 | 12.59 | 2.40 | | 15.66 | | | | |
| | ice Channel Mileage - 2-Wire | | <u> </u> | UEF9D | MILLIPO | 0.00 | 14.40 | | | | | 15.00 | | | | |
| | Interoffice Channel Facilities Termination | | | LIEDOD | MIODO | 04.40 | 40.54 | 27.41 | 40.74 | 0.00 | | 45.00 | | | | |
| | | | | UEP9D | MIGBC | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | <u> </u> | UEP9D | MIGBM | 0.008838 | | | | | | | | | | ļ |
| | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| | nnel Bank Feature Activations | | | LIEBAD | 1001110 | 0.50 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.56 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQW7 | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP9D | 1PQWP | 0.56 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQWQ | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.56 | | | | | | | | | | |
| | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | , and the second | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | 1 | | | | | | | | | | | | | |
| | changes, per port | | <u></u> | UEP9D | USAC2 | | 0.10 | 0.10 | <u> </u> | | | 15.66 | | | <u></u> | |
| | Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 37.75 | 16.58 | | | | 15.66 | | | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 667.21 | | | | | 15.66 | | | | |
| | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 667.21 | | | | | 15.66 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.73 | | | | | 15.66 | | | | |
| | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| 2-Wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | ort/Loop Combination Rates (Non-Design) | | | | | | | | 1 | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP9E | | 12.70 | | | 1 | | | | | | 1 | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 2 | UEP9E | | 21.19 | | | 1 | | | | | | 1 | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP9E | | 34.80 | | | | | | | | | | |
| UNE Po | ort/Loop Combination Rates (Design) | | | | | | | | 1 | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | 1 | | | | 1 | | | | | | | |
| | Design | | 1 | UEP9E | | 15.53 | | | | | | | | l | I | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | 1 | | | | 1 | | | | | | | |
| | Design | | 2 | UEP9E | | 24.00 | | | | | | | | l | I | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | 1 | | | | 1 | | | | | | | |
| | Design | | 3 | UEP9E | | 37.29 | | | | | I | | | Ì | I | |
| - | op Rate | 1 | t - | 1 | 1 | 520 | | | 1 | | 1 | | | † | 1 | 1 |

| NBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|---------|--|--|------|-------------|---------|----------|--------|------------|--------------|-------|----------|-----------|--|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremen Charge Manual S Order vs Electroni Disc Add |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 11.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 20.04 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 33.65 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 14.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 22.85 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 36.14 | | | | | | | | | | |
| | ort Rate | | | | | | | | | | | | | | | |
| AL, FL | ., KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9E | UEPYB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9E | UEPYH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | 1 |
| | Term - Basic Local Area | | | UEP9E | UEPYZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | 02. 02 | 02: :2 | 0 | 00.00 | 01.21 | 10.00 | 0 | | 10.00 | | | | + |
| | - Basic Local Area | | | UEP9E | UEPY9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | OLI OL | OLI 10 | 1.10 | 40.10 | 10.00 | 24.01 | 0.00 | | 10.00 | | | | |
| | Basic Local Area | | | UEP9E | UEPY2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| AI KV | /, LA, MS, & TN Only | | | OLF9L | ULF 12 | 1.13 | 40.13 | 19.03 | 24.91 | 0.03 | | 13.00 | | | | + |
| AL, KI | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | - | + |
| _ | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | - | UEP9E | UEPQB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | + |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | - | UEP9E | UEPQH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | + |
| - | | | | UEF9E | UEFQH | 1.15 | 40.19 | 19.03 | 24.91 | 0.03 | | 15.00 | | | - | + |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP9E | UEPQM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| _ | Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | - | | UEP9E | UEPQIVI | 1.15 | 90.38 | 57.27 | 48.00 | 8.77 | | 15.00 | | | | |
| | | | | LIEDOE | LIEDO Z | 4.45 | 00.00 | F7 07 | 40.00 | 0.77 | | 45.00 | | | | |
| | Term | | | UEP9E | UEPQZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | L | | | | | | | | | | | 4= 00 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.5488 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| Featur | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9E | UEPVF | 1.98 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 405.52 | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 1.98 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Miscel | laneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | 15.66 | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | 1 |
| | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 60.09 | 202.02 | 95.69 | 72.59 | 2.46 | | 15.66 | | İ | İ | 1 |
| | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 14.46 | | | | | 15.66 | | İ | İ | 1 |
| Interof | fice Channel Mileage - 2-Wire | | | | 1 | 2.20 | | | | | İ | | | İ | İ | 1 |
| | Interoffice Channel Facilities Termination | 1 | | UEP9E | MIGBC | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | 1 | t | † |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.008838 | | | | 2.00 | i | | | 1 | 1 | † |
| Featur | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | 2.300000 | | | | | | | | | t | |
| | annel Bank Feature Activations | Ī | | - | 1 | | | | | | - | | | | — | $\overline{}$ |
| 27 0116 | Feature Activation on D-4 Channel Bank Centrex Loop Slot | 1 | | UEP9E | 1PQWS | 0.56 | | | | | | | | | | \vdash |
| + | on the state of th | | | OLI OL | 11 4770 | 0.56 | | | | | 1 | | | 1 | t | \leftarrow |
| 1 | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | Ī | 1 | UEP9E | 1PQW6 | 0.56 | | | | | | 1 | l | I | | 1 |

| NRONDI | ED NETWORK ELEMENTS - Alabama | | | 1 | <u> </u> | | | | | | 1 - | | | ment: 2 | | bit: B |
|---------|--|-------------|-------------|-----------|----------|-------|--------|------------|--------------|------------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | + | 1 | | | | Nonrec | urring | Nonrecurring | Disconnect | | l . | oss | Rates (\$) | l . | |
| | | 1 | 1 | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | 11130 | Addi | 11130 | Audi | COMILO | COMPAR | COMPAN | COMPAR | COMPAR | COMPAR |
| | Slot | | | UEP9E | 1PQW7 | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | 02. 02 | | 0.00 | | | | | | | | | | |
| | Different Wire Center | | | UEP9E | 1PQWP | 0.56 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9E | 1PQWQ | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.56 | | | | | | | | | | |
| Non | -Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP9E | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 37.75 | 16.58 | | | | 15.66 | | | | |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 667.21 | | | | | 15.66 | | | | |
| | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 667.21 | | | | | 15.66 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 72.73 | | | | | 15.66 | | | | |
| UNE | -P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | |
| | ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | 1 | | | | | | | | | | | | | | |
| | Port/Loop Combination Rates (Non-Design) | | 1 | | | | | | | | | | | | | |
| - 0.1. | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | 1 | 1 | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP93 | | 12.70 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | . † | | OLI SO | | 12.70 | | | | | | | | | | |
| | Non-Design | | 2 | UEP93 | | 21.19 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | _ | | OLI 33 | | 21.13 | | | | | | | | | | |
| | Non-Design | | 3 | UEP93 | | 34.80 | | | | | | | | | | |
| LINE | | + | 3 | UEP93 | + | 34.00 | | | | | | | | | - | |
| UNE | Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | + | | | + | | | | | | | | | | - | |
| | | 1 | 1 | UEP93 | | 15.53 | | | | | | | | | | |
| | Design | - | _ ' | UEP93 | | 15.53 | | | | | | | | | | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | - | | | | | | | | | | | | | | |
| _ | Design Control of the | | 2 | UEP93 | | 24.00 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | - | | | | | | | | | | | | | | |
| | Design | | 3 | UEP93 | | 37.29 | | | | | | | | | | |
| UNE | Loop Rate | | | ļ <u></u> | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 11.55 | | | | | | | | | | |
| _ | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | 1 | 2 | UEP93 | UECS1 | 20.04 | | | | | | | | ļ | . | ļ |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | 1 | 3 | UEP93 | UECS1 | 33.65 | | | | | | | | | ļ | ļ |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 14.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | 1 | 2 | UEP93 | UECS2 | 22.85 | | | | | <u> </u> | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 36.14 | | | | | | | | | | |
| | Port Rate | | | | | | | | | | | | | | | |
| AL, | KY, LA, MS, & TN only | 1 | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP93 | UEPYB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | <u></u> | 15.66 | | <u> </u> | <u> </u> | <u></u> |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP93 | UEPYH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | <u></u> | 15.66 | | <u> </u> | <u> </u> | <u></u> |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | 1 | | UEP93 | UEPYM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | 1 | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | 1 | | UEP93 | UEPYZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | 1 | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivaler | t | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP93 | UEPY9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | l | I | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | 1 | | | | | | | | | | | | İ | İ | |
| | Basic Local Area | | | UEP93 | UEPY2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | l | I | 1 |
| | 2-Wire Voice Grade Port (Centrex) | 1 | | UEP93 | UEPQA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | İ | 15.66 | | İ | 1 | |
| - | 2-Wire Voice Grade Port (Centrex 800 termination) | 1 | | UEP93 | UEPQB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | 1 | t | |
| - | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | 1 | | UEP93 | UEPQH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | 1 | t | |
| -+ | 2-Wire Voice Grade Port (Centrex with Galler ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | + | 1 | 00 | SE. WII | 1.10 | 70.10 | 10.00 | 27.01 | 0.00 | | 10.00 | | | | |
| 1 | Center)2 | 1 | 1 | UEP93 | UEPQM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | 1 | 15.66 | | 1 | 1 | 1 |

| NRONDE | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | • | | | ment: 2 | | bit: B |
|---------|--|--------|--|-------------------|----------------|--------------|---------------|---------------|--------------|-------|---------|----------------|-------------|--|--|--|
| | | | | | | | | | | | | | | Incremental | | |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual S |
| ATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order v |
| | | | | | | | | | | | · • | | Electronic- | Electronic- | Electronic- | Electron |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | l | | | | | | | | | | | | |
| | Term | | | UEP93 | UEPQZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | L 2 . 2 | | | l | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.5488 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP93 | LNPCC | 0.35 | | | | | | | | | | |
| Featu | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | ļ | UEP93 | UEPVF | 1.98 | | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 1.98 | | | | | | | | ļ | . | |
| NARS | | | <u> </u> | | | | | | | | | | | | 1 | ↓ |
| | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | ↓ |
| | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | Unbundled Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ellaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | e Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | 15.66 | | | | |
| 4-Wire | e Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 60.09 | 202.02 | 95.69 | 72.59 | 2.46 | | 15.66 | | | | |
| | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 14.46 | | | | | 15.66 | | | | |
| Intero | office Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.008838 | | | | | | | | | | 1 |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 Ch | nannel Bank Feature Activations | | | | | | | | | | | | | | | 1 |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.56 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | l | | | | | | | | | | | | |
| | Slot | | | UEP93 | 1PQW7 | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | LIEDOO | 1PQWP | 0.50 | | | | | | | | | | |
| | Different Wire Center | | <u> </u> | UEP93 | 1PQWP | 0.56 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | - | UEP93 | 1PQWV | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | | | LIEDOO | 400040 | 0.50 | | | | | | | | | | |
| | Slot | | | UEP93 UEP93 | 1PQWQ 1PQWA | 0.56 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | TPQWA | 0.56 | | | | | | | | | | |
| Non-H | Recurring Charges (NRC) Associated with UNE-P Centrex | | 1 | | - | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | UEP93 | USAC2 | | 0.40 | 0.40 | | | | 15.00 | | | 1 | |
| | changes, per port Conversion of Existing Centrex Common Block, each | | 1 | UEP93 UEP93 | USAC2 | | 0.10 37.75 | 0.10 16.58 | | | | 15.66 15.66 | | | | |
| | New Centrex Standard Common Block | | - | UEP93 UEP93 | M1ACS | 0.00 | 667.21 | 10.58 | | | | 15.66 | | | | |
| | | | | UEP93 UEP93 | | 0.00 | | | | | | | | - | | + |
| | New Centrex Customized Common Block | | - | | M1ACC URECA | | 667.21 | | | | | 15.66 | | | | + |
| Not- 1 | NAR Establishment Charge, Per Occasion | | | UEP93 | UKECA | 0.00 | 72.73 | | | | | 15.66 | | - | | + |
| | 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | 1 | | - | | | | | | | | | - | 1 | + |
| | 2 - Requires Specific Customer Promises Equipment | | - | | _ | | | | | | | | | | | |
| inote | 3 - Requires Specific Customer Premises Equipment | ı | | e-up as set forth | 1 | l | | | | | i | 1 | | 1 | | 1 |

| LINDII | NDI F | NETWORK ELEMENTO. Florido | | | | | | | | | | | 1 | | | | |
|----------|----------|---|--|----------|-------------------------|----------------|-------------------|-----------------|-----------------|-----------------|-----------------|--------------|----------------|------------------|----------------|--------------|--|
| ONBO | NDLEL | NETWORK ELEMENTS - Florida | 1 | 1 | 1 | 1 | П | | | | | 00 | 00 | | ment: 2 | | bit: B |
| | | | | | | | | | | | | | | Incremental | | Incremental | |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| CATEG | OPV | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CAILG | OKI | RATE ELEMENTS | m | Zone | B03 | 0300 | | | KAILS (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ 1 | Nonre | curring | Nonrecurring | g Disconnect | | 1 | oss | Rates (\$) | ı | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | The "Zo | ne" shown in the sections for stand-alone loops or loops as | part of | a com | ination refers to Ge | ographically | Deaveraged U | NE Zones. To | view Geograp | hically Deavera | aged UNE Zone | Designation | ons by Centi | ral Office, refe | er to Internet | Website: | • |
| | http://w | ww.interconnection.bellsouth.com/become_a_clec/html/inter | rconnec | tion.ht | m | | | | | | | | | | | | |
| | | SUPPORT SYSTEMS | | | | | | | | | | | | | | | |
| | | 1) Electronic Service Order: CLEC should contact its contract | | | | | | | | | | | | | | | is rate |
| | | is the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | |
| | | 2) Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | |
| | | lements that cannot be ordered electronically at present per t | | | | in this cate | gory reflects the | e charge that v | vould be billed | to a CLEC on | ce electronic o | ordering cap | abilities co | me on-line fo | r that element | . Otherwise, | the manual |
| | orderin | g charge, SOMAN, will be applied to a CLECs bill when it sub | bmits ar | ı LSR t | o BellSouth. | | | | | | | | | | | | |
| | | Manual Service Order Charge, per LSR, Disconnect Only (FL) | | | | SOMAN | | | | 1.83 | | | | | | | |
| | | Electronic OSS Charge, per LSR, submitted via BST's OSS | 1 | | | | | _ | | | | | | | | | 1 |
| | | interactive interfaces (Regional) | ļ | | | SOMEC | | 3.50 | | | | | | | | | |
| | | DATE ADVANCEMENT CHARGE | D-UA: | Able To | O No 4 To-1" O: -1" | | | | | | | | | | | | - |
| \vdash | NOTE: | The Expedite charge will be maintained commensurate with | Religon | itn's FC | | on 5 as appli | capie. | | | | | | | | | | 1 |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per Day | 1 | | ALL UNE EXCEPT UNE-P | SDASP | | 200.00 | | | | | | | 1 | | |
| LIMBUM | DI ED E | XCHANGE ACCESS LOOP | | | UNE-P | SDASP | | 200.00 | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | Z-WINL | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | Ť | 0271112 | 02,122 | 20.07 | 10.01 | 22.00 | 20.02 | 0.01 | | 11.00 | | | | |
| | | Premise | | | UEANL | URETL | | 8.33 | 0.83 | | | | 11.90 | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 48.65 | | | | | 11.90 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 23.95 | | | | | 11.90 | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | | (UVL-SL1) | | | UEANL | UREWO | | 15.78 | 8.94 | | | | 11.90 | | | | |
| | | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | | | | | | | | | | | | |
| | | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.49 | | | | | | | | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 9.00 | | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | | | | | | | | | |
| | - 11/15- | (per LSR) | | | UEANL | OCOSL | | 23.02 | | | | | | | | | |
| | | Unbundled COPPER LOOP | | <u> </u> | LIFO | LIEGOV | 7.00 | 11.00 | 00.00 | 40.05 | 5.00 | | 44.00 | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | <u> </u> | _ | UEQ | UEQ2X | 7.69 | 44.98 | 20.90 | 19.65 | 5.09 | | 11.90 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | | UEQ UEQ | UEQ2X UEQ2X | 10.92 19.38 | 44.98 44.98 | 20.90 | 19.65 19.65 | 5.09 5.09 | | 11.90 11.90 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User | - ' | 3 | UEQ | UEQZX | 19.38 | 44.98 | 20.90 | 19.05 | 5.09 | | 11.90 | | | | - |
| | | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | 11.90 | | | | |
| - | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | | 1 | OLQ | OKETE | | 0.55 | 0.03 | | | | 11.50 | | | | |
| | | Designed (per loop) | | | UEQ | USBMC | | 9.00 | | | | | | | | | 1 |
| | | Unbundled Copper Loop, Non-Design Cooper Loop, billing for | † | | | 2 220 | | 2.00 | | | | | | | | | 1 |
| | | BST providing make-up (Engineering Information - E.I.) | 1 | | UEQ | UEQMU | | 13.49 | | | | | 11.90 | | 1 | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 48.65 | | | | | 11.90 | | | | |
| | | Loop Testing - Basic Additional Half Hour | <u> </u> | | UEQ | URETA | | 23.95 | | | | | 11.90 | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | | (UCL-ND) | | | UEQ | UREWO | | 14.27 | 7.43 | | | | 11.90 | | | | |
| | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | <u> </u> | | | | | | | | | | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | 1 | | l | | | | | | | | | | 1 | | I |
| \vdash | | Zone 1 | ļ | 1 | UEPSR UEPSB | UEALS | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | 1 | ١. | LIEDOD LIEDOD | 115 450 | 40.00 | 10 | 00.00 | 05.00 | 0 | | 44.60 | | | | 1 |
| \vdash | | Zone 1 | l | 1 | UEPSR UEPSB | UEABS | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | 1 | 2 | UEPSR UEPSB | UEALS | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | 1 | | I |
| \vdash | | Zone 2 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | 1 | | UEFOR UEFOB | UEALS | 15.20 | 49.57 | 22.83 | 25.62 | 0.57 | | 11.90 | | | - | - |
| | | 2 wire Analog voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | 1 | 2 | UEPSR UEPSB | UEABS | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | 1 | | I |
| + | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | ! | | OLI ON OLFOD | ULADO | 15.20 | 45.57 | 22.03 | 20.02 | 0.57 | | 11.90 | | | | |
| | | Zone 3 | 1 | 3 | UEPSR UEPSB | UEALS | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | 1 | | I |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | - | 521 OK 521 0D | 32,120 | 20.31 | 43.31 | 22.03 | 20.02 | 0.57 | | 11.50 | | | | t |
| | | | | | | | | | | | | | | | | | |

Version 4Q02: 12/18/02 Page 38 of 416

| ONBONDLE | D NETWORK ELEMENTS - Florida | | | • | | | | | | | • | | | ment: 2 | | bit: B |
|----------|---|-------------|------|------------|----------------|----------------|------------------|----------------|--------------|-------|-------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIRI | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | ļ |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 12.24 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 17.40 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 30.87 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UEA | OCOSL | 30.67 | 23.02 | 02.47 | 03.33 | 12.01 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | - | | ULA | OCOSL | | 23.02 | | | | | | | | | - |
| | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 12.24 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 17.40 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 30.87 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UEA | OCOSL | 30.87 | 23.02 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.71 | 36.35 | | | | 11.90 | | | | |
| | Loop Tagging - Service Level 2 (SL2) | | | UEA | URETL | | 10.45 | 1.03 | | | | 11.90 | | | | |
| 4-WIR | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 18.89 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 26.84 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 47.62 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.71 | 36.35 | | | | 11.90 | | | | |
| 2-WIRI | E ISDN DIGITAL GRADE LOOP | | | | <u> </u> | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 19.28 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN UDN | U1L2X U1L2X | 27.40 48.62 | 147.69 147.69 | 94.41 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) | | 3 | UDN | OCOSL | 48.62 | 23.02 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | - | UDN | UREWO | | 91.61 | 44.15 | | | | 11.90 | | | | 1 |
| 2-WID | E Universal Digital Channel (UDC) COMPATIBLE LOOP | | | ODN | UKLVVO | | 91.01 | 44.13 | | | | 11.50 | | | | |
| 2 ***** | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 1 | UDC | UDC2X | 19.28 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 2 | UDC | UDC2X | 27.40 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | 3 | | 3 | UDC | UDC2X | 48.62 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| O MUDI | CLEC to CLEC Conversion Charge without outside dispatch E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIDLE | 1.00 | UDC | UREWO | | 91.61 | 44.15 | | | | 11.90 | | | | |
| Z-VVIKI | 2 Wire Unbundled ADSL Loop including manual service inquiry | AIIBLE | LOUP | 1 | - | | | | | | | | | | | - |
| | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 8.30 | 149.53 | 103.85 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 11.80 | 149.53 | 103.85 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 | | _ | UAL | UAL2X | 20.94 | 149.53 | 103.85 | 75.05 | 15.63 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UAL | OCOSL | 20.94 | 23.02 | 103.85 | 75.05 | 15.63 | | 11.90 | | | | - |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | UAL | OCOSL | | 23.02 | | | | | | | | | |
| | facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry & | | 1 | UAL | UAL2W | 8.30 | 124.83 | 71.12 | 60.64 | 9.12 | | 11.90 | | | | |
| | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 11.80 | 124.83 | 71.12 | 60.64 | 9.12 | | 11.90 | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 20.94 | 124.83 | 71.12 | 60.64 | 9.12 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | Ť | UAL | OCOSL | 20.04 | 23.02 | 12 | 33.04 | 0.12 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.19 | 40.39 | | | | 11.90 | | | | |
| 2-WIRI | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | - | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 7.22 | 159.09 | 113.41 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.26 | 159.09 | 113.41 | 75.05 | 15.63 | | 11.90 | | | | |

| ONBONDE | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|----------|--|--|--------------|------|----------------|--------|-----------------|------------|--------------|-------|-------|---|---------------------------------|---|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | OWEN THE MINISTER OF THE PROPERTY OF THE PROPE | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 18.21 | 159.09 | 113.41 | 75.05 | 15.63 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 10.21 | 23.02 | 113.41 | 75.05 | 15.65 | | 11.90 | | | | + |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | OTIL | CCCCE | | 20.02 | | | | | | | | | + |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 7.22 | 134.40 | 80.69 | 60.64 | 9.12 | | 11.90 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | 1 |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.26 | 134.40 | 80.69 | 60.64 | 9.12 | | 11.90 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 18.21 | 134.40 | 80.69 | 60.64 | 9.12 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | 40.00 | | | | 44.00 | | | | |
| 4-10/15 | CLEC to CLEC Conversion Charge without outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDIE | LOOP | UHL | UREWO | | 86.12 | 40.39 | | | | 11.90 | | | | |
| 4-441 | 4 Wire Unbundled HDSL Loop including manual service inquiry | IIIBLE | LOOP | | | | | | | | - | | | - | | + |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 10.86 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | <u> </u> | 0.12 | 0.12.50 | 10.00 | 100.01 | 100.00 | 771.10 | .2.01 | | 11.00 | | | | 1 |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 15.44 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | 1 |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 27.39 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 10.86 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL4W | 45.44 | 400.00 | 445.47 | CO 74 | 44.00 | | 11.90 | | | | |
| | and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry | | | UHL | UHL4VV | 15.44 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | + |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 27.39 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| + | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 21.55 | 23.02 | 113.47 | 02.74 | 11.22 | | 11.30 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.12 | 40.39 | | | | 11.90 | | | | |
| 4-WIF | RE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 70.74 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 100.54 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 178.39 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | 1 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 23.02 | | | | | | | | | |
| 4 10/15 | CLEC to CLEC Conversion Charge without outside dispatch RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | USL | UREWO | | 101.07 | 43.04 | | | | 11.90 | | | | |
| 4-111 | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | - | 11.90 | | - | | + |
| - | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | + |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL | UDL56 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | † |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 23.02 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | 1 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL | UDL64 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | - | 3 | UDL | UDL64 OCOSL | 55.99 | 161.56 23.02 | 108.85 | 67.08 | 15.56 | | 11.90 | | | 1 | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.11 | 49.74 | | | | 11.90 | | | | |
| 2-WIF | RE Unbundled COPPER LOOP | 1 | 1 | UDL | OKLWO | | 102.11 | 45.74 | | | | 11.90 | | + | | + |
| Z-4VII | 2-Wire Unbundled Copper Loop/Short including manual service | | | | + | | | | | | | | | † | <u> </u> | + |
| | inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 8.30 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service | | 1 | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 11.80 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2 Wire Unbundled Copper Loop/Short including manual service | 1 | | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 3 | ļ | 3 | UCL | UCLPB | 20.94 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | 1 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | ļ | <u> </u> | UCL | UCLMC | | 9.00 | 9.00 | | | | | | 1 | 1 | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | 1 | 1 | UCL | UCLPW | 8.30 | 123.81 | 70.09 | 60.64 | 0.40 | | 11.00 | | I | | |
| | inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Short without manual service | | 1 | UCL | UCLPW | 8.30 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | - | | | + |
| 1 | inquiry and facility reservation - Zone 2 | 1 | 2 | UCL | UCLPW | 11.80 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | I | | |

Version 4Q02: 12/18/02 Page 40 of 416

| <u>UNBUND</u> LE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|------------------|---|-------------|---------|----------------|----------|-------|----------------|---------------|--------------|-------|----------|---|---------------------------------|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | LIOL DVA | 00.04 | 100.01 | 70.00 | 00.04 | 0.40 | | 44.00 | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 20.94 | 123.81 | 70.09 9.00 | 60.64 | 9.12 | | 11.90 | | | | |
| - | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility reservation - Zone 1 | | 4 | UCL | UCL2L | 17.42 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | - ' | UCL | UCLZL | 17.42 | 146.50 | 102.02 | 75.05 | 15.65 | 1 | 11.90 | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 24.76 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | OCL | OOLZL | 24.70 | 140.50 | 102.02 | 73.03 | 13.03 | | 11.50 | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 43.94 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | 40.04 | 9.00 | 9.00 | 70.00 | 10.00 | | 11.00 | | | | |
| - | 2-Wire Unbundled Copper Loop/Long - without manual service | | | 002 | COLINIC | | 0.00 | 0.00 | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 17.42 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | 1 | | |
| 1 | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | 2 | | . 2.00 | 22.01 | | | 50 | | 1 | | 1 |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 24.76 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 43.94 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | (UCL -Des) | | | UCL | UREWO | | 97.21 | 42.47 | | | | 11.90 | | | | |
| 4-WIR | E COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | ĺ |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 11.83 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | ĺ |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 16.81 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 29.82 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 11.83 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | _ | | | | .= | | | | | 44.00 | | | | |
| | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 16.81 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | 2 | UCL | UCL4W | 29.82 | 450.40 | 100.03 | 62.74 | 11.22 | | 44.00 | | | | |
| | facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 29.82 | 153.18 9.00 | 9.00 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | UCL | UCLIVIC | | 9.00 | 9.00 | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 31.10 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| + | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | UCL | UCL4L | 31.10 | 177.07 | 132.70 | 77.13 | 17.73 | | 11.90 | | | | 1 |
| 1 | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 44.20 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | 1 | | |
| + | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | - | | | JULIAL | 77.20 | 177.07 | 132.70 | 77.13 | 17.73 | | 11.50 | | | 1 | - |
| 1 | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 78.42 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | 1 | | |
| <u> </u> | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | 70.72 | 9.00 | 9.00 | 77.13 | 17.75 | | 11.30 | | | | t |
| 1 | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | | 3.00 | 2.00 | | | | | | 1 | | 1 |
| 1 | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | 31.10 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | 1 | | |
| 1 | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | 20 | | | | | | | | İ | | |
| 1 | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 44.20 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | 1 | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 78.42 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | 1 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UCL | UREWO | | 97.21 | 42.47 | | | | 11.90 | | | | |
| OOP MODIF | CATION | | | | | | | | | | | | | | | |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| | | | | UEQ, ULS, UEA, | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEANL, UEPSR, | | | | | | | | | | | | |
| | pair less than or equal to 18k ft | | | UEPSB | ULM2L | | 0.00 | 0.00 | | | | 11.90 | | | | |
| 1 - | Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | | | | | | | | | | | 1 | | |
| | greater than 18k ft | | | UCL, ULS, UEQ | ULM2G | | 343.12 | 343.12 | | | | 11.90 | | | | |
| 1 | Unbundled Loop Modification Removal of Load Coils - 4 Wire | l | 1 | | | | | | | | | | | Ì | | |
| 1 | less than or equal to 18K ft | | <u></u> | UHL, UCL | ULM4L | | 0.00 | 0.00 | | | <u> </u> | 11.90 | | | <u></u> | <u> </u> |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | 1 | | | | | | | 1_ | _ | | ment: 2 | | bit: B |
|--|--|-------------|--|--|----------------|--------------|----------------|----------------|----------------|-------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft | | | UCL | ULM4G | | 343.12 | 343.12 | | | | 11.90 | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULMBT | | 10.52 | 10.52 | | | | 11.90 | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-L | oop Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up | I | | UEANL | USBSA | | 487.23 | | | | | 11.90 | | | | |
| | | l . | | = | | | | | | | | | | | | |
| - | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | UEANL | USBSB | | 6.25 | | | | | 11.90 | | | 1 | + |
| | Facility Set-Up | ı | | UEANL | USBSC | | 169.25 | | | | | 11.90 | | | | ļ |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | ı | | UEANL | USBSD | | 38.65 | | | | | 11.90 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN2 | 6.46 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN2 | 9.18 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN2 | 16.29 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| | Order Coordination for Unbundled Sub-Leans, nor sub-lean pair | | | UEANL | USBMC | | 9.00 | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop | | | UEAINL | USBIVIC | | 9.00 | | | | | | | | 1 | + |
| | Zone 1 | | 1 | UEANL | USBN4 | 7.37 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 10.47 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 18.58 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | | | | | 44.00 | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR2 | 3.96 | 51.84 | 13.44 | 47.50 | 5.26 | | 11.90 | | | - | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR4 | 9.37 | 55.91 | 17.51 | 49.71 | 6.60 | | 11.90 | | | | |
| 1 T | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | — | 1 | UEANL UEF | USBMC UCS2X | 5.15 | 9.00 60.19 | 21.78 | 47.50 | 5.26 | 1 | 11.90 | | | - | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | l i | 2 | UEF | UCS2X | 7.31 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | + |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | i | 3 | UEF | UCS2X | 12.98 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | + |
| | | | | | | | | | | | | | | | | 1 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | | | | | 44.00 | | | | |
| - | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | <u> </u> | 1 2 | UEF UEF | UCS4X UCS4X | 5.36 7.61 | 68.83 68.83 | 30.42 30.42 | 49.71 49.71 | 6.60 | | 11.90 11.90 | | | 1 | + |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | l i | 3 | UEF | UCS4X | 13.51 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | Ĭ | UEF | USBMC | 10.01 | 9.00 | 00.12 | | 0.00 | | 11.00 | | | | |
| Unbui | ndled Sub-Loop Modification | l | l - |) — i | 3321410 | | 3.00 | | | | 1 | | | | † | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 10.11 | | | | | 11.90 | | | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 10.11 | | | | | 11.90 | | | | |
| | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4T | | 15.58 | | | | | 11.90 | | | | |
| Unhiii | ndled Network Terminating Wire (UNTW) | | | ULI | ULIVI4 I | | 15.58 | | | | | 11.90 | | | | |
| Julian | Unbundled Network Terminating Wire (UNTW) per Pair | | 1 | UENTW | UENPP | 0.4572 | 18.02 | | | | | 11.90 | | | | † |
| Netwo | rk Interface Device (NID) | | | | | | | | <u> </u> | | | | | İ | | |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 71.49 | 48.87 | | | | 11.90 | | | | |

| ONBONDLE | D NETWORK ELEMENTS - Florida | | | | • | | | | | | , | | | ment: 2 | | bit: B |
|--|--|-------------|----------|-----------------|----------------|--------|-----------------|------------|--------------|------------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 113.89 | 89.07 | | | | 11.90 | | | | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 7.63 | 7.63 | | | | 11.90 | | | | |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 7.63 | 7.63 | | | | 11.90 | | | | |
| SUB-LOOPS | <u> </u> | | <u> </u> | | | | | | | | | | | | | |
| Sub-Le | OOP Feeder USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | 1 | UEA, | | | | | | | | | | | - | |
| | Distribution Facility set-up | | | UDN,UCL,UDL,UDC | USBFW | | 487.23 | | | | | 11.90 | | | | |
| | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA, | | | | | | | | | | | | |
| | set-up | | | UDN,UCL,UDL,UDC | USBFX | | 6.25 | 6.25 | | | | 11.90 | | | | |
| | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 522.41 | 11.32 | | | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 | | 1 | UEA | USBFA | 6.41 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFA | 9.10 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFA | 16.15 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | 10.10 | 23.02 | 01.24 | 00.40 | 10.07 | | 11.50 | | | | |
| | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | | | | | | | | | | | | 1 | |
| | Grade - Zone 1 | | 1 | UEA | USBFB | 6.41 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFB | 9.10 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3 | | 3 | UEA | USBFB | 16.15 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1 | | 1 | UEA | USBFC | 6.41 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2 | | 2 | UEA | USBFC | 9.10 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse | | | | | | | | | | | | | | | |
| | Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 16.15 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| - | Order Coordination For Specified Conversion Time, per LSR | | 1 | UEA | OCOSL | | 23.02 | | | | | | | | - | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFD | 12.47 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFD | 17.73 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFD | 31.45 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFE | 12.47 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFE | 17.73 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR | | 3 | UEA UEA | USBFE OCOSL | 31.45 | 106.92 23.02 | 64.46 | 63.54 | 14.83 | 1 | 11.90 | | | | <u> </u> |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | 1 | 1 | UDN | USBFF | 14.83 | 109.71 | 66.68 | 60.21 | 12.49 | } | 11.90 | | 1 | + | 1 |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 21.07 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | t | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | | UDN | USBFF | 37.39 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | 1 | |
| | Order Coordination For Specified Conversion Time, Per LSR | | Ť | UDN | OCOSL | 220 | 23.02 | 22.30 | | | | | | Ì | 1 | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 14.83 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | <u> </u> | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 21.07 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 37.39 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 42.59 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 60.53 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | | ļ | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 107.39 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | 1 | 1 | |
| | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | USL UCL | OCOSL USBFH | 3.76 | 23.02 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | 2 | UCL | USBFH | 5.35 | 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | | | | |

Version 4Q02: 12/18/02 Page 43 of 416

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | Exhi | bit: B |
|--|--|-----------------|--|-------|----------------|-----------------|------------------|------------------|--|----------------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | | | | | | | | | 44.00 | | | | |
| | 3 | | 3 | UCL | USBFH | 9.49 | 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | | | | |
| L | Order Coordination For Specified Conversion Time, per LSR | | <u> </u> | UCL | OCOSL | 7.00 | 23.02 | F7.00 | 00.00 | 10.00 | | 44.00 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 7.32 | 99.66 | 57.20 | 60.98 | 12.28 | | 11.90 | | | - | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 10.40 18.46 | 99.66 99.66 | 57.20 57.20 | 60.98 60.98 | 12.28 12.28 | | 11.90 11.90 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | 3 | UCL | OCOSL | 18.46 | 23.02 | 57.20 | 60.98 | 12.28 | - | 11.90 | | | - | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 14.48 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 20.59 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 36.53 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | Ŭ | ODL | OODIN | 00.00 | 100.02 | 00.10 | 00.04 | 14.00 | | 11.00 | | | | |
| | Zone 1 | | 1 | UDL | USBFO | 14.48 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | İ | 1 | 0 | | 22.70 | | 30 | | | | İ | 1 | Ì |
| | Zone 2 | | 2 | UDL | USBFO | 20.59 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | 1 | |
| İ | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UDL | USBFO | 36.53 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 23.02 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UDL | USBFP | 14.48 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UDL | USBFP | 20.59 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | l _ | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UDL | USBFP | 36.53 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| OUD LOOPS | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 23.02 | | | | | | | | | |
| SUB-LOOPS | oop Feeder | | | | + | | | | | | | | | | | |
| Sub-L | Sub Loop Feeder - DS3 - Per Mile Per Month | | 1 | UE3 | 1L5SL | 15.69 | | | + | | | | | | | |
| | Sub Loop Feeder - DS3 - Fer Wille Fer Worlth Sub Loop Feeder - DS3 - Facility Termination Per Month | <u> </u> | | UE3 | USBF1 | 347.59 | 3,402.59 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | |
| | Sub Loop Feeder - STS-1 - Per Mile Per Month | - i- | | UDLSX | 1L5SL | 15.69 | 3,402.33 | 407.13 | 100.03 | 34.30 | | 11.30 | | | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | i | | UDLSX | USBF7 | 402.09 | 3,402.59 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | |
| | Sub Loop Feeder – OC-3 – Per Mile Per Month | i | | UDLO3 | 1L5SL | 11.90 | 0,102.00 | 101110 | 100.00 | 0 1.00 | | 11100 | | | 1 | |
| | Sub Loop Feeder - OC-3 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | Month | 1 | | UDLO3 | USBF5 | 62.98 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Per Month | 1 | | UDLO3 | USBF2 | 547.22 | 3,402.59 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | |
| | Sub Loop Feeder - OC-12 - Per Mile Per Month | ı | | UDL12 | 1L5SL | 14.65 | | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | Month | ı | | UDL12 | USBF6 | 502.47 | | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Per Month | | | UDL12 | USBF3 | 1,577.00 | 3,402.59 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | |
| | Sub Loop Feeder - OC-48 - Per Mile Per Month | ı | | UDL48 | 1L5SL | 48.06 | | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Protection Per | | | l | | | | | | | | | | | 1 | |
| ļļ | Month | - 1 | | UDL48 | USBF9 | 251.80 | | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Per Month | <u> </u> | <u> </u> | UDL48 | USBF4 | 1,589.00 | 3,588.59 | 407.15 | 168.35 | 95.43 | | 11.90 | | | | |
| LINIDLINIS! 55 | Sub Loop Feeder - OC-12 Interface On OC-48 | | <u> </u> | UDL48 | USBF8 | 331.15 | 804.98 | 407.15 | 168.35 | 95.43 | | 11.90 | | ļ | - | |
| ONBONDLED | LOOP CONCENTRATION | | | 111.0 | LICTOA | 140.40 | 250.42 | 250.42 | | | | 44.00 | | | ! | 1 |
| | Unbundled Loop Concentration - System A (TR008) | | - | ULC | UCT8A UCT8B | 449.49 53.44 | 359.42 149.76 | 359.42 149.76 | + + | | - | 11.90 11.90 | | | | 1 |
| | Unbundled Loop Concentration - System B (TR008) Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 487.33 | 359.42 | 359.42 | | | | 11.90 | | | | |
| | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3B | 90.05 | 149.76 | 149.76 | | | | 11.90 | | | | |
| - | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCTCO | 5.04 | 71.70 | 51.52 | 18.49 | 4.82 | | 11.90 | | 1 | | 1 |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite | - | | 020 | 30100 | 5.04 | 71.70 | 31.32 | 10.49 | 7.02 | | 11.30 | | | | + |
| | Card) | | 1 | UDN | ULCC1 | 8.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | 1 | I | |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite | | | 33.1 | 02001 | 0.00 | 10.55 | 10.30 | 0.77 | 0.73 | | 11.50 | | | I | 1 |
| | Card) | | 1 | UDC | ULCCU | 8.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | 1 | I | |
| | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | | 1 | 2.20 | | | | 20 | | | | İ | 1 | Ì |
| | Ground Start Loop Interface (POTS Card) | | 1 | UEA | ULCC2 | 2.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | 1 | I | |
| | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | | | | | | | | | | | | | |
| | Loop Interface (SPOTS Card) | | 1 | UEA | ULCCR | 11.90 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | 1 | I | |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | | | | | | | | | | | | | | |
| 1 | (Specials Card) | l | 1 | UEA | ULCC4 | 7.10 | 16.59 | 16.50 | 6.77 | 6.73 | 1 | 11.90 | | 1 | 1 | 1 |

| ONBONE | DLED NETWORK ELEMENTS - Florida | | | 1 | | 1 | | | | | | T - | | ment: 2 | | bit: B |
|----------|--|-------------|----------|---|--------|--------|--------|------------|--|------------|---|---|--|--|-------------|--|
| CATEGOR | RY RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 34.68 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | | | | | | | | | | | | | | |
| | Interface | | | UDL | ULCC7 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | Unbundled Loop Concentration - Digital 56 Kbps Data Loop | | | | | | 40.50 | | | | | | | | | |
| | Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop | - | 1 | UDL | ULCC5 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | Interface | | | UDL | ULCC6 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| UNE OTHE | ER, PROVISIONING ONLY - NO RATE | | | ODL | 02000 | 10.51 | 10.55 | 10.50 | 0.77 | 0.75 | | 11.30 | | | | |
| 1 | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | | | | UEANL,UEF,UEQ,U | | | | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | 1 | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| UNE OTHE | ER, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | , | | | | | | | | | | | | |
| | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| HIGH CAR | no rate PACITY UNBUNDLED LOCAL LOOP | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | THE: minimum billing period of three months for DS3 and above L | ocal I o | on | | | | | | - | | | | | | | |
| INC | High Capacity Unbundled Local Loop - DS3 - Per Mile per | OCAI LO | ОР | | | | | | + | | | | | | 1 | |
| | month | | | UE3 | 1L5ND | 10.92 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 386.88 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 10.92 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | ODLOX | TESIND | 10.32 | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 426.60 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | 1.83 | |
| LOOP MA | | | | | | | | | | | | | | | | |
| | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 52.17 | 52.17 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility | 1 | | | | | JZ.17 | 02.17 | † | | | | | 1 | 1 | t |
| | queried (Manual). | | | UMK | UMKLP | | 55.07 | 55.07 | | | | | | | 1 | |
| | Loop MakeupWith or Without Reservation, per working or | | | | | | İ | | į i | | | | | | | |
| L | spare facility queried (Mechanized) | ļ | | UMK | PSUMK | | 0.6784 | 0.6784 | ļ | | | | | | 1 | |
| | QUENCY SPECTRUM | ļ | <u> </u> | | | | | | | | | | | | 1 | |
| | NE SHARING PLITTERS-CENTRAL OFFICE BASED | 1 | | | 1 | | | | | | | | | | 1 | 1 |
| 31 | Line Sharing Splitter, per System 96 Line Capacity - True up | + | - | | - | | | | | | - | | 1 | - | | - |
| | pending approval by PSC | R | | ULS | ULSDA | 119.72 | 379.13 | 0.00 | 347.90 | 0.00 | | 11.90 | | | | |
| | Line Sharing Splitter, per System 24 Line Capacity - True up pending approval by PSC | R | | ULS | ULSDB | 29.93 | 379.13 | 0.00 | 347.90 | 0.00 | | 11.90 | | | | |
| | Line Sharing Splitter, Per System, 8 Line Capacity | I | | ULS | ULSD8 | 8.33 | 379.13 | 0.00 | 347.90 | 0.00 | | 11.90 | | Ì | 1 | |
| | Line Sharing-DLEC Owned Splitter in CO-CFA activaton- | | | | | | | | | | | | 1 | | | 1 |
| | deactivation (per LSOD) | | | ULS | ULSDG | | 173.66 | 0.00 | 97.42 | 0.00 | | 11.90 | | | | |
| EN | ND USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC | Y SPEC | TRUM | | | | | | | | | | | | | |
| | Line Sharing - per Line Activation -(BST Owned Splitter) | | | ULS | ULSDC | 0.61 | 29.68 | 21.28 | 19.57 | 9.61 | | 11.90 | | | | |
| | Line Charles and Cubernary of Aut State of Line Day | .] | | | | | | | | | | | | | 1 | |
| | Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(BST Owned Splitter) | R | | ULS | ULSDS | | 21.68 | 16.44 | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(DLEC Owned Splitter) | R | | ULS | ULSCS | | 21.68 | 16.44 | | | | 11.90 | | | | |
| - t- | Line Sharing - per Line Activation (DLEC owned Splitter) | | 1 | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | İ | 11.90 | | | 1 | |

Version 4Q02: 12/18/02 Page 45 of 416

| ONBONDL | ED NETWORK ELEMENTS - Florida | | 1 | | | T | | | | | 12 | | | ment: 2 | | bit: B |
|----------|--|------------------|----------|--------------------|-------------|---------------|--------|------------|--------------|-------|--|---|--|---|--------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | SPLITTING | | 1 | | | | | | | | | | | | | |
| END | USER ORDERING-CENTRAL OFFICE BASED | <u> </u> | 1 | LIEDOD LIEDOD | LIBEOO | 0.04 | | | | | | | | | | |
| | Line Splitting - per line activation DLEC owned splitter | | <u> </u> | UEPSR UEPSB | UREOS | 0.61 | 00.00 | 04.00 | 10.57 | 0.04 | | 44.00 | | | | |
| | Line Splitting - per line activation BST owned - physical | - ! | - | UEPSR UEPSB | UREBP | 0.61 | 29.68 | 21.28 | 19.57 | 9.61 | | 11.90 | | | | |
| DEM | Line Splitting - per line activation BST owned - virtual | <u> </u> | 1 | UEPSR UEPSB | UREBV | 1.134 | 29.68 | 21.28 | 19.57 | 9.61 | | 11.90 | | | | |
| | OTE SITE HIGH FREQUENCY SPECTRUM | | 1 | | | | | | | | | | | | | |
| SPL | ITTERS-REMOTE SITE Remote Site Line Share BellSouth Owned Splitter, 24 Port | <u> </u> | 1 | III C | ULSRB | 46.07 | 114.81 | 0.00 | 86.20 | 0.00 | | 11.00 | | | | |
| | | <u> </u> | 1 | ULS | ULSKB | 46.07 | 114.81 | 0.00 | 86.20 | 0.00 | | 11.90 | | | | |
| | Remote Site Line Share Cable Pair Activation CLEC Owned at RS and deactivation | | | ULS | ULSTG | | 95.64 | 0.00 | 69.19 | 0.00 | | 11.90 | | | | |
| END | USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU | MAKA | DEMO | | | | 95.64 | 0.00 | 69.19 | 0.00 | | 11.90 | | | | + |
| END | Remote Site Line Share Line Activation for End User Served at | W ANA | KLIVIO | L SITE LINE SHARI | <u>.</u> | 1 | | | | | 1 | | | 1 | 1 | |
| | RS, BST Splitter | 1 | 1 | ULS | ULSRC | 0.61 | 40.00 | 22.00 | 19.57 | 9.61 | | 11.90 | | | | |
| | RS Line Share Line Activation for End User served at RS, CLEC | - ' - | 1 | | 5251.0 | 0.01 | 70.00 | 22.00 | 13.37 | 3.01 | | 11.50 | | | | |
| | Splitter | 1 | 1 | ULS | ULSTC | 0.61 | 40.00 | 22.00 | 19.57 | 9.61 | | 11.90 | | | | |
| | Remote Site Line Share Subsequent Activity-RS BST Owned | <u> </u> | 1 | 0_0 | 02010 | 0.01 | 40.00 | 22.00 | 10.07 | 5.01 | | 11.30 | | | † | † |
| | Splitter | 1 1 | | ULS | ULSRS | | 49.15 | 17.83 | | | | 11.90 | | | | |
| | Remote Site Line Share Subsequent Activity-RS CLEC Owned | <u> </u> | 1 | 020 | 020.10 | | 10.10 | 11.00 | | | | 11.00 | | | | † |
| | Splitter | 1 | | ULS | ULSTS | | 49.15 | 17.83 | | | | 11.90 | | | | |
| UNBUNDLE | D DEDICATED TRANSPORT | <u> </u> | | | | | | | | | | | | | | |
| | E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu | m billin | na perio | od - below DS3=one | month, abov | e DS3=four mo | nths | | | | | | | | | |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | Ĭ | | 1 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TV2 | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | | | | | | | | | | | | | |
| | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. | - | | | | | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TR2 | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade | - | | | | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | | | | | | | | | | | | | |
| | - Facility Termination | | | U1TVX | U1TV4 | 22.58 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | U1TDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD5 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | 1 | 1 | LIATOV | 41.5301 | | | | | | | | | | | |
| | per month | | - | U1TDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | LIATOV | LIATEDO | 40.44 | 47.05 | 04.70 | 40.04 | 7.00 | | 44.00 | | | | |
| | Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | - | U1TDX | U1TD6 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | month | | | U1TD1 | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | - | וטווטו | ILSAA | 0.1000 | | | | | | | | | | 1 |
| | Termination | | | U1TD1 | U1TF1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | 1 | OTIDI | 01111 | 00.44 | 105.54 | 30.47 | 21.47 | 19.03 | | 11.90 | | | | |
| | month | | | U1TD3 | 1L5XX | 3.87 | | | | | | | | | | |
| - | Interoffice Channel - Dedicated Transport - DS3 - Facility | | 1 | 000 | 0,00 | 5.07 | | | | | | | | | † | |
| | Termination per month | 1 | 1 | U1TD3 | U1TF3 | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | 11.90 | | | | |
| 1 | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | 1 | 1 | | 1 | 1,21 1.00 | | | 00 | | | 50 | | | † | |
| | month | 1 | 1 | U1TS1 | 1L5XX | 3.87 | | | | | | | | | | |
| <u> </u> | Interoffice Channel - Dedicated Transport - STS-1 - Facility | 1 | 1 | | | | | | | | | | | | † | |
| 1 | Termination | | | U1TS1 | U1TFS | 1,056.00 | 335.46 | 219.28 | 72.03 | 70.56 | | 11.90 | | | | |
| LOC | AL CHANNEL - DEDICATED TRANSPORT | | | | 1 | | | | | | | | | | | |
| NOT | E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billi | ng perio | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 | | 1 | ULDVX | ULDV2 | 19.66 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 | | 2 | ULDVX | ULDV2 | 27.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 | | 3 | UNDVX | ULDV2 | 49.58 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | Exhi | bit: B |
|--|--|--|------|----------------|----------------|---------------------|------------------|------------------|----------------|----------------|-------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | Level Olever I. De l'este I. OMfre Vele Cont. De Det | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat Zone 1 | | 1 | ULDVX | ULDR2 | 19.66 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | - ' | OLDVA | ULDRZ | 19.00 | 203.04 | 40.97 | 37.03 | 4.00 | | 11.90 | | | | |
| | Zone 2 | | 2 | ULDVX | ULDR2 | 27.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | | | _ | | | | | | | | | | | |
| | Zone 3 | | 3 | ULDVX | ULDR2 | 49.58 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 | | 1 | ULDVX | ULDV4 | 20.45 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 | | 2 | ULDVX | ULDV4 | 29.06 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | | 3 | ULDVX | ULDV4 | 51.56 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | | 1 | ULDD1 | ULDF1 | 36.49 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | | | |
| \vdash | Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 | <u> </u> | 3 | ULDD1 ULDD1 | ULDF1 ULDF1 | 51.85 92.00 | 216.65 216.65 | 183.54 183.54 | 24.30 24.30 | 16.95 16.95 | | 11.90 11.90 | | | - | - |
| \vdash | Local Channel - Dedicated - DS1 - Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month | - | 3 | ULDD3 | 1L5NC | 92.00 8.50 | ∠10.05 | 183.54 | 24.30 | 16.95 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS3 - Fel Mile per Month Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3 | ULDF3 | 531.91 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | + |
| | Local Channel - Dedicated - STS-1- Per Mile per month | 1 | | ULDS1 | 1L5NC | 8.50 | 300.01 | 0.0.01 | | 55.54 | | | | 1 | 1 | |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1 | ULDFS | 540.69 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| DARK FIBER | , | | | | | | | | | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Local Channel | | | UDF | 1L5DC | 55.04 | | | | | | | | | | |
| | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 751.34 | 193.88 | | | | 11.90 | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | ==== | | | | | | | | | | | |
| | Thereof per month - Interoffice Channel | | | UDF UDF | 1L5DF | 26.85 | 754.04 | 100.00 | | | | 44.00 | | | | |
| | NRC Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | UDF | UDF14 | | 751.34 | 193.88 | | | | 11.90 | | | | |
| | Thereof per month - Local Loop | | | UDF | 1L5DL | 55.04 | | | | | | | | | | |
| | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | 33.04 | 751.34 | 193.88 | | | | 11.90 | | | | |
| 8XX ACCESS | TEN DIGIT SCREENING | | | 00. | 02.2. | | 701.01 | 100.00 | | | | 11.00 | | | 1 | |
| | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006252 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | | | | | | | | | | | | | | |
| | Number Reserved | | | OHD | N8R1X | | 4.15 | 0.70 | | | | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | | | | | | | | | | | | | | |
| | POTS Translations | | | OHD | | | 8.78 | 1.18 | 5.77 | 0.70 | | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With | | | OUD | NOCTY | | 0.70 | 4.40 | c 77 | 0.70 | | 44.00 | | | | |
| + | POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service | | | OHD | N8FTX | | 8.78 | 1.18 | 5.77 | 0.70 | | 11.90 | | | - | |
| | Per 8XX Number | | | OHD | N8FCX | | 4.15 | 2.07 | | | | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR | 1 | | O. ID | 1401 0/ | | 4.15 | 2.07 | + - | | | 11.50 | | † | t | |
| | Routing Per CXR Requested Per 8XX No. | l | | OHD | N8FMX | | 4.85 | 2.78 | | | | 11.90 | | 1 | 1 | |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 4.85 | 0.70 | | | | 11.90 | | 1 | 1 | |
| | 8XX Access Ten Digit Screening, Call Handling and Destination | | | | | | | | | | | | | 1 | 1 | |
| | Features |] | | OHD | N8FDX | | 4.15 | 4.15 | | | | 11.90 | | | | |
| | | 1 | | L | 1 | | | | | | | | | | _ | |
| \vdash | 8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query | <u> </u> | | OHD | | 0.0006252 | | | 1 | | | | | | | |
| | 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per | l | | OHD | 1 | 0.0006252 | | | | | | | | 1 | 1 | |
| LINE INCORM | query ATION DATA BASE ACCESS (LIDB) | | | OHD | + | 0.0006252 | | | 1 | | - | | | | | |
| LINE INFORMA | LIDB Common Transport Per Query | | | OQT | + | 0.0000203 | | | | | - | | | | t | |
| | LIDB Validation Per Query | 1 | | OQU | + | 0.0136959 | | | 1 | | | | | † | t | |
| | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 55.13 | 55.13 | 55.13 | 55.13 | | 11.90 | | 1 | 1 | |
| SIGNALING (C | | | | | | | - | - | | | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 135.05 | | | | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | UDB | | 0.0000607 | | | | | | | | | | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | 11.90 | | | | |
| | CCS7 Signaling Connection, Per link (B link) (also known as D | 1 | | | | | | | | | | | | I | | |
| | link) | | - | UDB | TPP++ | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | 11.90 | | 1 | 1 | |
| \vdash | CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB UDB | STU56 | 0.0000152 694.32 | | | | | - | | | | | |
| \vdash | CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code | - | | סטט | 31036 | 094.32 | | | 1 | | | | | | | |
| | Establishment or Change, per STP affected | I | l | UDB | CCAPO | | 46.03 | 46.03 | 46.03 | 46.03 | 1 | 11.90 | | 1 | 1 | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachr | nent: 2 | Fxhi | bit: B |
|--|--|-------------|--|------|----------|----------|-----------------|---|-----------------------|--------|--------|-------|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | 1 | Manage | | - N | D' | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec First | Add'l | Nonrecurring First | Add'l | COMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| E911 SERVICE | | | | | | | FIISL | Auu i | FIISL | Auu i | SOWIEC | JOWAN | JOWAN | JOWAN | SOWAN | JOWAN |
| LSTT OLKVIOL | Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 | | | | | 21.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 | | | | | 29.62 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 | | | | | 57.22 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | | | | | | | | | | | | | | | |
| | Termination | | | | | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | | | | | 35.28 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 2 | | | | | 47.63 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 3 | | | | | 92.01 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 Per Mile | | | | | 0.1856 | | | | | | | | | | ļ |
| | | l | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 Per Facility Termination | ļ | <u> </u> | | 1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | ļ | |
| CALLING NAM | E (CNAM) SERVICE | ļ | <u> </u> | 001/ | 1 | | | | | | | | | | | ↓ |
| | CNAM For DB Owners - Service Establishment | <u> </u> | <u> </u> | OQV | 1 | | 25.35 | 25.35 | 19.01 | 19.01 | | 11.90 | | | ļ | |
| | CNAM For Non DB Owners - Service Establishment | l | | OQV | 1 | | 25.35 | 25.35 | 19.01 | 19.01 | | 11.90 | | | | |
| | CNAM For DB Owners - Service Provisioning With Point Code Establishment | | | oqv | | | 1,592.00 | 1,177.00 | 352.36 | 259.09 | | 11.90 | | | | |
| | CNAM For Non DB Owners - Service Provisioning With Point | | | | | | , | | | | | | | | | |
| | Code Establishment | | | oqv | | | 546.51 | 393.82 | 358.06 | 259.09 | | 11.90 | | | | |
| | CNAM for DB Owners, Per Query | | | OQV | | 0.001024 | | | | | | | | | | |
| | CNAM for Non DB Owners, Per Query | | | OQV | | 0.001024 | | | | | | | | | | |
| LNP Query Ser | | | | | | | | | | | | | | | | |
| | LNP Charge Per query | | | OQV | | 0.000852 | | | | | | | | | | |
| | LNP Service Establishment Manual | | | | | | 13.83 | 13.83 | 12.71 | 12.71 | | 11.90 | | | | |
| | LNP Service Provisioning with Point Code Establishment | | | | | | 655.50 | 334.88 | 297.03 | 218.40 | | 11.90 | | | | |
| OPERATOR CA | ALL PROCESSING | | | | | | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | | | | | | | | | | | | |
| | LIDB | | | | | 1.20 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | 0.20 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using | | | | | | | | | | | | | | | |
| | Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWARD OPER | ATOR SERVICES | | | | | | | | | | | | | | | |
| | Inward Operator Services - Verification, Per Call | | | | | 1.00 | | | | | | | | | | |
| | Inward Operator Services - Verification and Emergency Interrupt - Per Call | | | | | 1.95 | | | | | | | | | | |
| BRANDING - C | PERATOR CALL PROCESSING | | | | | 1.33 | | | | | | | | | | |
| | based CLEC | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | 11.90 | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | , | , | | | | | | | | |
| | per OCN | | | | CBAOL | | 500.00 | 500.00 | | | | 11.90 | | | | |
| UNEP (| CLEC | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | 11.90 | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | 500.00 | 500.00 | | | | 44.00 | | | | |
| Unhrar | per OCN ding via OLNS for UNEP CLEC | | | | | | 500.00 | 500.00 | | | | 11.90 | | | | |
| Olibiai | Loading of OA per OCN (Regional) | | | | + | | 1,200.00 | 1,200.00 | | | | 11.90 | | | | 1 |
| DIRECTORY A | SSISTANCE SERVICES | 1 | † | | 1 | | .,200.00 | .,200.00 | | | | 11.55 | | | 1 | 1 |
| | TORY ASSISTANCE ACCESS SERVICE | | i – | | | | | | | | | | | | | 1 |
| | Directory Assistance Access Service Calls, Charge Per Call | | i – | | | 0.275 | | | | | | | | | | 1 |
| DIREC | TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D | DACC) | 1 | | | | | | | | | | | | | 1 |
| | Directory Assistance Call Completion Access Service (DACC), | | | | | | | | | | | | | | | |
| | Per Call Attempt | | | | <u> </u> | 0.10 | | | | | | | | | | <u> </u> |
| | SSISTANCE SERVICES | | | | | | | | | | | | | | | |
| DIREC | FORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | |
| | Directory Assistance Data Base Service Charge Per Listing | | | | | 0.04 | | | | | | | | | | |

| UNBUNDLED | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|---------------|---|-------------|------|---|-------------|-----------|------------|------------|--------------|-------|---------|---|---------------------------------|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | T |
| | Section Activities Date Base On the Control of the | | | | DDOOF | 450.00 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Directory Assistance Data Base Service, per month | | | | DBSOF | 150.00 | | | | | | | | | | + |
| | Based CLEC | | | | - | | | | | | | | | | | + |
| | Recording and Provisioning of DA Custom Branded | | | | | | | | | | 1 | | | | | + |
| | unnouncement | | | AMT | CBADA | | 3.000.00 | 3,000.00 | | | | 11.90 | | | | |
| | oading of Custom Branded Announcement per Switch per | | | | CD/ LD/ C | | 0,000.00 | 0,000.00 | | | | 11.00 | | | 1 | 1 |
| | DCN | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | 11.90 | | | | |
| UNEP CL | .EC | | | | | | | | | | | | | | | 1 |
| R | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | 11.90 | | | | 1 |
| | oading of DA Custom Branded Announcement per Switch per | | | | | | | | | | | | | | | |
| | DCN | | | | | | 1,170.00 | 1,170.00 | | | | 11.90 | | | | 1 |
| | ing via OLNS for UNEP CLEC | | | | | | | | | | | L | | ļ | | ↓ |
| | oading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | 11.90 | | | | |
| | oading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | 11.90 | | | | |
| SELECTIVE ROU | | | | | | | | | | | | | | | - | |
| | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | USRCR | | 93.55 | 93.55 | 11.46 | 11.46 | | 11.90 | | | | |
| VIRTUAL COLLO | | | | | USKCK | | 93.33 | 93.33 | 11.40 | 11.40 | | 11.90 | | | | + |
| | firtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | 1 | | | | | + |
| | Splitting | | | UEPSR, UEPSB | VE1LS | 0.0502 | 11.57 | | | | | 11.90 | | | | |
| PHYSICAL COLL | | | | OLI OIX, OLI OD | VETES | 0.0302 | 11.57 | | | | | 11.50 | | | | + |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | † |
| | Splitting | | | UEPSR, UEPSB | PE1LS | 0.0276 | 8.22 | 7.22 | 5.74 | 4.58 | | 11.90 | | | | |
| AIN SELECTIVE | CARRIER ROUTING | | | , | | | - | | | | | | | | | 1 |
| R | Regional Service Establishment | | | SRC | SRCEC | | 193,444.00 | | 7,737.00 | | | 11.90 | | | | 1 |
| | nd Office Establishment | | | SRC | SRCEO | | 187.36 | 187.36 | 0.69 | 0.69 | | 11.90 | | | | |
| | Query NRC, per query | | | SRC | | 0.0031868 | | | | | | | | | | |
| | TH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | |
| | IN SMS Access Service - Service Establishment, Per State, | | | | | | | | | | | | | | | |
| In | nitial Setup | | | A1N | CAMSE | | 43.56 | 43.56 | 44.93 | 44.93 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | IN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | |
| | IN SMS Access Service - Port Connection - ISDN Access IN SMS Access Service - User Identification Codes - Per User | | | A1N | CAM1P | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | + |
| | D Code | | | A1N | CAMAU | | 38.66 | 38.66 | 29.88 | 29.88 | | 11.90 | | | | |
| | IN SMS Access Service - Security Card, Per User ID Code, | | | AIN | CAIVIAU | | 30.00 | 30.00 | 29.00 | 29.00 | 1 | 11.90 | | | | + |
| | nitial or Replacement | | | A1N | CAMRC | | 75.10 | 75.10 | 12.93 | 12.93 | | 11.90 | | | | |
| | INITIAL OF REPLACEMENT IN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | J/ 11411 (U | 0.0028 | 75.10 | 75.10 | 12.00 | 12.33 | | 11.50 | | | t | |
| | IN SMS Access Service - Session, Per Minute | | | | 1 | 0.7809 | | | | | | | | | 1 | |
| | IN SMS Access Service - Company Performed Session, Per | | | | İ | | | | | | | | | | 1 | 1 |
| M | finute | <u></u> | | | <u> </u> | 0.4609 | | | <u> </u> | | <u></u> | | | <u> </u> | <u> </u> | <u>l </u> |
| | TH AIN TOOLKIT SERVICE | | | | | | | | | | | | | | | |
| | IN Toolkit Service - Service Establishment Charge, Per State, | | | | | | | | | | | | | | | |
| | nitial Setup | | | CAM | BAPSC | | 43.56 | 43.56 | 44.93 | 44.93 | | 11.90 | | | | |
| | IN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 8,439.00 | 8,439.00 | | | | 11.90 | | ļ | ļ | |
| | IN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | 1 | |
| | N, Term. Attempt | | | | BAPTT | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | ļ | - | |
| | JN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTD | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | 1 | |
| | л, Оп-ноок Delay IN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | - | | DAPID | | 8.64 | 8.04 | 10.03 | 10.03 | | 11.90 | | - | | + |
| | N, Off-Hook Immediate | | | | BAPTM | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | 1 | |
| | IN, OII-HOOK IMMediate IN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DAF HVI | | 0.04 | 0.04 | 10.03 | 10.03 | | 11.90 | | 1 | t | + |
| | N. 10-Digit PODP | | | | ВАРТО | | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | | | 1 | |
| | IN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | 1 | | 55.56 | 55.56 | .0.00 | .0.50 | | | | 1 | 1 | <u> </u> |
| | ON, CDP | | | | BAPTC | | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | | 1 | I | 1 |
| | IN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | 1 | | | | | | | | | | | 1 |
| D | N, Feature Code | | | | BAPTF | | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | | | 1 | |
| Ι Λ | IN Toolkit Service - Query Charge, Per Query | | | | 1 | 0.0535927 | | | | | | | | | | 1 |

| | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--------------|--|-------------|--------|-------------------|----------------|-----------------|----------------|----------------|----------------|---------------------------------------|-------|-----------|--|--|--|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | Nonre | curring | Nonrecurring | Disconnect | | | 088 | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | | | | | | | | | | | | | | | |
| | Subscription, Per Node, Per Query | | | | | 0.0063698 | | | | | | | | | | |
| | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | | | | | | | | | | | | | | |
| | Account, Per 100 Kilobytes | | | | - | 0.06 | | | | | | | | | | |
| | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription | | | CAM | BAPMS | 8.34 | 8.64 | 8.64 | 6.08 | 6.08 | | 11.90 | | | | |
| | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | CAIVI | DAPIVIO | 0.34 | 0.04 | 0.04 | 6.06 | 0.06 | | 11.90 | | | | |
| | Subscription | | | CAM | BAPLS | 3.73 | 9.56 | 9.56 | | | | 11.90 | | | | |
| | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | | | - | | | | | | | | | | | | |
| | Subscription | | | CAM | BAPDS | 4.73 | 8.64 | 8.64 | 6.08 | 6.08 | | 11.90 | | | | |
| | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | | | | | | | | | | | | | | | |
| NIII ANOED E | Service Subscription | | | CAM | BAPES | 0.12 | 9.56 | 9.56 | | | | 11.90 | | | | |
| | XTENDED LINK (EELs) The monthly recurring and non-recurring charges below will | annlı a | nd the | Switch As Is Char | no will not on | dy for EEL o ne | ovisioned so ! | Ordinarily Cam | bined! Network | . Elemente | | | | | | |
| | : The monthly recurring and the Switch-As-Is Charge and not t | | | | | | | | | | | | | | | |
| | : Minimum billing is one month for DS1 and below and three m | | | | will apply for | LLLS provision | led as Curren | try Combined | Network Liente | iito. | | | | | | |
| | E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | | | | | | | | | | | | | | | |
| | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.24 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.40 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | _ | | | | | | 40.70 | | | | | | | |
| | Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCVX | UEAL2 | 30.87 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | per month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNCIA | ILJAA | 0.1030 | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | 11.90 | | | | |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 1.38 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.24 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | 2 | LINCVO | UEAL2 | 17.40 | 127.59 | 60.54 | 42.79 | 2.81 | | 44.00 | | | | |
| | Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | UNCVX | UEALZ | 17.40 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.87 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | ONOVA | OLALE | 00.07 | 127.00 | 00.04 | 42.70 | 2.01 | | 11.00 | | | | |
| | per month | | | UNCVX | 1D1VG | 1.38 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIR | E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | ļ |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 18.89 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | - | UNCVA | UEAL4 | 10.09 | 127.59 | 60.54 | 42.79 | 2.01 | | 11.90 | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 26.84 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | 121100 | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 47.62 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | 1 | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | ļ | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | LINGAY | | 20.41 | 474.40 | 100.10 | 45.01 | 17.0- | | 44.00 | | | | |
| | Month Channelization - Channel System DS1 to DS0 combination Per | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | - | |
| | Month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | 11.90 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | OHOTA | IVIGI | 140.77 | 31.03 | 10.73 | | | | 11.30 | | | | |
| | per month | | | UNCVX | 1D1VG | 1.38 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | | | 1 4 | UNCVX | UEAL4 | 18.89 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | I | 1 | 1 |
| | Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | ONOVA | OL/ IL-I | 10.00 | 121.00 | | .2 | | | | | | | |

| ONRONDE | D NETWORK ELEMENTS - Florida | | | | 1 | | | | | | | _ | | nent: 2 | | bit: B |
|----------|--|-------------|------------|------------------------|-------|--------|--------|------------|--------------|-------|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 47.62 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 1.38 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIR | E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT (EEL) |) | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCDX | UDL56 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Per Month Interoffice Transport - Dedicated - DS1 - combination Facility | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Termination Per Month Channelization - Channel System DS1 to DS0 combination Per | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | \vdash |
| | Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | 11.90 | | | | |
| | month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | UNCDX | 1D1DD | 2.10 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIR | E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | | 1 | | 0.50 | 0.00 | 0.50 | 0.00 | | 11.00 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | 11.90 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | 1D1DD | 2.10 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| 4-WIR | Is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE | ROFFI | L CE TR | UNC1X ANSPORT (EEL) | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 | | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |

Version 4Q02: 12/18/02 Page 51 of 416

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachr | nent: 2 | Exhi | bit: B |
|--|---|-------------|----------|----------------|--------|----------|--------|------------|--------------|-------|-------|---|--|--|-------------------------|--------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | |
| | | | | | | Rec | Nonred | | Nonrecurring | | COMEC | COMAN | | Rates (\$) | COMAN | COMAN |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | - | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Transport - Zone 2 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport - Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIR | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE | ROFFI | CE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | <u> </u> | ONOTA | OOLXX | 70.74 | 217.75 | 121.02 | 31.44 | 14.40 | | 11.30 | | | | |
| | 2 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | | | | | | | | | | | | | |
| | 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | UNCSA | ILJAA | 3.07 | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 1,071.00 | 314.45 | 130.88 | 38.60 | 18.23 | | 11.90 | | | | |
| | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 211.19 | 115.60 | 59.93 | 5.45 | 0.00 | | 11.90 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.76 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | UNCIA | USLAA | 100.54 | 217.73 | 121.02 | 31.44 | 14.43 | | 11.50 | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.76 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | <u></u> | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 2-WIR | E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | EROFF | ICE TI | RANSPORT (EEL) | | | | | | | | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.24 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | + - | UNCVA | ULALZ | 12.24 | 127.55 | 00.34 | 42.13 | 2.01 | | 11.50 | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.40 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.87 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade | | | UNCVA | ILSAA | 0.0091 | | | | | | | | | | |
| | combination - Facility Termination per month | | | UNCVX | U1TV2 | 25.32 | 94.70 | 52.59 | 50.49 | 21.53 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIR | E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | EROFF | ICE T | RANSPORT (EEL) | | | | | | | | | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 18.89 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | + | OINC VA | JLAL4 | 10.09 | 127.59 | 60.34 | 42.19 | 2.01 | | 11.90 | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 26.84 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 47.62 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - 4-wire VG combination - Per | | | LINGVO | 41 EVV | 0.0004 | | | | | | | | | | |
| \vdash | Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade | | } | UNCVX | 1L5XX | 0.0091 | | | | | | | | | | - |
| | combination - Facility Termination per month | | | UNCVX | U1TV4 | 22.58 | 94.70 | 52.59 | 50.49 | 21.53 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | 55 | 1 | 22.00 | 570 | 32.00 | 55.40 | 200 | | 50 | | | | |
| | Is Charge | l | | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | 1 | |
| DS3 D | IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | E TRA | NSPOR | RT (EEL) | | | | | | - | | | | | | |

Version 4Q02: 12/18/02 Page 52 of 416

| ONRONDE | D NETWORK ELEMENTS - Florida | | | 1 | | | | | | | | _ | | nent: 2 | | bit: B |
|----------|---|-------------|--------|----------------|---------|----------|--------|------------|--|-------|-------|---|---|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | Unit Committee Hall and London Book and Conference Book | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month | | | UNC3X | 1L5ND | 10.92 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - | | | UNC3X | UE3PX | 386.88 | 249.97 | 162.05 | 67.40 | 00.00 | | 44.00 | | | | |
| | Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 3.87 | 249.97 | 162.05 | 67.10 | 26.82 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNCSA | ILSAA | 3.07 | | | † | | | | | | 1 | |
| | Termination per per month | | | UNC3X | U1TF3 | 1,071.00 | 314.45 | 130.88 | 38.60 | 18.23 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| STS1 | DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE TE | ANSP | | ONCCC | | 0.90 | 0.50 | 0.50 | 0.90 | | 11.90 | | | 1 | |
| 0.01 | High Capacity Unbundled Local Loop - STS1 combination - Per | 102 11 | | T (LLL) | | | | | | | | | | | | |
| | Mile per month | | | UNCSX | 1L5ND | 10.92 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - | | | LINCOV | LIDI C4 | 400.00 | 040.07 | 100.05 | 67.40 | 00.00 | | 44.00 | | | | |
| | Facility Termination per month Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | UNCSX | UDLS1 | 426.60 | 249.97 | 162.05 | 67.10 | 26.82 | | 11.90 | | | | |
| | per month | | | UNCSX | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCSX | U1TFS | 1,056.00 | 314.45 | 130.88 | 38.60 | 18.23 | | 11.90 | | | | |
| | Is Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 2-WIR | E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | T (EEL |) | 0.100/1 | 0.1000 | 1 | 0.00 | 0.00 | 0.00 | 0.00 | | 11100 | | | İ | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | , | | | | | | | ĺ | | | | | | | |
| | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 19.28 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | | 2 | UNCNX | U1L2X | 27.40 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | UNCINA | UILZA | 27.40 | 127.59 | 60.60 | 42.79 | 2.01 | | 11.90 | | | | |
| | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 48.62 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combintion - Facility | | | | = | | | | | | | 44.00 | | | | |
| | Termination per month Channelization - Channel System DS1 to DS0 combination - | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | per month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | 11.90 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | | | | | İ | | | | | | | |
| | combination - per month | | | UNCNX | UC1CA | 3.66 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 19.28 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 27.40 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 48.62 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | 3 | UNCINA | UILZA | 40.02 | 127.59 | 60.60 | 42.79 | 2.01 | | 11.90 | | | | |
| | combintaion- per month | | | UNCNX | UC1CA | 3.66 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| 4 14/15 | Is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEDOE | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-VVIR | First DS1 Loop in STS1 Interoffice Transport Combination - | IEROF | FICE I | KANSPORT (EEL) | | + | | | 1 | | | | | | 1 | † |
| | Zone 1 | | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | | | | İ | | | | | | | |
| | Zone 2 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month | | | UNCSX | 1L5XX | 3.87 | | 02 | 2 | 10 | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | UNUOA | ILOAA | 3.87 | | | | | | | | | | |
| | Termination | | | UNCSX | U1TFS | 1,056.00 | 314.45 | 130.88 | 38.60 | 18.23 | | 11.90 | | | | |
| | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 211.19 | 20.06 | 31.66 | 5.45 | 0.00 | | | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.76 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| 1 | Additional DS1Loop in STS1 Interoffice Transport Combination - | | l | UNC1X | USLXX | | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |

| UNBUNDL | LED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | Exhi | bit: B |
|--|--|-------------|---------|--------------------|-----------------|-----------------|------------------|------------------|----------------|----------------|---|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | A LEG L DOM OTOM | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | 1 | | ONOTA | OOLXX | 100.54 | 217.75 | 121.02 | 31.44 | 14.45 | | 11.30 | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.76 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | - | | LINGOV | 1111000 | | 0.00 | 0.00 | 0.00 | 0.00 | | 44.00 | | | | |
| 4-10/1 | Is Charge IRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | EEICE : | LDVNG | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-441 | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | I | INANO | FORT (EEL) | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | 3 | UNCDX | UDLS6 | 55.99 | 127.59 | 60.54 | 42.19 | 2.01 | | 11.90 | | | | |
| | Per Mile | | | UNCDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination | | | UNCDX | U1TD5 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | LINODY | 1111000 | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WI | Is Charge IRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | EEICE : | TRANS | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-441 | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | Trice | INANO | FORT (EEL) | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 3 | ONODA | ODLO4 | 33.99 | 127.55 | 00.54 | 42.13 | 2.01 | | 11.30 | | | | |
| | Per Mile | | | UNCDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination | | | UNCDX | U1TD6 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | 1 | | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| ADDITIONAL | L NETWORK ELEMENTS | | | ONODA | 011000 | | 0.30 | 0.30 | 0.30 | 0.30 | | 11.30 | | | | |
| | en used as a part of a currently combined facility, the non-recurr | rng cha | rges de | o not apply, but a | Switch As Is cl | harge does app | oly. | | | | | | | | | |
| | en used as ordinarily combined network elements in All States, t | | | | | As Is Charge of | does not. | | | | | | | | | |
| Non | recurring Currently Combined Network Elements "Switch As Is" | | (One | applies to each co | mbination) | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG | 1 | | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONOVA | 011000 | | 0.00 | 0.50 | 0.50 | 0.00 | | 11.00 | | | | |
| | ls Charge - 56/64 kbps | | | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | - | | | | | | | | | | | | | | |
| | Is Charge - DS1 | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3 | 1 | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONOOX | 011000 | | 0.90 | 0.30 | 0.30 | 0.90 | | 11.30 | | | | |
| | Is Charge - STS1 | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| NOT | E: Local Channel - Dedicated Transport - minimum billing perior | d - Belo | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade Zone 2 | <u> </u> | | UNCVX | ULDV2 ULDV2 | 19.66 27.94 | 265.84 265.84 | 46.97 46.97 | 37.63 37.63 | 4.00 4.00 | | 11.90 11.90 | | | | |
| \vdash | Local Channel - Dedicated - 2-Wire Voice Grade Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade Zone 3 | | 3 | UNCVX | ULDV2 ULDV2 | 27.94 49.58 | 265.84 265.84 | 46.97 46.97 | 37.63 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 1 | t | 1 | UNCVX | ULDV4 | 20.45 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 2 | | 2 | UNCVX | ULDV4 | 29.06 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone3 | | 3 | UNCVX | ULDV4 | 51.56 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS1 per month Zone 1 | ļ | 1 | UNC1X | ULDF1 | 36.49 | 216.65 | 183.54 | 24.30 | 16.95 | 1 | 11.90 | | | | |
| | Local Channel - Dedicated -DS1 Per Month Zone 2 Local Channel - Dedicated - DS1- Per Month Zone 3 | | 3 | UNC1X UNC1X | ULDF1 ULDF1 | 51.85 92.00 | 216.65 216.65 | 183.54 183.54 | 24.30 24.30 | 16.95 16.95 | | 11.90 11.90 | | | | |
| | Local Channel - Dedicated - DS1- Per Month Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month | 1 | 3 | UNC3X | 1L5NC | 92.00 8.50 | ∠10.05 | 183.54 | 24.30 | 10.95 | | 11.90 | | | 1 | |
| | | | | | | | | | | | | | | | | • |

Version 4Q02: 12/18/02 Page 54 of 416

| UNBUNDLED NET | WORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|---------------|--|-------------|---------|---------------------|----------------|----------------|----------------|------------|--|-------|----------|---|---|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| 1 0 | Delicated OTO 4 Design | | | LINIOOV | 41.5010 | 0.50 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | hannel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 8.50 | FFC 07 | 242.04 | 120.12 | 96.84 | | 44.00 | | | | |
| | hannel - Dedicated - STS-1 - Facility Termination res & Functions: | | | UNCSX | ULDFS | 540.69 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| MULTIPLEXER | | | | | | | | | - | | | | | | | |
| | m billing period is one month for DS1 to DS0 Channel | Cycton | o ond i | ntorfocco | - | | | | | | | | | | | |
| | | | | | 200 | | | | | | | | | | | |
| | m billing period is three months for DS3 to DS1 and al dization - DS1 to DS0 Channel System | bove Cr | nannei | UXTD1 | MQ1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | 11.90 | | | | |
| | P COCI (data) - DS1 to DS0 Channel System - per | | - | UXIDI | IVIQT | 140.77 | 101.42 | / 1.02 | 11.09 | 10.49 | | 11.90 | | | | |
| | 2.4-64kbs) | | | UDL | 1D1DD | 2.10 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | SDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | - | UDL | טטוטו | 2.10 | 10.07 | 7.06 | | | | 11.90 | | | | |
| z-wire is | SDN COCI (DKITE) - DST to DS0 Chaillei Systsem - per | | | UDN | UC1CA | 3.66 | 10.07 | 7.08 | | | | 11.90 | | 1 | | |
| | rade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 1.38 | 10.07 | 7.08 | | | | 11.90 | 1 | t | 1 | \vdash |
| | DS1 Channel System per month | | | UXTD3 | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | 1 | 11.90 | 1 | | 1 | |
| | DS1 Channel System per month | | | UXTS1 | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | 11.90 | | | 1 | |
| | erface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 13.76 | 10.07 | 7.08 | 70.04 | 33.07 | | 11.90 | | t | 1 | |
| | erface Unit (DS1 COCI) used with Local Channel per | - | | JJL | 00101 | 13.70 | 10.07 | 1.00 | | | | 11.50 | | t | | - |
| month | eriace offic (Do i Gool) used with Local orialities per | | | ULDD1 | UC1D1 | 13.76 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | erface Unit (DS1 COCI) used with Interoffice Channel | | | OLDD1 | OCIDI | 13.70 | 10.07 | 7.00 | | | | 11.30 | | | | |
| per mor | | | | U1TD1 | UC1D1 | 13.76 | 10.07 | 7.08 | | | | 11.90 | | | | |
| Sub-Loop Feed | | | | OTIDI | OCIDI | 13.70 | 10.07 | 7.00 | | | | 11.30 | | | | |
| | fled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | | SW | UNC1X | USBFG | | | | | | | | | | | |
| | fled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | | 3W | UNC1X | USBFG | 42.59 | 133.77 | 78.02 | 85.16 | 21.21 | | | | | | + |
| | fled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | UNC1X | USBFG | 60.53 | 133.77 | 78.02 | 85.16 | 21.21 | | | | | | |
| | fled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | | UNC1X | USBFG | 107.39 | 133.77 | 78.02 | 85.16 | 21.21 | | | | | | |
| | fled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4 | | | UNC1X | USBFG | 107.55 | 155.77 | 70.02 | 05.10 | 21.21 | | | | | | |
| | EXCHANGE SWITCHING(PORTS) | | - | UNCIA | USBI G | | | | | | | | | | | |
| Exchange Port | | | | | + | | | | | | | | | | | + |
| NOTE: Althoug | h the Port Rate includes all available features in GA, h | CY. I A a | & TN. f | he desired features | will need to b | e ordered usin | g retail USOCs | \$ | | | | | | | | + |
| | GRADE LINE PORT RATES (RES) | , | , . | | | | 9 | | | | | | | | | |
| | ge Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| Exchange | ge Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| , | 9 | | | | | | | | | | | | | | | |
| Exchange | ge Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| Exchan | ge Ports - 2-Wire VG unbundled Florida area calling with | | | | | | | | | | | | | | | 1 |
| Caller II | | | | UEPSR | UEPAF | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| Exchange | ge Ports - 2-Wire VG unbundled Florida Residence Area | | | | | | | | | | | | | | | |
| | Plan, without Caller ID capability | | | UEPSR | UEPA9 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | <u> </u> | 11.90 | <u> </u> | <u> </u> | | <u> </u> |
| | ge Ports - 2-Wire VG unbundled Florida extended | | | | | | | | | | | | | | | |
| | port for use with CREX7 and Caller ID | | | UEPSR | UEPA1 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | ge Ports - 2-Wire VG unbundled Florida extended | | | | | | | | | | | | | | | |
| | port for use with CREX7, without Caller ID capability | | | UEPSR | UEPA8 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | ge Ports - 2-Wire VG unbundled res, low usage line port | | | | | | | | | | | | | | | |
| | ller ID (LUM) | | | UEPSR | UEPAP | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | | | | | |
| Capabil | | | | UEPSR | UEPRT | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | uent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| FEATURES | | | | | | | | | | | | | | | | |
| | able Vertical Features | | | UEPSR | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | ļ | | ļ |
| | GRADE LINE PORT RATES (BUS) | | | ļ | 1 | | | | | | | | | ļ | | ļ |
| Exchang | ge Ports - 2-Wire Analog Line Port without Caller ID - | | | l | 1 | | | | | | | | | 1 | | |
| Bus | | | | UEPSB | UEPBL | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | 1 | | ļ |
| | ge Ports - 2-Wire VG unbundled Line Port with | | | l | 1 | | | | | | | | | 1 | | |
| unbund | lled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | 1 | | ļ |
| | | | | | luene : | | | | | | | | | I | | |
| | ge Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | ļ | <u> </u> |
| | e Ports - 2-Wire VG unbundled incoming only port with | l | | l | 1 | | | | | | I | I | | 1 | | |
| I Caller II | D - Bus | l | 1 | UEPSB | UEPB1 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | 1 | | 1 | 1 |

Version 4Q02: 12/18/02 Page 55 of 416

| UNBUNDL | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Fxhi | bit: B |
|--------------|--|--|--|----------------------|----------------|-----------------|----------------|----------------|-------------------|----------------|-------------|--------------|--------------|--|-------------|--|
| ONDONDE | - I TOTAL CONTROL TO THE TOTAL | 1 | 1 | | 1 | | | | | | Svc Order | Svc Order | | Incremental | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | Po. 2011 | Po. 20.1 | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | + | | Monro | | Nonrecurring | Disconnect | | l l | 000 | Rates (\$) | | l |
| | | 1 | | | | Rec | Nonrec | | | | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | | | | | | | | | | | | | |
| | Capability | | | UEPSB | UEPBE | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| FFAT | URES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | 1 | | UEPSB | UEPVF | 2,26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| EVOL | | 1 | | UEFOD | UEFVF | 2.20 | 0.00 | 0.00 | | | | 11.90 | | | | |
| EXC | IANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | t | 1 | UEPSP | UEPP1 | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | 1 | | 1 |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | † | | UEPSP | UEPLD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | | | + | | | | | | | | | | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | <u> </u> | UEPSP | UEPLD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | 1 | UEPSP | UEPXA | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | 1 | 1 | UEPSP | UEPXC | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | İ | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | 1 | 1 | UEPSP | UEPXD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | 1 | 11.90 | | t | t | t |
| | | | | ULFSF | OLFAD | 1.40 | 39.00 | 10.10 | 12.33 | 0.7 107 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPSP | UEPXE | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPSP | UEPXL | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Room Calling Port | | | UEPSP | UEPXM | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | | 1 | | UEPSP | UEPAIVI | 1.40 | 39.00 | 10.10 | 12.33 | 0.7107 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | Discount Room Calling Port | | | UEPSP | UEPXO | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| FFΔT | URES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | 1 | - | UEPSP UEPSE | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | + | + | † |
| EVO | | 1 | | UEFSF UEFSE | UEFVF | 2.20 | 0.00 | 0.00 | | | | 11.90 | | | | |
| EXC | IANGE PORT RATES (COIN) | | | | | | | | | | | | | | | |
| | Exchange Ports - Coin Port | | | | | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| NOTE | E: Transmission/usage charges associated with POTS circuit so | witched | l usage | will also apply to c | ircuit switche | ed voice and/or | circuit switch | ed data transm | nission by B-Ch | annels associ | ated with 2 | wire ISDN p | orts. | | | |
| NOTE | E: Access to B Channel or D Channel Packet capabilities will be | availa | ble onl | y through BFR/New | Business Re | quest Process. | Rates for the | packet capabi | lities will be de | termined via t | he Bona Fid | le Request/I | New Business | s Request Pro | cess. | |
| | LOCAL EXCHANGE SWITCHING(PORTS) | | | ĺ | | | | | | | | · | | | | |
| | ANGE PORT RATES | | | | | | | | | | | | | | | |
| LAGI | | | | HEDEV | LIEDDO | 0.70 | 70.44 | 45.00 | 44.04 | 4.00 | | 44.00 | | | 4.00 | |
| | Exchange Ports - 2-Wire DID Port | | ├ | UEPEX | UEPP2 | 8.73 | 78.41 | 15.82 | 41.94 | 4.26 | - | 11.90 | | | 1.83 | |
| | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | 1 | 1 | | 1 | | | |] | | 1 | | | | 1 | |
| I | capability | <u>L</u> | <u> </u> | UEPDD | UEPDD | 54.95 | 151.11 | 77.75 | 48.81 | 3.10 | <u> </u> | 11.90 | | <u> </u> | 1.83 | <u> </u> |
| | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 8.83 | 46.83 | 50.68 | 27.64 | 11.93 | | 11.90 | | | 1.83 | |
| i | All Features Offered | Ì | | UEPTX UEPSX | UEPVF | 2.26 | 0.00 | 0.00 | i i | | | 11.90 | | | 1.83 | |
| NOTE | : Transmission/usage charges associated with POTS circuit s | witched | lucano | | | | | | iesion by R-Ch | annole accori | ated with 2 | | orte | | | |
| | | | | | | | | | | | | | | B B. | | |
| NOTE | Access to B Channel or D Channel Packet capabilities will be | avalla | nie oni | | | | | | iilies will be de | termined via t | ne Bona Fig | e request/ | NEW BUSINESS | s Request Pro | icess. | |
| | Exchange Ports - 2-Wire ISDN Port Channel Profiles | 1 | <u> </u> | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | 1 | | | | | L |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 82.74 | 174.61 | 95.17 | 49.80 | 18.23 | | 11.90 | | | 1.83 | |
| UNBU | JNDLED PORT with REMOTE CALL FORWARDING CAPABILITY | ′ | | | | | | | | | | | | | | |
| UNBL | JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | | | | |
| 155 | Unbundled Remote Call Forwarding Service, Area Calling, Res | t | 1 | UEPVR | UERAC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | 1 | | 1 |
| | S. Sanada Remote Gail Forwarding Gervice, Area Gailing, Nes | | + | S=1 VIX | 321070 | 1.70 | 5.14 | 5.05 | 1.00 | 1.00 | l . | 11.50 | | 1 | 1 | t |
| 1 | Habitan diad Demote Cell Femine 20 - 2 - 2 - 2 - 2 - 2 - 2 | 1 | 1 | LIED/D | LIEDIA | | 0.71 | 0.00 | 4.00 | 4.00 | 1 | 44.00 | | | 1 | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | <u> </u> | 1 | UEPVR | UERLC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res | 1 | 1 | UEPVR | UERTE | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | | | · · | | | | | | | | | | | | |
| Non-l | Recurring | | I | | | 1 | | | | | | | | | | i e |
| Non-l | Recurring | | | | | | | | | | | | | | | |
| Non-l | Recurring Unbundled Remote Call Forwarding Service - Conversion - | | | LIEP\/R | USAC2 | | 0.102 | 0.102 | | | | 11 00 | | | | |
| Non-l | Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVR | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| Non-l | Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | 11.90 | | | | |
| | Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) | | | UEPVR UEPVR | USAC2 USACC | | 0.102 0.102 | 0.102 0.102 | | | | 11.90 | | | | |
| | Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | 11.90 | | | | |
| | Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) | | | | | | | | | | | 11.90 | | | | |

Version 4Q02: 12/18/02 Page 56 of 416

| NBUNDLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|--|--|------------------|---|---|---|--|---|--|--|--------------|--|-------------|--------------|-------------------------|--|
| ATEGORY RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental | | Incremental Charge - | |
| | | | | | _ | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | |
| Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| Unbundled Remote Call Forwarding Service Expanded and | | | | | | | | | | | | | | | |
| Exception Local Calling | | | UEPVB | UERVJ | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| Non-Recurring | | <u> </u> | | | | | | | | | | | | | |
| Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVB | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | | | UEPVB | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | - |
| Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) | 1 | | UEPVB | USACC | | 0.102 | 0.102 | | | | | | I | | |
| NBUNDLED LOCAL SWITCHING, PORT USAGE | l | | OLF VD | USACC | | 0.102 | 0.102 | | | | | - | | - | |
| End Office Switching (Port Usage) | 1 | | | + | 1 | | | 1 | | } | | 1 | + | 1 | |
| End Office Switching (Fort Osage) End Office Switching Function, Per MOU | | | | + | 0.0007662 | | | 1 | | 1 | | 1 | t | 1 | |
| End Office Trunk Port - Shared, Per MOU | | 1 | | | 0.0007662 | | | | | | | | | | |
| Tandem Switching (Port Usage) (Local or Access Tandem) | | | | | 0.000104 | | | | | | | | | | <u> </u> |
| Tandem Switching Function Per MOU | | | | | 0.0001319 | | | | | | | | | | |
| Tandem Trunk Port - Shared, Per MOU | | | | | 0.000235 | | | | | | | | | | |
| Common Transport | | | | | 0.000200 | | | | | | | | | | |
| Common Transport - Per Mile, Per MOU | | | | | 0.0000035 | | | | | | | | | | |
| Common Transport - Facilities Termination Per MOU | | | | | 0.0004372 | | | | | | | | | | |
| BUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | 0.0000.0 | | | | | | | | | | |
| End Office and Tandem Switching Usage and Common Transport Us | sage rat | | | | | | | | | 4 I INIT C-: | | | | | |
| The first and additional Port nonrecurring charges apply to Not Curr | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates | | ombine | | | ined Combos tl | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | | ombine 1 | | | ined Combos tl | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | | ombine 1 2 | | | 10.94 15.05 | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | ombine 1 | | | ined Combos tl | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates | | ombine 1 2 | ed Combos. For Cu | | 10.94 15.05 | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 2 3 1 | | rrently Comb | 10.94 15.05 25.80 | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 1 2 3 | UEPRX | UEPLX | 10.94 15.05 25.80 9.77 | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 1 2 3 1 1 2 | ed Combos. For Cu | UEPLX UEPLX | 10.94 15.05 25.80 | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 1 2 3 1 1 2 | UEPRX | UEPLX UEPLX | 10.94 15.05 25.80 9.77 | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRL | 10.94 15.05 25.80 9.77 13.88 24.63 | 53.31 53.31 | g charges sha 26.46 26.46 | 27.50 27.50 | 8.37 8.37 | | 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Unbundled port - residence | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX | 10.94 15.05 25.80 9.77 13.88 24.63 | ne nonrecurrin | g charges sha | Il be those iden | ntified in the N | | - Currently | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 | 53.31 53.31 53.31 | 26.46 26.46 26.46 | 27.50 27.50 27.50 | 8.37 8.37 8.37 | | 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRL | 10.94 15.05 25.80 9.77 13.88 24.63 | 53.31 53.31 | g charges sha 26.46 26.46 | 27.50 27.50 | 8.37 8.37 | | 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 | 53.31 53.31 53.31 | 26.46 26.46 26.46 | 27.50 27.50 27.50 | 8.37 8.37 8.37 | | 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled sres, low usage line port with Caller ID | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 | 53.31 53.31 53.31 | 26.46 26.46 26.46 | 27.50 27.50 | 8.37 8.37 | | 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 | 53.31 53.31 53.31 | 26.46 26.46 26.46 | 27.50 27.50 | 8.37 8.37 | | 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Unbundled Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP | 9.77 13.88 24.63 1.17 1.17 1.17 | 53.31 53.31 53.31 53.31 53.31 | 26.46 26.46 26.46 26.46 26.46 | 27.50 27.50 27.50 27.50 27.50 | 8.37 8.37 8.37 8.37 | | 11.90 11.90 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF | 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 | 53.31 53.31 53.31 53.31 | 26.46 26.46 26.46 26.46 | 27.50 27.50 27.50 | 8.37 8.37 8.37 8.37 | | 11.90 11.90 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP | 9.77 13.88 24.63 1.17 1.17 1.17 | 53.31 53.31 53.31 53.31 53.31 | 26.46 26.46 26.46 26.46 26.46 | 27.50 27.50 27.50 27.50 27.50 | 8.37 8.37 8.37 8.37 | | 11.90 11.90 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP | 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 | 53.31 53.31 53.31 53.31 53.31 53.31 | 26.46 26.46 26.46 26.46 26.46 26.46 | 27.50 27.50 27.50 27.50 27.50 | 8.37 8.37 8.37 8.37 8.37 | | 11.90 11.90 11.90 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port seidence 2-Wire voice unbundled port residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP | 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 | 53.31 53.31 53.31 53.31 53.31 53.31 | 26.46 26.46 26.46 26.46 26.46 26.46 | 27.50 27.50 27.50 27.50 27.50 | 8.37 8.37 8.37 8.37 8.37 | | 11.90 11.90 11.90 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8 | 9.77 13.88 24.63 1.17 1.17 1.17 1.17 | 53.31 53.31 53.31 53.31 53.31 53.31 | 26.46 26.46 26.46 26.46 26.46 26.46 26.46 | 27.50 27.50 27.50 27.50 27.50 27.50 | 8.37 8.37 8.37 8.37 8.37 8.37 | | 11.90 11.90 11.90 11.90 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability FEATURES All Features Offered | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8 | 9.77 13.88 24.63 1.17 1.17 1.17 1.17 | 53.31 53.31 53.31 53.31 53.31 53.31 | 26.46 26.46 26.46 26.46 26.46 26.46 26.46 | 27.50 27.50 27.50 27.50 27.50 27.50 | 8.37 8.37 8.37 8.37 8.37 8.37 | | 11.90 11.90 11.90 11.90 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability FEATURES All Features Offered LOCAL NUMBER PORTABILITY | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF UEPAF UEPAP UEPAB UEPAB UEPAB UEPAB UEPAB UEPAB | 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 2.26 | 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 | 26.46 26.46 26.46 26.46 26.46 26.46 26.46 | 27.50 27.50 27.50 27.50 27.50 27.50 | 8.37 8.37 8.37 8.37 8.37 8.37 | | 11.90 11.90 11.90 11.90 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7 without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 3-Wire voice unbundled Low Usage Line Port without Caller ID Capability 4-Wire voice unbundled Low Usage Line Port without Caller ID Capability 4-Wire voice unbundled Low Usage Line Port without Caller ID Capability 4-Wire voice unbundled Low Usage Line Port without Caller ID Capability 4-Wire Voice Under Portability 4-Wire Voice Under Portability 5-Wire Voice Under Portability (1 per port) | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF UEPAF UEPAP UEPAB UEPAB UEPAB | 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 | 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 | 26.46 26.46 26.46 26.46 26.46 26.46 26.46 | 27.50 27.50 27.50 27.50 27.50 27.50 | 8.37 8.37 8.37 8.37 8.37 8.37 | | 11.90 11.90 11.90 11.90 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability FEATURES All Features Offered LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF UEPAF UEPAP UEPAB UEPAB UEPAB UEPAB UEPAB UEPAB | 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 2.26 | 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 | 26.46 26.46 26.46 26.46 26.46 26.46 26.46 | 27.50 27.50 27.50 27.50 27.50 27.50 | 8.37 8.37 8.37 8.37 8.37 8.37 | | 11.90 11.90 11.90 11.90 11.90 11.90 | | | | |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7 without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 3-Wire voice unbundled Low Usage Line Port without Caller ID Capability 4-Wire voice unbundled Low Usage Line Port without Caller ID Capability 4-Wire voice unbundled Low Usage Line Port without Caller ID Capability 4-Wire voice unbundled Low Usage Line Port without Caller ID Capability 4-Wire Voice Under Portability 4-Wire Voice Under Portability 5-Wire Voice Under Portability (1 per port) | | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF UEPAF UEPAP UEPAB UEPAB UEPAB UEPAB UEPAB UEPAB | 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 2.26 | 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 | 26.46 26.46 26.46 26.46 26.46 26.46 26.46 | 27.50 27.50 27.50 27.50 27.50 27.50 | 8.37 8.37 8.37 8.37 8.37 8.37 | | 11.90 11.90 11.90 11.90 11.90 11.90 | | | | |

Version 4Q02: 12/18/02 Page 57 of 416

| UNBUNDLED N | NETWORK ELEMENTS - Florida | | | 1 | | | | | | | 1_ | | | ment: 2 | | bit: B |
|-------------|--|-------------|------|----------------|---------|-------|--------|------------|--------------|------------|--|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Nire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | vitch with change | | | UEPRX | USACC | | 0.102 | 0.102 | | | | 11.90 | | | | |
| ADDITION | | | | | | | | | | | | | | | | |
| | Wire Voice Grade Loop/Line Port Combination - Subsequent tivity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | DICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | UEFKA | U3A32 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Loop Combination Rates | | | | | | | | | | | | | | | |
| | Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 10.94 | | | | | | | | | | |
| | Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 15.05 | | | | | | | | | | |
| | Vire VG Loop/Port Combo - Zone 3 | | 3 | | | 25.80 | | | | | | | | | | |
| UNE Loop | | | | <u> </u> | | | | | | | | | | <u> </u> | | |
| | Vire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 9.77 | | | | | | | | | | |
| 2-V | Vire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 13.88 | | | | | | | | | | |
| | Nire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 24.63 | | | | | | | | | | |
| | ice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | Vire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | Nire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | Wire voice unbundled port outgoing only - bus | | | UEPBX UEPBX | UEPBO | 1.17 | 53.31 | 26.46 | | 8.37 | | 11.90 | | | | |
| | Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | - | |
| | Wire voice unbundled Incoming Only Port without Caller ID pability | | | UEPBX | UEPBE | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | JMBER PORTABILITY | | | UEPBA | UEPBE | 1.17 | 55.51 | 20.40 | 27.50 | 0.37 | | 11.90 | | | | |
| | cal Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | 1 | | | | | |
| FEATURES | | | | OLI DX | LIVI OX | 0.00 | | | | | | | | | | |
| | Features Offered | | | UEPBX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | 1 | |
| | IRRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | 0.00 | | | | | | | | |
| | Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| Sw | vitch-as-is | | | UEPBX | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | vitch with change | | | UEPBX | USACC | | 0.102 | 0.102 | | | | 11.90 | | | | |
| ADDITION | | | | | | | | | | | | | | | | |
| | Nire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | tivity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | DICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | 1 | | | | - | |
| | Loop Combination Rates Wire VG Loop/Port Combo - Zone 1 | | 1 | | - | 10.94 | | | | | | | | | - | - |
| | Wire VG Loop/Port Combo - Zone 1 | | 2 | | | 15.05 | | | | | 1 | | | | | |
| | Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 25.80 | | | | | | | | | | |
| UNE Loop | | | Ť | | | 20.00 | | | | | | | | | 1 | |
| | Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 9.77 | | | | | | | | Ì | 1 | |
| | Vire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 13.88 | | | | | Ì | | | | | |
| | Vire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 24.63 | | | | | | | | | | |
| | ice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | 1 | | | | | | | | | | 1 | | |
| Re | | | | UEPRG | UEPRD | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | <u> </u> | 11.90 | | | | |
| | JMBER PORTABILITY | | | LIEBBO | LNDCS | | | | ļ | | <u> </u> | | | | | |
| | cal Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 11.90 | | | 1 | |
| FEATURE | Features Offered | | | UEPRG | UEPVF | 2.26 | 0.00 | 0.00 | | | 1 | 11.90 | | | | - |
| | IRRING CHARGES (NRCs) - CURRENTLY COMBINED | - | | OLFING | OLF VF | 2.20 | 0.00 | 0.00 | 1 | | } | 11.90 | | 1 | | |
| | Wire Voice Grade Loop/ Line Port Combination (PBX) - | - | | | + | | | | | | | | | | | |
| | nversion - Switch-As-Is | | | UEPRG | USAC2 | | 8.45 | 1.91 | | | | 11.90 | | | 1 | |
| | Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | 3002 | | 3.40 | | | | | 50 | | | 1 | |
| | nversion - Switch with Change | | | UEPRG | USACC | | 8.45 | 1.91 | | | | 11.90 | | 1 | I | |
| ADDITION | AL NRCs | | | | | | | | | | | | | | | |
| 2-V | Vire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| Su | bsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | <u> </u> |
| | X Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| Gre | oup | | | | | | 7.86 | 7.86 | | | I | 11.90 | | | | <u> </u> |

Version 4Q02: 12/18/02 Page 58 of 416

| NBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|---------|--|-------------|----------|--------|----------------|-------|--------|------------|--------------|-------|-------|-----------|---------------------------------|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | | - 1 | | | 10.94 | | | | | | | | | | ļ |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 2 | | | 15.05 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 3 | | | 25.80 | | | | | | | | | | |
| UNE L | oop Rates | | | | | 20.00 | | | | | | | | | | |
| 0.112 | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEPPX | UEPLX | 13.88 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 24.63 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | <u> </u> |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | <u> </u> | UEPPX | UEPXB | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXC UEPXD | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard PDN 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | UEPPX | UEPAD | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | Capable Port | | | UEPPX | UEPXE | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Room Calling Port | | | UEPPX | UEPXM | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| LOCA | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port NUMBER PORTABILITY | | | UEPPX | UEPXS | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| LOOA | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 11.90 | | | | |
| FEAT | | | | OZ. TX | 2.1. 0. | 0.10 | 0.00 | 0.00 | | | | 11.00 | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 8.45 | 1.91 | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | OLITA | UUAUZ | | 0.43 | 1.31 | | | | 11.50 | | | | |
| | Conversion - Switch with Change | | | UEPPX | USACC | | 8.45 | 1.91 | | | | 11.90 | | | | |
| ADDIT | IONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | Group | | | | | | 7.86 | 7.86 | | | | 11.90 | | | | |
| | E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 10.94 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 15.05 | | | | | | | | | | |
| LINE | 2-Wire VG Coin Port/Loop Combo – Zone 3 oop Rates | | 3 | | | 25.80 | | | | | | | | | | - |
| JINE L | 2-Wire Voice Grade Loop (SL1) - Zone 1 | 1 | 1 | UEPCO | UEPLX | 9.77 | | | + | | | | | 1 | | 1 |
| _ | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 13.88 | | | + | | | | | | + | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | 1 | | UEPCO | UEPLX | 24.63 | | | + | | | | | | 1 | 1 |
| 2-Wire | Voice Grade Line Ports (COIN) | 1 | Ť | | 52.20 | 24.00 | | | | | | | | 1 | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | 1 | | | | | | | | | | 1 | 1 | 1 |
| | 900/976, 1+DDD (FL) | | | UEPCO | UEP2F | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL) | | L | UEPCO | UEPFA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL) | | | UEPCO | UEPCG | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | _ | | |

Version 4Q02: 12/18/02 Page 59 of 416

| NRONDLE | D NETWORK ELEMENTS - Florida | | | 1 | | | | | | | 1 - | | | ment: 2 | | bit: B |
|---------|---|-------------|-------|--------|--------|--------|--------|------------|--------------|------------|---|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment: Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | 1 | n | Nonrec | urring | Nonrecurring | Disconnect | | l l | oss | Rates (\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (AL, FL) | | | UEPCO | UEPRK | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+ (FL) | | | UEPCO | UEPOF | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | 900/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | | | | | | | | | | | | | |
| | LA) | | | UEPCO | UEPCR | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| ADDIT | IONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | |
| | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 1.86 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | | |
| LOCAL | NUMBER PORTABILITY | | | LIEBOO | LUDOV | | | | | | | | | | | |
| NONE | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| NONK | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPCO | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | 1 | I | |
| + | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | - | | UEPCO | USACZ | | 0.102 | 0.102 | + | | | 11.90 | | 1 | + | 1 |
| | Switch with change | | | UEPCO | USACC | | 0.102 | 0.102 | | | | 11.90 | | | | |
| ADDIT | IONAL NRCs | | | OLFCO | USACC | | 0.102 | 0.102 | | | | 11.50 | | | | |
| ADDII | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | |
| 2-WIR | E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | ORT (| | 00/102 | | 0.00 | 0.00 | | | | 11.50 | | | | |
| | ort/Loop Combination Rates | | | 1 | | | | | | | | | | | | 1 |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 13.64 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 18.80 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 32.27 | | | 1 | | | | | | | |
| UNE L | oop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFR | UECF2 | 12.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 17.40 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 30.87 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | | | | | | , | | | | | | | 1 | I | |
| _ | 2-Wire voice unbundled Florida Area Calling with Caller ID - res | | | UEPFR | UEPAF | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | ļ | - | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | .= | | | | | 44.00 | | | | |
| INTER | (LUM) OFFICE TRANSPORT | | | UEPFR | UEPAP | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | ! | |
| INTER | | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFR | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | 1 | I | |
| -+ | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | - | | OEFFR | UTIVZ | 25.32 | 47.35 | 31.78 | + | | | | | 1 | + | |
| | or Fraction Mile | | | UEPFR | 1L5XX | 0.0091 | | | | | | | | 1 | I | |
| FEATU | | - | | 0=1111 | 120707 | 3.0031 | | | | | | | | | t | |
| | All Features Offered | | | UEPFR | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | <u> </u> | |
| LOCAL | NUMBER PORTABILITY | | | | 1 | 2.20 | 5.50 | 3.30 | † | | | | | İ | 1 | |
| | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | 1 | | | | | | | |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | - | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 16.97 | 3.73 | <u> </u> | | | 11.90 | | <u> </u> | <u></u> | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | _ | | | | | | | | | | |
| | Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 16.97 | 3.73 | <u> </u> | | | 11.90 | | <u> </u> | <u></u> | |
| | VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE F | ORT (| (BUS) | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 13.64 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 18.80 | | | | | | | | | | |
| | | | | 1 | | | | | | | | | · · · · · · · · · · · · · · · · · · · | | | 1 |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 oop Rates | | 3 | | | 32.27 | | | | | | | | | | |

Version 4Q02: 12/18/02 Page 60 of 416

| UNE | UNDLE | D NETWORK ELEMENTS - Florida | | | 1 | | | | | | | | | | ment: 2 | 1 | bit: B |
|------|---------|---|-------------|----------|--------|--------|--------|--------|------------|--------------|------------|---|---|--|--|---|-------------|
| CATE | EGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | _ | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | Rates (\$) | 1 | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 17.40 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 30.87 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | 1 |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | LOCAL | NUMBER PORTABILITY | | | LIEBER | LUBOY | | | | | | | | | | | |
| | INITED | Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | | | | | | | | - |
| | INTER | DFFICE TRANSPORT | | 1 | | | | | | | | | | | | | + |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFB | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFB | 1L5XX | 0.0091 | | | | | | | | | | |
| | FEATU | | | | 02.10 | ILUXX | 0.0091 | | | + | | | | | | + | + |
| | ILAIO | All Features Offered | | | UEPFB | UEPVF | 2.26 | 0.00 | 0.00 | 1 | | | 11.90 | | | | + |
| | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | 02.10 | 02 | 2.20 | 0.00 | 0.00 | | | | 11.00 | | | | 1 |
| | 1101111 | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | † |
| | | Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | UEPFB | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | | Combination - Conversion - Switch with change | | | UEPFB | USACC | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | 02.10 | 00/100 | | 10.01 | 00 | | | | 11.00 | | | | |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | 1 |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 13.64 | | | | | | | | | | |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 18.80 | | | | | | | | | | |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 32.27 | | | | | | | | | | |
| | UNE Lo | pop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 12.24 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 17.40 | | | | | | | | | | |
| | 0.140 | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 30.87 | | | | | | | | | | |
| | 2-wire | Voice Grade Line Port Rates (BUS - PBX) | | <u> </u> | | - | | | | - | | | | | | | + |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | + |
| | _ | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | + |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | 1 |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | _ |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | _ |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | 1 |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPFP | UEPXE | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPFP | UEPXL | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | - | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | l | | | | | | | | | | | | |
| | | Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | UEPFP | UEPXM | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | Discount Room Calling Port | | | UEPFP | UEPXO | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | <u> </u> |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | LOCAL | NUMBER PORTABILITY | | <u> </u> | LIEBER | Lune- | | | | ļ | | ļ | | | | | 1 |
| | INITES | Local Number Portability (1 per port) | <u> </u> | <u> </u> | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | 11.90 | | | ļ | |
| | INTER | DFFICE TRANSPORT | | <u> </u> | | + | | | | 1 | | | | | | 1 | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFP | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFP | 1L5XX | 0.0091 | | | | | | | | | | |
| | FEATU | | | | L | | | | | | | | | | | | <u> </u> |
| | 1 | All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | UEPFP | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | 1 |

Version 4Q02: 12/18/02

| ONRONE | ULEL | NETWORK ELEMENTS - Florida | | | | | | | | | | | 1 - | | | ment: 2 | | bit: B |
|---------|-------|---|--|----------|--|--------|---------|-------|--------|------------|--------------|------------|---|---|--|--|---|---|
| CATEGOR | RY | RATE ELEMENTS | Interi m | Zone | В | scs | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | | |
| | | Combination - Conversion - Switch-as-is | | | UEPFP | | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | | |
| | | Combination - Conversion - Switch with change | | | UEPFP | | USACC | | 16.97 | 3.73 | | | | 11.90 | | | | |
| UNBUNDL | ED P | ORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | |
| 2-\ | WIRE | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | | |
| UN | NE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | | 20.95 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | | 26.11 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | | 39.58 | | | | | | | | | | |
| UN | NE Lo | op Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | | UECD1 | 12.24 | | | | | | 11.90 | | | 1.83 | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | | UECD1 | 17.40 | | | | | | 11.90 | | | 1.83 | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | | UECD1 | 30.87 | | | | | | 11.90 | | | 1.83 | |
| UN | | ort Rate | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPPX | | UEPD1 | 8.71 | 214.16 | 98.29 | | | | 11.90 | | | 1.83 | |
| NC | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPPX | | USAC1 | | 7.85 | 1.87 | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | | |
| | | with BellSouth Allowable Changes | | | UEPPX | | USA1C | | 7.85 | 1.87 | | | | 11.90 | | | | |
| ΔГ | | ONAL NRCs | | † | OL: 1X | | 00/110 | | 7.00 | | | | | 11.00 | | | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | | 32.26 | 32.26 | | | | 11.90 | | | | |
| Te | | one Number/Trunk Group Establisment Charges | | | OL: 17 | | 00/101 | | 02.20 | 02.20 | | | | 11.00 | | | | |
| | | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| - | | DID Numbers, Establish Trunk Group and Provide First Group | | | OLITA | | INDI | 0.00 | 0.00 | 0.00 | | | | 11.00 | | | 1.00 | |
| | | of 20 DID Numbers | | | UEPPX | | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| 1.0 | | NUMBER PORTABILITY | | | OLITA | | INDV | 0.00 | 0.00 | 0.00 | | | | 11.00 | | | 1.00 | |
| | | Local Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| 2-1 | | ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | NE SIDE | POR | | | LIVI OI | 0.10 | 0.00 | 0.00 | | | | | | | | |
| | | ort/Loop Combination Rates | 1 | 1 | I | | - | | | | | | | | | | | |
| O. | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | - | | | | | | | | | | | - |
| | | UNE Zone 1 | | 1 | UEPPB | UEPPR | | 22.63 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | <u> </u> | OLITB | OLITIN | | 22.03 | | | | | | | | | | 1 |
| | | UNE Zone 2 | | 2 | UEPPB | UEPPR | | 29.05 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | OLITB | OLITIK | | 23.03 | | | | | | | | | | 1 |
| | | UNE Zone 3 | | 3 | UEPPB | UEPPR | | 45.84 | | | | | | | | | | |
| LIK | | op Rates | | 3 | OLFFB | ULFFR | | 45.04 | | | | | | | | | | |
| OI. | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 15.25 | | | | | | 11.90 | | | 1.83 | |
| - | | 2-Wile ISDN Digital Grade Loop - ONL Zone 1 | | - | OLFFB | ULFFR | USLZX | 13.23 | | | | | | 11.90 | | | 1.03 | |
| | | 2 Wire ISDN Digital Crede Lean LINE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 21.67 | | | | | | 11.90 | | | 1.83 | |
| - | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 38.46 | | | | | | 11.90 | | | 1.83 | |
| 118 | | ort Rate | | 3 | UEPPB | UEPPR | USLZA | 30.40 | | | | | | 11.90 | | | 1.03 | |
| UN | | Exchange Port - 2-Wire ISDN Line Side Port | - | 1 | UEPPB | UEPPR | UEPPB | 7.38 | 194.52 | 145.09 | | | 1 | 11.09 | | | 1.83 | 1 |
| NC | | CURRING CHARGES - CURRENTLY COMBINED | <u> </u> | <u> </u> | UEPPB | UEFFR | UEFFB | 1.30 | 194.52 | 145.09 | | | | 11.09 | | | 1.03 | - |
| INC | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | 1 | 1 | | 1 | | | | | | 1 | | | 1 | 1 | 1 |
| | | Combination - Conversion | | | LIEDDD | UEPPR | USACB | 0.00 | 25.22 | 17.00 | | | | 11.90 | | | 1.83 | |
| AF | | ONAL NRCs | | 1 | OLPPD | ULITA | UUAUD | 0.00 | 25.22 | 17.00 | | | 1 | 11.90 | | 1 | 1.63 | 1 |
| | | NUMBER PORTABILITY | | - | | | _ | | | | | | | | | - | - | |
| LC | | | <u> </u> | <u> </u> | LIEDDD | LIEDDD | LNPCX | 0.25 | 0.00 | 0.00 | | | | | | | | - |
| - | CLIA | Local Number Portability (1 per port) | - | 1 | UEPPB | UEPPR | LINEUX | 0.35 | 0.00 | 0.00 | | | 1 | | | | - | 1 |
| B-1 | CHAP | NNEL USER PROFILE ACCESS: | | - | LIEDDE | LIEDDS | LIALICA | 0.00 | 0.00 | 0.00 | | | | | | - | 1 | 1 |
| | | CVS/CSD (DMS/5ESS) | | _ | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | 1 | | | - | 1 | |
| | | CVS (EWSD) | <u> </u> | <u> </u> | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | 1 | | <u> </u> |
| i I | | CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | 1 | 1 | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | ļ | | | |] | ļ |

Version 4Q02: 12/18/02

| UNDUND | LEL | NETWORK ELEMENTS - Florida | | | | | 1 | | | | | | Ia | I | | ment: 2 | | bit: B |
|----------|------|---|-------------|----------|----------------|---------|----------------|-----------------|--------|------------|--------------|-------|---|---|---|---|---|--|
| CATEGORY | Y | RATE ELEMENTS | Interi m | Zone | E | cs | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| USE | | ERMINAL PROFILE | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | - | |
| VE | | User Terminal Profile (EWSD only) AL FEATURES | | | UEPPB | UEPPR | UTUMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VLI | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| INT | | FFICE CHANNEL MILEAGE | | | OL. I D | OL: III | 02 | 2.20 | 0.00 | 0.00 | | | | 11.00 | | | | |
| | | Interoffice Channel mileage each, including first mile and | | | | | | | | | | | | | | 1 | İ | |
| | | facilities termination | | | UEPPB | UEPPR | M1GNC | 25.3291 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | 1.83 | |
| | | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0091 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | K PORT | | | | | | | | | | | | | | | |
| UNE | | rt/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | l | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | | 153.48 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | | 183.28 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | | 261.12 | | | | | | | | | | |
| UNE | | op Rates | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 70.74 | | | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 100.54 | | | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 178.38 | | | | | | 11.90 | | | 1.83 | |
| UNE | | rt Rate | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 82.74 | 488.36 | 276.65 | | | | 11.90 | | | 1.83 | |
| NOI | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is | | | UEPPP | | USACP | 0.00 | 84.17 | 61.38 | | | | 11.90 | | | 1.83 | |
| ADI | | DNAL NRCs | | | UEPPP | | USACP | 0.00 | 84.17 | 61.38 | | | | 11.90 | | | 1.83 | |
| ADI | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | | |
| | | Inward/two way Tel Nos. (except NC) | | | UEPPP | | PR7TF | | 0.5412 | | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | | |
| | | Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 12.71 | 12.71 | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers | | | UEPPP | | DDZZT | | 25.42 | 25.42 | | | | 11.90 | | | 1.83 | |
| 100 | | NUMBER PORTABILITY | | | UEPPP | | PR7ZT | | 25.42 | 25.42 | | | | 11.90 | | | 1.83 | |
| LOC | | Local Number Portability (1 per port) | | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| INT | | ACE (Provsioning Only) | | | OLITI | | LIVI OIV | 1.73 | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Nev | | Additional "B" Channel | | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 15.48 | | | | | 11.90 | | | 1.83 | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | | PR7BF | 0.00 | 15.48 | | | | | 11.90 | | | 1.83 | |
| 041 | | New or Additional Inward Data B Channel | | | UEPPP | | PR7BD | 0.00 | 15.48 | | | | | 11.90 | | | 1.83 | |
| CAL | | YPES | | | UEPPP | | DD7C4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Outward | 1 | ! | UEPPP | | PR7C1 PR7C0 | 0.00 | 0.00 | 0.00 | | | 1 | | | | | - |
| | | Outward Two-way | | | UEPPP | | PR7CC | 0.00 | 0.00 | 0.00 | | | 1 | | - | | | |
| Inte | | ice Channel Mileage | 1 | | J | | . 11, 00 | 0.00 | 0.00 | 0.00 | | | | | | † | † | t |
| | | Fixed Each Including First Mile | 1 | <u> </u> | UEPPP | | 1LN1A | 88.6256 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | 1 | 1.93 | |
| | | Each Airline-Fractional Additional Mile | 1 | | UEPPP | | 1LN1B | 0.1856 | | | | | | | | | | |
| 4-W | VIRE | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | | |
| UNI | | rt/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | | 125.69 | | | | | | 11.90 | | | 1.83 | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | 1 | 2 | UEPDC | | | 155.49 | | | | | | 11.90 | | | 1.83 | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | | 233.33 | | | | | ļ | 11.90 | | | 1.83 | |
| UNE | | op Rates | 1 | ! | LIEDDO | | LICL DO | 70 71 | | | | | <u> </u> | 44.00 | - | 1 | 1.00 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 | 1 | 1 2 | UEPDC UEPDC | | USLDC USLDC | 70.74 100.54 | | | | | | 11.90 11.90 | - | | 1.83 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 | 1 | | UEPDC | | USLDC | 178.38 | | | | | 1 | 11.90 | | | 1.83 | + |
| | | rt Rate | 1 | - 3 | OLFDO | | USLDU | 170.30 | | | | | | 11.90 | - | - | 1.03 | |

Version 4Q02: 12/18/02 Page 63 of 416

| NRUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | 1 | | | ment: 2 | | bit: B |
|----------|---|-------------|--------|--|---|--------|--------|------------|--|-------|-------|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 54.95 | 464.86 | 259.23 | | | | 11.90 | | | 1.83 | |
| NONRE | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | 44.00 | | | | |
| | - Switch-as-is | | | UEPDC | USAC4 | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | 44.00 | | | | |
| | - Conversion with DS1 Changes | | | UEPDC | USAWA | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | LIEDDO | LICANAID | | 05.04 | 10.71 | | | | 44.00 | | | 4.00 | |
| ADDIT | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| ADDITI | IONAL NRCs | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | LIEDDO | LIDTT A | | 45.00 | 45.00 | | | | 44.00 | | | 4.00 | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 15.69 | 15.69 | 1 | | 1 | 11.90 | | 1 | 1.83 | ! |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | 1 | | LIEDDO | LIDTTS | | 45.00 | 45.00 |] | | | 44.00 | | l | 1.00 | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 15.69 | 15.69 | ļ | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | 1 | | LIEDDO | LIDTTO | | 45.00 | 45.00 |] | | | 44.00 | | Ì | 1.00 | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 15.69 | 15.69 | | | 1 | 11.90 | | 1 | 1.83 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | LIEDDO | LIDTTD | | 45.00 | 45.00 | | | | 44.00 | | | 4.00 | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | ļ |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | LIEDDO | LIDTTE | | 45.00 | 45.00 | | | | 44.00 | | | 4.00 | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| BIPOL | AR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 655.00 | | | | 11.90 | | | 1.83 | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 655.00 | | | | 11.90 | | | 1.83 | |
| Alterna | ate Mark Inversion | | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Teleph | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | |
| | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| D | Reserve DID Numbers | D:: | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| Dedica | ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digita | Loop | with 4-wire DDI15 | runk Port | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | UEPDC | 41.004 | 00.44 | 105.54 | 00.47 | 21.47 | 40.05 | | 44.00 | | | 4.00 | |
| | Termination) | | | UEPDC | 1LNO1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | 1.83 | |
| | Interesting Channel Milesen Additional action and the | | | LIEDDO | 41.000 | 0.4050 | 2.22 | 0.00 | | | | | | | 1 | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.1856 | 0.00 | 0.00 | | | | | | - | 1 | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | 1 | | LIEBBO | 41 1100 | 0.00 | 0.00 | 0.00 |] | | | | | Ì | I | |
| | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | 1 | ! | ļ |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | 1 | | LIEDDC | 11 NOB | 0.4050 | 0.00 | 0.00 |] | | | | | l | I | |
| | miles | | | UEPDC | 1LNOB | 0.1856 | 0.00 | 0.00 | | | | | | - | 1 | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | 1 | | LIEBBO | 41.1100 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | l | I | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Interesting Channel Mileson Additional acts and 22 CS 22 | 1 | | LIEDDO | 41 NOC | 0.4050 | 0.00 | 0.00 |] | | | | | l | I | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.1856 | 0.00 | 0.00 | 0.00 | | | | | - | 1 | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | 1 | | | 1 | | |
| 4 14/155 | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | E DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | + | | | | | | 1 | | | - | | |
| | n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | | | har of narta | + | | | | | | 1 | | | - | 1 | 1 |
| | system can have up to 24 combinations of rates depending on | type ar | ıa nun | nper of ports used | + | | | | | | 1 | | | | 1 | |
| UNE D | S1 Loop | | | LIEDMO | 1101 00 | 70 | 0.00 | 0.00 | | | | | | | - | <u> </u> |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 70.74 | 0.00 | 0.00 | ļ . | | | | | | - | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 100.54 | 0.00 | 0.00 | ļ . | | | | | | - | |
| | 4-Wire DS1 Loop - UNE Zone 3 | 1 | 3 | UEPMG | USLDC | 178.38 | 0.00 | 0.00 | | | 1 | | | | | |
| | SO Channelization Capacities (D4 Channel Bank Configuration | | | | | | | | | | | | | | | |

Version 4Q02: 12/18/02 Page 64 of 416

| | D NETWORK ELEMENTS - Florida | | | 1 | 1 | | | | | | · | | | ment: 2 | | bit: B |
|---------|--|--|--|----------------------|---------------|-----------------|----------------|---------------|------------------|---------------|-----------|-----------|-------------|-------------|--|--|
| | | | | | | | | | | | Svc Order | | Incremental | | Incremental | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual S |
| TEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order v |
| | | m | | | | | | | | | F | p. c | Electronic- | Electronic- | Electronic- | Electroni |
| | | | | | | | | | | | | | 1st | Add'l | | |
| | | | | | | | | | | | | | 151 | Add I | Disc 1st | Disc Add |
| | | | | | | _ | Nonre | currina | Nonrecurring | Disconnect | | | oss | Rates (\$) | · · | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 236.12 | 0.00 | 0.00 | 101 | ,,,,,,, | 0020 | 11.90 | ••••• | | 1.83 | |
| | 96 DSO Channel Capacity -1 per 4 DS1s | <u> </u> | - | UEPMG | VUM96 | 472.24 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | | | | | | | | | | | | | | | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 708.36 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | ļ |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 944.48 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,180.60 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,416.72 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,888.96 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,361.20 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,833.44 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3.305.68 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| Non-Re | ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with | h Chanr | eliztio | | | | | | | | | | | | | |
| | mum System configuration is One (1) DS1, One (1) D4 Channe | | | | | | 0.0 | | | | | | | | | |
| | les of this configuration functioning as one are considered Ac | | | | | | | | | | | | | - | - | |
| wuitipi | | au i aite | i the ii | illillium system con | ilguration is | countea. | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without | | | | | | | | | | | | | | | |
| | BellSouth Allowed Changes | <u> </u> | L | UEPMG | USAC4 | 0.00 | 96.77 | 4.24 | | | | 11.90 | | | | <u> </u> |
| | n Additions at End User Locations Where 4-Wire DS1 Loop wit | | | | ination Curre | ntly Exists and | | | | | | | | | | <u> </u> |
| New (N | lot Currently Combined) in all states, except in Density Zone 1 | of Top | 8 MSA | \'s | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port | | | | | | | | | | | | | | | |
| | and Assoc Fea Activation | | | UEPMG | VUMD4 | 0.00 | 726.11 | 468.21 | 145.32 | 17.24 | | 11.90 | | | | |
| Bipola | r 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | - | ULFING | CCOSI | 0.00 | 0.00 | 055.00 | | | | 11.90 | | | | - |
| | | | | LIEDMO | CCOFF | 0.00 | 0.00 | CEE 00 | | | | 44.00 | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | | | ļ |
| Alterna | ate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Exchar | nge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| Exchar | nge Ports | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.38 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.38 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | | | | | | | | | | | | | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.38 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 8.71 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| Footur | e Activations - Unbundled Loop Concentration | | | ULFFX | OLFDIVI | 0.71 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | - | 1.03 | |
| reature | | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| _ | Bank | | | UEPPX | 1PQWM | 0.66 | 25.40 | 13.41 | 3.96 | 3.93 | | 11.90 | | | 1.83 | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | l | | | | | |
| | D4 Bank | | | UEPPX | 1PQWU | 0.66 | 78.16 | 18.42 | 56.03 | 10.95 | | 11.90 | | | 1.83 | |
| Teleph | one Number/ Group Establishment Charges for DID Service | | | | | | | | <u> </u> | | L | L | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| 1 | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | İ | | | 11.90 | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | i | 11.90 | | | | 1 |
| | Non-Consecutive DID Numbers - per number | 1 | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | l | 11.90 | | 1 | 1 | |
| | Reserve Non-Consecutive DID Numbers | 1 | † | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | 1 | | 1 | 11.90 | | 1 | l | |
| - | Reserve DID Numbers | 1 | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | + | | l | 11.90 | | 1 | + | |
| 1 00-1 | Number Portability | | - | OLFFA | MDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | - | | |
| Local | | 1 | - | LIEDDY | LNDCD | 0.1- | 0.00 | 0.00 | | | | | | 1 | 1 | 1 |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | ļ | | ļ | | | | | ļ |
| | IRES - Vertical and Optional | | | | | | | | | | | | | | | |
| Local S | Switching Features Offered with Line Side Ports Only | 1 | | | | | | | | | | | | | | |
| | All Features Available | | L | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | L T | | l | 11.90 | | <u> </u> | 1.83 | <u> </u> |
| BUNDLED | PORT LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | |
| Market | Rates shall apply where BellSouth is not required to provide | unbund | lled lo | cal switching or swi | tch ports per | FCC and/or St | ate Commission | n rules. | İ | | | | | | | |
| | icludes: | | |] | | | | | † | | | | | 1 | 1 | |
| | dled port/loop combinations that are Currently Combined or I | Not Cur | rently (| Combined in Zone 1 | of the Top 9 | MSAS in BallS | outh's region | for end users | with 4 or more ! | DSO equivalen | t lines | | | 1 | 1 | |
| | | | | | | | | | | | | | | | | |
| Unbun | pp 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd | | | | | | | | | | | ٥) | | | | |

Version 4Q02: 12/18/02 Page 65 of 416

| UNR | UNDI F | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 2 | Evhil | oit: B |
|--|----------|--|-------------|----------|-----------------------|---------------|-------------------|---------------|----------------|----------------|--|--|--------------|--------------|--|--|-------------|
| CIVID | SHULE | FIGURE TO FIGURE | | | | | | | | | | Svc Order | Svc Order | Incremental | | | |
| | | | | | | 1 | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | 1 | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | - (1) | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 151 | Auu | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonre | curring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | arket Rate for unbundled ports includes all available features i | | | | | | | | | | | | | | | |
| | | fice and Tandem Switching Usage and Common Transport Us | age rat | es in th | ne Port section of th | is rate exhib | it shall apply to | all combinati | ons of loop/po | rt network ele | ments except | for UNE Co | n Port/Loop | Combination | ns which have | e a flat rate us | age charge |
| | | : URECU). | | | | | | | | | | | | | | | |
| | | t Currently Combined scenarios the Nonrecurring charges are | listed i | in the F | irst and Additional | NRC column | s for each Port | USOC. For C | urrently Comb | ined scenarios | , the Nonrecui | ring charge | s are listed | in the NRC - | Currently Con | nbined sectio | n. |
| | | onal NRCs may apply also and are categorized accordingly. | | | | 1 | 1 | 1 | | 1 | | | | 1 | | 1 | 1 |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | <u> </u> | | | | | | | | | | | | | |
| | UNE P | ort/Loop Combination Rates | | | | | 00.77 | | | | | | | | | | |
| - | - | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 23.77 | | | | | | | | | | |
| - | - | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 27.88 | | | | | | | | | | |
| | LIME ! | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | + | 38.63 | - | | - | - | _ | | - | - | - | - |
| - | UNE LO | 2-Wire Voice Grade Loop (SL1) - Zone 1 | - | 1 | UEPRX | UEPLX | 9.77 | | | | | | | | | - | |
| | - | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | - | 2 | UEPRX | UEPLX | 13.88 | | | 1 | + | | | 1 | + | 1 | - |
| | + | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 24.63 | | | | 1 | 1 | 1 | | 1 | | 1 |
| | 2-Mira | Voice Grade Line Port (Res) | | 3 | OLFIX | JLFLA | 24.03 | | | 1 | | | | 1 | t | 1 | |
| | Z-4VII 6 | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 14.00 | 90.00 | 90.00 | <u> </u> | | | 11.90 | | t | | |
| — | + | 2-Wire voice unbundled port vith Caller ID - res | | | UEPRX | UEPRC | 14.00 | 90.00 | 90.00 | <u> </u> | | | 11.90 | | t | | |
| | + | 2-Wire voice unbundled port with Galler 15 - 163 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 14.00 | 90.00 | 90.00 | | | 1 | 11.90 | | - | | |
| | | 2 TYTE VOICE UNDURANCE POR Outgoing only 100 | | | OLITON | OLI IIO | 14.00 | 50.00 | 30.00 | | | 1 | 11.50 | | | | |
| | | 2-Wire voice unbundled Florida Area Calling with Caller ID - res | | | UEPRX | UEPAF | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| | | (LUM) | | | UEPRX | UEPAP | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | | | | | |
| | | Capability | | | UEPRX | UEPRT | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire voice unbundled Florida extended dialing port for use | | | | | | | | | | | | | | | |
| | | with CREX7 and Caller ID | | | UEPRX | UEPA1 | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire voice unbundled Florida extended dialing port for use | | | | | | | | | | | | | | | |
| | | with CREX7, without Caller ID capability | | | UEPRX | UEPA8 | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire voice unbundled Florida Area Calling Port without Caller | | | | | | | | | | | | | | | |
| | | ID Capability | | | UEPRX | UEPA9 | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | FEATU | | | <u> </u> | UEDDV | | | | | | | | | | | | |
| | NOND | All Features Offered ECURRING CHARGES - CURRENTLY COMBINED | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | <u> </u> | | - | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPRX | USAC2 | | 41.50 | 41.50 | | I | | 11.90 | | I | 1 | |
| | - | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with | - | | OLFIX | USAUZ | | 41.30 | 41.30 | 1 | + | | 11.90 | 1 | + | 1 | - |
| l | | change | | | UEPRX | USACC | | 41.50 | 41.50 | | I | | 11.90 | | I | 1 | |
| | ADDIT | ONAL NRCs | | | <u> </u> | 30,100 | 1 | 71.30 | 71.30 | | - | | 11.30 | 1 | I | | |
| | 1 | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | 1 | | | | 1 | 1 | | | | 1 | İ | İ |
| ĺ | | Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | I | | 11.90 | | I | 1 | |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | 1 | | | . , , , | İ | 1 | | | İ | 1 | | İ |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 23.77 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 27.88 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 38.63 | | | | | | | | | | |
| | UNE L | pop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 9.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 13.88 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 24.63 | | | | ļ | | | | 1 | | |
| | 2-Wire | Voice Grade Line Port (Bus) | | | | | | | | ļ | ļ | ļ | | | ļ | ļ | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | ļ | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | <u> </u> | 11.90 | | | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | <u> </u> | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | - | | 11.90 | | - | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | <u> </u> | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | ! | ļ | 11.90 | 1 | ! | | |
| | | 2-Wire voice unbundled Incoming Only Port without Caller ID | | 1 | UEPBX | UEPBE | 14.00 | 90.00 | 90.00 | | 1 | | 11.00 | | 1 | | |
| <u> </u> | 1.004 | Capability NUMBER PORTABILITY | | - | UEPBA | UEPBE | 14.00 | 90.00 | 90.00 | | | | 11.90 | - | | | |
| <u> </u> | LUCAL | Local Number Portability (1 per port) | | - | UEPBX | LNPCX | 0.35 | - | | - | - | _ | | - | - | - | - |
| | | Local Number Portability (1 per port) | l | <u> </u> | ULFBA | LINEUX | 0.35 | l | | i | l | 1 | i | l | I | 1 | L |

Version 4Q02: 12/18/02 Page 66 of 416

| ONROND | LEC | NETWORK ELEMENTS - Florida | | | 1 | | | | | | | | | | ment: 2 | | bit: B |
|---------|-------|--|-------------|----------|-------|--------|-------|--------|------------|--------------|------------|---|---|--|--|---|--|
| CATEGOR | ťΥ | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | _ | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| NO | NRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | 1 |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch with | | | | | | | | | | | | | | | 1 |
| | | change | | | UEPBX | USACC | | 41.50 | 41.50 | | | | 11.90 | | | | |
| AD | | DNAL NRCs | | | | | | | | | | | | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | | | | | |
| | | Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | |
| 2-V | NIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| UN | IE Po | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 23.77 | | | | | | | | | | |
| 1 | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 27.88 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 38.63 | | | | | | | | | | |
| UN | | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 9.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 13.88 | | | | | | | | | | |
| 1 | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 24.63 | | | | | | | | | | |
| 2-V | | /oice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | | |
| | | Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| LO | CAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | 1 |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | 1 |
| FE | ATUF | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | 1 |
| NO | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | 1 |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPRG | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | | | | | | | | | | | |
| | | Change | | | UEPRG | USACC | | 41.50 | 41.50 | | | | 11.90 | | | | |
| AD | | DNAL NRCs | | | | | | | | | | | | | | | |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | | | | 1 |
| | | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | | Group | | | | | | 7.09 | 7.09 | | | | 11.90 | | | | |
| 2-V | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | 1 |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | 1 |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 23.77 | | | | | | | | | | 1 |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 27.88 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 38.63 | | | | | | | | İ | İ | † |
| UN | | op Rates | 1 | Ť | | 1 | | | | | | | | | 1 | t | 1 |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 9.77 | | | | | | | | İ | İ | † |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPPX | UEPLX | 13.88 | | | 1 | | | | | İ | İ | 1 |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | l | 3 | UEPPX | UEPLX | 24.63 | | | | | | | | 1 | 1 | 1 |
| 2-V | | /oice Grade Line Port Rates (BUS - PBX) | 1 | Ť | | | 2 | | | | | | | | | t | |
| | | | 1 | t | 1 | 1 | | | | | | | | | | t | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | l | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | 1 | 1 |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | 1 | t | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | 11.90 | | 1 | t | 1 |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | 1 | t | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | t | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | 1 | t | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | t | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | 1 | t | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | 11.90 | | 1 | t | 1 |
| | - 1 | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | 1 | t | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | | 11.90 | | 1 | t | 1 |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | 1 | t | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | 11.90 | | 1 | t | 1 |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | l | 1 | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | t | | † | 11.90 | | | — | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | 1 | t | | | | 55.50 | 55.50 | | | | | | | t | |
| | | Capable Port | l | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | 11.90 | | l | I | 1 |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | 1 | t | | 02. AL | 14.00 | 55.56 | 55.50 | | | | 11.50 | | | t | |
| | | Administrative Calling Port | l | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | 11.90 | | l | I | I |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | - | I | | 02. AL | 14.00 | 55.50 | 55.56 | 1 | | 1 | 11.50 | | | t | + |
| | | | | 1 | UEPPX | | | | 90.00 | 1 | | 1 | • | | | 1 | 1 |

| ONRONDEED ! | NETWORK ELEMENTS - Florida | | | 1 | | | | | | | 12 | _ | | ment: 2 | | bit: B |
|-------------|---|-------------|--|--------------|--------|-------|--------|------------|----------|--------------|-------|---|---|---|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| Dis | scount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | UMBER PORTABILITY ocal Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | - | |
| FEATURE | | | | UEFFX | LINECE | 3.13 | 0.00 | 0.00 | | | | | | | | |
| | I Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | URRING CHARGES - CURRENTLY COMBINED | | | OLITA | OLI VI | 0.00 | 0.00 | 0.00 | | | | 11.50 | | | | |
| NONNEGO | SIGNIC STARGES SOURCERTET SOMBINED | | | | | | | | | | | | | | | |
| | Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | | | |
| | Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | | | | | | | | | | | |
| Cr | hange | | | UEPPX | USACC | | 41.50 | 41.50 | | | | 11.90 | | | | |
| ADDITION | NAL NRUS | 1 | <u> </u> | 1 | | | | | | | 1 | | | | 1 | 1 |
| 2. | Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Wire Loop/Line Side Port Combination - Non feature - | | | UEPPA | USASZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | ubsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | BX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | 0.00 | 0.00 | | | | 11.50 | | | | |
| | roup | | | | | | 7.09 | 7.09 | | | | 11.90 | | | | |
| | OICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | | | | | | | | | | | | |
| | /Loop Combination Rates | Ì | | | | | | | | | | | | | | |
| 2-\ | Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 23.77 | | | | | | | | | | |
| 2-\ | Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 27.88 | | | | | | | | | | |
| | Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 38.63 | | | | | | | | | | |
| UNE Loop | | | | | | | | | | | | | | | | |
| | Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 9.77 | | | | | | | | | | |
| | Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 13.88 | | | | | | | | | | |
| | Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 24.63 | | | | | | | | | | |
| | pice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | | |
| | Wire Coin 2-Way with Operator Screening and Blocking: 011, 00/976. 1+DDD (FL) | | | LIEDOO | UEP2F | 44.00 | 00.00 | 00.00 | | | | 44.00 | | | | |
| | Wire Coin 2-Way with Operator Screening and 011 Blocking | | | UEPCO | UEP2F | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| (F | | | | UEPCO | UEPFA | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | Wire Coin 2-Way with Operator Screening and Blocking: | | | OLFCO | OLFIA | 14.00 | 90.00 | 90.00 | | | | 11.50 | | | | 1 |
| | 00/976, 1+DDD, 011+, and Local (FL) | | | UEPCO | UEPCG | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | Wire Coin Outward with Operator Screening and 011 Blocking | | | 021 00 | 021 00 | 14.00 | 50.00 | 50.00 | | | | 11.00 | | | | |
| | L, FL) | | | UEPCO | UEPRK | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| 90 | 00/976, 1+DDD, 011+ (FL) | | | UEPCO | UEPOF | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| 2-1 | Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | 00/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | UMBER PORTABILITY | | | | | | | | | | | | | | | |
| | ocal Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| NONRECU | URRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | <u> </u> | UEPCO | USAC2 | | 41.50 | 41.50 | 1 | - | | 11.90 | | ! | ! | } |
| | Wire Voice Grade Loop/ Line Port Combination - Switch with hange | | | UEPCO | USACC | | 41.50 | 41.50 | | | | | | I | I | |
| ADDITION | | - | | OLFOO | USACC | | 41.50 | 41.30 | 1 | | } | | | | | } |
| ADDITION | TOP HILLY | | | | + + | | | | | | | | | | | |
| 2-1 | Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | I | I | |
| 2-WIRE V | OICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | PORT (| | | | 0.00 | 3.30 | Ì | | | 7 | | 1 | 1 | |
| | /Loop Combination Rates | I | Ι | 1 | 1 | | | | Ì | | | | | 1 | 1 | |
| | Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 26.24 | | | | | | | | | | İ |
| | Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 31.40 | | | | | | | | | | |
| | Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 44.87 | | | | | | | | | | |
| UNE Loop | | | | | | | | - | | | | | | | | |
| | Wire Voice Grade Loop (SL2) - Zone 1 | | | UEPFR | UECF2 | 12.24 | | - | | | | | | | | |
| 2-1 | Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 17.40 | | | | l | 1 | | | | | 1 |

Version 4Q02: 12/18/02 Page 68 of 416

| ONRONDE | ED NETWORK ELEMENTS - Florida | | | 1 | | | | | | | 1 - | | | ment: 2 | | oit: B |
|----------|--|--|--|----------------|----------------|----------------|--------|------------|--------------|-------|-------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | 1 | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 0.147 | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 30.87 | | | | | | | | | | |
| 2-Wii | re Voice Grade Line Port Rates (Res) | | <u> </u> | HEDED | LIEDDI | 44.00 | 100.00 | 110.00 | 05.00 | 20.00 | | 44.00 | | | | |
| | 2-Wire voice unbundled port - residence | | <u> </u> | UEPFR | UEPRL | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR UEPFR | UEPRC UEPRO | 14.00 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 11.90 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRU | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID | | | UEPFR | UEPAF | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | (LUM) | | | UEPFR | UEPAP | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| INTE | ROFFICE TRANSPORT | | | OLFIK | OLFAF | 14.00 | 100.00 | 110.00 | 65.00 | 20.00 | | 11.50 | | | | |
| INTE | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFR | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | 1 | OLFIK | 01172 | 25.52 | 47.33 | 31.70 | | | | | | | | |
| | or Fraction Mile | | 1 | UEPFR | 1L5XX | 0.0091 | | | | | | | | | 1 | |
| FFA1 | TURES | - | | 0=1111 | TEO/// | 5.0031 | | | | | | | | | | |
| 1.24. | All Features Offered | | | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| LOC | AL NUMBER PORTABILITY | | | 02 | 02. V. | 0.00 | 0.00 | 0.00 | | | | 11.00 | | | | |
| | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | PORT (| BUS) | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 26.24 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 31.40 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 44.87 | | | | | | | | | | |
| UNE | Loop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 12.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 17.40 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 30.87 | | | + | | | | | | | |
| 2-Wii | re Voice Grade Line Port (Bus) | | | OLITB | OLOI 2 | 30.07 | | | + | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | | | | | | | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFB | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFB | 1L5XX | 0.0091 | | | | | | | | | | |
| FEA1 | TURES | | | LIEDED | LIED\" | 0.00 | 0.00 | 2.00 | | | | 44.00 | | 1 | | L |
| NON | All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| NON | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change | l | 1 | UEPFB | USACC | | 16.97 | 3.73 | | | | 11.90 | | 1 | 1 | |
| 2-1//11 | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | OLFID | USACC | | 16.97 | 3.73 | 1 | | | 11.90 | | 1 | 1 | |
| | Port/Loop Combination Rates | | | | + + | | | | | | | | | 1 | 1 | |
| ONE | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | - | 1 | | + | 26.24 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | 1 | 2 | | 1 1 | 31.40 | | | † | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | 1 | 44.87 | | | | | | | | | | |
| UNE | Loop Rates | | Ť | | 1 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 12.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | | UEPFP | UECF2 | 17.40 | | | i i | | | | | Ì | | |

Version 4Q02: 12/18/02 Page 69 of 416

| NRONDE | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachr | nent: 2 | Exhi | bit: B |
|----------|---|-------------|----------|----------------|----------------|----------------|------------------|------------------|----------------|------------|---------|----------------|---------------------------------------|---------------------------------------|---------------------------------------|--------------------------------------|
| | | Intori | | | | | | | | | | | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Increment Charge - Manual Sv |
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Order vs. Electronic- Disc 1st | Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | curring | Nonrecurring | Disconnect | | l I | OSS | Rates (\$) | I | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 30.87 | | | | | | | | | | |
| 2-Wire | e Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 44.00 | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP UEPFP | UEPPO UEPP1 | 14.00 14.00 | 180.00 180.00 | 110.00 110.00 | 85.00 85.00 | 20.00 | | 11.90 11.90 | | | | - |
| _ | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| _ | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | 1 | | UEPFP | UEPXB | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPFP | UEPXE | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPFP | UEPXL | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPFP | UEPXM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | Discount Room Calling Port | | | UEPFP | UEPXO | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| LOCA | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | 11.90 | | | | |
| INTER | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFP | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFP | 1L5XX | 0.0091 | | | | | | | | | | |
| FEAT | URES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFP | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| NONF | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change | | | UEPFP | USACC | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | PORT/LOOP COMBINATIONS - MARKET BASED RATES | | | | | | | | | | | | | | | |
| | RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | 07.04 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 1 2 | | - | 67.24 72.40 | | | | | | | | | | |
| _ | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | - | 85.87 | | | | | | | | | | |
| LINE | Loop Rates | | 3 | | | 65.67 | | | | | | | | | | |
| ONL | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 12.24 | | | | | | 11.90 | | | 1.83 | |
| _ | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 17.40 | | | | | | 11.90 | | | 1.83 | |
| _ | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 30.87 | | | | | | 11.90 | | | 1.83 | |
| UNE | Port Rate | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 55.00 | 850.00 | 75.00 | | | | 11.90 | | | 1.83 | |
| NONF | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | 1 | | | | | | | Ī | | | | _ | | | |
| | Switch-As-Is Top 8 MSAs only | | | UEPPX | USAC1 | | 850.00 | 75.00 | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | 1 | | | | | | | \Box | | | | | | 1 | |
| | with BellSouth Allowable Changes Top 8 MSAs only | ļ | <u> </u> | UEPPX | USA1C | | 850.00 | 75.00 | | | | 11.90 | | | | ļ |
| ADDI | TIONAL NRCs | ļ | <u> </u> | LIEDDY | 110404 | | 00.00 | 00.00 | | | | 44.00 | | | | ļ |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | <u> </u> | <u> </u> | UEPPX | USAS1 | | 32.26 | 32.26 | | | | 11.90 | | | ļ | |
| - | hone Number/Trunk Group Establisment Charges | ! | <u> </u> | UEPPX | NDT | 0.00 | 0.00 | 0.00 | ļ . | | | 11.90 | | | 1.83 | ļ |
| Telep | | | | | | | | | | | | | | | | i |
| Telep | DID Trunk Termination (One Per Port) | | | UEPPX | וטא | 0.00 | 0.00 | 0.00 | 1 | | | 11.50 | | | 1.03 | |
| Telep | DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX UEPPX | NDZ ND4 | 0.00 | 0.00 | 0.00 | | | | 11.90 11.90 | | | 1.83 | |

Version 4Q02: 12/18/02 Page 70 of 416

| JNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | nent: 2 | Exhil | bit: B |
|----------|--|--|------|--------|--------|------------|----------|----------|------------|--------------|-------|-------|-----------|---------------------------------|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | E | scs | USOC | | | RATES (\$) | | | 1 | Submitted | Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | la u a si pip i | | | | | NID 0 | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | ļ |
| 1.004 | Reserve DID Numbers L NUMBER PORTABILITY | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| LOCAL | | | | UEPPX | | LNPCP | 2.45 | 0.00 | 0.00 | | | | | | | | ļ |
| 2 WID | Local Number Portability (1 per port) E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII | NE CIDE | DOD: | | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | e ison digital grade Loop with 2-wire ison digital li | NE SIDE | FUR | | | 1 | | | | | | 1 | | | | | |
| ONEF | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 1 | UEPPB | UEPPR | | 85.25 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 91.67 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 108.46 | | | | | | | | | | |
| UNE L | oop Rates | | Ť | | JK | 1 | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 15.25 | | | | | | 11.90 | | | 1.83 | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 21.67 | | | | | | 11.90 | | | 1.83 | |
| _ | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 38.46 | | | | | | 11.90 | | | 1.83 | |
| LINE P | Port Rate | | 3 | OLITE | OLITIK | OOLZX | 30.40 | | | | | | 11.50 | | | 1.00 | |
| O.V.E. | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 70.00 | 525.00 | 400.00 | | | | 11.09 | | | 1.83 | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | 02.7.5 | OL: | 025 | 7 0.00 | 020.00 | .00.00 | | | | 11.00 | | | 1.00 | |
| 1101111 | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only | | | UEPPB | UEPPR | USACB | 0.00 | 215.00 | 215.00 | | | | 11.90 | | | 1.83 | |
| ADDIT | TONAL NRCs | | | OLFFB | ULFFR | USACB | 0.00 | 213.00 | 213.00 | | | 1 | 11.50 | | | 1.03 | |
| | L NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| LOOA. | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-CHA | ANNEL USER PROFILE ACCESS: | | | OLITE | OLITIK | LIVI OX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| B-CHA | ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, & | TN) | | | | | | | | | | | | | | |
| USER | TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VERTI | CAL FEATURES | | | | | | | | | | | | | | | | |
| | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| INTER | OFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | ļ |
| | Interoffice Channel mileage each, including first mile and facilities termination | | | LIEDDD | UEPPR | M1GNC | 18.4491 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | 1.83 | |
| | Interoffice Channel mileage each, additional mile | | | | UEPPR | M1GNM | 0.0091 | 0.00 | 0.00 | 18.31 | 7.03 | | 11.90 | | | 1.83 | |
| 4-WIR | E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | OLITE | OLITIK | IVITOIVIVI | 0.0031 | 0.00 | 0.00 | | | | 11.50 | | | 1.00 | |
| | Port/Loop Combination Rates | l Oiti | | | | 1 | | | | | | | | | | | |
| - ONL I | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | | 970.74 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | | 1,000.54 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | 3 | | | | | | | | | | | | | | |
| LINE | Zone 3 coop Rates | | 3 | UEPPP | | | 1,078.39 | | | | | | | | | - | |
| ONEL | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 70.74 | | | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 100.54 | | | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | 1 | 3 | UEPPP | | USL4P | 178.39 | | | | | | 11.90 | | | 1.83 | |
| UNE P | Port Rate | | Ť | | | 1 | | | | | | | 50 | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 900.00 | 1,150.00 | 1,150.00 | | | | 11.90 | | | 1.83 | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | | USACP | 0.00 | 925.00 | 925.00 | | | | 11.90 | | | 1.83 | |
| ADDIT | TONAL NRCs | | | | | 1 | | | , | | | | | | | 1.50 | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way Telephone Numbers (except NC) | | | UEPPP | | PR7TF | | 0.5412 | | | | | 11.90 | | | 1.83 | |

Version 4Q02: 12/18/02 Page 71 of 416

| UNBUNDLED NETV | WORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|------------------|--|-------------|------|--------|--|---------|----------|------------|--------------|-------|--|---|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment: Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| 4145 5 | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | 44.00 | | | | |
| | d Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 12.71 | 12.71 | | | | 11.90 | | | 1.83 | |
| | DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - uent Inward Telephone Numbers | | | UEPPP | PR7ZT | | 25.42 | 25.42 | | | | 11.90 | | | 1.83 | |
| | ER PORTABILITY | | | UEPPP | PR/ZI | | 25.42 | 25.42 | | | | 11.90 | | | 1.03 | |
| | umber Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| | rovsioning Only) | | | OLITI | LIVI OIV | 1.73 | | | | | | | | | | |
| Voice/Da | | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Digital D | | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Inward D | | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | nal "B" Channel | | | | | 2.20 | 2.20 | 5.50 | | | | | | İ | İ | |
| | Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 20.00 | | | | | 11.90 | | İ | 1.83 | |
| | Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 20.00 | | | | | 11.90 | | İ | 1.83 | |
| | Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 20.00 | | | | | 11.90 | | | 1.83 | |
| CALL TYPES | | | | | 1 1 | | | | İ | | | | | İ | 1 | |
| Inward | | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Outward | b | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Two-way | | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | İ | İ | |
| Interoffice Char | nnel Mileage | | | | | | | | | | | | | | | |
| Fixed Ea | ach Including First Mile | | | UEPPP | 1LN1A | 88.6256 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | 1.93 | |
| Each Air | rline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.1856 | | | | | | | | | | |
| 4-WIRE DS1 DIG | GITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| UNE Port/Loop | Combination Rates | | | | | | | | | | | | | | | |
| 4W DS1 | Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 820.74 | | | | | | 11.90 | | | 1.83 | |
| 4W DS1 | Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 850.54 | | | | | | 11.90 | | | 1.83 | |
| 4W DS1 | Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 928.39 | | | | | | 11.90 | | | 1.83 | |
| UNE Loop Rate | | | | | | | | | | | | | | | | |
| 4-Wire D | DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 70.74 | | | | | | 11.90 | | | 1.83 | |
| 4-Wire D | DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 100.54 | | | | | | 11.90 | | | 1.83 | |
| 4-Wire D | DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 178.39 | | | | | | 11.90 | | | 1.83 | |
| UNE Port Rate | | | | | | | | | | | | | | | | |
| | ODITS Digital Trunk Port | | | UEPDC | UDD1T | 750.00 | 1,019.56 | 479.87 | 204.92 | 20.10 | | 11.90 | | | 1.83 | |
| | NG CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination I-As-Is Top 8 MSAs only | | | UEPDC | USAC4 | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| | OS1 Digital Loop / 4-Wire DDITS Trunk Port Combination rsion with DS1 Changes Top 8 MSAs only | | | UEPDC | USAWA | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| - Conver | DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination rsion with Change - Trunk Top 8 MSAs only | | | UEPDC | USAWB | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| Subsequ | DS1 Loop / 4-Wire DDITS Trunk Port - NRC - uent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| Channel | DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Il Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| Activatio | DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel on/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| Activatio | DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan on Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| Activatio | DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan on / Chan - 2-Way DID w User Trans RO SUBSTITUTION | | | UEPDC | UDTTE | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| | | | l . | UEPDC | CCOSF | | 0.00 | 655.00 | | | 1 | 11.00 | | - | 1.00 | 1 |
| | Superframe Format Extended Superframe Format | | | UEPDC | CCOSF | | 0.00 | 655.00 | | | 1 | 11.90 11.90 | | | 1.83 1.83 | |
| Alternate Mark | | | | UEPUC | CCUEF | | 0.00 | 655.00 | | | | 11.90 | | | 1.83 | |
| | perframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | perrame Format ktended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | - | - | |
| | nber/Trunk Group Establisment Charges | | | 02. 00 | 141001 0 | | 0.00 | 0.00 | | | 1 | | | | | |

Version 4Q02: 12/18/02 Page 72 of 416

| RONDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachr | nent: 2 | Exhi | bit: B |
|----------|---|-------------|----------|--------------------|-----------------|--------------------|--------|------------|--------------|-------|-------|----------------|--|--|--|--|
| regory | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Incremer Charge Manual S Order v |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electron Disc Ad |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMA |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | UEPDC | ND7 | 0.00 | 0.00 | 0.00 | | | | 44.00 | | | 4.00 | |
| _ | of 20 DID Numbers DID Numbers for each Group of 20 DID Numbers | | - | UEPDC | NDZ ND4 | 0.00 | 0.00 | 0.00 | | | | 11.90 11.90 | | | 1.83 1.83 | |
| - | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| Dedica | ated DS1 (Interoffice Channel Mileage) - | | | 02. 20 | | 0.00 | 0.00 | 0.00 | | | | 11.00 | | | | |
| | O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | 1.83 | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.1856 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 0.1856 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.1856 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | |
| 4 14/15/ | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | E DS1 LOOP WITH CHANNELIZATION WITH PORT nis 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | votions | | | | | | | | | | | | | | |
| | em can have various rate combinations based on type and nur | | | usad | | | | | | | | | | | | |
| | S1 Loop | 11001 01 | porto | I | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 70.74 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 100.54 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 178.39 | 0.00 | 0.00 | | | | | | | | |
| UNE D | SO Channelization Capacities (D4 Channel Bank Configuration | าร) | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 118.06 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 236.12 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| _ | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 472.24 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | <u> </u> |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 708.36 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| - | 192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s | | - | UEPMG UEPMG | VUM19 VUM20 | 944.48 1.180.60 | 0.00 | 0.00 | | | | 11.90 11.90 | | | 1.83 1.83 | |
| - | 288 DS0 Channel Capacity - 1 per 10 DS1s | - | | UEPMG | VUM28 | 1,416.72 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| - | 384 DS0 Channel Capacity - 1 per 12 DS1s | - | | UEPMG | VUM38 | 1,888.96 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 480 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM40 | 2,361.20 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,833.44 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,305,68 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| Non-Re | ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with | Chan | neliztio | n with Port - Conv | ersion Charge | Based on a Sys | stem | | | | | | | | | |
| A Mini | mum System configuration is One (1) DS1, One (1) D4 Channel | l Bank, | and U | o To 24 DSO Ports | with Feature A | Activations. | | | | | | | | | | |
| Multip | les of this configuration functioning as one are considered Ad NRC - Conversion (Currently Combined) with or without | ld'I afte | r the m | ninimum system co | onfiguration is | counted. | | | | | | | | | | |
| Systen | BellSouth Allowed Changes - Top 8 MSAs Only n Additions Where Currently Combined and New (Not Currentl | y Comb | ined) | UEPMG | USAC4 | 0.00 | 450.00 | 50.00 | | | | 11.90 | | | | |
| In Den | sity Zone 1 Top 8 MSAs 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | | | | | | |
| Bipola | Fea Activation - r 8 Zero Substitution | | | UEPMG | VUMD4 | 0.00 | 950.00 | 600.00 | 200.00 | 30.00 | | 11.90 | | | | |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | | | |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | | | |

Version 4Q02: 12/18/02 Page 73 of 416

| | D NETWORK ELEMENTS - Florida | | | ı | 1 | | | | | | | | Attachn | | | oit: B |
|------------------|--|-------------|---|---|---|--|---------------|-----------------|------------------|----------------|------------|----------------|---|--|---------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001411 | | Rates (\$) | 201141 | 001441 |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | First 0.00 | Add'I 0.00 | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Exchan | nge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | OLI WO | WOOT O | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | nge Ports | <u> </u> | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | Live Cite to an I Cot of the collection I BDV Territ Book with a CBIB. | | | UEPPX | LIEDAY | 44.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 44.00 | | | 4.00 | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEP1X UEPDM | 14.00 55.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 11.90 | | | 1.83 1.83 | |
| | e Activations - Unbundled Loop Concentration | | | UEPPX | UEPDIVI | 55.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| reature | Feature (Service) Activation for each Line Port Terminated in D4 | 1 | 1 | | + | | | | | | | | | | | |
| | Bank | | l | UEPPX | 1PQWM | 0.66 | 40.00 | 20.00 | 6.00 | 5.00 | | 11.90 | | | 1.83 | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| | D4 Bank | | | UEPPX | 1PQWU | 0.66 | 110.00 | 30.00 | 65.00 | 20.00 | | 11.90 | | | 1.83 | |
| Teleph | one Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers | | | UEPPX | ND5 ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 11.90 | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Number Portability | | | OLITA | INDV | 0.00 | 0.00 | 0.00 | | | | 11.50 | | | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | RES - Vertical and Optional | | | - | | | | | | | | | | | | |
| Local S | Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: | | | | | | | | | | | | | | | |
| | Based Rates are applied where BellSouth is required by FCC | | | | | | | | | | | | | | | |
| | ures shall apply to the Unbundled Port/Loop Combination - C | | | | | | | | | | | oin Bort/Lo | on Combinati | <u> </u> | | |
| | Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co | | | | | | | | | | | | | | Additional ND | Commi |
| | ilso and are categorized accordingly. | unenny | COIIID | inea Combos. For | Currently Co | ilibilied Collibo | s, the nomecu | illing cliarges | Silali be tilose | identined in t | ie Nomecui | illig - Cuire | intry Combine | d sections. | Auditional No | CS IIIay |
| | ket Rates for Unbundled Centrex Port/Loop Combination will | be nego | | | | | | | | | | | | | | • |
| | CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only | | otiated | | ise Basis, uni | il further notice | a. I | | | | | | | | l | |
| | |) | tiated | on an Individual Ca | ase Basis, un | il further notice | э. | | | | | | | | | |
| 2-Wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo |) | otiated | on an individual Ca | ase Basis, un | il further notice | 9. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) |) | otiated | on an individual Ca | ase Basis, un | il further notice | 9. | | | | | | | | | , |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- |) | | | ase Basis, un | | 9. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design |) | otiated | UEP91 | ase Basis, un | il further notice | Э. | | | | | | | | | , |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- |) | 1 | UEP91 | ase Basis, un | 10.94 | Э. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design |) | | | se Basis, uni | | э. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo- nth-Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- |) | 1 2 | UEP91 | se Basis, uni | 10.94 | э. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design |) | 1 | UEP91 | se Basis, uni | 10.94 | 9. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo- nth-Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- | | 1 2 | UEP91 | se Basis, uni | 10.94 | 3. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) | | 1 2 | UEP91 | se Basis, uni | 10.94 | 9. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo- orth-Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- | | 1 2 3 | UEP91 UEP91 UEP91 | se Basis, uni | 10.94 15.05 25.80 | 9. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo "Online Voice Grade Port (Centrex) Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design | | 1 2 3 | UEP91 UEP91 UEP91 | se Basis, uni | 10.94 15.05 25.80 | 9. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combondation Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 7-VLoop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design | | 1 2 3 | UEP91 UEP91 UEP91 UEP91 | se Basis, uni | 10.94 15.05 25.80 13.41 18.57 | 9. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design | | 1 2 3 | UEP91 UEP91 UEP91 | se Basis, uni | 10.94 15.05 25.80 | 9. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design | | 1 2 3 | UEP91 UEP91 UEP91 UEP91 UEP91 | | 10.94 15.05 25.80 13.41 18.57 32.04 | 9. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combondation Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design | | 1 2 3 1 2 3 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 | 10.94 15.05 25.80 13.41 18.57 32.04 | 9. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 1 2 3 1 2 3 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 | 10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 | 9. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 1 2 3 1 2 3 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 | 10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 | 9. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 1 2 3 1 2 3 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 | 10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 | 9. | | | | | | | | | |
| 2-Wire UNE Po | VG Loop/2-Wire Voice Grade Port (Centrex) Combondation Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 1 2 3 1 1 2 3 1 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 | 10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 | 9. | | | | | | | | | |
| UNE PC | VG Loop/2-Wire Voice Grade Port (Centrex) Combo prt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design prt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 1 2 3 1 2 3 1 1 2 2 3 1 2 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 | 10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 | 9. | | | | | | | | | |

Version 4Q02: 12/18/02 Page 74 of 416

| NRONDE | ED NETWORK ELEMENTS - Florida | | | 1 | | | | | | | T - | _ | | ment: 2 | | bit: B |
|----------|---|-------------|------|----------------|----------------|--------|--------|------------|--------------|-------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP91 | UEPYB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP91 | UEPYH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP91 | UEPYZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP91 | UEPY9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP91 | UEPY2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | - | | | |
| Georg | gia and Florida Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPHA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPHB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPHH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP91 | UEPHM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP91 | UEPHZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPH9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPH2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| Local | Switching Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.7384 | | | | | | | | | | |
| l ocal | Number Portability | | | UEP91 | UKECS | 0.7364 | | | | | | | | | | |
| Looui | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| Featu | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP91 | UEPVF | 2.26 | | | | | | 11.90 | | | | |
| | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 2.26 | | | | | | 11.90 | | | | |
| NARS | | | | LIEDOA | LIADOV | 0.00 | 0.00 | 0.00 | | | | 44.00 | | | | |
| | Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial | | | UEP91 UEP91 | UARCX UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 11.90 | | | | |
| | Unbundled Network Access Register - Indiai Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| Misce | Illaneous Terminations | | | OLF91 | UARUX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | e Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.73 | | | | | | | | | | |
| Intero | ffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 25.32 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.0091 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Servic nannel Bank Feature Activations | е | | | | | | | | | | | | | | |
| D4 CI | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP91 | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP91 | 1PQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP91 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.66 | | | | | | | | | | |
| Non-F | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | 1 | | | | ļļ | | | | | | ļ | <u> </u> |
| | Conversion - Currently Combined Switch-As-Is with allowed changes, per port | | | UEP91 | USAC2 | | 21.50 | 8.42 | | | | 11.90 | | | | |

Version 4Q02: 12/18/02 Page 75 of 416

| <u>Unbu</u> ndlei | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-------------------|---|-------------|------|--------|---------|--------|--------|------------|--|-------|--|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | |
| | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 71.31 | | | | | 11.90 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| | CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE Po | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP95 | | 10.94 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 2 | UEP95 | | 15.05 | | | | | | | | | | <u> </u> |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP95 | | 25.80 | | | | | | | <u></u> | <u></u> | <u></u> | <u> </u> |
| UNE Po | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP95 | | 13.41 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 2 | UEP95 | | 18.57 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP95 | | 32.04 | | | | | | | | | | |
| UNE Lo | pop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 9.77 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 13.88 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 24.63 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 12.24 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 17.40 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 30.87 | | | | | | | | | | 1 |
| UNE Po | ort Rate | | | | | | | | | | | | | | | 1 |
| All Stat | | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | 1 |
| | Area | | | UEP95 | UEPYH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | 1 - 1 | | | | | | | | | | | 1 |
| | - Basic Local Area | | | UEP95 | UEPY9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | I |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | 1 1 | , | 00.01 | 20.70 | 250 | 0.07 | | | | | | 1 |
| | Basic Local Area | | | UEP95 | UEPY2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | 1 |
| AL. KY | , LA, MS, SC, & TN Only | | | | 1 · · - | , | 00.01 | 20.70 | 250 | 0.07 | | | 1 | 1 | 1 | |
| FL & G | | | | | 1 1 | | | | | | | | 1 | 1 | 1 | |
| 1.2.0 | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPHA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | 1 | 1 | 1 | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPHB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPHH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | 1 | 11.90 | | | | <u> </u> |
| <u> </u> | 2-Wire Voice Grade Port (Centrex With Galler 18)1 | | | | 1 1 | | 00.01 | 20.70 | 250 | 0.07 | | | 1 | 1 | 1 | |
| | Center)2 | | | UEP95 | UEPHM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | I |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | 1 |
| | Term | | | UEP95 | UEPHZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | 1 |
| <u> </u> | | | | 00 | J | 1.17 | 100.40 | 33.70 | 55.71 | 10.01 | | 11.50 | 1 | 1 | 1 | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPH9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | 1 |
| | 2-Wire Voice Grade Port Terminated in 61 Weganink of equivalent | | | UEP95 | UEPH2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | + |
| l ocal 9 | Switching | | | 02.00 | SEI 112 | 1.17 | 55.51 | 20.40 | 27.50 | 0.07 | | 11.30 | | | | + |
| Local S | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7384 | | | | | - | | | | | + |
| I ocal N | Number Portability | | | OL1 30 | DIVEOR | 0.7304 | | | | | - | | | | | + |
| | | | | UEP95 | LNPCC | | | | | | | . | | | | + |
| | Local Number Portability (1 per port) | | | | | 0.35 | | | | | | | | | | |

| UNB | UNDLE | NETWORK ELEMENTS - Florida | | | • | | | | | | | Ι | T - | | ment: 2 | | bit: B |
|--|----------|--|-------------|--------------|----------------|----------------|--------|--------|------------|--------------|------------|--|---|-------------------------------------|--|-------------------------|--|
| ATE | GORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Order vs. | Charge - Manual Sv Order vs. |
| | | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic Disc Add |
| | 1 | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | l . | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | All Standard Features Offered, per port | | | UEP95 | UEPVF | 2.26 | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 2.26 | | | | | | | | | | 1 |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | aneous Terminations | | | | | | | | | | | | | | | |
| | | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.73 | | | | | | | | | | |
| | | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 54.95 | | | | | | | | | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 15.69 | | | | | 11.90 | | | | |
| | Interoff | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 25.32 | | | | | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0091 | | | | | | | | | | |
| | Feature | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| | D4 Cha | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | 1 |
| | | Slot | | | UEP95 | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.66 | | | | | | | | | | |
| | Non-Re | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | LIEDOE | 110400 | 0.00 | 24.50 | 0.40 | | | | 44.00 | | | | |
| | - | changes, per port Conversion of Existing Centrex Common Block, each | | | UEP95 UEP95 | USAC2 USACN | 0.00 | 21.50 | 8.42 | | | | 11.90 | | | | |
| | | | | | | | 0.00 | 5.17 | 8.32 | | | | 11.90 | | | | |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | - | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | LINE D | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| | | CENTREX - DMS100 (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | | | | | + | | | | | | | | | | | |
| | | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | + |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | | 10.94 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 15.05 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | | 25.80 | | | | | | | | | | |
| | LINE D | non-Design ort/Loop Combination Rates (Design) | | 3 | UEP9D | + | 25.80 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 1 | | + | | | | | | | | | | | + |
| | | Design | | 1 | UEP9D | | 13.41 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 18.57 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 32.04 | | | | | | | | | | |
| | | pop Rate | | ٽ | | + | 02.04 | | | | | 1 | | | | <u> </u> | |
| - | 3.12 20 | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 9.77 | | | | | | | | | | |
| | 1 | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | - | | UEP9D | UECS1 | 13.88 | | | 1 | | | | | | 1 | + |
| | + | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 24.63 | | | 1 | | 1 | | | | 1 | + |
| | 1 | 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 12.24 | | | 1 | | 1 | 1 | | 1 | 1 | + |
| | 1 | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | | UEP9D | UECS2 | 17.40 | | | ł | | ļ | | | | l | 4 |

Version 4Q02: 12/18/02

| CATEGORY | | | | I | 1 | | | | | | Syc Order | Svc Order | Incremental | Incremental | Incremental | |
|----------|--|-------------|------|----------------|----------------|--------------|----------------|----------------|----------------|--------------|-----------|----------------------------------|---|---|--|---|
| | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 30.87 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNE Po | | | 3 | UEF9D | UEUSZ | 30.67 | | | | | | | | | | |
| ALL ST | | | | | | | | | | | | | | | | — |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | UEP9D | UEPYF | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | UEP9D | UEPYG | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | UEP9D | UEPYT | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| I | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | UEP9D | UEPY4 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| I | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | UEP9D | UEPY7 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| - | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| FL & GA | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D UEP9D | UEPHA UEPHB | 1.17 1.17 | 53.31 53.31 | 26.46 26.46 | 27.50 27.50 | 8.37 8.37 | | 11.90 11.90 | | | | |

| JNBUNDLED | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|-----------|---|-------------|--|----------------|--------|--------|--------|------------|--------------|------------|--|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| 1 | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | <u> </u> |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPHC | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPHD | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPHE | 1.17 | 53.31 | 26.46 | | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPHF | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPHG | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPHT | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPHU | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPHV | 1.17 | 53.31 | 26.46 | | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPH3 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPHH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | - | | | | |
| | Indication)3 | 1 | 1 | UEP9D | UEPHW | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | Ì | | 1 |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPHJ | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| j | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2 | | | UEP9D | UEPHM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPHO | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPHP | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPHQ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPHR | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPHS | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPH4 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPH5 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPH6 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPH7 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9D | UEPHZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPH9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | <u> </u> | UEP9D | UEPH2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | witching | | <u> </u> | UEP9D | URECS | 0.7384 | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.7384 | | | | | | | | | | |
| | lumber Portability | | | UEP9D | LNPCC | 0.35 | | | | | 1 | | | | | |
| | Local Number Portability (1 per port) | - | | UEP9D | LINPUU | 0.35 | | | 1 | | | | | - | | |
| Feature | All Standard Features Offered, per port | | - | UEP9D | UEPVF | 2.26 | | | - | | | | - | | - | |
| | All Select Features Offered, per port | - | | UEP9D UEP9D | UEPVF | 0.00 | 370.70 | | 1 | | | 11.90 | | - | | |
| | All Centrex Control Features Offered, per port | - | | UEP9D | UEPVS | 2.26 | 310.10 | | | | } | 11.90 | 1 | 1 | 1 | |
| NARS | 7 al Control Control i catales Oncieu, pei port | | 1 | 0L1 3D | 3L1 VO | 2.20 | | | | | 1 | 1 | 1 | 1 | 1 | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | 1 | | 1 | 11.90 | 1 | 1 | 1 | |
| | Unbundled Network Access Register - Inward | - | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Undurated | - | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | 1 | 11.90 | | | | |
| | aneous Terminations | | 1 | | 3 | 0.00 | 0.00 | 0.00 | | | 1 | 11.50 | | | | — |
| | Trunk Side | | 1 | | 1 1 | | | | | | | | 1 | 1 | 1 | |
| | Trunk Side Terminations, each | | † | UEP9D | CEND6 | 8.73 | | | | | | | | 1 | | |
| | Digital (1.544 Megabits) | | | | 1 | 2.70 | | | | | | | | İ | | |
| | DS1 Circuit Terminations, each | | † | UEP9D | M1HD1 | 54.95 | | | | | | | | 1 | | |
| | DS0 Channels Activiated per Channel | | 1 | UEP9D | M1HDO | 0.00 | 15.69 | | | | | 11.90 | İ | İ | İ | |
| | ice Channel Mileage - 2-Wire | | 1 | | 1 1 | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 25.32 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0091 | | | | | | | | | | |
| Feature | Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |
| | nnel Bank Feature Activations | | | | 1 | | | | | | | | 1 | İ | l | |

| UNB | SUNDLE | D NETWORK ELEMENTS - Florida | , | | | | 1 | | | | | | | | ment: 2 | | bit: B |
|-----|---------|--|-------------|----------|--------|---------|-------|--------|------------|--------------|-------|--|---|--|--|--|--|
| ATE | EGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | T |
| | | Frature Astination on D.4 Channel Book Contract Lane Clat | | | UEP9D | 1PQWS | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | IPQWS | 0.66 | | | | | 1 | | | - | - | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | OLI OD | ii qwo | 0.00 | | | | | | | | | | |
| | | Slot | | | UEP9D | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP9D | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | 4501111 | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP9D | 1PQWQ | 0.66 | | | | | | | | | | |
| | 1 | Feature Activation on D-4 Channel Bank WATS Loop Slot | | 1 | UEP9D | 1PQWQ | 0.66 | | | | | | | | + | | |
| | Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | ~**** | 0.00 | | | † | | | | | † | † | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | 1 | | | | | | | | | | | | |
| | | changes, per port | | | UEP9D | USAC2 | | 21.50 | 8.42 | | | | 11.90 | | | | |
| | | Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | |
| | | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | LINE D | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| | | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) | | | | | | | | | | 1 | | | - | - | |
| | ONLF | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 1 | UEP9E | | 10.94 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | 1 | İ |
| | | Non-Design | | 2 | UEP9E | | 15.05 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | 1 |
| | | Non-Design | | 3 | UEP9E | | 25.80 | | | | | | | | | | |
| | UNE P | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | ł | | | | | | | | | | | | | | |
| | | Design | | 1 | UEP9E | | 13.41 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | LIEBOE | | 40.57 | | | | | | | | | | |
| | _ | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP9E | | 18.57 | | | | | | | | | - | |
| | | Design | | 3 | UEP9E | | 32.04 | | | | | | | | | | |
| | UNFI | oop Rate | | 3 | OLFBL | | 32.04 | | | | | | | | | | |
| | OIVE E | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 9.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 13.88 | | | | | | | | | 1 | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 24.63 | | | | | İ., | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 12.24 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 17.40 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 30.87 | | | | | | | | | | |
| | | ort Rate | | | | | | | | | | | | | | | |
| | AL, FL | , KY, LA, MS, & TN only | | | LIEDOE | LIEDVA | 4.47 | 50.04 | 20, 40 | 07.50 | 0.07 | | 44.00 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | UEP9E | UEPYA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | 1 | 11.90 | | - | - | + |
| | | Area | | | UEP9E | UEPYB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | 02.10 | 1.17 | 00.01 | 2010 | 27.50 | 0.07 | | 11.50 | | † | † | |
| | 1 | Area | l | | UEP9E | UEPYH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | 1 | 1 | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 Basic Local Area | | | UEP9E | UEPYM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | ļ | 11.90 | | | | ļ |
| _ | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | l | 1 | | | | | | | | | | _ | |
| | _ | Term - Basic Local Area | | | UEP9E | UEPYZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | 1 | 1 | ļ |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | LIEDOE | LIEDYO | | 50.01 | 00.40 | 07.50 | 0.6- | | 44.00 | | I | | |
| | - | - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - | | - | UEP9E | UEPY9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 1 | Basic Local Area | l | | UEP9E | UEPY2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | 1 | 1 | |
| | Florida | | | <u> </u> | OL1 3L | JLI 12 | 1.17 | 55.51 | 20.40 | 21.30 | 0.37 | | 11.30 | | | | |
| | 0 | 2-Wire Voice Grade Port (Centrex) | - | I | UEP9E | UEPHA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | t | t | |

| NDUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | Exhi | bit: B |
|---------|---|-------------|---------|-------------------|----------------|----------------|----------------|--------------|--------------|-------|----------|----------------|---|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | 10 Mg 1/1 | | | LIEBAE | LIEBUB | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPHB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | + |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP9E | UEPHH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | 1 | 11.90 | | | | |
| | Center)2 | | | UEP9E | UEPHM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLI SL | OLITIM | 1.17 | 100.40 | 00.10 | 05.41 | 13.01 | | 11.30 | | | | + |
| | Term | | | UEP9E | UEPHZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPH9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPH2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.7384 | | · | | | | | | | | |
| Local | Number Portability | | | L | | | | | | | | | | | | 1 |
| | Local Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| Featur | | | | LIEDOE | LIED: /E | | | | | | <u> </u> | | | | ļ | |
| | All Standard Features Offered, per port | | | UEP9E | UEPVF | 2.26 | 070.70 | | | | | 44.00 | | | 1 | |
| - | All Select Features Offered, per port All Centrex Control Features Offered, per port | 1 | | UEP9E UEP9E | UEPVS UEPVC | 0.00 2.26 | 370.70 | | | | 1 | 11.90 | | | 1 | + |
| NARS | | | | UEP9E | UEPVC | 2.20 | | | - | | | | | | | |
| INANG | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | 1 | 11.90 | | | | + |
| | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | 1 | 11.90 | | | | + |
| | Unbundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | † |
| Misce | laneous Terminations | | | OLI OL | O/ II (O/) | 0.00 | 0.00 | 0.00 | | | | 11.50 | | | | |
| | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.73 | | | | | | | | | | † |
| 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | 1 |
| | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 54.95 | | | | | | | | | | |
| | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 15.69 | | | | | 11.90 | | | | |
| Intero | ffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 25.32 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.0091 | | | | | | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 Ch | annel Bank Feature Activations | | | LIEDOE | 400140 | 0.00 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.66 | | | | | 1 | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | OLI 3L | II QWO | 0.00 | | | | | | | | | | 1 |
| | Slot | | | UEP9E | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | 0.00 | | | | | | | | | | † |
| | Different Wire Center | | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | · | | | | | | |
| | Slot | | | UEP9E | 1PQWQ | 0.66 | | | | | <u> </u> | | | | | 1 |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.66 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | LIEDOE | LICACO | | 21.50 | 0.40 | | | | 11.00 | | 1 | | |
| _ | changes, per port Conversion of Existing Centrex Common Block, each | | - | UEP9E UEP9E | USAC2 USACN | | 21.50 5.17 | 8.42 8.32 | | | - | 11.90 11.90 | | | - | + |
| | New Centrex Standard Common Block | - | | UEP9E | M1ACS | 0.00 | 618.82 | 0.32 | + | | } | 11.90 | | 1 | | + |
| | New Centrex Standard Common Block | | | UEP9E | M1ACC | 0.00 | 618.82 | | 1 | | | 11.90 | | | + | + |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 66.48 | | - | | 1 | 11.90 | | | 1 | |
| Note 1 | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | V <u>-</u> | 3.1.2071 | 3.00 | 33.40 | | İ | | | 50 | | | | † |
| | 2 - Requres Interoffice Channel Mileage | | | | | | | | İ | | | | | İ | | † |
| Note 3 | - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| BUNDLED | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | |
| 1. Mar | ket Rates are applied where BellSouth is not required by FCC | | | | | ndled Local Sv | vitching or Sw | itch Ports. | | | | | | | | |
| | urring Charges for all Standard Centrex and Centrex Conrol Fe | 20411200 | are Inc | luded in the Mark | ot Pato | | | | | | 1 | | | | 1 | 1 |

| UNB | UNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 2 | Exhil | bit: B |
|----------|----------|--|----------|----------|------------------|--------------|--------------|-----------------|------------------|-----------------------|---------------------|-------------------|-----------------------|--|--|---------------------------------------|--|
| | GORY | RATE ELEMENTS | Interi | 70 | DCC. | USOC | | | DATES (A) | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incrementa Charge - Manual Svo |
| CATE | GUKY | KAIE ELEMENIS | m | Zone | BCS | USUC | | | RATES (\$) | | | per LSR | per LSR | Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Order vs. Electronic- Disc 1st | Order vs. Electronic- Disc Add'l |
| <u> </u> | 1 | | | | | 1 | Rec | Nonred First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN |
| | 4 Tho | l first and additional Port nonrecurring charges apply to Not Cા | rrontly | Cambi | inad Cambaa Ear | Currently Co | mhined Comba | | | | | | | | | | |
| | | ilso and are categorized accordingly. | urrentiy | Comb | inea Combos. For | Currently Co | mbined Combo | os, the nomect | urring charges | s snan be mose | identified in t | ne Nonrecu | ring - Curr | entry Combin | eu sections. | Additional NR | CS IIIay |
| | | CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only |) | | | | | | | | | | | | | | |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | | | | | | | | | | | | | | |
| | | Non-Design | | 1 | UEP91 | | 26.94 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP91 | | 31.06 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | UEP91 | | 31.06 | | | | | | | | | | |
| | | Non-Design | | 3 | UEP91 | | 45.87 | | | | | | | | | | |
| | UNE P | ort/Loop Combination Rates (Design) | | Ť | | † | .5.57 | | | 1 | | | | 1 | 1 | | |
| | 1 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 1 | UEP91 | | 29.36 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | 1 | Design (2.14) A Company (2.14) Design | | 2 | UEP91 | 1 | 34.43 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | LIEDOA | | 50.00 | | | | | | | | | | |
| | LINE | Design pop Rate | | 3 | UEP91 | + | 50.68 | | | - | | 1 | - | | - | | |
| | UNE LO | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 12.94 | | | | | | | | | | - |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 17.06 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | 31.87 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 15.36 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 20.43 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 36.68 | | | | | | | | | | |
| | UNE Po | | | | | | | | | | | | | | | | |
| | All Sta | tes (Except North Carolina and Sout Carolina) | | | LIEDOA | LIEDVA | 44.00 | 70.00 | 05.00 | 05.00 | 40.00 | | 44.00 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | UEP91 | UEPYA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | | Area | | | UEP91 | UEPYB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | UEP91 | UEPYH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | | Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEF91 | UEPTH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | | Center)2 Basic Local Area | | | UEP91 | UEPYM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | 02. 0. | 02 | 1 1.00 | 100.00 | 110.00 | 00.00 | 20.00 | | 11.00 | | | | |
| | | Term - Basic Local Area | L | L | UEP91 | UEPYZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | <u></u> | <u> </u> | | <u> </u> |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | | - Basic Local Area | | | UEP91 | UEPY9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | ļ | 11.90 | ļ | ļ | | <u> </u> |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | LIEDO4 | LIEDVO | 44.00 | 70.00 | 05.00 | 05.00 | 40.00 | | 44.00 | | | | |
| | Georgi | Basic Local Area a and Florida Only | | - | UEP91 | UEPY2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | 1 | 11.90 | | | | |
| | Georgi | 2-Wire Voice Grade Port (Centrex) | | - | UEP91 | UEPHA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | - | 11.90 | | | | |
| | 1 | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | - | UEP91 | UEPHB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | 1 | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPHH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | İ | İ | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 | | | UEP91 | UEPHM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP91 | UEPHZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | | | | | | | | | | | | | 1 | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPH9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | ļ | ļ | | |
| | 1 | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPH2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | <u> </u> | 11.90 | | | | |
| | Local S | Switching Centrex Intercom Funtionality, per port | | - | UEP91 | URECS | 0.7384 | | | | | - | - | | | | |
| | I ocal N | Number Portability | | - | OFLAI | UKEUS | 0.7384 | | | 1 | | 1 | 1 | 1 | 1 | | |
| | Local | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | † | | 1 | | | | | |
| | Feature | | | | | | 5.00 | | | | | | | 1 | 1 | | |
| | | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | 11.90 | | | | |
| | | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | | | | | | 11.90 | | | | |

Version 4Q02: 12/18/02 Page 82 of 416

| ONRONDE | ED NETWORK ELEMENTS - Florida | | | 1 | | | | | | | 1 - | | | ment: 2 | | oit: B |
|----------|--|-------------|----------|--------|---------|--------|--------|------------|--------------|------------|-------|---|---|---|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| NARS | 6 | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| Misce | ellaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wir | e Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.81 | | | | | | | | | | |
| Interd | office Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 25.32 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.0091 | | | | | | | | | | |
| Featu | ire Activations (DS0) Centrex Loops on Channelized DS1 Service | :e | | | | | | | | | | | | | | |
| | nannel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.66 | | | | | | | | İ | İ | İ |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | 1 | | UEP91 | 1PQW6 | 0.66 | | | | | | | | l | I | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP91 | 1PQW7 | 0.66 | | | | | | | | | | |
| + | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | 02. 0. | | 0.00 | | | | | | | | | | |
| | Different Wire Center | | | UEP91 | 1PQWP | 0.66 | | | | | | | | | | |
| | Zindrani Triid Cantai | | | 02.0. | | 0.00 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tilvate Line Loop Slot | | | OLI 31 | II QVVV | 0.00 | | | | | | | | | | |
| | Slot | | | UEP91 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.66 | | | | | | | | | | |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | OLI 31 | II QWA | 0.00 | | | | | | | | | | |
| NOII- | Conversion - Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP91 | USAC2 | | 21.50 | 8.42 | | | | 11.90 | | | | |
| | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | |
| | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 618.82 | 0.02 | | | | 11.90 | | | | |
| | New Centrex Standard Common Block | | | UEP91 | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 71.31 | | | | | 11.90 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| LINE | P CENTREX - 5ESS (Valid in All States) | | - | UEF91 | UKECA | 0.00 | 00.40 | | | | | 11.90 | | | | |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | - | | | | | | | | | | | | | |
| | | | - | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) | | - | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | | LIEBOE | | 00.04 | | | | | | | | | | |
| | Non-Design | | 1 | UEP95 | | 26.94 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | l | 2 | LIEDOE | | 24.00 | | | | | | | | | | |
| | Non-Design | 1 | - 2 | UEP95 | + + | 31.06 | | | | | 1 | | | 1 | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | l | | LIEDOS | | 45.65 | | | | | | | | | | |
| | Non-Design | | 3 | UEP95 | | 45.87 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | | | | | | | | | | | | | | |
| | Design | | 1 | UEP95 | | 29.36 | | | | | | | | | | |
| 1 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | _ | | 1 | | | | | | | | | l | I | |
| | Design Control of the | | 2 | UEP95 | | 34.43 | | | | | ļ | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | l | _ | l | | | | | | | | | | | | |
| | Design | | 3 | UEP95 | \perp | 50.68 | | | | | ļ | | | ļ | . | |
| UNE | Loop Rate | | <u> </u> | L | 1 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 12.94 | | | | | ļ | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 17.06 | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 31.87 | | | | | ļ | | | ļ | . | ļ |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | ļ | 1 | UEP95 | UECS2 | 15.36 | | | | | | | | | ļ | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | <u> </u> | 2 | UEP95 | UECS2 | 20.43 | | | | | | | | | | L |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | ļ | 3 | UEP95 | UECS2 | 36.68 | | | | | | | | | ļ | L |
| | Port Rate | ļ | | ļ | 1 | ļ | | | | | | | | | ļ | |
| All St | | | | | | | | | | | | | | ļ | | l |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |

Version 4Q02: 12/18/02 Page 83 of 416

| <u> </u> | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|---|-------------|------|--------|----------|--------|--------|------------|----------------|-------|--|--------------|--|-------------------------------------|-------------------------|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Order vs. | Increment Charge - Manual Sv Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | LIEDOE | LIEDVILI | 44.00 | 70.00 | 05.00 | 05.00 | 40.00 | | 44.00 | | | | |
| | Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP95 | UEPYH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| - | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLI 30 | OLI IIVI | 14.00 | 100.00 | 110.00 | 00.00 | 20.00 | | 11.00 | | | | |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP95 | UEPY9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP95 | UEPY2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | Y, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| FL & | GA Only | | | UEP95 | UEPHA | 14.00 | 70.00 | 35.00 | 25.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPHA | 14.00 | 70.00 | 35.00 | 35.00 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPHH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | ULF 93 | OLFIIII | 14.00 | 70.00 | 33.00 | 33.00 | 10.00 | | 11.90 | | | | |
| | Center)2 | | | UEP95 | UEPHM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | 02. 00 | 02 | | 100.00 | 1.0.00 | 55.55 | 20.00 | | 11.00 | | | | |
| | Term | | | UEP95 | UEPHZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPH9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPH2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7384 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Featu | | | | UEP95 | UEPVF | 0.00 | | | | | | | | | | |
| | All Standard Features Offered, per port All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | 370.70 | | | | | 11.90 | | | | |
| NARS | | | | OLI 95 | OLI VO | 0.00 | | | | | | | | | | |
| TUPLITO | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| Misce | Illaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | e Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.81 | | | | | | | | | | |
| 4-Wire | e Digital (1.544 Megabits) | | | LIEDOE | MALIE: | = | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 54.95 | 45.00 | | | | | 44.00 | | | 1 | |
| Intere | DS0 Channels Activated, each office Channel Mileage - 2-Wire | | | UEP95 | M1HDO | 0.00 | 15.69 | | | | | 11.90 | | | - | - |
| intero | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 25.32 | | | | | | | | 1 | 1 | 1 |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0091 | | | | | | | | 1 | 1 | |
| Featu | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | 02. 00 | | 0.0001 | | | | | | | | | 1 | |
| | nannel Bank Feature Activations | | | | 1 | | | | | | | | | İ | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | 1 | | | | | |
| | Slot | | | UEP95 | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | LIEBOE | 4001115 | | | | | | 1 | | | | | |
| _ | Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | | | | | | |
| | Footure Activation on D.4 Channel Bank Brigate Line Land Clat | | | LIEDOS | 1PQWV | 0.66 | | | | | 1 | | | | | |
| -+ | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP95 | IFUVVV | 0.00 | | | | | - | | | - | | |
| | Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.66 | | | | | l | | | | <u> </u> | † |
| | Recurring Charges (NRC) Associated with UNE-P Centrex | | - | | ~,,,, | 0.00 | | | | | | | | | 1 | 1 |

Version 4Q02: 12/18/02 Page 84 of 416

| <u>JNBU</u> NDLI | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|------------------|---|--|------|----------------|----------------|-------|----------------|------------|--------------|-------|--|----------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | LIEBOE | 110400 | 0.00 | 04.50 | 0.40 | | | | 44.00 | | | | |
| | changes, per port | | | UEP95 UEP95 | USAC2 | 0.00 | 21.50 | 8.42 | | | | 11.90 | | | | |
| | Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block | | | UEP95 UEP95 | USACN M1ACS | 0.00 | 5.17 618.82 | 8.32 | | | | 11.90 11.90 | | | | |
| | New Centrex Standard Common Block New Centrex Customized Common Block | | | UEP95 UEP95 | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| - | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| UNF-I | P CENTREX - DMS100 (Valid in All States) | | | OLF 93 | UNLUA | 0.00 | 00.40 | | | | | 11.90 | | | | |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | - | | | | | | | | | | | |
| | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| 0.1 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | 1 | 1 | UEP9D | | 26.94 | | | | | | | | | 1 | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | - | | | | | | | | | | İ | | |
| | Non-Design | 1 | 2 | UEP9D | | 31.06 | | | | | | | | | 1 | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP9D | | 45.87 | | | | | | | | | | |
| UNE I | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP9D | | 29.36 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 2 | UEP9D | | 34.43 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP9D | | 50.68 | | | | | | | | | | |
| UNE I | Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 12.94 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 17.06 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 31.87 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 15.36 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 20.43 | | | | | | | | | | |
| IINE I | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 36.68 | | | | | | | | | | |
| | Port Rate STATES | | | | - | | | | | | | | | | | - |
| ALL | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 14.00 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | OLFBD | OLFTA | 14.00 | | | | | | 11.90 | | | | |
| | Area | | | UEP9D | UEPYB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | OLI OD | OLI ID | 14.00 | 70.00 | 00.00 | 00.00 | 10.00 | | 11.50 | | | | |
| | Area | | | UEP9D | UEPYC | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | OLI OD | OLI 10 | 14.00 | 70.00 | 00.00 | 00.00 | 10.00 | | 11.00 | | | | |
| | Area | | | UEP9D | UEPYD | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYE | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYF | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYG | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYT | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYU | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | l | | l | 1 | | | | | | | | | | | |
| | Area | ļ | | UEP9D | UEPYV | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | 1 | | LIEBOD | LIEDY (S | | == == | | | | | , | | | 1 | |
| _ | Area | ! | | UEP9D | UEPY3 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | ļ | ļ | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | l | | LIEDOD | HEDVI | 44.00 | 70.00 | 05.00 | 25.00 | 40.00 | | 44.00 | | | | |
| - | Area | | | UEP9D | UEPYH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | 1 | 11.90 | | | - | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | 1 | | UEP9D | UEPYW | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.00 | | | 1 | |
| | Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msq Wtq Lamp Indication))3 | | - | UEP9D | UEPYW | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | - | - |
| | [2-vviie voice diade roit (Centrexivisg vvig Lamp Indication))3 | ı | l | UEP9D | UEPYJ | | | 35.00 | 35.00 | 10.00 | 1 | 11.90 | | l | | 1 |

| ONBONDE | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|---|-------------|----------|----------------|----------------|----------------|------------------|------------------|-----------------------|----------------|--|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| | | | | | | | N | | | D' | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | + | Rec | Nonred First | arring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | FIISL | Auu i | FIISt | Auu i | SOWIEC | JOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| | 2 Basic Local Area | | | UEP9D | UEPYM | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | | | | | | | | | | | | | 1 |
| | Basic Local Area | | | UEP9D | UEPYO | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEFTF | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | + |
| | Basic Local Area | | | UEP9D | UEPYQ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | - | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYR | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | LIEDOD | LIEDVO | 44.00 | 400.00 | 440.00 | 05.00 | 20.00 | | 44.00 | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPYS | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | Basic Local Area | | | UEP9D | UEPY4 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | | | | | | | | | | | | | 1 |
| | Basic Local Area | | | UEP9D | UEPY5 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY6 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | 4 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | UEP9D | UEPY7 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9D | UEPTI | 14.00 | 160.00 | 110.00 | 65.00 | 20.00 | | 11.90 | | | | + |
| | Term | | | UEP9D | UEPYZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | | | = | | | | | | | | | |
| E1 9 / | Local Area GA Only | | | UEP9D | UEPY2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | + |
| FL & | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPHA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | + |
| - | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPHB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | + |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPHC | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPHD | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPHE | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPHF | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPHG | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| - | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | 1 | UEP9D | UEPHT | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | + |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D UEP9D | UEPHU UEPHV | 14.00 14.00 | 70.00 70.00 | 35.00 35.00 | 35.00 35.00 | 10.00 10.00 | - | 11.90 11.90 | | | | + |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPH3 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | + |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPHH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | † |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | | |
| | Indication)3 | | | UEP9D | UEPHW | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPHJ | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2. 3 | | | UEP9D UEP9D | UEPHM UEPHO | 14.00 14.00 | 180.00 180.00 | 110.00 110.00 | 85.00 | 20.00 | | 11.90 11.90 | | | | + |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSE1)2, 3 | | | UEP9D | UEPHO | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | + |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPHP | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPHQ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | † |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPHR | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | O. W. C. Maria Const. Dord (O. Maria 1977) Children (Const. 1977) | | | LIEDOD | LIEDVIC | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | <u> </u> | UEP9D | UEPHS | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | 1 | UEP9D | UEPH4 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2 1.1.5 1.500 Grade For (Schilewallier GWO/EBO-W0000)2, 5 | | | 021 00 | OL: 114 | 14.00 | 100.00 | 110.00 | 00.00 | 20.00 | | 11.50 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPH5 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| İ | , , , | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | <u></u> | L | UEP9D | UEPH6 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | <u></u> | 11.90 | | <u> </u> | <u> </u> | <u> </u> |

| UNDUND | DLED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | | bit: B |
|---------|--|--------------|----------|----------------|----------------|-----------------|-----------------|-----------------|--|---------------------|--|---|---------------------------------|---|--|---|
| CATEGOR | Y RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates (\$) | SOMAN | SOMAN |
| | | 1 | | | | | FIRST | Addi | FIRST | Addi | SOMEC | SUMAN | SUMAN | SOMAN | SUMAN | SOWAN |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9D | UEPH7 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | Term | | | UEP9D | UEPHZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | t | | UEP9D | UEPH9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | <u> </u> | | UEP9D | UEPH2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Loc | cal Switching Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.7384 | | | - | | | | | | | |
| 10 | cal Number Portability | + | | OLF 9D | UNLUG | 0.7304 | | | + + | | | | | | 1 | |
| | Local Number Portability (1 per port) | 1 | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| Fea | atures | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | All Centrex Control Features Offered, per port | 1 | 1 | UEP9D | UEPVC | 0.00 | | | ├ | | | | | | | |
| NA. | Unbundled Network Assess Register, Combination | - | - | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | ļ |
| | Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward | | 1 | UEP9D | UARCX UAR1X | 0.00 | 0.00 | 0.00 | + + | | | 11.90 | | | - | |
| -+ | Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial | - | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| Mi | scellaneous Terminations | | | OLI 3D | UARUX | 0.00 | 0.00 | 0.00 | | | | 11.30 | | | | |
| | Vire Trunk Side | | | | | | | | † † | | | | | 1 | İ | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.81 | | | | | | | | | | |
| 4-V | Vire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 54.95 | | | | | | | | | | |
| | DS0 Channels Activiated per Channel | | 1 | UEP9D | M1HDO | 0.00 | 15.69 | | L | | | 11.90 | | | | |
| Inte | eroffice Channel Mileage - 2-Wire | - | | UEP9D | MIGBC | 25.22 | | | 1 | | | | | | | |
| | Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 25.32 0.0091 | | | | | | | | | | |
| Fe: | ature Activations (DS0) Centrex Loops on Channelized DS1 Service | re | | OEF9D | IVIIGBIVI | 0.0091 | | | | | | | | | | |
| | Channel Bank Feature Activations | 1 | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.66 | | | | | | | | | | |
| | Facture Astination on D.4 Channel Book EV line Cide Land Class | | | LIEDOD | 4DOWC | 0.00 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP9D | 1PQW6 | 0.66 | | | - | | | | | | | |
| | Slot | | | UEP9D | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP9D | 1PQWP | 0.66 | | | | | | | | | | |
| | Fortuna Astronton de B. 4 Okasas I Berla Britan Live Leve Oka | | | LIEDOD | 4001407 | 0.00 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | 1 | UEP9D | 1PQWV | 0.66 | | | + + | | | | | | - | |
| | Slot | | | UEP9D | 1PQWQ | 0.66 | | | | | | | | | | |
| - | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.66 | | | | | | | | | | |
| No | n-Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | † † | | | | | 1 | İ | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP9D | USAC2 | | 21.50 | 8.42 | | | | 11.90 | | | | |
| | Conversion of existing Centrex Common Block, each | 1 | 1 | UEP9D | USACN | | 5.17 | 8.32 | ├ | | | 11.90 | | | | |
| | New Centrex Standard Common Block | <u> </u> | <u> </u> | UEP9D | M1ACS | 0.00 | 618.82 | | | | <u> </u> | 11.90 | | | | |
| | New Centrex Customized Common Block NAR Establishment Charge, Per Occasion | + | 1 | UEP9D UEP9D | M1ACC URECA | 0.00 | 618.82 66.48 | | | | | 11.90 11.90 | | | | |
| LIN | IE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | 1 | OLFBD | UNLUA | 0.00 | 00.40 | | + | | | 11.90 | | | | |
| | Vire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | † | | | | | | | | | | | | 1 | 1 | |
| | IE Port/Loop Combination Rates (Non-Design) | İ | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design | - | 1 | UEP9E | | 26.94 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9E | | 31.06 | | | | | | | | İ | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | | UEP9E UEP9E | | 31.06 45.87 | | | | | | | | | | |
| | Non-Design | | 3 | | | | | | | | | | | | | |

Version 4Q02: 12/18/02 Page 87 of 416

| ONRONDE | ED NETWORK ELEMENTS - Florida | | | 1 | | | | | | | | 1 - | | ment: 2 | | bit: B |
|----------|--|-------------|----------|--------|---------|--------|--|------------|--------------|-------|--|---|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Increment: Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | LIEDOE | | 00.00 | | | | | | | | | | |
| | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9E | _ | 29.36 | | | | | | | | | - | |
| | Design | | 2 | UEP9E | | 34.43 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLF9L | | 34.43 | | | | | | | | | | |
| | Design | | 3 | UEP9E | | 50.68 | | | | | | | | | | |
| UNE | Loop Rate | | _ | 02.02 | | 00.00 | | | | | | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 12.94 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 17.06 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 31.87 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 15.36 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 20.43 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 36.68 | , and the second | | | | | | | | | |
| | Port Rate | | | | | | | | | | | | | | | |
| AL, F | L, KY, LA, MS, & TN only | | <u> </u> | LIEDOE | LIEDYA | 44.00 | 70.00 | 05.00 | 05.00 | 10.00 | <u> </u> | 44.00 | - | 1 | 1 | 1 |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | 1 | UEP9E | UEPYA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | 1 | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | UEP9E | UEPYB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | UEF9E | UEPTB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | Area | | | UEP9E | UEPYH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| + | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | 1 | OLF9L | OLFIII | 14.00 | 70.00 | 33.00 | 33.00 | 10.00 | 1 | 11.90 | | | | |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLI OL | OLI TWI | 14.00 | 100.00 | 110.00 | 00.00 | 20.00 | | 11.50 | | | | |
| | Term - Basic Local Area | | | UEP9E | UEPYZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP9E | UEPY9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9E | UEPY2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Floric | da Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPHA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPHB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPHH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | LIEDOE | LIEDUNA | 44.00 | 400.00 | 110.00 | 05.00 | 00.00 | | 44.00 | | | | |
| | Center)2 | | | UEP9E | UEPHM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | LIEDOE | UEPHZ | 44.00 | 400.00 | 110.00 | 85.00 | 20.00 | | 44.00 | | | | |
| | Term | | | UEP9E | UEPHZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | 1 | 11.90 | | - | - | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPH9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated in on Niegalink of equivalent | | | UEP9E | UEPH2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Local | Switching | | | OLI OL | OLITIZ | 14.00 | 70.00 | 00.00 | 00.00 | 10.00 | | 11.50 | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.7384 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| 1 | Local Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| Featu | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9E | UEPVF | 0.00 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 370.70 | • | | • | | 11.90 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 0.00 | | | | | ļ | | | | | |
| NARS | | | | LIEBAE | | | | | | | | | | 1 | 1 | ļ |
| | Unbundled Network Access Register - Combination | | <u> </u> | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | ļ | | ļ | 11.90 | | | | |
| | Unbundled Network Access Register - Indial | | <u> </u> | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | ļ | 11.90 | ļ | - | - | |
| 8812 - | Unbundled Network Access Register - Outdial | | 1 | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | 1 | 11.90 | | | | <u> </u> |
| | e Trunk Side | | | - | | | | | | | | | | | | |
| Z-VVII | Trunk Side Terminations, each | | 1 | UEP9E | CEND6 | 8.81 | | | | | | | | + | + | |
| 4-Wir | e Digital (1.544 Megabits) | | \vdash | OLI OL | OLINDO | 0.01 | | | | | | | | | t | 1 |
| | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 54.95 | | | 1 | | | | | - | - | |
| | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 15.69 | | | | | 11.90 | | 1 | 1 | |
| Interd | office Channel Mileage - 2-Wire | | 1 | | | 2.00 | | | | | | 50 | | 1 | 1 | |
| | Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 25.32 | | | | | İ | | | | | İ |

Version 4Q02: 12/18/02 Page 88 of 416

| IBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | ibit: B |
|---------|---|-------------|------|-------|-------|--------|--------|------------|--------------|--------------|-------|-----------|----------|------------|---|-------------------------------|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge Manual S Order v |
| | | | | | | _ [| Nonrec | urring | Nonrecurring | a Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.0091 | | | | | | | | | | 1 |
| Featur | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | Ī |
| D4 Ch | annel Bank Feature Activations | | | | | | | | | | | | | | | 1 |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9E | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9E | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.66 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP9E | USAC2 | | 21.50 | 8.42 | | | | 11.90 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 618.82 | • | | | | 11.90 | • | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | • | | | | | • | | | |
| Note | 2 - Requres Interoffice Channel Mileage | | | | | | • | • | | | | | • | | | |
| Note 3 | - Requires Specific Customer Premises Equipment | | 1 | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | T | | | |
|--------------|----------|---|----------|----------|------------------------|----------------|---|-----------------|-----------------|----------------|-----------------|--------------|---------------|------------------|--|-----------------|--|
| UNBUN | DLE | D NETWORK ELEMENTS - Georgia | | 1 | ı | 1 | 1 | | | | | | T - | | ment: 2 | | oit: B |
| | | | | | | | | | | | | | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGO | RY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| L | | | | | | | | N | | | a Disconnect | | | | D-1 (A) | | |
| | | | | | | | Rec | Nonred | | | | 001150 | 001111 | | Rates (\$) | 0011411 | 001441 |
| - | L = 117. | | | | -in-etian nefera to Co | | . Desusaned II | First | Add'l | First | Add'l | | | | SOMAN | SOMAN | SOMAN |
| | | one" shown in the sections for stand-alone loops or loops as | | | | eograpnically | y Deaveraged U | NE Zones. 10 | view Geograp | nically Deaver | aged UNE Zone | Designation | ons by Cent | rai Office, refe | r to internet v | vebsite: | |
| | | /ww.interconnection.bellsouth.com/become_a_clec/html/inter | connec | tion.ht | m | 1 | | | | | 1 | 1 | 1 | | | | |
| | | . SUPPORT SYSTEMS (1) Electronic Service Order: CLEC should contact its contract | | | :4 mmafama 4h a a4a4a | amaaidia alaa | | | | 46 - C4-4- C- | | hl | | | | manima di in Ah | |
| | | | | | | | | | | | | | | | | | State |
| | | is the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | |
| | | (2) Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | |
| | | elements that cannot be ordered electronically at present per t | | | | e in this cate | gory reflects th | e charge that v | vould be billed | I to a CLEC on | ce electronic o | ordering cap | pabilities co | me on-line fo | r that element | . Otherwise, | the manual |
| 0 | rderin | g charge, SOMAN, will be applied to a CLECs bill when it sub | mits ar | LSR t | o BellSouth. | | | | | | , | • | • | | | | |
| | | Electronic OSS Charge, per LSR, submitted via BST's OSS | | | | | | | | | | | | | j , | , ' | ł |
| | | interactive interfaces (Regional) | | | | SOMEC | | 3.50 | | | | | | | | <u> </u> | |
| | | DATE ADVANCEMENT CHARGE | L | <u> </u> | 0.00 4.7 10 0 0 | 1 | L | | | | | | | | ↓ | <u> </u> | |
| N | OIE: | The Expedite charge will be maintained commensurate with | BellSon | ıtn's FC | | on 5 as appli | icable. | | | | | | | | ↓ | ļ! | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | ALL UNE EXCEPT | 00465 | | | | | | | | | 1 ! | , ' | i |
| LINIE | | Day | | <u> </u> | UNE-P | SDASP | 1 | 200.00 | | ļ | 1 | | | 1 | └─ ── | <u>'</u> | |
| | | XCHANGE ACCESS LOOP | | 1 | | 1 | | | | | | | | | ↓ | <u> </u> | |
| 2 | -wike | ANALOG VOICE GRADE LOOP | | — | UEANL | UEAL2 | 14.21 | 42.54 | 24.00 | ļ | 1 | | | 18.94 | 0.40 | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | | | | | 31.33 | | | | | | 8.42 | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 16.41 | 42.54 | 31.33 | | | | | 18.94 | 8.42 | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 26.08 | 42.54 | 31.33 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | LIFANII | LIDETI | | 0.00 | 0.00 | | | | | 40.04 | 8.42 | , ' | í |
| - | | Loop Testing - Basic 1st Half Hour | | | UEANL UEANL | URETL URET1 | | 8.33 78.92 | 0.83 78.92 | | | | | 18.94 18.94 | 8.42 | | |
| _ | | | | | UEANL | URETA | | 23.33 | 23.33 | | | | | 18.94 | 8.42 | | |
| - | | Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch | | | UEANL | URETA | | 23.33 | 23.33 | | | | | 18.94 | 8.42 | | |
| | | (UVL-SL1) | | | UEANL | UREWO | | 15.75 | 8.92 | | | | | | j , | , ' | ł |
| - | | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | UEAINL | UKEWU | | 15.75 | 0.92 | | | | | | | | |
| | | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 14.47 | 14.47 | | | | | | j , | , ' | í |
| | | Manual Order Coordiantion for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 16.11 | 16.11 | | | | | | \vdash | | |
| — | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | OLANL | ULAIVIC | | 10.11 | 10.11 | | | | | | | | |
| | | (per LSR) | | | UEANL | OCOSL | | 35.74 | 35.74 | | | | | | j , | , ' | ł |
| 2. | -WIRE | UNBUNDLED COPPER LOOP - NON-DESIGNED | | | OLANE | OCCOL | | 33.74 | 33.74 | | | | | | | | |
| | WIILE | 2 Wire Unbundled Copper Loop Non-Designed- Zone 1 | | 1 | UEQ | UEQ2X | 11.02 | 44.69 | 22.40 | | | | | 18.94 | 8.42 | | |
| | | 2 Wire Unbundled Copper Loop Non-Designed Zone 2 | | 2 | UEQ | UEQ2X | 12.72 | 44.69 | 22.40 | | | | | 18.94 | 8.42 | | |
| | | 2 Wire Unbundled Copper Loop Non-Designed Zone 3 | | | UEQ | UEQ2X | 20.22 | 44.69 | 22.40 | | | | | 18.94 | 8.42 | $\overline{}$ | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | ΙŤ | | | | 00 | 22.40 | | | | | .0.04 | 5.42 | | í |
| | | Premise | | | UEQ | URETL | | 8.33 | 0.83 | |] | 1 | | 18.94 | 8.42 | , , | 1 |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | · · | 1 | | 2.30 | 2.30 | | 1 | | | | | | i |
| | | Designed (per loop) | | | UEQ | USBMC | | 16.11 | 16.11 | | | | | 18.94 | 8.42 | , ' | i |
| | | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | | 1 | 1 | | | İ | İ | | | | 7 | | i Total |
| | | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 28.72 | 28.72 | |] | 1 | | 18.94 | 8.42 | , , | 1 |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 78.92 | 78.92 | | | | | 18.94 | 8.42 | | í |
| | | Loop Testing - Basic Additional Half Hour | | 1 | UEQ | URETA | | 23.33 | 23.33 | | | | | 18.94 | 8.42 | i | 1 |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | 1 | 1 |
| | | (UCL-ND) | | | UEQ | UREWO | <u> </u> | 14.25 | 7.42 | <u> </u> | <u> </u> | <u> </u> | <u> </u> | 18.94 | 8.42 | | <u> </u> |
| UNBUND | LED E | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | i - | 1 |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | i i | ı . |
| U | NE Lo | oop Rates for Line Splitting (In Ga. PSC ordered the line spli | tting lo | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 | | 1 | UEPSR, UEPSB | UEALS, | 12.59 | 22.14 | 15.25 | | | | | 18.94 | 8.42 | | |
| | | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 | | 1 | UEPSR, UEPSB | UEABS | 12.59 | 22.14 | 15.25 | | | | | 18.94 | 8.42 | | |
| | | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 | - 1 | 2 | UEPSR, UEPSB | UEALS, | 14.26 | 22.14 | 15.25 | | | | | 18.94 | 8.42 | ļ | |
| | | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 | | 2 | UEPSR, UEPSB | UEABS | 14.26 | 22.14 | 15.25 | | | | | 18.94 | 8.42 | | |
| | | 2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3 | | 3 | UEPSR, UEPSB | UEALS | 21.62 | 22.14 | 15.25 | | | | | 18.94 | 8.42 | | |
| | | 2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3 | I | 3 | UEPSR, UEPSB | UEABS | 21.62 | 22.14 | 15.25 | | | | | 18.94 | 8.42 | , <u>'</u> | 1 |
| | | XCHANGE ACCESS LOOP | | | | 1 | ļ | | | | ļ | | | | ļ | ļ! | |
| 2- | -WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | └ | ' | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | Ι. | | | | | === :- | |] | 1 | | | | , , | 1 |
| \vdash | | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 16.84 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | ļ! | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | _ | | | | | = | | | | | | | , ' | i |
| | | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 19.45 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | · | 1 |

Version 4Q02: 12/18/02 Page 90 of 416

| ONBONDL | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|----------|--|-------------|------|------------|----------------|-------|-----------------|---------------|--------------|-------|----------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | ВС | cs usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | | |
| | OME Andre Vein On International Control of the Cont | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 30.92 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | 30.32 | 35.74 | 70.10 | | | | | 10.54 | 0.42 | | - |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | OL/ | 00002 | | 00.7 1 | | | | | | | | | 1 |
| | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 16.84 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 19.45 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 30.92 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL UREWO | | 35.74 | 00.00 | | | | | 18.94 | 8.42 | | |
| | CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2) | | | UEA UEA | URETL | _ | 87.72 10.45 | 36.36 1.03 | | | | | 18.94 | 8.42 | | |
| 4-WIE | RE ANALOG VOICE GRADE LOOP | | 1 | UEA | UKEIL | _ | 10.45 | 1.03 | | | | | 10.94 | 0.42 | | |
| 7-1111 | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 22.26 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | + |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 25.70 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | 1 |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | | UEA | UEAL4 | 40.86 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 35.74 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.72 | 36.36 | | | | | 18.94 | 8.42 | | 1 |
| 2-WIF | RE ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 21.89 | 233.38 | 180.35 | | | | | 18.94 | 8.42 | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 25.27 | 233.38 | 180.35 | | | | | 18.94 | 8.42 | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 40.17 | 233.38 | 180.35 | | | | | 18.94 | 8.42 | | |
| - | Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | 1 | UDN | OCOSL UREWO | | 35.74 120.98 | 33.04 | - | | 1 | | 18.94 | 8.42 | | |
| 2-1//15 | RE Universal Digital Channel (UDC) COMPATIBLE LOOP | | 1 | ODIN | UKLVVO | | 120.90 | 33.04 | | | | | 10.54 | 0.42 | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 1 | UDC | UDC2X | 21.89 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | ı | 2 | UDC | UDC2X | 25.27 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | 3 | I | 3 | UDC | UDC2X | 40.17 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| 0.14/17 | CLEC to CLEC Conversion Charge without outside dispatch RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIDLE | 1.00 | UDC | UREWO | | 44.69 | 31.55 | | | | | 18.94 | 8.42 | | |
| 2-1011 | 2 Wire Unbundled ADSL Loop including manual service inquiry | AHBLE | LOUI | _ | | | | | | | | | | | | - |
| | & facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry | ı | 1 | UAL | UAL2X | 11.23 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | & facility reservation - Zone 2 | ı | 2 | UAL | UAL2X | 12.97 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 | ı | 3 | UAL | UAL2X | 20.62 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 35.74 | | | | | | | | | |
| | Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 | ı | 1 | UAL | UAL2W | 11.23 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 | 1 | 2 | UAL | UAL2W | 12.97 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 | ı | 3 | UAL | UAL2W | 20.62 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 35.74 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | ı | | UAL | UREWO | | 44.69 | 29.29 | | | | | 18.94 | 8.42 | | |
| 2-WII | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | 1 | 1 | UHL | UHL2X | 7.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | 1 | 2 | UHL | UHL2X | 9.09 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | 3 | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | \vdash | 3 | UHL UHL | UHL2X OCOSL | 14.46 | 44.69 35.74 | 31.55 | 25.65 | 7.06 | <u> </u> | | 18.94 | 8.42 | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | ı | 1 | UHL | UHL2W | 7.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |

| <u> NROND</u> LI | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|------------------|--|-------------|----------|------------|----------------|--------|-----------------|----------------|--------------|-------|-------|---|--|--|-------|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | - | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 9.09 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | - | OTIL | OTILEVV | 5.05 | 44.00 | 01.00 | 20.00 | 7.00 | | | 10.54 | 0.42 | | |
| | and facility reservation - Zone 3 | - 1 | 3 | UHL | UHL2W | 14.46 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 35.74 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | I | | UHL | UREWO | | 44.69 | 31.55 | | | | | 18.94 | 8.42 | | |
| 4-WIR | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 10.39 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| _ | 4-Wire Unbundled HDSL Loop including manual service inquiry | - ' | <u>'</u> | UNL | UHL4X | 10.39 | 44.09 | 31.33 | 25.05 | 7.06 | | | 10.94 | 0.42 | | |
| | and facility reservation - Zone 2 | 1 | 2 | UHL | UHL4X | 12.00 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | <u> </u> | | 0.1.2 | 011217 | 12.00 | 11.00 | 01.00 | 20.00 | 1100 | | | 10.01 | 0.12 | | |
| | and facility reservation - Zone 3 | - 1 | 3 | UHL | UHL4X | 19.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 35.74 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | l l | 1 | UHL | UHL4W | 10.39 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | ١. | 2 | | | 40.00 | 44.00 | 24.55 | 25.05 | 7.00 | | | 40.04 | 0.40 | | |
| | and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry | <u> </u> | | UHL | UHL4W | 12.00 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 19.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | - 3 | UHL | OCOSL | 13.07 | 35.74 | 31.33 | 25.05 | 7.00 | | | 10.54 | 0.42 | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | ı | | UHL | UREWO | | 44.69 | 31.55 | | | | | 18.94 | 8.42 | | |
| 4-WIR | RE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | | USL | USLXX | 55.53 | 429.98 | 268.18 | | | | | 18.94 | 8.42 | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 64.13 | 429.98 | 268.18 | | | | | 18.94 | 8.42 | | ļ |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 101.93 | 429.98 | 268.18 | | | | | 18.94 | 8.42 | | ļ |
| | Order Coordination for Specified Conversion Time (per LSR) | - | | USL | OCOSL UREWO | | 35.74 100.91 | 42.97 | | | | | 18.94 | 8.42 | | ļ |
| 4-WIR | CLEC to CLEC Conversion Charge without outside dispatch RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | USL | UKEVVO | | 100.91 | 42.97 | | | | | 10.94 | 0.42 | | - |
| 7 **** | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 25.75 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 29.74 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 47.27 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 25.75 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 29.74 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 47.27 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | ļ |
| | Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL UDL | OCOSL UDL64 | 25.75 | 35.74 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL | UDL64 | 29.74 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | - |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | | UDL | UDL64 | 47.27 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 35.74 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatc h | | | UDL | UREWO | | 101.95 | 49.66 | | | | | 18.94 | 8.42 | | |
| 2-WIR | E Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service | _ | | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 1 | 1 | 1 | UCL | UCLPB | 12.02 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 13.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2 Wire Unbundled Copper Loop/Short including manual service | | | UUL | JOLEB | 13.00 | 44.09 | 31.33 | 25.05 | 7.06 | | | 10.94 | 0.42 | | |
| | inquiry & facility reservation - Zone 3 | 1 | 3 | UCL | UCLPB | 22.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCLPW | 12.02 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | ļ |
| | 2-Wire Unbundled Copper Loop/Short without manual service | ١. | | | LIOI DVI | 40.00 | 44.00 | 04 | 05.05 | 7.00 | | | 40.01 | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 13.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | - | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3 | 1 . | 3 | UCL | UCLPW | 22.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| - | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLPW | 22.07 | 16.11 | 31.55 16.11 | ∠5.05 | 7.06 | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | | 001 | JOLIVIO | | 10.11 | 10.11 | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | 1 | 1 | UCL | UCL2L | 35.56 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | 1 |

Version 4Q02: 12/18/02 Page 92 of 416

| UNDUNDLE | D NETWORK ELEMENTS - Georgia | | | 1 | | | | | | | Ι - | | | ment: 2 | | bit: B |
|------------|--|-------------|----------|----------------------------------|----------------|-------|----------------|----------------|--------------|-------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | 0.005 | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 41.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | - | | UCL | UCLZL | 41.07 | 44.09 | 31.00 | 25.05 | 7.06 | | | 10.94 | 0.42 | | + |
| | inquiry and facility reservation - Zone 3 | 1 | 3 | UCL | UCL2L | 65.28 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | - 1 | 1 | UCL | UCL2W | 35.56 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | ١. | | | | | | | | = | | | | 0.40 | | |
| | inquiry and facility reservation - Zone 2 | - 1 | 2 | UCL | UCL2W | 41.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 65.28 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 05.20 | 16.11 | 16.11 | 23.03 | 7.00 | | | 10.94 | 0.42 | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | OOL | OCLIVIC | | 10.11 | 10.11 | | | | | | | | 1 |
| | (UCL-Des) | - 1 | | UCL | UREWO | | 44.69 | 31.55 | | | | | 18.94 | 8.42 | | |
| 4-WIR | E COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | I | 1 | UCL | UCL4S | 12.02 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | ١. | | UCL | | 40.00 | | | | = | | | | 0.40 | | |
| | and facility reservation - Zone 2 | ı | 2 | UCL | UCL4S | 13.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 22.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | - | 3 | UCL | UCLMC | 22.01 | 16.11 | 16.11 | 23.03 | 7.00 | | | 10.94 | 0.42 | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | 002 | 0020 | | | | | | | | | | | |
| | facility reservation - Zone 1 | - 1 | 1 | UCL | UCL4W | 12.02 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | - 1 | 2 | UCL | UCL4W | 13.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | _ | | | | | | | | | | | | | |
| | facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) | - 1 | 3 | UCL UCL | UCL4W UCLMC | 22.07 | 44.69 16.11 | 31.55 16.11 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | UCL | UCLIVIC | | 16.11 | 16.11 | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 35.56 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | · | <u> </u> | 002 | 002.2 | 00.00 | 11.00 | 01.00 | 20.00 | 7.00 | | | 10.01 | 0.12 | İ | |
| | inquiry and facility reservation - Zone 2 | - 1 | 2 | UCL | UCL4L | 41.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | I | 3 | UCL | UCL4L | 65.28 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 1 | UCL | UCL4O | 35.56 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 1 | UCL | UCL4U | 35.56 | 44.69 | 31.00 | 25.05 | 7.06 | | | 18.94 | 8.42 | | |
| | inquiry and facility reservation - Zone 2 | 1 | 2 | UCL | UCL4O | 41.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | OOL | OOL4O | 41.07 | 44.00 | 01.00 | 20.00 | 7.00 | | | 10.54 | 0.42 | | |
| | inquiry and facility reservation - Zone 3 | 1 | 3 | UCL | UCL4O | 65.28 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| | CLEC to CLEC conversion Charge without outside dispatch | | | UCL | UREWO | | 44.69 | 31.55 | | | | | 18.94 | 8.42 | | |
| LOOP MODIF | ICATION | | | | | | | | | | | | | | | |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEQ, ULS, UEA, UEANL, UEPSR, | | | | | | | | | | | | |
| | pair less than or equal to 18k ft | | | UEPSB | ULM2L | | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire | <u> </u> | | 02. 02 | O L.VILL | | 0.00 | 0.00 | | | | | 10.01 | 0.12 | | |
| | greater than 18k ft | - 1 | 1 | UCL, ULS, UEQ | ULM2G | | 0.00 | 0.00 | | | | 1 | 18.94 | 8.42 | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | | | | | | | | | | | |
| | less than or equal to 18K ft | I | | UCL | ULM4L | | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | l <u> </u> | Ι Τ | | | | | | |] | | | _ | |
| | pair greater than 18k ft | | <u> </u> | UHL, UCL | ULM4G | | 0.00 | 0.00 | | | | | 18.94 | 8.42 | 1 | |
| | | | 1 | UAL, UHL, UCL, UEQ, ULS, UEA, | 1 | | | | | | | | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, | | 1 | UEANL, UEPSR, | | | | | | | | 1 | | | | |
| | per unbundled loop | | | UEPSB | ULMBT | | 0.00 | 0.00 | | | | | 18.94 | 8.42 | 1 | |

Version 4Q02: 12/18/02 Page 93 of 416

| ONDONDE | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-------------|---|-------------|----------|-----------------|---------|------|--------|------------|--------------|-------|----------|-----------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonred | | Nonrecurring | | 001150 | 001111 | | Rates (\$) | 001141 | |
| 0110 1 0000 | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| SUB-LOOPS | oop Distribution | | <u> </u> | | | | | | | | | | | | | |
| Sub-L | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | - | | | | | | | | | | | | | - |
| | Up | | | UEANL | USBSA | | 421.08 | 421.08 | | | | | 18.94 | 8.42 | | |
| | ОР | - | | UEAINL | USBSA | | 421.00 | 421.00 | | | | | 10.94 | 0.42 | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | | | UEANL | USBSB | | 67.10 | 67.10 | | | | | 18.94 | 8.42 | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | 1 | ULANL | USBSB | | 07.10 | 07.10 | | | 1 | | 10.54 | 0.42 | | + |
| | Facility Set-Up | | | UEANL | USBSC | | 394.74 | 394.74 | | | | | 18.94 | 8.42 | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | - | 1 | OLANL | USBSC | | 334.74 | 354.74 | | | 1 | 1 | 10.54 | 0.42 | | - |
| | Set-Up | | | UEANL | USBSD | | 154.57 | 154.57 | | | | | 18.94 | 8.42 | | |
| | Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working | | 1 | ULANL | 03030 | | 134.37 | 134.37 | | | 1 | | 10.54 | 0.42 | | + |
| | and Spare Loop Activation | | | UEANL | USBRC | 1.37 | 2.48 | 2.48 | 1.74 | 1.74 | | | 18.94 | 8.42 | | |
| | Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working | | | OLANE | CODICC | 1.57 | 2.40 | 2.40 | 1.74 | 1.74 | | | 10.54 | 0.42 | | |
| | and Spare Loop Activation | | | UEANL | USBRD | 2.74 | 4.96 | 4.96 | 1.74 | 1.74 | | | 18.94 | 8.42 | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | CL/WIL | CODIND | 2.77 | 4.00 | 4.00 | 1.7-7 | 1.7-7 | | | 10.04 | 0.42 | | |
| | Statewide | | sw | UEANL | USBN2 | 9.12 | 207.01 | 171.32 | | | | | 18.94 | 8.42 | | |
| h h | Cidiowido | | 344 | OL7 II IL | CODINE | 0.12 | 207.01 | 171.02 | | | | 1 | 10.04 | 0.42 | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | CL/WIL | CODIVIO | | 04.22 | 04.22 | | | | | | | | |
| | Statewide | | sw | UEANL | USBN4 | 8.32 | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | Otatewide | | SW | OLANE | CODIVA | 0.52 | 213.33 | 12.33 | 123.72 | 20.11 | | | 10.54 | 0.42 | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | - | | UEANL | USBR2 | 1.37 | 2.48 | 41.59 | 115.85 | 19.17 | | | 18.94 | 8.42 | | |
| | Cub Loop 2 Wile intrabalianing Network Gubie (into) | • | | OL7 II IL | OODINE | 1.01 | 2.40 | 41.00 | 110.00 | 10.17 | | | 10.04 | 0.42 | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 2.96 | 176.46 | 55.11 | 122.17 | 19.57 | | | 18.94 | 8.42 | | 1 |
| | Cub 2005 4 Will intrabalianing Network Gable (INO) | | | OL7 II IL | OODICT | 2.00 | 170.40 | 00.11 | 122.17 | 10.07 | | | 10.04 | 0.42 | | 1 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | 1 | 1 | UEF | UCS2X | 5.54 | 175.16 | 55.50 | 108.86 | 24.53 | | | 18.84 | 8.42 | | 1 |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | i | 2 | UEF | UCS2X | 5.54 | 175.16 | 55.50 | 108.86 | 24.53 | | | 18.94 | 8.42 | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | i | | UEF | UCS2X | 5.54 | 175.16 | 55.50 | 108.86 | 24.53 | | | 18.94 | 8.42 | | |
| | | | | - | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 6.89 | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | 1 | 2 | UEF | UCS4X | 6.89 | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS4X | 6.89 | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | | | | | | | | | | | | |
| | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | | | | | | | | | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load | | | | | | | | | | | | | | | 1 |
| | Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | | | | | | | | | | |
| | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged | | | | | | | | | | | | | | | 1 |
| | Tap Removal, per PR unloaded | | | UEF | ULM4T | | | | | | | | | | | |
| Unbui | ndled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 1.37 | 2.48 | 2.48 | 1.74 | 1.74 | | | 18.94 | 8.42 | | |
| Netwo | ork Interface Device (NID) | | | | | | | | | | | | | | | |
| | Network Interface Device (NID) - 1-2 lines | I | | UENTW | UND12 | | 86.37 | 56.69 | | | | | 18.94 | 8.42 | | |
| | Network Interface Device (NID) - 1-6 lines | I | | UENTW | UND16 | | 127.93 | 98.21 | | | | | 18.94 | 8.42 | | |
| | Network Interface Device Cross Connect - 2 W | ı | | UENTW | UNDC2 | | 6.15 | 6.15 | | | | | 18.94 | 8.42 | | |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 6.15 | 6.15 | | | | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-L | oop Feeder | | | | | | | | | | | | | | | |
| | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | | UEA, | | | | | | | | | | | | |
| | Distribution Facility set-up | L | | UDN,UCL,UDL,UDC | USBFW | | 421.08 | | | | <u> </u> | <u></u> | 18.94 | 8.42 | <u> </u> | L |
| 1 | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA, | | | | | | | | | | | | |
| | set-up | l | 1 | UDN,UCL,UDL,UDC | USBFX | | 67.10 | 67.10 | | | I | | 18.94 | 8.42 | Ì | |
| | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 521.57 | 11.30 | | | | | 18.94 | 8.42 | | |

| UNBUN | DLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-----------------|-----------|--|------------------|----------|------------|----------------|-----------------|-----------------|------------|--------------|------------|---|---|---------|------------|-------------------------|--------|
| CATEGO | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | | | Incremental Charge - | |
| | | | | | | | D | Nonre | curring | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade- Statewide | | SW | UEA | USBFA | 8.58 | 206.44 | 170.05 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 35.74 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide | | | UEA | USBFB | 8.58 | 206.44 | 170.05 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination for Specified Time Conversion, per LSR | | SW | UEA | OCOSL | 8.58 | 35.74 | 170.05 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | 1 | OLA | OCOGL | | 33.74 | | | | | | | | | |
| | | Voice Grade Loop - Statewide | | sw | UEA | USBFC | 8.58 | 206.44 | 170.05 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 35.74 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Statewide | | SW | UEA | USBFD | 19.91 | 243.41 | 81.32 | 134.77 | 33.93 | | | 18.94 | 8.42 | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | <u> </u> | UEA | OCOSL | | 35.74 | | | | | | | ļ | ļ | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | 1154 | HODEE | 40.04 | 040.44 | 04.00 | 404.77 | 22.02 | | | 40.04 | 0.40 | | |
| | | Grade - Statewide Order Coordination For Specified Conversion Time, Per LSR | | SW | UEA UEA | USBFE OCOSL | 19.91 | 243.41 35.74 | 81.32 | 134.77 | 33.93 | | | 18.94 | 8.42 | | |
| - | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - | | | UEA | UCUSL | | 35.74 | | | | | | | | | |
| | | Statewide | | sw | UDN | USBFF | 17.73 | 208.50 | 62.31 | 119.68 | 29.58 | | | 18.94 | 8.42 | | |
| | | Order Coordination For Specified Conversion Time. Per LSR | | | UDN | OCOSL | 0 | 35.74 | 02.01 | 110.00 | 20.00 | | | 10.01 | 0.12 | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | sw | UDC | USBFS | 17.73 | 208.50 | 62.31 | 119.68 | 29.58 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | | SW | USL | USBFG | 79.30 | 203.69 | 128.76 | 124.09 | 34.80 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 35.74 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - | | | | | | | | | | | | | | | |
| | | Statewide | | SW | UCL | USBFH | 7.22 | 195.38 | 63.15 | 119.68 | 29.58 | | | 18.94 | 8.42 | | |
| | | Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide | | | UCL | OCOSL USBFJ | 13.72 | 35.74 243.41 | 81.32 | 134.77 | 33.93 | | | 18.94 | 8.42 | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | SW | UCL | OCOSL | 13.72 | 35.74 | 81.32 | 134.77 | 33.93 | | | 18.94 | 8.42 | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | sw | UDL | USBFN | 24.50 | 243.41 | 81.32 | 134.77 | 33.93 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | 002 | 002 | 2 1.00 | 2.0 | 01.02 | | 00.00 | | | 10.00 | 10.00 | 10.00 | 10.00 |
| | | Statewide | | sw | UDL | USBFO | 24.50 | 243.41 | 81.32 | 134.77 | 33.93 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 35.74 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | | Statewide | | SW | UDL | USBFP | 24.50 | 243.41 | 81.32 | 134.77 | 33.93 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| OUD LOO | | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 35.74 | | | | | | | | | |
| SUB-LOO | | | | | | + | | | | | | | | | | | |
| 31 | | pop Feeder Sub Loop Feeder - DS3 - Per Mile Per Month | | | UE3 | 1L5SL | 12.80 | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Facility Termination Per Month | H | 1 | UE3 | USBF1 | 329.94 | 3,396.56 | 406.50 | 163.61 | 92.75 | | | 18.94 | 8.42 | | |
| | | Sub Loop Feeder – STS-1 – Per Mile Per Month | i | <u> </u> | UDLSX | 1L5SL | 12.80 | 0,000.00 | .00.00 | | 02.70 | | | .5.54 | 0.42 | | |
| | | Sub Loop Feeder - STS-1 - Facility Termination Per Month | | | UDLSX | USBF7 | 372.78 | 3,396.56 | 406.50 | 163.61 | 92.75 | | | 18.94 | 8.42 | İ | |
| | | Sub Loop Feeder – OC-3 – Per Mile Per Month | I | | UDLO3 | 1L5SL | 9.71 | • | | | • | | | | | | |
| | | Sub Loop Feeder - OC-3 - Facility Termination Protection Per | l . ⁻ | | | | | | | | | | | | | | |
| | | Month | <u> </u> | ļ | UDLO3 | USBF5 | 57.79 | 0.000.50 | 100 50 | 100.01 | 00 == | | | 10.01 | 0.70 | | |
| | | Sub Loop Feeder - OC-3 - Facility Termination Per Month | I | <u> </u> | UDLO3 | USBF2 | 524.13 | 3,396.56 | 406.50 | 163.61 | 92.75 | | | 18.94 | 8.42 | 1 | |
| | | Sub Loop Feeder - OC-12 - Per Mile Per Month Sub Loop Feeder - OC-12 - Facility Termination Protection Per | | ! | UDL12 | 1L5SL | 11.95 | | | | | | | | - | - | |
| | | Month | ۱. | | UDL12 | USBF6 | 519.09 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Per Month | H | <u> </u> | UDL12 | USBF3 | 1,570.00 | 3,396.56 | 406.50 | 163.61 | 92.75 | | | 18.94 | 8.42 | | |
| | | Sub Loop Feeder - OC-48 - Per Mile Per Month | i | | UDL48 | 1L5SL | 39.20 | -, | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | | Month | | <u> </u> | UDL48 | USBF9 | 259.99 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Per Month | | | UDL48 | USBF4 | 1,505.00 | 3,582.56 | 406.50 | 163.61 | 92.75 | | | 18.94 | 8.42 | ļ | |
| I IN ID I IN ID | . <u></u> | Sub Loop Feeder - OC-12 Interface On OC-48 | | <u> </u> | UDL48 | USBF8 | 323.43 | 803.69 | 406.50 | 163.61 | 92.75 | | | 18.94 | 8.42 | | |
| ONBONDI | | OOP CONCENTRATION | - | <u> </u> | III.C | LICTOA | 441.42 | 650.81 | 650.81 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008) | | ! | ULC | UCT8A UCT8B | 52.97 | 271.17 | 271.17 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| - l | | Unbundled Loop Concentration - System B (TR008) Unbundled Loop Concentration - System A (TR303) | - | - | ULC | UCT3A | 52.97 478.93 | 650.81 | 650.81 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - System A (11303) | | <u> </u> | ULC | UCT3B | 89.26 | 271.17 | 271.17 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | | • | | ULC | | 5.04 | 126.57 | | 33.57 | 9.40 | | | | 19.99 | 19.99 | 19.99 |

| UNBUNDL | ED NETWORK ELEMENTS - Georgia | | | | | | <u> </u> | | | <u> </u> | | | Attachr | nent: 2 | Exhi | bit: B |
|-----------|--|-------------|------|-------------------------------------|---------|---------|----------|------------|--------------|----------|-------|---|---------|------------|--|--------------|
| CATEGORY | | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | | | Incremental Charge - | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) | | | LIDN | ULCC1 | 8.00 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 10.00 | 10.00 |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite | | | UDN | ULCCI | 8.00 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Card) | | | UDC | ULCCU | 8.00 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | | | | | | | | | | | | | |
| | Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 2.00 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card) | | | UEA | ULCCR | 11.89 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | | UEA | ULCCR | 11.89 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | (Specials Card) | | | UEA | ULCC4 | 7.09 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 34.67 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | | 19.99 |
| | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | | | | | | | | | | | | | | |
| | Interface | | | UDL | ULCC7 | 10.51 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 10.51 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - Digital 64 Kbps Data Loop | | | ODL | OLCC3 | 10.51 | 21.07 | 20.90 | 10.76 | 10.71 | | | 19.99 | 15.55 | 19.99 | 19.99 |
| | Interface | | | UDL | ULCC6 | 10.51 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| UNE OTHER | R, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,U ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| UNE OTHER | R, PROVISIONING ONLY - NO RATE | | | EINIVV | UNECIN | 0.00 | 0.00 | | | | | | | | 1 | |
| | Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC | | 0.00 | 0.00 | | | | | | | | | |
| | rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | 1 | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | OOL | CCCGI | 0.00 | 0.00 | | | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | CITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| NOT | E: minimum billing period of three months for DS3 and above Lo | ocal Lo | ор | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | LIES | 1L5ND | 8.90 | | | | | | | | | | |
| | month High Capacity Unbundled Local Loop - DS3 - Facility | | | UE3 | ILOND | 8.90 | | | | | | | | | - | 1 |
| | Termination per month | | | UE3 | UE3PX | 390.34 | 639.50 | 426.40 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UDLSX | 1L5ND | 8.90 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | LIDLOV | LIDI C4 | 421.59 | 620.50 | 400.40 | | | | | 37.55 | 37.55 | 40.00 | 40.00 |
| LOOP MAKE | Termination per month | | | UDLSX | UDLS1 | 421.59 | 639.50 | 426.40 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| LOOF WARE | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Manual). | | | UMK | UMKLW | | 35.00 | 35.00 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility | | | | | | | | | | | | | | | |
| | queried (Manual). | | | UMK | UMKLP | | 45.00 | 45.00 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or | | | | 50.00 | | | | | | | | | | | |
| HIGH EDEO | spare facility queried (Mechanized) UENCY SPECTRUM | <u> </u> | | UMK | PSUMK | | 0.075 | 0.075 | | | | | | | | - |
| | SHARING | | | 1 | | | | | | | | | | | | |
| | ITTERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | — | <u> </u> |
| | Line Sharing Splitter, per System 96 Line Capacity | | | ULS | ULSDA | 131.00 | 0.00 | 0.00 | | | | | 18.94 | 8.42 | 1 | İ |
| | Line Sharing Splitter, per System 24 Line Capacity | | | ULS | ULSDB | 32.00 | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| | Line Sharing Splitter, Per System, 8 Line Capacity | | | ULS | ULSD8 | 11.00 | 0.00 | 0.00 | | - | | | 18.94 | 8.42 | | |
| 1 | Line Sharing-DLEC Owned Splitter in CO-CFA activaton- | l | 1 | İ | 1 | | | | | | 1 | | | | | |
| | deactivation (per LSOD) | | | ULS | ULSDG | | 131.55 | 0.00 | | | | | 18.94 | 8.42 | | |

Version 4Q02: 12/18/02 Page 96 of 416

| ONBON | DLE | D NETWORK ELEMENTS - Georgia | | 1 | | 1 | 1 | | | | | | | | ment: 2 | | bit: B |
|--|---------|---|-------------|--|--------------------|-------------|---------------|---------|------------|--------------|-------|--------------|---|--|---|---|---|
| CATEGOI | RY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Line Sharing - per Line Activation (BST Owned Splitter) | | | ULS | ULSDC | 0.61 | 10.51 | 7.70 | | | | | 18.94 | 8.42 | | |
| | | Line Sharing - per Subsequent Activity per Line | | | ULS | ULSDS | | 36.23 | 13.23 | | | | | 18.94 | 8.42 | | |
| | | Rearrangement(BST Owned Splitter Line Sharing - per Subsequent Activity per Line | | 1 | ULS | ULSDS | | 30.23 | 13.23 | | | | | 18.94 | 8.42 | | |
| | | Rearrangement(DLEC Owned Splitter | | | ULS | ULSCS | | 36.23 | 13.23 | | | | | 18.94 | 8.42 | | |
| | | Line Sharing - per Line Activation (DLEC owned Splitter) | | - | ULS | ULSCC | 0.61 | 47.44 | 19.31 | | | | | 18.94 | 8.42 | | |
| LI | INE S | PLITTING | | | OLO | 02000 | 0.01 | 77.77 | 10.01 | | | | | 10.54 | 0.42 | | |
| EI | ND US | SER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | | Line Splitting - per line activation DLEC owned splitter | - 1 | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | | Line Splitting - per line activation BST owned - physical | 1 | 1 | UEPSR UEPSB | UREBP | 0.61 | 53.48 | 34.48 | 16.45 | 12.75 | | | 18.94 | 8.42 | | |
| | | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 53.48 | 34.48 | 16.45 | 12.75 | | | 18.94 | 8.42 | | |
| | | E SITE HIGH FREQUENCY SPECTRUM | | | | | | | | | | | | | | | |
| SI | PLITT | ERS-REMOTE SITE | | | | | | _ | • | | • | | | _ | | | |
| | | Remote Site Line Share BellSouth Owned Splitter, 24 Port | ı | | ULS | ULSRB | 31.13 | 136.10 | 0.00 | | | | | 18.94 | 8.42 | | |
| | | Remote Site Line Share Cable Pair Activation CLEC Owned at | ١. | 1 | l | l | | | | | | | | | l _ | | |
| | | RS and Deactivation | | <u> </u> | ULS | ULSTG | | 123.70 | 0.00 | | | | | 18.94 | 8.42 | | |
| E | אט טא: | SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM | /I AKA | REMO | IE SITE LINE SHAR | ING | | | | | | | | | | | |
| | | Remote Site Line Share Line Activationfor End User Served at | ١. | | | LILODO | 0.61 | 40.54 | 7.70 | | | | | 18.94 | 8.42 | | |
| _ | | RS, BST Splitter RS Line Share Line Activation for End User served at RS, CLEC | | 1 | ULS | ULSRC | 0.61 | 10.51 | 7.70 | | | | | 18.94 | 8.42 | | |
| | | Splitter | 1 | | ULS | ULSTC | 0.61 | 10.51 | 7.70 | | | | | 18.94 | 8.42 | | |
| | | Remote Site Line Share Subsequent Activity-RS BST Owned | | 1 | ULS | ULSTC | 0.61 | 10.51 | 7.70 | | | | | 10.94 | 0.42 | | |
| | | Splitter | 1 | | ULS | ULSRS | | 36.04 | 11.96 | | | | | 18.94 | 8.42 | | |
| | | Remote Site Line Share Subsequent Activity-RS CLEC Owned | | 1 | OLO | OLOITO | | 00.04 | 11.00 | | | | | 10.04 | 0.42 | | |
| | | Splitter | | | ULS | ULSTS | | 36.04 | 11.96 | | | | | 18.94 | 8.42 | | |
| UNBUNDI | | DEDICATED TRANSPORT | | | 020 | 020.0 | | 00.01 | | | | | | 10.01 | 0.12 | | |
| | | INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimul | m billir | ng perio | od - below DS3=one | month, abov | e DS3=four mo | nths | | | | | | | | | |
| IN | NTERC | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | | Per Mile per month | | | U1TVX | 1L5XX | 0.0222 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | | Facility Termination | | | U1TVX | U1TV2 | 17.07 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | |
| | | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | | 41 = 207 | | | | | | | | | | | |
| | | Rev Bat Per Mile per month | | 1 | U1TVX | 1L5XX | 0.0222 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | 11477.07 | LIATEDO | 47.07 | 70.04 | 00.00 | | | | | 40.04 | 40.04 | | |
| _ | | Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | 1 | U1TVX | U1TR2 | 17.07 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | - |
| | | per month | | | U1TDX | 1L5XX | 0.0222 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | 1 | OTIDA | ILJAA | 0.0222 | | | | | | | | | | |
| | | Termination | | | U1TDX | U1TD5 | 16.45 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | 01127 | 020 | 10.10 | 7 0.0 1 | 00.00 | | | | | 10.01 | 10.01 | | |
| | | per month | | | U1TDX | 1L5XX | 0.0222 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | | Termination | | | U1TDX | U1TD6 | 16.45 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | U1TD1 | 1L5XX | 0.4523 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | | Termination | | | U1TD1 | U1TF1 | 78.47 | 147.07 | 111.75 | | | | | 18.94 | 18.94 | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | 1 | | | | | | | | | | | |
| | | month | | <u> </u> | U1TD3 | 1L5XX | 2.72 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility | | 1 | LIATES | LIATES | 700.00 | F44.40 | 200 == | | | | | 07.55 | 07.5- | 10.00 | 10.00 |
| | | Termination per month | | | U1TD3 | U1TF3 | 788.00 | 511.10 | 330.77 | | | | | 37.55 | 37.55 | 18.03 | 18.0 |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | 1 | U1TS1 | 1L5XX | 2.72 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | 1 | 01101 | ILUAA | 2.12 | | | | | | | | - | - | |
| | | Termination | | 1 | U1TS1 | U1TFS | 783.63 | 511.10 | 449.91 | | | | | 61.19 | 61.19 | 3.17 | 3.1 |
| 1.0 | | CHANNEL - DEDICATED TRANSPORT | | 1 | 0.101 | 31110 | 700.00 | 311.10 | 440.01 | | | | | 01.19 | 01.19 | 5.17 | 5.17 |
| | | LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin | na nerio | od = be | low DS3=one month | h ahove DS3 | -four months | | | | | | | | | | <u> </u> |
| I No | IO I E. | | | | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Georgia | | | | | | - | | | - | | | Attachi | ment: 2 | Exhi | bit: B |
|--|---|-------------|--|----------|----------------|--------------------|----------|------------|-------------|--------------|-------|-----------|--|--|-------------------------|--------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | |
| | | | | | | Rec | Nonrec | urring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | I | • |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | | ULDVX | ULDR2 | 13.91 | 382.95 | 62.40 | | | | | 18.94 | 18.94 | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade | | | ULDVX | ULDV4 | 14.99 | 368.44 | 64.05 | | | | | 18.94 | 8.42 | | |
| | Local Channel - Dedicated - DS1 | | | ULDD1 | ULDF1 | 38.36 | 356.15 | 312.89 | | | | | 44.22 | 44.22 | 18.03 | 18.03 |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3 | 1L5NC | 6.92 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3 | ULDF3 | 515.91 | 639.50 | 426.31 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC ULDFS | 6.92 517.56 | 639.50 | 426.31 | | | | | 18.94 | 18.94 | | |
| DARK FIBER | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1 | ULDF5 | 317.30 | 639.50 | 426.31 | | | | | 18.94 | 18.94 | | |
| DAKK FIBEK | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Local Channel | | 1 | UDF | 1L5DC | 44.22 | | | | | | 1 | | 1 | | |
| | NRC Dark Fiber - Local Channel | | † | UDF | UDFC4 | 77.22 | 1,355.29 | 273.69 | | 1 | | | 18.94 | 18.94 | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | 1 | | -2.0. | | .,000.20 | 2.0.00 | | İ | | | .0.04 | 10.04 | | |
| | Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 44.22 | | | | | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | 1 | UDF | UDF14 | | 1,355.29 | 273.69 | | | | | 18.94 | 18.94 | | |
| ĺ | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Local Loop | | <u> </u> | UDF | 1L5DL | 44.22 | | | | | | | | | | |
| | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 1,355.29 | 273.69 | | | | | 18.94 | 18.94 | | |
| 8XX ACCESS | TEN DIGIT SCREENING | | | | | | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0004868 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved | | | OHD | N8R1X | | 6.57 | 0.76 | | | | | 18.94 | 18.94 | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | OHD | | | 12.81 | 1.45 | | | | | 18.94 | 18.94 | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations | | | OHD | N8FTX | | 12.81 | 1.45 | | | | | 18.94 | 18.94 | | |
| | 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number | | | OHD | N8FCX | | 4.46 | 2.23 | | | | | 18.94 | 18.94 | | |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 5.22 | 2.99 | | | | | 18.94 | 18.94 | | |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 7.33 | 0.76 | | | | | 18.94 | 18.94 | | |
| | 8XX Access Ten Digit Screening, Call Handling and Destination Features | | | OHD | N8FDX | | 4.72 | 4.46 | | | | | 18.94 | 18.94 | | |
| LINE INFORMA | ATION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | |
| | LIDB Common Transport Per Query | | | OQT | | 0.0000338 | | | | | | | | | | |
| | LIDB Validation Per Query | | | OQU | | 0.0105974 | | | | | | | | | | |
| | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 50.30 | | | | | | 18.94 | 18.94 | | |
| SIGNALING (C | | | <u> </u> | UDB | PT8SX | 400.00 | | | - | 1 | 1 | | | | - | |
| | CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message | | | UDB | P185X | 133.99 0.000087 | | | | <u> </u> | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 17.05 | 131.96 | 131.96 | - | 1 | - | - | 18.94 | 18.94 | - | |
| | CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D | | 1 | טטט | 177++ | 17.05 | 131.90 | 131.96 | | 1 | | | 10.94 | 10.94 | - | |
| | link) | | | UDB | TPP++ | 17.05 | 131.96 | 131.96 | | | | | 18.94 | 18.94 | | |
| | CCS7 Signaling Usage, Per ISUP Message | | † | UDB | 1 | 0.0000354 | 101.00 | 101.00 | | 1 | | | 10.04 | 10.54 | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | 1 | UDB | STU56 | 340.67 | | | | İ | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 40.00 | 40.00 | | | | | 18.94 | 18.94 | | |
| | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 8.00 | 8.00 | | | | | 18.94 | 18.94 | | |
| CALLING NAM | IE (CNAM) SERVICE | | 1 | 222 | 30/11 2 | | 5.00 | 0.00 | | 1 | | | 10.54 | 10.54 | | |
| 1 | CNAM for DB Owners, Per Query | | 1 | OQV | | 0.01 | | | | Ì | | | | 1 | | |
| | CNAM for Non DB Owners, Per Query | | <u> </u> | OQV | | 0.01 | | | | | | | | | | |
| | CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) | | | OQV | CDDCH | | 595.00 | 595.00 | | | | | 18.94 | 18.94 | | |
| OPERATOR C | ALL PROCESSING | 1 | i – | | | | | | l | İ | | | | | İ | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB | | | | | 1.20 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.24 | | | | | | | | | | |

| ONBONDL | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | ment: 2 | | bit: B |
|---------------------------------|---|-------------|----------|--------------|--------|----------|------------|-----------------|--------------|-------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| \longmapsto | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | 0.20 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using | | | | | 0.20 | | | | | | | | | | |
| INWARDOR | Foreign LIDB ERATOR SERVICES | | 1 | | + | 0.20 | | | | | | | | | | |
| INWARD OP | Inward Operator Svcs - Verification, Per Minute | | 1 | | | 1.15 | | | | | | | | - | - | 1 |
| | Inward Operator Services - Verification and Emergency Interrupt | | 1 | | + | 1.13 | | | | | | | | | | |
| 1 | - Per Minute | | | | | 1.15 | | | | | | | | | | |
| BRANDING | - OPERATOR CALL PROCESSING | | 1 | | + | 1.10 | | | | | | | | | | |
| | lity based CLEC | | 1 | | | | | | | | | | | | | |
| 1 4011 | Recording of Custom Branded OA Announcement | 1 | 1 | | CBAOS | | 7,000.00 | 7,000.00 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| \cap | Loading of Custom Branded OA Announcement per shelf/NAV | 1 | | | | | ,,,,,,,, | , | | | | | | 12.30 | 13.30 | 1 |
| 1 1 | per OCN | | | | CBAOL | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | 1 | |
| UNE | P ČLEC | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| 1 | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| | per OCN | | | | | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | | |
| Unbr | randing via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | 19.99 | 19.99 | | |
| | ASSISTANCE SERVICES | | 1 | | | | | | | | | | | | | |
| DIRE | CTORY ASSISTANCE ACCESS SERVICE | | - | | | 0.075 | | | | | | | | | | |
| DIDE | Directory Assistance Access Service Calls, Charge Per Call CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (| DACC) | | | | 0.275 | | | | | | | | | | |
| DIKE | Directory Assistance Call Completion Access Service (DACC), | DACC) | - | | - | | | | | | | | | | - | |
| 1 | Per Call Attempt | | | | | 0.10 | | | | | | | | | | |
| DIRECTORY | ASSISTANCE SERVICES | + | 1 | | | 0.10 | | | | | | | | | | |
| | ECTORY ASSISTANCE DATA BASE SERVICE (DADS) | | 1 | | + | | | | | | | | | | | |
| DIKE | Directory Assistance Data Base Service Charge Per Listing | | 1 | | + | 0.04 | | | | | | | | | | |
| | Directory Assistance Data Base Service, per month | | 1 | | DBSOF | 150.00 | | | | | | | | | | |
| BRANDING | - DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| | lity Based CLEC | | | | | | | | | | | | | | | |
| | Recording and Provisioning of DA Custom Branded | | 1 | | | | | | | | | | | | | |
| 1 | Announcement | | | AMT | CBADA | | 3,000.00 | 3,000.00 | | | | | 18.94 | 8.42 | | |
| | Loading of Custom Branded Announcement per Switch per | | | | | | | | | | | | | | | |
| | OCN | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | 18.94 | 8.42 | | |
| UNE | P CLEC | | | | | | | | | | | | | | | |
| \sqsubseteq | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | 18.94 | 8.42 | | |
| 1 1 | Loading of DA Custom Branded Announcement per Switch per | | 1 | | | | = | =0 | | | | | 40 | | I | |
| | OCN INDEPOLED | 1 | 1 | | 1 | | 1,170.00 | 1,170.00 | | | | | 18.94 | 8.42 | - | |
| Unbr | randing via OLNS for UNEP CLEC | | 1 | | - | | 420.00 | 400.00 | | | | | 18.94 | 0.40 | - | |
| $\vdash \vdash \vdash$ | Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN | | 1 | | + | | 16.00 | 420.00 16.00 | | | | | 18.94 | 8.42 8.42 | | |
| SELECTIVE | | | 1 | | | | 16.00 | 16.00 | | | | | 10.94 | 0.42 | - | |
| OLLLO IIVE | Selective Routing Per Unique Line Class Code Per Request Per | | 1 | | + | | | | | | | | | | | |
| 1 | Switch | | | | USRCR | | 199.56 | 199.56 | | | | | 33.67 | 7.88 | | |
| VIRTUAL CO | DLLOCATION | | | | CONCIN | | 100.00 | 100.00 | | | | | 00.01 | 7.00 | | |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | 1 | | | | | | | | | | | | | 1 | İ |
| 1 1 | Splitting | | | UEPSR, UEPSB | VE1LS | 0.03 | 24.56 | 23.56 | 9.20 | 8.30 | | | 19.99 | 19.99 | 1 | |
| PHYSICAL C | COLLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | _ | | |
| igsquare | Splitting | | | UEPSR, UEPSB | PE1LS | 0.0318 | 11.94 | 11.46 | | | | | 19.99 | 19.99 | | |
| AIN SELECT | IVE CARRIER ROUTING | | | | | | | | | | | | | | |] |
| \vdash | Regional Service Establishment | | | SRC | SRCEC | | 391,788.00 | | | | ļ | | 19.99 | 19.99 | | 19.99 |
| $\longleftarrow \longleftarrow$ | End Office Establishment | | | SRC | SRCEO | | 320.53 | 320.53 | | | | | 19.99 | 19.99 | | 19.99 |
| $\vdash \vdash \vdash$ | Line/Port NRC, per end user | 1 | <u> </u> | SRC | SRCLP | | 2.06 | 2.06 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Query NRC, per query | 1 | 1 | SRC | | 0.000448 | | | | | ļ | | | | | |
| AINI FFI - | OUTU AN ONO ACCESS SERVICE | | | | | | | | | | | | | | | |
| AIN - BELLS | OUTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State, | | | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | 1 | | | ment: 2 | | oit: B |
|--------------|--|-------------|--------|-------------------|-----------------|------------------|----------------|---------------------------------------|---------------|--------------|---------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 29.66 | 29.66 | | | | | 18.94 | 18.94 | | |
| | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 29.66 | 29.66 | | | | | 18.94 | 18.94 | | |
| | AIN SMS Access Service - User Identification Codes - Per User ID Code | | | A1N | CAMAU | | 84.43 | 84.43 | | | | | 18.94 | 18.94 | | |
| | AIN SMS Access Service - Security Card, Per User ID Code, | | | AIN | CAIVIAU | | 84.43 | 84.43 | | | | | 18.94 | 18.94 | | |
| | Initial or Replacement | | | A1N | CAMRC | | 35.44 | 35.44 | | | | | 18.94 | 18.94 | | |
| | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | 7.114 | O7 WILLO | 0.0023 | 00.44 | 00.44 | | | | | 10.04 | 10.04 | | |
| | AIN SMS Access Service - Session, Per Minute | | | | | 0.0795604 | | | | | | | | | | |
| | AIN SMS Access Service - Company Performed Session, Per | | | | | | | | | | | | | | | |
| | Minute | | | | | 2.08 | | | | | | | | | | |
| AIN - BELLSO | OUTH AIN TOOLKIT SERVICE | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | | | | |
| | AIN Toolkit Service - Service Establishment Charge, Per State, | | | | | | | | | | | | | | | |
| | Initial Setup | | | CAM | BAPSC | | 86.74 | 86.74 | | | | | 18.94 | 18.94 | ļ | |
| | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 8,348.00 | 8,348.00 | | | | | 18.94 | 18.94 | ļ | |
| 1 | AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | 1 | BAPTT | | 40.40 | 19.13 | | | | | 18.94 | 18.94 | 1 | |
| | DN, Term. Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTI | | 19.13 | 19.13 | | | | | 18.94 | 18.94 | | |
| | DN, Off-Hook Delay | | | | BAPTD | | 114.80 | 114.80 | | | | | 18.94 | 18.94 | | |
| - | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAFID | | 114.00 | 114.00 | | | | | 10.54 | 10.94 | | |
| | DN, Off-Hook Immediate | | | | BAPTM | | 19.13 | 19.13 | | | | | 18.94 | 18.94 | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | D, a Tivi | | 10.10 | 10.10 | | | | | 10.54 | 10.04 | | |
| | DN, 10-Digit PODP | | | | BAPTO | | 70.06 | 70.06 | | | | | 18.94 | 18.94 | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, CDP | | | | BAPTC | | 70.06 | 70.06 | | | | | 18.94 | 18.94 | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, Feature Code | | | | BAPTF | | 70.06 | 70.06 | | | | | 18.94 | 18.94 | | |
| | AIN Toolkit Service - Query Charge, Per Query | | | | | 0.0209223 | | | | | | | | | | |
| | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | | | | | | | | | | | | | | | |
| | Subscription, Per Node, Per Query | | | | | 0.0053137 | | | | | | | | | | |
| | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | 1.46 | | | | | | | | | | |
| | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | | | _ | 1.46 | | | | | | | | | | |
| | Subscription | | | CAM | BAPMS | 15.96 | 22.64 | 22.64 | | | | | 18.94 | 18.94 | | |
| - | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | CAW | DAI WO | 13.30 | 22.04 | 22.04 | | | | | 10.54 | 10.34 | | |
| | Subscription | | | CAM | BAPLS | 0.0861109 | 22.64 | 22.64 | | | | | 18.94 | 18.94 | | |
| | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | Subscription | | | CAM | BAPDS | 15.87 | 22.64 | 22.64 | | | | | 18.94 | 18.94 | | |
| | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | | | | | | | | | | | | | | | |
| | Service Subscription | | | CAM | BAPES | 0.0028704 | 22.64 | 22.64 | | | | | 18.94 | 18.94 | | |
| | XTENDED LINK (EELs) | | L | | | <u> </u> | | | | <u></u> | | | | | | |
| NOTE | The monthly recurring and non-recurring charges below will | apply a | nd the | Switch-As-Is Char | ge will not app | oly for EELs pro | ovisioned as ' | Ordinarily Con | bined' Networ | k Elements. | | | | | | |
| | The monthly recurring and the Switch-As-Is Charge and not the Minimum billing is one month for DS1 and below and three m | | | | will apply for | EELS provision | ed as Curren | ily Combined | Network Eleme | ents. | | | | | | |
| | E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | | | | | | | | | | | | | | | |
| Z-VVIK | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | LIVOFF | IOL IN | CANOLOINI (EEL) | + | | | | | | | | | | | |
| 1 | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.84 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | 1 | |
| t t | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | 1 | 1 | | | | | | | | | | Ì | |
| I | Transport Combination - Zone 2 | L | 2 | UNCVX | UEAL2 | 19.45 | 104.14 | 78.10 | | | <u></u> | | 18.94 | 8.42 | <u> </u> | <u> </u> |
| ĺ | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.92 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.4523 | | | | | | | | | | |
| 1 | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | = | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 78.47 | 194.63 | 141.51 | | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 126.22 | 40.00 | 0.00 | | | 1 | | 40.01 | 8.42 | | |
| -+ | Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | UNCVX | 1D1VG | 1.17 | 12.02 | 8.66 | | | | | 18.94 | 8.42 | ļ | |
| 1 | Lacii Auditional Z-Wile VG LOOP(SL Z) III the Saifle DST | | 1 | UNCVX | UEAL2 | 16.84 | | 78.10 | l | I | | | | 8.42 | | l |

| 0.100.10 | D NETWORK ELEMENTS - Georgia | | | | | | | | | | T - | _ | | ment: 2 | | bit: B |
|----------|---|-------------|--------|-----------------|-------|--------|--------|------------|--------------|-------|---|---|--|---|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | 1 | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 19.45 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | UNCVX | UEAL2 | 30.92 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | |
| | per month | | | UNCVX | 1D1VG | 1.17 | 12.02 | 8.66 | | | | | 18.94 | 8.42 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| 4-WIR | E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE IF | RANSPORT (EEL) | | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | 1 | UNCVX | UEAL4 | 22.26 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | 2 | UNCVX | UEAL4 | 25.70 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 40.86 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.4523 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | UNC1X | U1TF1 | 78.47 | 194.63 | 141.51 | | | | | 33.63 | 27.49 | 19.88 | 11.8 |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 126.22 | | | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 1.17 | 12.02 | 8.66 | | | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 22.26 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 25.70 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 40.86 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 1.17 | 12.02 | 8.66 | | | | | 18.94 | 8.42 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| 4-WIR | E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | OFFICE | TRANSPORT (EEL) | | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 25.75 | 384.56 | 241.20 | | | | | 18.94 | 8.42 | | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 29.74 | 384.56 | 241.20 | | | | | 18.94 | 8.42 | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 47.27 | 384.56 | 241.20 | | | | | 18.94 | 8.42 | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.4523 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 78.47 | 194.63 | 141.51 | | | | | 33.63 | 27.49 | 19.88 | 11.8 |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 126.22 | | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.86 | 12.02 | 8.66 | | | | | 18.94 | 8.42 | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 25.75 | 384.56 | 241.20 | | | | | 18.94 | 8.42 | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 29.74 | 384.56 | 241.20 | | | | | 18.94 | 8.42 | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 47.27 | 384.56 | 241.20 | | | | | 18.94 | 8.42 | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.86 | 12.02 | 8.66 | | | | | 18.94 | 8.42 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 12.97 | 11.27 | | | | | 18.94 | 8.42 | | |

| ONBONDLE | D NETWORK ELEMENTS - Georgia | | 1 | 1 | | 1 | | | | - | | | | nent: 2 | | oit: B |
|----------|--|-------------|-------|----------------|--------------|------------------|------------------|------------------|--|-------|---|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring D | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 25.75 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 29.74 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 47.27 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.4523 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 78.47 | 194.63 | 141.51 | | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 126.22 | | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.86 | 12.02 | 8.66 | | | | | 18.94 | 8.42 | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 1 | UNCDX | UDL64 | 25.75 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 2 | UNCDX | UDL64 | 29.74 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System | | 3 | UNCDX | UDL64 | 47.27 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | 1D1DD | 1.86 | 12.02 | 8.66 | | | | | 18.94 | 8.42 | | |
| | Is Charge | | | UNC1X | UNCCC | | 12.97 | 11.27 | [| | | | 45.46 | 15.72 | | |
| 4-WIR | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE | ROFFI | CE TR | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 | | 1 | UNC1X | USLXX | 55.53 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 64.13 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 101.93 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.4523 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 78.47 | 194.63 | 141.51 | | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| 4 1800 | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE | BOET! | CE TO | UNC1X | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| 4-VVIK | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | OL IK | LINGFORT (EEL) | + | | | | | | | | | | 1 | |
| | 1 First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 1 | UNC1X | USLXX | 55.53 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 2 | UNC1X | USLXX | 64.13 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | 3 Interoffice Transport - Dedicated - DS3 combination - Per Mile | | 3 | UNC1X | USLXX | 101.93 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | UNC3X | 1L5XX | 2.72 | | | | | | | | | | |
| | month DS3 to DS1 Channel System combination per month | | | UNC3X UNC3X | U1TF3 MQ3 | 788.00 137.73 | 198.45 196.66 | 153.15 204.61 | | | | | 37.55 18.94 | 37.55 8.42 | 18.03 | 18.03 |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.02 | 12.02 | 8.66 | | | | | 18.94 | 8.42 | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 55.53 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 64.13 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 101.93 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.02 | 12.02 | 8.66 | | | | | 18.94 | 8.42 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC3X | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |

| ONBONDE | ED NETWORK ELEMENTS - Georgia | | | • | | | | | | | | _ | | ment: 2 | | bit: B |
|----------------|--|--|--|----------------|----------------|-----------------|--------|------------|--|-------|---|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-WII | RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | TEROFF | ICE T | RANSPORT (EEL) | | | | | | | | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | | | | | =0.10 | | | | | | 0.40 | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.84 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | 11000 | 115410 | 40.45 | 404.44 | 70.40 | | | | | 40.04 | 8.42 | | |
| | Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport | | 2 | UNCVX | UEAL2 | 19.45 | 104.14 | 78.10 | | | - | | 18.94 | 8.42 | - | - |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.92 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per | | Ŭ | ONOVA | OLIVEZ | 00.02 | 104.14 | 70.10 | | | | | 10.04 | 0.42 | | |
| | Mile Per Month | | | UNCVX | 1L5XX | 0.0222 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade | | | | | | | | | | | | | | | |
| | combination - Facility Termination per month | | | UNCVX | U1TV2 | 17.07 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | • | | | | | | | | | | | | | | |
| | Is Charge | | | UNCVX | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| 4-WII | RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN | TEROFF | ICE TI | RANSPORT (EEL) | | | | | | | | | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | 1 | | LINOVA | | | | .= | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 22.26 | 206.95 | 170.57 | | | 1 | | 18.94 | 8.42 | 1 | 1 |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 25.70 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | UNCVA | UEAL4 | 25.70 | 206.95 | 170.57 | | | - | | 10.94 | 0.42 | - | - |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 40.86 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | Interoffice Transport - Dedicated - 4-wire VG combination - Per | | - 3 | ONOVA | OLAL4 | 40.00 | 200.93 | 170.57 | | | | | 10.54 | 0.42 | | |
| | Mile Per Month | | | UNCVX | 1L5XX | 0.0222 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade | | | | | 0.0 | | | | | | | | | | |
| | combination - Facility Termination per month | | | UNCVX | U1TV4 | 17.07 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNCVX | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| DS3 | DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | E TRA | NSPOF | T (EEL) | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Per | | | | | | | | | | | | | | | |
| | Mile per month | | | UNC3X | 1L5ND | 8.90 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | | | UNC3X | UE3PX | 390.34 | 639.50 | 426.40 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 2.72 | 639.50 | 420.40 | | | | | 37.55 | 37.33 | 10.03 | 16.03 |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per Month | | | UNCSA | ILJAA | 2.12 | | | | | | | | | | |
| | Termination per per month | | | UNC3X | U1TF3 | 788.00 | 198.45 | 153.15 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC3X | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| STS1 | DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE T | RANSP | ORT (EEL) | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile per month | ļ | <u> </u> | UNCSX | 1L5ND | 8.90 | | | | | | | | ļ | 1 | |
| | High Capacity Unbundled Local Loop - STS1 combination - | 1 | | LINGOV | LIDI O4 | 404 === | 000 =0 | 100.10 | | | | | 07 | 07 | 40.00 | 40.00 |
| | Facility Termination per month | | <u> </u> | UNCSX | UDLS1 | 421.59 | 639.50 | 426.40 | | | 1 | | 37.55 | 37.55 | 18.03 | 18.03 |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | 1 | | UNCSX | 1L5XX | 2.72 | | | | | | | | | | |
| - | Interoffice Transport - Dedicated - STS1 combination - Facility | 1 | | UNUUA | 1LJAA | 2.12 | | | | | 1 | | | 1 | | |
| | Termination per month | | | UNCSX | U1TFS | 783.63 | 198.45 | 449.91 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | <u> </u> | | J U | 700.00 | 100.40 | 440.01 | | | | | 07.00 | 07.00 | 10.00 | 10.00 |
| | Is Charge | 1 | | UNCSX | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | I | |
| 2-WII | RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL | .) | <u> </u> | | | | | | | | | | <u> </u> | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | _ | | | | | | | | _ | | |
| | Transport - Zone 1 | <u> </u> | 1 | UNCNX | U1L2X | 21.89 | 233.38 | 180.38 | | | | | 18.94 | 8.42 | 1 | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | 1 | l . | l | | | | | | | | | | | | |
| | Transport - Zone 2 | | 2 | UNCNX | U1L2X | 25.27 | 233.38 | 180.38 | | | | | 18.94 | 8.42 | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | 1 | 3 | LINICNIX | 1141.07 | 40.47 | 222.22 | 400.00 | | | | | 40.04 | 0.40 | | |
| | Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCNX UNC1X | U1L2X 1L5XX | 40.17 0.4523 | 233.38 | 180.38 | | | | | 18.94 | 8.42 | - | <u> </u> |
| - | Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility | | - | OINC IV | 1LJ// | 0.4323 | | | | | - | | | 1 | t | |
| | Termination per month | 1 | | UNC1X | U1TF1 | 78.47 | 194.63 | 141.51 | | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| | Channelization - Channel System DS1 to DS0 combination - | 1 | <u> </u> | | 1 | | .550 | | | | | | 30.30 | 210 | .5.50 | |
| | per month | | | UNC1X | MQ1 | 126.22 | | | | | | | | | 1 | |

| JNBUNDLE | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|--|-------------|--------|----------------|--------------|------------------|------------------|------------------|-------|--------------|-------|---|---------------------------------|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonred | | | g Disconnect | | | | Rates (\$) | | T |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | combination - per month | | | UNCNX | UC1CA | 3.37 | 12.02 | 8.66 | | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21.89 | 233.38 | 180.38 | | | | | 18.94 | 8.42 | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 25.27 | 233.38 | 180.38 | | | | | 18.94 | 8.42 | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 40.17 | 233.38 | 180.38 | | | | | 18.94 | 8.42 | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | combintaion- per month | | | UNCNX | UC1CA | 3.37 | 12.02 | 8.66 | | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| 4-WIR | RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE T | | 011000 | | 12.07 | 11.27 | | | | | 40.40 | 10.72 | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination - | | 1 | UNC1X | USLXX | 55.53 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | - |
| | Zone 2 First DS1 Loop in STS1 Interdiffice Transport Combination - | | 2 | UNC1X | USLXX | 64.13 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 101.93 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month | | | UNCSX | 1L5XX | 2.72 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination STS1 to DS1 Channel System conbination per month | | | UNCSX UNCSX | U1TFS MQ3 | 783.63 182.04 | 198.45 196.66 | 449.91 204.61 | | | | | 37.55 37.55 | 37.55 37.55 | 18.08 18.08 | 18.0 18.0 |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.02 | 12.02 | 8.66 | | | | | 37.55 | 37.55 | 18.08 | 18.0 |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 55.53 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 64.13 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 101.93 | 443.20 | 138.69 | | | | | 18.94 | 8.42 | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | 3 | UNC1X | UC1D1 | 11.02 | 12.02 | 8.66 | | | | | 18.94 | 8.42 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | 1 | | | | | | | | | | | |
| | Is Charge | | | UNCSX | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| 4-WIR | RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROIT 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | FFICE 1 | RANS | PORT (EEL) | <u> </u> | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCDX | UDL56 | 25.75 | 384.56 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 29.74 | 384.56 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 47.27 | 384.56 | 241.20 | | | | | 18.94 | 8.42 | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile | | 3 | UNCDX | 1L5XX | 0.0222 | 364.30 | 241.20 | | | | | 10.94 | 0.42 | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination | | | UNCDX | U1TD5 | 16.45 | 147.07 | 111.75 | | | | | 33.63 | 27.49 | 19.88 | 11.8 |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCDX | UNCCC | 10.40 | 12.97 | 11.27 | | | | | 45.46 | 15.72 | 10.00 | 11.0 |
| 4-WIR | E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE T | RANS | | | | | | | | | | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 25.75 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 29.74 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 47.27 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | 3 | UNCDX | 1L5XX | 0.0222 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | ONCDA | ILUAA | 0.0222 | | | | - | - | | | | | + |
| | Facility Termination | | | UNCDX | U1TD6 | 16.45 | 147.07 | 111.75 | | | | | 33.63 | 27.49 | 19.88 | 11.8 |

| <u>UNBUN</u> DL | LED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-----------------|---|--|--|---------------------|----------------|-----------------|----------------|------------|--------|--------------|--------|-----------|--|--|--------|---|
| CATEGORY | | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred | | | g Disconnect | 001150 | 001111 | | Rates (\$) | 001441 | 001111 |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | - | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Is Charge | | | UNCDX | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| ADDITIONAL | L NETWORK ELEMENTS | | | ONODA | ONCCC | | 12.57 | 11.27 | | | | | 45.40 | 10.72 | | |
| | n used as a part of a currently combined facility, the non-recurr | rng cha | raes do | not apply, but a S | witch As Is c | harge does apr | olv. | | | | | | | | | |
| | n used as ordinarily combined network elements in All States, t | | | | | | | | | | | | | | | |
| Non | recurring Currently Combined Network Elements "Switch As Is" | Charge | (One a | applies to each com | bination) | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 12.97 | 11.27 | | | | | 18.94 | 18.94 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | - | | | | | | | | | | | | | | |
| | Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 12.97 | 11.27 | | | | | 18.94 | 18.94 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1 | | | UNC1X | UNCCC | | 12.97 | 11.27 | | | | | 18.94 | 18.94 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | LINCOV | LINICCO | | 40.07 | 44.07 | | | | | 40.04 | 40.04 | | |
| | Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As- | | ! | UNC3X | UNCCC | | 12.97 | 11.27 | | 1 | - | | 18.94 | 18.94 | | |
| | Is Charge - STS1 | | | UNCSX | UNCCC | | 12.97 | 11.27 | | | | | 18.94 | 18.94 | | |
| NOT | E: Local Channel - Dedicated Transport - minimum billing perio | d - Belo | w DS3: | | | r months | 12.37 | 11.27 | | | | | 10.54 | 10.34 | | - |
| | Local Channel - Dedicated - 2-Wire Voice Grade | 1 | 1 | UNCVX | ULDV2 | 13.91 | 272.07 | 60.43 | | | | | 18.94 | 18.94 | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade | | | UNCVX | ULDV4 | 14.99 | 272.07 | 60.43 | | | | | 18.94 | 18.94 | | |
| | Local Channel - Dedicated - DS1 | | | UNC1X | ULDF1 | 38.36 | 356.15 | 312.89 | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 6.92 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | UNC3X | ULDF3 | 515.91 | 639.50 | 426.31 | | | | | 18.94 | 18.94 | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 6.92 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | | UNCSX | ULDFS | 517.56 | 639.50 | 426.31 | | | | | 18.94 | 18.94 | | |
| | onal Features & Functions: | | | | | | | | | | | | | | | |
| | TIPLEXERS E: minimum billing period is one month for DS1 to DS0 Channe | l Cyctor | n and i | ntorfosos | - | | | | | | | | | | | |
| | E: minimum billing period is one month for DS1 to DS0 Channe E: minimum billing period is three months for DS3 to DS1 and a | | | | 200 | | | | | | - | | | | | |
| 1101 | Channelization - DS1 to DS0 Channel System | l l | lame | UXTD1 | IMQ1 | 126,22 | 198.22 | 123.59 | | | | | 14.75 | 6.55 | 10.70 | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | 07.12. | | 120.22 | 100.22 | 120.00 | | | | | 1 11.10 | 0.00 | 10.10 | |
| | month (2.4-64kbs) | | | UDL | 1D1DD | 1.86 | 12.02 | 8.66 | | | | | 14.75 | 6.55 | 10.70 | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | month | | | UDN | UC1CA | 3.37 | 12.02 | 8.66 | | | | | 14.75 | 6.55 | 10.70 | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 1.17 | 12.02 | 8.66 | | | | | 14.75 | 6.55 | 10.70 | |
| | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 | 182.04 | 265.91 | 188.78 | | | | | 14.75 | 6.55 | 10.70 | |
| | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 182.04 | 265.91 | 188.78 | | | | | 14.75 | 6.55 | 10.70 | |
| | DS3 Interface Unit (DS1 COCI) used with Loop per month DS3 Interface Unit (DS1 COCI) used with Local Channel per | | ! | USL | UC1D1 | 11.02 | 12.02 | 8.66 | | 1 | - | | 14.75 | 6.55 | 10.70 | |
| | month | | | ULDD1 | UC1D1 | 11.02 | 12.02 | 8.66 | | | | | 14.75 | 6.55 | 10.70 | |
| | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel | 1 | <u> </u> | | -5.5. | 02 | .2.02 | 3.00 | | | | | | 2.00 | .0.70 | |
| | per month | | | U1TD1 | UC1D1 | 11.02 | 12.02 | 8.66 | | | | | 14.75 | 6.55 | 10.70 | 1 |
| Sub- | -Loop Feeder | | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | | | UNC1X | USBFG | 79.30 | 203.69 | 128.76 | 124.09 | 34.80 | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | UNC1X | USBFG | | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | ļ | 2 | UNC1X | USBFG | | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | ! | 3 | UNC1X | USBFG | | | | | 1 | | | | - | - | |
| INDI INDI E | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4 D LOCAL EXCHANGE SWITCHING(PORTS) | 1 | 4 | UNC1X | USBFG | | | | | | 1 | | | | | |
| | D LOCAL EXCHANGE SWITCHING(PORTS) nange Ports | 1 | | | + | | | | | - | | | | - | - | |
| | E: Although the Port Rate includes all available features in GA, | KY. I A | & TN. + | he desired features | will need to ! | ne ordered usin | g retail USOC | <u> </u> | | + | | | | | | |
| | RE VOICE GRADE LINE PORT RATES (RES) | | | assired reactives | 1 | C Cracica doll | .g . stan 5500 | • | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | 1 | <u> </u> | UEPSR | UEPRL | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | | | 1 | | | | | | | | | | - | | | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port | | _ | | | | | | | | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|------|----------------|----------------|--------------|----------------|----------------|-------|--------------|-------|---|---|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred | | | g Disconnect | | | | Rates (\$) | | |
| | Exchange Ports - 2-Wire Voice Georgia basic dialing port | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | without Caller ID | | | UEPSR | UEPWC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res | | | UEPSR | UEPWQ | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire voice unbundled Georgia basic dialing port - outgoing only | | | UEPSR | UEPWR | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability | | | UEPSR | UEPRT | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| FEAT | TURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | 1 | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| 2-WII | RE VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | └ |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability | | | UEPSB | UEPWP | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID | | | UEPSB | UEPWD | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID Capability | | | UEPSB | UEPBE | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| FEAT | TURES | | | LIEBOR | 1155) (5 | | | | | | | | 10.01 | 0.10 | | |
| EVO | All Available Vertical Features HANGE PORT RATES (DID & PBX) | | 1 | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| EXC | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | 1 | UEPSE | UEPRD | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire voice unbundled Georgia extended dialing port, PBX 1- | | | | | | | | | | | | | | | |
| | Way Outdial Trunk 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSE UEPSP | UEPPO UEPPC | 1.85 1.85 | 17.16 17.16 | 17.16 17.16 | | | | | 18.94 18.94 | 8.42 8.42 | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | 1 | UEPSP | UEPPO | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | ļ | UEPSP | UEPXC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | UEPSP | UEPXD | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | UEPSP | UEPXE | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | - |
| | Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | UEPSP | UEPXL | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Room Calling Port | | | UEPSP | UEPXM | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | 1 | | UEPSP | UEPXS | 1.85 | 17.16 | 17.16 | | | 1 | | 18.94 | 8.42 | | <u> </u> |
| | 2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk | | | UEPSP | UEPWS | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | 2-Wire voice unbundled Georgia basic dialing port - 2-Way | | | | | | | | | | | | | | | |
| | Trunk 2-Wire voice unbundled Georgia basic dialing port - 2-way PBX | | | UEPSP | UEPWT | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Trunk 2-Wire voice unbundled Georgia basic dialing port - PBX LD | | | UEPSP | UEPPQ | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | - |
| | Terminal Ports | | | UEPSP | UEPPS | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | İ |

| UNBU | NDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachr | ment: 2 | Exhil | bit: B |
|-------|----------|--|-------------|---------|-------------------|-------------|------------------------|---------------|---------------|-------------------|---------------|---------------|---|--|--|-------|--------|
| CATEG | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | |
| | | | | | | | Rec | Nonre | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire voice unbundled Georgia basic dialing port - PBX Toll Terminal Ports | | | UEPSP | UEPPT | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | | 2-Wire voice unbundled Georgia basic dialing port - PBX LD | 1 | | UEFSF | UEPPI | 1.00 | 17.10 | 17.10 | | | | | 10.94 | 0.42 | | |
| | | DDD Terminal Port | | | UEPSP | UEPPU | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | | 2-Wire voice unbundled Georgia basic dialing port - PBX LD | | | | | | | | | | | | | | | |
| | | Terminal Switchboard Port | | | UEPSP | UEPPV | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | | 2-Wire voice unbundled Georgia basic dialing port - PBX LD | | | | | | | | | | | | | | | |
| | | Terminal Switchboard DDD Capable Port | | | UEPSP UEPSP | UEPPW | 1.85 0.00 | 17.16 | 17.16 0.00 | | | | | 18.94 18.94 | 8.42 8.42 | | |
| | FEATU | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| | FEATU | All Available Vertical Features | | 1 | UEPSP UEPSE | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| | EXCHA | INGE PORT RATES (COIN) | | | OLI OI OLI OL | OLI VI | 0.00 | 0.00 | 0.00 | | | | | 10.04 | 0.42 | | |
| | | Exchange Ports - Coin Port | | | | | 2.05 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | | Transmission/usage charges associated with POTS circuit sv | | | | | | | | | | | | | | | |
| | | Access to B Channel or D Channel Packet capabilities will be | availa | ble onl | y through BFR/New | Business Re | quest Process. | Rates for the | packet capabi | lities will be de | etermined via | the Bona Fig | de Request/l | New Business | Request Pro | cess. | |
| UNBUN | | OCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | EXCHA | NGE PORT RATES | | | HEDEV | LIEDDO | 44.05 | C4 O4 | C4 04 | | | | | 10.00 | 40.00 | 40.00 | 40.00 |
| | | Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | | | UEPEX | UEPP2 | 11.35 | 61.91 | 61.91 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | capability | | | UEPDD | UEPDD | 120.80 | 108.38 | 60.88 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 13.47 | 47.37 | 47.37 | | | | | 39.98 | 39.98 | 15.55 | 15.55 |
| | | All Features Offered | | | UEPTX UEPSX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 00.00 | 00.00 | | |
| | NOTE: | Transmission/usage charges associated with POTS circuit sv | vitched | usage | | | | | | ission by B-C | hannels assoc | iated with 2- | wire ISDN p | orts. | | | |
| | NOTE: | Access to B Channel or D Channel Packet capabilities will be | availa | ble onl | y through BFR/New | Business Re | quest Process. | Rates for the | packet capabi | lities will be de | etermined via | the Bona Fid | de Request/l | New Business | Request Pro | cess. | |
| | | Exchange Ports - 2-Wire ISDN Port Channel Profiles | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 163.16 | 186.80 | 186.80 | | | | | 37.88 | 37.88 | | |
| | | IDLED PORT with REMOTE CALL FORWARDING CAPABILITY | | | | | | | | | | | | | | | |
| | UNBUN | IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | | Oribundied Remote Call Forwarding Service, Area Calling, Res | | + | UEFVK | UERAC | 1.00 | 17.16 | 17.10 | | | 1 | | 10.94 | 0.42 | | |
| | | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Non-Re | ecurring | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPVR | USAC2 | | 2.01 | 0.31 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | Unbundled Remote Call Forwarding Service - Conversion with | | | LIEDVD | 110400 | | 0.04 | 0.04 | | | | | | | | |
| | LINIDIIN | allowed change (PIC and LPIC) IDLED REMOTE CALL FORWARDING - Bus | | | UEPVR | USACC | | 2.01 | 0.31 | | | | | | | | |
| | ONEON | IDLED REMOTE CALL FORWARDING - Bus | | 1 | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | | embarrated remote can remarking cornec, rued canning but | | | 02. 12 | 02.0.0 | 1.00 | | | | | | | 10.01 | 02 | | |
| | | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Remote Call Forwarding Service Expanded and | | | | | | | | | | | | | | | |
| | Na: 5 | Exception Local Calling | <u> </u> | 1 | UEPVB | UERVJ | 1.85 | 17.16 | 17.16 | | ļ | <u> </u> | | 18.94 | 8.42 | | |
| | Non-Re | ecurring | | 1 | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVB | USAC2 | | 2.01 | 0.31 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | | - | † | J_1 VD | 30,102 | | 2.01 | 0.51 | | 1 | | | 33.07 | 7.00 | 11.17 | 5.51 |
| | | | | | • | | | | | I | I | 1 | | | 1 | | |
| | | Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) | | | UEPVB | USACC | | 2.01 | 0.31 | | | | | | | | |
| UNBUN | DLED L | allowed change (PIC and LPIC) OCAL SWITCHING, PORT USAGE | | | UEPVB | USACC | | 2.01 | 0.31 | | | | | | | | |
| UNBUN | | allowed change (PIC and LPIC) OCAL SWITCHING, PORT USAGE fice Switching (Port Usage) | | | UEPVB | USACC | | 2.01 | 0.31 | | | | | | | | |
| UNBUN | | allowed change (PIC and LPIC) OCAL SWITCHING, PORT USAGE fice Switching (Port Usage) [End Office Switching Function, Per MOU | | | UEPVB | USACC | 0.0016333 | 2.01 | 0.31 | | | | | | | | |
| UNBUN | End Of | allowed change (PIC and LPIC) OCAL SWITCHING, PORT USAGE fice Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU | | | UEPVB | USACC | 0.0016333 0.0001564 | 2.01 | 0.31 | | | | | | | | |
| UNBUN | End Of | allowed change (PIC and LPIC) OCAL SWITCHING, PORT USAGE fice Switching (Port Usage) [End Office Switching Function, Per MOU | | | UEPVB | USACC | | 2.01 | 0.31 | | | | | | | | |

Version 4Q02: 12/18/02 Page 107 of 416

| UNB | JNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|----------|----------|--|--|--|-----------------------|---------------|-------------------|-----------------|----------------|-----------------|----------------|-------------|-------------|-------------|--------------|--|--------------|
| | | _ | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | | Disconnect | 001150 | 001111 | | Rates (\$) | 0011411 | 001141 |
| | Comm | l on Transport | | | | - | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Commi | Common Transport - Per Mile, Per MOU | | | | | 0.000008 | | | | | | | | | | |
| | | Common Transport - Fel Mile, Fel Moo | | | | | 0.0004152 | | | | | | | | | | |
| UNBU | NDI FD F | PORT/LOOP COMBINATIONS - COST BASED RATES | | | | + | 0.0004102 | | | | | | | | | | |
| 0.120 | | ased Rates are applied where BellSouth is required by FCC ar | nd/or St | ate Co | mmission rule to pro | ovide Unbun | dled Local Swi | tching or Swite | ch Ports. | | | | | | | | |
| | | es shall apply to the Unbundled Port/Loop Combination - Cos | | | | | | | | ed Port section | of this Rate E | xhibit. | | | | | |
| | End Of | fice and Tandem Switching Usage and Common Transport Us | sage rat | es in th | he Port section of th | is rate exhib | it shall apply to | all combination | ons of loop/po | rt network eler | nents except | for UNE Coi | n Port/Loop | Combinatio | ns. | | |
| | | st and additional Port nonrecurring charges apply to Not Curr | | | | | | | | | | | | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | ` | <u> </u> | | | | |
| | UNE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.59 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 14.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 21.62 | | | | | | | | | | |
| | UNE L | pop Rates | | | | | | | | | | | | | | | |
| | <u> </u> | 2-Wire Voice Grade Loop (SL1) - Zone 1 | <u> </u> | 1 | UEPRX | UEPLX | 10.80 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 12.47 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 19.83 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 37.06 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire voice unbundled Georgia basic dialing port without Caller | 1 | | UEPKA | UEPAP | 1.79 | 22.14 | 15.25 | 0.40 | 3.91 | | | 33.67 | 7.00 | 11.17 | 3.91 |
| | | ID capability - res | | | UEPRX | UEPWC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire voice unbundled Georgia basic dialing port for use with | | | UEPRA | UEPWC | 1.79 | 22.14 | 15.25 | 0.43 | 3.91 | | | 33.07 | 7.00 | 11.17 | 3.91 |
| | | Caller ID - res | | | UEPRX | UEPWQ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire voice unbundled Georgia basic dialing port - outgoing | | | OLI IXX | OLI WQ | 1.75 | 22.14 | 13.23 | 0.43 | 3.91 | | | 33.07 | 7.00 | 11.17 | 3.31 |
| | | Ionly | | | UEPRX | UEPWR | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | 02.100 | 02 | 0 | | .0.20 | 0.10 | 0.01 | | | 00.01 | 7.00 | | 0.01 |
| | | Capability | | | UEPRX | UEPRT | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | FEATU | | | | | | | | | | 0.0. | | | | | | |
| | | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | NONRE | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPRX | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | 1 | | | | | | | | | | | | | 1 | |
| | | Switch with change | ļ | <u> </u> | UEPRX | USACC | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | | |
| | ADDITI | IONAL NRCs | <u> </u> | <u> </u> | | 1 | | | | | | | | | | - | ļ |
| | 1 | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | 1 | LIEDBY | LICACO | 0.00 | 0.00 | 0.00 | | | | 1 | 22.07 | 7.00 | 44.47 | 0.01 |
| | 2-1//105 | Activity E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | - | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | ort/Loop Combination Rates | ├ | | - | + | | | | | | | | | - | | 1 |
| | UNE PO | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.59 | | | | | | | | | | |
| \vdash | + | 2-Wire VG Loop/Port Combo - Zone 1 | 1 | 2 | | + | 14.26 | | | | | | | | | | † |
| | + | 2-Wire VG Loop/Port Combo - Zone 2 | | 3 | | 1 | 21.62 | | | | | | | | | t | |
| | UNE I | pop Rates | † | ۲ | | 1 | 21.02 | | | | | <u> </u> | | | | I | 1 |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 10.80 | | | | | | | | 1 | 1 | |
| | 1 | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 12.47 | | | | | | | | İ | 1 | Ì |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 19.83 | | | | l | | | | | 1 | |
| | 2-Wire | Voice Grade Line Port (Bus) | | | | 1 | , , , | | | | | | | | İ | İ | 1 |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire voice unbundled Georgia basic dialing port, without | 1 | | I - | | | | | | | | | | | | |
| ļ | | Caller ID capability - bus | | | UEPBX | UEPWD | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |

Version 4Q02: 12/18/02 Page 108 of 416

| UNBUNDL | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | 1 | | | ment: 2 | | bit: B |
|---------------|---|--|----------|----------------|----------------|----------------------|-------------------------|-------------------------|--|--------------|--|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus | | | UEPBX | UEPWP | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID Capability | | | UEPBX | UEPBE | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| LOC | AL NUMBER PORTABILITY | | | OLI DX | OLI DL | 1.75 | 22.14 | 13.23 | 0.43 | 3.31 | | | 33.07 | 7.00 | 11.17 | 3.31 |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| FEAT | URES | | | 02. 27. | 2.11 0/1 | 0.00 | | | | | | | | | | |
| - | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| NONE | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPBX | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | · | | | | | | | | | | | | | | |
| | Switch with change | | | UEPBX | USACC | | 2.01 | 0.3108 | | | | | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | HEDDY | 110400 | | | | | | | | | | | |
| 0.1471 | Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | <u> </u> | 1 | | _ | 12.59 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | - | 14.26 | | | | | 1 | | | - | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | + | 21.62 | | | | | | | | | | |
| UNF | Loop Rates | | Ŭ | | | 21.02 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 10.80 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 12.47 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 19.83 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | | |
| | Res | | | UEPRG | UEPRD | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire voice unbundled Georgia extended dialing port, PBX 1- | | | | | | | | | | | | | | | |
| | Way Outdial Trunk | | | UEPRG | UEPPO | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| LOCA | AL NUMBER PORTABILITY Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| EEAT | TURES | | | UEFRG | LINECE | 3.13 | 0.00 | 0.00 | | | | | 33.67 | 1.00 | 11.17 | 3.91 |
| FLAI | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | OLI IKO | OLI VI | 0.00 | 0.00 | 0.00 | | | | | 33.07 | 7.00 | 11.17 | 3.31 |
| - 110111 | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch with Change | L_ | <u>L</u> | UEPRG | USACC | | 2.01 | 0.3108 | | | <u> </u> | | 33.67 | 7.88 | 11.17 | 3.91 |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | |] | | | 1 | |
| | Subsequent Activity | | <u> </u> | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | ļ | | 33.67 | 7.88 | 11.17 | 3.91 |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | 1 | | | | 44.0. | 4461 | | | | 1 | 40.00 | 10.00 | 10.00 | 40.00 |
| | Group | | <u> </u> | 1 | - | | 14.64 | 14.64 | | | ļ | | 19.99 | 19.99 | 19.99 | 19.99 |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Port/Loop Combination Rates | | <u> </u> | - | | | | | | | 1 | | - | | | - |
| UNE | 2-Wire VG Loop/Port Combo - Zone 1 | 1 | 1 | 1 | + | 12.59 | | | | | 1 | | - | | 1 | 1 |
| +- | 2-Wire VG Loop/Port Combo - Zone 2 | \vdash | 2 | 1 | | 14.26 | | | | | | | | | | |
| -+ | 2-Wire VG Loop/Port Combo - Zone 3 | 1 | 3 | † | | 21.62 | | | † | | | | 1 | I | | 1 |
| UNE | Loop Rates | T | Ť | | | | | | | | | | | 1 | İ | Ì |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 10.80 | | | | | | | | | İ | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 12.47 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 19.83 | _ | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | 1. 2 | 1 | | LIEBBY . | UEPPC | | | | | | | 1 | | | | _ |
| | | | | | | | | | 8.45 | 3.91 | 1 | | | | | 3.91 |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | | 1.79 | 22.14 | 15.25 | | | 1 | | 33.67 | 7.88 | 11.17 | |
| \Rightarrow | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX UEPPX | UEPPO UEPP1 | 1.79 1.79 1.79 | 22.14 22.14 22.14 | 15.25 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | | 33.67 33.67 | 7.88 7.88 | 11.17 | 3.91 3.91 |

| NRONDLE | D NETWORK ELEMENTS - Georgia | | | • | | | | | | | | | | ment: 2 | | bit: B |
|---------|---|-------------|----------|-------------|----------|-------|--------|------------|--------------|------------|-------|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 37.06 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | UEPPX | UEPXE | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| - | Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | UEPPX | UEPAE | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.8 |
| | Administrative Calling Port | | | UEPPX | UEPXL | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | OLFFX | ULFAL | 1.75 | 22.14 | 13.23 | 0.43 | 3.91 | | | 33.07 | 7.00 | 11.17 | 3.8 |
| | Room Calling Port | | | UEPPX | UEPXM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| - | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | CLITA | OLI XIVI | 1.70 | 22.17 | 10.20 | 0.40 | 0.01 | | | 00.07 | 7.00 | | 0.0 |
| | Discount Room Calling Port | | | UEPPX | UEPXO | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port - 1-Way | | | | | | | | | | | | | | | |
| | Oudial Trunk | | | UEPPX | UEPWS | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port - 2-Way | | | | | | | | | | | | | | | |
| | Trunk | | | UEPPX | UEPWT | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port - 2-way PBX | | | | | | | | | | | | | | | |
| | Trunk | | | UEPPX | UEPPQ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port - PBX LD | | | | | | | | | | | | | | | |
| | Terminal Ports | | | UEPPX | UEPPS | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port - PBX Toll | | | | 1 | | | | | | | | | | | |
| | Terminal Ports | | | UEPPX | UEPPT | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port - PBX LD | | | LIEDDY | LIEDDII | 4.70 | 00.44 | 45.05 | 0.45 | 0.04 | | | 00.07 | 7.00 | 44.47 | |
| | DDD Terminal Port | | | UEPPX | UEPPU | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard Port | | | UEPPX | UEPPV | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port - PBX LD | | | OLFFX | OLFFV | 1.75 | 22.14 | 13.23 | 0.43 | 3.91 | | | 33.07 | 7.00 | 11.17 | 3.5 |
| | Terminal Switchboard DDD Capable Port | | | UEPPX | UEPPW | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Tommai Omionecara BBB capabio Fort | | | 52 <i>x</i> | 02 | 0 | | .0.20 | 0.10 | 0.0. | | | 00.01 | 7.00 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way | | | | 1 | | | | | | | | | | | 0.0 |
| | Trunk | | | UEPPX | UEPPC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| FEATU | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch-As-Is | | <u> </u> | UEPPX | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | LIEDDY | 110400 | | 0.04 | 0.0400 | | | | | 22.67 | 7.00 | 44.47 | 2.0 |
| ADDIT | Conversion - Switch with Change | | <u> </u> | UEPPX | USACC | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| ADDIT | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | <u> </u> | | | | | | | | | | | | | |
| | Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| - | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | 1 | OLITA | OOAOZ | 0.00 | 0.00 | 0.00 | | | | | 33.07 | 7.00 | 11.17 | 5.5 |
| | Group | | | | | | 14.64 | 14.64 | | | | | 19.99 | 19.99 | 19.99 | 19.9 |
| 2-WIRE | E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT. | | | | | 14.04 | 14.04 | | | | | 10.00 | 10.00 | 10.00 | 10.0 |
| | ort/Loop Combination Rates | i i | | | 1 1 | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | 1 | 12.69 | | | i i | | | | | İ | İ | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 14.36 | | | i i | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 21.72 | | | | | | | | | | |
| UNE L | oop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 10.80 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 12.47 | Ť | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 19.83 | | | ļ | | | | | | | |
| 12-Wire | Voice Grade Line Ports (COIN) | | | LIEBOO | LIEBS : | | | | | | | | | | | |
| | | | | UEPCO | UEPGC | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Coin 2-Way with Operator Screening (GA) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | OLI CO | OLI GC | 1.09 | 22.17 | 10.20 | 0.10 | 0.01 | | | 00.07 | 7.00 | | † |

| UNBUNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachr | nent: 2 | Exhi | bit: B |
|----------|--|-------------|--------|--------|---------|--------|-----------------|-----------------|-----------------------|---------------------|--------|---|--------------|---------------------|-------------------------|--------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | | | Incremental Charge - | |
| | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA) | | | UEPCO | UEPGA | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | SOWIEC | SOWAN | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Coin 2-Way with Operator Screening and 900/976 | | | | | | | | | | | | | | | |
| | Blocking (GA) 2-Wire Coin 2-Way with Operator Screening and Blocking: | | | UEPCO | UEPGB | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 900/976, 1+DDD, 011+, and Local (GA) 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | UEPCO | UEPCH | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | (GA, KY, MS) | | | UEPCO | UEPRJ | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCR | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 2.0 |
| ADDIT | TONAL UNE COIN PORT/LOOP (RC) | | | UEPCO | UEPCR | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.07 | 7.88 | 11.17 | 3.9 |
| | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 3.59 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| LOCA | L NUMBER PORTABILITY | | | LIEBOO | LNDOV | 0.05 | | | | | | | | | | |
| NONR | Local Number Portability (1 per port) ECURRING CHARGES - CURRENTLY COMBINED | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPCO | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| ADDIT | Switch with change TONAL NRCs | | | UEPCO | USACC | | 2.01 | 0.31 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| ADDIT | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | - | | | | | | | | | | | |
| | Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE Port/Loop Combination Rates | LINE | PORT (| RES) | - | | | | | | | | | | | |
| ONLI | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | + | 18.69 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 21.30 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 32.77 | | | | | | | | | | |
| UNE L | oop Rates | | 1 | UEPFR | UECF2 | 16.84 | | | | | | | | | | |
| - | 2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 19.45 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 3 | UEPFR | UECF2 | 30.92 | | | | | | | | | | |
| 2-Wire | voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 37.06 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPFR | UEPAP | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Wire voice unbundled Georgia basic dialing port, without Caller ID capability - res | | | UEPFR | UEPWC | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res | | | UEPFR | UEPWQ | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port - outgoing only | | | UEPFR | UEPWR | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| INTER | OFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFR | U1TV2 | 17.07 | 79.61 | 36.08 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFR | 1L5XX | 0.0222 | | | | | | | | | | |
| FEAT | | | | LIEDED | LIED) # | | | | | | | | | | | |
| LOCA | All Features Offered L NUMBER PORTABILITY | | - | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 93.83 | 93.83 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |

| ONBOND | LEL | NETWORK ELEMENTS - Georgia | | | 1 | | | | | | | | | | ment: 2 | | bit: B |
|---------|--------|--|-------------|--|---------|-----------|---|--------|------------|--------------|-------|----------|---|--|--|---|---|
| CATEGOR | Y | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | UEPER | LICACO | | 02.02 | 02.02 | | | | | 22.67 | 7.00 | | |
| 2 14 | | Combination - Conversion - Switch-With-Change VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | DODT : | | USACC | | 93.83 | 93.83 | | | | | 33.67 | 7.88 | - | |
| | | rt/Loop Combination Rates | LINE | FUKI | (603) | | | | | | | | | | | | |
| UNI | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 18.69 | | | | | | | | | | |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 21.30 | | | | | 1 | | | | | 1 |
| | ľ | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 3 | | | 32.77 | | | | | | | | | | |
| LINI | | op Rates | | 3 | | | 32.11 | | | | | - | | | - | - | - |
| ON | | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 16.84 | | | | | 1 | | | | | <u> </u> |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 2 | UEPFB | UECF2 | 19.45 | | | | | | | | | | |
| - H | | 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 30.92 | | | | | | | | t | t | |
| 2-14 | | /oice Grade Line Port (Bus) | | - | OLI I D | JE01 2 | 30.92 | | | + + | | | | | - | - | |
| 2-41 | | 2-Wire voice unbundled port without Caller ID - bus | - | | UEPFB | UEPBL | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | 2-Wire voice unburidled port with Caller + E484 ID - bus | - | | UEPFB | UEPBC | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | | 3.9 |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | 1 | UEPFB | UEPB1 | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | 1 | | 33.67 | 7.88 | 11.17 | 3.9 |
| - | | 2-Wire voice unbundled Georgia basic dialing port, without | | 1 | OLITB | OLI DI | 1.00 | 121.00 | 30.20 | 0.40 | 0.01 | | | 00.07 | 7.00 | | 0.0 |
| | | Caller ID capability - bus | | | UEPFB | UEPWD | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | 2-Wire voice unbundled Georgia basic dialing port for use with | | 1 | OLITB | OLI WB | 1.00 | 121.00 | 30.20 | 0.40 | 0.01 | | | 00.07 | 7.00 | | 0.0 |
| | | Caller ID - bus | | | UEPFB | UEPWP | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| 1.00 | | NUMBER PORTABILITY | | 1 | OLITB | OLI VVI | 1.00 | 121.00 | 30.20 | 0.40 | 0.01 | | | 00.07 | 7.00 | | 0.0 |
| | | Local Number Portability (1 per port) | | 1 | UEPFB | LNPCX | 0.35 | | | | | | | | | | |
| INT | | FFICE TRANSPORT | | 1 | 02.1.5 | 2.1.1 0/1 | 0.00 | | | | | 1 | | | | | + |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | 1 | | | | | | | | | | | | | |
| | | Termination | | | UEPFB | U1TV2 | 17.07 | 79.61 | 36.08 | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | 1 | OLITB | OTTVE | 17.07 | 70.01 | 00.00 | | | 1 | | | | | + |
| | | or Fraction Mile | | | UEPFB | 1L5XX | 0.0222 | | | | | | | | | | |
| FE/ | ATUF | RES | | | | | *************************************** | | | | | | | | | | |
| | | All Features Offered | | | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| NO | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 93.83 | 93.83 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | | Combination - Conversion - Switch with change | | | UEPFB | USACC | | 93.83 | 93.83 | | | | | | | | |
| 2-W | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 18.69 | | | | | | | | | | 1 |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 21.30 | | | | | | | | | | |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 32.77 | | | | | | | | | | |
| UNI | E Lo | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 16.84 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 19.45 | | | | | | | | | | ĺ |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 30.92 | | | | | | | | | | ĺ |
| 2-W | Vire \ | /oice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | ĺ |
| | | | | | | | | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | | 3.9 |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 37.06 | 7.88 | 11.17 | 3.9 |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | · | | | | | | 1 | 1 | |
| | | Capable Port | | | UEPFP | UEPXE | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | I | I | |
| | | Administrative Calling Port | | | UEPFP | UEPXL | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | 1 | 1 | |
| | | Room Calling Port | | <u></u> | UEPFP | UEPXM | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | <u> </u> | | 33.67 | 7.88 | 11.17 | 3.9 |

Version 4Q02: 12/18/02 Page 112 of 416

| UNB | UNDLE | D NETWORK ELEMENTS - Georgia | | | 1 | 1 | T | | | | | 1 - | T - | | ment: 2 | | bit: B |
|------|----------|--|-------------|----------|-------------|---------|--------|--------|------------|--------------|-------|---|---|---|-----------------------------------|----------|----------|
| CATE | GORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Charge - | Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | | Discount Room Calling Port | | | UEPFP | UEPXO | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire voice unbundled Georgia basic dialing port - 1-Way | | | LIEDED | LIEDWO | 4.05 | 404.00 | 05.00 | 0.45 | 0.04 | | | 00.07 | 7.00 | 44.47 | 0.04 |
| | | Oudial Trunk | | | UEPFP | UEPWS | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk | | | UEPFP | UEPWT | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | LOCAL | . NUMBER PORTABILITY | | | UEPFP | UEPWI | 1.85 | 121.33 | 95.26 | 8.45 | 3.91 | | | 33.07 | 7.88 | 11.17 | 3.91 |
| | LUCAL | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | INTED | OFFICE TRANSPORT | | 1 | OLFIF | LINE CE | 3.13 | 0.00 | 0.00 | | | | | 33.07 | 7.00 | 11.17 | 3.91 |
| | INTER | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | + |
| | | Termination | | | UEPFP | U1TV2 | 17.07 | 79.61 | 36.08 | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | OLITI | 011172 | 17.07 | 70.01 | 00.00 | | | | | | | | + |
| | | or Fraction Mile | | | UEPFP | 1L5XX | 0.0222 | | | | | | | | | | |
| | FEATU | | | | | | | | | | | | | | | | 1 |
| | 1 | All Features Offered | | | UEPFP | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | | Combination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 93.83 | 93.83 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | 1 |
| | | Combination - Conversion - Switch with change | | | UEPFP | USACC | | 93.83 | 93.83 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| UNBU | JNDLED F | PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | 2-WIRE | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | |
| | UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 28.19 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 30.80 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | 42.27 | | | | | | | | | | |
| | UNE Lo | pop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 16.84 | 104.17 | 78.10 | | | | | | | | 4 |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 19.45 | 104.17 | 78.10 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 30.92 | 104.17 | 104.10 | | | | | | | | |
| | UNE P | ort Rate | | | LIEBBY . | | 44.05 | 21.21 | | | | | | | | | |
| | NOND | Exchange Ports - 2-Wire DID Port | | <u> </u> | UEPPX | UEPD1 | 11.35 | 61.91 | 61.91 | | | | | 33.67 | 7.88 | | |
| - | NONKE | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | - |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | UEPPX | USAC1 | | 93.38 | 93.38 | | | | | 33.67 | 7.88 | | |
| | + | Switch-as-is 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | 1 | UEPPA | USACT | | 93.30 | 93.30 | | | | | 33.67 | 7.00 | | + |
| | | with BellSouth Allowable Changes | | | UEPPX | USA1C | | 93.38 | 93.38 | | | | | 33.67 | 7.88 | | |
| | ADDIT | ONAL NRCs | | 1 | OLFFX | USAIC | | 33.30 | 93.30 | | | | | 33.07 | 7.00 | | + |
| - | | one Number/Trunk Group Establisment Charges | | 1 | | 1 | | | | | | | | | | | + |
| | relepii | DID Trunk Termination (One Per Port) | | 1 | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | | DID Numbers, Establish Trunk Group and Provide First Group | | | OLITA | INDI | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | | of 20 DID Numbers | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | | Reserve Non-Consecutive DID numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | LOCAL | NUMBER PORTABILITY | | | | 1 | | 2.20 | 2.30 | | | | | | | İ | 1 |
| | 1 | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | İ | 1 |
| | 2-WIRE | ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII | NE SIDE | POR | | 1 | | | | | | | | İ | | İ | † |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | 1 |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | 1 |
| 1 | | UNE Zone 1 | | 1 | UEPPB UEPPR | :I | 35.36 | | | | | | 1 | | | 1 | 1 |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | 1 |
| | | UNE Zone 2 | | 2 | UEPPB UEPPR | 1 | 38.74 | | | | | | 1 | | | 1 | 1 |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | |
| | | UNE Zone 3 | | 3 | UEPPB UEPPR | 1 | 53.64 | | | | | | | | | | 1 |
| | UNE Lo | pop Rates | | | | 1 | | | | | | | | | | | 1 |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB UEPPR | USL2X | 21.89 | 252.32 | 188.77 | | | | İ | 19.99 | 19.99 | İ | 1 |

Version 4Q02: 12/18/02 Page 113 of 416

| UNBUNDLED N | NETWORK ELEMENTS - Georgia | | | | | | | | | | | 1 | | | ment: 2 | | bit: B |
|-------------|---|-------------|----------|----------------|----------------|----------------|--------|--------|------------|-------|------------|--------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | E | acs | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Rec | Nonrec | | | Disconnect | 001150 | 001441 | | Rates (\$) | 0011411 | 0011411 |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-1 | Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 25.27 | 252.32 | 188.77 | | | | | 19.99 | 19.99 | | |
| | Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 40.17 | 252.32 | 188.77 | | | | | 19.99 | 19.99 | İ | |
| UNE Port | | | | | | | | | | | | | | | | | |
| | xchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 13.47 | 47.37 | 47.37 | | | | | 19.99 | 19.99 | | ļ |
| | URRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port ombination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 93.38 | 93.38 | | | | | 19.99 | 19.99 | | |
| ADDITION | | | | UEPPB | UEPPR | USACE | 0.00 | 93.30 | 93.30 | | | | | 19.99 | 19.99 | | - |
| | Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy | | | | | | | | | | | | | | | | |
| | on Feature/Add Trunk | | | UEPPB | UEPPR | USASB | | 165.95 | | | | | | 19.99 | 19.99 | | |
| | UMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | ocal Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| | EL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | VS/CSD (DMS/5ESS) VS (EWSD) | | | UEPPB UEPPB | UEPPR UEPPR | U1UCA U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | SD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | EL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO | C.MS. & | TN) | OLITB | OLITIK | 01000 | 0.00 | 0.00 | 0.00 | | | | | | | | - |
| | RMINAL PROFILE | ,, | , | | | 1 | | | | | | | | | | İ | |
| | ser Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | L FEATURES | | | | | | | | | | | | | | | | |
| | l Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | FICE CHANNEL MILEAGE teroffice Channel mileage each, including first mile and | | | | | | | | | | | | | | | | |
| | cilities termination | | | UEPPB | UEPPR | M1GNC | 16.47 | 79.61 | 36.08 | | | | | 19.99 | 19.99 | | |
| | teroffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0222 | 0.00 | 0.00 | | | | 0.00 | 15.55 | 19.99 | | |
| 4-WIRE DS | S1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | | | | 0.0 | | | | | | | | | | |
| | /Loop Combination Rates | | | | | | | | | | | | | | | | |
| | N DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | one 1 | | 1 | UEPPP | | | 218.69 | | | | | | | | | | |
| | W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE one 2 | | 2 | UEPPP | | | 227.29 | | | | | | | | | | |
| | W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | UEFFF | | | 221.29 | | | | | | | | | | |
| | one 3 | | 3 | UEPPP | | | 265.09 | | | | | | | | | | |
| UNE Loop | | | | | | | | | | | | | | | | | |
| | Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 55.53 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| 4-\ | Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 64.13 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| UNE Port | Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 101.93 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| | xchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 163.16 | 186.80 | 186.80 | | | | | 19.99 | 19.99 | | |
| | URRING CHARGES - CURRENTLY COMBINED | | | OLITI | | OLITT | 103.10 | 100.00 | 100.00 | | | | | 15.55 | 19.99 | | |
| | Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | | |
| | ombination - Conversion -Switch-as-is | | | UEPPP | | USACP | 0.00 | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | |
| ADDITION | | | | | | | | | | | | | | | | | |
| | Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | | |
| | ward/two way Tel Nos. (except NC) | | - | UEPPP | | PR7TF | | 0.9686 | | | | | | | - | 1 | <u> </u> |
| | Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - utward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 22.75 | 22.75 | | | | | | | 1 | |
| | Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | 1 | CLITE | | 1 10/10 | | 22.13 | 22.13 | | | | | | | | |
| | ubsequent Inward Tel Numbers | | 1 | UEPPP | | PR7ZT | | 45.49 | 45.49 | | | | | | | | |
| LOCAL NU | UMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | ocal Number Portability (1 per port) | | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| | CE (Provsioning Only) | | <u> </u> | LIEBBB | | DD7411 | | | | | | | | | | | ļ |
| | pice/Data gital Data | | - | UEPPP | | PR71V PR71D | 0.00 | 0.00 | 0.00 | | | | | | - | 1 | |
| | gital Data ward Data | | 1 | UEPPP | | PR71D PR71E | 0.00 | 0.00 | 0.00 | 1 | | | | | | + | |
| | dditional "B" Channel | | | OLI FF | | 1 1X/ 1L | 0.00 | 0.00 | 0.00 | + | | 1 | | | | † | |
| | ew or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 28.71 | | | | | | 19.99 | 19.99 | 1 | |
| | ew or Additional - Digital Data B Channel | | | UEPPP | | PR7BF | 0.00 | 28.71 | | | İ | | | 19.99 | 19.99 | İ | 1 |

Version 4Q02: 12/18/02 Page 114 of 416

| <u>UNBUN</u> DI | DLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|-----------------|---|-------------------|--|----------------|---------|-----------------|------------------|------------------|--------------|------------|--|-----------|----------------|--|---|--|
| CATEGORY | · · | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental | | Incremental Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 28.71 | | | | | | 19.99 | 19.99 | | |
| CAL | ALL TYPES | | | | | | | | | | | | | | | |
| | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Inte | teroffice Channel Mileage | | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 78.9223 | 147.07 | 111.75 | 0.00 | | | | 19.99 | 19.99 | | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.4523 | | | | | | | | | | |
| | WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK F | PORT | | | | | | | | | | | | | | |
| UNE | NE Port/Loop Combination Rates | | ├ | LIEBBO | 1 | /== == | | | | | | | | - | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zo | | 1 | UEPDC | 1 | 176.33 | | | | | 1 | | 1 | ! | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zo | | 2 | UEPDC | 1 | 184.93 | | | | | | | 1 | - | | |
| 175.05 | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zo | one 3 | 3 | UEPDC | 1 | 222.73 | | | | | | | 1 | - | | |
| UNE | NE Loop Rates | | - | LIEDDO | 1101.00 | 55.50 | 440.00 | 070.00 | | | | | 40.00 | 40.00 | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 55.53 | 448.92 | 276.00 | | | 1 | | 19.99 | 19.99 19.99 | | 1 |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC UEPDC | USLDC | 64.13 101.93 | 448.92 448.92 | 276.60 276.60 | | | | | 19.99 19.99 | 19.99 | - | - |
| LINE | NE Port Rate | | 3 | UEPDC | USLDC | 101.93 | 448.92 | 276.60 | | | - | | 19.99 | 19.99 | | |
| UNE | 4-Wire DDITS Digital Trunk Port | | 1 | UEPDC | UDD1T | 120.80 | 89.44 | 52.46 | | | - | | 19.99 | 19.99 | | |
| NO | DNRECURRING CHARGES - CURRENTLY COMBINED | | | UEFDC | ווטטטו | 120.00 | 09.44 | 32.40 | | | | | 19.99 | 19.99 | | |
| NOR | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Co | ambination | - | | + | | | | | | - | | | | | |
| | - Switch-as-is | ombination | | UEPDC | USAC4 | | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Co | ombination | | UEFDC | USAC4 | | 209.90 | 209.90 | | | | | 19.99 | 19.99 | | |
| | - Conversion with DS1 Changes | Jilibiliadoli | | UEPDC | USAWA | | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Co | ombination | 1 | OLFDC | USAWA | | 209.90 | 209.90 | | | 1 | | 19.99 | 19.99 | | |
| | - Conversion with Change - Trunk | Silibiliation | | UEPDC | USAWB | | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | |
| ADE | DDITIONAL NRCs | | 1 | OLI DO | CONTE | | 200.00 | 200.00 | | | 1 | | 10.00 | 10.00 | | 1 |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subseq | uent | 1 | | | | | | | | 1 | | | | | |
| | Service Activity Per Service Order | | | UEPDC | USAS4 | | 147.47 | 147.47 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subseq | uent | 1 | | | | | | | | | | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqn | it Channel | | | | | | | | | | | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqn | it Chan | | | | | | | | | | | | | | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqn | it Chan | | | | | | | | | | | | |] | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | |
| BIP | POLAR 8 ZERO SUBSTITUTION | | 1 | ļ | | | | | | | | | | ļ | | |
| | B8ZS -Superframe Format | | ļ | UEPDC | CCOSF | | 0.00 | 600.00 | | | | | | . | | |
| | B8ZS - Extended Superframe Format | | <u> </u> | UEPDC | CCOEF | | 0.00 | 600.00 | | | | | | | | |
| Alte | ternate Mark Inversion | | <u> </u> | LIEBBO | 140005 | | | | | | | | | | | |
| | AMI -Superframe Format | | ├ | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | 1 | - | | |
| T-1- | AMI - Extended SuperFrame Format | | 1 | UEPDC | MCOPO | | 0.00 | 0.00 | | | 1 | | | 1 | - | 1 |
| I ele | lephone Number/Trunk Group Establisment Charges | | 1 | UEPDC | UDTGX | 0.00 | | | | | - | | | | | |
| | Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group | | + | UEPDC | UDTGX | 0.00 | | | | | | | | | - | - |
| | Telephone Number for 1-Way Inward Trunk Group | ithout DID | + | UEPDC | UDTGZ | 0.00 | | | - | | 1 | | - | | - | - |
| - H | DID Numbers, Establish Trunk Group and Provide Fir | | 1 | 02, 00 | UDIGE | 0.00 | | | | | | | | 1 | | |
| | of 20 DID Numbers | at Group | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | 1 | | |
| | DID Numbers for each Group of 20 DID Numbers | + | 1 | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers. Non- consecutive DID Numbers . Per N | lumber | 1 | UEPDC | ND5 | 0.00 | | | | | | | | 1 | | 1 |
| | Reserve Non-Consecutive DID Nos. | idi i Dei | 1 | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | 1 | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Ded | edicated DS1 (Interoffice Channel Mileage) - FX/FCO for | 4-Wire DS1 Digita | Hoon | | | 0.00 | 0.00 | 0.00 | | | | | | - | | |
| Deu | Interoffice Channel Mileage - Fixed rate 0-8 miles (Fac | | <u>_</u> | 11116 00113 | OIL | - | | | | | 1 | | 1 | I | | |
| 1 | Termination) | | 1 | UEPDC | 1LNO1 | 78.47 | 147.07 | 111.75 | | | 1 | l | 19.99 | 19.99 | | 1 |

| NRONDLED | NETWORK ELEMENTS - Georgia | | | 1 | | 1 | | | | | | | | ment: 2 | | oit: B |
|----------|---|-------------|--|-------------------|----------------|----------------------|--------|------------|--------------|-------|---|---|--|----------------|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Intereffice Observed Mileses - Additional acts are will - 0.0 miles | | | LIEDDO | 41 NOA | 0.4500 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | UEPDC | 1LNOA | 0.4523 | 0.00 | 0.00 | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | OLI DO | ILITOZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | miles | | | UEPDC | 1LNOB | 0.4523 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.4523 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | | | | | | | | | | |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activises an have up to 24 combinations of rates depending on | | | har of narta wood | | | | | | | | | | | | |
| UNE DS | | type a | na nun | ber of ports used | | | | | | | 1 | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 55.53 | 0.00 | 0.00 | | | 1 | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 64.13 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 | | | UEPMG | USLDC | 101.93 | 0.00 | 0.00 | | | | | | | | |
| | O Channelization Capacities (D4 Channel Bank Configuration | ns) | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | <u> </u> | | UEPMG | VUM24 | 102.64 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 205.28 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 410.56 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 615.84 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 821.12 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,026.40 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG UEPMG | VUM28 VUM38 | 1,231.68 1,642.24 | 0.00 | 0.00 | | | | | 19.99 19.99 | 19.99 19.99 | | |
| | 480 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM40 | 2,052.80 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 576 DS0 Channel Capacity - 1 per 24 DS1s | | | UEPMG | VUM57 | 2,463.36 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 2,403.30 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| Non-Re | curring Charges (NRC) Associated with 4-Wire DS1 Loop with | h Chani | neliztio | | | | | 0.00 | | | | | 10.00 | 10.00 | | |
| | num System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| | es of this configuration functioning as one are considered Ac | | | | | | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without | | | | | | | | | | | | | | | |
| | BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 328.35 | 16.52 | | | | | 19.99 | 19.99 | | |
| | Additions at End User Locations Where 4-Wire DS1 Loop with | | | | bination Curre | ently Exists and | | | | | | | | | | |
| | ot Currently Combined) in all states, except in Density Zone 1 | of Top | 8 MS/ | \'s | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port | | | LIEDMO | | 0.00 | 700 01 | 100 == | 444.5- | 47.00 | | | 40.00 | 40.00 | | |
| | and Assoc Fea Activation 8 Zero Substitution | | | UEPMG | VUMD4 | 0.00 | 738.61 | 462.53 | 144.05 | 17.09 | | | 19.99 | 19.99 | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | 1 | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 600.00 | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | CEI WIC | 00001 | 0.00 | 0.00 | 000.00 | | | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 600.00 | | | | | | | | |
| | te Mark Inversion (AMI) | | | | | | 0.00 | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| Exchan | ge Ports | | | ļ | | | | | | | | | | | ļ | |
| | | | | Lucasy | | | | | | | | 1 | | | 1 | 1 |
| - | Line Side Combination Channelized PBX Trunk Port - Business | | ļ | UEPPX | UEPCX | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | | 33.67 | 7.88 | | |
| - | Line Side Outward Channelized PBX Trunk Port - Business | | <u> </u> | UEPPX | UEPOX | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.67 | 7.88 | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | 1 | UEPPX | UEP1X | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | | 1 | 33.67 | 7.88 | 1 | 1 |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPTX | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | - | 33.67 | 7.88 | 1 | |
| | Activations - Unbundled Loop Concentration | | | OLI I A | OLI DIVI | 11.33 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.07 | 1.00 | | - |
| | Feature (Service) Activation for each Line Port Terminated in D4 | 1 | ! | H | 1 | | | | | | | | 1 | 1 | | |
| | | | 1 | UEPPX | | | | | | | 1 | | | 1 | | ı |

Version 4Q02: 12/18/02 Page 116 of 416

| UNBUI | NDLE | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | ment: 2 | Exhib | |
|-------|--|--|-------------|-------------|---|---|---|---|--|------------------|-----------------|---|---|---|--|---|---|
| CATEG | DRY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | <u> </u> | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Feature (Service) Activation for each Trunk Port Terminated in | | | LIEDDY | 45004/11 | 0.00 | 77.04 | 40.00 | 50.40 | 44.04 | | | 00.07 | 7.00 | | |
| | Talanha | D4 Bank | | 1 | UEPPX | 1PQWU | 0.62 | 77.21 | 18.20 | 56.49 | 11.04 | | | 33.67 | 7.88 | | |
| | | one Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) | | 1 | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | 1 | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | - | | | | | |
| | | DID Numbers - groups of 20 - Valid all States | | 1 | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Non-Consecutive DID Numbers - per number | | 1 | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Local N | lumber Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | | RES - Vertical and Optional | | | | | | | | | | | | | | | |
| | | witching Features Offered with Line Side Ports Only | <u> </u> | 1 | L | 1 | | | | | | | | | | | |
| | | All Features Available | <u> </u> | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | ļ | | | | | | | |
| | | PORT LOOP COMBINATIONS - MARKET RATES | <u> </u> | <u> </u> | | 1 | | | | ļ | | | | | | | |
| | | Rates shall apply where BellSouth is not required to provide | unbun | aled lo | cai switching or swi | itch ports pe | r FCC and/or St | ate Commissio | n rules. | | | 1 | | | | | |
| | | cludes: dled port/loop combinations that are Currently Combined or N | Not Cur | rontly (| Combined in Zone 1 | of the Ten S | MCAC in Balle | auth's region | for and moore | with 4 or mare | Den aguivalan | t lines | | | | | |
| | The To | p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda | ale Mis | mil: G | A (Atlanta): I A (New | Orleane): No | Greenshoro-V | Mineton Salam | -Highnoint/Ch | arlotto-Gastoni | a-Bock Hill): 1 | II IIIIES. TN (Nachvill | ٥) | | | | |
| | BellSor | ith currently is developing the billing capability to mechanica | ale, wiia | the rec | urring and non-recu | irring Market | Rates in this s | ection except f | or nonrecurri | ng charges for i | not currently o | combined in | FL and NC | . In the interi | m where Bells | South cannot | bill Market |
| | | BellSouth shall bill the rates in the Cost-Based section preced | | | | | | | | | | | | | 20 | ooutii ouiiiiot | 2 |
| | | rket Rate for unbundled ports includes all available features i | | | The Market Rates an | T CSCI VCS L | le right to true | up the billing t | anicionoc. | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | End Off | fice and Tandem Switching Usage and Common Transport Us | sage rat | tes in tl | ne Port section of the | nis rate exhib | it shall apply to | all combination | ons of loop/po | ort network elen | nents except 1 | for UNE Coi | n Port/Loor | Combination | ns which have | a flat rate us | age charge |
| | | fice and Tandem Switching Usage and Common Transport Us URECU). | sage rat | tes in tl | ne Port section of th | nis rate exhib | it shall apply to | all combination | ons of loop/po | ort network elen | nents except | for UNE Coi | n Port/Loop | Combination | ns which have | a flat rate us | age charge |
| | USOC: | URECU). | · | | | | , | | | | • | | | | | | |
| I | USOC: For Not | | · | | | | , | | | | • | | | | | | |
| | USOC: For Not Additio | URECU). t Currently Combined scenarios the Nonrecurring charges are | · | | | | , | | | | • | | | | | | |
| | USOC: For Not Additio 2-WIRE | URECU). Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly. | · | | | | , | | | | • | | | | | | |
| | USOC: For Not Additio 2-WIRE UNE Po | URECU). Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | · | in the I | | | ns for each Port | | | | • | | | | | | |
| | USOC: For Not Additio 2-WIRE UNE Po | URECU). Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | · | in the I | | | 24.80 26.47 | | | | • | | | | | | |
| | USOC: For Not Additio 2-WIRE UNE Po | URECU). Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | · | in the I | | | ns for each Port | | | | • | | | | | | |
| | USOC: For Not Additio 2-WIRE UNE Po | URECU). t Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates | · | 1 2 3 | First and Additional | NRC column | 24.80 26.47 33.83 | | | | • | | | | | | |
| | USOC: For Not Additio 2-WIRE UNE Po | URECU). Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 opp Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 | · | 1 2 3 1 | First and Additional | NRC column | 24.80 26.47 33.83 | | | | • | | | | | | |
| | USOC: For Not Additio 2-WIRE UNE PO | URECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | · | 1 2 3 1 1 2 | First and Additional UEPRX UEPRX UEPRX | NRC column | 24.80 26.47 33.83 10.80 12.47 | | | | • | | | | | | |
| | USOC: For Not Additio 2-WIRE UNE PO | URECU). Currently Combined scenarios the Nonrecurring charges are real NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 | · | 1 2 3 1 | First and Additional | NRC column | 24.80 26.47 33.83 | | | | • | | | | | | |
| | USOC: For Not Additio 2-WIRE UNE Po UNE Lo | URECU). t Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) | · | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX | 24.80 26.47 33.83 10.80 12.47 19.83 | USOC. For Cu | urrently Comb | | • | | | in the NRC - (| Currently Com | nbined section | n. |
| | USOC: For Not Additio 2-WIRE UNE Po UNE Lo | URECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence | · | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX | 24.80 26.47 33.83 10.80 12.47 19.83 | 90.00 | urrently Comb | | • | | | in the NRC - (| Currently Com | nbined section | 3.91 |
| | USOC: For Not Additio 2-WIRE UNE Po UNE Lo | URECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 vop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res | · | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL | 24.80 26.47 33.83 10.80 12.47 19.83 | 90.00 90.00 | 90.00 90.00 | | • | | | 33.67 33.67 | 7.88 7.88 | 11.17 11.17 | 3.91 3.91 |
| | (USOC: For Not Additio 2-WIRE UNE PO UNE LO | URECU). Currently Combined scenarios the Nonrecurring charges are rail NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res | · | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX | 24.80 26.47 33.83 10.80 12.47 19.83 | 90.00 | urrently Comb | | • | | | in the NRC - (| Currently Com | nbined section | 3.91 3.91 |
| | (USOC: For Not Additio 2-WIRE UNE PO UNE LO | URECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled ses, low usage line port with Caller ID | · | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 | 90.00 90.00 90.00 | 90.00 90.00 90.00 | | • | | | 33.67 33.67 | 7.88 7.88 7.88 | 11.17 11.17 11.17 | 3.91 3.91 3.91 |
| | (USOC: For Not Additio 2-WIRE UNE Po | URECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | · | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL | 24.80 26.47 33.83 10.80 12.47 19.83 | 90.00 90.00 | 90.00 90.00 | | • | | | 33.67 33.67 | 7.88 7.88 | 11.17 11.17 | 3.91 3.91 3.91 |
| | (USOC: For Not Additio 2-WIRE UNE Po | URECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled ses, low usage line port with Caller ID | · | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 | 90.00 90.00 90.00 | 90.00 90.00 90.00 | | • | | | 33.67 33.67 | 7.88 7.88 7.88 | 11.17 11.17 11.17 | 3.91 3.91 3.91 |
| | (USOC: For Not Additio 2-WIRE UNE Po | URECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Seen so was geline port with Caller ID (LUM) 2-Wire voice unbundled Georgia basic dialing port without Caller | · | 1 2 3 1 1 2 | UEPRX X UEPRC UEPRO UEPAP | 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 | 90.00 90.00 90.00 | 90.00 90.00 90.00 | | • | | | 33.67 33.67 | 7.88 7.88 7.88 | 11.17 11.17 | 3.91 3.91 3.91 |
| | (USOC: For Not Additio 2-WIRE UNE Po | URECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 vop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port sugging only - res 2-Wire voice unbundled Seorgia basic dialing port without Caller ID (LUM) | · | 1 2 3 1 1 2 | UEPRX X UEPRC UEPRO UEPAP | 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 | 90.00 90.00 90.00 | 90.00 90.00 90.00 | | • | | | 33.67 33.67 | 7.88 7.88 7.88 | 11.17 11.17 | 3.91 3.91 3.91 3.91 |
| | (USOC: For Not Additio 2-WIRE UNE Po | URECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Fers, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res 2-Wire voice unbundled Georgia basic dialing port for use with | · | 1 2 3 1 1 2 | UEPRX X UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC | 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 | 90.00 90.00 90.00 90.00 | 90.00 90.00 90.00 90.00 90.00 | | • | | | 33.67 33.67 33.67 33.67 | 7.88 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 |
| | USOC: For Not Additio Additio UNE Po UNE Po UNE Lo | URECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Georgia basic dialing port without Caller ID Capability - res 2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res 2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res 2-Wire voice unbundled Georgia basic dialing port - outgoing only | · | 1 2 3 1 1 2 | UEPRX X UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC | 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 | 90.00 90.00 90.00 90.00 | 90.00 90.00 90.00 90.00 | | • | | | 33.67 33.67 33.67 33.67 | 7.88 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 |
| | USOC: For Not Additio | URECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res 2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Low Usage Line Port without Caller ID | · | 1 2 3 1 1 2 | UEPRX X UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWQ UEPWR | 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 | 90.00 90.00 90.00 90.00 90.00 90.00 | 90.00 90.00 90.00 90.00 90.00 90.00 | | • | | | 33.67 33.67 33.67 33.67 33.67 | 7.88 7.88 7.88 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 3.91 3.91 |
| | USOC: For Not Additio | Currently Combined scenarios the Nonrecurring charges are raal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OR Rates 2-Wire VG Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res 2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res 2-Wire voice unbundled Georgia basic dialing port outgoing only 2-Wire voice unbundled Georgia basic dialing port outgoing only 2-Wire voice unbundled Georgia basic dialing port outgoing only 2-Wire voice unbundled Georgia basic dialing port outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability | · | 1 2 3 1 1 2 | UEPRX X UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC | 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 | 90.00 90.00 90.00 90.00 90.00 | 90.00 90.00 90.00 90.00 90.00 | | • | | | 33.67 33.67 33.67 33.67 | 7.88 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 3.91 3.91 |
| | USOC: For Not Additio | URECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ont/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Georgia basic dialing port without Caller ID Capability - res 2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability - res 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability - Res 1-WIRE VOICE Unbundled Low Usage Line Port without Caller ID Capability - Res 1-WIRE VOICE Unbundled Low Usage Line Port without Caller ID Capability - Res 1-WIRE VOICE Unbundled Low Usage Line Port without Caller ID Capability - WIRE VOICE - VOIC | · | 1 2 3 1 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWQ UEPWR | 14.00 14.00 14.00 | 90.00 90.00 90.00 90.00 90.00 90.00 | 90.00 90.00 90.00 90.00 90.00 90.00 | | • | | | 33.67 33.67 33.67 33.67 33.67 | 7.88 7.88 7.88 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 3.91 3.91 |
| | USOC: For Not Addition Addition UNE Po UNE Po 2-Wire | URECU). Currently Combined scenarios the Nonrecurring charges are raal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res 2-Wire voice unbundled Georgia basic dialing port outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability NUMBER PORTABILITY Local Number Portability (1 per port) | · | 1 2 3 1 1 2 | UEPRX X UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWQ UEPWR | 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 | 90.00 90.00 90.00 90.00 90.00 90.00 | 90.00 90.00 90.00 90.00 90.00 90.00 | | • | | | 33.67 33.67 33.67 33.67 33.67 | 7.88 7.88 7.88 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 3.91 3.91 |
| | USOC: FOR NOT Addition Addition UNE Po UNE Po 2-Wire LOCAL | Currently Combined scenarios the Nonrecurring charges are raal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Georgia basic dialing port without Caller ID (LUM) 2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability - res 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability NUMBER PORTABILITY Local Number Portability (1 per port) | · | 1 2 3 1 1 2 | UEPRX X UEPLX UEPRC UEPRC UEPRC UEPRO UEPWC UEPWC UEPWR UEPWR UEPWR | 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 14.00 14.00 14.00 | 90.00 90.00 90.00 90.00 90.00 90.00 90.00 | 90.00 90.00 90.00 90.00 90.00 90.00 | | • | | | 33.67 33.67 33.67 33.67 33.67 33.67 | 7.88 7.88 7.88 7.88 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 3.91 3.91 |
| | USOC: FOR NOT Addition VINE PO UNE PO VINE LO VINE LO CALLET LOCAL FEATU | URECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ont/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port viith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res 2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port outgoing only 2-Wire voice unbundled Low Usage Line Port without Caller ID capability NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered | · | 1 2 3 1 1 2 | UEPRX X UEPRC UEPRC UEPRO UEPAP UEPWC UEPWQ UEPWR | 14.00 14.00 14.00 | 90.00 90.00 90.00 90.00 90.00 90.00 | 90.00 90.00 90.00 90.00 90.00 90.00 | | • | | | 33.67 33.67 33.67 33.67 33.67 | 7.88 7.88 7.88 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 3.91 3.91 |
| | USOC: FOR NOT Addition VINE PO UNE PO VINE LO VINE LO CALLET LOCAL FEATU | Currently Combined scenarios the Nonrecurring charges are raal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Georgia basic dialing port without Caller ID (LUM) 2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability - res 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability NUMBER PORTABILITY Local Number Portability (1 per port) | · | 1 2 3 1 1 2 | UEPRX X UEPLX UEPRC UEPRC UEPRC UEPRO UEPWC UEPWC UEPWR UEPWR UEPWR | 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 14.00 14.00 14.00 | 90.00 90.00 90.00 90.00 90.00 90.00 90.00 | 90.00 90.00 90.00 90.00 90.00 90.00 | | • | | | 33.67 33.67 33.67 33.67 33.67 33.67 | 7.88 7.88 7.88 7.88 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 3.91 3.91 |
| | USOC: FOR NOT Addition VINE PO UNE PO VINE LO VINE LO CALLET LOCAL FEATU | CURECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res 2-Wire voice unbundled Georgia basic dialing port outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Low Usage Line Port without Caller ID capability NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered CURRING CHARGES - CURRENTLY COMBINED | · | 1 2 3 1 1 2 | UEPRX X UEPLX UEPRC UEPRO UEPRO UEPWC UEPWQ UEPWR UEPWR UEPWR | 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 14.00 14.00 14.00 | 90.00 90.00 90.00 90.00 90.00 90.00 90.00 | 90.00 90.00 90.00 90.00 90.00 90.00 | | • | | | 33.67 33.67 33.67 33.67 33.67 33.67 | 7.88 7.88 7.88 7.88 7.88 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 3.91 3.91 3.91 |
| | USOC: For Not Addition VINE Po UNE Po VINE Lo VINE Lo COCAL FEATU | URECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Int/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Iop Rates 2-Wire VG Loop/Port Combo - Zone 3 Iop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Iop Rates 2-Wire Voice Grade Loop (SL1) - Zone 3 Iop Rates 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Fort outgoing only - res 2-Wire voice unbundled Georgia basic dialing port without Caller ID (LUM) 2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered CURRING CHARGES - CURRENTLY COMBINED | · | 1 2 3 1 1 2 | UEPRX X UEPLX UEPRC UEPRC UEPRC UEPRO UEPWC UEPWC UEPWR UEPWR UEPWR | 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 14.00 14.00 14.00 | 90.00 90.00 90.00 90.00 90.00 90.00 90.00 | 90.00 90.00 90.00 90.00 90.00 90.00 | | • | | | 33.67 33.67 33.67 33.67 33.67 33.67 | 7.88 7.88 7.88 7.88 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 3.91 3.91 3.91 |
| | USOC: For Not Addition USOC: U | CURECU). Currently Combined scenarios the Nonrecurring charges are mal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res 2-Wire voice unbundled Georgia basic dialing port outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Low Usage Line Port without Caller ID capability NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered CURRING CHARGES - CURRENTLY COMBINED | · | 1 2 3 1 1 2 | UEPRX X UEPLX UEPRC UEPRO UEPRO UEPWC UEPWQ UEPWR UEPWR UEPWR | 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 14.00 14.00 14.00 | 90.00 90.00 90.00 90.00 90.00 90.00 90.00 | 90.00 90.00 90.00 90.00 90.00 90.00 | | • | | | 33.67 33.67 33.67 33.67 33.67 33.67 | 7.88 7.88 7.88 7.88 7.88 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 3.91 3.91 3.91 |

Version 4Q02: 12/18/02 Page 117 of 416

| UNBUNDLED | NETWORK ELEMENTS - Georgia | | | | | | | | | | 1 | | | ment: 2 | | bit: B |
|-----------|--|-------------|------|--------|--------|----------------|--------|------------|--------------|--------------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment: Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| N | IRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | subsequent | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| | t/Loop Combination Rates | | | | | | | | | | | | | | | |
| | -Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 24.80 | | | | | | | | | | |
| | -Wire VG Loop/Port Combo - Zone 2 | | 2 | | - | 26.47 | | | | | | | | | | |
| UNE Loo | -Wire VG Loop/Port Combo - Zone 3 | | 3 | | + | 33.83 | | | | | | | | | | |
| | -Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 10.80 | | | | | | | | | | |
| | -Wire Voice Grade Loop (SL1) - Zone 1 | | 2 | UEPBX | UEPLX | 12.47 | | | | | | | | | | |
| | -Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 19.83 | | | 1 | | | | | | | |
| | pice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | -Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | -Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | -Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | -Wire voice unbundled Georgia basic dialing port, without | | | LIEDDY | HEDWD | 44.00 | 00.00 | 90.00 | | | | | 33.67 | 7.00 | 44.47 | 2.0 |
| | aller ID capability - bus -Wire voice unbundled Incoming Only Port without Caller ID | | | UEPBX | UEPWD | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | capability | | | UEPBX | UEPBE | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | -Wire voice unbundled Georgia basic dialing port for use with | | | OLI DX | OLI DE | 14.00 | 50.00 | 50.00 | | | | | 00.07 | 7.00 | | 0.0 |
| | caller ID - bus | | | UEPBX | UEPWP | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | IUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | ocal Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| FEATURE | | | | | | | | | | | | | | | | |
| | Il Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| NONREC | URRING CHARGES - CURRENTLY COMBINED | | | | + | | | | - | | | | | | | |
| 2. | -Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | -Wire Voice Grade Loop / Line Port Combination - Switch with | | | OLI DA | OUAUZ | | 41.50 | 41.50 | | | | | 33.07 | 7.00 | 11.17 | 5.5 |
| | hange | | | UEPBX | USACC | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| ADDITIO | NAL NRCs | | | | | | | | | | | | | | | |
| | IRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | | | | | |
| | ubsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| | /Loop Combination Rates | | | | | | | | | | | | | | | |
| | -Wire VG Loop/Port Combo - Zone 1 | | 1 2 | | + | 24.80 26.47 | | | - | | | | | | | |
| | -Wire VG Loop/Port Combo - Zone 2 -Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 33.83 | | | | | | | | | | |
| UNE Loo | | | | | + | 33.03 | | | | | | | | | | |
| | -Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 10.80 | | | | | | | | | | |
| | -Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 12.47 | | | | | | | | | | |
| 2- | -Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 19.83 | | | | | | | | | | |
| | pice Grade Line Port Rates (RES - PBX) | | | | | | • | • | | | | | | | | |
| | -Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | 1 7 | 7 | | | _ |] | | | | | l — | |
| | les | | - | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | 1 | 1 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | -Wire voice unbundled Georgia extended dialing port, PBX 1- Vay Outdial Trunk | | | UEPRG | UEPPO | 14.00 | 90.00 | 90.00 | 1 | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | -Wire voice unbundled Low Usage Line Port without Caller ID | | | OLFING | ULFFU | 14.00 | 90.00 | 90.00 | | 1 | 1 | | 33.07 | 1.08 | 11.17 | 3.9 |
| | capability | | | UEPRX | UEPRT | 14.00 | 90.00 | 90.00 | 1 | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | IUMBER PORTABILITY | | | | 1 | | 22.00 | 22.00 | 1 | | | | 22.01 | | | 0.0 |
| Lo | ocal Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | <u> </u> | | | | <u> </u> | <u> </u> | |
| FEATURE | ES | | | | | | | | | | | | | | | |
| | Il Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| NONREC | URRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | Miles Veins Conda Lean/Line Book Conditions of Conditions | | | LIEBBO | LICACO | | 44.50 | 44.50 | 1 | | | | 00.6= | 7.00 | | |
| | -Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is -Wire Voice Grade Loop/ Line Port Combination - Switch with | | | UEPRG | USAC2 | | 41.50 | 41.50 | _ | | 1 | | 33.67 | 7.88 | 11.17 | 3.9 |
| | -vvire voice Grade Loop/ Line Port Combination - Switch with | | | UEPRG | USACC | | 41.50 | 41.50 | 1 | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | NAL NRCs | | 1 | OLI NO | 30/100 | | 71.30 | 71.50 | t | - | 1 | | 55.07 | 7.00 | 11.17 | 3.9 |

| UNBUNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|--|-------------|----------|----------------|-------|----------------|-----------------|------------------|-----------------------|-----------------------|--------|---|----------------|---------------------|----------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | | | | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | FIISL | Auu i | FIISL | Add I | SOWIEC | SOWAN | SOWAN | SOWAN | SOWAN | SUMAN |
| | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | Group | | | | | | 14.64 | 14.64 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | <u> </u> | | | 21.00 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 24.80 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 26.47 33.83 | | | | | - | | | | | |
| LINE | oop Rates | | 3 | | | 33.03 | | | | | - | | | | | |
| ONE L | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 10.80 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 2 | UEPPX | UEPLX | 12.47 | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 19.83 | | | | | 1 | | | | | |
| 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | _ | | | | | | | | | | | | | |
| | , , | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX UEPPX | UEPXC | 14.00 14.00 | 90.00 90.00 | 90.00 90.00 | | | | | 33.67 33.67 | 7.88 7.88 | 11.17 11.17 | 3.9 3.9 |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | UEPPX | UEPAD | 14.00 | 90.00 | 90.00 | | | + | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk | | | UEPPX | UEPWS | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk | | | UEPPX | UEPWT | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk | | | UEPPX | UEPPQ | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports 2-Wire voice unbundled Georgia basic dialing port - PBX Toll | | | UEPPX | UEPPS | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Terminal Ports 2-Wire voice unbundled Georgia basic dialing port - PBX 10ii 2-Wire voice unbundled Georgia basic dialing port - PBX LD | | | UEPPX | UEPPT | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | DDD Terminal Port 2-Wire voice unbundled Georgia basic dialing port - PBX LD | | | UEPPX | UEPPU | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Terminal Switchboard Port 2-Wire voice unbundled Georgia basic dialing port - PBX LD | | | UEPPX | UEPPV | 14.00 | 90.00 | 90.00 | | | 1 | | 33.67 | 7.88 | 11.17 | 3.9 |
| LOCAL | Terminal Switchboard DDD Capable Port NUMBER PORTABILITY | | | UEPPX | UEPPW | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEATU | | | | | | | | • | | | | | _ | | | |
| | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| NONRI | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Change | | | UEPPX | USACC | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| ADDIT | IONAL NRCs | | | | | <u> </u> | | | | | | | | | | <u></u> _ |

| UNBUNDL | LED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachr | ment: 2 | Exhi | bit: B |
|----------|--|--|----------|--------|--------|----------------|-----------------|------------------|-----------------------|-----------------------|--|---|---------|---------------------|---|--|
| CATEGORY | | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | | | Incremental Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | | | | |
| | Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | - | | | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Group | | | | | | 14.64 | 14.64 | | | | | 19.99 | 19.99 | 19.99 | 19.9 |
| | IRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO | RT | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 24.80 | | | | | | | | | | ├ |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3 | - | 3 | | - | 26.47 33.83 | | | | | - | | | | | ├ |
| UNF | E Loop Rates | | 3 | | | 33.63 | | | | | - | | | | | - |
| 0.112 | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 10.80 | | | | | + | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 12.47 | | | | İ | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 19.83 | | | | | | | | | | |
| 2-Wi | ire Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening (GA) | | | UEPCO | UEPGC | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA) | | | UEPCO | UEP2G | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA) | | | UEPCO | UEPGA | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA) | | | UEPCO | UEPGB | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: | | | 02. 00 | 02. 02 | | 00.00 | 00.00 | | | | | 00.07 | 7.00 | | 0.0 |
| | 900/976, 1+DDD, 011+,and Local (GA) 2-Wire Coin Outward with Operator Screening and 011Blocking | | | UEPCO | UEPCH | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | (GA, KY, MS) | | | UEPCO | UEPRJ | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| LOC | AL NUMBER PORTABILITY | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| NON | Local Number Portability (1 per port) IRECURRING CHARGES - CURRENTLY COMBINED | | | DEPCO | LINPCA | 0.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPCO | USACC | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| ADD | DITIONAL NRCs | | | 021 00 | 00/100 | | 41.00 | 41.00 | | | | | 00.07 | 7.00 | | 0.0 |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR | E LINE | PORT (| RES) | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 30.84 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 2 | | | 33.45 | | | | | | | | | | |
| LIME | E Loop Rates | | 3 | | | 44.92 | | | | | - | | | | | |
| UNE | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFR | UECF2 | 16.84 | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | † | 2 | UEPFR | UECF2 | 19.45 | | | | 1 | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 30.92 | | | | | 1 | | | | | |
| 2-Wi | ire Voice Grade Line Port Rates (Res) | | | | | | _ | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled port with Caller ID - res | 1 | <u> </u> | UEPFR | UEPRC | 14.00 | 160.00 | 125.00 | | | | | 37.06 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled port outgoing only - res | <u> </u> | <u> </u> | UEPFR | UEPRO | 14.00 | 160.00 | 125.00 | | 1 | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPFR | UEPAP | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - res | | | UEPFR | UEPWC | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | 2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res | | | UEPFR | UEPWQ | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |

| UNBUNDLED N | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | ment: 2 | Exhi | bit: B |
|-------------|---|-------------|--------|-------|----------------|----------------|------------------|------------------|--|--------------|--|-----------|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| 2.1 | Wire voice unbundled Georgia basic dialing port - outgoing | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| oni | | | | UEPFR | UEPWR | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | FICE TRANSPORT | | 1 | 02 | 02 | | 100.00 | 120.00 | | | | | 00.01 | 7.00 | | 0.0 |
| Inte | teroffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | ermination | | | UEPFR | U1TV2 | 17.07 | 79.61 | 36.08 | | | | | | | | |
| | teroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | Fraction Mile | | | UEPFR | 1L5XX | 0.0222 | | | | | | | | | | |
| FEATURE | :S I Features Offered | | | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | UMBER PORTABILITY | | | UEFFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.00 | 11.17 | 3.8 |
| | ocal Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| | JRRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | 3.00 | | | | | | | | | | |
| | Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | ombination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 93.83 | 93.83 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | ombination - Conversion - Switch-With-Change | <u> </u> | | UEPFR | USACC | | 93.83 | 93.83 | | | | | 33.67 | 7.88 | | |
| | OICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE /Loop Combination Rates | LINE | PORT (| BUS) | | | | | | | 1 | | | | | |
| | Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | - | 30.84 | | | - | | + | | | | | |
| | Wire VG Loop/IO Transport/Port Combo - Zone 2 | | 2 | | - | 33.45 | | | | | | | | | | |
| | Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 44.92 | | | | | | | | | | |
| UNE Loop | | | Ť | | | | | | | | | | | | | |
| | Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 16.84 | | | | | | | | | | |
| | Wire Voice Grade Loop (SL2) - Zone 2 | | | UEPFB | UECF2 | 19.45 | | | | | | | | | | |
| | Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 30.92 | | | | | | | | | | |
| | ice Grade Line Port (Bus) | | | UEPFB | UEPBL | 44.00 | 100.00 | 105.00 | | | | | 00.07 | 7.00 | 44.47 | 0.0 |
| | Wire voice unbundled port without Caller ID - bus Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 14.00 14.00 | 160.00 160.00 | 125.00 125.00 | | | | | 33.67 33.67 | 7.88 7.88 | 11.17 11.17 | 3.9 |
| | Wire voice unbundled port with Caller + E484 ID - bus Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Wire voice unbundled incoming only port with Caller ID - Bus | | 1 | UEPFB | UEPB1 | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Wire voice unbundled Georgia basic dialing port, without | | | 02.15 | 02. 2. | 1 1.00 | 100.00 | 120.00 | 1 | | | | 00.01 | 7.00 | | 0., |
| | aller ID capability - bus | | | UEPFB | UEPWD | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Wire voice unbundled Georgia basic dialing port for use with | | | | | | | | | | | | | | | |
| | aller ID - bus | | | UEPFB | UEPWP | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | UMBER PORTABILITY | | | | | | | | | | | | | | | |
| | ocal Number Portability (1 per port) FICE TRANSPORT | | | UEPFB | LNPCX | 0.35 | | | | | | | | | | |
| | teroffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | _ | | | | | | - | | | | | |
| | ermination | | | UEPFB | U1TV2 | 17.07 | 79.61 | 36.08 | | | | | | | | |
| | teroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | 1 | 02.15 | 02 | | 7 0.01 | 00.00 | | | | | | | | |
| | Fraction Mile | | | UEPFB | 1L5XX | 0.0222 | | | | | | | | | | |
| FEATURES | | | | | | | | | | | | | | | | |
| | Features Offered | | | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | JRRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | UEPFB | USAC2 | | 93.83 | 93.83 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| 2.0 | ombination - Conversion - Switch-as-is Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | UEPFB | USAC2 | | 93.83 | 93.83 | - | | + | | 33.67 | 7.88 | 11.17 | 3.8 |
| | ombination - Conversion - Switch with change | | | UEPFB | USACC | | 93.83 | 93.83 | | | | | | | | |
| | OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | İ | | | 22.30 | 22.30 | 1 | | | | | Ì | Ì | |
| | Loop Combination Rates | | | | | | | | | | | | | | | |
| | Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 30.84 | - | • | | | | | | | | |
| | Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | ļ | | 33.45 | | | | | | | | | | |
| | Wire VG Loop/IO Tranport/Port Combo - Zone 3 | - | 3 | | | 44.92 | | | | | 1 | | | | | |
| UNE Loop | | | 1 | UEPFP | UECF2 | 16.84 | | | | | 1 | | | | | 1 |
| | Wire Voice Grade Loop (SL2) - Zone 1 Wire Voice Grade Loop (SL2) - Zone 2 | | | UEPFP | UECF2 UECF2 | 16.84 19.45 | | | | - | - | - | | - | - | 1 |
| | Wire Voice Grade Loop (SL2) - Zone 2 Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 30.92 | | | | | | | | | | |
| | ice Grade Line Port Rates (BUS - PBX) | l | | 02.11 | JL01 2 | 30.92 | | | t | 1 | | | | 1 | 1 | |

| UNBUND | LED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|---|-------------|--|--|--------|--------|--------|------------|--|------------|---|---|--|--|---|---|
| CATEGORY | Y RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | ı | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - But | 3 | | UEPFP | UEPPC | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 14.00 | 160.00 | 125.00 | | | | | 37.06 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPFP | UEPXE | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPFP | UEPXL | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Room Calling Port | | | UEPFP | UEPXM | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | Discount Room Calling Port | | | UEPFP | UEPXO | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire voice unbundled Georgia basic dialing port - 1-Way | | | | | | | | | | | | | | | |
| | Oudial Trunk | | | UEPFP | UEPWS | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire voice unbundled Georgia basic dialing port - 2-Way | | | | | | | | | | | | | | | |
| | Trunk | | | UEPFP | UEPWT | 14.00 | 160.00 | 125.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| LO | CAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| INT | EROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFP | U1TV2 | 17.07 | 79.61 | 36.08 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | Э | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFP | 1L5XX | 0.0222 | | | | | | | | | | |
| FE/ | ATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFP | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| NO | NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 93.83 | 93.83 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change | | | UEPFP | USACC | | 93.83 | 93.83 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | ED PORT/LOOP COMBINATIONS - MARKET BASED RATES | | | | | | | | | | | | | | | |
| | VIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUN | K PORT | | | | | | | | | | | | | | |
| UNI | E Port/Loop Combination Rates | | <u> </u> | | _ | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | _ | 99.84 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | _ | 102.45 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | _ | 113.92 | | | | | | | | | | |
| UNI | E Loop Rates | | <u> </u> | LIEDDY | LIEOD4 | 10.01 | 10170 | 70.10 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 16.84 | 104.78 | 78.10 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 19.45 | 104.78 | 78.10 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 30.92 | 104.78 | 104.10 | | | | | | | | |
| UNI | E Port Rate | | <u> </u> | LIEDDY | UEDD4 | 20.00 | 050.00 | 75.00 | | | | | 00.07 | 7.00 | | |
| | Exchange Ports - 2-Wire DID Port NRECURRING CHARGES - CURRENTLY COMBINED | - | <u> </u> | UEPPX | UEPD1 | 83.00 | 850.00 | 75.00 | | | | | 33.67 | 7.88 | - | |
| NOI | | + | 1 | | + | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination | 1 | 1 | UEPPX | USAC1 | | 850.00 | 75.00 | | | | | 33.67 | 7.88 | | I |
| -+ | Switch-As-Is Top 8 MSAs only 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | - | | UEFFA | USACT | | 00.00 | 75.00 | + | | | | 33.07 | 7.88 | - | |
| | with BellSouth Allowable Changes Top 8 MSAs only | | | UEPPX | USA1C | | 850.00 | 75.00 | | | | | 33.67 | 7.88 | | 1 |
| AD | DITIONAL NRCs | + | 1 | UEFFA | USAIC | | 00.00 | 75.00 | | | | | 33.07 | 7.88 | | |
| IADI | ephone Number/Trunk Group Establisment Charges | + | 1 | | + | | | | | | | | | | | |
| Tale | | | ! | HEDDY | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Tek | DID Trunk Termination (One Per Port) | | | | | | | | | | | | | | | |
| Tel | DID Trunk Termination (One Per Port) | | | UEPPX | NDI | 0.00 | 0.00 | 0.00 | ł | | | | | | | |
| Tel | DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |

Version 4Q02: 12/18/02 Page 122 of 416

| UNBUNDL | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | 1 | | | ment: 2 | | bit: B |
|----------|---|-------------|-------|----------|--------|--------|----------|----------|------------|-------|--------------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | В | scs | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | 1 | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| LOCA | AL NUMBER PORTABILITY | | 1 | UEPPX | | LNPCP | 2.45 | 0.00 | 0.00 | | | | | | | | |
| 2 WIE | Local Number Portability (1 per port) RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | NE CID | E BOB | | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | Port/Loop Combination Rates | INE SIDI | FOR | <u> </u> | | | | | | | | | | | | | |
| OIVE I | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | 1 | | | | | | | | | | | | | | |
| | UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | 1 | UEPPB | UEPPR | 2 | 81.89 | | | | | | | | | | |
| | UNE Zone 2 | | 2 | UEPPB | UEPPR | | 85.27 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | <u>L</u> | 3 | UEPPB | UEPPR | | 100.17 | | | | | | | | | | |
| UNE I | Loop Rate | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 21.89 | 252.32 | 188.77 | | | | | 19.99 | 19.99 | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 25.27 | 252.32 | 188.77 | | | | | 19.99 | 19.99 | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 40.17 | 252.32 | 188.77 | | | | | 19.99 | 19.99 | | |
| UNE | Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 60.00 | 525.00 | 400.00 | | | | | 19.99 | 19.99 | | |
| NONF | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | | | | | | | | | | | | | | |
| | Combination - Conversion - Top 8 MSAs only | | 1 | UEPPB | UEPPR | USACB | 0.00 | 215.00 | 215.00 | | | | | 19.99 | 19.99 | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy | 1 | | LIEDDD | LIEDDD | USASB | | 405.05 | | | | | | 40.00 | 40.00 | | |
| 1.007 | Non Feature/Add Trunk AL NUMBER PORTABILITY | - | | UEPPB | UEPPR | USASB | | 165.95 | | | | | | 19.99 | 19.99 | | |
| LUCA | Local Number Portability (1 per port) | | - | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-CH | ANNEL USER PROFILE ACCESS: | | 1 | OLFFB | ULFFR | LINFOX | 0.33 | 0.00 | 0.00 | | | | | | | | |
| - 5 51.1 | CVS/CSD (DMS/5ESS) | | 1 | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| B-CH | ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, 8 | k TN) | | | | | | | | | | | | | | |
| USER | R TERMINAL PROFILE | Ĺ | T | | | | | | | | | | | | | | |
| | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VERT | ICAL FEATURES | | | | | | | | | | | | | | | | |
| | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| INTER | ROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and | | | | | | | | | | | | | | | | |
| | facilities termination | | | | UEPPR | M1GNC | 16.47 | 79.61 | 36.08 | | | | | 19.99 | 19.99 | | |
| 4 10/15 | Interoffice Channel mileage each, additional mile RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI | / DODT | | UEPPB | UEPPR | M1GNM | 0.0222 | 0.00 | 0.00 | | | | | | | | |
| | Port/Loop Combination Rates | PURI | | | | - | | | | | | | | | | | |
| ONLI | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | 1 | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPPP | | | 955.53 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | | 964.13 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | 1 | | JLPFF | | + | 304.13 | | | | 1 | 1 | | | 1 | | |
| | Zone 3 | | 3 | UEPPP | | | 1,001.93 | | | | | | | | 1 | I | |
| UNE | Loop Rates | | | | | | 1,001100 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 55.53 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 64.13 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 101.93 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| UNE | Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 900.00 | 1,200.00 | 1,200.00 | | | | | 19.99 | 19.99 | | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | | | | 1 | | , | | | | | | | ļ | ļ | |
| | | | | | | | | | | | 1 | 1 | | | | | 1 |
| 1.0 | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | | USACP | 0.00 | 925.00 | 925.00 | | | | | 19.99 | 19.99 | | |

| UNBUNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | Ι - | _ | | ment: 2 | | bit: B |
|--|---|-------------|------|----------------|-----------|------------------|----------|------------|--|-------|--|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | |
| | Inward/two way Telephone Numbers (except NC) | | | UEPPP | PR7TF | | 0.9686 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | DD=T0 | | | | | | | | | | | |
| | Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 22.75 | 22.75 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Telephone Numbers | | | UEPPP | PR7ZT | | 45.49 | 45.49 | | | | | | | | |
| LOCA | L NUMBER PORTABILITY | | | UEPPP | PR/ZI | | 45.49 | 45.49 | | | | | | | - | - |
| LOCA | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| INTER | FACE (Provsioning Only) | | | OLITI | LIVII OIV | 1.70 | | | | | | | | | | |
| | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New o | r Additional "B" Channel | | | | | | | | | | | | | | 1 | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 28.71 | | | | | | 19.99 | 19.99 | | |
| | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 28.71 | | | | | | 19.99 | 19.99 | | |
| | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 28.71 | | | | | | 19.99 | 19.99 | | |
| CALL | TYPES | | | | | | | | | | | | | | | |
| | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Intero | fice Channel Mileage | | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 78.9223 | 147.07 | 111.75 | 0.00 | | | | 19.99 | 19.99 | | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.4523 | | | | | | | | | | |
| | E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | 1 | LIEBBO | | 170.00 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 2 | UEPDC UEPDC | | 176.33 184.93 | | | | | | | | | | |
| - | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 222.73 | | | | | | | | | | |
| LINE | oop Rates | | 3 | UEPDC | | 222.13 | | | | | | | | | - | - |
| ONEL | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 55.53 | 448.92 | 276.00 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 64.13 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 101.93 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| UNE P | ort Rate | | Ŭ | 02. 50 | 00250 | 101.00 | 110.02 | 2.0.00 | | | | | 10.00 | 10.00 | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 750.00 | 1,011.43 | 477.87 | 206.70 | 20.70 | | | 19.99 | 19.99 | | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | ,- | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Switch-As-Is Top 8 MSAs only | | | UEPDC | USAC4 | | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | |
| | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Conversion with DS1 Changes Top 8 MSAs only | | | UEPDC | USAWA | | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | |
| | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Conversion with Change - Trunk Top 8 MSAs only | | | UEPDC | USAWB | | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | |
| ADDIT | IONAL NRCs | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | LIEBBO | 110404 | | 4 47 47 | 4 47 47 | | | | | | | | |
| - | Service Activity Per Service Order | | | UEPDC | USAS4 | | 147.47 | 147.47 | | | | | | | - | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | I | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | - | - | UEFDC | UDITA | | 28.77 | ∠8.71 | | | | | 19.99 | 19.99 | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | OLI-DO | טווטט | | 20.71 | 20.71 | | | | | 15.99 | 19.99 | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | 1 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | 021 00 | 05.10 | | 20.71 | 20.71 | | | | | 13.33 | 13.35 | t | - |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | I | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan | | | - | | | | | 1 | | | | | 12.30 | 1 | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | I | |
| BIPOL | AR 8 ZERO SUBSTITUTION | | | - | | | | | 1 | | | | | 13.30 | 1 | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 600.00 | | | | | | | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 600.00 | | | Ì | | | | | |

| JNBUND | <u>L</u> ED | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachi | ment: 2 | Exhi | ibit: B |
|--------|-------------|---|-------------|---------|-------------------|----------------|----------|---------|------------|-------------|--------------|-------|-----------|--|------------|---|--|
| ATEGOR | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - Manual Svc Order vs. Electronic- | Charge Manual S Order vs |
| | | | | | | | | Nonred | urrina | Monroourrin | a Disconnect | | | | Rates (\$) | Disc 1st | DISC Add |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Alt | ernat | e Mark Inversion | | | | | | | ,,,,,, | | 7.44 | | 00 | | | | |
| | | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | 1 |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | † |
| Te | lepho | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | 1 |
| | Ī | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | | | | 1 |
| | Ī | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | | | | 1 |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | | | | | 1 |
| | | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | |
| | | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | T) | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | | | | | |
| | | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| De | dicate | ed DS1 (Interoffice Channel Mileage) - | | | | | | | | | | | | | | | |
| | | for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | - | Termination) | | | UEPDC | 1LNO1 | 78.47 | 147.07 | 111.75 | | | | | 19.99 | 19.99 | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.4523 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | | | | | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | ↓ |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 0.4523 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | _ | | | | | | | | | | | † |
| | | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.4523 | 0.00 | 0.00 | | | | | | | | |
| | | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | 1 |
| | | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | + |
| 4-V | | DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | 0.00 | | | | | | | | | | † |
| | | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | vations | | | | | | | | | | | | | | † |
| | | m can have various rate combinations based on type and nur | | | used | | | | | | | | | | | | † |
| | | 1 Loop | | | | | | | | | | | | | | | † |
| | | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 55.53 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 64.13 | 0.00 | 0.00 | | | | | | | | 1 |
| | | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 101.93 | 0.00 | 0.00 | | | | | | | | 1 |
| UN | IE DS | O Channelization Capacities (D4 Channel Bank Configuration | ıs) | | | | | | | | | | | | | | |
| | | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 102.64 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 205.28 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 410.56 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 615.84 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 821.12 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,026.40 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,231.68 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,642.24 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,052.80 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | ļ | 1 |
| _ | | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,463.36 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | ļ | |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s | | L | UEPMG | VUM67 | 2,873.92 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | ļ | <u> </u> |
| | | curring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | stem | | | | | | | | . | 4 |
| | | num System configuration is One (1) DS1, One (1) D4 Channel | | | | | | | | | | | | | | | 4 |
| Mu | | es of this configuration functioning as one are considered Ad | id'i afte | r the m | nınımum system co | ntiguration is | counted. | | | | | - | | | | | |
| | | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes - Top 8 MSAs Only | | | UEPMG | USAC4 | 0.00 | 450.00 | 50.00 | | | | | 19.99 | 19.99 | | |
| Sy | | Additions Where Currently Combined and New (Not Currently | y Comb | ined) | 02. WO | 30/10- | 3.00 | -100.00 | 55.00 | | | t | | 10.00 | 10.00 | t | |
| In | Densi | ity Zone 1 Top 8 MSAs | | | | | | | | | | | | | | | |
| | | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 950.00 | 600.00 | 200.00 | 30.00 | | | 19.99 | 19.99 | | |
| | | | | 1 | IULE IVICE | I V U IVILJ4 | | | 000.00 | | | 1 | | 19.99 | 19.99 | 1 | 1 |

Version 4Q02: 12/18/02 Page 125 of 416

| UNBUNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-----------|---|-------------|----------|---------------------|----------------|-------------------|----------------|----------------|----------------|-----------------|------------|---------------|--|---|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | 001111 | | Rates (\$) | 001141 | 001141 |
| | Clear Channel Capability Format, superframe - Subsequent | | | | - | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 600.00 | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | OLI MO | 00001 | 0.00 | 0.00 | 000.00 | | | | | | | | † |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 600.00 | | | | | | | | |
| Altern | ate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | L | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | nge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | 1 | | | | | | | | | | | |
| Excha | nge Ports | | | | - | | | | | | | | | | | ļ |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.67 | 7.88 | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | | 33.67 | 7.88 | 1 | † |
| | | | | | | 100 | 2.00 | 2.00 | 2.00 | 5.00 | | | 22.01 | | İ | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | <u></u> | | UEPPX | UEP1X | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | <u></u> | <u> </u> | 33.67 | 7.88 | <u> </u> | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 83.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.67 | 7.88 | | |
| Featur | e Activations - Unbundled Loop Concentration | | | | | | | | | | | | ļ | ļ | ļ | |
| | Feature (Service) Activation for each Line Port Terminated in D4 Bank | | | HEDDY | 4000474 | 0.00 | 40.00 | 20.00 | 0.00 | | | | 00.6= | 7.00 | | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | UEPPX | 1PQWM | 0.62 | 40.00 | 20.00 | 6.00 | 5.00 | | | 33.67 | 7.88 | | ļ |
| | D4 Bank | | | UEPPX | 1PQWU | 0.62 | 110.00 | 30.00 | 65.00 | 20.00 | | | 33.67 | 7.88 | | |
| Teleni | none Number/ Group Establishment Charges for DID Service | | | OLFFX | IFQWU | 0.02 | 110.00 | 30.00 | 05.00 | 20.00 | | | 33.07 | 7.00 | | |
| Текері | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Local | Number Portability Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | 1 | | | - | | <u> </u> |
| FEATI | JRES - Vertical and Optional | | | UEPPA | LINECE | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | Switching Features Offered with Line Side Ports Only | | | | 1 | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | 1 | | |
| UNBUNDLED | CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | s | | | | | | | | | | | | | | |
| | t Based Rates are applied where BellSouth is required by FCC | | | | | | | | | | | | | | | |
| | tures shall apply to the Unbundled Port/Loop Combination - C | | | | | | | | | | | | | | | |
| | Office and Tandem Switching Usage and Common Transport | | | | | | | | | | | | | | | <u> </u> |
| | first and additional Port nonrecurring charges apply to Not Cu | urrently | Comb | ined Combos. For | Currently Co | mbined Combo | s, the nonrecu | urring charges | shall be those | identified in t | he Nonrecu | rring - Curre | ently Combine | ed sections. | Additional NF | Cs may |
| | also and are categorized accordingly. | | | | | | | | 1 | | 1 | 1 | 1 | | ı | Т |
| | rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only | | otiated | on an individual Ca | ise Basis, uni | iii further notic | e. | | | | | | - | - | | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | 1 | | 1 | † | 1 | † |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | † |
| | Non-Design | | 1 | UEP91 | | 12.59 | | | | | <u> </u> | | <u> </u> | <u></u> | <u> </u> | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | 1 | | 1 | |
| | Non-Design | | 2 | UEP91 | | 14.26 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | | _ | LIEDO4 | | 04.00 | | | | | | | 1 | | | |
| LINES | Non-Design | 1 | 3 | UEP91 | 1 | 21.62 | | | | | <u> </u> | ļ | | 1 | | |
| UNE | ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | 1 | | | | | | | } | | - | | - |
| | Design | | 1 | UEP91 | | 18.63 | | | | | | | | 1 | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | <u> </u> | | | 10.00 | | | | | 1 | | 1 | † | 1 | † |
| | Design | | 2 | UEP91 | | 21.24 | | | | | | | 1 | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | | | | | | | | | | | 1 | | 1 | |
| ullet | Design | | 3 | UEP91 | | 32.71 | | | | | ļ | | | | | <u> </u> |
| UNE L | oop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | UEP91 | UECS1 | 10.80 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | 1 | | UEP91 | UECS1 | 12.47 | | | | | <u> </u> | ļ | | 1 | | ļ |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | 19.83 | | | l | | <u> </u> | l | L | | | <u> </u> |

Version 4Q02: 12/18/02 Page 126 of 416

| NRONDLE | D NETWORK ELEMENTS - Georgia | | | , | | | | | | | | | | ment: 2 | | bit: B |
|---------------|--|-------------|-------------------|--------|-------------|--------|--------|------------|--------------|-------|---|---|---|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 16.84 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 19.45 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 30.92 | | | | | | | | | | |
| UNE P | orts | | | | | | | | | | | | | | | |
| All Sta | tes (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | 02.0. | 02 | | | 10.20 | 0.10 | 0.01 | | | 00.01 | 7.00 | | |
| | Area | | | UEP91 | UEPYB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | 02. 0. | 02.15 | 0 | | 10.20 | 0.10 | 0.01 | | | 00.07 | 7.00 | | |
| | Area | | | UEP91 | UEPYH | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | - | UEP91 | UEPTH | 1.79 | 22.14 | 13.23 | 0.40 | 3.91 | 1 | | 33.07 | 1.00 | | |
| | | | | LIEDOA | LIED) (A.A. | 4.70 | 00.44 | 45.05 | 0.45 | 0.04 | | | 00.07 | 7.00 | | |
| | Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP91 | UEPYZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP91 | UEPY9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP91 | UEPY2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| Georgi | ia and Florida Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPHA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPHB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPHH | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex with Galler ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | OLI 31 | OLITHI | 1.73 | 22.14 | 10.20 | 0.40 | 3.31 | | | 33.07 | 7.00 | | |
| | | | | UEP91 | UEPHM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| - | Center)2 | | | UEP91 | UEPHIVI | 1.79 | 22.14 | 15.25 | 0.40 | 3.91 | 1 | | 33.07 | 1.00 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP91 | UEPHZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPH9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPH2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.5554 | | | | | | | | | | |
| Local I | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| Featur | es | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | | | | | |
| 1 | All Select Features Offered, per port | | 1 | UEP91 | UEPVS | 0.00 | 454.69 | | | | 1 | | | 1 | 1 | |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | 404.00 | | | | | | | | | |
| NARS | | | 1 | 021 01 | JLI VO | 0.00 | | | 1 | | 1 | | | 1 | 1 | |
| NANS | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | - | | | | 33.67 | 7.88 | | - |
| | | | - | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | - | | 1 | | 33.67 | 7.88 | - | |
| | Unbundled Network Access Register - Indial | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | 1 | | 33.67 | 7.88 | 1 | <u> </u> |
| | laneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | ļ | 1 | | | | | | | | | ļ | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 11.35 | 61.91 | 61.91 | | | l | | 33.67 | 7.88 | | |
| Interof | fice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 17.07 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | \mathbb{L}^{-1} | UEP91 | M1GBM | 0.0222 | | | | | | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | • | | | |
| D4 Cha | annel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.62 | | | | | | | | | | |
| | | | | | | | | | | | 1 | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | l | | UEP91 | 1PQW6 | 0.62 | | | | | | | | I | İ | 1 |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | † | | ,,, | 0.02 | | | i | | 1 | | | | | |
| 1 | Slot | l | | UEP91 | 1PQW7 | 0.62 | | | | | | | | I | İ | 1 |
| $\overline{}$ | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | 02101 | 11 32 17 1 | 0.02 | | | | | 1 | | | t | 1 | |
| 1 | | l | | UEP91 | 1PQWP | 0.62 | | | | | | | | I | İ | 1 |
| | | | | | | | | | | | | i l | | | 1 | 1 |
| | Different Wire Center | | | OLI 31 | 11 Q 111 | 0.02 | | | + | | | | | | | |

| | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | ment: 2 | | bit: B |
|-------------------------------|--|-------------|------|--|---------|-------|--------|------------|--|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | n | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP91 | 1PQWQ | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.62 | | | | | | | | | | l |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | Conversion - Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP91 | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | | |
| | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 659.41 | | L | | | | 33.67 | 7.88 | | |
| | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | | |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 77.10 | | | | | | 33.67 | 7.88 | | |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 71.88 | | | | | | 33.67 | 7.88 | | |
| | CENTREX - 5ESS (Valid in All States) | | | | + | | | | | | | | | | | |
| | vG Loop/2-Wire Voice Grade Port (Centrex) Combo | | - | | + | | | | | | - | | | | | |
| UNE P | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | - | + + | | | | | | | | | - | - | |
| | Non-Design | | 1 | UEP95 | | 12.59 | | | 1 | | | | | 1 | 1 | |
| -+- | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OFL 20 | + | 12.39 | | | | | | | | t | t | |
| 1 | Non-Design | | 2 | UEP95 | | 14.26 | | | | | | | | 1 | 1 | |
| -+- | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OL1 93 | + + | 14.20 | | | + + | | | | | | | + |
| | Non-Design | | 3 | UEP95 | | 21.62 | | | | | | | | | | |
| UNF F | Port/Loop Combination Rates (Design) | | | 02. 00 | | 202 | | | | | | | | | | 1 |
| - 0.1.2.1 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP95 | | 18.63 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 2 | UEP95 | | 21.24 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP95 | | 32.71 | | | | | | | | | | |
| UNE L | oop Rate | | | | | | | | | | | | | | | Ī |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 10.80 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 12.47 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 19.83 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 16.84 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 19.45 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 30.92 | | | | | | | | | | 1 |
| | ort Rate | | | | | | | | | | | | | | | |
| All Sta | | | | LIEBAE | | . == | 20.11 | | 0.45 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 1 | |
| —— —— | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 1 | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 1 | |
| $\longrightarrow \longmapsto$ | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | 06430 | JEFTH | 1.79 | 22.14 | 15.25 | 0.45 | 3.91 | | | 33.67 | 1.88 | - | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 1 | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | 001.30 | JEFTIVI | 1.79 | 22.14 | 10.25 | 0.45 | 3.91 | | | 33.67 | 1.00 | | |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 1 | |
| -+ | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | - | 02.00 | JE1 12 | 1.75 | 22.17 | 10.20 | 0.40 | 5.91 | | | 55.07 | 7.00 | - | |
| | - Basic Local Area | | | UEP95 | UEPY9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 1 | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | 12 | 0 | 22.17 | .0.20 | 5.40 | 0.01 | | | 55.07 | | 1 | † |
| | Basic Local Area | | | UEP95 | UEPY2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 1 | |
| FL & (| GA Only | | | | 1 | | | | 1 | | | | 22.0 | 1 | İ | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPHA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPHB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPHH | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 | | | UEP95 | UEPHM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 1 | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| L | Term | | | UEP95 | UEPHZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | <u> </u> |
| | | | | 1 | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | 1 | UEP95 | UEPH9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | l | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port Terminated in 61 Megalifik of equivalent | | | UEP95 | UEPH2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |

Version 4Q02: 12/18/02 Page 128 of 416

| <u>UNBUNDL</u> | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------------|---|-------------|----------|--------|---------|--------|---------|------------|-------|--------------|--------|-----------|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual S Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | | g Disconnect | 001450 | 001141 | | Rates (\$) | 001111 | 001141 |
| | Centrex Intercom Funtionality, per port | | | LIEDOE | URECS | 0.5554 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Loop | I Number Portability | | | UEP95 | URECS | 0.5554 | | | | | | | | | | |
| LOCA | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Feat | | | | OL1 95 | LIVI CC | 0.55 | | | | | | | | | | |
| - Cut | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | | | | | | | 33.67 | 7.88 | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 454.69 | | | | | | 33.67 | 7.88 | | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | 10 1100 | | | | | | 33.67 | 7.88 | | |
| NAR | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | | |
| | ellaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wi | re Trunk Side | | | | | | _ | • | | | | | _ | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 11.35 | 61.91 | 61.91 | | | | | 33.67 | 7.88 | | |
| 4-Wi | re Digital (1.544 Megabits) | <u> </u> | | | 1 | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | ļ | <u> </u> | UEP95 | M1HD1 | 120.80 | 89.44 | 52.46 | ļ | ļ | | | 33.67 | 7.88 | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 28.71 | | | | | | 33.67 | 7.88 | | |
| Inter | office Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 17.07 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0222 | | | | | | | | | | |
| | ure Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 C | hannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.62 | | | | | | | | | | |
| | realure Activation on D-4 Channel Bank Centrex Loop Stot | | | UEF95 | IFQWS | 0.02 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP95 | 1PQWV | 0.62 | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQWQ | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.62 | | | | | | | | | | |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP95 | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | | |
| | New Centrex Standard Common Block | <u> </u> | | UEP95 | M1ACS | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | | |
| | New Centrex Customized Common Block | | <u> </u> | UEP95 | M1ACC | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | | |
| | NAR Establishment Charge, Per Occasion | <u> </u> | ļ | UEP95 | URECA | 0.00 | 71.88 | | | ļ | | | 33.67 | 7.88 | | |
| | -P CENTREX - DMS100 (Valid in All States) | | <u> </u> | | + | | | | | 1 | | | | | | |
| | re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | | | | | | | | | | | | | | | |
| | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9D | | 12.59 | | | | | | | | | | |
| | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP9D | | 14.26 | | | | | | | | | | |
| UNE | Non-Design Port/Loop Combination Rates (Design) | | 3 | UEP9D | | 21.62 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | | | | | | | | | | | | | | | |
| | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9D | | 18.63 | | | | | | | | | | |
| | Design | | 2 | UEP9D | | 21.24 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 32.71 | | | | | | | | | | |
| UNE | Loop Rate | <u> </u> | <u> </u> | L | 1 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | ļ | | UEP9D | UECS1 | 10.80 | | | ļ | ļ | | | | ļ | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | <u></u> | 2 | UEP9D | UECS1 | 12.47 | _ | | | <u> </u> | | | | | <u> </u> | |

| LINBLINDI E | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachi | ment: 2 | Evhil | oit: B |
|--------------|---|--------|-------|--------|--------|-------|--------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| SHOUNDLE | - HETHORIC ELLINERTO - Georgia | | | | | | | | | | Svc Order | Svc Order | Incremental | | | Incremental |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | | | | | | |
| GATEGORI | NATE ELEMENTO | m | 20110 | 200 | 0000 | | | πατεσ (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | + | | Nonrec | curring | Nonrecurring | Disconnect | | l | oss | Rates (\$) | <u> </u> | |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 19.83 | | 71441 | 101 | 71441 | 0020 | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 16.84 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 19.45 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 30.92 | | | | | | | | | | |
| UNF P | Port Rate | | | | | | | | | | | | | | | |
| | TATES | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | | | _ | | | | | | | | | | |
| 1 1 | Area | | | UEP9D | UEPYC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | 1 | 33.67 | 7.88 | | i |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYD | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYE | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | | | | | | | 0.0. | | | | | | |
| | Area | | | UEP9D | UEPYF | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYG | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYT | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYU | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYV | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPY3 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYH | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | | 1 |
| | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYJ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2 Basic Local Area | | | UEP9D | UEPYM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | ı |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | | | | | | | | | | | | | ı |
| | Basic Local Area | | | UEP9D | UEPYO | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | | | | | | | | | | | | | i |
| | Basic Local Area | | | UEP9D | UEPYP | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | . |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | | | | | | | | | | | | | i |
| \vdash | Basic Local Area | | | UEP9D | UEPYQ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | 1 |
| 1 1 | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | | | | | | _ | | | | | | | 1 |
| \vdash | Basic Local Area | | | UEP9D | UEPYR | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | 1 |
| 1 1 | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | | | | _ | | | | | | | 1 |
| \vdash | Basic Local Area | | | UEP9D | UEPYS | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| 1 1 | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | LIEBOD | LIED. | | | | | | | 1 | ~~ ~- | | | 1 |
| \vdash | Basic Local Area | | | UEP9D | UEPY4 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| 1 1 | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | LIEDOD | LIEDVE | 4 70 | 00.44 | 45.65 | 0.4- | 0.01 | | 1 | 00.0= | 7.00 | | |
| | Basic Local Area | | | UEP9D | UEPY5 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | LIEDOD | LIEDVO | 4.70 | 00.44 | 45.05 | 0.45 | 0.01 | | 1 | 20.07 | 7.00 | | 1 |
| \vdash | Basic Local Area | | | UEP9D | UEPY6 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | LIEDOD | UEPY7 | 4 70 | 00.44 | 45.05 | 0.45 | 0.01 | | | 20.07 | 7.00 | | 1 |
| | Basic Local Area | - | | UEP9D | UEPY/ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | ļ | 33.67 | 7.88 | | |
| 1 1 | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9D | UEPYZ | 1 70 | 22.44 | 15.05 | 8.45 | 3.91 | | 1 | 33.67 | 7.88 | | i |
| \vdash | Term 2 Wire Voice Grade Port terminated in an Magalink or equivalent | | | UEF9D | UEPTZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 1.88 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | 1 | 33.67 | 7.88 | | i |
| \vdash | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | OLFBD | UEFIS | 1.79 | 22.14 | 15.25 | 0.45 | 3.91 | | | 33.67 | 1.88 | | |
| 1 1 | Local Area | | | UEP9D | UEPY2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | 1 | 33.67 | 7.88 | | i |
| | Lood / 110a | L | | OLI 3D | JLI 12 | 1.19 | 22.14 | 13.23 | 0.40 | 3.91 | <u> </u> | L | 33.07 | 1.00 | | |

| INBUNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | ment: 2 | Exhil | bit: B |
|----------|---|-------------|------|--------|-------|--------|--------|------------|--------------|-------|-------|---|---|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| FL & 0 | SA Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPHA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPHB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPHC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPHD | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPHE | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPHF | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPHG | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPHT | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPHU | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPHV | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPH3 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPHH | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | l | | | | | | | | | | | | | | |
| | Indication)3 | | | UEP9D | UEPHW | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPHJ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2 | | | UEP9D | UEPHM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPHO | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPHP | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPHQ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPHR | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | , , | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPHS | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | , | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPH4 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | , , , | | | | | _ | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPH5 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPH6 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | | | | | | | | | | | | - | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPH7 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | - | | | |
| | Term | | | UEP9D | UEPHZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | | | 02. 05 | 02 | 0 | | 10.20 | 0.10 | 0.01 | | | 00.01 | 7.00 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPH9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPH2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| Local | Switching | | | | | _ | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.5554 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | İ | İ | |
| Featur | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | | | İ | İ | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 454.69 | | | | | | 33.67 | 7.88 | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | İ | İ | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | | |
| Miscel | laneous Terminations | | | | | | | | İ | | | | | | | |
| | Trunk Side | | | | 1 | | | | | | | | | İ | İ | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 11.35 | | | | | | | | İ | İ | |
| 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | İ | İ | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 120.80 | 89.44 | 52.46 | | | | | 33.67 | 7.88 | İ | |
| | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 28.71 | | | | | | 33.67 | 7.88 | İ | |
| Intero | fice Channel Mileage - 2-Wire | 1 | 1 | | | 2.00 | | | | | | | 22.01 | | 1 | |
| | Interoffice Channel Facilities Termination | - | | UEP9D | MIGBC | 17.07 | | | | | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachr | | Exhib | |
|--|--|------------------------------|-----------------------|---|-------------------------------------|---|------------------------------|-----------------------------------|----------------|-----------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | - | UEP9D | MIGBM | 0.0222 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Featu | ure Activations (DS0) Centrex Loops on Channelized DS1 Service | ce | | OLF 9D | IVIIGBIVI | 0.0222 | | | | | | | | | | |
| | hannel Bank Feature Activations | Ĭ | 1 | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.62 | | | | | | | | | | |
| | · | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQW7 | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | LIEDOD | 40014/0 | 0.00 | | | | | | | | | | |
| | Different Wire Center | 1 | 1 | UEP9D | 1PQWP | 0.62 | | | 1 | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.62 | | | | | | | | | | |
| -+ | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | 1 | 1 | 051 90 | 11 00 44 4 | 0.02 | | | 1 | | | | | | | |
| . | Slot | | | UEP9D | 1PQWQ | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.62 | | | | | | | | | | |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | - | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| i l | changes, per port | | | UEP9D | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | | |
| | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 71.88 | | | | | | 33.67 | 7.88 | | |
| | 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | 2 - Regures Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | O. D | + | + | | 1 | 1 | | | | | | | | | | |
| Note | 3 - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| Note UNBUNDLED | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES | and/ar | State C | Commission rule to | aravida Unbu | ndlad Lacal Cu | vitahing or Cur | itah Barta | | | | | | | | |
| Note UNBUNDLED 1. Ma | O CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC | | | | | ndled Local Sw | vitching or Sw | tch Ports. | | | | | | | | |
| Note UNBUNDLED 1. Ma 2. Re | D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fo | eatures | are Inc | cluded in the Marke | t Rate | | | | port network e | lements excep | t for UNE C | coin Port/Lo | op Combinat | ons. | | |
| Note UNBUNDLED 1. Ma 2. Re 3. En | D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fixed d Office and Tandem Switching Usage and Common Transport | eatures Usage | are Inc rates i | cluded in the Marke n the Port section o | t Rate f this rate exh | ibit shall apply | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLEC 1. Ma 2. Re 3. En 4. Th | D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fixed d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not C | eatures Usage | are Inc rates i | cluded in the Marke n the Port section o | t Rate f this rate exh | ibit shall apply | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLEC 1. Ma 2. Re 3. En 4. Th apply | D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fe do Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co y also and are categorized accordingly. | eatures Usage urrently | are Inc rates i | cluded in the Marke n the Port section o | t Rate f this rate exh | ibit shall apply | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLED 1. Ma 2. Re 3. En 4. Th apply UNE- | D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fixed d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not C | eatures Usage urrently | are Inc rates i | cluded in the Marke n the Port section o | t Rate f this rate exh | ibit shall apply | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLED 1. Ma 2. Re 3. En 4. Th apply UNE- 2-Wii | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fold Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Colvais and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only | eatures Usage urrently | are Inc rates i | cluded in the Marke n the Port section o | t Rate f this rate exh | ibit shall apply | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLED 1. Ma 2. Re 3. En 4. Th apply UNE- 2-Wii | D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol For d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co y also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | eatures Usage urrently | are Inc rates i | cluded in the Marke n the Port section o | t Rate f this rate exh | ibit shall apply | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLED 1. Ma 2. Re 3. En 4. Th apply UNE- 2-Wii | D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Cornol Fid Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not City also and are categorized accordingly. PC CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only be VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design | eatures Usage urrently | are Inc rates i | cluded in the Marke n the Port section o | t Rate f this rate exh | ibit shall apply | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLED 1. Ma 2. Re 3. En 4. Th apply UNE- 2-Wii | D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fold Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not Colvalso and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only the VG Loop/2-Wire Voice Grade Port (Centrex) Combooport/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboolon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboolon-Design | eatures Usage urrently | are Incrates in Comb | cluded in the Marken the Port section o ined Combos. For UEP91 | t Rate f this rate exh | ibit shall apply mbined Combo | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLED 1. Ma 2. Re 3. En 4. Th apply UNE- 2-Wii | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fcd Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not City also and are categorized accordingly. P. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design | eatures Usage urrently | are Inc rates i | cluded in the Marke n the Port section o ined Combos. For | t Rate f this rate exh | ibit shall apply | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLED 1. Ma 2. Re 3. En 4. Th apply UNE- 2-Wii | D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Cornol Fed Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not Coyalso and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | eatures Usage urrently | are Incrates in Comb | UEP91 | t Rate f this rate exh | ibit shall apply mbined Combo 24.80 26.47 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLET 1. Ma 2. Re 3. En 4. Th apply UNE 2-Wii UNE | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fe d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co y also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only te VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design | eatures Usage urrently | are Incrates in Comb | cluded in the Marken the Port section o ined Combos. For UEP91 | t Rate f this rate exh | ibit shall apply mbined Combo | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLET 1. Ma 2. Re 3. En 4. Th apply UNE 2-Wii UNE | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC courring Charges for all Standard Centrex and Centrex Conrol Fc d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) | eatures Usage urrently | are Incrates in Comb | UEP91 | t Rate f this rate exh | ibit shall apply mbined Combo 24.80 26.47 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLET 1. Ma 2. Re 3. En 4. Th apply UNE 2-Wii UNE | D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES Inket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fe d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not C y also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design | eatures Usage urrently | are Incrates in Comb | UEP91 UEP91 | t Rate f this rate exh | ibit shall apply mbined Combo 24.80 26.47 33.83 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLET 1. Ma 2. Re 3. En 4. Th apply UNE 2-Wii UNE | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fe d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co y also and are categorized accordingly. PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design | eatures Usage urrently | are Incrates in Comb | UEP91 | t Rate f this rate exh | ibit shall apply mbined Combo 24.80 26.47 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLET 1. Ma 2. Re 3. En 4. Th apply UNE 2-Wii UNE | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fe d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co y also and are categorized accordingly. PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design | eatures Usage urrently | are Incrates in Comb | UEP91 UEP91 | t Rate f this rate exh | 24.80 26.47 33.83 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLET 1. Ma 2. Re 3. En 4. Th apply UNE 2-Wii UNE | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fe d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co y also and are categorized accordingly. PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design | eatures Usage urrently | are Increase in Comb | UEP91 UEP91 | t Rate f this rate exh | ibit shall apply mbined Combo 24.80 26.47 33.83 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fe d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci y also and are categorized accordingly. PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design | eatures Usage urrently | are Increase in Comb | UEP91 UEP91 | t Rate f this rate exh | 24.80 26.47 33.83 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fe d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co y also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design | eatures Usage urrently | are Increase in Comb | UEP91 UEP91 UEP91 UEP91 UEP91 | t Rate I this rate exh Currently Co | 24.80 26.47 33.83 30.84 33.45 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fix d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not C of also and are categorized accordingly. PECENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only be VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | eatures Usage urrently | are Increase in Combo | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | t Rate t this rate exh Currently Co | 24.80 26.47 33.83 30.84 44.92 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fe d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr y also and are categorized accordingly. PC ENTREX - 1AESS - (Valid in AL, PL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | eatures Usage urrently | 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | t Rate f this rate exh Currently Co | 24.80 26.47 33.83 30.84 44.92 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fe d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr y also and are categorized accordingly. PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | eatures Usage urrently | 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | t Rate I this rate exh Currently Co | 24.80 26.47 33.83 30.84 33.45 44.92 10.80 12.47 19.83 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note | D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Cornol Fid Office and Tandem Switching Usage and Common Transport of Grates and additional Port nonrecurring charges apply to Not Coyalso and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only the VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Loop (St. 1) - Zone 1 2-Wire VG Loop/2-Wire VG Loop (St. 1) - Zone 3 2-Wire VG Loop Grade Loop (St. 1) - Zone 1 | eatures Usage urrently | 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS2 | 24.80 26.47 33.83 30.84 33.45 44.92 10.80 12.47 19.83 16.84 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fc d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. PC ENTREX - 1AESS - (Valid in AL, FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 | eatures Usage urrently | 1 | UEP91 | UECS1 UECS1 UECS2 UECS2 | 24.80 26.47 33.83 30.84 44.92 10.80 12.47 19.83 16.84 19.45 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| UNBUNDLE 1. M2 2. Re 3. En 4. Th apply UNE 2-Wir UNE UNE | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES Inket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fe d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co y also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL, PL, GA, KY, LA, MS, &TN only te VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 | eatures Usage urrently | 1 | UEP91 | UECS1 UECS1 UECS2 | 24.80 26.47 33.83 30.84 33.45 44.92 10.80 12.47 19.83 16.84 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| Note UNBUNDLEC 1. Re 1. Re 2. Re 3. En 4. Th apply UNE 2-Wir UNE UNE | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Cornol Fid Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. PC ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only be VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports | eatures Usage urrently | 1 | UEP91 | UECS1 UECS1 UECS2 UECS2 | 24.80 26.47 33.83 30.84 44.92 10.80 12.47 19.83 16.84 19.45 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |
| UNBUNDLEC 1. Me 2. Re 3. En 4. Th apply UNE 2-Wir UNE UNE | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Cornol Fidd Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not Cryalso and are categorized accordingly. PC PENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only the VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports tates (Except North Carolina and Sout Carolina) | eatures Usage urrently | 1 | UEP91 UEP91 | UECS1 UECS1 UECS2 UECS2 UECS2 | 24.80 26.47 33.83 30.84 44.92 10.80 12.47 19.83 16.84 19.45 30.92 | to all combinis, the nonrect | ations of loop/ urring charges | shall be those | identified in t | | | ntly Combine | ed sections. | Additional NR | Cs may |
| UNEUNE UNE | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES arket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Cornol Fid Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. PC ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only be VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports | eatures Usage urrently | 1 | UEP91 | UECS1 UECS1 UECS2 UECS2 | 24.80 26.47 33.83 30.84 44.92 10.80 12.47 19.83 16.84 19.45 | to all combina | ations of loop | | | | | | | Additional NR | Cs may |

Version 4Q02: 12/18/02 Page 132 of 416

| ONBONDE | ED NETWORK ELEMENTS - Georgia | | | 1 | | | | | | | Γ- | _ | | ment: 2 | | oit: B |
|--|---|-------------|------|--|----------------|----------------|----------------|---------------------------------------|--------------|----------------|----------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | OMESSA Vision Const. Bost (Construent VIII. College ID) (Don's Lorent | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP91 | UEPYH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEF91 | UEPTH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.00 | | |
| 1 | Center)2 Basic Local Area | | | UEP91 | UEPYM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP91 | UEPYZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP91 | UEPY9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | LIEBOA | LIEDVO | 44.00 | 00.00 | 45.00 | 00.00 | 40.00 | | | 00.07 | 7.00 | | |
| Coor | Basic Local Area gia and Florida Only | | | UEP91 | UEPY2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| Geor | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPHA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPHB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Fort (Centrex with Caller ID)1 | | | UEP91 | UEPHH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | 1 | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | İ | | 20 | 22.20 | | | | | | | 1.130 | Ì | |
| | Center)2 | | | UEP91 | UEPHM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | <u> </u> | | 33.67 | 7.88 | <u> </u> | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | 1 | | | | · · · · · · · · · · · · · · · · · · · | | | | | | | 1 | |
| | Term | | | UEP91 | UEPHZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | | | | | | | | 4= 00 | | 40.00 | | | | | | |
| - | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 UEP91 | UEPH9 UEPH2 | 14.00 14.00 | 90.00 90.00 | 45.00 45.00 | 20.00 | 10.00 10.00 | | | 33.67 33.67 | 7.88 7.88 | | |
| Loca | I Switching | | | UEP91 | UEPH2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| Loca | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.5554 | | | | | | | | | | |
| Loca | I Number Portability | | | OLI 01 | OKLOO | 0.0004 | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| Featu | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 454.69 | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP91 UEP91 | UARCX UAR1X | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 7.88 | | |
| - | Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial | | | UEP91 | UARTX | 0.00 | 0.00 | 0.00 | | | | | 33.67 33.67 | 7.88 | | |
| Misc | ellaneous Terminations | | | UEP91 | UARUX | 0.00 | 0.00 | 0.00 | | | | | 33.07 | 7.00 | | |
| | re Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 11.35 | 61.91 | 61.91 | | | | | 33.67 | 7.88 | | |
| Interd | office Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 17.07 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.0222 | | | | | | | | | | |
| | ure Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |
| D4 CI | hannel Bank Feature Activations | | | LIEDOA | 1PQWS | 0.00 | | | | | | | | | | |
| - | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | OLI 31 | II QWO | 0.02 | | | | | | | | | | |
| | Slot | | | UEP91 | 1PQW7 | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP91 | 1PQWP | 0.62 | | | | | | | | | | |
| | | | | 1 | | | | · · · · · · · · · · · · · · · · · · · | | | | | | | 1 | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | LIEDO4 | 40014/0 | 2.22 | | | | | | | | | 1 | 1 |
| | Slot Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 UEP91 | 1PQWQ 1PQWA | 0.62 0.62 | | | 1 | | 1 | | | | | |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | UEPSI | IPQWA | 0.62 | | | - | | - | | | - | | |
| NOII- | Conversion - Currently Combined Switch-As-Is with allowed | | | | + | | | | 1 | | 1 | | | | | |
| | changes, per port | | | UEP91 | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 1 | 1 |
| | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 659.41 | 2.2.30 | | | | | 33.67 | 7.88 | Ì | |
| | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | | |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 77.10 | | | | İ | | 33.67 | 7.88 | | i |

| MRANDFI | D NETWORK ELEMENTS - Georgia | | | | | | | | | | 1 - | | | ment: 2 | Exhil | |
|---------|--|-------------|----------|---|-------------------------------|--------------------------------|----------------|----------------|--|------------|-------|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual So Order vs Electronic Disc Add |
| | | | | | | D | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | l. | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 71.88 | | | | | | 33.67 | 7.88 | | |
| UNE-I | P CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | i | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP95 | | 24.80 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | | | | | | | | | | | | | |
| | Non-Design | | 2 | UEP95 | | 26.47 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | | _ | LIEBOE | | 00.00 | | | | | | | | | | |
| IINE I | Non-Design | | 3 | UEP95 | | 33.83 | | | - | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | 1 | 1 | UEP95 | | 30.84 | | | 1 | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | +- | OLI- 90 | + + | 30.04 | | | | | 1 | | | | | |
| | Design | ĺ | 2 | UEP95 | | 33.45 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OL: 50 | | 00.40 | | | | | | | | | | |
| | Design | | 3 | UEP95 | | 44.92 | | | | | | | | | | |
| UNE I | oop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 10.80 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 12.47 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 19.83 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 16.84 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 19.45 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 30.92 | | | | | | | | | | |
| UNE I | Port Rate | | | | | | | | | | | | | | | |
| All St | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP95 | UEPYH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | LIEDOE | LIEDVO | 44.00 | 00.00 | 45.00 | 20.00 | 10.00 | | | 22.67 | 7.00 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | UEP95 | UEPY9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | Basic Local Area | | | UEP95 | UEPY2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| FI & | GA Only | | | OLF 93 | OLFIZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.07 | 7.00 | | |
| 11.0 | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPHA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | 1 | | UEP95 | UEPHB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | 1 | ! | UEP95 | UEPHH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | <u> </u> | | 32 | | 55.00 | .0.00 | 25.00 | | | | 55.07 | | | |
| | Center)2 | l | | UEP95 | UEPHM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | I | | UEP95 | UEPHZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | Term | | | l | | | | | 1 | | | | | | | |
| | | | | | | | | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPH9 | 14.00 | 90.00 | 45.00 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 UEP95 | UEPH9 UEPH2 | 14.00 14.00 | 90.00 90.00 | 45.00 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| Local | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Switching | | | UEP95 | UEPH2 | 14.00 | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Switching Centrex Intercom Funtionality, per port | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Switching Centrex Intercom Funtionality, per port Number Portability | | | UEP95 UEP95 | UEPH2 URECS | 0.5554 | | | | | | | | | | |
| Local | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Switching Centrex Intercom Funtionality, per port Number Portability Local Number Portability (1 per port) | | | UEP95 | UEPH2 | 14.00 | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Switching Centrex Intercom Funtionality, per port Number Portability Local Number Portability (1 per port) res | | | UEP95 UEP95 UEP95 | UEPH2 URECS LNPCC | 0.5554 0.35 | | | | | | | 33.67 | 7.88 | | |
| Local | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Switching Centrex Intercom Funtionality, per port Number Portability Local Number Portability (1 per port) res All Standard Features Offered, per port | | | UEP95 UEP95 UEP95 UEP95 | UEPH2 URECS LNPCC UEPVF | 0.5554 0.35 0.00 | 90.00 | | | | | | 33.67 | 7.88 | | |
| Local | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Switching Centrex Intercom Funtionality, per port Number Portability Local Number Portability (1 per port) res All Standard Features Offered, per port All Select Features Offered, per port | | | UEP95 UEP95 UEP95 UEP95 UEP95 | UEPH2 URECS LNPCC UEPVF UEPVS | 0.5554 0.35 0.00 0.00 | | | | | | | 33.67 33.67 33.67 | 7.88 7.88 7.88 | | |
| Local | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Switching Centrex Intercom Funtionality, per port Number Portability Local Number Portability (1 per port) res All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port | | | UEP95 UEP95 UEP95 UEP95 | UEPH2 URECS LNPCC UEPVF | 0.5554 0.35 0.00 | 90.00 | | | | | | 33.67 | 7.88 | | |

| ONRONDLE | D NETWORK ELEMENTS - Georgia | , | | , | | 1 | | | | | , | | | ment: 2 | | bit: B |
|----------|--|-------------|----------|----------------|----------------|----------------|--|------------|--------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Б | Nonrec | curring | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | 1 | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | | |
| | laneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 11.35 | 61.91 | 61.91 | | | | | 33.67 | 7.88 | | |
| 4-Wire | Digital (1.544 Megabits) | | | UEP95 | M1HD1 | 400.00 | 89.44 | 50.40 | | | 1 | | 33.67 | 7.00 | - | |
| | DS1 Circuit Terminations, each DS0 Channels Activated, each | | | UEP95 UEP95 | M1HD1 M1HDO | 120.80 0.00 | 28.71 | 52.46 | | | 1 | | 33.67 | 7.88 7.88 | - | |
| Interes | fice Channel Mileage - 2-Wire | | | UEF95 | MILLIPO | 0.00 | 20.71 | | | | | | 33.07 | 1.00 | | |
| intero | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 17.07 | | | | | | | | | | 1 |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0222 | | | 1 | | | | | | | |
| Featur | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | 02. 00 | 02 | 0.0222 | | | | | | | | | | |
| | annel Bank Feature Activations | | | | | | | | | | | | | | 1 | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | 1 | UEP95 | 1PQWS | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.62 | | | | | | | | | | |
| Non D | Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex | | | UEP95 | 1PQWA | 0.62 | | | | | | | | | | |
| Non-R | NRC Conversion Currently Combined Switch-As-Is with allowed | | | UEP95 | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | | |
| | changes, per port New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 659.41 | 0.3106 | | | | | 33.67 | 7.88 | - | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACC | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 71.88 | | | | | | 33.67 | 7.88 | | + |
| UNE-P | CENTREX - DMS100 (Valid in All States) | | | 02. 00 | 0.120/1 | 0.00 | 7 1.00 | | | | | | 00.01 | 7.00 | 1 | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | 1 | |
| | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design | | 1 | UEP9D | | 24.80 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 26.47 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | | 33.83 | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates (Design) | ļ | <u> </u> | | | | | | ļ | | | | | ļ | ļ | ļ |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9D | | 30.84 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design | | 2 | UEP9D | | 33.45 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 44.92 | | | | | | | | | | |
| UNE L | oop Rate | | | L | | | , and the second | | | | | | | | | <u> </u> |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 10.80 | | | ļ | | | | | | | ļ |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 12.47 | | | 1 | | } | | | 1 | ! | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 | <u> </u> | 3 | UEP9D UEP9D | UECS1 UECS2 | 19.83 16.84 | | | | | - | | | | - | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | <u> </u> | 2 | UEP9D UEP9D | UECS2 | 16.84 | | | | | - | | | | - | |
| - | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | - | 3 | UEP9D | UECS2 | 30.92 | | | + | | | | | | + | |
| IINF P | ort Rate | | - 3 | 021 30 | 02002 | 30.92 | | | | | 1 | | | 1 | t | |
| | TATES | | 1 | | 1 | - | | | 1 | | 1 | | | 1 | † | |
| ALL | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | <u> </u> | UEP9D | UEPYA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | 1 | |
| İ | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | 1 | | 1 | 20 | 22.20 | | | | | | | 1.50 | 1 | |
| | Area | | <u> </u> | UEP9D | UEPYB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |

| ONBONDE | D NETWORK ELEMENTS - Georgia | | | 1 | | | | | | | Γ- | _ | | ment: 2 | | bit: B |
|----------|---|-------------|--|--------|---------|--------|-------|------------|-------|------------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonre | | | Disconnect | | | | Rates (\$) | | |
| | O Wire Veice Conde Book (Contract / EBC BCET)2Books Local | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | UEP9D | UEPYC | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | OLI OD | 02110 | 14.00 | 30.00 | 40.00 | 20.00 | 10.00 | | | 00.07 | 7.00 | | |
| | Area | | | UEP9D | UEPYD | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | LIEDOD | LIEDVE | 44.00 | 00.00 | 45.00 | 00.00 | 40.00 | | | 00.07 | 7.00 | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | UEP9D | UEPYE | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | Area | | | UEP9D | UEPYF | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYG | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | UEP9D | UEPYT | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | 02.05 | 02 | 1 1100 | 00.00 | 10.00 | 20.00 | 10.00 | | | 00.01 | 1.00 | | |
| | Area | | | UEP9D | UEPYU | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | UEF9D | UEPTV | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.07 | 7.00 | | |
| | Area | | | UEP9D | UEPY3 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | | | | | | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msq Wtq Lamp | | | UEP9D | UEPYH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | ├ |
| | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYJ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | L |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | OEP9D | UEPTIVI | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.07 | 7.00 | | |
| | Basic Local Area | | | UEP9D | UEPYO | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPYP | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | Basic Local Area | | | UEP9D | UEPYQ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYR | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | OLI OD | | 14.00 | 30.00 | 40.00 | 20.00 | 10.00 | | | 00.07 | 7.00 | | |
| | Basic Local Area | | | UEP9D | UEPY4 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEF9D | UEPTS | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.07 | 7.00 | | |
| | Basic Local Area | | | UEP9D | UEPY6 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | | | | | 4= 00 | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9D | UEPY7 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | ├ |
| | Term | | | UEP9D | UEPYZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | Basic Local Area | | <u> </u> | UEP9D | UEPY9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | ↓ |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | İ |
| FL & 0 | GA Only | | | JE1 3D | ULI 12 | 14.00 | 30.00 | 45.00 | 20.00 | 10.00 | | | 33.07 | 7.00 | | 1 |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPHA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPHB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPHC | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPHD | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPHE | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPHF | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPHG | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPHT | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |

| <u> NRO</u> NDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|------------------|--|----------|------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|---------|---|--|--|--|--|
| ATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Incrementa Charge - Manual Sv Order vs. |
| | | m | | | | | | - (,, | | | per Lor | per Lor | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | 0.145 1/ 1/ 0. 1 D 1/0 1/ (5D0.14500) | | | LUEDAD | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPHU | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D UEP9D | UEPHV UEPH3 | 14.00 14.00 | 90.00 90.00 | 45.00 45.00 | 20.00 20.00 | 10.00 10.00 | | | 33.67 | 7.88 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-W5516)3 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPHH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | - | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msq Wtg Lamp | | | OLF3D | OLFIIII | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.07 | 7.00 | | |
| | Indication)3 | | | UEP9D | UEPHW | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPHJ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2 | | | UEP9D | UEPHM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPHO | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | | | | | | | | | | <u> </u> | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPHP | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPHQ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | OME Vision On the Boat (On the 1977) Child (EDO ME) | | | LIEDOD | LIEDUS | | | .= | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPHR | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPHS | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wile Voice Grade Port (Centrex diller SWC /EBS-W5312)2, 3 | | | UEF9D | UEPHO | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | - | | 33.07 | 7.00 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPH4 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wile Voice Grade Fort (Centrex diller SWC /EBS-W5008)2, 3 | | | OLFBD | OLF114 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.07 | 7.00 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPH5 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-ville voice Grade i ort (Gentiewallier Gwo /EBG-ivi5200)2, 3 | | | OLI 3D | OLITIO | 14.00 | 30.00 | 45.00 | 20.00 | 10.00 | | | 33.07 | 7.00 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPH6 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2 1110 1000 01000 1 011 (0011101 0110 1 0 1 | | | 02.05 | 020 | 1 1.00 | 00.00 | .0.00 | 20.00 | .0.00 | | | 00.01 | 7.00 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPH7 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9D | UEPHZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPH9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPH2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 33.67 | 7.88 | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.5554 | | | | | | | | | | |
| Local | Number Portability | | | LIEDOD | LNDCC | 0.25 | | | | | | | | | | |
| Featur | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| reatui | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | 1 | | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 454.69 | | | | | | 33.67 | 7.88 | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | 404.00 | | | | | | 00.01 | 7.00 | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | | |
| | laneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 11.35 | | | | | | | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 120.80 | 89.44 | 52.46 | | | | | 33.67 | 7.88 | | |
| Inday - | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 28.71 | | | | | | 33.67 | 7.88 | 1 | |
| intero | ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 17.07 | | | | | - | | | | - | |
| - | Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D UEP9D | MIGBC | 0.0222 | | | | | | | | + | | |
| Foatus | re Activations (DS0) Centrex Loops on Channelized DS1 Service | | | OFLAD | IVIIGDIVI | 0.0222 | | | | | | | 1 | | - | |
| | annel Bank Feature Activations | | | | 1 | | | | | | | | 1 | t | 1 | |
| 57 011 | Feature Activation on D-4 Channel Bank Centrex Loop Slot | - | | UEP9D | 1PQWS | 0.62 | | | | | | | | t | | |
| | . Salars / Salaration on b 4 Ghairner Bank Gentrex Loop Glot | | | 02.00 | | 0.02 | | | | | | | | - | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.62 | | | | | | 1 | 1 | I | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | 5.02 | | | | | | | İ | İ | | |
| I | Slot | l | 1 | UEP9D | 1PQW7 | 0.62 | | |] | | |] | 1 | 1 | 1 | |

| UNBUNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|----------|---|---------|----------|----------------------|--------------|------------------|--------|------------|-------------|--------------|----------|-----------------------|--------------------|----------------------|--|---------------------------|
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted Manually | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. | Charge - |
| | | m | | | | | | , | | | per LOIX | per Loix | Electronic- 1st | Electronic- Add'I | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.62 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP9D | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | | |
| | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 71.88 | | | | | | 33.67 | 7.88 | | |
| Note 1 | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| Note 2 | ? - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| Note 3 | - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| Note: | Rates displaying an "R" in Interim column are interim and sub | ject to | rate tru | e-up as set forth in | General Tern | ns and Condition | ns. | | | | | | | | | |

| HIND | INDI E | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attach | mont. 2 | Evhil | bit: B |
|----------|----------|---|--|--|--|------------------|------------------|-----------------|-----------------|-----------------|-----------------|--|--------------|-------------------|--|--|---------------|
| OND | JNDLE | NETWORK ELEMENTS - Rentucky | 1 | 1 | 1 | 1 | I | | | | | Cua Ordar | Cvo Ordor | Incremental | ment: 2 Incremental | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| CATE | SORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | Elec | , | Manual Svc | Manual Svc | | Manual Svc |
| OA.L | | KATE EEEMENTO | m | | 500 | 0000 | | | TOTAL CO | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | Rates (\$) | | - |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | The "Zo | one" shown in the sections for stand-alone loops or loops as | part of | a com | bination refers to Ge | eographically | v Deaveraged U | | | | | | | | | | |
| | | www.interconnection.bellsouth.com/become_a_clec/html/inter | | | | | , | | | | | | | | | | |
| OPER | | SUPPORT SYSTEMS | 1 | 1 | 1 | | | | | | | | | | | | |
| J | | (1) Electronic Service Order: CLEC should contact its contract | ct nego | tiator if | it prefers the state | specific elec | tronic service o | rdering charge | s as ordered b | v the State Co | mmissions. T | he electron | c service o | dering charg | e currently co | ntained in th | is rate |
| | | is the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | |
| | | (2) Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | lv. For |
| | | elements that cannot be ordered electronically at present per t | | | | | | | | | | | | | | | |
| | | ng charge, SOMAN, will be applied to a CLECs bill when it sub | | | | e iii tiiis cate | gory reflects th | e charge that v | vould be billed | I to a CLLC OIN | se electronic c | nuering cap | abilities co | ille oli-lille lo | i tilat elelileli | i. Otherwise, | uie ilialiuai |
| | orderin | Manual Service Order Charge, per LSR, Disconnect Only (KY) | Jillits ai | LOK | o bellooutii. | SOMAN | 1 | | | 0.99 | | 1 | ı — — | | | 1 | |
| | <u> </u> | | | | | SOWAN | | | | 0.99 | | | | | | | |
| 1 | | Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional) | 1 | 1 | İ | SOMEC | | 3.50 | | | | | 1 | | I | Ì | 1 |
| LINE C | EDVICE | | | | — | SUIVIEU | | 3.50 | | | | | | | | | |
| UNE S | | DATE ADVANCEMENT CHARGE | D. IIO | 11.15 54 | 00 No. 4 Toriff, 0 orif | | | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with | BellSot | tn's FC | | on 5 as appi | icable. | | | | | | | | | | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | ALL UNE EXCEPT UNE-P | SDASP | | 200.00 | | | | | | | | | ĺ |
| | UDI ED E | Day | | - | UNE-P | SDASP | | 200.00 | | | | | | | | | |
| ONBO | | EXCHANGE ACCESS LOOP | l | | | + | ļ | | | | | | - | | | | |
| <u> </u> | 2-WIKE | ANALOG VOICE GRADE LOOP | ! | | LIEANII | LIEALO | 10.50 | 10.00 | 20 57 | 20.0- | 7.00 | | 7.00 | | - | | ├ |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | l | | | | | | | | | | | |
| | | Premise | | | UEANL | URETL | | 8.33 | 0.83 | | | | 7.86 | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 46.88 | 46.88 | | | | 7.86 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 24.16 | 24.16 | | | | 7.86 | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | | (UVL-SL1) | | | UEANL | UREWO | | 15.78 | 8.94 | | | | 7.86 | | | | |
| | | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | l | | | | | | | | | | | |
| | | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.49 | 13.49 | | | | | | | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 9.00 | 9.00 | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | | | | | | | | | |
| | | (per LSR) | | | UEANL | OCOSL | | 23.01 | 23.01 | | | | | | | | |
| | 2-WIRE | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | I | | UEQ | UEQ2X | 10.58 | 44.97 | 20.89 | 25.64 | 6.65 | | 7.86 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | I | | UEQ | UEQ2X | 11.51 | 44.97 | 20.89 | 25.64 | 6.65 | | 7.86 | | | | |
| L | <u> </u> | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | 1 | 3 | UEQ | UEQ2X | 13.19 | 44.97 | 20.89 | 25.64 | 6.65 | | 7.86 | | ļ | | 1 |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | 1 | 1 | İ | | | | | | | | 1 | | I | Ì | 1 |
| | | Premise |] | | UEQ | URETL | | 8.33 | 0.83 | | | | 7.86 | | | | |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | 1 | 1 | <u> </u> | | | | | | | <u> </u> | 1 | | _ |] | 1 |
| | 1 | Designed (per loop) | ļ | | UEQ | USBMC | | 9.00 | 9.00 | | | | | | | ļ | |
| | | Unbundled Copper Loop, Non-Design Copper Loop, billing for | 1 | 1 | <u> </u> | | | | | | | <u> </u> | 1 | | _ |] | 1 |
| L | <u> </u> | BST providing make-up (Engineering Information - E.I.) | <u> </u> | | UEQ | UEQMU | | 13.49 | 13.49 | | | | | | ļ | | 1 |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 46.88 | 46.88 | | | | 7.86 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 24.16 | 24.16 | | | | 7.86 | | | | |
| 1 | | CLEC to CLEC Conversion Charge Without Outside Dispatch | 1 | | <u> </u> | | | | | | | | | | | | 1 |
| | <u> </u> | (UCL-ND) | <u> </u> | | UEQ | UREWO | | 14.27 | 7.43 | | | | 7.86 | | | | |
| UNBU | | EXCHANGE ACCESS LOOP | | | | | | | | | - | | | | | | |
| | 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| 1 | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | 1 | | <u> </u> | | | | | | | | | | | | 1 |
| | <u> </u> | Zone 1 | <u> </u> | 1 | UEPSR UEPSB | UEALS | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | 1 | | <u> </u> | | | | | | | | | | | | 1 |
| | <u> </u> | Zone 1 | <u> </u> | 1 | UEPSR UEPSB | UEABS | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | 1 |
| L | <u> </u> | Zone 2 | <u>L</u> | 2 | UEPSR UEPSB | UEALS | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | <u> </u> | 7.86 | | <u> </u> | <u> </u> | <u>1</u> |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | <u> </u> | Zone 2 | <u>L</u> | 2 | UEPSR UEPSB | UEABS | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | <u> </u> | 7.86 | | <u> </u> | <u> </u> | <u>1</u> |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| 1 | | Zone 3 | 1 | 3 | UEPSR UEPSB | UEALS | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | I | Ì | 1 |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | | Zone 3 | 1 | 3 | UEPSR UEPSB | UEABS | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | 1 | 7.86 | | 1 | | 1 |

Version 4Q02: 12/18/02 Page 139 of 416

| ATTOON PARTE REMENTS Married Mar | NRONDLE | NETWORK ELEMENTS - Kentucky | | | • | | | | | | | • | | | ment: 2 | | bit: B |
|--|---------|---|-------------|------|------|----------|-------|---------|------------|-------|--------|-------------------|-----------------------|---|---|--|---|
| | ATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | Submitted Elec | Submitted Manually | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| NUMBER DESCRIPTION NUMBER ACCESS LODE | | | | | | | Rec | | | | | | | | | | |
| PAWISE ANALOGY VOICE CARDE LOOP | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-Wire visings Vasor Grade Love - Service Level 2 wiLoop of 1 UEA | | | | | | | | | | | | | | | | | |
| Comune Start Springler, Zenne 1 | | | | | | | | | | | | | | | | | <u> </u> |
| Granud Start Springler, Zonz 2 QUEA USA 2 71.65 11.80 7.86 | | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 12.67 | 134.89 | 81.87 | 73.65 | 14.88 | | 7.86 | | | | |
| Ground Sant Squiring - Zone 3 | | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 17.45 | 134.89 | 81.87 | 73.65 | 14.88 | | 7.86 | | | | |
| Direct Coordination for Speciated Convenients Time (pert LSN) | | | | 3 | ΙΙΕΔ | HEAL2 | 33 22 | 13/1 80 | 81.87 | 73.65 | 1/1 88 | | 7.86 | | | | |
| 2-Vivo Analog Vico Grafie Logo - Servico Lived 2 wifeverse 1 UEA | - | | | | | | 55.22 | | 01.07 | 75.05 | 14.00 | | 7.00 | | | | |
| Bittery Signating - Zone 1 | | | | | OLA | CCCCL | | 20.01 | | | | | | | | | - |
| Battery Signafine 2-zone 2 2 UEA UEAR2 17-46 134-89 81-87 73-65 14-88 7.86 | | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 12.67 | 134.89 | 81.87 | 73.65 | 14.88 | | 7.86 | | | | |
| 2-Wire Parlog Votor Grade Loop - Service Level 2 Wifeverse 3 UEA | | | | 2 | UEA | UEAR2 | 17.45 | 134.89 | 81.87 | 73.65 | 14.88 | | 7.86 | | | | |
| Order Coordination for Specified Conversion Time (per LSR) | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| CLEC to CLEC Convenion Charge without outside dispatch UEA UREWO 87.72 \$6.36 7.86 | | | | 3 | | | 33.22 | | 81.87 | 73.65 | 14.88 | | 7.86 | | | | |
| Loop Tagging - Service Level 2 (\$L2) | | | | | UEA | | | 87.72 | 36.36 | | | | 7.86 | | | | 1 |
| 4-Wire Analog Voice Grade Loop - Zone 1 | | Loop Tagging - Service Level 2 (SL2) | | | | | | | | | | | 7.86 | | | | |
| 4-Wire Analog Voice Grade Loop - Zone 2 2 UEA UEA 48,25 184,11 112,36 78,91 18,66 7,86 4-Wire Analog Voice Grade Loop - Zone 3 3 UEA UEA 48,00 164,11 112,36 78,91 18,66 7,86 4-Wire Analog Voice Grade Loop - Zone 1 UEA | 4-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | 1 |
| ## A-Wire Analog Voice Grafe Loop - Zone 3 SEA UEAL 85.06 164.11 112.36 78.91 18.66 7.86 T. | | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 29.26 | 164.11 | 112.36 | 78.91 | 18.66 | | 7.86 | | | | |
| Order Coordination for Specified Conversion Time (per LSR) | | 4-Wire Analog Voice Grade Loop - Zone 2 | | | | | | 164.11 | | | | | | | | | |
| CLEC to CLEC Conversion Charge without outside dispatch UEA UREWO 87.72 36.36 7.86 | | | | 3 | | | 85.06 | | 112.36 | 78.91 | 18.66 | | 7.86 | | | | |
| 2-WirE ISDN DidITAL GRADE LOOP | | | | | | | | | | | | | | | | | |
| 2-Wire ISDN Digital Grade Loop - Zone 1 | | | | | UEA | UREWO | | 87.72 | 36.36 | | | | 7.86 | | | | |
| 2-Wire ISDN Digital Grade Loop - Zone 2 | | | | | | | | | | | | | | | | | |
| 2-Wire ISDN Digital Grade Loop - Zone 3 | | | | 1 | | | | | | | | | | | | | |
| Order Coordination For Specified Conversion Time (per LSR) | | | | | | | | | | | | | | | | | |
| CLEC to CLEC Conversion Charge without outside dispatch UDN UREWO 91.63 44.16 7.86 | | | | 3 | | | 42.87 | | 95.02 | /1.38 | 13.83 | | 7.86 | | | | |
| 2-Wire Universal Digital Channel (UDC) COMPATIBLE LOÓP | | | | | | | | | 44.40 | | | | 7.00 | | | | |
| 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 UDC | | | | | UDIN | UREWU | | 91.03 | 44.16 | | | | 7.86 | | | | |
| 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 UDC UDC2X 25.08 146.77 95.02 71.38 13.83 7.86 | | | | _ | LIDO | LIDCOV | 40.44 | 440.77 | 05.00 | 74.00 | 42.02 | | 7.00 | | | | |
| 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3 UDC UDC2X 42.87 146.77 95.02 71.38 13.83 7.86 | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | Ė | | | | | | | | | | | | | |
| S | | 2 | | 2 | UDC | UDC2X | 25.08 | 146.77 | 95.02 | 71.38 | 13.83 | | 7.86 | | | | |
| 2-Wire ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP | | 3 | | 3 | | | 42.87 | 146.77 | | 71.38 | 13.83 | | | | | | |
| 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 | | | | | | UREWO | | 91.63 | 44.16 | | | | 7.86 | | | | |
| & facility reservation - Zone 1 1 UAL UALZX 10.82 141.98 79.73 69.02 11.47 7.86 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 2 UAL UALZX 11.79 141.98 79.73 69.02 11.47 7.86 9.02 11.47 | | | ATIBLE | LOOF | | | | | | | | | | | | | |
| & facility reservation - Zone 2 2 UAL UALZX 11.79 141.98 79.73 69.02 11.47 7.86 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UALZX 12.87 141.98 79.73 69.02 11.47 7.86 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 23.01 1.04 1.05 1.04 1.05 1.04 1.05 1.04 1.05 1.04 1.05 | | | | 1 | UAL | UAL2X | 10.82 | 141.98 | 79.73 | 69.02 | 11.47 | | 7.86 | | | | |
| 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UAL2X 12.87 141.98 79.73 69.02 11.47 7.86 9.02 11.47 7.86 9.02 11.47 7.86 9.02 11.47 7.86 9.02 11.47 7.86 9.02 11.47 7.86 9.02 11.47 7.86 9.02 11.47 7.86 9.02 11.47 7.86 9.02 11.47 7.86 9.02 11.47 7.86 9.02 9.02 9.02 9.02 9.02 9.02 9.02 9.02 | | | | 2 | ΙΙΔΙ | 11AL2X | 11 70 | 141 08 | 79 73 | 69.02 | 11 /17 | | 7 86 | | | | |
| Order Coordination for Specified Conversion Time (per LSR) | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | - | | | | | | | | | | | | |
| 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 1 | | | | 3 | | | 12.87 | | 79.73 | 69.02 | 11.47 | | 7.86 | | | | <u> </u> |
| Facility reservation - Zone 1 | | | | | UAL | OCOSL | | 23.01 | | | | | | | | | |
| facility reservation - Zone 2 | | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 10.82 | 121.18 | 69.00 | 69.09 | 11.54 | | 7.86 | | | | |
| facility reservation - Zone 3 | | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 11.79 | 121.18 | 69.00 | 69.09 | 11.54 | | 7.86 | | | | |
| Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 23.01 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.20 40.40 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 8.75 151.54 89.29 69.09 11.54 7.86 | | | | 2 | ΙΙΔΙ | 1101 211 | 12 07 | 121 10 | 60.00 | 60.00 | 11 54 | | 7.06 | | | | |
| CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.20 40.40 7.86 | | | | 3 | | | 12.0/ | | 09.00 | 69.09 | 11.04 | | 1.00 | | 1 | | |
| 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry 8 facility reservation - Zone 1 1 UHL UHL2X 8.75 151.54 89.29 69.09 11.54 7.86 | | | | | | | | | 40 40 | 1 | | | 7.86 | | | t | - |
| 2 Wire Unbundled HDSL Loop including manual service inquiry 8. facility reservation - Zone 1 1 UHL UHL2X 8.75 151.54 89.29 69.09 11.54 7.86 | | | TIBLE | LOOP | | 0, | | 00.20 | 7010 | 1 | | | 7.00 | | | I | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | шы | 1111 27 | 0.75 | 151 54 | 90.00 | 60.00 | 11.54 | | 7.00 | | | | |
| 2 Wire Unbundled HDSL Loop including manual service inquiry | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | Ė | | | | | | | | | | | | 1 | |

| ONBONDE | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|----------|--|-------------|----------|------------|----------------|----------------|------------------|------------------|----------------|----------------|-------|---|---------------------------------|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | l | 111111014 | 40.04 | 454.54 | 00.00 | 00.00 | 44.54 | | 7.00 | | | | |
| | & facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | UHL2X OCOSL | 10.61 | 151.54 23.01 | 89.29 | 69.09 | 11.54 | | 7.86 | | | - | - |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | UNL | UCUSL | | 23.01 | | | | - | | | - | - | + |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 8.75 | 130.74 | 78.56 | 69.09 | 11.54 | | 7.86 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | 0.12 | U.I.L.I.I | 00 | 100.11 | 10.00 | 00.00 | | | 7.00 | | 1 | İ | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 9.56 | 130.74 | 78.56 | 69.09 | 11.54 | | 7.86 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 10.61 | 130.74 | 78.56 | 69.09 | 11.54 | | 7.86 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.01 | 10.10 | | | | = 00 | | | | |
| 4 18/17 | CLEC to CLEC Conversion Charge without outside dispatch | TIDI E | LOOD | UHL | UREWO | | 86.14 | 40.40 | | | | 7.86 | | | - | 1 |
| 4-1/11 | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 4 Wire Unbundled HDSL Loop including manual service inquiry | IIBLE | LUUP | | _ | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 13.95 | 185.75 | 123.50 | 74.95 | 14.69 | | 7.86 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | <u> </u> | OTIL | OTILETA | 10.50 | 100.70 | 120.00 | 74.00 | 14.00 | | 7.00 | | | | + |
| | and facility reservation - Zone 2 | 1 | 2 | UHL | UHL4X | 15.68 | 185.75 | 123.50 | 74.95 | 14.69 | | 7.86 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 16.98 | 185.75 | 123.50 | 74.95 | 14.69 | | 7.86 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.01 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 13.95 | 164.95 | 114.04 | 77.32 | 15.80 | | 7.86 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL4W | 45.00 | 404.05 | 114.04 | 77.00 | 45.00 | | 7.00 | | | | |
| | and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry | | | UHL | UHL4VV | 15.68 | 164.95 | 114.04 | 77.32 | 15.80 | | 7.86 | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 16.98 | 164.95 | 114.04 | 77.32 | 15.80 | | 7.86 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | - | UHL | OCOSL | 10.30 | 23.01 | 114.04 | 11.52 | 13.00 | | 7.00 | | | | |
| 1 | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.14 | 40.40 | | | | 7.86 | | 1 | İ | |
| 4-WIF | RE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | 1 |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 86.47 | 306.69 | 174.44 | 65.83 | 14.55 | | 7.86 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 114.10 | 306.69 | 174.44 | 65.83 | 14.55 | | 7.86 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 297.76 | 306.69 | 174.44 | 65.83 | 14.55 | | 7.86 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 23.01 | 40.04 | | | | | | | | |
| 4 10/15 | CLEC to CLEC Conversion Charge without outside dispatch RE 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP | | | USL | UREWO | | 101.09 | 43.04 | | | | | | | | |
| 4-771 | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 27.59 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 32.48 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 36.37 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL | UDL56 | 27.59 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 32.48 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 36.37 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 23.01 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 27.59 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL UDL | UDL64 UDL64 | 32.48 36.37 | 157.81 157.81 | 106.06 106.06 | 78.91 78.91 | 18.66 18.66 | | 7.86 7.86 | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UDL | OCOSL | 36.37 | 23.01 | 106.06 | 78.91 | 18.00 | | 7.86 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.13 | 49.75 | | | | 7.86 | | | | |
| 2-WIF | RE Unbundled COPPER LOOP | 1 | | | OI L V V O | | 102.13 | 73.73 | | | 1 | 7.00 | | † | † | |
| | 2-Wire Unbundled Copper Loop/Short including manual service | 1 | | | | | | | | | | | | 1 | 1 | 1 |
| | inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 10.82 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | I | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service | | | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 11.79 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| | 2 Wire Unbundled Copper Loop/Short including manual service | | _ | l | | | | | | | | | | I | | |
| | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 12.87 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | ļ | ļ |
| | Order Coordination for Unbundled Copper Loops (per loop) | 1 | - | UCL | UCLMC | | 9.00 | 9.00 | | | 1 | | | | 1 | |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 10.82 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | I | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | 1 | +- | UUL | UCLEVV | 10.02 | 120.15 | 67.97 | 69.09 | 11.34 | - | 7.00 | | | t | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 11.79 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | 1 | I | |

| UNBUNDLE | D NETWORK ELEMENTS - Kentucky | | | , | | | | | | | | | | ment: 2 | | bit: B |
|-------------|---|-------------|------------------|----------------|----------------|--------|----------------|------------|--------------|-------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | _ | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 12.87 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 24.91 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | - ' | UCL | UCLZL | 24.91 | 140.95 | 78.70 | 69.09 | 11.54 | - | 7.86 | | - | - | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 36.94 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | OCL | OOLZL | 30.34 | 140.33 | 70.70 | 03.03 | 11.54 | | 7.00 | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 69.95 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | - | | | | | | 1 | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | 0.00 | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 24.91 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | 1 | I | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | - | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 36.94 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 69.95 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 97.23 | 42.48 | | | | 7.86 | | | | |
| 4-WIRI | E COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | 1 | 1101 | 1101.40 | 40.00 | 470.04 | 100.00 | 74.05 | 44.00 | | 7.00 | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 16.92 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | 2 | UCL | UCL4S | 17.36 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | |
| | and facility reservation - Zone 2 4-Wire Copper Loop/Short - including manual service inquiry | | | UCL | UCL43 | 17.30 | 170.31 | 100.00 | 74.95 | 14.09 | | 7.00 | | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 28.10 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 20.10 | 9.00 | 9.00 | 74.53 | 14.03 | | 7.00 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | 002 | COLIVIO | | 0.00 | 0.00 | 1 | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 16.92 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | 1 | |
| | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 17.36 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UCL | UCL4W | 28.10 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 46.91 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | _ | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 45.78 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | _ | 1101 | 1101.41 | 474.04 | 470.04 | 100.00 | 74.05 | 44.00 | | 7.00 | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L UCLMC | 171.34 | 170.31 9.00 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - without manual svc. | - | | UUL | UCLIVIC | | 9.00 | 9.00 | 1 | | | | | | | } |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | 46.91 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | 1 | I | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | - ' - | JUL | 00140 | 40.31 | 145.52 | 31.33 | 74.55 | 14.09 | | 1.00 | | t | t | 1 |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 45.78 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | I | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | 002 | 302-10 | 40.70 | 1-10.02 | 57.55 | 7 4.95 | 14.03 | | 7.50 | | 1 | 1 | |
| 1 | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 171.34 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | 1 | I | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | İ | İ | 1 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | (UCL-Des) | | <u>L</u> | UCL | UREWO | | 97.23 | 42.48 | | | | 7.86 | | <u> </u> | <u></u> | |
| LOOP MODIFI | CATION | | | | | • | | • | | | | | _ | | | |
| | | | | UAL, UHL, UCL, | | | | | | · | | | | | 1 | |
| 1 | | | | UEQ, ULS, UEA, | | | | | | | | | | 1 | I | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEANL, UEPSR, | 1 | | | | | | | | | 1 | I | |
| | pair less than or equal to 18k ft | | <u> </u> | UEPSB | ULM2L | | 9.24 | 9.24 | ļ | | | 7.86 | | | | |
| 1 | Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | | | | 040.54 | 040.01 | | | | 7.00 | | 1 | I | |
| 1 | greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire | | <u> </u> | UCL, ULS, UEQ | ULM2G | | 342.24 | 342.24 | | | | 7.86 | | - | - | <u> </u> |
| | | | 1 | • | 10 | | | | 1 | | 1 | | i i | 1 | 1 | 1 |

Version 4Q02: 12/18/02 Page 142 of 416

| UNBUNDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | 1_ | _ | | ment: 2 | | bit: B |
|-----------|---|-------------|--|--|----------------|-------|---------------|---------------|--------------|-------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft | | | UCL | ULM4G | | 342.24 | 342.24 | | | | 7.86 | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULMBT | | 10.47 | 10.47 | | | | 7.86 | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-L | oop Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up | I | | UEANL | USBSA | | 207.91 | 207.91 | | | | 7.86 | | | | |
| | | l . | | | | | | | | | | | | | | |
| - | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder | l | | UEANL | USBSB | | 12.50 | 12.50 | | | | 7.86 | | | - | |
| | Facility Set-Up | ı | | UEANL | USBSC | | 80.87 | 80.87 | | | | 7.86 | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | ı | | UEANL | USBSD | | 45.04 | 45.04 | | | | 7.86 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | - 1 | 1 | UEANL | USBN2 | 6.34 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | - 1 | 2 | UEANL | USBN2 | 9.06 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | I | 3 | UEANL | USBN2 | 14.82 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | OLANL | OSBIVIC | | 9.00 | 9.00 | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 8.14 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 8.63 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 25.60 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | | | | | LIODAGO | | 0.00 | 0.00 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL UEANL | USBMC USBR2 | 2.57 | 9.00 68.35 | 9.00 22.36 | 59.81 | 7.90 | | 7.86 | | | | |
| | Oub-Loop 2-vviile intrabuliumg (verwork Cable (iivo) | <u>'</u> | | OLANE | OODINZ | 2.51 | 00.33 | 22.50 | 39.01 | 7.50 | | 7.00 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | 1 | UEANL | USBR4 | 4.98 | 76.49 | 30.51 | 65.24 | 10.88 | | 7.86 | | | | <u> </u> |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | Т | 1 | UEF | UCS2X | 5.45 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS2X | 7.06 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 9.67 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | 1 | 1 | UEF | UCS4X | 7.09 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS4X | 8.66 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS4X | 19.40 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | |
| Unbur | ndled Sub-Loop Modification | | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 5.23 | 5.23 | | | | 7.86 | | | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 5.23 | 5.23 | | | | 7.86 | | | | |
| | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4T | | 7.97 | 7.97 | | | | 7.86 | | | | |
| Unbur | ndled Network Terminating Wire (UNTW) | | | LIENTAL | LIENES | | | | | | | | | | | |
| Netwo | Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID) | | 1 | UENTW | UENPP | 0.53 | 23.51 | 23.51 | 1 | | | 7.86 | | | | |
| 146140 | Network Interface Device (NID) - 1-2 lines | 1 | | UENTW | UND12 | | 73.53 | 49.47 | | | 1 | 7.86 | | | | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Kentucky | | | , | • | • | | | | | | | | ment: 2 | | bit: B |
|-----------|---|-------------|----------|-----------------|----------------|--------|-----------------|------------|--------------|-------|-------|---|---|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 115.96 | 91.91 | | | | 7.86 | | | | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 8.56 | 8.56 | | | | 7.86 | | | | |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 8.56 | 8.56 | | | | 7.86 | | | | |
| SUB-LOOPS | | | <u> </u> | | | | | | | | | | | | | |
| Sub-Le | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | 1 | UEA, | | | | | | | | | | | - | |
| | Distribution Facility set-up | | | UDN,UCL,UDL,UDC | USBFW | | 207.91 | | | | | 7.86 | | | | |
| | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA, | | | | | | | | | | | | |
| | set-up | | <u> </u> | UDN,UCL,UDL,UDC | USBFX | | 12.50 | 12.50 | | | | 7.86 | | | | |
| - | USL Feeder DS1 Set-up at DSX location, per DS1 termination Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice | | 1 | USL | USBFZ | | 527.98 | 11.32 | | | | 7.86 | | | - | |
| | Grade - Zone 1 | | 1 | UEA | USBFA | 7.67 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFA | 9.70 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFA | 19.53 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 23.01 | | | | | | | | | |
| | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFB | 7.67 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFB | 9.70 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFB | 19.53 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 23.01 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1 | | 1 | UEA | USBFC | 7.67 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2 | | 2 | UEA | USBFC | 9.70 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 19.53 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | 10.00 | 23.01 | 0 | 72.01 | | | 7.00 | | | İ | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFD | 22.82 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFD | 27.24 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFD | 61.41 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 23.01 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFE | 22.82 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFE | 27.24 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | UEA | USBFE | 61.41 | 131.73 | 79.98 | 81.82 | 51.56 | | | | | | |
| | Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR | | 3 | UEA | OCOSL | 01.41 | 23.01 | 79.98 | 81.82 | dc.1c | | 7.86 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | 1 | 1 | UDN | USBFF | 13.00 | 131.79 | 80.04 | 74.16 | 16.60 | 1 | 7.86 | | | t | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 16.95 | 131.79 | 80.04 | 74.16 | 16.60 | | 7.86 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | | UDN | USBFF | 28.95 | 131.79 | 80.04 | 74.16 | 16.60 | | 7.86 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UDN | OCOSL | | 23.01 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 13.00 | 131.79 | 80.04 | 74.16 | 16.60 | | 7.86 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 16.95 | 131.79 | 80.04 | 74.16 | 16.60 | | 7.86 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 28.95 | 131.79 | 80.04 | 74.16 | 16.60 | | 7.86 | | | 1 | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 62.57 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | ļ |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 87.71 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | 1 | <u> </u> |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | 1 | 3 | USL USL | USBFG | 273.33 | 125.43 | 73.68 | 81.82 | 21.56 | 1 | 7.86 | | | 1 | <u> </u> |
| | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | OCOSL USBFH | 6.44 | 23.01 105.31 | 53.57 | 71.16 | 13.61 | | 7.86 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFH | 5.78 | 105.31 | 53.57 | 71.16 | 13.61 | | 7.86 | | | | |

Version 4Q02: 12/18/02 Page 144 of 416

| ONBONDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | ment: 2 | Exhi | bit: B |
|--|---|--|--|------------|----------------|-----------------|------------------|------------------|--------------|-------|----------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | _ | | | | | | = | | | | | | | |
| | 3 | | 3 | UCL | USBFH | 4.25 | 105.31 | 53.57 | 71.16 | 13.61 | | 7.86 | | | | |
| - | Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | OCOSL USBFJ | 11.33 | 23.01 125.55 | 73.80 | 77.12 | 16.86 | | 7.86 | | | - | |
| - | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 10.18 | 125.55 | 73.80 | 77.12 | 16.86 | | 7.86 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 10.16 | 125.55 | 73.80 | 77.12 | 16.86 | | 7.86 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | 3 | UCL | OCOSL | 10.32 | 23.01 | 73.00 | 11.12 | 10.00 | | 7.00 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 20.78 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 26.41 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 23.10 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | Ť | | 302 | 20.10 | .20.40 | . 5.00 | 302 | 200 | | | | | 1 | |
| | Zone 1 | ĺ | 1 | UDL | USBFO | 20.78 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | 1 | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | l | 2 | UDL | USBFO | 26.41 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | 1 | I | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UDL | USBFO | 23.10 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 23.01 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UDL | USBFP | 20.78 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UDL | USBFP | 26.41 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UDL | USBFP | 23.10 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 23.01 | | | | | | | | | |
| SUB-LOOPS | oop Feeder | | | | | | | | | | | | | | | |
| Sub-L | Sub Loop Feeder - DS3 - Per Mile Per Month | | | UE3 | 1L5SL | 15.38 | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Fer Mile Fer Month Sub Loop Feeder - DS3 - Facility Termination Per Month | H | | UE3 | USBF1 | 346.30 | 3,402.59 | 407.14 | 160.86 | 91.19 | | 7.86 | | | | |
| | Sub Loop Feeder - STS-1 - Per Mile Per Month | l i | | UDLSX | 1L5SL | 15.38 | 3,402.33 | 407.14 | 100.00 | 31.13 | | 7.00 | | | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | i | | UDLSX | USBF7 | 372.80 | 3,402.59 | 407.14 | 160.86 | 91.19 | | 7.86 | | | | |
| | Sub Loop Feeder – OC-3 – Per Mile Per Month | l i | | UDLO3 | 1L5SL | 11.67 | 0,402.00 | 407.14 | 100.00 | 01.10 | | 7.00 | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Protection Per | | | 02200 | 12002 | 11.01 | | | | | | | | | | |
| | Month | l i | | UDLO3 | USBF5 | 58.27 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Per Month | | | UDLO3 | USBF2 | 564.68 | 3,402.59 | 407.14 | 160.86 | 91.19 | | 7.86 | | | | |
| | Sub Loop Feeder - OC-12 - Per Mile Per Month | - 1 | | UDL12 | 1L5SL | 14.36 | | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | Month | - 1 | | UDL12 | USBF6 | 658.35 | | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Per Month | | | UDL12 | USBF3 | 1,778.00 | 3,402.59 | 407.14 | 160.86 | 91.19 | | 7.86 | | | | |
| | Sub Loop Feeder - OC-48 - Per Mile Per Month | | | UDL48 | 1L5SL | 47.11 | | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | Month | ı | | UDL48 | USBF9 | 330.39 | | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Per Month | | | UDL48 | USBF4 | 1,533.00 | 3,587.59 | 407.14 | 160.86 | 91.19 | | 7.86 | | | | |
| LINIBURIDUES | Sub Loop Feeder - OC-12 Interface On OC-48 | | <u> </u> | UDL48 | USBF8 | 372.76 | 804.96 | 407.14 | 160.86 | 91.19 | | 7.86 | | | | |
| ONRONDLED | LOOP CONCENTRATION | | <u> </u> | 111.0 | LICTOA | 400 70 | 050.01 | 050.61 | | | | 7.00 | | 1 | 1 | |
| | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 423.72 | 359.34 | 359.34 | 1 | | | 7.86 | | | | 1 |
| | Unbundled Loop Concentration - System B (TR008) Unbundled Loop Concentration - System A (TR303) | ! | ! | ULC ULC | UCT8B UCT3A | 51.60 460.27 | 149.72 359.34 | 149.72 359.34 | 1 | | — | 7.86 7.86 | | - | | 1 |
| | Unbundled Loop Concentration - System A (TR303) Unbundled Loop Concentration - System B (TR303) | ! | ! | ULC | UCT3B | 460.27 86.95 | 359.34 149.72 | 359.34 149.72 | 1 | | — | 7.86 | | - | | 1 |
| | Unbundled Loop Concentration - System B (1K303) Unbundled Loop Concentration - DS1 Loop Interface Card | - | | ULC | UCTCO | 4.90 | 71.69 | 51.51 | 22.99 | 6.00 | | 7.86 | | | | |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | <u> </u> | 020 | 30100 | 4.90 | 71.05 | 51.51 | 22.99 | 0.00 | | 7.00 | | | | + |
| | Card) | l | | UDN | ULCC1 | 7.78 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | 1 | I | |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite | 1 | | 3311 | 02001 | 7.70 | 10.55 | 10.50 | 0.42 | 0.37 | | 7.00 | | | I | 1 |
| | Card) | l | | UDC | ULCCU | 7.78 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | 1 | I | |
| | Unbundled Loop Concentration2 Wire Voice-Loop Start or | 1 | <u> </u> | 1 | | 0 | .0.00 | . 5.56 | 52 | 0.07 | | | | 1 | 1 | |
| | Ground Start Loop Interface (POTS Card) | l | | UEA | ULCC2 | 1.95 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | 1 | I | |
| | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | | | | | | | | | | | | | |
| | Loop Interface (SPOTS Card) | l | | UEA | ULCCR | 11.58 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | 1 | I | |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | | | | | | | | | | | | | | |
| 1 1 | (Specials Card) | l | | UEA | ULCC4 | 6.90 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | 1 | 1 | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | ment: 2 | | bit: B |
|-------------|--|-------------|----------|-------------------------------------|----------------|--------|--------|------------|--------------|--------|-------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 33.74 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | | - | <u> </u> |
| | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface | | | UDL | ULCC7 | 10.23 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | | | |
| | Unbundled Loop Concentration - Digital 56 Kbps Data Loop | | | 002 | 0200. | 10.20 | 10.00 | 10.00 | 52 | 0.07 | | 7.00 | | | | |
| | Interface | | | UDL | ULCC5 | 10.23 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | | | |
| | Unbundled Loop Concentration - Digital 64 Kbps Data Loop | | | | | | | | | | | | | | | |
| | Interface | | | UDL | ULCC6 | 10.23 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | | | |
| UNE OTHER, | PROVISIONING ONLY - NO RATE | | | LIFATTA | LINIDDY | 0.00 | 0.00 | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW UENTW | UNDBX UENCE | 0.00 | 0.00 | | ļ | | | | | | - | |
| | ONTW Circuit id Establishment, Provisioning Only - No Rate | | | UEANL.UEF.UEQ.U | UENCE | 0.00 | 0.00 | | | | | | | | | 1 |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| UNE OTHER. | PROVISIONING ONLY - NO RATE | | <u> </u> | | 5.12511 | 0.00 | 0.00 | | 1 | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | | | | | | | | | | | | | |
| | rate | | | UEA,USL,UCL,UDL | USBFR CCOSF | 0.00 | 0.00 | | ļ <u></u> | | | | | | | ļ |
| - | Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - | | | USL | CCOSF | 0.00 | 0.00 | | + | | - | | | | - | + |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPACI | ITY UNBUNDLED LOCAL LOOP | | | 002 | 0002. | 0.00 | 0.00 | | 1 | | | | | | | |
| | : minimum billing period of three months for DS3 and above L | ocal Lo | ор | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 9.25 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 308.31 | 551.38 | 338.08 | 173.00 | 120.42 | | 7.86 | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 9.25 | | | | | | 7.00 | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | ODLOX | TEGINE | 5.25 | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 320.51 | 551.38 | 338.08 | 173.00 | 120.42 | | 7.86 | | | | |
| LOOP MAKE- | UP | | | | | | | | | | | | | | | |
| | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 23.40 | 23.40 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 24.85 | 24.85 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.67 | 0.67 | | | | | | | | |
| HIGH FREQUE | ENCY SPECTRUM | | | OWIIC | i colvii c | | 0.01 | 0.07 | 1 | | | | | | | |
| | SHARING | | | | | | | | | | | | | | | |
| SPLIT | TERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | Line Sharing Splitter, per System 96 Line Capacity | | | ULS | ULSDA | 198.83 | 379.05 | 0.00 | 358.55 | 0.00 | | 7.86 | | | | |
| | Line Sharing Splitter, per System 24 Line Capacity | | | ULS | ULSDB | 49.71 | 379.05 | 0.00 | 358.55 | 0.00 | | 7.86 | | | | |
| | Line Sharing Splitter, Per System, 8 Line Capacity | | | ULS | ULSD8 | 16.94 | 377.71 | 0.00 | 357.29 | 0.00 | | 7.86 | | | | |
| | Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD) | | | ULS | ULSDG | | 173.62 | 0.00 | 100.40 | 0.00 | | 7.86 | | | | |
| END U | ISER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY | Y SPEC | TRUM | | | | | | ļ | | | | | ļ | ļ | ļ |
| \vdash | Line Sharing - per Line Activation (BST Owned Splitter) | | <u> </u> | ULS | ULSDC | 0.61 | 37.16 | 21.28 | 20.17 | 9.90 | | 7.86 | | | | |
| | Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) | | | ULS | ULSDS | | 32.90 | 16.43 | | | | 7.86 | | | | |
| | Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) | | | ULS | ULSCS | | 32.90 | 16.43 | | | | 7.86 | | | | |
| | Line Sharing - per Line Activation (DLEC owned Splitter) | | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | 7.86 | | | | |
| | SPLITTING | | | | | | | | | | | | | | | ļ <u> </u> |
| END U | JSER ORDERING-CENTRAL OFFICE BASED | <u> </u> | <u> </u> | LIEDOD LIEDOS | LIDECO | | | | | | | | | | | <u> </u> |
| | Line Splitting - per line activation DLEC owned splitter | | ! | UEPSR UEPSB | UREOS | 0.61 | 07.00 | 01.00 | 01.10 | 0.00 | | 7.00 | | | | 4 |
| | Line Splitting - per line activation BST owned - physical | I | | UEPSR UEPSB | UREBP | 0.61 | 37.02 | 21.20 | 21.10 | 9.87 | l | 7.86 | | | | L |

Version 4Q02: 12/18/02 Page 146 of 416

| UNBUND | LED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|---|----------------|--------------|--------------------|--------------|---------------|--------|------------|--------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | 1 | B | Nonrec | urring | Nonrecurring | Disconnect | | l l | oss | Rates (\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 37.02 | 21.20 | 21.10 | 9.87 | | 7.86 | | | | |
| | NOTE SITE HIGH FREQUENCY SPECTRUM | | | | | | | | | | | | | | | |
| SPL | ITTERS-REMOTE SITE | | | | | | | | | | | | | | | |
| | Remote Site Line Share BellSouth Owned Splitter, 24 Port | I | | ULS | ULSRB | 38.55 | 114.83 | 0.00 | 84.55 | 0.00 | | 7.86 | | | | |
| | Remote Site Line Share Cable Pair Activation CLEC Owned at | | | | | | | | | | | | | | | |
| FNIF | RS and Deactivation USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU | NA AICA | DEMO | ULS | ULSTG | | 95.65 | 0.00 | 67.87 | 0.00 | | 7.86 | | | | |
| ENL | Remote Site Line Share Line Activation for End User Served at | WANA | REMO | E SHE LINE SHARI | NG | | | | | | | | | | | |
| | RS, BST Splitter | 1 . | | ULS | ULSRC | 0.61 | 37.16 | 21.28 | 20.17 | 9.90 | | 7.86 | | | | |
| | RS Line Share Line Activation for End User served at RS, CLEC | ' | | OLO | CLOITO | 0.01 | 07.10 | 21.20 | 20.17 | 0.00 | | 7.00 | | | | |
| | Splitter | | | ULS | ULSTC | 0.61 | 37.16 | 21.28 | 20.17 | 9.90 | | 7.86 | | | | |
| | Remote Site Line Share Subsequent Activity-RS BST Owned | i | | | | | | | | | | | | | | |
| | Splitter | L | <u>L</u> | ULS | ULSRS | | 49.16 | 17.83 | <u> </u> | | | 7.86 | | | | |
| | Remote Site Line Share Subsequent Activity-RS CLEC Owned | | | | | | | | | | | | | | | |
| | Splitter | | | ULS | ULSTS | | 49.16 | 17.83 | | | | 7.86 | | | | |
| | D DEDICATED TRANSPORT | | L | | | D00 (| | | | | | | | | | <u> </u> |
| | E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu EROFFICE CHANNEL - DEDICATED TRANSPORT | ım billin | g perio | oa - below DS3=one | month, abov | e DS3=four mo | ntns | | - | | | | | | | |
| INT | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | + | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | 01147 | 120701 | 0.01 | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TV2 | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | 7.86 | | | | |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | - | | | | | | | | | | | | |
| | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. | - | | | | | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TR2 | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | 7.86 | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade | 1 | | 11477.07 | 41.5307 | 0.04 | | | | | | | | | | |
| | Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | U1TVX | 1L5XX | 0.01 | | | - | | | | | | | |
| | - Facility Termination | 1 | | U1TVX | U1TV4 | 25.86 | 47.34 | 31.78 | 22.77 | 8.75 | | 7.86 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | 1 | 1 | UTIVA | 01174 | 23.00 | 47.34 | 31.76 | 22.11 | 0.73 | | 7.00 | | | | |
| | per month | | | U1TDX | 1L5XX | 0.0115 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | - | | | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD5 | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | 7.86 | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | U1TDX | 1L5XX | 0.0115 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | LIATOV | LIATEO | 00.07 | 47.05 | 04.70 | 00.77 | 8.75 | | 7.00 | | | | |
| | Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | 1 | | U1TDX | U1TD6 | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | 7.86 | | | | <u> </u> |
| | month | | | U1TD1 | 1L5XX | 0.23 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | 1 | | OTIDI | TESAX | 0.23 | | | | | | | | | | |
| | Termination | | | U1TD1 | U1TF1 | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | 7.86 | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TD3 | 1L5XX | 4.97 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | 1 | <u> </u> | U1TD3 | U1TF3 | 1,175.15 | 335.40 | 219.24 | 89.57 | 87.75 | | 7.86 | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | 114704 | 41.5307 | 4.07 | | | | | | | | | | |
| | month Interoffice Channel - Dedicated Transport - STS-1 - Facility | 1 | | U1TS1 | 1L5XX | 4.97 | | | - | | | | | | | |
| | Termination | | | U1TS1 | U1TFS | 1,149.51 | 335.40 | 219.24 | 89.57 | 87.75 | | 7.86 | | | | |
| I OC | CAL CHANNEL - DEDICATED TRANSPORT | 1 | | 0.101 | 31113 | 1,145.51 | 333.40 | 213.24 | 05.57 | 01.13 | | 1.00 | | | 1 | |
| | TE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billi | ng perio | od = be | low DS3=one month | , above DS3: | four months | | | † † | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade | 1 | | ULDVX | ULDV2 | 18.57 | 265.78 | 46.96 | 46.79 | 4.98 | | 7.86 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | | ULDVX | ULDR2 | 18.57 | 265.78 | 46.96 | 46.79 | 4.98 | | 7.86 | | | | |
| | | | | LIL DV OV | ULDV4 | 19.86 | 266.48 | 47.65 | 47.54 | 5.73 | 1 | 7.86 | | I | 1 | |
| | Local Channel - Dedicated - 4-Wire Voice Grade | | | ULDVX | | | | | | | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1 - Zone 1 | | 1 | ULDD1 | ULDF1 | 40.46 | 209.60 | 176.51 | 30.21 | 21.07 | | 7.86 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade | | 1 2 3 | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--|--|--|--|--|----------|-----------|--------|------------|--------------|--------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3 | ULDF3 | 576.05 | 551.38 | 338.08 | 173.00 | 120.42 | | 7.86 | | | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 8.74 | | | | | | | | | | |
| DARK FIRED | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1 | ULDFS | 543.24 | 551.38 | 338.08 | 173.00 | 120.42 | | 7.86 | | | | |
| DARK FIBER | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | - | | | | | | | | | | | |
| | Thereof per month - Local Channel | | | UDF | 1L5DC | 47.01 | | | | | | | | | | |
| - | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | 47.01 | 732.53 | 192.67 | 377.27 | 241.67 | | 7.86 | | | | |
| - | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | ODI | ODI C4 | + | 732.33 | 132.07 | 311.21 | 241.07 | | 7.00 | | | | |
| | Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 30.74 | | | | | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | 00 | 732.53 | 192.67 | 377.27 | 241.67 | | 7.86 | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | _ | 1 | † | | | | | | 50 | | | | |
| | Thereof per month - Local Loop | 1 | | UDF | 1L5DL | 47.01 | | | 1 | | | | | 1 | | |
| | NRC Dark Fiber - Local Loop | 1 | | UDF | UDFL4 | 1 | 732.53 | 192.67 | 377.27 | 241.67 | | 7.86 | | 1 | | |
| 8XX ACCESS | TEN DIGIT SCREENING | | | | | | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006478 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | | | | | | | | | | | | | | |
| | Number Reserved | | | OHD | N8R1X | | 4.14 | 0.70 | | | | 7.86 | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | | | | | | | | | | | | | | |
| | POTS Translations | | | OHD | | | 8.78 | 1.18 | 7.08 | 0.86 | | 7.86 | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With | | | 0.15 | | | | | | | | | | | | |
| | POTS Translations | | | OHD | N8FTX | | 8.78 | 1.18 | 7.08 | 0.86 | | 7.86 | | | | |
| | 8XX Access Ten Digit Screening, Customized Area of Service | | | OHD | N8FCX | | 4.14 | 2.07 | | | | 7.00 | | | | |
| | Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | OHD | NOFCX | | 4.14 | 2.07 | | | | 7.86 | | | | |
| | Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 4.85 | 2.78 | | | | 7.86 | | | | |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 4.85 | 0.70 | 1 | | | 7.86 | | | | |
| | 8XX Access Ten Digit Screening, Call Handling and Destination | | 1 | OLID | NOI AX | | 4.03 | 0.70 | <u> </u> | | | 7.00 | | | | |
| | Features | | | OHD | N8FDX | | 4.14 | 4.14 | | | | 7.86 | | | | |
| | 8XX Access Ten Digit Screening w/ 8FL No. Delivery, | | | OHD | | 0.0006478 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, w/ POTS No. Delivery, | | | OHD | | 0.0006478 | | | | | | | | | | |
| LINE INFORM | ATION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | |
| | LIDB Common Transport Per Query | | | OQT | | 0.000023 | | | | | | | | | | |
| | LIDB Validation Per Query | | | OQU | | 0.0137322 | | | | | | | | | | |
| | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 55.12 | | 67.59 | | | 7.86 | | | | |
| SIGNALING (C | | | | | | | | | | | | | | | | |
| | CCS7 Signaling Connection, Per 56 Kbps Facility | <u> </u> | ļ | UDB | TPP++ | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | <u> </u> | ļ | UDB | PT8SX | 151.39 | | | 1 | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | <u> </u> | UDB UDB | TPP++ | 0.0000656 | 43.56 | 43.56 | 22.45 | 22.45 | 1 | 7.86 | | | | 1 |
| | CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D | | ! | סטט | 177++ | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | 7.80 | | | † | |
| | link) | 1 | | UDB | TPP++ | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | 7.86 | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | 1 | - | UDB | 1155 *** | 0.0000164 | 43.30 | 43.36 | 22.43 | 22.43 | - | 1.00 | | | 1 | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 751.08 | | | + + | | | | | | 1 | |
| | CCS7 Signaling Point Code, per Originating Point Code | † | | | 0.000 | 701.00 | | | + + | | | | | | 1 | |
| | Establishment or Change, per STP affected | 1 | | UDB | CCAPO | | 46.02 | 46.02 | 56.43 | 56.43 | | 7.86 | | | | |
| | CCS7 Signaling Point Code, per Destination Point Code | | | | 1 | i i | | | | 22.10 | | | | İ | | |
| | Establishment or Change, Per Stp Affected | 1 | | UDB | CCAPD | | 46.02 | 46.02 | 56.43 | 56.43 | | 7.86 | | 1 | | |
| E911 SERVICE | | | | | | | | | <u> </u> | | | | | | | |
| | Local Channel - Dedicated - 2-wr Voice Grade | | | | | 18.57 | 265.78 | 46.96 | 46.79 | 4.98 | | 7.86 | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | | 0.0115 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | | | | | | | | | | | | | | | |
| <u> </u> | Termination | ļ | <u> </u> | ļ | _ | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | 7.86 | | ļ | | 1 |
| | Local Channel - Dedicated - DS1 - Zone 1 | ļ | <u> </u> | | - | 40.46 | 209.60 | 176.51 | 30.21 | 21.07 | | 7.86 | | | ļ | |
| | Local Channel - Dedicated - DS1 - Zone 2 | | <u> </u> | ļ | - | 43.39 | 209.60 | 176.51 | 30.21 | 21.07 | | 7.86 | | | 1 | 1 |
| | Local Channel - Dedicated - DS1 - Zone 3 | | | | + | 164.50 | 209.60 | 176.51 | 30.21 | 21.07 | - | 7.86 | | | 1 | 1 |
| \vdash | Interoffice Transport - Dedicated - DS1 Per Mile | ├ | ! | - | | 0.23 | | | + | | | | | - | 1 | 1 |
| | Interoffice Transport - Dedicated - DS1 Per Facility Termination | 1 | | 1 | | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | 7.86 | | 1 | | |
| | Interesting transport - Dedicated - DOT Fel Facility Termination | 1 | 1 | l . | | 90.04 | 105.52 | 90.46 | 23.09 | 20.49 | 1 | 1.00 | | | 1 | 1 |

Version 4Q02: 12/18/02 Page 148 of 416

| UNBUNDLEI | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|---------------|---|--|--|-------|--------|-----------|----------|------------|--------------|--------|--------------|--|-------------|-------------|--|--|
| UNDONDEE | | 1 | | | I | | | | | | Svc Order | Svc Order | Incremental | | | |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | | | | |
| 04750000 | DATE EL EMENTO | Interi | - | 500 | 11000 | | | DATEO (6) | | | Elec | | Manual Svc | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CNAM For DB Owners - Service Establishment | | | OQV | | | 25.34 | 25.34 | 23.30 | 23.30 | | 7.86 | | | | |
| | CNAM For Non DB Owners - Service Establishment | | | OQV | | | 25.34 | 25.34 | 23.30 | 23.30 | | 7.86 | | | | |
| | CNAM For DB Owners - Service Provisioning With Point Code | | | | | | | | | | | | | | | |
| | Establishment | | | oqv | | | 1,591.54 | 1,177.08 | 431.95 | 317.61 | | 7.86 | | | | |
| | CNAM For Non DB Owners - Service Provisioning With Point | | | | | | ., | ., | | | | | | | | † |
| | Code Establishment | | | OQV | | | 546.40 | 393.74 | 438.93 | 317.61 | | 7.86 | | | | |
| - | CNAM for DB Owners, Per Query | | | OQV | | 0.0010348 | 340.40 | 353.74 | 430.93 | 317.01 | 1 | 7.00 | | | | - |
| | | | | | - | | | | | | ļ | | | | | <u> </u> |
| | CNAM for Non DB Owners, Per Query | | | OQV | | 0.0010348 | | | | | | | | | | |
| | CNAM (Non-Databs Owner), NRC, applies when using the | | | | | | | | | | | | | | | |
| | Character Based User Interface (CHUI) | | | OQV | CDDCH | | 595.00 | 595.00 | | | ļ | 7.86 | | | | ļ |
| LNP Query Ser | | <u> </u> | <u> </u> | | | | | | | | ļ | | | | | ļ |
| | LNP Charge Per query | | | | | 0.0008695 | | | | | | | | | | |
| | LNP Service Establishment Manual | | | | | | 13.82 | 13.82 | 12.71 | 12.71 | | 7.86 | | | | |
| | LNP Service Provisioning with Point Code Establishment | | | | | | 953.27 | 487.00 | 431.95 | 317.61 | | 7.86 | | | | |
| OPERATOR CA | ALL PROCESSING | | | | | | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | | | | | | | | | | | | |
| | LIDB | | | | | 1.20 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using | | | | | 1.20 | | | | | | | | | | |
| | Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST | | | | | 1.24 | | | | | 1 | | | | | |
| | LIDB | | | | | 0.00 | | | | | | | | | | |
| | | - | | | | 0.20 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using | | | | | | | | | | | | | | | |
| | Foreign LIDB | | | | | 0.20 | | | | | | | | | | L |
| INWARD OPER | ATOR SERVICES | | | | | | | | | | | | | | | <u> </u> |
| | Inward Operator Services - Verification, Per Call | | | | | 1.00 | | | | | | | | | | |
| | Inward Operator Services - Verification and Emergency Interrupt | | | | | | | | | | | | | | | |
| | - Per Call | | | | | 1.95 | | | | | | | | | | |
| BRANDING - O | PERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| Facility | based CLEC | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | 7.86 | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | · | • | | | | | | | | |
| | per OCN | | | | CBAOL | | 500.00 | 500.00 | | | | 7.86 | | | | |
| UNEP (| | | | | 02/102 | | 000.00 | 000.00 | | | | 7.00 | | | | |
| OIVE! V | Recording of Custom Branded OA Announcement | | - | | | | 7,000.00 | 7,000.00 | | | <u> </u> | 7.86 | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | 7,000.00 | 7,000.00 | | | | 7.00 | | | | - |
| | ber OCN | l | 1 | | | | 500.00 | 500.00 | | | I | 7.86 | | | Ì | |
| I Inda yee | per OCN Iding via OLNS for UNEP CLEC | | | | + | | 00.00 | 500.00 | | | 1 | 7.86 | | | | ₩ |
| | | | | | 1 | | 4 000 00 | 4 000 00 | | 1 | 1 | 7.00 | | 1 | | ├ |
| | Loading of OA per OCN (Regional) | <u> </u> | | | | | 1,200.00 | 1,200.00 | | | 1 | 7.86 | | | | |
| | SSISTANCE SERVICES | | | | ļ | | | | | | | | | | | |
| DIRECT | TORY ASSISTANCE ACCESS SERVICE | | | | ļ | | | | | | | | | | | |
| | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.275 | | | | | | | | | | L |
| DIRECT | TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D | DACC) | | | | | | | | | <u> </u> | | | | | <u> </u> |
| | Directory Assistance Call Completion Access Service (DACC), | l | | | | | | | | 1 | | l | l | I | | |
| | Per Call Attempt | l | 1 | | | 0.10 | | | | | I | İ | | | Ì | |
| | SSISTANCE SERVICES | | | | | | | | | | | | | | | |
| | TORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | |
| | Directory Assistance Data Base Service Charge Per Listing | | | | | 0.04 | | | | | 1 | | | | | |
| | Directory Assistance Data Base Service, per month | 1 | | | DBSOF | 150.00 | | | | | 1 | i | | | 1 | 1 |
| | IRECTORY ASSISTANCE | 1 | 1 | | | | | | | | 1 | | | | † | t |
| | Based CLEC | - | - | | + | | | | | | | | | | | |
| i acility | Recording and Provisioning of DA Custom Branded | - | | | + | | | | | | | | | | | |
| | Announcement | İ | | AMT | CBADA | | 3,000.00 | 3,000.00 | | | 1 | 7.86 | | | | |
| | | | ! | AIVII | CDADA | | 3,000.00 | 3,000.00 | | | | 7.86 | - | | | <u> </u> |
| | Loading of Custom Branded Announcement per Switch per | İ | | *** | 00450 | | 4 4=0 0= | 4 4=0 0- | | | 1 | | | | | |
| | OCN | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | 7.86 | | | | |
| UNEP (| | <u> </u> | <u> </u> | | | | | | | | ļ | | | | | ļ |
| | Recording of DA Custom Branded Announcement | <u> </u> | | | | | 3,000.00 | 3,000.00 | | | Į | 7.86 | | | | 1 |
| | Loading of DA Custom Branded Announcement per Switch per | l | 1 | | | | | | | | | | | | | |
| | OCN | l | 1 | | 1 | | 1,170.00 | 1,170.00 | | 1 | 1 | 7.86 | 1 |] | 1 | |
| | iding via OLNS for UNEP CLEC | | | 1 | 1 | | | | | T | 1 | | t | t | | t |

| UNBUNDLE | D NETWORK ELEMENTS - Kentucky | | | | 1 | 1 | | | | | T - | 1 - | | nent: 2 | | bit: B |
|--|---|-------------|------|-----------------|-----------|-----------|------------|------------|--------------|------------|---|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | l | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | 7.86 | | | | |
| | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | 7.86 | | | | |
| SELECTIVE R | | | | | | | | | | | | | | | | |
| | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| | Switch | | | | USRCR | | 93.53 | 93.53 | 15.58 | 15.58 | | 7.86 | | | | |
| VIRTUAL COL | | | | | | | | | | | | | | | | |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | HEDOD HEDOD | VE41.0 | 0.000 | 04.00 | 00.00 | 40.44 | 40.05 | | 7.00 | | | | |
| PHYSICAL CO | Splitting | | | UEPSR, UEPSB | VE1LS | 0.309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | |
| PHI SICAL CO | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | - | | | | | | | | | | | - |
| | Splitting | | | UEPSR, UEPSB | PE1LS | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | |
| AIN SELECTIV | VE CARRIER ROUTING | 1 | | 521 51X, 521 5B | | 0.0000 | 24.00 | 20.00 | 12.14 | 10.33 | | 7.00 | | | 1 | † |
| | Regional Service Establishment | 1 | | SRC | SRCEC | | 193,401.00 | 193,401.00 | 9,483.34 | 9,483.34 | | 7.86 | | | | |
| | End Office Establishment | | | SRC | SRCEO | | 194.09 | 194.09 | 0.85 | 0.85 | | 7.86 | | | | |
| | Line/Port NRC, per end user | | | SRC | SRCLP | | 2.06 | 2.06 | | | | 7.86 | | | | |
| | Query NRC, per query | | | SRC | 1 | 0.0037502 | | | | | | | | | | |
| AIN - BELLSO | OUTH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | |
| | AIN SMS Access Service - Service Establishment, Per State, | | | | | | | | | | | | | | | |
| | Initial Setup | | | A1N | CAMSE | | 43.55 | 43.55 | 44.93 | 44.93 | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | |
| | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 8.64 | 8.64 | 10.03 | 10.03 | | 7.86 | | | | |
| | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 8.64 | 8.64 | 10.03 | 10.03 | | 7.86 | | | | |
| | AIN SMS Access Service - User Identification Codes - Per User | | | | 0.0.0.0.0 | | 00.05 | 00.05 | 00.00 | 00.00 | | 7.00 | | | | |
| | ID Code | | | A1N | CAMAU | | 38.65 | 38.65 | 29.88 | 29.88 | | 7.86 | | | | |
| | AIN SMS Access Service - Security Card, Per User ID Code, | | | A1N | CAMRC | | 75.00 | 75.08 | 12.02 | 12.93 | | 7.06 | | | | |
| | Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | AIN | CAIVIRC | 0.0025 | 75.08 | 75.06 | 12.93 | 12.93 | | 7.86 | | | | |
| - | AIN SMS Access Service - Session, Per Minute | | | | 1 | 0.666 | | | | | | | | | | |
| | AIN SMS Access Service - Company Performed Session, Per | | | | | 0.000 | | | | | | | | | | |
| | Minute | | | | | 0.4608 | | | | | | | | | | |
| AIN - BELLSO | OUTH AIN TOOLKIT SERVICE | | | | | 0.1000 | | | | | | | | | | |
| | AIN Toolkit Service - Service Establishment Charge, Per State, | | | | | | | | | | | | | | | |
| | Initial Setup | | | CAM | BAPSC | | 43.55 | 43.55 | 44.93 | 44.93 | | 7.86 | | | | |
| | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 8,436.93 | 8,436.93 | | | | 7.86 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, Term. Attempt | | | | BAPTT | | 8.64 | 8.64 | 10.03 | 10.03 | | 7.86 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | l | | | L | | | | | | | | | | | |
| | DN, Off-Hook Delay | | | | BAPTD | | 8.64 | 8.64 | 10.03 | 10.03 | | 7.86 | | | | |
|] | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | 1 | | 1 | DADTA | | | 0.01 | 40.00 | 40.00 | 1 | 7.00 | | | | |
| | DN, Off-Hook Immediate | ! | | | BAPTM | | 8.64 | 8.64 | 10.03 | 10.03 | | 7.86 | | | 1 | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | l | | | BAPTO | | 51.01 | 51.01 | 18.50 | 18.50 | | 7.86 | | | | |
| | DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | - | | | DAF IU | | 51.01 | 51.01 | 18.50 | 18.50 | - | 7.80 | | | | |
| | DN, CDP | 1 | | 1 | BAPTC | | 51.01 | 51.01 | 18.50 | 18.50 | 1 | 7.86 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | 5,1110 | | 31.01 | 31.01 | 10.50 | 10.50 | | 7.00 | | | | - |
| | DN, Feature Code | l | | | BAPTF | | 51.01 | 51.01 | 18.50 | 18.50 | | 7.86 | | | | |
| | AlN Toolkit Service - Query Charge, Per Query | | | İ | 1 | 0.0549207 | 001 | 331 | .5.50 | .0.50 | | | | | | |
| | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | | | | İ | | | | | | | | | | | |
| | Subscription, Per Node, Per Query | <u> </u> | | <u> </u> | <u> </u> | 0.0066492 | | | <u> </u> | | <u> </u> | | | | | <u></u> |
| | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | | | | | | | | | | | _ | | | |
| | Account, Per 100 Kilobytes |] | | | | 0.07 | | | | | | | | | | |
| | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | 1 | | l | | | | | | |] | | | | | |
| | Subscription | | | CAM | BAPMS | 7.87 | 8.64 | 8.64 | 6.08 | 6.08 | | 7.86 | | | | |
|] | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | 1 | | L | L | [_ [| _ | | | | 1 | | | | | |
| | Subscription | ļ | | CAM | BAPLS | 3.26 | 9.56 | 9.56 | | | | 7.86 | | | ļ | |
|] | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | 1 | | l | D 4 D D O | 4 | | 0.01 | 0.00 | 0.00 | 1 | 7.00 | | | | |
| 1 1 | Subscription | | | CAM | BAPDS | 4.72 | 8.64 | 8.64 | 6.08 | 6.08 | | 7.86 | | | | |
| - t | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | | | | | | | | | | | | | | | |

| ONRONDLE | D NETWORK ELEMENTS - Kentucky | | | 1 | 1 | | | | | | I | • • • | | nent: 2 | | oit: B |
|--|---|-------------|----------|---------------------|----------------|-----------------|----------------|---------------------------------------|-----------------|-------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | XTENDED LINK (EELs) | | | | | | | | | | | | | | | |
| NOTE: | The monthly recurring and non-recurring charges below will a | apply a | nd the | Switch-As-Is Charge | e will not app | ly for EELs pro | ovisioned as ' | Ordinarily Con | nbined' Networl | k Elements. | | | | | | |
| | The monthly recurring and the Switch-As-Is Charge and not the | | | | vill apply for | EELs provision | ed as ' Curren | tly Combined' | Network Eleme | ents. | | | | | | |
| | Minimum billing is one month for DS1 and below and three m | | | | | | | | | | | | | | | |
| Z-WIK | E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | EKUFF | ICE IN | ANSPORT (EEL) | _ | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.67 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 33.22 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | <u> </u> | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | |
| | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | 7.86 | | | | |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | 1 | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.67 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | _ | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 33.22 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| - | Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | UNCVA | UEALZ | 33.22 | 123.22 | 00.40 | 59.09 | 7.04 | | 7.00 | | | | |
| | per month | | | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONOVA | IDIVO | 0.02 | 0.71 | 4.04 | | | | 7.00 | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| 4-WIR | E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | | | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 29.26 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| - | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | UNCVX | UEAL4 | 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 85.06 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | ONOVA | OL/ L | 00.00 | 120.22 | 00.40 | 00.00 | 7.04 | | 7.00 | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | | 1 | | | | | | | | | | 1 | |
| | Month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | | | | | | | | | | | | | | |
| \vdash | Month | | <u> </u> | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | 7.86 | | | | ļ |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | LINCVY | 1D1VG | 0.62 | 6.71 | 4.84 | | | | 7.86 | | | | |
| \vdash | per month Additional 4-Wire Analog Voice Grade Loop in same DS1 | | - | UNCVX | טוועט | 0.62 | 0.71 | 4.84 | | | | 7.80 | | | - | - |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 29.26 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | <u> </u> | 0.10 7/ | JL, 1L4 | 20.20 | 120.22 | 00.40 | 55.05 | 7.04 | | 7.00 | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | 1 | | | | | | | | | | 1 | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 85.06 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | - | | 1 | |
| | per month | | | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | 7.86 | | | ļ | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | 1 | LINGAY | LINIOGG | | | | | | | | | | 1 | 1 |
| 4 14/15 | Is Charge | NITEDS | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| 4-WIR | E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 I First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | NIERC | THICE | TRANSPORT (EEL) | 1 | | | | | | | | | | ļ | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | 1 | 1 |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | + | UNODA | UDLUU | 21.39 | 120.22 | 00.40 | 39.09 | 7.04 | | 1.00 | | | <u> </u> | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | - | 1 | 50 | | 22.70 | | | | | | | 1 | |
| 1 1 | Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | I | 7.86 | | | Ì |] |

Version 4Q02: 12/18/02 Page 151 of 416

| JNDUNDLE | D NETWORK ELEMENTS - Kentucky | | | ı | , , | | | | | | | | | nent: 2 | | bit: B |
|----------|---|-------------|---------|-------------------|----------|--------|--------|------------|--|-------|---|---|---|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increments Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | 7.86 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | LINODY | LIDI EO | 00.07 | 405.00 | 00.40 | 50.00 | 7.04 | | 7.00 | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - | | | UNCDX | 1D1DD | 1.32 | C 74 | 4.04 | | | | 7.86 | | | | |
| | combination per month (2.4-64kbs) | | | UNCDX | 10100 | 1.32 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| 4-WID | E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FEICE | | | | 0.90 | 0.30 | 11.17 | 11.17 | | 7.00 | | | | |
| 7-1111 | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | l | / I IOL | I TRANSI ORT (ELL | , | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | 01105/1 | 02201 | 27.00 | 120.22 | 00.10 | 00.00 | 7.01 | | 7.00 | | | 1 | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | | | | | | | | | | | | | | |
| | Month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | 7.86 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | LINODY | 40400 | 4.00 | 0.74 | 4.04 | | | | 7.00 | | | | |
| | combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| - | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | - | UNCDA | UDL04 | 27.59 | 125.22 | 00.40 | 59.69 | 7.04 | | 7.00 | | | | 1 |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | ONODA | ODLOT | 32.40 | 120.22 | 00.40 | 39.03 | 7.04 | | 7.00 | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | | | | - | | | - | | | | | | |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| 4-WIR | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE | ROFFI | CE TRA | ANSPORT (EEL) | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | _ | | | | | | | | | | | | | |
| | Transport - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | 1 | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | I | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | 1 | 3 | ONCIA | USLAX | 291.16 | ∠10.70 | 114.00 | 63.96 | 17.97 | | 7.80 | | | | } |
| | Per Month | l | | UNC1X | 1L5XX | 0.19 | | | | | | | | | 1 | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | OHOTA | ILOAA | 0.19 | | | | | | | | | | |
| | Termination Per Month | l | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | 1 | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | | | | | .20.50 | 332 | 22.02 | | | | | 1 | |
| | Is Charge | 1 | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | I | |
| 4-WIR | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE | ROFFI | CE TRA | | | | | | | | | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | \ | | | | | i i | | | | | | | |
| 1 | 1 | l | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | I | 7.86 | | | 1 | 1 |

Version 4Q02: 12/18/02 Page 152 of 416

| NRONDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|---------|--|-------------|--------|----------------|-------|--------|--------|------------|--------------|-------|-------|-----------|--|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | First DOM 's DOO lets will a Tree and O and it will a Tree | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | ONOTA | OOLXX | 114.10 | 210.70 | 114.00 | 05.90 | 17.57 | | 7.00 | | | | |
| | 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC3X | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 966.89 | 350.56 | 141.58 | 48.00 | 23.39 | | 7.86 | | | | |
| | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | 7.86 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| _ | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | 0.101/ | 30200 | 00.47 | 210.70 | 114.00 | 00.00 | 11.31 | | 7.00 | | | <u> </u> | 1 |
| | Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC3X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| 2-WIRE | E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | EROFF | ICE TE | RANSPORT (EEL) | | | | | | | | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.67 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| _ | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | ' | UNCVA | ULALZ | 12.07 | 125.22 | 00.40 | 39.09 | 7.04 | | 7.00 | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | | - | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 33.22 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNCVX | 1L5XX | 0.01 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade | | | | | | | | | | | | | | | |
| _ | combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | U1TV2 | 23.95 | 98.09 | 53.67 | 56.31 | 22.42 | | 7.86 | | | | |
| | Is Charge | | | UNCVX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| 4-WIR | E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | EROFF | ICE TE | | ONCCC | | 0.30 | 0.30 | 11.17 | 11.17 | | 7.00 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | 1 | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 29.26 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | _ | 111000 | | 05.00 | 405.00 | 00.40 | 50.00 | 7.04 | | 7.00 | | | | |
| _ | Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per | | 3 | UNCVX | UEAL4 | 85.06 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Mile Per Month | | | UNCVX | 1L5XX | 0.01 | | | | | | | | | | |
| _ | Interoffice Transport - Dedicated - 4- Wire Voice Grade | | | ONCVX | TESTA | 0.01 | | | | | | | | | | |
| | combination - Facility Termination per month | | | UNCVX | U1TV4 | 21.28 | 98.09 | 53.67 | 56.31 | 22.42 | | 7.86 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNCVX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| DS3 D | IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | E TRAI | NSPOR | RT (EEL) | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Per | | | | | | | | | | | | | | | |
| | Mile per month | | | UNC3X | 1L5ND | 9.25 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | | | UNC3X | UE3PX | 308.31 | 237.36 | 147.69 | 83.43 | 32.67 | | 7.86 | | | | |
| + | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.09 | 201.00 | 147.09 | 00.40 | 32.07 | | 7.00 | | | <u> </u> | 1 |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | 1 | | | | | | | | | Ì | | |
| | Termination per per month | | | UNC3X | U1TF3 | 966.89 | 350.56 | 141.58 | 48.00 | 23.39 | | 7.86 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC3X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFF | CICE TO | ANSP | ORT (FFI) | 1 | | | | | | l | | | ĺ | 1 |] |
| STS1 I | High Capacity Unbundled Local Loop - STS1 combination - Per | ICE IT | | J. (, | | | | | 1 | | | | | | | 1 |

| ONBONDLE | D NETWORK ELEMENTS - Kentucky | | | ı | | 1 | | | | | T - | _ | | ment: 2 | | bit: B |
|----------|---|-------------|----------|----------------|----------------|-----------------|----------------|----------------|--------------|-------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increments Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | High Capacity Unbundled Local Loop - STS1 combination - | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Facility Termination per month | | | UNCSX | UDLS1 | 320.51 | 237.36 | 147.69 | 83.43 | 32.67 | | 7.86 | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 4.09 | 237.30 | 147.03 | 03.40 | 32.01 | | 7.00 | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | | UNCSX | U1TFS | 945.79 | 350.56 | 141.58 | 48.00 | 23.39 | | 7.86 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONCOX | 01110 | 343.79 | 330.30 | 141.50 | 40.00 | 25.59 | | 7.00 | | | | |
| | Is Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| 2-WIR | E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL |) | | | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 | | 1 | UNCNX | U1L2X | 18.44 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | - | ONONA | OTLEX | 10.44 | 125.22 | 00.40 | 39.09 | 7.04 | | 7.00 | | | | |
| | Transport - Zone 2 | | 2 | UNCNX | U1L2X | 25.08 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | 40.00 | | | == == | | | | | | | |
| | Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCNX UNC1X | U1L2X 1L5XX | 42.87 0.19 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | + |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | ONOTA | TESTON | 0.19 | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | |
| | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | 7.86 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | combination - per month | | | UNCNX | UC1CA | 2.84 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 18.44 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | ONCIVA | UTLZX | 10.44 | 123.22 | 00.48 | 39.09 | 7.04 | | 7.00 | | | | + |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 25.08 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 42.87 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | Ŭ | CHORX | UTLEX | 42.07 | 120.22 | 00.40 | 00.00 | 7.04 | | 7.00 | | | | |
| | combintaion- per month | | | UNCNX | UC1CA | 2.84 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| 4-WIR | IS Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROE | FICE T | | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | T | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | UNCIX | USLAA | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.00 | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | LINIOOV | 41.500 | 4.00 | | | | | | | | | | |
| | Per Month Interoffice Transport - Dedicated - STS1 combination - Facility | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | - |
| | Termination | | | UNCSX | U1TFS | 945.79 | 350.56 | 141.58 | 48.00 | 23.39 | | 7.86 | | | | |
| | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | 7.86 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | <u> </u> | ONOTA | OOLXX | 00.47 | 210.70 | 114.00 | 03.90 | 17.57 | | 7.00 | | | | |
| | Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | LINCAY | Hel VV | 007.70 | 040.70 | 444.00 | 00.00 | 47.07 |] | 7.00 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | 3 | UNC1X UNC1X | USLXX UC1D1 | 297.76 11.80 | 210.70 6.71 | 114.60 4.84 | 63.96 | 17.97 | | 7.86 7.86 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | 5.151A | 30151 | 11.00 | 0.71 | 7.04 | | | | 7.50 | | | t | |
| | Is Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| 4-WIR | E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI | FFICE 1 | TRANS | PORT (EEL) | | | | | 1 | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachr | nent: 2 | Exhi | bit: B |
|-----------|---|-------------|----------|---------------------|----------------|-----------------|------------------|------------------|----------------|----------------|-------|--------------|--|------------|-------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonred | urring | Nonrecurring | 1 Disconnect | | | OSS | Rates (\$) | | |
| | | | | | 1 | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | ONOBA | TEO/O | 0.01 | | | | | | | | | | |
| | Facility Termination | | | UNCDX | U1TD5 | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | | 7.86 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | LINODY | LINIOOO | | 0.00 | 0.00 | 44.47 | 44.47 | | 7.00 | | | | |
| 4-WIR | Is Charge RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FEICE 1 | TRANS | UNCDX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| 7-1111 | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | l III | I NAINO | OKT (ELL) | + | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | CHOBA | OBLOT | 00.07 | 120.22 | 00.40 | 00.00 | 7.04 | | 7.00 | | | | |
| | Per Mile | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | ==== | = | | | | | | | |
| | Facility Termination Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | U1TD6 | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | | 7.86 | | | | |
| | Is Charge | | | UNCDX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| DDITIONAL | NETWORK ELEMENTS | | | 0.105/1 | 0.1000 | | 0.00 | 0.00 | | | | 7.00 | | | | |
| When | used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | used as ordinarily combined network elements in All States, the | | | | | As Is Charge | loes not. | | | | | | | | | |
| Nonre | ecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- | Charge | One a | ipplies to each com | bination) | | | | | | | | | | | |
| | Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | Is Charge - DS1 | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3 | | | UNC3X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| NOTE | Is Charge - STS1 :: Local Channel - Dedicated Transport - minimum billing period | d - Bolo | W DS3 | UNCSX | UNCCC | r months | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| NOTE | Local Channel - Dedicated - 2-Wire Voice Grade | l Beio | W D03 | UNCVX | ULDV2 | 18.57 | 265.78 | 46.96 | 46.79 | 4.98 | | 7.86 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade | | | UNCVX | ULDV4 | 19.86 | 266.48 | 47.65 | 47.54 | 5.73 | | 7.86 | | | | |
| | Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNC1X | ULDF1 | 40.46 | 209.60 | 176.51 | 30.21 | 21.07 | | 7.86 | | | | |
| | Local Channel - Dedicated -DS1 Per Month Zone 2 Local Channel - Dedicated - DS1- Per Month Zone 3 | | 2 | UNC1X UNC1X | ULDF1 ULDF1 | 43.39 164.50 | 209.60 209.60 | 176.51 176.51 | 30.21 30.21 | 21.07 21.07 | | 7.86 7.86 | | | | |
| | Local Channel - Dedicated - DS1- Per Month Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month | | 3 | UNC3X | 1L5NC | 8.74 | 209.60 | 176.51 | 30.21 | 21.07 | | 7.80 | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | UNC3X | ULDF3 | 576.05 | 551.38 | 338.08 | 173.00 | 120.42 | | 7.86 | | | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 8.74 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | | UNCSX | ULDFS | 543.24 | 551.38 | 338.08 | 173.00 | 120.42 | | 7.86 | | | | |
| | TIPLEXERS | | | | | | | | | | | | | | | |
| | : minimum billing period is one month for DS1 to DS0 Channel : minimum billing period is three months for DS3 to DS1 and a | | | | 205 | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 113.33 | 101.40 | 71.60 | 13.79 | 13.04 | | 7.86 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | - | | | | | | | | | | | | |
| | month (2.4-64kbs) 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | UDL | 1D1DD | 1.32 | 10.07 | 7.08 | | | | 7.86 | | | | - |
| | month | | | UDN | UC1CA | 2.84 | 10.07 | 7.08 | | | | 7.86 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 0.6228 | 10.07 | 7.08 | | | | 7.86 | | | | |
| | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 | 158.20 | 199.23 | 118.62 | 50.16 | 48.59 | | 7.86 | | | | |
| | STS1 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) used with Loop per month | | ! | UXTS1 USL | MQ3 UC1D1 | 158.20 11.80 | 199.23 10.07 | 118.62 7.08 | 50.16 | 48.59 | | 7.86 7.86 | | | | 1 |
| | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | UGL | OCIDI | 11.80 | 10.07 | 7.08 | | | | 1.00 | | | | |
| | On (DO : COO) GOOD THE LOOK ORDING POR | ı | 1 | ULDD1 | UC1D1 | 11.80 | 10.07 | 7.08 | | | l | 7.86 | | | l | 1 |

Version 4Q02: 12/18/02 Page 155 of 416

| UNBUNDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | ment: 2 | | bit: B |
|--|---|-------------|---------|---------------------|----------------|-----------------|------------------|----------------|----------------|----------------|--|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel | | | | | | | | | | | | | | | |
| | per month | | | U1TD1 | UC1D1 | 11.80 | 10.07 | 7.08 | | | | 7.86 | | | | |
| Sub-Lo | pop Feeder | | | 111041 | | | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | | | UNC1X | USBFG | 00.57 | 105.10 | 70.00 | 04.00 | 04.50 | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 2 | UNC1X | USBFG | 62.57 | 125.43 | 73.68 | 81.82 | 21.56 | 1 | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | UNC1X UNC1X | USBFG USBFG | 87.71 273.33 | 125.43 125.43 | 73.68 73.68 | 81.82 81.82 | 21.56 21.56 | | - | | | | |
| - | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 4 | UNC1X | USBFG | 213.33 | 125.45 | 73.00 | 01.02 | 21.56 | | | | | | |
| LINBUNDI ED I | LOCAL EXCHANGE SWITCHING(PORTS) | | | ONCIA | USBI G | | | | | | | 1 | | | | |
| | nge Ports | | | | | | | | | | | | | | | - |
| | Although the Port Rate includes all available features in GA, I | (Y. I A | & TN. f | ne desired features | will need to b | ne ordered usin | ng retail USOC: | | | | | | | | | |
| | VOICE GRADE LINE PORT RATES (RES) | , _, . | 1, | 10 40004 104.400 | 1 | | ig rotali occo | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Ü | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Exchange Ports - 2-Wire VG unbundled KY extended local | | | OLI OIX | OLI KO | 1.43 | 5.74 | 3.03 | 2.25 | 2.10 | | 7.00 | | | | |
| | dialing parity Port with Caller ID - Res. | | | UEPSR | UEPRM | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | | | | - | | | | | | | | | |
| | with Caller ID (LUM) | | | UEPSR | UEPAP | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan | | | LIEDOD | LIEDWE | 4.40 | 0.74 | 0.00 | 0.00 | 0.40 | | 7.00 | | | | |
| + | without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | UEPSR | UEPWE | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | 1 | 7.86 | | | | — |
| | Capability | | | UEPSR | UEPRT | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| + | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | 2.23 | 2.13 | | 7.86 | | | | |
| FEATU | | | | OLI OIX | OOAGC | 0.00 | 0.00 | 0.00 | | | | 7.00 | | | | |
| I LATE | All Available Vertical Features | | | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | - |
| 2-WIRE | VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | | | | | | | | | | | | |
| | Bus | | | UEPSB | UEPBL | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with | | | | | | | | | | | | | | | |
| | unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Exchange Ports - 2-Wire VG unbundled KY extended local | | | UEPSB | UEPBU | 1.49 | 3.74 | 3.03 | 2.23 | 2.13 | | 7.00 | | | | |
| | dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPBM | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Exhange Ports - 2-Wire VG unbundled incoming only port with | | | 02. 05 | 02. 5 | | 0 | 0.00 | 2.20 | 2.10 | | 7.00 | | | | |
| | Caller ID - Bus | | | UEPSB | UEPB1 | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | 1 |
| | Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan | | | | | | | | | | | | | | | |
| | without Caller ID | | | UEPSB | UEPWF | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | | | | | | | | | | | | | 1 |
| | Capability | | | UEPSB | UEPBE | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | ļ | | ļ | 7.86 | ļ | | ļ | |
| FEATU | | | | LIEDOD | LIED) 'E | | | | ļ | | | | | | | |
| EVO | All Available Vertical Features | | | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | ļ | | <u> </u> | 7.86 | | | | 1 |
| EXCHA | NGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | - | | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSE | UEPRD | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.49 | 39.05 | 18.17 | | 0.89 | 1 | 7.86 | | - | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.49 | 39.05 | 18.17 | | 0.89 | | 7.86 | | | | |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.49 | 39.05 | 18.17 | | 0.89 | | 7.86 | 1 | | 1 | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.49 | 39.05 | 18.17 | | 0.89 | | 7.86 | 1 | | 1 | |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.49 | 39.05 | 18.17 | | 0.89 | | 7.86 | | İ | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.49 | 39.05 | 18.17 | | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.49 | 39.05 | 18.17 | | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | - | | | | | |] | |] | |
| 1 | Capable Port | | | UEPSP | UEPXE | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 |] | |] | |

Version 4Q02: 12/18/02 Page 156 of 416

| <u> </u> | LED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachi | ment: 2 | Exhi | oit: B |
|----------|--|--|--|-------------------------|-----------------------------------|----------------------|------------------------------|------------------------------|-----------------------|---------------|---------------|---|---|--|---|--|
| ATEGOR | Y RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Increment Charge Manual St Order vs Electronic |
| | | | | | | | Manna | | Nananaa | Dianamant | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Add'l | COMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area | | | | | | FIISL | Auu i | FIISL | Auu i | SOWIEC | JOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| | Calling Port Without LUD | | | UEPSP | UEPXF | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port | | | UEPSP | UEPXG | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX Kentucky Premium Callling Port | | | UEPSP | UEPXH | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling | | | | | | | | | | | | | | | |
| | Port Without LUD | | | UEPSP | UEPXJ | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPSP | UEPXL | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Room Calling Port | | | UEPSP | UEPXM | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | UEPSP | UEPXO | 4 40 | 00.05 | 10.17 | 45.00 | 0.00 | | 7.00 | | | | |
| | Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | 1 | UEPSP | UEPXS | 1.49 1.49 | 39.05 39.05 | 18.17 18.17 | 15.38 15.38 | 0.89 | | 7.86 7.86 | | | | |
| | Subsequent Activity | | 1 | UEPSP | USASC | 0.00 | 0.00 | 0.00 | 15.38 | 0.89 | | 7.86 | | | | |
| FF | ATURES | | | 0L1 01 | 00/100 | 0.00 | 0.00 | 0.00 | | | | 7.00 | | 1 | 1 | |
| 1,5 | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| EX | CHANGE PORT RATES (COIN) | <u> </u> | | | J VI | 0.00 | 0.00 | 0.00 | | | | 7.00 | | | | |
| | Exchange Ports - Coin Port | | | | | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| Loc | cal Switching Features offered with Port | | | | | | - | | | | | | | | | |
| | TE: Transmission/usage charges associated with POTS circuit s | witched | usage | will also apply to o | ircuit switche | ed voice and/or | circuit switche | ed data transm | ission by B-Ch | annels associ | iated with 2- | wire ISDN p | orts. | | | |
| | TE: Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Request Pro | cess. | |
| | Exchange port - 4-wire ISDN trunk port -all available features | | | | | | | | | | | | | | | |
| | included | | | | UEPEX | 101.60 | 188.36 | 95.15 | 61.92 | 22.67 | | 7.86 | | | | |
| | ED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| EX | CHANGE PORT RATES | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | | | |
| | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | | | LIEDDD | LIEDDD | 74.77 | 404.00 | 77.74 | 00.00 | 0.00 | | 7.00 | | | | |
| | capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPDD UEPTX UEPSX | UEPDD U1PMA | 74.77 13.46 | 164.86 60.60 | 77.74 50.67 | 60.69 32.83 | 3.86 14.17 | | 7.86 7.86 | | | | |
| | All Features Offered | | | UEPTX UEPSX | UEPVF | 0.00 | 0.00 | 0.00 | 32.03 | 14.17 | - | 7.00 | | | | |
| NO | TE: Transmission/usage charges associated with POTS circuit s | witched | IISane | | | | | | ission by R-Ch | annels associ | iated with 2 | wire ISDN r | norts | | | |
| | TE: Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Request Pro | cess. | |
| - 177 | Exchange Ports - 2-Wire ISDN Port Channel Profiles | | 1 | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 101.60 | 188.36 | 95.15 | 61.92 | 22.67 | | 7.86 | | | | |
| UN | BUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY | <i>,</i> | | | | | | | | | | | | | | |
| UN | BUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.49 | 3.74 | 3.63 | | | | 7.86 | | | | |
| | | | | | 1 | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | ļ | | UEPVR | UERLC | 1.49 | 3.74 | 3.63 | | | | 7.86 | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res | <u> </u> | 1 | UEPVR | UERTE | 1.49 | 3.74 | 3.63 | | | | 7.86 | | | | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | <u> </u> | UEPVR | UERTR | 1.49 | 3.74 | 3.63 | | | | 7.86 | | - | - | |
| | n-Recurring | | | 1 | 1 | | | | | | | | | | | ļ |
| NO | Unbundled Remote Call Forwarding Service - Conversion - | 1 | 1 | UEPVR | USAC2 | | 0.10 | 0.10 | | | | 7.86 | | | | 1 |
| NO | | | | | | | 0.10 | 0.10 | 1 | | 1 | 1.00 | | | | 1 |
| NO | Switch-as-is | | | OLI VIC | OOAOZ | | ***** | | | | | | | | | l |
| No | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | 0.10 | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) | | | UEPVR | USACC | | 0.10 | 0.10 | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | 0.10 | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) | | | | | 1.49 | | 0.10 | | | | 7.86 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) BUNDLED REMOTE CALL FORWARDING - Bus | | | UEPVR | USACC | 1.49 | 0.10 | | | | | 7.86 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) BUNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB UEPVB | USACC UERAC UERLC | 1.49 | 0.10 | | | | | 7.86 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) BUNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB UEPVB UEPVB | USACC UERAC UERLC UERTE | 1.49 1.49 | 0.10 3.74 3.74 3.74 | 3.63 3.63 3.63 | | | | 7.86 7.86 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) BUNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB UEPVB | USACC UERAC UERLC | 1.49 | 0.10 3.74 3.74 | 3.63 | | | | 7.86 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) BUNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and | | | UEPVB UEPVB UEPVB UEPVB | USACC UERAC UERLC UERTE UERTR | 1.49 1.49 1.49 | 3.74 3.74 3.74 3.74 | 3.63 3.63 3.63 3.63 | | | | 7.86 7.86 7.86 | | | | |
| UN | Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) BUNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling | | | UEPVB UEPVB UEPVB | USACC UERAC UERLC UERTE | 1.49 1.49 | 0.10 3.74 3.74 3.74 | 3.63 3.63 3.63 | | | | 7.86 7.86 | | | | |
| UN | Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) BUNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and | | | UEPVB UEPVB UEPVB UEPVB | USACC UERAC UERLC UERTE UERTR | 1.49 1.49 1.49 | 3.74 3.74 3.74 3.74 | 3.63 3.63 3.63 3.63 | | | | 7.86 7.86 7.86 | | | | |

Version 4Q02: 12/18/02 Page 157 of 416

| UNBL | INDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|----------|--|--|--|--|----------------------|----------------|--|----------------|---------------|------------------|------------------|--|--------------|-------------|--|--|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | | |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | D130 13t | DISC Add I |
| | | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | |
| | | allowed change (PIC and LPIC) | | | UEPVB | USACC | | 0.10 | 0.10 | | | | | | | | |
| UNBU | | OCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| | End Of | fice Switching (Port Usage) | | | | | | | | | | | | | | | |
| | | End Office Switching Function, Per MOU | | | | | 0.0011971 | | | | | | | | | | |
| | | End Office Trunk Port - Shared, Per MOU | | | | | 0.0002112 | | | | | | | | | | |
| | Tande | n Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | | | 0.000194 | | | | | | | | | | |
| | | Tandem Trunk Port - Shared, Per MOU | | | | | 0.0002416 | | | | | | | | | | |
| | Comm | on Transport | ļ | | | 1 | | | | | | | | | ļ | | 1 |
| | ļ | Common Transport - Per Mile, Per MOU | | | | <u> </u> | 0.000003 | | | | | | | | . | ļ | <u> </u> |
| | <u> </u> | Common Transport - Facilities Termination Per MOU | | | | <u> </u> | 0.0007466 | | | | | | | | . | | ļ |
| UNBU | | PORT/LOOP COMBINATIONS - COST BASED RATES | ــــــــــــــــــــــــــــــــــــــ | L | L | 1 | <u> </u> | | | | | | | | . | | ļ |
| | | ased Rates are applied where BellSouth is required by FCC at | | | | | | | | | | | | | | | |
| | Featur | es shall apply to the Unbundled Port/Loop Combination - Cos | t Based | Rates | ection in the same i | manner as th | ey are applied | to the Stand-A | Ione Unbundle | ed Port section | of this Rate E | xhibit. | L | L | L | ļ | <u> </u> |
| | | fice and Tandem Switching Usage and Common Transport Us | | | | | | | | | | | | | | | |
| | | st and additional Port nonrecurring charges apply to Not Curr | ently C | ombine | ed Combos. For Cur | rently Comb | ined Combos th | ne nonrecurrin | g charges sha | ll be those ider | ntified in the N | onrecurring | - Currently | Combined se | ections. | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 10.79 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 15.52 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 31.74 | | | | | | | | | | |
| | UNE L | pop Rates | | | LIEDDY | LIEDLY | 0.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 9.64 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 14.37 | | | | | | | | | | |
| | 0.140 | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 30.59 | | | | | | | | | | |
| | 2-wire | Voice Grade Line Port Rates (Res) | | | LIEDDY | LIEDDI | 4.45 | 24.00 | 45.40 | 0.05 | 0.07 | | 7.00 | | | | |
| | | 2-Wire voice unbundled port - residence | | | UEPRX UEPRX | UEPRL UEPRC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 7.86 | | | | |
| - | - | 2-Wire voice unbundled port with Caller ID - res | - | | | | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | | | | | - |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire voice Grade unbundled Kentucky extended local dialing | | | LIEDDY | LIEDDM | 4.45 | 24.20 | 45.40 | 2.85 | 2.67 | | 7.00 | | | | |
| | - | parity port with Caller ID - res | - | | UEPRX | UEPRM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | - |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | LIEDDY | UEPAP | 4.45 | 24.20 | 45.40 | 2.05 | 0.07 | | 7.00 | | | | |
| | - | () | - | | UEPRX | UEPAP | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | - |
| 1 | 1 | 2-Wire Voice Unbundled Kentucky Residence Dialing Plan | 1 | 1 | UEPRX | UEPWE | 44- | 21.29 | 45.40 | 2.85 | 2.67 | | 7.86 | | I | Ì | |
| | 1 | without Caller ID | | | UEPKX | UEPWE | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability | | | UEPRX | UEPRT | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| <u> </u> | FEATU | | | - | UEPRA | UEFRI | 1.10 | 21.29 | 15.49 | 2.00 | 2.07 | | 7.00 | | | | |
| - | FEAT | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | - |
| | LOCAL | . NUMBER PORTABILITY | | | UEPKA | UEFVF | 0.00 | 0.00 | 0.00 | | | 1 | 7.00 | | | | |
| — | LOCAL | Local Number Portability (1 per port) | 1 | 1 | UEPRX | LNPCX | 0.35 | | | 1 | | | - | | | 1 | 1 |
| - | NONP | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | 1 | 1 | OLI NA | LINEUX | 0.33 | | | | | 1 | | | 1 | | |
| — | - VOINT | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | 1 | 1 | | 1 | 1 | | | 1 | | | - | | | 1 | 1 |
| 1 | 1 | Switch-as-is | 1 | 1 | UEPRX | USAC2 | | 0.10 | 0.10 | | | | 7.86 | | I | Ì | |
| — | 1 | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | 1 | - | OLI IX | USAUZ | | 0.10 | 0.10 | | | | 1.00 | | | | |
| 1 | 1 | Switch with change | 1 | 1 | UEPRX | USACC | | 0.10 | 0.10 | | | | 7.86 | | I | Ì | |
| — | ADDIT | ONAL NRCs | 1 | 1 | OLI IXX | 30,00 | + | 0.10 | 0.10 | 1 | | | 1.00 | | | 1 | 1 |
| - | ווטטוו | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | 1 | - | | + | | | | | | | | | | | |
| 1 | 1 | Activity | 1 | 1 | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | I | Ì | |
| \vdash | 2-WIPE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | 1 | | OLI IVA | JUAUZ | 0.00 | 0.00 | 0.00 | | | | 1.00 | | | | |
| - | | ort/Loop Combination Rates | 1 | 1 | | + | | | | | | | | | - | | |
| 1 | SIVE P | 2-Wire VG Loop/Port Combo - Zone 1 | 1 | 1 | | 1 | 10.79 | | | 1 | | | - | | | 1 | 1 |
| - | 1 | 2-Wire VG Loop/Port Combo - Zone 1 | 1 | 2 | | + | 15.52 | | | | | | | | | | |
| - | | 2-Wire VG Loop/Port Combo - Zone 2 | 1 | 3 | | + | 31.74 | | | | | | | | | | |
| - | LINE I | pop Rates | 1 | 3 | | + | 31.74 | | | | | | | | | | |
| - | SIVE E | 2-Wire Voice Grade Loop (SL1) - Zone 1 | 1 | 1 | UEPBX | UEPLX | 9.64 | | | | | | | | | | |
| \vdash | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 2 | UEPBX | UEPLX | 14.37 | | | | | | | | t | 1 | 1 |
| 1 | | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | 1 | | UEPBX | UEPLX | 30.59 | | | 1 | | | - | | | 1 | 1 |
| | 1 | 2-vviie voice Grade Loop (GLT) - Zorie 3 | | J | OLI DX | OLFLA | 30.59 | | | l | | <u> </u> | | | | | L |

Version 4Q02: 12/18/02 Page 158 of 416

| ONROND | DLED NETWORK ELEMENTS - Kentucky | | | • | | | | | | | | T - | | ment: 2 | | bit: B |
|---------|---|--|--|----------------|----------------|----------------|--------|------------|--|------------|---|---|--|--|---|---|
| CATEGOR | RY RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | + | | Nonrec | urring | Nonrecurring | Disconnect | | | 220 | Rates (\$) | | <u> </u> |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-W | Wire Voice Grade Line Port (Bus) | | | | + | | 11130 | Auu | 11100 | Auu | COME | COMPAR | COMPAN | COMPAR | COMPAR | COMPAR |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire voice Grade unbundled Kentucky extended local dialing | | | | | | | | | | | | | | | |
| | parity port with Caller ID - bus | | | UEPBX | UEPBM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled Kentucky Business Dialing Plan | | | | | | | | | | | | | | | |
| | without Caller ID | | | UEPBX | UEPWF | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | | 1 | | | | | | | | | | | |
| | Capability | <u> </u> | <u> </u> | UEPBX | UEPBE | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| LO | OCAL NUMBER PORTABILITY | <u> </u> | <u> </u> | LIEDDY | LNDCV | 0.05 | | | | | | | | | ļ | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | 1 | |
| FE/ | EATURES I All Footures Offered | | - | LIEDBY | LIEDVE | 0.00 | 0.00 | 0.00 | | | | 7.00 | | - | 1 | |
| NO | All Features Offered ONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | 1 | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | + - | | | 7.86 | | - | | |
| NU | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | + + | | | | 1 | | | | | 1 | 1 | \vdash |
| | Switch-as-is | | 1 | UEPBX | USAC2 | | 0.10 | 0.10 | | | 1 | 7.86 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | OLI DA | 00/102 | | 0.10 | 0.10 | | | | 7.00 | | | | + |
| | Switch with change | | | UEPBX | USACC | | 0.10 | 0.10 | | | | 7.86 | | | | |
| AD | DDITIONAL NRCs | | | 02. BX | 00/100 | | 0.10 | 0.10 | | | | 7.00 | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 7.86 | | | | |
| 2-W | WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| UNI | NE Port/Loop Combination Rates | | | | | | | | | | | | | | | 1 |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 10.79 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 15.52 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 31.74 | | | | | | | | | | |
| UN | NE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 9.64 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 14.37 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 30.59 | | | | | | | | | | |
| 2-W | Wire Voice Grade Line Port Rates (RES - PBX) | | | | \perp | | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | | |
| 1.0 | Res | | | UEPRG | UEPRD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| LO | OCAL NUMBER PORTABILITY Local Number Portability (1 per port) | | <u> </u> | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | EATURES | | <u> </u> | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 7.86 | | | | |
| re/ | All Features Offered | | 1 | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | + - | | | 7.86 | | - | | |
| NO | ONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | 1 | | OLI INO | OLI VI | 0.00 | 0.00 | 0.00 | | | | 7.00 | | | | |
| INO | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | + + | | | | | | | | | | 1 | † |
| | Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 8.45 | 1.91 | | | | 7.86 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | 02.110 | 007.02 | | 0.10 | | | | | 7.00 | | | | |
| | Conversion - Switch with Change | | | UEPRG | USACC | | 8.45 | 1.91 | | | | 7.86 | | | | |
| ADI | DDITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | Group | | | | | | 7.86 | 7.86 | | | | 7.86 | | | | |
| | WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | _ | | • | | • | | | _ | | | |
| UNI | NE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 10.79 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 15.52 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | ļ | 3 | ļ | \bot | 31.74 | | | ļ | | | | | | | ļ |
| UNI | NE Loop Rates | ļ | <u> </u> | LIEBBY | | | | | | | | | | | | <u> </u> |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | <u> </u> | 1 | UEPPX | UEPLX | 9.64 | | | | | | | | | | |
| 1 | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX UEPPX | UEPLX UEPLX | 14.37 30.59 | | | | | | | | | ļ | |
| | | | | | | | | | | | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|----------|--------|--------|-------|--------|------------|--------------|-------|-------|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPPX | UEPXE | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | ļ | 1 |
| | 2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area | 1 | 1 | | | | | | | | | | | l | I | |
| | Calling Port without LUD | | | UEPPX | UEPXF | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port | | | UEPPX | UEPXG | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX Kentucky Premium Calling Port | | | UEPPX | UEPXH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port | | | | | | | | | | | | | | | |
| | without LUD | | | UEPPX | UEPXJ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPPX | UEPXL | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Room Calling Port | | | UEPPX | UEPXM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | Discount Room Calling Port | | | UEPPX | UEPXO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| LOCA | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEAT | URES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| NONE | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 8.45 | 1.91 | | | | 7.86 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch with Change | | | UEPPX | USACC | | 8.45 | 1.91 | | | | 7.86 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | Group | | | | | | 7.86 | 7.86 | | | | 7.86 | | | | |
| | RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 10.79 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 15.52 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 31.74 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 9.64 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 14.37 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 30.59 | | | ļļ | | | | | ļ | . | ļ |
| 2-Wir | e Voice Grade Line Ports (COIN) | | <u> </u> | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without | 1 | 1 | | | | | | | | | | | l | I | |
| | Blocking (AL, KY, LA, MS) | | ļ | UEPCO | UEPRF | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | - | |
| | 2-Wire Coin 2-Way with Operator Screening (AL, KY) | | <u> </u> | UEPCO | UEPRE | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | - | 1 | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | 1 | 1 | LIEBOO | LIEDDA | | 04.00 | 45.00 | 0.00 | 0.00 | | 7.00 | | l | I | |
| | 900/976, 1+DDD (AL, KY, LA, MS) | | <u> </u> | UEPCO | UEPRA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | LIEBOO | UEDICA | | | | | | | | | | 1 | |
| | (KY) | | <u> </u> | UEPCO | UEPKA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening & Blocking: | 1 | 1 | LIEBOO | LIEBOS | | | | | | | | | l | I | |
| | 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | ļ | UEPCO | UEPCD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | ļ |
| | 2-Wire Coin Outward without Blocking and without Operator | | 1 | | | | | | | | | | | | 1 | |
| | Screening (KY, LA, MS) | <u> </u> | 1 | UEPCO | UEPRN | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | <u> </u> |

Version 4Q02: 12/18/02 Page 160 of 416

| ONRONDI | ED NETWORK ELEMENTS - Kentucky | | | 1 | | | | | | | | 1 - | | ment: 2 | | bit: B |
|----------|--|-------------|----------|--------|---------|----------------|--------|------------|--------------|------------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | • | oss | Rates (\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (GA, KY, MS) | | | UEPCO | UEPRJ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Coin Outward Operator Screening & Blocking: 900/976, | | | | | | | | | | | | | | | |
| | 1+DDD, 011+, and Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | | | | | | | | | | | | | |
| | LA) | | | UEPCO | UEPCR | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| ADE | DITIONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | |
| | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 2.57 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | - |
| LOC | CAL NUMBER PORTABILITY Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | - |
| NON | IRECURRING CHARGES - CURRENTLY COMBINED | | | UEPCU | LINPUX | 0.35 | | | | | | | | | | + |
| NON | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | + |
| | Switch-as-is | | | UEPCO | USAC2 | | 0.10 | 0.10 | | | | 7.86 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | OLFCO | USACZ | | 0.10 | 0.10 | | | | 7.00 | | | | + |
| | Switch with change | | | UEPCO | USACC | | 0.10 | 0.10 | | | | 7.86 | | | | |
| ADE | OITIONAL NRCs | | | OLI CO | 00/100 | | 0.10 | 0.10 | | | | 7.00 | | | | + |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | + |
| | Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 7.86 | | | | |
| 2-W | IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | PORT (| | 00/102 | | 0.00 | 0.00 | | | | 7.00 | | | | 1 |
| | Port/Loop Combination Rates | | 1 | , | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 13.90 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 18.68 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 34.45 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFR | UECF2 | 12.67 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 17.45 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 33.22 | | | | | | | | | | |
| 2-W | ire Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 1.23 | 128.96 | 64.11 | 61.92 | 9.97 | | 7.86 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 1.23 | 128.96 | 64.11 | 61.92 | 9.97 | | 7.86 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1.23 | 128.96 | 64.11 | 61.92 | 9.97 | | 7.86 | | | | |
| | 2-Wire voice Grade unbundled Kentucky extended local dialing | | | LIEDED | LIEDDM | 4.00 | 400.00 | 04.44 | 04.00 | 0.07 | | 7.00 | | | | |
| | parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID | - | ! | UEPFR | UEPRM | 1.23 | 128.96 | 64.11 | 61.92 | 9.97 | | 7.86 | | - | 1 | + |
| | (LUM) | | | UEPFR | UEPAP | 1.23 | 128.96 | 64.11 | 61.92 | 9.97 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled Kentucky Residence Dialing Plan | | 1 | OLITIN | ULFAF | 1.23 | 120.90 | 04.11 | 01.92 | 5.91 | 1 | 7.00 | | - | 1 | + |
| | without Caller ID | | | UEPFR | UEPWE | 1.23 | 128.96 | 64.11 | 61.92 | 9.97 | | 7.86 | | | | |
| INT | EROFFICE TRANSPORT | 1 | | 0=1111 | OLI VVL | 1.23 | 120.30 | 04.11 | 01.32 | 3.31 | <u> </u> | 7.00 | | | 1 | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | <u> </u> | | | | | | | | | | | | | 1 |
| | Termination | | | UEPFR | U1TV2 | 23.95 | 98.09 | 53.67 | 56.31 | 22.42 | | 7.86 | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | 1 | | 1 | | 22.20 | | | | | | | İ | | † |
| | or Fraction Mile | | | UEPFR | 1L5XX | 0.0095 | | | | | | | | | | |
| FEA | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| NON | IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | 1 |
| | Combination - Conversion - Switch-as-is | | <u> </u> | UEPFR | USAC2 | | 9.03 | 1.87 | | | | 7.86 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-With-Change | <u> </u> | | UEPFR | USACC | | 9.03 | 1.87 | | | | 7.86 | | | ļ | 1 |
| | IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | PORT (| ROS) | + | | | | | | | | | | 1 | ₩ |
| UNE | Port/Loop Combination Rates | | | | + | 40.00 | | | | | | | | - | 1 | + |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | + | 13.90 18.68 | | | | | | | | | | + |
| | | | | 1 | 1 | | | | | | 1 | | | | • | 1 |

Version 4Q02: 12/18/02 Page 161 of 416

| <u> </u> | LED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|----------|--|-------------|----------|----------------|----------------|----------------|------------------|----------------|----------------|--------------|---------|---|-------------------------|-------------------------|-------------------------|---------------------|
| CATEGORY | | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - | Incremental Charge - | Increment Charge |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNE | Loop Rates | | | HEDED | LIFOFO | 10.07 | | | | | | | | | | - |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 1 | UEPFB UEPFB | UECF2 UECF2 | 12.67 17.45 | | | | | | | | | | + |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | - | 3 | UEPFB | UECF2 | 33.22 | | | | | | | | | | + |
| 2-Wi | ire Voice Grade Line Port (Bus) | | 3 | OLFIB | OLGI Z | 33.22 | | | | | | | | | | + |
| 2-111 | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 1.23 | 128.96 | 64.11 | 61.92 | 9.97 | | 7.86 | | | | + |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 1.23 | 128.96 | 64.11 | 61.92 | 9.97 | | 7.86 | | | | 1 |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 1.23 | 128.96 | 64.11 | 61.92 | 9.97 | | 7.86 | | | | 1 |
| | 2-Wire voice Grade unbundled Kentucky extended local dialing | | | | | | | - | | | | | | | | + |
| | parity port with Caller ID - bus | | | UEPFB | UEPBM | 1.23 | 128.96 | 64.11 | 61.92 | 9.97 | | 7.86 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 1.23 | 128.96 | 64.11 | 61.92 | 9.97 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled Kentucky Business Dialing Plan | | | | | | | | | | | | | | | |
| | without Caller ID | | | UEPFB | UEPWF | 1.23 | 128.96 | 64.11 | 61.92 | 9.97 | | 7.86 | | | | |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | | | | | | | | _ |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFB | U1TV2 | 23.95 | 98.09 | 53.67 | 56.31 | 22.42 | | 7.86 | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | UEFFB | UTIVZ | 23.95 | 96.09 | 55.67 | 30.31 | 22.42 | | 7.00 | | | | |
| | or Fraction Mile | | | UEPFB | 1L5XX | 0.0095 | | | | | | | | | | |
| FEA | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| NON | IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | ļ | | UEPFB | USAC2 | | 9.03 | 1.87 | | | | 7.86 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | LIEDED | 110400 | | 0.00 | 4.07 | | | | 7.00 | | | | |
| 2 14/1 | Combination - Conversion - Switch with change IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | UEPFB | USACC | | 9.03 | 1.87 | | | 1 | 7.86 | | | | |
| | Port/Loop Combination Rates | - | | | | | | | | | | | | | | + |
| ONE | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 13.90 | | | | | | | | | | + |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 18.68 | | | | | | | | | | + |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 34.45 | | | | | | | | | | + |
| UNE | Loop Rates | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 12.67 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 17.45 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 33.22 | | | | | | | | | | |
| 2-Wi | ire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | | | | 1 | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 1.23 | 164.27 | 78.65 | 75.05 | 8.73 | | 7.86 | | | ļ | ļ |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | ļ | | UEPFP | UEPPO | 1.23 | 164.27 | 78.65 | 75.05 | 8.73 | | 7.86 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | 1 | <u> </u> | UEPFP | UEPP1 | 1.23 | 164.27 | 78.65 | 75.05 | 8.73 | 1 | 7.86 | - | 1 | 1 | |
| + | 2-Wire Voice Unbundled PBX LD Terminal Ports | 1 | <u> </u> | UEPFP UEPFP | UEPLD | 1.23 | 164.27 | 78.65 | 75.05 | 8.73 | } | 7.86 | 1 | 1 | ļ | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | 1 | 1 | UEPFP | UEPXA UEPXB | 1.23 1.23 | 164.27 164.27 | 78.65 78.65 | 75.05 75.05 | 8.73 8.73 | | 7.86 7.86 | | 1 | | + |
| -+ | 2-Wire Voice Unbundled PBX LD DDD Terminal Hotel Ports | 1 | <u> </u> | UEPFP | UEPXB | 1.23 | 164.27 | 78.65 | 75.05 | 8.73 | } | 7.86 | 1 | | 1 | + |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 1.23 | 164.27 | 78.65 | 75.05 | 8.73 | 1 | 7.86 | | | | + |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | 1 | | OLI III | JLI AD | 1.23 | 104.21 | 70.00 | 75.05 | 0.73 | | 1.00 | | 1 | 1 | + |
| | Capable Port | | | UEPFP | UEPXE | 1.23 | 164.27 | 78.65 | 75.05 | 8.73 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area | | | | | _ | - | | | | | | | | | 1 |
| I | Calling Port without LUD | | | UEPFP | UEPXF | 1.23 | 164.27 | 78.65 | 75.05 | 8.73 | <u></u> | 7.86 | <u> </u> | | <u> </u> | |
| | 2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port | | | UEPFP | UEPXG | 1.23 | 164.27 | 78.65 | 75.05 | 8.73 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled PBX Kentucky Premium Calling Port | | | UEPFP | UEPXH | 1.23 | 164.27 | 78.65 | 75.05 | 8.73 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port | | | | | | | | | <u> </u> | | | | | | |
| | without LUD | 1 | <u> </u> | UEPFP | UEPXJ | 1.23 | 164.27 | 78.65 | 75.05 | 8.73 | 1 | 7.86 | | | ļ | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPFP | UEPXL | 1.23 | 164.27 | 78.65 | 75.05 | 8.73 | | 7.86 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | 1 | <u> </u> | OLI I I | OLI AL | 1.23 | 104.27 | 70.05 | 75.05 | 0.73 | 1 | 1.00 | | 1 | 1 | + |
| | Room Calling Port | | | UEPFP | UEPXM | 1.23 | 164.27 | 78.65 | 75.05 | 8.73 | | 7.86 | | | | |

Version 4Q02: 12/18/02 Page 162 of 416

| UNDUN | NDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|--------|----------|---|-------------|------|-------------|---------|----------------|--------|------------|----------------|-------|-------|-----------|---|---|---|--|
| CATEGO | DRY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | T |
| | | OME VENTER IN LAW OF THE PROPERTY OF | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPFP | UEPXO | 1.23 | 164.27 | 78.65 | 75.05 | 8.73 | | 7.86 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 1.23 | 164.27 | 78.65 | 75.05 75.05 | 8.73 | | 7.86 | | | | + |
| | OCAL | NUMBER PORTABILITY | | | OLFIF | OLFAS | 1.23 | 104.27 | 70.03 | 75.05 | 0.73 | | 7.00 | | | | + |
| | LOUAL | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | + |
| - II | NTFR | DEFICE TRANSPORT | | | OLITI | LIVI OI | 0.10 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFP | U1TV2 | 23.95 | 98.09 | 53.67 | 56.31 | 22.42 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | | or Fraction Mile | | | UEPFP | 1L5XX | 0.0095 | | | | | | | | | | |
| F | FEATU | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPFP | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| N | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | | Combination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 9.03 | 1.87 | | | | 7.86 | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | | Combination - Conversion - Switch with change | | | UEPFP | USACC | | 9.03 | 1.87 | | | | 7.86 | | | | |
| | | PORT/LOOP COMBINATIONS - COST BASED RATES | DODT | | | _ | | | | | | | | | | | |
| | | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | |
| | UNE PO | ort/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 4 | - | _ | 24.20 | | | | | | | | | | + |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 21.30 26.08 | | | | | | | | | | + |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | - | - | 41.85 | | | | | | | | | | |
| | INE L | pop Rates | | 3 | | _ | 41.00 | | | | | | | | | | + |
| | OIAL L | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 12.67 | | | 1 | | | 7.86 | | | | + |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 2 | UEPPX | UECD1 | 17.45 | | | | | | 7.86 | | | | + |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 33.22 | | | | | | 7.86 | | | | + |
| l | JNE P | ort Rate | | | | | - | | | | | | | | | | 1 |
| | | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 8.63 | 336.11 | 27.75 | 132.37 | 9.31 | | 7.86 | | | | |
| - N | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | 1 |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | |
| | | with BellSouth Allowable Changes | | | UEPPX | USA1C | | 7.85 | 1.87 | | | | 7.86 | | | | |
| Α | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 32.25 | 32.25 | | | | 7.86 | | | | |
| T | Teleph | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | Reserve Non-Consecutive DID numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | 0041 | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | LOCAL | NUMBER PORTABILITY | | | UEPPX | LNPCP | 2.45 | 0.00 | 0.00 | | | | | | | | |
| |) WIDE | Local Number Portability (1 per port) ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIF | NE SIDI | DOD! | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | + |
| | | ort/Loop Combination Rates | NE SIDE | PORI | 1 | _ | | | | | | | | | | | + |
| | JINE I V | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - IUNE Zone 1 | | 1 | UEPPB UEP | DR. | 25.69 | | | | | | | | | | |
| | | UNE Zone 2 WISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | 2 | UEPPB UEPF | | 31.92 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB UEPF | | 50.21 | | | | | | | | | | |
| L | JNE L | pop Rates | | | | | | | | | | | | | | | |
| | - | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB UEPP | R USL2X | 16.10 | | | | | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB UEPF | | 22.33 | | | | | | 7.86 | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB UEPP | R USL2X | 40.63 | | | | | | 7.86 | | | | |
| ι | JNE P | ort Rate | | | L | | | | | | | | | | ļ | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | l | 1 | UEPPB UEPPF | UEPPB | 9.59 | 320.53 | 289.13 | 92.19 | 17.56 | | 7.86 | 1 | I | 1 | 1 |

Version 4Q02: 12/18/02 Page 163 of 416

| UNBUND | LED NETWORK ELEMENTS - Kentucky | _ | | | | , | 1 | | | | | 1_ | | | ment: 2 | | bit: B |
|-------------|--|-------------|----------|--|-------|--------|--------|--------|------------|--------------|-------|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | E | acs | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | | | | | | | | | | | | | | |
| | Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 22.77 | 17.00 | | | | 7.86 | | | | |
| | DITIONAL NRCs | | 1 | | | | | | | | | | | | | | |
| LOC | CAL NUMBER PORTABILITY | | | LIEDDD | HEDDD | LNDOV | 0.05 | 0.00 | 0.00 | | | | | | | | |
| B CI | Local Number Portability (1 per port) HANNEL USER PROFILE ACCESS: | | - | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-CI | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | CSD | | 1 | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| B-CI | HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS | SC.MS. 8 | k TN) | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | 1 | , | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| USE | R TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VER | RTICAL FEATURES | | | | | | | | | | | | | | | | |
| | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| INTE | EROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and | | | | | | | 47.04 | | | | | | | | | |
| | facilities termination | | 1 | | UEPPR | M1GNC | 29.12 | 47.34 | 31.78 | 22.77 | 8.75 | | 7.86 | | | | |
| 4 10/ | Interoffice Channel mileage each, additional mile IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUI | IV DODT | | UEPPB | UEPPR | M1GNM | 0.01 | 0.00 | 0.00 | | | | 7.86 | | | | - |
| | E Port/Loop Combination Rates | IK PORT | | - | | | | | | | | | | | | | |
| ONL | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | - | 1 | 1 | | | | | | | | 1 | | | | | 1 |
| | Zone 1 | | 1 | UEPPP | | | 170.06 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | <u> </u> | OLITI | | | 170.00 | | | | | | | | | | |
| | Zone 2 | | 2 | UEPPP | | | 197.70 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPPP | | | 381.35 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 86.47 | | | | | | 7.86 | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 114.10 | | | | | | 7.86 | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 297.76 | | | | | | 7.86 | | | | |
| UNE | Port Rate | | 1 | | | l | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 83.59 | 736.16 | 382.74 | 159.48 | 48.82 | | 7.86 | | | | |
| NON | NRECURRING CHARGES - CURRENTLY COMBINED | | 1 | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is | | | UEPPP | | USACP | 0.00 | 81.70 | 61.37 | | | | 7.86 | | | | |
| ADD | DITIONAL NRCs | - | 1 | UEPPP | | USACE | 0.00 | 01.70 | 01.37 | | | | 7.80 | | - | | |
| ADL | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | - | 1 | | | 1 | | | | 1 | | 1 | | | | 1 | |
| | Inward/two way Tel Nos. (except NC) | | | UEPPP | | PR7TF | | 0.54 | | | | | 7.86 | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | J | | | | 0.04 | | | | | 7.00 | | | | |
| | Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 12.71 | 12.71 | | | | 7.86 | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | İ | | |
| l | Subsequent Inward Tel Numbers | | <u>L</u> | UEPPP | | PR7ZT | | 25.41 | 25.41 | | | <u></u> | 7.86 | | <u> </u> | | <u> </u> |
| LOC | CAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| INTE | ERFACE (Provsioning Only) | | | | | | | | | | | | | | | | |
| | Voice/Data | _ | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | | | ļ | | |
| | Digital Data | | <u> </u> | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | ļ | | <u> </u> | | | | | |
| LI. | Inward Data | | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | 1 | | | | | | 1 | |
| New | v or Additional "B" Channel New or Additional - Voice/Data B Channel | + | - | UEPPP | | PR7BV | 0.00 | 15.48 | | | | | 7.86 | | - | 1 | |
| | New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel | + | 1 | UEPPP | | PR7BF | 0.00 | 15.48 | | - | | - | 7.86 | | - | - | |
| | New or Additional Inward Data B Channel | - | 1 | UEPPP | | PR7BD | 0.00 | 15.48 | | | | | 7.86 | | - | | - |
| CVI | LL TYPES | + | 1 | UEPPP | | FIX/DD | 0.00 | 15.48 | | 1 | | | 7.80 | | - | 1 | |
| CAL | Inward | + | | UEPPP | | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | + | |
| | Outward | + | | UEPPP | | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | + | |
| | Two-way | - | + | UEPPP | | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | <u> </u> | 1 |

Version 4Q02: 12/18/02 Page 164 of 416

| ONBONDL | ED NETWORK ELEMENTS - Kentucky | | | 1 | <u>, </u> | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|----------|--------|---|------------------|---------|------------|--|-------|---------|---|--|--|--------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Interd | office Channel Mileage | | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 96.27 | 105.52 | 98.46 | 23.09 | 20.49 | | 7.86 | | | | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.23 | | | | | | | | | | |
| | RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | . | LIEBBO | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 147.99 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 2 | UEPDC | | 175.62 359.28 | | | | | | | | | | |
| LINE | | | 3 | UEPDC | | 359.28 | | | | | | | | | | |
| UNE | Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 | | 4 | UEPDC | USLDC | 86.47 | | | | | | 7.86 | | | | |
| | | | 2 | UEPDC | USLDC | 114.10 | | | | | | 7.86 | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 297.76 | | | 1 | | 1 | 7.86 | | 1 | | |
| LINE | Port Rate | | J | 021 00 | JOLDO | 231.10 | | | | | | 1.00 | | 1 | t | |
| ONE | 4-Wire DDITS Digital Trunk Port | - | | UEPDC | UDD1T | 61.52 | 780.61 | 375.52 | 176.19 | 16.98 | | 7.86 | | | t | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | | | | 01.02 | . 00.01 | 310.02 | 170.19 | 10.00 | | 7.00 | | | I | † |
| , itolii | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | 1 |
| | - Switch-as-is | | | UEPDC | USAC4 | | 92.84 | 46.70 | | | | 7.86 | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | 02. 50 | 00/101 | | 02.01 | 10.70 | | | | 7.00 | | | | 1 |
| | - Conversion with DS1 Changes | | | UEPDC | USAWA | | 92.84 | 46.70 | | | | 7.86 | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 92.84 | 46.70 | | | | 7.86 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 15.09 | 15.09 | | | | 7.86 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | 1 |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 15.09 | 15.09 | | | | 7.86 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 15.09 | 15.09 | | | | 7.86 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 15.09 | 15.09 | | | | 7.86 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 15.09 | 15.09 | | | | 7.86 | | | | |
| BIPO | LAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 730.00 | | | | 7.86 | | | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 730.00 | | | | 7.86 | | | | ļ |
| Alterr | nate Mark Inversion | | | LIEBBO | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | ļ |
| 7.1 | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| i eiep | hone Number/Trunk Group Establisment Charges | | | UEPDC | LIDTOV | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | - | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | Telephone Number for 1-Way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID | | - | UEPDC | UDTGZ | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | DID Numbers for each Group of 20 DID Numbers | | - | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | + |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | 1 | | | 7.86 | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| Dedic | cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Dinital | Loon | | | 0.00 | 0.00 | 0.00 | | | | 7.00 | | | | |
| Doule | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | g.tai | | | 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | | | | | | | | | I | † |
| | Termination) | | | UEPDC | 1LNO1 | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | 7.86 | | 1 | I | |
| İ | - ' | | | | | | | 22.70 | | | | | | İ | 1 | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.23 | 0.00 | 0.00 | | | | | | 1 | I | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | 1 | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | l | I | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | |
| | miles | <u></u> | | UEPDC | 1LNOB | 0.45 | 0.00 | 0.00 | <u> </u> | | <u></u> | | | <u> </u> | <u> </u> | <u></u> |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | L | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | <u> </u> | | | | <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| | | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | l | 1 | UEPDC | 1LNOC | 0.45 | 0.00 | 0.00 | | | 1 | | | 1 | 1 | 1 |

| UNBUNDL | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|--|-------------|----------|--------------------|----------------|----------------------|---------------|---------------|--------------|-------|--------|--------------|---------|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Svo Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001441 | | Rates (\$) | 001441 | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | First 0.00 | Add'I 0.00 | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Central Office Termininating Point | | 1 | UEPDC | CTG | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| 4-WII | RE DS1 LOOP WITH CHANNELIZATION WITH PORT | | 1 | 02. 50 | 0.0 | 0.00 | | | | | | | | | | |
| Syste | em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | ivations | 5 | | | | | | | | | | | | | |
| | System can have up to 24 combinations of rates depending or | type a | nd nun | ber of ports used | | | | | | | | | | | | |
| UNE | DS1 Loop | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 86.47 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 | | 2 | UEPMG UEPMG | USLDC | 114.10 297.76 | 0.00 | 0.00 | | | | | | | | |
| LINE | DSO Channelization Capacities (D4 Channel Bank Configuration | ns) | 3 | ULFINIG | USLDC | 291.10 | 0.00 | 0.00 | | | | | | | | |
| OITE | 24 DSO Channel Capacity - 1 per DS1 | , | <u> </u> | UEPMG | VUM24 | 111.16 | 0.00 | 0.00 | | | | 7.86 | | | | — |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | 1 | | UEPMG | VUM48 | 222.32 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 444.64 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 666.96 | 0.00 | 0.00 | | • | | 7.86 | | | | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 889.28 | 0.00 | 0.00 | | | | 7.86 | | | | ļ |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,111.60 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s | 1 | | UEPMG UEPMG | VUM28 VUM38 | 1,333.92 1,778.56 | 0.00 | 0.00 | | | | 7.86 7.86 | | | | - |
| | 480 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM40 | 2,223,20 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,667.84 | 0.00 | 0.00 | | | | 7.86 | | | | |
| - | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3.112.48 | 0.00 | 0.00 | | | | 7.86 | | | | |
| Non- | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit | h Chani | neliztio | | | | | 0.00 | | | | 7.00 | | | | |
| | nimum System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| Multi | iples of this configuration functioning as one are considered A | dd'l afte | r the m | ninimum system cor | nfiguration is | counted. | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 94.30 | 4.24 | | | | 7.86 | | | | |
| | em Additions at End User Locations Where 4-Wire DS1 Loop wi | | | | ination Curre | ently Exists and | | | | | | | | | | |
| New | (Not Currently Combined) in all states, except in Density Zone | of Top | 8 MS/ | \'s | | | | | | | | | | | | |
| | DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation | | | UEPMG | VUMD4 | 0.00 | 718.89 | 469.86 | 149.83 | 17.77 | | 7.86 | | | | |
| Bipo | lar 8 Zero Substitution | | | | | | | | | | | | | | | - |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 730.00 | | | | 7.86 | | | | |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 730.00 | | | | 7.86 | | | | |
| Alter | nate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Eveh | Extended Superframe Format lange Ports Associated with 4-Wire DS1 Loop with Channelizati | on with | Port | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | lange Ports | I with | FUIL | | | 1 | | | | | | | | | | |
| LACII | ining | 1 | | 1 | | | | | | | | | | | | 1 |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | | 7.86 | | | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | | 7.86 | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | | 7.86 | | | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 8.65 | 0.00 | 0.00 | 0.00 | 0.00 | | 7.86 | | | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Outdial – | | | | | | | | | | | | | | | |
| | (AL, KY, LA, MS, & TN)(Conversion from Network Access | 1 | 1 | LIEDDY | HEDCY | | | | | | | | | | | |
| | Service) | <u> </u> | <u> </u> | UEPPX | UEPCY | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | | 7.86 | | | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Combination | 1 | 1 | 1 | | | | | | | | | | | | |
| | (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) | | | UEPPX | UEPCT | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | | 7.86 | | | | <u> </u> |
| | Unbundled Exchange Ports, 2-Wire Channelized – Outdial – Kentucky Only – Calling Plan | | | UEPPX | UEPCV | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | | 7.86 | | | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Two Way - Kentucky Only – Calling Plan | | | UEPPX | UEPCW | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | | 7.86 | | | | |
| Featu | ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | 1 |

Version 4Q02: 12/18/02 Page 166 of 416

| UNBUND | LED | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|--------|--|-------------|----------|---------------------|---------------|-------------------|-----------------|----------------|----------------|-----------------|------------|---|--|--|-------------------------|----------|
| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | |
| | | | | | | | Rec | Nonrec | curring | Nonrecurring | g Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | F | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| | | 04 Bank | | | UEPPX | 1PQWU | 0.62 | 78.15 | 19.68 | 59.05 | 11.54 | | 7.86 | | | | |
| Tele | ephor | ne Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| Loc | | ımber Portability | | | | | | | | | | | | | | | |
| | | ocal Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | | ES - Vertical and Optional | | <u> </u> | | <u> </u> | | | | | | | | | ļ | | <u> </u> |
| Loc | | vitching Features Offered with Line Side Ports Only | | ļ | LIEBBY | | | | | | | | | | | | <u> </u> |
| | | All Features Available | <u> </u> | <u> </u> | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | ļ | | <u> </u> |
| | | NTREX PORT/LOOP COMBINATIONS - COST BASED RATE | | Ļ | <u> </u> | 1 | <u> </u> | | | | | | | | ļ | | <u> </u> |
| 1. C | Cost B | Based Rates are applied where BellSouth is required by FCC | and/or | State 0 | Commission rule to | provide Unb | undled Local S | witching or Sv | itch Ports. | l | L | <u> </u> | | | | | |
| | | res shall apply to the Unbundled Port/Loop Combination - C | | | | | | | | | | | L | L | | | ļ |
| | | ffice and Tandem Switching Usage and Common Transport | | | | | | | | | | | | | | L | |
| | | rst and additional Port nonrecurring charges apply to Not C | urrently | Comb | ined Combos. For | Currently Co | mbined Combo | os, the nonrecu | urring charges | shall be those | identified in t | he Nonrecu | rring - Curre | ently Combine | ed sections. | Additional NF | ≀Cs may |
| | | so and are categorized accordingly. | | | | | | | | | | | | | | | |
| | | et Rates for Unbundled Centrex Port/Loop Combination will | | otiated | on an Individual Ca | ase Basis, un | til further notic | e. | | | | | | | | | |
| | | ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only |) | | | | | | | | | | | | | | |
| | | G Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | | t/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | · | | | | | | | | | | | | | | |
| | | Non-Design | | 1 | UEP91 | | 10.79 | | | | | | | | | | |
| | Ν | P-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP91 | | 15.52 | | | | | | | | | | |
| | | P-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP91 | | 31.74 | | | | | | | | | | |
| UNI | E Por | t/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | | | | | | | | | | | | | | | |
| | | Design | | 1 | UEP91 | | 13.82 | | | | | | | | | | |
| | 2 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | D | Design | | 2 | UEP91 | | 18.60 | | | | | | | | | | |
| | 2 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | D | Design | | 3 | UEP91 | | 34.37 | | | | | | | | | | |
| UNE | E Loo | pp Rate | | | | | | | | | | | | | | | |
| | 2 | P-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 9.64 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 14.37 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | 30.59 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 12.67 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 17.45 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 33.22 | | | | | | 7.86 | | | | |
| | E Por | | | | | | | | | | | | | | | | |
| All | | s (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | Α | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | UEP91 | UEPYB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | Α | P-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | UEP91 | UEPYH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | Т | P-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Ferm - Basic Local Area | | | UEP91 | UEPYZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | P-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP91 | UEPY9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | В | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP91 | UEPY2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| IAI . | KY I | LA, MS, & TN Only | 1 | 1 | i | 1 | 1 | | | ĺ | l | 1 | l | l | l | l | 1 |

Version 4Q02: 12/18/02 Page 167 of 416

| <u>JNBU</u> NDLE | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|------------------|---|-------------|--|----------------|----------------|--------------|--------|------------|--|------------|----------|---|-------------|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 1.15 | 21.29 | 15.49 | | 2.67 | | 7.86 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP91 | UEPQM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP91 | UEPQZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | - |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | i |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 1.15 | 21,29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| Local | Switching | | i – | - | 1 - 1 | | | | 50 | | | | | İ | | |
| | Centrex Intercom Funtionality, per port | | i | UEP91 | URECS | 0.8873 | | | | | | 7.86 | | | | |
| Local | Number Portability | | i | | 1 | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| Featu | res | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | 7.86 | | | | L |
| | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 405.66 | | | | | 7.86 | | | | L |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | | | | | | 7.86 | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | Ilaneous Terminations | | | | | | | | | | | | | | | ├ |
| 2-Wire | Trunk Side | | | UEP91 | CENA6 | 10.51 | 92.18 | 15.82 | 50.40 | 5.30 | | 7.00 | | | | + |
| Intoro | Trunk Side Terminations, each | | | UEP91 | CENA6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | | | ├── |
| intero | ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 29.11 | | | | | | 7.86 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBC M1GBM | 0.01 | | | | | | 7.86 | | | | - |
| Featu | re Activations (DS0) Centrex Loops on Channelized DS1 Service | Δ. | | OLI 31 | WITODIVI | 0.01 | | | | | 1 | 7.00 | | | | |
| | annel Bank Feature Activations | | | | | | | | | | | | | | | |
| 2.0 | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.62 | | | | | | 7.86 | | | | |
| | | | | <u> </u> | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.62 | | | | | | 7.86 | | | | i |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP91 | 1PQW7 | 0.62 | | | | | | 7.86 | | | | <u> </u> |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | <u> </u> | | | | | | 1 |
| | Different Wire Center | | | UEP91 | 1PQWP | 0.62 | | | | | | 7.86 | | | | 1 |
| | | | | | 1,50,7 | | | | | | | | | | | ı |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | <u> </u> | UEP91 | 1PQWV | 0.62 | | | | | ļ | 7.86 | | | | — |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | 1 | UEP91 | 1PQWQ | 0.00 | | | | | | 7.00 | | | | 1 |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 UEP91 | 1PQWQ 1PQWA | 0.62 0.62 | | | | | 1 | 7.86 7.86 | | | | |
| Non E | Recurring Charges (NRC) Associated with UNE-P Centrex | | | OLFSI | IFQWA | 0.62 | | | | | 1 | 7.80 | | | | |
| NOI1-N | Conversion - Currently Combined Switch-As-Is with allowed | | | | 1 | | | | <u> </u> | | | | | 1 | | |
| | changes, per port | | 1 | UEP91 | USAC2 | | 0.102 | 0.102 | | | | 7.86 | | | | 1 |
| | Conversion of Existing Centrex Common Block | | <u> </u> | UEP91 | USACN | | 18.95 | 8.32 | | | | 1.00 | | | | |
| | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | 1 | 7.86 | | | | |
| | New Centrex Standard Common Block | | † | UEP91 | M1ACC | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | Secondary Block, per Block | | 1 | UEP91 | M2CC1 | 0.00 | 78.32 | 78.32 | 13.27 | 13.27 | | 7.86 | | | | |
| | NAR Establishment Charge, Per Occasion | | <u> </u> | UEP91 | URECA | 0.00 | 72.75 | | | | | 7.86 | | | | |
| UNE-F | CENTREX - 5ESS (Valid in All States) | | i | | 1 | | | | | | | | | | | |
| 2-Wire | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE F | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | - | | | | | | 1 |
| | Non-Design | | 1 | UEP95 | | 10.79 | | | | | ļ | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | | | | | | | | | | | | | 1 |
| | Non-Design | | 2 | UEP95 | | 15.52 | | | | | ļ | | | | | |
| 1 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | 1 | | | | | | | | | | | 1 |
| | Non-Design | l | 3 | UEP95 | | 31.74 | | | | | | | | 1 | | 1 |

| ATEGORY | | | | 1 | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | |
|----------------------------------|---|-------------|------|--------|---------|--------|----------|------------|----------------|------------|------------------------------|----------------------------------|---|---|-------------|---|
| | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Submitted Elec per LSR | Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| $\overline{}$ | | | | | | | Nonre | urring | Nonrecurring | Disconnect | | l . | oss | Rates (\$) | 1 | |
| -+ | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNE Pr | ort/Loop Combination Rates (Design) | | | | | | | 7144 | | 7.00. | | | | | 00 | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP95 | | 13.82 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 2 | UEP95 | | 18.60 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP95 | | 34.37 | | | | | | | | | | |
| UNE La | pop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 9.64 | | | | | | 7.86 | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 14.37 | | | | | | 7.86 | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 30.59 | | | | | | 7.86 | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 12.67 | | | 1 | | | 7.86 | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 17.45 | | | 1 | | | 7.86 | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 33.22 | | | | | | 7.86 | | | | |
| | ort Rate | | | | | | | | | | | | | | | |
| All Stat | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | 1 |
| | Area | | | UEP95 | UEPYH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | 1 |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP95 | UEPY9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP95 | UEPY2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| AL, KY | , LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | ĺ |
| | Center)2 | | | UEP95 | UEPQM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | i . |
| | Term | | | UEP95 | UEPQZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | | | | | - | <u> </u> | | | <u> </u> | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | <u> </u> | <u> </u> | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.8873 | | | | | | 7.86 | | | | |
| | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Feature | | | | | | | | - | | - | | | | | | |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | | | | | | 7.86 | | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 405.66 | | | | | 7.86 | | | | ļ |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | | | | | 7.86 | | | | ļ |
| NARS | | | | L | | | | | | | | | | | | ļ |
| $\longrightarrow \longleftarrow$ | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | ├ | | | 7.86 | | | ļ | ļ |
| \longrightarrow | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | ├ | | | 7.86 | | | <u> </u> | ļ |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | ļ | | | 7.86 | | | ļ | <u> </u> |
| | laneous Terminations | | | | | | | | ├ | | | | | | ļ | ļ |
| | Trunk Side | | | LIEBAE | logue - | | | | | | | | | | <u> </u> | ļ |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | | ļ | <u> </u> |
| | Digital (1.544 Megabits) | | | LIEBAE | 1 | | | | | | | | | | ļ | <u> </u> |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | | 7.86 | | | ļ | <u> </u> |
| | DS0 Channels Activated, each fice Channel Mileage - 2-Wire | | | UEP95 | M1HDO | 0.00 | 15.09 | | ļ | | | 7.86 | | | ļ | |
| | | | i | 1 | | | | | i l | | 1 | 1 | 1 | 1 | 1 | 1 |

| UNBUNDLE | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachr | nent: 2 | Exhi | bit: B |
|----------|--|-------------|----------|--------|---------|-------|--------|------------|--------------|------------|----------|-----------|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | l | oss | Rates (\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.01 | | | | | | 7.86 | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Servic | e | | | | | | | | | | | | | | |
| D4 Ch | annel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP95 | 1PQW6 | 0.62 | | | | | | 7.86 | | | | |
| | Slot | | | UEP95 | 1PQW7 | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | 1 | OLF 93 | IFQW/ | 0.02 | | | | | | 7.00 | | | | + |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.62 | | | | | | 7.86 | | | | |
| | Different Wife Genter | | | OLI 93 | II QVVI | 0.02 | | | | | | 7.00 | | | | + |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP95 | 1PQWV | 0.62 | | | | | | 7.86 | | | | |
| | Slot | | | UEP95 | 1PQWQ | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.62 | | | | | | 7.86 | | | | |
| Non-F | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | 1 |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP95 | USAC2 | | 0.102 | 0.102 | | | | 7.86 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP95 | USACN | | 18.95 | 8.32 | | | | 7.86 | | | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.75 | | | | | 7.86 | | | | |
| | CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | | 10.79 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 15.52 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | | 31.74 | | | | | | | | | | |
| LINE | Port/Loop Combination Rates (Design) | | 3 | UEF9D | | 31.74 | | | | | | | | | | |
| ONL | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 1 | | | | | | | | | | | | | |
| | Design | | 1 | UEP9D | | 13.82 | | | | | | | | | | ļ |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 18.60 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 34.37 | | | | | | | | | | |
| UNE I | oop Rate | | Ť | 02. 02 | | 0 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 9.64 | | | | | | 7.86 | | | 1 | † |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 14.37 | | | | | | 7.86 | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 30.59 | | | | | | 7.86 | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 12.67 | | | | | | 7.86 | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 17.45 | _ | • | _ | • | | 7.86 | | _ | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 33.22 | Ť | | | | | 7.86 | | | | <u> </u> |
| | Port Rate | ļ | | ļ | ļ | | | | | | | | | | 1 | <u> </u> |
| ALL S | TATES | | | LIEDOD | LIED. | | 0.4.0- | | | | | | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | <u> </u> | <u> </u> | UEP9D | UEPYA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | - | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | l | | | | | | | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | UEP9D | UEPYD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | - | UEP9D | UEPYE | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | <u> </u> | 7.86 | | | - | ļ |
| | Area | | | UEP9D | UEPYF | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |

| <u> </u> | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|---|-------------|----------|----------------|----------------|--------------|----------------|----------------|--------------|--------------|----------|---|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonred | | Nonrecurring | | COMEC | COMAN | | Rates (\$) | COMAN | COMAN |
| - | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Area | | | UEP9D | UEPYG | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | - | | _ | - | | | - | | | | | | |
| | Area | | | UEP9D | UEPYT | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | UEF9D | UEPTU | 1.15 | 21.29 | 15.49 | 2.00 | 2.07 | | 7.00 | | | | |
| | Area | | | UEP9D | UEPYV | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPY3 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | OLI OD | OLI III | 1.10 | 21.20 | 10.40 | 2.00 | 2.07 | | 7.00 | | | | |
| | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | UEP9D | UEPYJ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2 Basic Local Area | | | UEP9D | UEPYM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | LIEDOD | LIEDVD | 4.45 | 24.20 | 45.40 | 2.05 | 0.07 | | 7.00 | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPYP | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | Basic Local Area | | | UEP9D | UEPYQ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYR | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | OLI 3D | OLI 10 | 1.10 | 21.23 | 13.43 | 2.00 | 2.07 | | 7.00 | | | | + |
| | Basic Local Area | | | UEP9D | UEPY4 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPY5 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | 1 | |
| | Basic Local Area | | | UEP9D | UEPY6 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | - | | _ | - | | | - | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY7 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | OLFBD | OLF 12 | 1.13 | 21.29 | 13.49 | 2.03 | 2.07 | | 7.00 | | | | + |
| | Basic Local Area | | | UEP9D | UEPY9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | | | | | | | | | | | | |
| AI K | Local Area Y, LA, MS, SC, & TN Only | | | UEP9D | UEPY2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | + |
| AL, K | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | + |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D UEP9D | UEPQE UEPQF | 1.15 1.15 | 21.29 21.29 | 15.49 15.49 | 2.85 2.85 | 2.67 2.67 | | 7.86 7.86 | | | | + |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | t | 7.86 | | | † | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | <u> </u> | UEP9D UEP9D | UEPQV UEPQ3 | 1.15 1.15 | 21.29 21.29 | 15.49 15.49 | 2.85 2.85 | 2.67 2.67 | ļ | 7.86 7.86 | | | ļ | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D UEP9D | UEPQ3 UEPQH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | 1 | 7.86 | | | | + |
| | 2-Wire Voice Grade Port (Centrex/With Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | 021 00 | OLI WII | 1.13 | 21.29 | 15.49 | 2.00 | 2.01 | † | 7.00 | | | † | |
| | Indication)3 | | | UEP9D | UEPQW | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | <u> </u> | <u> </u> | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | ment: 2 | Exhi | bit: B |
|-------------|--|-------------|----------|----------------|----------------|---------------|--------|------------|--------------|-------|-------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | DANTO VICTOR OF LO DOTA (October 1997) October 1997 | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | UEP9D | UEPQM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | 1 | |
| | 2 1110 10100 01000 1 011 (0011101/01101 0110/2001 021)2; 0 | | | 02. 05 | 02. Q0 | 0 | 21.20 | .0.10 | 2.00 | 2.0. | | 7.00 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-vviie voice Grade i ort (Gentiex/diller GWG/EBG-WB312)2, 3 | | | OLI 3D | OLI QO | 1.13 | 21.23 | 15.45 | 2.00 | 2.07 | | 7.00 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | · | | | | | | | | | | | | | | 1 | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | O William O and a Post (O and and A Pilliam O MO (EPO) To a Color | | | LIEDOD | LIEBOO | | 04.00 | 45.0 | 0.00 | 0.00 | | 7.00 | | | 1 | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | 1 | 7.86 | | | - | - |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLI OD | OLI Q7 | 1.10 | 21.20 | 10.40 | 2.00 | 2.07 | | 7.00 | | | | |
| | Term | | | UEP9D | UEPQZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| <u> </u> | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| Local | Switching | | | LIEDOD | LIDEOO | 0.0070 | | | | | | 7.00 | | | | |
| Local | Centrex Intercom Funtionality, per port Number Portability | | | UEP9D | URECS | 0.8873 | | | | | | 7.86 | | | | |
| Local | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| Featu | | | | 02. 05 | 2.1. 00 | 0.00 | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | 7.86 | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 405.66 | | | | | 7.86 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | | | | | | 7.86 | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial | | | UEP9D UEP9D | UAR1X UAROX | 0.00 | 0.00 | 0.00 | | | | 7.86 7.86 | | | | |
| Misco | Ilaneous Terminations | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 7.00 | | | | |
| | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | | 1 | |
| 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | | 7.86 | | | | |
| | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 15.09 | | | | | 7.86 | | ļ | ļ | ļ |
| Intero | ffice Channel Mileage - 2-Wire | | | LIEDAD | 1,000 | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D UEP9D | MIGBC MIGBM | 29.11 0.01 | | | 1 | | 1 | 7.86 7.86 | | | - | - |
| Featur | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | OFLAD | IVIIGDIVI | 0.01 | | | 1 | | 1 | 1.00 | | | | |
| | annel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.62 | | | | | | 7.86 | | | | |
| | · | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | LIEDOD | 400147 | 0.00 | | | | | | 7.00 | | | | |
| | Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | UEP9D | 1PQW7 | 0.62 | | | + | | - | 7.86 | | | | |
| | Different Wire Center | | | UEP9D | 1PQWP | 0.62 | | | | | | 7.86 | | | | |
| | | | | | ~,,, | 0.02 | | | | | | 7.00 | | 1 | † | † |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | L | | UEP9D | 1PQWV | 0.62 | | | | | | 7.86 | | <u> </u> | <u> </u> | <u> </u> |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | - | | | | | | | | |
| | Slot | | | UEP9D | 1PQWQ | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.62 | | | | | | 7.86 | | | | |
| Non-R | lecurring Charges (NRC) Associated with UNE-P Centrex | | <u> </u> | | | | | | | | I | | | <u> </u> | | |

Version 4Q02: 12/18/02 Page 172 of 416

| ONRONDLE | D NETWORK ELEMENTS - Kentucky | | | 1 | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|----------|--------|--------|--------|--------|------------|--------------|----------|----------|---|---|---|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | - |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP9D | USAC2 | | 0.102 | 0.102 | | | | 7.86 | | | | |
| | Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 18.95 | 8.32 | | | | 7.86 | | | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.75 | | | | | 7.86 | | | | |
| | P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE F | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP9E | | 10.79 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | <u> </u> | | | | | | |
| | Non-Design | L | 2 | UEP9E | | 15.52 | | | <u> </u> | | | | <u> </u> | <u> </u> | <u> </u> | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP9E | | 31.74 | | | | | | | | | | |
| UNE F | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP9E | | 13.82 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | 1 |
| | Design | | 2 | UEP9E | | 18.60 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP9E | | 34.37 | | | | | | | | | | |
| UNFI | oop Rate | | | 02. 02 | | 0 | | | 1 | | | | | | | + |
| ONE E | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 9.64 | | | | | | 7.86 | | | | + |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 14.37 | | | | | | 7.86 | | | | + |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 30.59 | | | | | | 7.86 | | | | + |
| - | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 12.67 | | | | | | 7.86 | | | | + |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 17.45 | | | | | | 7.86 | | | | + |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 33.22 | | | | | | 7.86 | | | | + |
| LINE | Port Rate | | 3 | UEF9E | UECSZ | 33.22 | | | | | | 7.00 | | | | + |
| | | | - | | | | | | | | | | | | | + |
| AL, FI | , KY, LA, MS, & TN only | | - | UEP9E | UEPYA | 4.45 | 24.20 | 45.40 | 2.05 | 2.67 | | 7.86 | | | | + |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | LIEDOE | LIEDVD | 4.45 | 04.00 | 45.40 | 0.05 | 0.07 | | 7.00 | | | | |
| | Area | | | UEP9E | UEPYB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9E | UEPYH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | - | + |
| 1 | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | l | | | | | | | | | | | | Ì | I | 1 |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP9E | UEPYZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP9E | UEPY9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9E | UEPY2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| AL, K | Y, LA, MS, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | <u> </u> | | | | | | |
| | Center)2 | | | UEP9E | UEPQM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | <u> </u> | 7.86 | | | | <u> </u> |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | 1 | | UEP9E | UEPQZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | l | I | 1 |
| | | | | | | | | - | | | | | | | | 1 |
| 1 | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | 1 | | UEP9E | UEPQ9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | l | I | 1 |
| İ | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | İ | İ | 1 |
| Local | Switching | | | İ | | | | | | | | | | İ | İ | 1 |
| | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.8873 | | | † † | | | 7.86 | | İ | 1 | † |
| Local | Number Portability | | | | | | | | 1 | | | 50 | | 1 | 1 | <u> </u> |
| | Local Number Portability (1 per port) | — | — | UEP9E | LNPCC | 0.35 | | | | | | 7.86 | | | 1 | + |

| ONRONDL | ED NETWORK ELEMENTS - Kentucky | | | | | 1 | | | | | | | | ment: 2 | | bit: B |
|---------|---|-------------|--|----------------|----------------|-------|------------------|----------------|--|----------------|-------|---|--|--|--|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Feat | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9E | UEPVF | 0.00 | | | | | | 7.86 | | | | |
| | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 405.66 | | | | | 7.86 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 0.00 | | | | | | 7.86 | | | | |
| NAR | | | 1 | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | 1 | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Indial | 1 | 1 | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Miss | Unbundled Network Access Register - Outdial | 1 | 1 | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ellaneous Terminations re Trunk Side | 1 | 1 | | | | | | | | | | | | | |
| 2-WI | Trunk Side Trunk Side Terminations, each | 1 | 1 | UEP9E | CEND6 | 10.51 | 00.40 | 45.00 | 50.40 | F 20 | | 7.00 | | | | |
| V-7V1: | re Digital (1.544 Megabits) | + | | OEF9E | CEINDO | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | - | | |
| 4-771 | DS1 Circuit Terminations, each | 1 | | UEP9E | M1HD1 | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | | 7.86 | | - | - | |
| | DS0 Channel Activated Per Channel | + | 1 | UEP9E | M1HD0 | 0.00 | 15.09 | 11.14 | 00.09 | 3.00 | 1 | 7.86 | | 1 | | |
| Inter | office Channel Mileage - 2-Wire | + | 1 | OLI OL | WITTE | 0.00 | 15.09 | | | | | 1.00 | | | | |
| inter | Interoffice Channel Facilities Termination | + | | UEP9E | MIGBC | 29.11 | | | | | | 7.86 | | | t | |
| | Interoffice Channel mileage, per mile or fraction of mile | 1 | 1 | UEP9E | MIGBM | 0.01 | | | | | | 7.86 | | | I | <u> </u> |
| Feat | ure Activations (DS0) Centrex Loops on Channelized DS1 Service | ce | | OLI OL | IVIIODIVI | 0.01 | | | | | | 7.00 | | | | |
| | hannel Bank Feature Activations | Ī | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | 1 | | UEP9E | 1PQWS | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9E | 1PQW7 | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9E | 1PQWP | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9E | 1PQWQ | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.62 | | | | | | 7.86 | | | | |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | 1 | | UEP9E | USAC2 | | 0.102 | 0.102 | | | | 7.86 | | | | |
| - | Conversion of Existing Centrex Common Block, each | - | 1 | UEP9E | USACN | 0.00 | 18.95 | 8.32 | 444.05 | 10.07 | | 7.00 | | | | |
| | New Centrex Standard Common Block New Centrex Customized Common Block | - | | UEP9E UEP9E | M1ACS M1ACC | 0.00 | 669.80 669.80 | 78.32 78.32 | 111.05 111.05 | 13.27 13.27 | | 7.86 7.86 | | | | |
| | NAR Establishment Charge, Per Occasion | <u> </u> | - | UEP9E | URECA | 0.00 | 72.75 | 10.32 | 111.05 | 13.27 | | 7.86 | | | | |
| LINE | P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | 1 | | OLI SL | OKLOA | 0.00 | 12.13 | | | | | 7.00 | | | | |
| | re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | - | 1 | | | | | | | | | | | | | |
| | Port/Loop Combination Rates (Non-Design) | 1 | | | | | | | | | | | | | | |
| OILE | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design | - | 1 | UEP93 | | 10.79 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP93 | | 15.52 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP93 | | 31.74 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design | | 1 | UEP93 | | 13.82 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP93 | | 18.60 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP93 | | 34.37 | · | | | | | | | | | |
| UNE | Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | 1 | 1 | UEP93 | UECS1 | 9.64 | | | | | | | | | | |
| _ | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | ļ | | UEP93 | UECS1 | 14.37 | | | ļl | | | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | <u> </u> | | UEP93 | UECS1 | 30.59 | | | | | | | | | ļ | ↓ |
| 1 | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 12.67 | | | | | | | | I | 1 | 1 |

| INBUNDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|--|-------------|------|----------------|----------------|---------------|--------|------------|--------------|-------|--------|---|---|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | N | RATES (\$) | Name | Pian | | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001111 | | Rates (\$) | 001441 | 001441 |
| | O Mine Vaice Conda Lace (CL 2) Zana 2 | | 2 | UEP93 | UECS2 | 17.45 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 33.22 | | | | | | | | | | |
| LINE P | Port Rate | | 3 | UEP93 | UECSZ | 33.22 | | | | | | | | | - | |
| | Y, LA, MS, & TN only | | | | | | | | | | | | | | | |
| , , | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | 1 | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP93 | UEPYB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP93 | UEPYH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP93 | UEPYM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLI 33 | JEI IIVI | 1.13 | 21.25 | 13.49 | 2.00 | 2.07 | | 7.00 | | | - | † |
| | Term - Basic Local Area | | 1 | UEP93 | UEPYZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | 1 | | | | | | | | | | | |
| + | - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | UEP93 | UEPY9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | Basic Local Area | | | UEP93 | UEPY2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | 1 | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 | UEPQH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 | | | UEP93 | UEPQM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP93 | UEPQZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| Local | Switching | | | LIEDAA | LUDEGO | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.8873 | | | | | | 7.86 | | | | |
| Local | Number Portability Local Number Portability (1 per port) | | | UEP93 | LNCCC | 0.35 | | | | | | | | | | |
| Featur | | | | ULF 93 | LINCOC | 0.33 | | | | | | | | | | |
| i catui | All Standard Features Offered, per port | | | UEP93 | UEPVF | 0.00 | | | | | | 7.86 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 0.00 | | | | | | 7.86 | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | llaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP93 | CEND6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | LIEDOO | MALIDA | 74.77 | 404.00 | 77.74 | 00.00 | 0.00 | | 7.00 | | | | |
| | DS1 Circuit Terminations, each | | | UEP93 UEP93 | M1HD1 M1HDO | 74.77 0.00 | 164.86 | 77.74 | 60.69 | 3.86 | | 7.86 7.86 | | | | |
| Interes | DS0 Channels Activated, Per Channel ffice Channel Mileage - 2-Wire | | | UEP93 | MIHDO | 0.00 | 15.09 | | | | | 7.86 | | | | |
| intero | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 29.11 | | | | | | 7.86 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.01 | | | | | | 7.86 | | | t | |
| Featur | re Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | 02. 00 | | 0.01 | | | | | | 7.50 | | | - | † |
| | annel Bank Feature Activations | | | | | | | | | | | | | | 1 | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.62 | | | | | | 7.86 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | UEP93 | 1PQW7 | 0.62 | | | | | | 7.86 | | | - | |
| - | Different Wire Center | | | UEP93 | 1PQWP | 0.62 | | | | | | 7.86 | | | | <u> </u> |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.62 | | | | | | 7.86 | | | | |

Version 4Q02: 12/18/02 Page 175 of 416

| UNBU | JNDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachr | nent: 2 | Exhil | bit: B |
|-------|-------|---|-------------|----------|----------------------|--------------|------------------|--------|------------|--------------|------------|-------|-----------------------|-------------------------|-------------------------|--|---|
| CATEG | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted Manually | Incremental Charge - | Incremental Charge - | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | 1 | | | | | | _ 1 | Nonrec | urring | Nonrecurring | Disconnect | | l | oss | Rates (\$) | 1 | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot | | | UEP93 | 1PQWQ | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.62 | | | | | | 7.86 | | | | |
| | | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP93 | USAC2 | | 0.102 | 0.102 | | | | 7.86 | | | | |
| | | Conversion of Existing Centrex Common Block, each | | | UEP93 | USACN | | 18.95 | 8.32 | | | | 7.86 | | | | |
| | | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | 0.00 | 72.75 | | | | | 7.86 | | | | |
| | | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | | - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | | - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| | Note: | Rates displaying an "R" in Interim column are interim and sub | ject to | rate tru | e-up as set forth in | General Terr | ns and Condition | ns. | | | | | | | | | |

| UNBUNDI ED N | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | ment: 2 | Fyhi | oit: B |
|---------------|--|-----------|--|------------------------|-------------------|--|-----------------|-----------------|--|--------------------|--|---------------|------------------|--|---------------|--------------|
| | | | | | | 1 | | | | | Svc Order | Svc Order | Incremental | | | |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | | | | | | |
| CATEGORI | RATE ELEMENTS | m | 20116 | 603 | 0300 | | | KAILS (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Manne | | Name and accounting | - Di | | | 000 | D-4 (\$) | | |
| | | | | | | Rec | Nonred | | | g Disconnect | 001150 | 001111 | | Rates (\$) | 001111 | 001111 |
| | | | l . | | <u> </u> | L | First | Add'l | First | Add'l | | | SOMAN | | SOMAN | SOMAN |
| | " shown in the sections for stand-alone loops or loops as | | | | eographically | Deaveraged U | NE Zones. To | view Geograp | hically Deaver | aged UNE Zone | e Designation | ons by Cent | ral Office, refe | er to Internet | Website: | |
| | v.interconnection.bellsouth.com/become_a_clec/html/inter | connec | tion.ht | m | | | | | | | | | | | | |
| | JPPORT SYSTEMS | | | | | | | | | | | | | | | |
| NOTE: (1) I | Electronic Service Order: CLEC should contact its contract | t nego | tiator if | it prefers the state | specific elect | ronic service o | rdering charge | es as ordered l | by the State Co | ommissions. T | he electron | ic service o | rdering charg | e currently co | ntained in th | is rate |
| exhibit is t | the BellSouth regional electronic service ordering charge. | CLEC | may ele | ect either the state s | pecific Comn | nission ordered | d rates for the | electronic serv | rice ordering c | harges, or CLE | C may elect | the region | al electronic s | service orderi | ng charge. | |
| | Any element that can be ordered electronically will be billed | | | | | | | | | | | | | | | ly. For |
| | nents that cannot be ordered electronically at present per the | | | | | | | | | | | | | | | |
| | harge, SOMAN, will be applied to a CLECs bill when it sub | | | | c iii tiiio oate; | gory remedia in | e onarge mar i | Tould be billet | | ioc cicoli offic c | racing our | Jubilities 66 | inc on inic io | i tilat cicilicii | Other wise, | tile manaai |
| | ectronic OSS Charge, per LSR, submitted via BST's OSS | illits ai | LOK | l Bellooutii. | 1 | 1 | | | | 1 | 1 | | ı | | ı | 1 |
| | | | | | 001450 | | 0.50 | | | | | | | | | |
| | eractive interfaces (Regional) | | <u> </u> | | SOMEC | 1 | 3.50 | | - | 1 | - | 1 | 1 | 1 | 1 | |
| | TE ADVANCEMENT CHARGE | | <u> </u> | <u> </u> | 1 | L | | | | ļ | | | | | | |
| | e Expedite charge will be maintained commensurate with E | BellSou | ıth's FC | | on 5 as appli | cable. | | | | | | | | | | |
| UN | IE Expedite Charge per Circuit or Line Assignable USOC, per | | | ALL UNE EXCEPT | | | | | _ | | | 1 |] | |] |] |
| Day | | | | UNE-P | SDASP | <u> </u> | 200.00 | | <u> </u> | <u> </u> | | <u> </u> | <u> </u> | | <u> </u> | l |
| UNBUNDLED EXC | HANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | NALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| 2-V | Vire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 12.90 | 36.54 | 16.87 | | | | 15.20 | | | | |
| | Vire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 23.33 | 36.54 | 16.87 | | | | 15.20 | | | | |
| | Vire Analog Voice Grade Loop - Service Level 1-Zone 3 | | 3 | UEANL | UEAL2 | 48.43 | 36.54 | 16.87 | | | | 15.20 | | | | |
| | | | 3 | UEAINL | UEALZ | 40.43 | 30.34 | 10.07 | | | | 15.20 | | | | |
| | bundled Miscellaneous Rate Element, Tag Loop at End User | | | | LIDETI | | 0.00 | 0.00 | | | | 45.00 | | | | |
| | emise | | | UEANL | URETL | | 8.33 | 0.83 | | | | 15.20 | | | | |
| | op Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 33.17 | 33.17 | | | | 15.20 | | | | |
| | op Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.28 | 19.28 | | | | 15.20 | | | | |
| CLI | EC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| (U\ | VL-SL1) | | | UEANL | UREWO | | 15.75 | 8.93 | | | | 15.20 | | | | |
| Ùnl | bundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | | | | | | | | | | | | |
| | oviding make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.04 | 13.04 | | | | | | | | |
| | inual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 7.92 | 7.92 | | | 1 | | | | | |
| | der Coordination for Specified Conversion Time for UVL-SL1 | | | OL/114L | OL7 WIO | | 7.02 | 7.02 | | | | | | | | |
| | er LSR) | | | UEANL | OCOSL | | 17.56 | 17.56 | | | | | | | | |
| | hbundled COPPER LOOP | | | UEAINL | UCUSL | | 17.30 | 17.36 | | | | | | | | |
| | | - | _ | UEQ | UEQ2X | 10.10 | 35.27 | 15.60 | | | | 45.00 | | | | |
| | Vire Unbundled Copper Loop - Non-Designed Zone 1 | _ ! | | | | 12.40 | | | | | | 15.20 | | | | |
| | Vire Unbundled Copper Loop - Non-Designed - Zone 2 | l l | | UEQ | UEQ2X | 14.32 | 35.27 | 15.60 | | | | 15.20 | | | | |
| | Vire Unbundled Copper Loop - Non-Designed - Zone 3 | ı | 3 | UEQ | UEQ2X | 16.87 | 35.27 | 15.60 | | | | 15.20 | | | | |
| Uni | bundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | emise | <u></u> | <u>L_</u> | UEQ | URETL | <u> </u> | 8.33 | 0.83 | L | <u> </u> | <u> </u> | 15.20 | <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| Ord | der Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | | | |
| | signed (per loop) | | | UEQ | USBMC | Ì | 7.92 | 7.92 | 1 | | 1 | l | | I | | 1 |
| | bundled Copper Loop, Non-Design Copper Loop, billing for | | | | | 1 | | | 1 | 1 | 1 | 1 | | 1 | | |
| | T providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | Ì | 13.04 | 13.04 | 1 | | 1 | l | | I | | 1 |
| | op Testing - Basic 1st Half Hour | | 1 | UEQ | URET1 | 1 | 33.17 | 33.17 | t | 1 | 1 | 15.20 | 1 | t | 1 | l |
| | op Testing - Basic 1st Hair Hour | | 1 | UEQ | URETA | 1 | 19.28 | 19.28 | + | 1 | + | | 1 | | 1 | 1 |
| | | | 1 | ULW | UKETA | | 19.28 | 19.28 | | | 1 | 15.20 | | | | |
| | EC to CLEC Conversion Charge Without Outside Dispatch | | | | | Ì | | | 1 | | 1 | | | I | | 1 |
| | CL-ND) | | ļ | UEQ | UREWO | | 14.25 | 7.42 | ļ | ļ | | 15.20 | | | | |
| | HANGE ACCESS LOOP | | | | | | | | | 1 | 1 | 1 |] | |] |] |
| | NALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| 2 W | Vire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | 1 |
| Zor | ne 1 | | 1 | UEPSR UEPSB | UEALS | 12.90 | 36.54 | 16.87 | | | | 15.20 | | | | |
| 2 W | Vire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | ne 1 | | 1 | UEPSR UEPSB | UEABS | 12.90 | 36.54 | 16.87 | 1 | | 1 | 15.20 | | I | | 1 |
| 2 W | Vire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | 1 | | | 1 | | | | İ | | | | | | İ |
| | ne 2 | | 2 | UEPSR UEPSB | UEALS | 23.33 | 36.54 | 16.87 | 1 | | 1 | 15.20 | | I | | 1 |
| | Vire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | 52. GR 621 65 | 327120 | 20.00 | 55.54 | 10.07 | | | | 10.20 | | 1 | | |
| | | | 2 | UEPSR UEPSB | UEABS | 23.33 | 36.54 | 16.87 | 1 | | 1 | 15.00 | | I | | 1 |
| | ne 2 | | | ULFOR UEFOB | OEAB9 | ∠3.33 | 30.54 | 16.87 | | 1 | | 15.20 | | | | - |
| | Vire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | LIEDOD LIEDOS | | 40.00 | 00 = 1 | 40.00 | 1 | | | 45.00 | 1 | 1 |] |] |
| _ 5 | ne 3 | | 3 | UEPSR UEPSB | UEALS | 48.43 | 36.54 | 16.87 | | ļ | | 15.20 | | | | ļ |
| | Vire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | l | 1 | Ì | | | 1 | | 1 | İ | | I | | 1 |
| | ne 3 | | 3 | UEPSR UEPSB | UEABS | 48.43 | 36.54 | 16.87 | | <u> </u> | | 15.20 | | | | <u> </u> |
| INDUNDUED EVO | HANGE ACCESS LOOP | | | l | | | | | | | | | l | | l | l |

Version 4Q02: 12/18/02 Page 177 of 416

| <u>NBOND</u> LI | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachr | nent: 2 | Exhi | bit: B |
|-----------------|---|-------------|------|------------|----------------|----------------|------------------|----------------|-------|--------------|--|---|---------------------------------|---|---|----------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| 0 14/10 | E ANALOG VOICE GRADE LOOP | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Z-WIR | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | + | | | | | - | 1 | | | | | + |
| | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 14.93 | 102.10 | 65.72 | | | | 15.20 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | 0271 | 027.22 | | 102.10 | 00.72 | | | | 10.20 | | | | 1 |
| | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 25.35 | 102.10 | 65.72 | | | | 15.20 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 50.46 | 102.10 | 65.72 | | | | 15.20 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 17.56 | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 14.93 | 102.10 | 65.72 | | | | 15.20 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | - | OLA | ULANZ | 14.53 | 102.10 | 03.72 | | | | 13.20 | | | | + |
| | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 25.35 | 102.10 | 65.72 | | | | 15.20 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | - | | | | | | | | | | | | |
| | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 50.46 | 102.10 | 65.72 | | | | 15.20 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 17.56 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.59 | 36.30 | | | | 15.20 | | | | |
| 4-WIB | Loop Tagging - Service Level 2 (SL2) E ANALOG VOICE GRADE LOOP | | | UEA | URETL | | 10.45 | 1.03 | | | | 15.20 | | | | |
| 4-7711 | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 30.81 | 127.40 | 91.02 | | | | 15.20 | | | | + |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 38.32 | 127.40 | 91.02 | | | | 15.20 | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | | UEA | UEAL4 | 60.39 | 127.40 | 91.02 | | | | 15.20 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 17.56 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.59 | 36.30 | | | | 15.20 | | | | |
| 2-WIR | E ISDN DIGITAL GRADE LOOP | | | | 1141.014 | | | = | | | | 4= 00 | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2 | | | UDN UDN | U1L2X U1L2X | 22.09 35.28 | 113.34 113.34 | 76.96 76.96 | | | | 15.20 15.20 | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 65.18 | 113.34 | 76.96 | | 1 | | 15.20 | | | | + |
| | Order Coordination For Specified Conversion Time (per LSR) | | Ü | UDN | OCOSL | 00.10 | 17.56 | 70.00 | | | | 10.20 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.49 | 44.09 | | | | 15.20 | | | | |
| 2-WIR | E Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 1 | UDC | UDC2X | 22.09 | 113.34 | 76.96 | | | | 15.20 | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 2 | UDC | UDC2X | 35.28 | 113.34 | 76.96 | | | | 15.20 | | | | |
| -+ | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | ODC | UDCZX | 33.26 | 113.34 | 76.96 | | | | 15.20 | | | | + |
| | 3 | | 3 | UDC | UDC2X | 65.18 | 113.34 | 76.96 | | | | 15.20 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | Ŭ | UDC | UREWO | 55.15 | 91.49 | 44.09 | | | | 15.20 | | | | † |
| 2-WIR | E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOP | • | | | | | | | | | | | | 1 |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 12.29 | 117.08 | 68.36 | | | | 15.20 | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 14.09 | 117.08 | 68.36 | | | | 15.20 | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | OAL | UALZA | 14.09 | 117.00 | 00.30 | | 1 | | 13.20 | | | | + |
| | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 15.75 | 117.08 | 68.36 | | | | 15.20 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 17.56 | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 12.29 | 92.83 | 56.02 | | | | 15.20 | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 14.09 | 92.83 | 56.02 | | | | 15.20 | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | 3 | UAL | UAL2W | 45.75 | 00.00 | FC CC | | 1 | | 45.00 | | | | |
| | facility reservaton - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UAL | OCOSL OCOSL | 15.75 | 92.83 17.56 | 56.02 | | + | | 15.20 | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.07 | 40.34 | | 1 | | 15.20 | | | | + |
| 2-WIR | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE I | LOOP | | 1 | | 00.07 | .0.54 | | 1 | | .0.20 | | | | † |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.79 | 125.50 | 76.77 | | | | 15.20 | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 11.52 | 125.50 | 76.77 | | | | 15.20 | | | | |

| ONBONDE | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|--|--|--|------------|----------------|--------|-----------------|------------|-------|--------------|----------|---|---------------------------------|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | T |
| | OWEN LINE WILLIAM TO THE PROPERTY OF THE PROPE | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 12.74 | 125.50 | 76.77 | | | | 15.20 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 12.74 | 17.56 | 76.77 | | | | 15.20 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | OTIL | CCCCL | | 17.00 | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.79 | 101.24 | 64.43 | | | | 15.20 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 11.52 | 101.24 | 64.43 | | | | 15.20 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 12.74 | 101.24 | 64.43 | | | | 15.20 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 17.56 | 40.04 | | | | 45.00 | | | | |
| 4-10/11 | CLEC to CLEC Conversion Charge without outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDI E I | LOOP | UHL | UREWO | | 86.00 | 40.34 | | | | 15.20 | | | | |
| 4-4411 | 4 Wire Unbundled HDSL Loop including manual service inquiry | IIIBLE | LUUP | | - | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.24 | 153.26 | 104.54 | | | | 15.20 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | <u> </u> | 0.12 | O.I.E.IX | 10.21 | 100.20 | 10 1.0 1 | | | | 10.20 | | | | 1 |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 16.65 | 153.26 | 104.54 | | | | 15.20 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | 1 |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 17.34 | 153.26 | 104.54 | | | | 15.20 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 17.56 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.24 | 129.00 | 92.20 | | | | 15.20 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | | 40.05 | 100.00 | 00.00 | | | | 45.00 | | | | |
| | and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL4W | 16.65 | 129.00 | 92.20 | | | | 15.20 | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 17.34 | 129.00 | 92.20 | | | | 15.20 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | 17.34 | 17.56 | 92.20 | | | | 13.20 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.00 | 40.34 | | | | 15.20 | | | | |
| 4-WII | RE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 85.70 | 245.16 | 152.98 | | | | 15.20 | | | | 1 |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 194.96 | 245.16 | 152.98 | | | | 15.20 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 491.94 | 245.16 | 152.98 | | | | 15.20 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 17.56 | | | | | | | | | |
| 4 14/11 | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.93 | 42.98 | | | | 15.20 | | | | |
| 4-WII | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | 1 | UDL | UDL19 | 30.99 | 121.86 | 85.48 | | | | 45.00 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 36.78 | 121.86 | 85.48 | | | | 15.20 15.20 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 38.92 | 121.86 | 85.48 | | | | 15.20 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | 1 | | UDL | UDL56 | 30.99 | 121.86 | 85.48 | | | | 15.20 | | 1 | 1 | † |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL | UDL56 | 36.78 | 121.86 | 85.48 | | Ì | | 15.20 | | Ì | İ | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 38.92 | 121.86 | 85.48 | | | | 15.20 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 17.56 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 30.99 | 121.86 | 85.48 | | | | 15.20 | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL | UDL64 | 36.78 | 121.86 | 85.48 | | ļ | | 15.20 | | ļ | ļ | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 38.92 | 121.86 | 85.48 | | 1 | | 15.20 | | 1 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | ļ | | UDL UDL | OCOSL UREWO | | 17.56 101.97 | 49.67 | | | | 15.20 | | | | - |
| 2-1/// | CLEC to CLEC Conversion Charge without outside dispatch RE Unbundled COPPER LOOP | | | UDL | UKEWU | | 101.97 | 49.07 | | | | 15.20 | | 1 | | |
| Z-VVII | 2-Wire Unbundled Copper Loop/Short including manual service | | | | | | | | | 1 | | | | 1 | | |
| | inquiry & facility reservation - Zone 1 | 1 | 1 | UCL | UCLPB | 12.29 | 116.18 | 67.46 | | | | 15.20 | | 1 | 1 | |
| | 2-Wire Unbundled Copper Loop/Short including manual service | | <u> </u> | | | :=:=0 | | 270 | | Ì | | | | Ì | İ | |
| | inquiry & facility reservation - Zone 2 | <u> </u> | 2 | UCL | UCLPB | 14.09 | 116.18 | 67.46 | | <u> </u> | <u> </u> | 15.20 | | | <u> </u> | <u> </u> |
| | 2 Wire Unbundled Copper Loop/Short including manual service | | | | | _ | | | | | | | | _ | | |
| | inquiry & facility reservation - Zone 3 |] | 3 | UCL | UCLPB | 15.75 | 116.18 | 67.46 | | | | 15.20 | | | | ļ |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 7.92 | 7.92 | | ļ | | | | ļ | ļ | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | l | ١. | | | 40 | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 12.29 | 91.92 | 55.12 | | 1 | | 15.20 | | 1 | | |
| [| 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 | l | 2 | UCL | UCLPW | 14.09 | 91.92 | 55.12 | | | | 15.20 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--|---|-------------|----------------|----------------|---------|-------|--------|------------|--|-------|----------|---|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | _ | | | | | == 40 | | | | 4= 00 | | | | |
| L | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 15.75 | 91.92 | 55.12 | | | | 15.20 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 17.21 | 116.18 | 67.46 | | | | 15.20 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | UCL | UCLZL | 17.21 | 110.10 | 67.46 | | | | 15.20 | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 24.98 | 116.18 | 67.46 | | | | 15.20 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | OOL | OCLZL | 24.30 | 110.10 | 07.40 | | | | 13.20 | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 39.57 | 116.18 | 67.46 | | | | 15.20 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | 00.01 | 7.92 | 7.92 | | | | 10.20 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | 1 | | 5525 | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 17.21 | 91.92 | 55.12 | | | | 15.20 | | 1 | | 1 |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | 1 | | | | - | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 24.98 | 91.92 | 55.12 | | | <u> </u> | 15.20 | | <u> </u> | <u> </u> | <u>1</u> |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 39.57 | 91.92 | 55.12 | | | | 15.20 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 91.92 | 42.47 | | | | 15.20 | | | | |
| 4-WIRE | COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 22.27 | 139.69 | 90.96 | | | | 15.20 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | _ | | 1101.40 | 40.05 | 400.00 | 00.00 | | | | 45.00 | | | | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 18.95 | 139.69 | 90.96 | | | | 15.20 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 10.99 | 139.69 | 90.96 | | | | 15.20 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 10.99 | 7.92 | 7.92 | | | | 15.20 | | | | - |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | UCL | OCLIVIC | | 1.52 | 1.52 | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 22.27 | 115.43 | 78.63 | | | | 15.20 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | 002 | 002 | | | . 0.00 | | | | 10.20 | | | | |
| | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 18.95 | 115.43 | 78.63 | | | | 15.20 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UCL | UCL4W | 10.99 | 115.43 | 78.63 | | | | 15.20 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 26.17 | 139.69 | 90.96 | | | | 15.20 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | 1 | | | | | | | | | | |] | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 28.47 | 139.69 | 90.96 | | | | 15.20 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | _ | | | | | | | | | | | | | 1 |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 62.93 | 139.69 | 90.96 | 1 | | | 15.20 | | | - | |
| ļ | Order Coordination for Unbundled Copper Loops (per loop) | | } | UCL | UCLMC | | 7.92 | 7.92 | | | 1 | | | | | 1 |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 1 | UCL | UCL4O | 26.17 | 115.43 | 78.63 | | | | 15.20 | | | | 1 |
| | inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - without manual svc. | | - ' | UCL | UCL4U | ∠0.17 | 115.43 | 78.63 | | | | 15.20 | | | - | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 28.47 | 115.43 | 78.63 | | | | 15.20 | | 1 | | 1 |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | UUL | JUL4U | 20.47 | 110.43 | 10.03 | 1 | | | 15.20 | | 1 | 1 | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 62.93 | 115.43 | 78.63 | | | | 15.20 | | 1 | | 1 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | - | UCL | UCLMC | 02.33 | 7.92 | 7.92 | + | | | 10.20 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | † | | 3020 | | 1.02 | 1.32 | | | | | | | 1 | <u> </u> |
| | (UCL-Des) | | 1 | UCL | UREWO | | 91.92 | 42.47 | | | | 15.20 | | 1 | | 1 |
| LOOP MODIFIC | | | i – | | | | | | | | | | | | | |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| | | | 1 | UEQ, ULS, UEA, | | | | | | | | 1 | | 1 | | 1 |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | 1 | UEANL, UEPSR, | | | | | | | | 1 | | 1 | | 1 |
| | pair less than or equal to 18k ft | | | UEPSB | ULM2L | | 0.00 | 0.00 | | | | 15.20 | | | | <u> </u> |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | | | | | | | | | | | | | |
| | greater than 18k ft | | | UCL, ULS, UEQ | ULM2G | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | Ι Τ | | | | | | | 1 | | <u> </u> | | 1 |
| 1 | less than or equal to 18K ft | | | UHL, UCL | ULM4L | | 0.00 | 0.00 | | | | 15.20 | | | | 1 |

Version 4Q02: 12/18/02 Page 180 of 416

| UNBUNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | _ | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--|---|-------------|----------|--|--------|--------|---------------|------------|--|-------|--|---|--|--|-------|--------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | |
| | | | | | | Rec | Nonrec | | Nonrecurring Di | | 001150 | | | Rates (\$) | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | pair greater than 18k ft | | | UCL | ULM4G | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULMBT | | 12.15 | 12.15 | | | | 15.20 | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-Lo | pop Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up | | | UEANL | USBSA | | 144.09 | 144.09 | | | | 15.20 | | | | |
| | Cot Land Day Cook Day Landing Day 05 Dais Day 1 Cat Lla | | | LIFANI | USBSB | | 10.99 | 10.99 | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder | <u> </u> | | UEANL | USBSB | | 10.99 | 10.99 | | | | 15.20 | | | | |
| | Facility Set-Up | I | | UEANL | USBSC | | 86.16 | 86.16 | | | | 15.20 | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | 1 | | UEANL | USBSD | | 27.13 | 27.13 | | | | 15.20 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN2 | 7.57 | 63.89 | 30.06 | | | | 15.20 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 2 | UEANL | USBN2 | 12.75 | | 30.06 | | | | | | | | |
| | Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | ' | | | | | 63.89 | | | | | 15.20 | | | | |
| | Zone 3 | I | 3 | UEANL | USBN2 | 21.45 | 63.89 | 30.06 | | | | 15.20 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN4 | 11.76 | 76.75 | 42.92 | | | | 15.20 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 16.84 | 76.75 | 42.92 | | | | 15.20 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 19.27 | 76.75 | 42.92 | | | | 15.20 | | | | |
| | | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | <u> </u> | | UEANL | USBR2 | 2.91 | 7.92 51.48 | 17.65 | | | | 15.20 | | | | |
| | Cub-Loop 2-vviile intrabuliding Network Cable (iivo) | <u>'</u> | | OLANE | COBINE | 2.31 | 31.40 | 17.03 | | | | 13.20 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | - 1 | | UEANL | USBR4 | 6.58 | 57.54 | 23.71 | | | | 15.20 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 6.26 | 63.89 | 30.06 | | | | 15.20 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | Ţ | 2 | UEF | UCS2X | 10.07 | 63.89 | 30.06 | | | | 15.20 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 12.70 | 63.89 | 30.06 | | | | 15.20 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 7.92 | 7.92 | 1 | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS4X | 8.03 | 76.75 | 42.92 | | | | 15.20 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | <u> </u> | 2 | UEF | UCS4X | 10.71 | 76.75 | 42.92 | | | | 15.20 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS4X | 6.08 | 76.75 | 42.92 | | | | 15.20 | | | | |
| I lab | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | 1 | UEF | USBMC | | 7.92 | 7.92 | | | | | | | | |
| nbun | dled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | 1 | | - | | | | | | | | | | | |
| | Coil/Equip Removal per 2-W PR | | <u> </u> | UEF | ULM2X | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4T | | 224.55 | 4.29 | | | | 15.20 | | | | |
| Unbun | dled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | |
| Notwor | Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID) | | | UENTW | UENPP | 0.3454 | 14.72 | 14.72 | | | | 15.20 | | | | |
| | Network Interface Device (NID) - 1-2 lines | 1 | 1 | UENTW | UND12 | | 42.26 | 27.83 | + | | | 15.20 | | 1 | 1 | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | ment: 2 | | oit: B |
|--|---|-------------|-----------------|-----------------|----------------|------------------|----------------|----------------|--|-------|--|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 62.86 | 48.43 | | | | 15.20 | | | | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 5.73 | 5.73 | | | | 15.20 | | | | |
| SUB-LOOPS | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 5.73 | 5.73 | | | | 15.20 | | | | |
| | oop Feeder | | | | | | | | | | | | | | | |
| Sub-L | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | | UEA, | | | | | | | | | | | | |
| | Distribution Facility set-up | | | UDN,UCL,UDL,UDC | USBFW | | 144.09 | | | | | 15.20 | | | | |
| | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA, | | | | | i i | | | | | | | |
| | set-up | | | UDN,UCL,UDL,UDC | USBFX | | 10.99 | 10.99 | | | | 15.20 | | | | |
| | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 568.98 | 11.30 | | | | 15.20 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice | | | | | | | | | | | | _ | _ | | |
| | Grade - Zone 1 | | 1 | UEA | USBFA | 8.71 | 89.81 | 54.35 | | | ļ | 15.20 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | l | | | | | | 1 | | | | | | 1 | |
| | Grade - Zone 2 | | 2 | UEA | USBFA | 13.64 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, | | | | LIODEA | 00.04 | 00.04 | 54.05 | | | | 45.00 | | | | |
| | Voice Grade - Zone 3 Order Coordination for Specified Conversion Time, per LSR | | 3 | UEA UEA | USBFA OCOSL | 30.21 | 89.81 17.56 | 54.35 | | | | 15.20 | | | | |
| | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | UEA | OCOSL | | 17.56 | | | | 1 | | | | | |
| | Grade - Zone 1 | | 1 | UEA | USBFB | 8.71 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | - '- | OLA | OODI D | 0.71 | 03.01 | 34.33 | | | | 13.20 | | | | |
| | Grade - Zone 2 | | 2 | UEA | USBFB | 13.64 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFB | 30.21 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 17.56 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | | | | | | | | | | | | | |
| | Voice Grade - Zone 1 | | 1 | UEA | USBFC | 8.71 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | _ | l | | | | | | | | | | | | |
| | Voice Grade - Zone 2 | | 2 | UEA | USBFC | 13.64 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 30.21 | 89.81 | 54.35 | | | | 15.20 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | 3 | UEA | OCOSL | 30.21 | 17.56 | 54.35 | | | 1 | 15.20 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | ULA | OCOGL | | 17.50 | | | | | | | | | |
| | Grade - Zone 1 | | 1 | UEA | USBFD | 21.44 | 103.69 | 67.31 | | | | 15.20 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 2 | | 2 | UEA | USBFD | 24.66 | 103.69 | 67.31 | | | | 15.20 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFD | 42.84 | 103.69 | 67.31 | | | | 15.20 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 17.56 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | l | | | | | | | | | | | | |
| | Grade - Zone 1 | | 1 | UEA | USBFE | 21.44 | 103.69 | 67.31 | | | | 15.20 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFE | 24.66 | 103.69 | 67.31 | | | | 15.20 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | UEA | USBFE | 24.00 | 103.69 | 67.31 | | | | 15.20 | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFE | 42.84 | 103.69 | 67.31 | | | | 15.20 | | | | |
| - | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | 72.07 | 17.56 | 07.01 | | | | 10.20 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 15.44 | 102.58 | 66.20 | i i | | | 15.20 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 23.32 | 102.58 | 66.20 | i i | | | 15.20 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 44.57 | 102.58 | 66.20 | | | | 15.20 | | <u> </u> | <u> </u> | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UDN | OCOSL | | 17.56 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 15.44 | 102.58 | 66.20 | | | | 15.20 | | | | |
| \vdash | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 23.32 | 102.58 | 66.20 | ļ | | | 15.20 | | | | |
| \vdash | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 44.57 | 102.58 | 66.20 | ļ | | ļ | 15.20 | | | | |
| \vdash | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 55.38 | 98.15 | 61.77 | | | <u> </u> | 15.20 | | 1 | | |
| \vdash | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL USL | USBFG USBFG | 167.83 469.87 | 98.15 98.15 | 61.77 61.77 | | | | 15.20 15.20 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | 3 | USL | OCOSL | 409.87 | 98.15 17.56 | 01.// | + | | | 15.20 | | | | |
| | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | 1 | 1 | UCL | USBFH | 6.96 | 81.36 | 44.98 | | | | 15.20 | | 1 | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | 001 | CODITI | 0.90 | 01.30 | 77.30 | + + | | | 10.20 | | | <u> </u> | |
| 1 1 | 2 | | 2 | UCL | USBFH | 4.97 | 81.36 | 44.98 | | | | 15.20 | | 1 | 1 |] |

Version 4Q02: 12/18/02 Page 182 of 416

| UNBUNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|--|---|-----------------|----------|-------|-------|----------|----------------|---|--|--------------------|--|---|---|--------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | Subm Ele per | Order Svc Ord nitted Submitte ec Manual LSR per LSI | er Incremental ed Charge - y Manual Svo Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | |
| | | | | | | Rec | Nonrec | | Nonrecurring Discor | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First Ad | d'I SON | MEC SOMA | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | _ | UCL | USBFH | 2.00 | 04.00 | 44.00 | | | 45.0 | 0 | | | |
| — | Order Coordination For Specified Conversion Time, per LSR | | 3 | UCL | OCOSL | 3.99 | 81.36 17.56 | 44.98 | | | 15.2 | 0 | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 15.68 | 98.07 | 61.69 | | | 15.2 | 0 | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 9.68 | 98.07 | 61.69 | | - | 15.2 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | | UCL | USBFJ | 6.39 | 98.07 | 61.69 | | | 15.2 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | 3 | UCL | OCOSL | 0.55 | 17.56 | 01.03 | | | 10.2 | - | - | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 22.61 | 98.15 | 61.77 | | | 15.2 | 0 | - | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 22.87 | 98.15 | 61.77 | | | 15.2 | | - | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 24.25 | 98.15 | 61.77 | | | 15.2 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | Ť | | | , | | • | | | | - | | | |
| | Zone 1 | | 1 | UDL | USBFO | 22.61 | 98.15 | 61.77 | | | 15.2 | 0 | 1 | 1 | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | - | _ | | | | | | | | |
| | Zone 2 | | 2 | UDL | USBFO | 22.87 | 98.15 | 61.77 | <u> </u> | | 15.2 | 0 | 1 | <u> </u> | <u> </u> |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UDL | USBFO | 24.25 | 98.15 | 61.77 | | | 15.2 | 0 | | | |
| | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 17.56 | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UDL | USBFP | 22.61 | 98.15 | 61.77 | | | 15.2 | 0 | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UDL | USBFP | 22.87 | 98.15 | 61.77 | | | 15.2 | 0 | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | _ | | | | | | | | | | | | |
| | Zone 3 | | 3 | UDL | USBFP | 24.25 | 98.15 | 61.77 | | | 15.2 | 0 | | | |
| SUB-LOOPS | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 17.56 | | | | | | | | |
| | pop Feeder | | | | + | | | | | | | _ | - | | |
| Sub-Lo | Sub Loop Feeder - DS3 - Per Mile Per Month | - | | UE3 | 1L5SL | 17.00 | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | -i - | | UE3 | USBF1 | 368.44 | 3,397.56 | 406.56 | | | 15.2 | 0 | | | |
| | Sub Loop Feeder – STS-1 – Per Mile Per Month | ÷ | | UDLSX | 1L5SL | 17.00 | 0,007.00 | 400.00 | | | 10.2 | | - | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | i | | UDLSX | USBF7 | 395.92 | 3,397.56 | 406.56 | | | 15.2 | 0 | | | |
| | Sub Loop Feeder – OC-3 – Per Mile Per Month | i | | UDLO3 | 1L5SL | 12.90 | 0,007.00 | 100.00 | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Protection Per | | | | 1 | | | | | | | | | | |
| | Month | - 1 | | UDLO3 | USBF5 | 60.45 | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Per Month | | | UDLO3 | USBF2 | 594.77 | 3,397.56 | 406.56 | | | 15.2 | 0 | | | |
| | Sub Loop Feeder - OC-12 - Per Mile Per Month | ı | | UDL12 | 1L5SL | 15.87 | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Protection Per | | | | | | | | | | | | | | |
| | Month | | | UDL12 | USBF6 | 683.03 | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Per Month | | | UDL12 | USBF3 | 1,922.00 | 3,397.56 | 406.56 | | | 15.2 | 0 | | | |
| | Sub Loop Feeder - OC-48 - Per Mile Per Month | - 1 | | UDL48 | 1L5SL | 52.07 | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Protection Per | | | l | 1 | | | | | | | ĺ | 1 | 1 | I |
| \vdash | Month | _ ! | 1 | UDL48 | USBF9 | 341.64 | 0 = 0 = - | 100 5 | | | | | + | | - |
| \vdash | Sub Loop Feeder - OC-48 - Facility Termination Per Month | | 1 | UDL48 | USBF4 | 1,663.00 | 3,582.56 | 406.56 | | | 15.2 | | + | | - |
| LINDLINDI ED : | Sub Loop Feeder - OC-12 Interface On OC-48 | | 1 | UDL48 | USBF8 | 385.45 | 803.80 | 406.56 | | | 15.2 | U . | + | | ! |
| ONBUNDLED L | OOP CONCENTRATION Unbundled Loop Concentration - System A (TR008) | | 1 | ULC | UCT8A | 374.26 | 316.00 | 316.00 | | | 15.2 | 0 | | | - |
| | Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008) | | 1 | ULC | UCT8B | 53.40 | 131.67 | 131.67 | | | 15.2 | | + | | + |
| | Unbundled Loop Concentration - System B (TR008) Unbundled Loop Concentration - System A (TR303) | | 1 | ULC | UCT3A | 412.08 | 316.00 | 316.00 | | | 15.2 | | + | | |
| | Unbundled Loop Concentration - System A (TR303) | | l - | ULC | UCT3B | 89.98 | 131.67 | 131.67 | | | 15.2 | | 1 | 1 | t |
| | Unbundled Loop Concentration - DS1 Loop Interface Card | | ! | ULC | UCTCO | 5.12 | 61.46 | 44.74 | | - | 15.2 | | + | | t |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | 1 | | 55.55 | 0.12 | 010 | 77.77 | | | 10.2 | - | t | | I |
| | Card) | | | UDN | ULCC1 | 8.12 | 10.23 | 10.18 | | | 15.2 | 0 | 1 | | |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite | | İ | | -200. | J. 12 | . 3.20 | | | | 10.2 | - | 1 | 1 | 1 |
| | Card) | | | UDC | ULCCU | 8.12 | 10.23 | 10.18 | | | 15.2 | о | 1 | | 1 |
| | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | | 1 | | | | | | | | | | |
| | Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 2.03 | 10.23 | 10.18 | | | 15.2 | 0 | 1 | 1 | I |
| | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | | | | | | | | | | | | |
| | Loop Interface (SPOTS Card) | | <u>L</u> | UEA | ULCCR | 12.07 | 10.23 | 10.18 | <u> </u> | | 15.2 | 0 | <u> </u> | <u></u> | <u> </u> |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | | | | | | | | | | | | | |
| | (Specials Card) | | 1 | UEA | ULCC4 | 7.20 | 10.23 | 10.18 | 1 | | 15.2 | ^ I | | 1 | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | ment: 2 | Exhil | oit: B |
|--------------|--|-------------|----------|-------------------------------------|-------|--------------|--------|------------|--|----------|-------|---|-------------|--|---|--------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | Rec | Nonrec | urring | Nonrecurring Dis | sconnect | | i i | oss | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 35.19 | 10.23 | 10.18 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface | | | UDL | ULCC7 | 10.67 | 10.23 | 10.18 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 10.67 | 10.23 | 10.18 | | | | 15.20 | | | | |
| | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | UDL | ULCC6 | 10.67 | 10.23 | 10.18 | | | | 15.20 | | | | |
| UNE OTHER, F | ROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,U ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| UNE OTHER, F | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC | | 0.00 | 0.00 | | | | | | | | | |
| | rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPACI | TY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| NOTE: | minimum billing period of three months for DS3 and above Lo | ocal Lo | ор | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 10.04 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 362.34 | 438.46 | 256.30 | | | | 15.20 | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 10.04 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 374.56 | 438.46 | 256.30 | | | | 15.20 | | | | |
| LOOP MAKE-U | | | | 0520/1 | 00201 | 07 1.00 | 100.10 | 200.00 | | | | 10.20 | | | | |
| | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 23.29 | 23.29 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 24.70 | 24.70 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.19 | 0.19 | | | | | | | | |
| | NCY SPECTRUM | | | | | | | | | | | | | | | |
| | HARING | | | | | | | | | | | | | | | |
| SPLIT | ERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | Line Sharing Splitter, per System 96 Line Capacity | | | | ULSDA | 187.17 | 183.33 | 0.00 | | | | 15.20 | | | | |
| | Line Sharing Splitter, per System 24 Line Capacity | <u> </u> | <u> </u> | ULS | ULSDB | 46.79 | 183.33 | 0.00 | | | | 15.20 | | | | |
| | Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton- | | | ULS | ULSD8 | 15.59 | 183.33 | 0.00 | | | | 15.20 | | | | |
| PAIR · · | deactivation (per LSOD) | (0050 | | ULS | ULSDG | | 83.98 | 0.00 | | | | 15.20 | | | | |
| END U | SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY Line Sharing - per Line Activation (BST Owned Splitter) | SPEC | IKUM | | ULSDC | 0.61 | 17.97 | 10.29 | | | | 15.20 | | | | |
| | Line Sharing - per Line Activation (BST Owned Splitter) Line Sharing - per Subsequent Activity per Line | | | ULS | OLODU | 0.61 | 17.97 | 10.29 | | | | 15.20 | | | | |
| | Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line | | | ULS | ULSDS | | 15.91 | 7.95 | | | | 15.20 | | | | |
| | Rearrangement(DLEC Owned Splitter) | | | ULS | ULSCS | | 15.91 | 7.95 | | | | 15.20 | | | | |
| | Line Sharing - per Line Activation (DLEC owned Splitter) | Ī | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | | | | 15.20 | | | | |
| | PLITTING | | | | | | | | | | | | | | | |
| END U | SER ORDERING-CENTRAL OFFICE BASED | - | <u> </u> | LIEDOD LIEDOD | UREOS | 0.61 | | | | | | | - | - | | |
| | Line Splitting - per line activation DLEC owned splitter | - | - | | UREOS | 0.61 0.61 | 17.07 | 10.29 | | | | 15.20 | | | | |
| l | Line Splitting - per line activation BST owned - physical | I | 1 | UEPSR UEPSB | UKEDP | 10.0 | 17.97 | 10.29 | I | | l | 15.20 | l | l | | L |

Version 4Q02: 12/18/02 Page 184 of 416

| UNBUNDL | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachr | nent: 2 | Exhi | bit: B |
|-----------|---|-------------|--|-------------------|--------------|---------------|--------|------------|-------|--------------|-------|---|--|--|-------------------------|------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incrementa Charge - |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | T 0011111 |
| | Line College and in a set retire DCT arrest vistoral | - | | UEPSR UEPSB | UREBV | 0.04 | First | Add'I | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DEM | Line Splitting - per line activation BST owned - virtual OTE SITE HIGH FREQUENCY SPECTRUM | - ' | | UEPSK UEPSB | UKEBV | 0.61 | 17.97 | 10.29 | | | | 15.20 | | | | + |
| | TTERS-REMOTE SITE | | | | | | | | | | | | | | | + |
| 0. 2. | Remote Site Line Share BellSouth Owned Splitter, 24 Port | | | ULS | ULSRB | 40.12 | 115.24 | 0.00 | | | | 15.20 | | | | + |
| | Remote Site Line Share Cable Pair Activation CLEC Owned at | | | | | - | - | | | | | | | | | |
| | RS and Deactivation | - 1 | | ULS | ULSTG | | 96.00 | 0.00 | | | | 15.20 | | | | |
| END | USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU | M AKA | REMOT | E SITE LINE SHARI | ING | | | | | | | | | | | |
| | Remote Site Line Share Line Activationfor End User Served at | | | | | | | | | | | | | | | |
| | RS, BST Splitter | | | ULS | ULSRC | 0.61 | 36.97 | 21.17 | | | | 15.20 | | | | |
| | RS Line Share Line Activation for End User served at RS, CLEC | 1 . | | ULS | ULSTC | 0.61 | 36.97 | 21.17 | | | | 45.00 | | | | |
| | Splitter Remote Site Line Share Subsequent Activity-RS BST Owned | + '- | | ULO | ULOIU | 0.01 | 30.97 | 21.17 | | 1 | 1 | 15.20 | | | 1 | + |
| | Splitter | 1 . | 1 | ULS | ULSRS | | 49.08 | 17.80 | | | | 15.20 | | | | |
| | Remote Site Line Share Subsequent Activity-RS CLEC Owned | <u> </u> | | 020 | 020.10 | | 10.00 | 17.00 | | | | 10.20 | | | | † |
| | Splitter | 1 | | ULS | ULSTS | | 49.08 | 17.80 | | | | 15.20 | | | | |
| JNBUNDLED | DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minim | um billir | g perio | d - below DS3=one | month, abov | e DS3=four mo | nths | | | | | | | | | |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade | - | | | 41 = 204 | | | | | | | | | | | |
| | Per Mile per month | - | | U1TVX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade Facility Termination | - | | U1TVX | U1TV2 | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | UTIVA | UTIVZ | 22.00 | 39.30 | 20.02 | | | 1 | 15.20 | | | | + |
| | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. | - | | 0xx | 120701 | 0.010 | | | | | | | | | | † |
| | Facility Termination | | | U1TVX | U1TR2 | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade | - | | | | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | 9 | | | l | | | | | | | | | | | |
| | - Facility Termination | - | | U1TVX | U1TV4 | 19.81 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | OTIDA | ILJAA | 0.013 | | | | | | | | | | + |
| | Termination | | | U1TDX | U1TD5 | 15.61 | 39.37 | 26.62 | | | | 15.20 | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | U1TDX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD6 | 15.61 | 39.37 | 26.62 | | | | 15.20 | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | 41 = 204 | | | | | | | | | | | |
| | month Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | U1TD1 | 1L5XX | 0.2652 | | | | | | | | | | |
| | Termination | | | U1TD1 | U1TF1 | 70.47 | 86.69 | 79.44 | | | | 15.20 | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | OTIDI | 01111 | 70.47 | 00.03 | 73.44 | | | | 15.20 | | | | + |
| | month | | | U1TD3 | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | U1TD3 | U1TF3 | 850.45 | 270.69 | 158.05 | | | | 15.20 | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | <u> </u> | U1TS1 | 1L5XX | 6.04 | | | | | ļ | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | 1 | U1TS1 | U1TFS | 830.19 | 270.69 | 450.05 | | | | 45.00 | | | | |
| 100 | Termination AL CHANNEL - DEDICATED TRANSPORT | 1 | 1 | 01101 | UTIFS | 830.19 | 270.69 | 158.05 | | | | 15.20 | | | | + |
| | E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billi | ng perio | od = be | low DS3=one month | n, above DS3 | =four months | | | | | | | | | | + |
| | Local Channel - Dedicated - 2-Wire Voice Grade | g pont | | ULDVX | ULDV2 | 18.32 | 187.51 | 32.21 | | | | 15.20 | | | | — |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | 1 | | ULDVX | ULDR2 | 18.32 | 187.51 | 32.21 | | | | 15.20 | | | | 1 |
| | Local Channel - Dedicated - 4-Wire Voice Grade | | | ULDVX | ULDV4 | 19.41 | 187.94 | 32.63 | | | | 15.20 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | | 1 | ULDD1 | ULDF1 | 39.18 | 172.34 | 149.27 | | | | 15.20 | | | | |
| _ | Local Channel - Dedicated - DS1 - Zone 2 | 1 | 2 | ULDD1 | ULDF1 | 121.58 | 172.34 | 149.27 | | | ļ | 15.20 | | | ļ | <u> </u> |
| | Local Channel - Dedicated - DS1 - Zone 3 | 1 | 3 | ULDD1 | ULDF1 | 70.02 | 172.34 | 149.27 | | 1 | 1 | 15.20 | | | | 1 |

| UNBUNDLE | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|--|---|-------------|----------|-----------------|----------------|------------------------|------------------|---------------------------------------|--|---------------------------------------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3 | ULDF3 | 469.44 | 438.46 | 256.30 | | | | 15.20 | | | | |
| - | Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1 ULDS1 | 1L5NC ULDFS | 7.82 457.22 | 438.46 | 256.30 | | | | 15.20 | | | | |
| DARK FIBER | Local Channel - Dedicated - 313-1 - Facility Termination | | | ULDST | ULDF3 | 457.22 | 430.40 | 236.30 | | | - | 15.20 | | - | - | - |
| DARKITIBER | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | 1 | | | | | | | | | | | | | |
| | Thereof per month - Local Channel | | | UDF | 1L5DC | 52.23 | | | | | | | | | | |
| | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 620.60 | 133.88 | | | | 15.20 | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 25.28 | | | | | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 620.60 | 133.88 | | | | 15.20 | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | LIDE | 41.55 | | | | j | | | | | I | | |
| \vdash | Thereof per month - Local Loop | | <u> </u> | UDF | 1L5DL | 52.23 | 600.00 | 400.00 | | | | 45.00 | | 1 | 1 | |
| SAA VCCESS | NRC Dark Fiber - Local Loop TEN DIGIT SCREENING | | | UDF | UDFL4 | | 620.60 | 133.88 | | | | 15.20 | | - | | - |
| OAA ACCESS | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006387 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | t | 0.10 | + | 0.0000007 | | | | | | | | † | t | |
| | Number Reserved | | | OHD | N8R1X | | 2.51 | 0.43 | | | | 15.20 | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | | | | | | | | | | | | | | |
| | POTS Translations | | | OHD | | | 5.77 | 0.78 | | | | 15.20 | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With | | | | | | | | | | | | | | | |
| | POTS Translations | | | OHD | N8FTX | | 5.77 | 0.78 | | | | 15.20 | | | | |
| | 8XX Access Ten Digit Screening, Customized Area of Service | | | | | | | | | | | | | | | |
| | Per 8XX Number | | | OHD | N8FCX | | 2.51 | 1.26 | | | | 15.20 | | | | |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 2.93 | 1.68 | | | | 15.20 | | | | |
| - | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | - | 2.93 | 0.43 | | | - | 15.20 | | - | - | - |
| | 8XX Access Ten Digit Screening, Change Charge Fel Request | | | OLID | INOI AX | | 2.93 | 0.43 | | | | 13.20 | | | | |
| | Features | | | OHD | N8FDX | | 2.51 | | | | | 15.20 | | | | |
| | | | | | | | | | İ | | | | | | 1 | |
| | 8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query | | | OHD | | 0.0006387 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per | | | | | | | | | | | | | | | |
| | query | | | OHD | | 0.0006387 | | | | | | | | | | |
| LINE INFORM | ATION DATA BASE ACCESS (LIDB) | | | 0.07 | | | | | | | | | | | | |
| | LIDB Common Transport Per Query LIDB Validation Per Query | | | OQT OQU | | 0.0000221 0.0135077 | | | | | | | | | | |
| | LIDB Validation Per Query LIDB Originating Point Code Establishment or Change | | | OQU OQT, OQU | NRPBX | 0.0135077 | 33.33 | | | | | 15.20 | | | | |
| SIGNALING (| | | | OQ1, OQU | INICEDA | | 33.33 | | | | | 13.20 | | | | |
| JOHNALING (| CCS7 Signaling Termination, Per STP Port | | 1 | UDB | PT8SX | 147.60 | | | | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | UDB | 1 | 0.000064 | | | 1 | | | | | 1 | 1 | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 15.77 | 34.50 | 34.50 | | | | 15.20 | | | | |
| | CCS7 Signaling Connection, Per link (B link) (also known as D | | | 1 | | | _ | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | | | | |
| | link) | | <u> </u> | UDB | TPP++ | 15.77 | 34.50 | 34.50 | ļ | | | 15.20 | | | | |
| \vdash | CCS7 Signaling Usage, Per ISUP Message | | <u> </u> | UDB | CTUES | 0.000016 | | | ļ | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | <u> </u> | UDB | STU56 | 732.10 | | | | | | | | | 1 | - |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 28.17 | 28.17 | 1 | | | 15.20 | | I | | |
| | CCS7 Signaling Point Code, per Destination Point Code | 1 | - | טטט | CCAPU | | 20.17 | 20.17 | | | - | 15.20 | | | t | |
| | Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 28.17 | 28.17 | 1 | | | 15.20 | | I | | |
| E911 SERVIC | E | | | İ | 1 | | | | † | | | | | 1 | 1 | |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 | | | | | 18.32 | 187.51 | 32.21 | | | | 15.20 | | | | |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 | | | | | 18.32 | 187.51 | 32.21 | | - | | 15.20 | | | | |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 | | | | | 18.32 | 187.51 | 32.21 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | ļ | | 0.013 | , | | | | | | | ļ | ļ | |
| 1 1 | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | | | 1 | 1 | | | | j | | | , | | I | | |
| | Termination | | <u> </u> | ļ | + | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | 1 | - |
| \vdash | Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 | | ! | | + | 39.18 121.58 | 172.34 172.34 | 149.27 149.27 | | | | 15.20 15.20 | | | | - |
| | Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 | | | | + | 70.02 | 172.34 | 149.27 | | | | 15.20 | | | | 1 |
| | Interoffice Transport - Dedicated - DS1 Per Mile | | 1 | | | 0.2652 | 112.07 | 170.21 | | | l | 10.20 | | | ļ | |

| UNBUND | LED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | , | | ment: 2 | | bit: B |
|-----------|--|--|--|--------|-------|-----------|----------|------------|--|------------|--|---|--|--|---|---|
| CATEGOR | Y RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonrec | | Nonrecurring | Disconnect | | | 220 | Rates (\$) | | |
| - | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | 1 | | | | FIISL | Auu i | FIISL | Add I | SOWIEC | SUMAN | SOWAN | SOWAN | SOWAN | SOWAN |
| | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | 70.47 | 86.69 | 79.44 | | | | 15.20 | | | | |
| CALLING | IAME (CNAM) SERVICE | | | | | 10.41 | 00.00 | 70.44 | | | | 10.20 | | | | 1 |
| | CNAM For DB Owners - Service Establishment | | | OQV | | | 22.29 | | | | | 15.20 | | | | 1 |
| | CNAM For Non DB Owners - Service Establishment | | | OQV | | | 22.29 | | | | | 15.20 | | | | |
| | CNAM For DB Owners - Service Provisioning With Point Code | | | | | | | | | | | | | | | |
| | Establishment | | | OQV | | | 962.22 | 711.64 | | | | 15.20 | | | | |
| | CNAM For Non DB Owners - Service Provisioning With Point | | | | | | | | | | | | | | | |
| | Code Establishment | | | OQV | | | 332.43 | 238.05 | | | | 15.20 | | | | |
| | CNAM for DB Owners, Per Query | | | OQV | | 0.0010217 | | | | | | | | | | |
| | CNAM for Non DB Owners, Per Query | ļ | | OQV | | 0.0010217 | | | ļ | | | | | | 1 | |
| LNP Query | | ļ | | 001 | | 0.05 | | | ļ | | | | | | 1 | |
| | LNP Charge Per query | | <u> </u> | OQV | | 0.0008559 | 10.1- | | | | | | | | | ↓ |
| \vdash | LNP Service Establishment Manual | <u> </u> | <u> </u> | | | | 12.16 | | | | | 15.20 | | | - | ↓ |
| ODEDATO | LNP Service Provisioning with Point Code Establishment | <u> </u> | <u> </u> | ļ | | ļ | 576.33 | 294.43 | | | <u> </u> | 15.20 | | ļ | - | |
| OPERATOR | R CALL PROCESSING Oper. Call Processing - Oper. Provided, Per Min Using BST | - | 1 | | | | | | | | | | | | | |
| | LIDB | | | | | 1.20 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | 0.20 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWARD O | PERATOR SERVICES | | | | | 0.20 | | | | | | | | | | 1 |
| IIIII O | Inward Operator Services - Verification, Per Minute | | | | | 1.15 | | | | | | | | | | |
| | Inward Operator Services - Verification and Emergency Interrupt - Per Minute | | | | | 1.15 | | | | | | | | | | |
| BRANDING | - OPERATOR CALL PROCESSING | | | | | 1.10 | | | | | | | | | | 1 |
| | ility based CLEC | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | 15.20 | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV per OCN | | | | CBAOL | | 500.00 | 500.00 | | | | 15.20 | | | | |
| UN | EP CLEC | | | | OBAGE | | 000.00 | 000.00 | | | | 10.20 | | | | |
| | Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | i i | | | 15.20 | | | 1 | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | , | , | | | | | | | | |
| | per OCN | | | | | | 500.00 | 500.00 | | | | 15.20 | | | | |
| Unl | oranding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | • | | 15.20 | | | | |
| | Y ASSISTANCE SERVICES | <u> </u> | | | | | | | | | | | | | | <u> </u> |
| DIR | ECTORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| L | Directory Assistance Access Service Calls, Charge Per Call | 1 | <u> </u> | ļ | | 0.275 | | | | | <u> </u> | | | | | |
| DIR | ECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I | JACC) | | 1 | - | 1 | | | | | } | | | 1 | ! | ├ |
| | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | 1 | 1 | | 1 | 0.10 | | | | | | | | 1 | I | |
| DIDECTOR | Y ASSISTANCE SERVICES | ├ | | 1 | | 0.10 | - | | | | | | | - | | ┼── |
| | ECTORY ASSISTANCE DATA BASE SERVICE (DADS) | | 1 | 1 | + | 1 | | | + | | } | | | 1 | | |
| DIR | Directory Assistance Data Base Service (DADS) | | 1 | 1 | + | 0.04 | | | + | | } | | | 1 | | + |
| | Directory Assistance Data Base Service Charge Fer Listing Directory Assistance Data Base Service, per month | | | 1 | DBSOF | 150.00 | | | | | 1 | | | 1 | t | |
| BRANDING | - DIRECTORY ASSISTANCE | | | 1 | 22001 | 130.00 | | | | | | | | | t | + |
| | ility Based CLEC | 1 | | | | | | | † | | | | | 1 | 1 | 1 |
| | Recording and Provisioning of DA Custom Branded Announcement | | | AMT | CBADA | | 3.000.00 | 3,000.00 | | | | 15.20 | | | | |
| | Loading of Custom Branded Announcement per Switch per | | | , avii | COADA | | 5,500.00 | 0,000.00 | | | | 10.20 | | | † | |
| | OCN | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | 15.20 | | | | |
| UN | EP CLEC | | | | | | | • | | • | | | | | | |
| | Recording of DA Custom Branded Announcement | ļ | <u> </u> | | | | 3,000.00 | 3,000.00 | ļ | | | 15.20 | | ļ | 1 | |
| | Loading of DA Custom Branded Announcement per Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | 15.20 | | | | |

| UNBUNI | DLE | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | ment: 2 | | bit: B |
|-----------|-------|--|-------------|----------|--------------|----------------|-----------|--------------|--------------|--------------|------------|---|---|--|--|---|---|
| CATEGOF | RY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | | Kec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Ur | nbran | ding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | 15.20 | | | | |
| | | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | 15.20 | | | | |
| SELECTIV | | | | | | | | | | | | | | | | | _ |
| | | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | USRCR | | 82.25 | 82.25 | | | | 15.20 | | | | |
| VIRTUAL | | OCATION | | | | USKCK | | 02.25 | 02.20 | | | | 15.20 | | | 1 | |
| VIICTOAL | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | + | | | | | | | | | | | |
| | | Splitting | | | UEPSR, UEPSB | VE1LS | 0.0296 | 11.94 | 11.46 | 0.00 | 0.00 | | 15.20 | | | | |
| PHYSICAL | | LOCATION | | | | | | | | | | | | | | | |
| | | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| | | Splitting | | | UEPSR, UEPSB | PE1LS | 0.0318 | 11.94 | 11.46 | | | | 15.20 | | | | |
| AIN SELE | CTIV | CARRIER ROUTING | | | | | | | | | | | | | | | |
| | | Regional Service Establishment | | | UEBIB | SRCEC | | 100,209.33 | • | | • | | 15.20 | | | | <u> </u> |
| | | End Office Establishment | | | UEBIB | SRCEO | | 164.29 | 164.29 | | | | 15.20 | | | | <u> </u> |
| | | Query NRC, per query | | | UEBIB | | 0.0030293 | | | | | | | | | | |
| AIN - BEL | | ITH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | |
| | | AIN SMS Access Service - Service Establishment, Per State, | | | | | | | | | | | | | | | |
| | | Initial Setup | | | A1N | CAMSE | | 38.30 | 38.30 | | | | 15.20 | | | | <u> </u> |
| | | AINI CMC Assess Consists Deat Consenting Dist/Channel Assess | | | A1N | CAMPD | | 7.00 | 7.00 | | | | 45.00 | | | | |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access | | <u> </u> | A1N | CAMDP CAM1P | | 7.60 7.60 | 7.60 7.60 | | | | 15.20 15.20 | | | | <u> </u> |
| | | AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User | | <u> </u> | AIN | CAIVITP | | 7.60 | 7.60 | | | | 15.20 | | | | |
| | | ID Code | | | A1N | CAMAU | | 33.99 | 33.99 | | | | 15.20 | | | | |
| | | AIN SMS Access Service - Security Card, Per User ID Code, | | | AIN | CAIVIAO | | 33.33 | 33.33 | | | | 13.20 | | | | + |
| | | Initial or Replacement | | | A1N | CAMRC | | 41.39 | 41.39 | | | | 15.20 | | | | |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0022 | | | | | | | | | | |
| | | AIN SMS Access Service - Session, Per Minute | | | | | 0.5795 | | | | | | | | | | |
| | | AIN SMS Access Service - Company Performed Session, Per | | | | | | | | | | | | | | | |
| | | Minute | | | | | 0.8104 | | | | | | | | | | |
| AIN - BEL | | ITH AIN TOOLKIT SERVICE | | | | | | | | | | | | | | | |
| | | AIN Toolkit Service - Service Establishment Charge, Per State, | | | | | | | | | | | | | | | |
| | | Initial Setup | | | CAM | BAPSC | | 38.30 | 38.30 | | | | 15.20 | | | | |
| | | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 4,175.10 | 4,175.10 | | | | 15.20 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | | DN, Term. Attempt | | 1 | | BAPTT | | 7.60 | 7.60 | | | | 15.20 | | | - | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay | | | | BAPTD | | 7.60 | 7.60 | | | | 15.20 | | | | |
| - | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | 1 | | BAFID | | 7.00 | 7.00 | | | 1 | 13.20 | | | | 1 |
| | | DN, Off-Hook Immediate | l | | | BAPTM | | 7.60 | 7.60 | | | | 15.20 | | | 1 | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | 1 | | 1 | | | 7.50 | 7.50 | | | | 10.20 | | 1 | 1 | 1 |
| | | DN, 10-Digit PODP | 1 | 1 | 1 | BAPTO | | 33.47 | 33.47 | | | | 15.20 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | 1 | İ | | 1 | 1 |
| | | DN, CDP | <u> </u> | L | <u> </u> | BAPTC | | 33.47 | 33.47 | <u> </u> | | <u> </u> | 15.20 | <u> </u> | | <u> </u> | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | | DN, Feature Code |] | | | BAPTF | | 33.47 | 33.47 | | | | 15.20 | | | | |
| | | AIN Toolkit Service - Query Charge, Per Query | | | | | 0.0536446 | | | | | | | | | | <u> </u> |
| | | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | l | | | | | | | | | | | | | 1 | |
| | | Subscription, Per Node, Per Query | <u> </u> | ļ | | | 0.006569 | | | | | | | ļ | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | 1 | 1 | 1 | | 0.00 | | | | | | | | 1 | I | |
| \vdash | | Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | <u> </u> | <u> </u> | - | + | 0.06 | | | | | | | - | | - | ┼── |
| | | AIN TOOIKIT Service - Monthly report - Per AIN TOOIKIT Service Subscription | 1 | 1 | CAM | BAPMS | 10.90 | 7.60 | 7.60 | | | | 15.20 | | 1 | I | |
| \vdash | | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | 1 | 1 | O/NVI | DAL MO | 10.90 | 00.1 | 00.1 | | | | 15.20 | 1 | 1 | | + |
| | | Subscription | 1 | 1 | CAM | BAPLS | 2.80 | 8.41 | 8.41 | | | | 15.20 | | 1 | I | |
| \vdash | | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | | | C, UVI | טרו בט | 2.00 | 0.41 | 0.41 | | | | 10.20 | | | t | + |
| | | Subscription | l | | CAM | BAPDS | 8.20 | 7.60 | 7.60 | | | | 15.20 | | | 1 | |
| | | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | 1 | | | 1 | 3.20 | | 50 | | | | | | 1 | 1 | 1 |
| | | Service Subscription | l | 1 | CAM | BAPES | 0.09 | 8.41 | 8.41 | | | | 15.20 | | | 1 | |

| ONRONDLE | D NETWORK ELEMENTS - Louisiana | | | 1 | 1 | T | | | | | • | | | ment: 2 | | bit: B |
|--|--|-------------|----------|---------------------|----------------|-----------------|----------------|----------------|--|----------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | _ | Nonre | urrina | Nonrecurring Di | sconnect | | | oss | Rates (\$) | 1 | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| ENHANCED E | KTENDED LINK (EELs) | | | | | | | | | | | | | | | |
| NOTE: | The monthly recurring and non-recurring charges below will a | apply a | nd the | Switch-As-Is Charg | e will not app | ly for EELs pro | ovisioned as ' | Ordinarily Con | bined' Network E | lements. | | | | | | |
| NOTE: | The monthly recurring and the Switch-As-Is Charge and not the | he non- | recurr | ing charges below v | will apply for | EELs provision | ed as ' Curren | tly Combined' | Network Elements | s. | | | | | | |
| NOTE: | Minimum billing is one month for DS1 and below and three m | onths a | above | DS1 services. | | | | | | | | | | | | |
| 2-WIRI | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.93 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 25.35 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 50.46 | 94.21 | 45.09 | | | | 15.20 | | | | <u> </u> |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | 15.20 | | | | |
| | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | 15.20 | | | | |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.93 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 25.35 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | _ | LINOVA | UEAL2 | 50.46 | 94.21 | 45.09 | | | | 45.00 | | | | |
| - | Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | UNCVX | UEAL2 | 50.46 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | per month | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVA | IDIVG | 0.0497 | 3.91 | 4.20 | | | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 4-WIRI | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | | | | | | | | | | | | 1 | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | 1 | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.32 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | l _ | | l | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.39 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | LINIOAY | 41.5307 | 0.0050 | | | | | | | | | | |
| | Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | <u> </u> | UNC1X | 1L5XX | 0.2652 | | | | | | | | | - | |
| | Month | | 1 | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | 15.20 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | | O. NO IA | 31111 | 70.47 | 145.50 | 103.00 | | | | 13.20 | | 1 | t | |
| | Month | | 1 | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | 100.09 | 33.37 | 12.50 | | | | | | 1 | 1 | |
| | per month | | 1 | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | | 15.20 | | <u> </u> | <u></u> | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.32 | 94.21 | 45.09 | | | | 15.20 | | ļ | 1 | |
| 1 | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | l | l | | | | | | | | | 1 | I | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.39 | 94.21 | 45.09 | | | | 15.20 | | | 1 | |
| 1 1 | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | 1 | UNCVX | 1D1VG | 0.6497 | E 04 | 4.00 | | | | | | 1 | I | |
| | Per month Nonrecurring Currently Combined Network Elements Switch -As- | - | 1 | OINCVA | וטועט | 0.0497 | 5.91 | 4.26 | | | | | | 1 | | |
| | Is Charge | | 1 | UNC1X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 4-WIRI | is charge 5 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 I | INTERC | FFICE | | | | 5.43 | 5.43 | | | | 13.20 | | 1 | t | |
| 1 7 1111 | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | ' | | | | | | | | | | I | 1 |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | | 15.20 | | 1 | I | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | • | .5.50 | | | | | | | 1 | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | | 15.20 | | | 1 | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | İ | | | | | | | |
| | Transport Combination - Zone 3 | l | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | | 15.20 | | 1 | 1 | I |

| INDUNDLE | ED NETWORK ELEMENTS - Louisiana | | | 1 | | | | | | | | | Attachr | | | bit: B |
|----------|--|-------------|-----------------|----------------|---------|--------|---------|------------|--------------|-------|---|---|---|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility | | | LINIOAN | | 70.47 | 4.40.50 | 100.00 | | | | 45.00 | | | | |
| | Termination Per Month Channelization - Channel System DS1 to DS0 combination Per | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | 15.20 | | | - | |
| | Month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | 1 | UNCIA | IVIQI | 103.09 | 39.91 | 12.90 | | | | | | | | |
| | month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | 1 | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - | | | l | 1,5,55 | | | | | | | | | | I | |
| | combination per month (2.4-64kbs) | | <u> </u> | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | 1 | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | LINICAV | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 4-WID | Is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTED | EEICE | UNC1X | | | 5.43 | 5.43 | | | | 15.20 | | | | - |
| 4-4411 | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | INTERC | Trice | TRANSFORT (EEL | , | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | <u> </u> | ONODA | ODLOT | 00.00 | 04.21 | 40.00 | | | | 10.20 | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | - | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | 15.20 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | | | | 40=00 | | 40.00 | | | | | | | | |
| | Month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | | |
| _ | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | UNCDA | טטוטו | 1.30 | 3.91 | 4.20 | | | | | | | | 1 |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | <u> </u> | ONODA | ODLOT | 00.00 | 04.21 | 40.00 | | | | 10.20 | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | | | | - | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | | 15.20 | | | <u></u> | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | 1 | | | | | | | | | | | | |
| | combination - per month (2.4-64kbs) | | <u> </u> | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | ļ | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | 1 | LINGAY | LINICCO | | - 10 | F 40 | | | | 45.00 | | | | |
| / 1A/ID | Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI | I EDOEE: | CETP | UNC1X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | 1 | |
| 4-WIR | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | LKUFFI | CE IR | ANSPUKI (EEL) | + | | | | 1 | | | | | | | |
| | Transport - Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | 15.20 | | | I | |
| 1 | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | 1 | - '- | 0.101/ | 55500 | 00.70 | 103.22 | 100.09 | 1 | | | 10.20 | | | † | 1 |
| | Transport - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | 15.20 | | | I | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport - Zone 3 | <u></u> | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | <u></u> | 15.20 | | | <u> </u> | <u> </u> |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | _ | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | l | | | | | | | | | | | | |
| | Termination Per Month | | <u> </u> | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | 15.20 | | | ļ | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | LINGAY | | | | F | | | | 45.00 | | | 1 | |
| 4 1877 | Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI | l Borre | CE TO | UNC1X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | 1 | 1 |
| 4-WIR | First DS1Loop in DS3 Interoffice Transport Combination - Zone | LKUFFI | CE IR | ANSPUKI (EEL) | + | | | | 1 | | | | | | | |
| 1 | I are portoon in postinteronice transport combination - Zone | 1 | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | 1 | 15.20 | | | 1 | 1 |

| <u>JNBUNDLE</u> | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | nent: 2 | Exhi | oit: B |
|-----------------|--|--|--------|----------------|---------|--------|--------|------------|-------|--------------|---------|-----------|--|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | UNCIX | USLAA | 194.90 | 109.22 | 100.89 | | | | 13.20 | | | | |
| | 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC3X | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 850.45 | 296.68 | 121.16 | | | | 15.20 | | | | |
| | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 201.48 | 107.05 | 48.07 | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | l | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | - | UNUIA | USLAA | 05.70 | 103.22 | 100.09 | | | | 13.20 | | | | |
| | Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC3X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 2-WIR | E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | EROFF | ICE TE | RANSPORT (EEL) | | | | | | | | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.93 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | - 1 | UNCVX | UEAL2 | 14.93 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 25.35 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | _ | 0.1017 | OL/ LL | 20.00 | 02. | 10.00 | | | | 10.20 | | | | |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 50.46 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNCVX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade | | | | | | | | | | | | | | | |
| | combination - Facility Termination per month | | | UNCVX | U1TV2 | 22.60 | 72.60 | 41.75 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | 11000 | 1111000 | | 5 40 | 5.40 | | | | 45.00 | | | | |
| 4 WID | Is Charge E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | EBOEE | ICE TO | UNCVX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 4-WIK | 4-WireVG Loop used with 4-wire VG Interoffice Transport | EKOFF | ICE II | TANSPORT (EEL) | - | | | | | | - | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | ONOVA | OL/ L | 00.01 | 04.21 | 40.00 | | | | 10.20 | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.32 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.39 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - 4-wire VG combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNCVX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade | | | 11000 | U1TV4 | 40.04 | 70.00 | 44.75 | | | | 45.00 | | | | |
| | combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | U11V4 | 19.81 | 72.60 | 41.75 | | | | 15.20 | | | | |
| | Is Charge | | | UNCVX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| DS3 D | IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | E TRAI | NSPOR | | CINCCC | | 3.43 | 5.45 | | | | 13.20 | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Per | | | | İ | | | | | | | | | | | |
| L | Mile per month | <u> </u> | | UNC3X | 1L5ND | 10.04 | | | | <u> </u> | <u></u> | | | <u></u> | <u></u> | <u> </u> |
| | High Capacity Unbundled Local Loop - DS3 combination - | | | | | | | | | | | | _ | | | |
| | Facility Termination per month | | | UNC3X | UE3PX | 362.34 | 188.45 | 125.51 | | | | | | | | |
| _ | Interoffice Transport - Dedicated - DS3 - Per Mile per month | <u> </u> | | UNC3X | 1L5XX | 6.04 | | | | ļ | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | 1 | | LINCSY | U1TF3 | 850.45 | 296.68 | 121.16 | | | | 15.20 | | | | 1 |
| - | Termination per per month Nonrecurring Currently Combined Network Elements Switch -As- | - | | UNC3X | UIIF3 | 850.45 | ∠90.08 | 121.16 | | - | | 15.20 | | - | - | - |
| | Is Charge | 1 | | UNC3X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | 1 |
| STS1 | DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE TR | RANSP | | 311000 | | 5.45 | 5.45 | | 1 | | 10.20 | | | | |
| 7.01 | High Capacity Unbundled Local Loop - STS1 combination - Per | | | | İ | | | | | | | | | | | |
| | Mile per month | l | | UNCSX | 1L5ND | 10.04 | | | | | | | | | | 1 |

| ONBONDLE | D NETWORK ELEMENTS - Louisiana | | | ı | 1 | 1 | | | | | 1 - | _ | | ment: 2 | | bit: B |
|----------|--|-------------|--------|----------------|--------------|------------------|------------------|-----------------|-------|------------|-------|---|--|--|----------|-----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge - |
| | | | | | | Rec | Nonrec | | | Disconnect | | | | Rates (\$) | | T ======= |
| | High Capacity Unbundled Local Loop - STS1 combination - | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Facility Termination per month | | | UNCSX | UDLS1 | 374.56 | 188.45 | 125.51 | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | | UNCSX | U1TFS | 830.19 | 296.68 | 121.16 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCSX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 2-WIR | E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL | .) | | | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 | | 1 | UNCNX | U1L2X | 22.09 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | | 2 | UNCNX | U1L2X | 35.28 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3 | | 3 | UNCNX | U1L2X | 65.18 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | Ŭ | UNC1X | 1L5XX | 0.2652 | 01121 | 10.00 | | | | 10.20 | | | | |
| | Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | 15.20 | | | | |
| | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month | | | UNCNX | UC1CA | 2.96 | 5.91 | 4.26 | | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 22.09 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 35.28 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 65.18 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month | | | UNCNX | UC1CA | 2.96 | 5.91 | 4.26 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | 2.00 | 5.43 | 5.43 | | | | 15.20 | | | | |
| 4-WIR | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE T | | UNCCC | | 3.43 | 5.45 | | | | 13.20 | | | | + |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month | | 3 | | 1L5XX | 6.04 | 103.22 | 100.03 | | | | 13.20 | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | UNCSX | | | | | | | | | | | | |
| | Termination STS1 to DS1 Channel System conbination per month | | | UNCSX UNCSX | U1TFS MQ3 | 830.19 201.48 | 296.68 107.05 | 121.16 48.07 | | | | 15.20 | | | | - |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | 1 | | | 15.20 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | 3 | UNC1X UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCSX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 4-WIR | E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | FFICE 1 | TRANS | PORT (EEL) | | | | | | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | | 15.20 | | | | |

| <u>ONBOND</u> LI | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|------------------|--|--|--|--------------------|------------|----------------|-----------|------------|-------|--------------|----------|-----------|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | 3 | LINODY | LIDI 50 | 00.00 | 04.04 | 45.00 | | | | 45.00 | | | | |
| | Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Per Mile | | | UNCDX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | UNCDX | ILJAA | 0.013 | | | | | | | | | | |
| | Facility Termination | | | UNCDX | U1TD5 | 15.61 | 72.60 | 41.75 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONCDA | 01100 | 13.01 | 72.00 | 41.73 | | | | 13.20 | | | | |
| | Is Charge | | | UNCDX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| 4-WIR | RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE 1 | RANS | PORT (EEL) | | | | | | | | | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | 1 | | | | | | | | | | | | |
| | Combination - Zone 1 | <u> </u> | _1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | <u> </u> | 15.20 | | | <u> </u> | <u></u> |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Per Mile | | | UNCDX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination | | | UNCDX | U1TD6 | 15.61 | 72.60 | 41.75 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | | | | | | | | | | | | | |
| | Is Charge | | | UNCDX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| | NETWORK ELEMENTS | | <u>. </u> | | 0 | | | | | | | | | | | <u> </u> |
| | n used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | n used as ordinarily combined network elements in All States, the ecurring Currently Combined Network Elements "Switch As Is" | | | | | AS IS Charge C | ioes not. | | | | | | | | | |
| Nonre | Nonrecurring Currently Combined Network Elements Switch As is | | (One a | applies to each co | mbination) | | | | | | - | | | | - | |
| | Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | CHOTA | 011000 | | 0.40 | 0.40 | | | | 10.20 | | | | |
| | Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge - DS1 | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge - DS3 | | | UNC3X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge - STS1 | | | UNCSX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| NOTE | E: Local Channel - Dedicated Transport - minimum billing period | d - Belo | w DS3 | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade | | | UNCVX | ULDV2 | 18.32 | 187.51 | 32.21 | | | | | | | | |
| _ | Local Channel - Dedicated - 4-Wire Voice Grade | ļ | | UNCVX | ULDV4 | 19.41 | 187.94 | 32.63 | | ļ | | , | | ļ | ļ | 1 |
| | Local Channel - Dedicated - DS1 per month Zone 1 | ļ | | UNC1X | ULDF1 | 39.18 | 172.34 | 149.27 | | | | 15.20 | | | | |
| | Local Channel - Dedicated -DS1 Per Month Zone 2 | <u> </u> | 2 | UNC1X | ULDF1 | 121.58 | 172.34 | 149.27 | | ļ | | 15.20 | | | - | ļ |
| | Local Channel - Dedicated - DS1- Per Month Zone 3 | <u> </u> | 3 | UNC1X | ULDF1 | 70.02 | 172.34 | 149.27 | | ļ | | 15.20 | | | - | ļ |
| | Local Channel - Dedicated - DS3 - Per Mile per month | <u> </u> | <u> </u> | UNC3X | 1L5NC | 7.82 | 400.40 | 050.00 | | - | | 45.00 | | ļ | - | |
| | Local Channel - Dedicated - DS3 - Facility Termination | <u> </u> | | UNC3X | ULDF3 | 469.44 | 438.46 | 256.30 | | ļ | | 15.20 | | | - | ļ |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | - | UNCSX | 1L5NC | 7.82 | 400.40 | 050.00 | | | - | 15.20 | | | | 1 |
| On4: - | Local Channel - Dedicated - STS-1 - Facility Termination onal Features & Functions: | ├ | | UNCSX | ULDFS | 457.22 | 438.46 | 256.30 | | - | | | | - | | |
| | TIPLEXERS | | 1 | 1 | + | | | | | 1 | | | | 1 | | 1 |
| | E: minimum billing period is one month for DS1 to DS0 Channel | System | n and i | nterfaces | - | | | | | 1 | | | | 1 | t | + |
| | : minimum billing period is three months for DS3 to DS1 and a | | | | faces | | | | | | | | | | | 1 |
| | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 105.09 | 88.41 | 60.76 | | † | | 15.20 | | | - | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | † | | S.C.ID.I | IVIQI | 103.09 | 00.41 | 00.70 | | | <u> </u> | 10.20 | | | I | 1 |
| | month (2.4-64kbs) | | | UDL | 1D1DD | 1.38 | 6.39 | 4.58 | | | | 15.20 | | | 1 | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | † | | | .2.20 | 1.50 | 0.00 | 7.00 | | | <u> </u> | 10.20 | | | I | 1 |
| | month | | | UDN | UC1CA | 2.96 | 6.39 | 4.58 | | | | 15.20 | | | 1 | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 0.6497 | 6.39 | 4.58 | | † | | 15.20 | | İ | İ | |
| | DS3 to DS1 Channel System per month | 1 | | UXTD3 | MQ3 | 201.48 | 172.99 | 91.25 | | | | 15.20 | | | | |
| 1 | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 201.48 | 172.99 | 91.25 | | | | 15.20 | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 11.78 | 6.39 | 4.58 | | 1 | | 15.20 | | 1 | 1 | 1 |

Version 4Q02: 12/18/02 Page 193 of 416

| UNBUNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|----------|---|-------------|----------|---------------------|----------------|----------------|----------------|------------|--------------|-------|----------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | 110454 | 44.70 | 0.00 | 4.50 | | | | | | | | |
| | month DS3 Interface Unit (DS1 COCI) used with Interoffice Channel | | - | ULDD1 | UC1D1 | 11.78 | 6.39 | 4.58 | | | | | | | | 1 |
| | per month | | | U1TD1 | UC1D1 | 11.78 | 6.39 | 4.58 | | | | | | | | |
| Access | s to DCS - Customer Reconfiguration (FlexServ) | | | 01101 | 00151 | 11.70 | 0.00 | 4.00 | | | | | | | | 1 |
| | pop Feeder | | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | | SW | UNC1X | USBFG | | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | UNC1X | USBFG | 55.38 | 98.15 | 61.77 | | | | | | | | 1 |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | UNC1X | USBFG | 167.83 | 98.15 | 61.77 | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | UNC1X | USBFG | 469.87 | 98.15 | 61.77 | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4 | | 4 | UNC1X | USBFG | | | | | | | | | | | |
| | LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | nge Ports | | 1 | | 1 | | | | | | | | | | | |
| | Although the Port Rate includes all available features in GA, I | KY, LA | & IN, t | ne desired features | will need to b | e ordered usin | g retail USOCs | 3 | | | | | | | | . |
| 2-WIRI | E VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 4.50 | 2.31 | 2.21 | | | | 45.00 | | | | |
| | Exchange Ports - 2-wire Analog Line Port- Res. | | - | UEPSK | UEPKL | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exertaings Forts 2 Title / Intalog Elife Fort With Galler ID Trees. | | | 02. 0.1 | 020 | 1.02 | 2.01 | | | | | 10.20 | | | | 1 |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire VG unbundled LA extended local | | | | | | | | | | | | | | | |
| | dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAS | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus | | | | | | | | | | | | | | | |
| | with Caller ID - Res (RUL) | | | UEPSR | UEPAG | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | | | | | | | | | | | | | |
| | with Caller ID (LUM) | | | UEPSR | UEPAP | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan | | | | | | | | | | | | | | | |
| | without Caller ID | | | UEPSR | UEPWG | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | . |
| | Exchange Ports - 2-Wire VG Louisiana Residence Area Plus without Caller ID | | | UEPSR | UEPRQ | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | UEPSK | UEPRQ | 1.52 | 2.31 | 2.21 | | | - | 15.20 | | | | |
| | Capability | | | UEPSR | UEPRT | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| FEATU | | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| 2-WIRI | E VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | | | | | | | | | | | | 1 |
| | Bus | | | UEPSB | UEPBL | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with | 1 | | | | | | | | | | | | | | |
| | unbundled port with Caller+E484 ID - Bus. | | 1 | UEPSB | UEPBC | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | ↓ |
| | Funkanna Parka O Willia Applea Line Book o tooling and S | | | LIEDOD | LIEDEO | 4.50 | 001 | 00: | | | | 45.00 | | | | |
| ļ | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled LA extended local | 1 | 1 | UEPSB | UEPBO | 1.52 | 2.31 | 2.21 | | | 1 | 15.20 | | | | |
| | dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAX | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exhange Ports - 2-Wire VG unbundled incoming only port with | | 1 | 021 00 | OLI AA | 1.02 | 2.31 | 2.21 | | | | 13.20 | | 1 | | |
| | Caller ID - Bus | | | UEPSB | UEPB1 | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area | | | | 52. 51 | 1.02 | 2.01 | 2.21 | | | | 10.20 | | | | 1 |
| | Calling Port with Caller ID - Bus (BUC) | | | UEPSB | UEPAA | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan | | 1 | | | | - | | | | | | | | | |
| | without Caller ID | | <u> </u> | UEPSB | UEPWH | 1.52 | 2.31 | 2.21 | <u> </u> | | <u> </u> | 15.20 | | <u> </u> | | |
| | Exchange Ports - 2-Wire Voice Louisiana Business Area Calling | | | | | | _ | | | | | | | | | |
| | Port without Caller ID | | | UEPSB | UEPBA | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | <u> </u> |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | l | I | | | | | | | | | | | |
| | Capability | | ļ | UEPSB | UEPBE | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Subsequent Activity | | <u> </u> | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | ↓ |
| FEATU | All Available Vertical Features | | 1 | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | | - | 15.20 | | | | |
| | IAII AVAIIADIE VEITICAI FEATUIES | 1 | 1 | ULFOD | UEFVF | 0.00 | 0.00 | 0.00 | | | | 15.∠0 | | l | | |
| EYCU | ANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |

Version 4Q02: 12/18/02 Page 194 of 416

| UNBUNDL | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|--|-------------|----------|-------------------|-------------|----------------|---------------|----------------|------------------|---------------|--------------|--------------|--|----------------|-------------------------|--|
| CATEGORY | | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - | Increment Charge - |
| | | | | | | Dee | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port | | | UEPSP | UEPL2 | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | I | |
| | Capable Port | | | UEPSP | UEPXE | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | ļ | |
| | 2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional | | | l | | | | | | | | | | | I | 1 |
| | Callling Port | | | UEPSP | UEPXK | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | . | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPSP | UEPXL | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Room Calling Port | | | UEPSP | UEPXM | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | Discount Room Calling Port | | | UEPSP | UEPXO | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local | | | | | | | | | | | | | | | |
| | Discount Calling Port | | | UEPSP | UEPXP | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.52 | 30.37 | 14.42 | | | | 15.20 | | | | |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| FEA | TURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| EXC | HANGE PORT RATES (COIN) | | | | | | | | | | | | | | | |
| | Exchange Ports - Coin Port | | | <u> </u> | <u> </u> | 1.52 | 2.31 | 2.21 | | | <u> </u> | 15.20 | | | | |
| | E: Transmission/usage charges associated with POTS circuit s | | | | | | | | | | | | | L | | |
| | E: Access to B Channel or D Channel Packet capabilities will be | availab | ole only | y through BFR/New | Business Re | quest Process. | Rates for the | packet capabi | ities will be de | etermined via | the Bona Fig | le Request/ | New Business | Request Pro | cess. | |
| | D LOCAL EXCHANGE SWITCHING(PORTS) HANGE PORT RATES | | | | | | | | | | - | | | | | + |
| EXC | | | | UEPEX | UEPP2 | 8.29 | 115.85 | 18.20 | | | | 45.00 | | | | |
| | Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | | | UEPEX | UEPP2 | 8.29 | 115.85 | 18.20 | | | - | 15.20 | | | | + |
| | capability | | | UEPDD | UEPDD | 68.47 | 196.18 | 92.92 | | | | 15.20 | | | | |
| | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | - | UEPTX UEPSX | U1PMA | 10.07 | 70.76 | 92.92 51.46 | | | | 15.20 | | | | + |
| | All Features Offered | | | UEPTX UEPSX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | + |
| NOT | E: Transmission/usage charges associated with POTS circuit so | vitched | HESON | | | | | | iccion by B-Ch | annole accor | isted with 2 | wire ISDN n | orte | | | + |
| | E: Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Poguest Pro | 2000 | + |
| 1101 | Exchange Ports - 2-Wire ISDN Port Channel Profiles | avanak | l oni | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | ities will be de | l l | T Dona i it | ie Requestri | New Dusiness | l Request i it | , cess. | + |
| - | Exchange Ports - 2-Wire ISDN Port Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 94.82 | 197.92 | 98.62 | | | 1 | 15.20 | | | | + |
| UNB | SUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY | | | OLITEX | OLILA | 34.02 | 137.32 | 30.02 | | | | 13.20 | | | | + |
| | UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | - | | | | | + |
| 0.112 | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | + |
| | 223.00 Nonitio Can't Stratum Gottino, Fied Calling, Nos | | | | 32.010 | 1.02 | 2.01 | 4.41 | | | 1 | 10.20 | | | I | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | I | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE | 1.52 | 2.31 | 2.21 | | 1 | 1 | 15.20 | | 1 | t | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 1.52 | 2.31 | 2.21 | | | † | 15.20 | | | 1 | <u> </u> |
| Non | -Recurring | | | | 1 | - | | | | | | | | | İ | 1 |
| | Unbundled Remote Call Forwarding Service - Conversion - | | | | 1 | | | | | İ | | | | İ | İ | 1 |
| | Switch-as-is | | | UEPVR | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | 1 | 1 |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | - | | | | | | | | 1 |
| | allowed change (PIC and LPIC) | | | UEPVR | USACC | | 0.10 | 0.10 | | | | | | | I | I |
| UNB | UNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | İ | | | | İ | İ | 1 |
| | | | | | | | | | | l | 1 | | | İ | 1 | 1 |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | I | |
| | | | | | | | | | | | | | | 1 | | |
| | 1 | | 1 | UEPVB | UERLC | | | 2.21 | | ı | 1 | 15.20 | | l | | 1 |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |

Version 4Q02: 12/18/02 Page 195 of 416

| | ETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|--|--|-------------|------------------|---|---|---|---|--|-----------------|----------------|---------|--|---------------------------------|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | oundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | oundled Remote Call Forwarding Service Expanded and | | | | 1 | | | | | | | | | | | |
| | eption Local Calling | | | UEPVB | UERVJ | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| Non-Recur | | | | | | | | | | | | | | | | |
| | oundled Remote Call Forwarding Service - Conversion - | | | UEPVB | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| | oundled Remote Call Forwarding Service - Conversion with | | | UEPVB | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| | wed change (PIC and LPIC) | | | UEPVB | USACC | | 0.10 | 0.10 | | | | | | | | |
| | AL SWITCHING, PORT USAGE | | | UEFVB | USACC | | 0.10 | 0.10 | | | | | | | | |
| | Switching (Port Usage) | | | | | | | | | | | | | | | |
| | d Office Switching Function, Per MOU | | | | | 0.001868 | | | | | | | | | | |
| Enc | d Office Trunk Port - Shared, Per MOU | | | | | 0.00018 | | | | | | | | | | |
| | witching (Port Usage) (Local or Access Tandem) | | | | | 0.00010 | | | | | | | | | | |
| | ndem Switching Function Per MOU | | | | | 0.0001067 | | | | | | | | | | |
| | ndem Trunk Port - Shared, Per MOU | | | | | 0.000222 | | | | | | | | | | |
| Common T | | | | | | 0.000222 | | | | | | | | | | |
| | mmon Transport - Per Mile, Per MOU | | | | | 0.0000032 | | | | | | | | | | |
| | mmon Transport - Facilities Termination Per MOU | | | | | 0.0003748 | | | | | | | | | | |
| | T/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | d Rates are applied where BellSouth is required by FCC ar | nd/or St | ate Co | mmission rule to p | rovide Unbur | dled Local Swi | tching or Swite | ch Ports. | | | | | | | | |
| | hall apply to the Unbundled Port/Loop Combination - Cos | | | | | | | | ed Port section | of this Rate F | xhibit. | | | | | |
| | and Tandem Switching Usage and Common Transport Us | | | | | | | | | | | n Port/Loon | Combination | ns. | | |
| | nd additional Port nonrecurring charges apply to Not Curr | | | | | | | | | | | | | | | |
| | ICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | , 0 | T | 1 | 1 | | | g 0.1a. g00 0.1a | | 1 | | - Curronary | | 1 | | |
| | oop Combination Rates | | | | | | | | | | | | | | | |
| | /ire VG Loop/Port Combo - Zone 1 | | 1 | 1 | | | | | | | | | | | | |
| | | | | | | 13 13 | | | | | | | | | | |
| | | | | | | 13.13 | | | | | | | | | | |
| | /ire VG Loop/Port Combo - Zone 2 | | 2 | | | 23.75 | | | | | | | | | | |
| 2-W | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 | | | | | | | | | | | | | | | |
| 2-W UNE Loop | /ire VG Loop/Port Combo - Zone 2 /ire VG Loop/Port Combo - Zone 3 Rates | | 2 | LIEPRX | UEPLX | 23.75 49.62 | | | | | | | | | | |
| UNE Loop 2-W | /ire VG Loop/Port Combo - Zone 2 /ire VG Loop/Port Combo - Zone 3 Rates /ire Voice Grade Loop (SL1) - Zone 1 | | 3 | UEPRX UEPRX | UEPLX UEPLX | 23.75 49.62 11.77 | | | | | | | | | | |
| 2-W UNE Loop 2-W 2-W | /ire VG Loop/Port Combo - Zone 2 /ire VG Loop/Port Combo - Zone 3 Rates //ire Voice Grade Loop (SL1) - Zone 1 //ire Voice Grade Loop (SL1) - Zone 2 | | 2 3 1 2 | UEPRX | UEPLX | 23.75 49.62 11.77 22.39 | | | | | | | | | | |
| 2-W UNE Loop 2-W 2-W 2-W | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 | | 3 | | | 23.75 49.62 11.77 | | | | | | | | | | |
| 2-W UNE Loop 2-W 2-W 2-W 2-Wire Void | /ire VG Loop/Port Combo - Zone 2 /ire VG Loop/Port Combo - Zone 3 Rates //ire Voice Grade Loop (SL1) - Zone 1 //ire Voice Grade Loop (SL1) - Zone 2 | | 2 3 1 2 | UEPRX | UEPLX | 23.75 49.62 11.77 22.39 48.26 | 38.85 | 19.08 | | | | 15.20 | | | | |
| 2-Wire Voic 2-W | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 Dec Grade Line Port Rates (Res) Vire voice unbundled port - residence | | 2 3 1 2 | UEPRX UEPRX | UEPLX UEPLX | 23.75 49.62 11.77 22.39 48.26 | 38.85 38.85 | | | | | 15.20 | | | | |
| 2-W UNE Loop 2-W 2-W 2-Wire Voic 2-W 2-W | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 Dece Grade Line Port Rates (Res) Vire voice unbundled port - residence Vire voice unbundled port with Caller ID - res | | 2 3 1 2 | UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL | 23.75 49.62 11.77 22.39 48.26 | 38.85 38.85 38.85 | 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 | | | | |
| 2-W UNE Loop 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 Dec Grade Line Port Rates (Res) Vire voice unbundled port - residence | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC | 23.75 49.62 11.77 22.39 48.26 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| 2-W UNE Loop | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 COMBO CO | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC | 23.75 49.62 11.77 22.39 48.26 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| 2-W UNE Loop 2-W 2-Wire Voic 2-Wire Voic 2-W 2-W 2-W 2-W | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 Ce Grade Line Port Rates (Res) Vire voice unbundled port - residence Vire voice unbundled port outgoing only - res Vire voice Grade unbundled Louisiana extended local dialing Viry port with Caller ID - res | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC UEPRO | 23.75 49.62 11.77 22.39 48.26 1.36 1.36 | 38.85 38.85 | 19.08 19.08 | | | | 15.20 15.20 | | | | |
| 2-W UNE Loop | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 Ce Grade Line Port Rates (Res) Vire voice unbundled port - residence Vire voice unbundled port outgoing only - res Vire voice Grade unbundled Louisiana extended local dialing ity port with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS | 23.75 49.62 11.77 22.39 48.26 1.36 1.36 | 38.85 38.85 38.85 | 19.08 19.08 | | | | 15.20 15.20 15.20 | | | | |
| 2-W UNE Loop 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 De Grade Line Port Rates (Res) Vire voice unbundled port - residence Vire voice unbundled port with Caller ID - res Vire voice unbundled port outgoing only - res Vire voice Grade unbundled Louisiana extended local dialing Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC UEPRO | 23.75 49.62 11.77 22.39 48.26 1.36 1.36 | 38.85 38.85 | 19.08 19.08 | | | | 15.20 15.20 | | | | |
| 2-W UNE Loop 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire voice unbundled port - residence Vire voice unbundled port with Caller ID - res Vire voice unbundled port outgoing only - res Vire voice Grade unbundled Louisiana extended local dialing Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res VIII Vire voice unbundled Louisiana Area Plus with Caller ID - res VIII Vire voice unbundled Fores ID - Vire Voice unbundled Fores ID - Vire Voice unbundled Fores ID - Vire Voice unbundled Fores ID - Vire Voice unbundled Fores ID - Vire Voice unbundled Fores ID - Vire Voice unbundled Fores ID - Vire Voice Unbundled Fores | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS | 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 | 38.85 38.85 38.85 38.85 | 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 | | | | |
| 2-W UNE Loop 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W (RU 2-W (LU 2-W (LU 2-W (LU (Lu | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 Ce Grade Line Port Rates (Res) Vire voice unbundled port - residence Vire voice unbundled port outgoing only - res Vire voice Grade unbundled Louisiana extended local dialing Viry port with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled sers, low usage line port with Caller ID M) | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC UEPRO UEPAS UEPAG | 23.75 49.62 11.77 22.39 48.26 1.36 1.36 | 38.85 38.85 38.85 | 19.08 19.08 | | | | 15.20 15.20 15.20 | | | | |
| 2-W UNE Loop | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire voice unbundled port - residence Vire voice unbundled port with Caller ID - res Vire voice unbundled port outgoing only - res Vire voice Grade unbundled Louisiana extended local dialing Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res VIII Vire voice unbundled Louisiana Area Plus with Caller ID - res VIII Vire voice unbundled Fores ID - Vire Voice unbundled Fores ID - Vire Voice unbundled Fores ID - Vire Voice unbundled Fores ID - Vire Voice unbundled Fores ID - Vire Voice unbundled Fores ID - Vire Voice unbundled Fores ID - Vire Voice Unbundled Fores | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC UEPRO UEPAS UEPAG | 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 | 38.85 38.85 38.85 38.85 | 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 | | | | |
| 2-W UNE Loop 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W (RL 2-W (LU 2-W with | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 De Grade Line Port Rates (Res) Vire voice unbundled port - residence Vire voice unbundled port vith Caller ID - res Vire voice unbundled port outgoing only - res Vire voice Grade unbundled Louisiana extended local dialing Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundles res, low usage line port with Caller ID M) Vire Voice Unbundled Louisiana Residence Dialing Plan | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC UEPRO UEPAS UEPAG UEPAG | 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 | 38.85 38.85 38.85 38.85 38.85 | 19.08 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 15.20 15.20 | | | | |
| 2-W UNE LOOP 2-Wire Voic 2-Wire Voic 2-Wire (Voic 2-Wi | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 De Grade Line Port Rates (Res) Vire voice unbundled port - residence Vire voice unbundled port outgoing only - res Vire voice unbundled port outgoing only - res Vire voice Grade unbundled Louisiana extended local dialing Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Rouisiana Area Plus With Caller ID - res Vire voice Unbundled Louisiana Residence Dialing Plan Nout Caller ID | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC UEPRO UEPAS UEPAG UEPAG | 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 | 38.85 38.85 38.85 38.85 38.85 | 19.08 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 15.20 15.20 | | | | |
| 2-W UNE Loop | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 Compared Line Port Rates (Res) Vire voice unbundled port - residence Vire voice unbundled port outgoing only - res Vire voice unbundled port outgoing only - res Vire voice Grade unbundled Louisiana extended local dialing viry port with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID M) Vire Voice Unbundled Louisiana Residence Dialing Plan Nout Caller ID Vire voice unbundled Louisiana Area Plus Port without Caller Capability | | 2 3 1 2 | UEPRX .77 22.39 48.26 1.36 1.36 1.36 1.36 | 38.85 38.85 38.85 38.85 38.85 38.85 | 19.08 19.08 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 15.20 15.20 15.20 | | | | |
| 2-W UNE Loop 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W (ILU 2-W 2-W 2-W (ILU 2-W 2-W 2-W (ILU 2-W 2-W 2-W (ILU 2-W 2-W 2-W 2-W (ILU 2-W 2-W 2-W 2-W (ILU 2-W 2-W 2-W 2-W 2-W (ILU 2-W 2-W 2-W 2-W 2-W 2-W 2-W (ILU 2-W | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 22 Vire Voice Grade Loop (SL1) - Zone 3 22 Vire Voice Grade Loop (SL1) - Zone 3 23 24 Vire voice unbundled port - residence Vire voice unbundled port outgoing only - res Vire voice unbundled port outgoing only - res Vire voice Grade unbundled Louisiana extended local dialing vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Residence Dialing Plan vire Voice Unbundled Louisiana Residence Dialing Plan vout Caller ID Vire voice unbundled Louisiana Area Plus Port without Caller | | 2 3 1 2 | UEPRX .77 22.39 48.26 1.36 1.36 1.36 1.36 | 38.85 38.85 38.85 38.85 38.85 38.85 | 19.08 19.08 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 15.20 15.20 15.20 | | | | |
| 2-W UNE Loop 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W (ILU 2-W 2-W 2-W (ILU 2-W 2-W 2-W (ILU 2-W 2-W 2-W (ILU 2-W 2-W 2-W 2-W (ILU 2-W 2-W 2-W 2-W (ILU 2-W 2-W 2-W 2-W 2-W (ILU 2-W 2-W 2-W 2-W 2-W 2-W 2-W (ILU 2-W | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 | | 2 3 1 2 | UEPRX .77 22.39 48.26 1.36 1.36 1.36 1.36 | 38.85 38.85 38.85 38.85 38.85 38.85 | 19.08 19.08 19.08 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 15.20 15.20 15.20 | | | | |
| 2-W UNE Loop 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W 2-W (ILU 2-W 2-W 2-W (ILU 2-W 2-W 2-W 2-W (ILU 2-W 2-W 2-W 2-W 2-W (ILU 2-W | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 De Grade Line Port Rates (Res) Vire voice unbundled port - residence Vire voice unbundled port ortigoring only - res Vire voice Grade unbundled Louisiana extended local dialing Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Residence Dialing Plan Lout Caller ID Vire Voice Unbundled Louisiana Area Plus Port without Caller Loapability Vire voice unbundled Louisiana Area Plus Port without Caller ID Dability Sepatures Offered | | 2 3 1 2 | UEPRX .77 22.39 48.26 1.36 1.36 1.36 1.36 | 38.85 38.85 38.85 38.85 38.85 38.85 | 19.08 19.08 19.08 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 15.20 15.20 15.20 | | | | |
| 2-W UNE Loop 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W (ILU 2-W 2-W 2-W (ILU 2-W 2-W 2-W 2-W 2-W (ILU 2-W 2- | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 De Grade Line Port Rates (Res) Vire voice unbundled port - residence Vire voice unbundled port with Caller ID - res Vire voice unbundled port outgoing only - res Vire voice unbundled port outgoing only - res Vire voice unbundled Louisiana extended local dialing viry port with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Residence Dialing Plan voice Unbundled Louisiana Residence Dialing Plan voice Unbundled Louisiana Area Plus Port without Caller Capability Vire voice unbundled Low Usage Line Port without Caller ID Daibility | | 2 3 1 2 | UEPRX .77 22.39 48.26 1.36 1.36 1.36 1.36 1.36 | 38.85 38.85 38.85 38.85 38.85 38.85 38.85 | 19.08 19.08 19.08 19.08 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 15.20 15.20 15.20 15.20 | | | | |
| 2-W UNE Loop 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W (ILU 2-W 2-W ID (| Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 De Grade Line Port Rates (Res) Vire voice unbundled port - residence Vire voice unbundled port ortigoring only - res Vire voice Grade unbundled Louisiana extended local dialing Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Residence Dialing Plan Lout Caller ID Vire Voice Unbundled Louisiana Area Plus Port without Caller Loapability Vire voice unbundled Louisiana Area Plus Port without Caller ID Dability Sepatures Offered | | 2 3 1 2 | UEPRX .77 22.39 48.26 1.36 1.36 1.36 1.36 1.36 | 38.85 38.85 38.85 38.85 38.85 38.85 38.85 | 19.08 19.08 19.08 19.08 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 15.20 15.20 15.20 15.20 | | | | |
| 2-W UNE Loop 2-W | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 De Grade Line Port Rates (Res) Vire voice unbundled port - residence Vire voice unbundled port outgoing only - res Vire voice unbundled port outgoing only - res Vire voice unbundled port outgoing only - res Vire voice unbundled Louisiana extended local dialing Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Residence Dialing Plan Nout Caller ID Vire voice unbundled Louisiana Area Plus Port without Caller Capability Vire voice unbundled Louisiana Area Plus Port without Caller ID Dability Seatures Offered MBER PORTABILITY | | 2 3 1 2 | UEPRX .77 22.39 48.26 1.36 1.36 1.36 1.36 1.36 | 38.85 38.85 38.85 38.85 38.85 38.85 38.85 | 19.08 19.08 19.08 19.08 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 15.20 15.20 15.20 15.20 | | | | |
| 2-W UNE Loop | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 De Grade Line Port Rates (Res) Vire voice unbundled port - residence Vire voice unbundled port outgoing only - res Vire voice unbundled port outgoing only - res Vire voice Grade unbundled Louisiana extended local dialing Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID M) Vire Voice Unbundled Louisiana Residence Dialing Plan Nout Caller ID Vire voice unbundled Louisiana Area Plus Port without Caller Capability Vire voice unbundled Low Usage Line Port without Caller ID ability BER PORTABILITY al Number Portability (1 per port) | | 2 3 1 2 | UEPRX .77 22.39 48.26 1.36 1.36 1.36 1.36 1.36 | 38.85 38.85 38.85 38.85 38.85 38.85 38.85 | 19.08 19.08 19.08 19.08 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 15.20 15.20 15.20 15.20 | | | | |
| 2-W UNE Loop 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 De Grade Line Port Rates (Res) Vire voice unbundled port - residence Vire voice unbundled port outgoing only - res Vire voice unbundled port outgoing only - res Vire voice unbundled Louisiana extended local dialing Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus Port with Caller ID Min Vire Voice Unbundled Louisiana Residence Dialing Plan Nout Caller ID Vire voice unbundled Louisiana Area Plus Port without Caller Capability Vire voice unbundled Louisiana Area Plus Port without Caller ID Dability S Features Offered MBER PORTABILITY Lai Number Portability (1 per port) RRING CHARGES (NRCs) - CURRENTLY COMBINED | | 2 3 1 2 | UEPRX .77 22.39 48.26 1.36 1.36 1.36 1.36 1.36 | 38.85 38.85 38.85 38.85 38.85 38.85 38.85 | 19.08 19.08 19.08 19.08 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 15.20 15.20 15.20 15.20 | | | | |
| 2-W UNE Loop | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 De Grade Line Port Rates (Res) Vire voice unbundled port - residence Vire voice unbundled port outgoing only - res Vire voice Grade unbundled Louisiana extended local dialing Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus With Caller ID Will Vire voice unbundled Louisiana Residence Dialing Plan Lout Caller ID Vire Voice Unbundled Louisiana Area Plus Port without Caller Capability Vire voice unbundled Louisiana Area Plus Port without Caller ID Dability Seatures Offered MBER PORTABILITY La Number Portability (1 per port) RRING CHARGES (NRCs) - CURRENTLY COMBINED Vire Voice Grade Loop / Line Port Combination - Conversion - | | 2 3 1 2 | UEPRX .77 22.39 48.26 1.36 1.36 1.36 1.36 1.36 | 38.85 38.85 38.85 38.85 38.85 38.85 38.85 | 19.08 19.08 19.08 19.08 19.08 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 | | | | |
| 2-W UNE LOOP 2-W | Vire VG Loop/Port Combo - Zone 2 Vire VG Loop/Port Combo - Zone 3 Rates Vire Voice Grade Loop (SL1) - Zone 1 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3 CC Grade Line Port Rates (Res) Vire voice Grade Loop (SL1) - Zone 3 CC Grade Line Port Rates (Res) Vire voice unbundled port vith Caller ID - res Vire voice unbundled port outgoing only - res Vire voice Grade unbundled Louisiana extended local dialing vity port with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Area Plus with Caller ID - res Vire voice unbundled Louisiana Residence Dialing Plan Nout Caller ID Vire Voice Unbundled Louisiana Area Plus Port without Caller Capability Vire voice unbundled Low Usage Line Port without Caller ID Dability SE Features Offered MBER PORTABILITY Lat Number Portability (1 per port) RRING CHARGES (NRCs) - CURRENTLY COMBINED Vire Voice Grade Loop / Line Port Combination - Conversion - tich-as-is | | 2 3 1 2 | UEPRX .77 22.39 48.26 1.36 1.36 1.36 1.36 1.36 | 38.85 38.85 38.85 38.85 38.85 38.85 38.85 | 19.08 19.08 19.08 19.08 19.08 19.08 19.08 19.08 | | | | 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 | | | | |

Version 4Q02: 12/18/02 Page 196 of 416

| ONBONDE | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | 1 - | | | ment: 2 | | bit: B |
|----------|--|--|--|----------------|----------------|----------------|------------------------|------------|--|------------|--|---|--|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | | Disconnect | | | | Rates (\$) | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| 2-WIF | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | İ | | | | | | İ | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 13.13 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 23.75 | | | | | | | | | 20.00 | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 49.62 | | | | | | | | | | |
| UNE | Loop Rates | | | LIEDDY | LIEDLY | 44.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX UEPBX | UEPLX UEPLX | 22.39 48.26 | | | | - | | | | - | | - |
| 2-14/:- | e Voice Grade Line Port (Bus) | | 3 | OLPDA | UEPLA | 40.20 | | | | | | | | 1 | | |
| 2-4411 | 2-Wire voice unbundled port without Caller ID - bus | - | | UEPBX | UEPBL | 1.36 | 38.85 | 19.08 | | <u> </u> | | 15.20 | | | t | - |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.36 | 38.85 | 19.08 | † | | | 15.20 | | | 1 | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.36 | 38.85 | 19.08 | 1 | Ì | | 15.20 | | Ì | 1 | |
| | 2-Wire voice Grade unbundled Louisiana extended local dialing | | | | | | | | | | | | | | | |
| | parity port with Caller ID - bus | <u></u> | L | UEPBX | UEPAX | 1.36 | 38.85 | 19.08 | <u> </u> | <u> </u> | | 15.20 | | | <u> </u> | <u></u> |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled Louisiana Bus Area Calling Port with | | | | | | | | | | | | | | | |
| | Caller ID (BUC) | | | UEPBX | UEPAA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled Louisiana Business Dialing Plan | | | | | | | | | | | | | | | |
| | without Caller ID | | | UEPBX | UEPWH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled Louisiana Business Area Calling Port | | | HEDDY | LIEDDA | 4.00 | 00.05 | 40.00 | | | | 45.00 | | | | |
| | without Caller ID Capability | | | UEPBX | UEPBA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID Capability | | | UEPBX | UEPBE | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| LOCA | L NUMBER PORTABILITY | | | UEPBA | UEPBE | 1.30 | 30.00 | 19.06 | | | | 15.20 | | | | |
| LOOP | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| FEAT | URES | | | 02. 5% | 2.11 0/1 | 0.00 | | | | | | | | | | |
| | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| NONE | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPBX | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch with change | | | UEPBX | USACC | | 0.10 | 0.10 | | | | 15.20 | | | | |
| ADDI | TIONAL NRCs | | | | + | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 15.20 | | | | |
| 2-///10 | Activity RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | UEFDA | USASZ | | 0.00 | 0.00 | | - | | 15.20 | | - | | - |
| | Port/Loop Combination Rates | | \vdash | 1 | + | | | | | 1 | 1 | | | 1 | t | |
| ONE | 2-Wire VG Loop/Port Combo - Zone 1 | 1 | 1 | † | | 13.13 | | | - | | 1 | | | | I | <u> </u> |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | 1 | 23.75 | | | 1 | | | | | | 1 | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 49.62 | | | 1 | Ì | | | | Ì | 1 | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 22.39 | • | • | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 48.26 | , in the second second | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port Rates (RES - PBX) | | <u> </u> | ļ | | | | | | | | | | | ļ | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | 1 | LIEDDO | LIEDOS | 4.00 | 20.01 | 04.65 | 1 | | | 45.00 | | | | |
| 1.004 | Res L NUMBER PORTABILITY | | 1 | UEPRG | UEPRD | 1.36 | 66.91 | 31.29 | | | 1 | 15.20 | | | | - |
| LUCA | Local Number Portability (1 per port) | - | - | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | - | | | 15.20 | | | + | |
| EEAT | URES | - | - | ULPRU | LINFUF | 3.15 | 0.00 | 0.00 | - | | | 15.20 | | | + | |
| FEAT | All Features Offered | | \vdash | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | 1 | 1 | 15.20 | | 1 | t | |
| NONE | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | J2. VI | 0.00 | 0.00 | 0.00 | † | 1 | | 10.20 | | 1 | † | 1 |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | 1 | | | | 1 | 1 | | | | İ | 1 | |
| | Conversion - Switch-As-Is | l | | UEPRG | USAC2 | | 7.68 | 1.85 | 1 | | | 15.20 | | | 1 | |
| İ | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | _ | | | | | | | | | |
| | Conversion - Switch with Change | l | | UEPRG | USACC | | 7.68 | 1.85 | 1 | | | 15.20 | | | 1 | |

Version 4Q02: 12/18/02 Page 197 of 416

| ONROND | LED | NETWORK ELEMENTS - Louisiana | | | • | | | | | | | | | | ment: 2 | | bit: B |
|-------------|-------|---|-------------|--|--------------|---------|----------------|--------|------------|--|------------|---|---|--|--|---|--|
| CATEGOR | Y | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| AD | DITIC | DNAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | | Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | | Group | | | | | | 7.11 | 7.11 | | | | 15.20 | | | | <u> </u> |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | <u> </u> | | | | | | | | | | | | | |
| UN | | rt/Loop Combination Rates | | | | | 40.40 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 13.13 | | | | | | | | | | - |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | - | 23.75 49.62 | | | | | | | | | | + |
| LINI | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 49.62 | | | | | | | | | | + |
| UN | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 11.77 | | | 1 | | | | 1 | 1 | t | \leftarrow |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | - | 2 | UEPPX | UEPLX | 22.39 | | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | UEPPX | UEPLX | 48.26 | | | | | | | | | - | |
| 2-W | | /oice Grade Line Port Rates (BUS - PBX) | | Ť | | 12.2. | .5.20 | | | | | | | | | 1 | |
| | 1 | | | | | | | | | | | | | | 1 | 1 | 1 |
| | lı | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | 1 | 1 |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | 1 |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Louisiana | | | | | | | | | | | | | | | |
| | (| Calling Port | | | UEPPX | UEPL2 | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | 2 | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | 1 |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | | Capable Port | | | UEPPX | UEPXE | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional | | | | | | | | | | | | | | | |
| | | Calling Port | | | UEPPX | UEPXK | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | - |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | - | UEPPX | UEPAL | 1.30 | 66.91 | 31.29 | | | | 15.20 | | | | + |
| | | 2-wire voice onbundled 2-way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | 1 | OLFFX | OLFAIVI | 1.30 | 00.91 | 31.29 | | | 1 | 13.20 | | | | + |
| | | Discount Room Calling Port | | | UEPPX | UEPXO | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local | | | OLITA | OLI XO | 1.50 | 00.31 | 31.23 | | | | 13.20 | | | | + |
| | | Discount Calling Port | | | UEPPX | UEPXP | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.36 | 66.91 | 31.29 | | | | 15.20 | | | | 1 |
| LO | | NUMBER PORTABILITY | | | | | | | | | | | | | | | 1 |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.20 | | | | |
| FE/ | ATUR | RES | | | | | | | | | | | | | | | 1 |
| | | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | 1 |
| NO | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | | Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 7.68 | 1.85 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | | Conversion - Switch with Change | | | UEPPX | USACC | | 7.68 | 1.85 | | | | 15.20 | | | | |
| AD | | DNAL NRCs | | <u> </u> | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | LIEDDY | 110,400 | 0.00 | 0.00 | 0.00 | | | | 45.00 | | | 1 | |
| | | Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | 1 | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | - | 15.20 | - | | | + |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | 1 | | | | 7.11 | 7.11 | | | | 15.20 | | 1 | I | |
| 2.14 | | Group VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | T T | | - | | | 7.11 | 7.11 | | | | 15.20 | | - | | + |
| | | rt/Loop Combination Rates | 1 | | 1 | 1 1 | | | | 1 | | | | 1 | 1 | t | + |
| UN | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | + + | 13.13 | | | | | | | | | t | + |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 2 | 1 | 1 1 | 23.75 | | | † | | <u> </u> | | | | I | + |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 3 | 1 | 1 1 | 49.62 | | | † | | <u> </u> | | | | I | + |
| LIN | | op Rates | | Ť | + | + + | .0.02 | | | † | | † | - | | | — | + |

Version 4Q02: 12/18/02 Page 198 of 416

| 21120112 | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|---|-------------|----------|--------|---------|-------|--------|------------|--------------|-------|----------|-----------|--|--|---|-----------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 22.39 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 48.26 | | | | | | | | | | |
| 2-Wi | re Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | 40.00 | | | | | | | | |
| | Blocking (AL, KY, LA, MS) | | | UEPCO | UEPRF | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | 40.00 | | | | | | | | |
| | 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (AL, LA, MS) | | | UEPCO | UEPRB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening & Blocking: | | | | | | | 40.00 | | | | | | | | |
| | 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Coin Outward without Blocking and without Operator | | | | | | | 40.00 | | | | | | | | |
| | Screening (KY, LA, MS) | | | UEPCO | UEPRN | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (LA) | | | UEPCO | UEPLA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Coin Outward Operator Screening & Blocking: 900/976, | | | | | | | | | | | | | | | |
| | 1+DDD, 011+, and Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only) | | | UEPCO | UEPNA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (Louisiana only) | | | UEPCO | UEPCB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| ADD | ITIONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | |
| | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 1.81 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPCO | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch with change | | | UEPCO | USACC | | 0.10 | 0.10 | | | | 15.20 | | | | |
| ADD | ITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE F | ORT (| RES) | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | 10.15 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 16.45 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | \perp | 26.87 | | | | | <u> </u> | | | ļ | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 51.98 | | | | | | | | | | |
| UNE | Loop Rates | | <u> </u> | HEDED | LIEGES | 1100 | | | | | } | | | 1 | | + |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFR | UECF2 | 14.93 | | | | | 1 | | | - | - | ₩ |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 25.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 50.46 | | | | | | | | | | |
| 2-Wi | re Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 1.52 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 1.52 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1.52 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire voice Grade unbundled Louisiana extended local dialing | | | HEDED | LIEDAG | 4.50 | 404.41 | 07.00 | | | | 45.00 | | | | |
| | parity port with Caller ID - res | | | UEPFR | UEPAS | 1.52 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res | | 1 | LIEDED | LIEDAG | 4.50 | 404.41 | 07.00 | | | | 45.00 | | l | Ì | |
| | (RUL) | | | UEPFR | UEPAG | 1.52 | 104.41 | 67.93 | | | 1 | 15.20 | | 1 | 1 | + |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | LIEDED | LIEDAD | 4 = 0 | 404 ** | 07.00 | | | | 45.00 | | | | 1 |
| | (LUM) | | ļ | UEPFR | UEPAP | 1.52 | 104.41 | 67.93 | | | ļ | 15.20 | | | | |
| | 2-Wire Voice Unbundled Louisiana Residence Dialing Plan | | | HEDED | LIEDING | | | | | | | 4-0- | | | | |
| | without Caller ID | | | UEPFR | UEPWG | 1.52 | 104.41 | 67.93 | | | | 15.20 | | | | |
| IINTE | ROFFICE TRANSPORT | | | | 1 | | | | | | ļ | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |

| ONBOND | LED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | • | | ment: 2 | | bit: B |
|--------------|---|-------------|--------|--------|-----------|-------|--------|------------|----------|--|----------|---|--|------------|----------|--|
| CATEGORY | Y RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Charge - | Charge - |
| | | | | | | Rec | Nonred | | | g Disconnect | | | | Rates (\$) | | |
| | Later Control De Perto L. O.W. a. Valer On L. Brand | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | 9 | | LIEDED | 41.577 | 0.042 | | | | | | | | | | |
| | or Fraction Mile ATURES | | 1 | UEPFR | 1L5XX | 0.013 | | | | | | | | | | - |
| FEA | All Features Offered | | - | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | + |
| 1.00 | CAL NUMBER PORTABILITY | | - | UEFFR | UEFVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | + |
| LOC | Local Number Portability (1 per port) | + | 1 | UEPFR | LNPCX | 0.35 | | | | | | | | | | + |
| NON | NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | OLFIK | LINFOX | 0.55 | | | | | 1 | | | | | + |
| NOI | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | + | 1 | | - | | | | | | | | | | | + |
| | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 8.24 | 1.81 | | | | 15.20 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | OLITIK | 00/102 | | 0.24 | 1.01 | | | | 13.20 | | | | + |
| | Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 8.24 | 1.81 | | | | 15.20 | | | | |
| 2-W | WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIF | FINE | PORT (| | OOACC | | 0.24 | 1.01 | | | | 13.20 | | | | + |
| | E Port/Loop Combination Rates | | | 1 | + + | | | | 1 | | 1 | | | t | 1 | + |
| ONL | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | + | 1 | | + | 16.45 | | | 1 | <u> </u> | | | | t | 1 | + |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | 1 | 2 | | + | 26.87 | | | <u> </u> | | | | | | <u> </u> | + |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 51.98 | | | | | | | | | | + |
| UNF | E Loop Rates | 1 | T . | | + + | 31.30 | | | | | 1 | | | <u> </u> | | |
| - O.V. | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 14.93 | | | | | | | | | | + |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 25.35 | | | | | | | | | | + |
| - | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 50.46 | | | | | | | | | | + |
| 2-W | Vire Voice Grade Line Port (Bus) | | Ŭ | OLITB | 02012 | 00.40 | | | | | | | | | | + |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 1.52 | 104.41 | 67.93 | | | | 15.20 | | | | + |
| + | 2-Wire voice unbundled port with Caller + E484 ID - bus | | 1 | UEPFB | UEPBC | 1.52 | 104.41 | 67.93 | | | | 15.20 | | | | + |
| + | 2-Wire voice unbundled port outgoing only - bus | | 1 | UEPFB | UEPBO | 1.52 | 104.41 | 67.93 | | | | 15.20 | | | | + |
| + | 2-Wire voice Grade unbundled Alabama extended local dialing | | | 025 | 02. 50 | 1.02 | | 01.00 | | | | 10.20 | | | | + |
| | parity port with Caller ID - bus | | | UEPFB | UEPAW | | | | | | | | | | | |
| + | 2-Wire voice Grade unbundled Louisiana extended local dialing | | | OLITB | OLITAV | | | | | | | | | | | + |
| | parity port with Caller ID - bus | | | UEPFB | UEPAX | 1.52 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 1.52 | 104.41 | 67.93 | | | | 15.20 | | | | 1 |
| | 2-Wire voice unbundled Louisiana Bus Area Calling Port with | | | 025 | 02. 5. | 1.02 | | 01.00 | | | | 10.20 | | | | |
| | Caller ID (BUC) | | | UEPFB | UEPAA | 1.52 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled Louisiana Business Dialing Plan | | | 02.13 | 02.701 | 1.02 | | 07.00 | | | | 10.20 | | | | 1 |
| | without Caller ID | | | UEPFB | UEPWH | 1.52 | 104.41 | 67.93 | | | | 15.20 | | | | |
| LOC | CAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | | | | | | | | 1 |
| INT | TEROFFICE TRANSPORT | | | 02.13 | Litti Oit | 0.00 | | | | | | | | | | 1 |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFB | U1TV2 | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile |) | | | 1 | | | | | İ | | | İ | 1 | | 1 |
| | or Fraction Mile | | | UEPFB | 1L5XX | 0.013 | | | | | | | | 1 | | |
| FEA | ATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | 1 |
| NON | NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | 1 |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | 1 |
| | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 8.24 | 1.81 | | | | 15.20 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | 1 |
| | Combination - Conversion - Switch with change | | | UEPFB | USACC | | 8.24 | 1.81 | | | | 15.20 | | 1 | | |
| 2-W | VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX |) | | | | | | | | | | | | | | |
| UNE | E Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | _ | | 16.45 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 26.87 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 51.98 | | | | | | | | | | |
| UNE | E Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 14.93 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 25.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 50.46 | | | | | | | | | | |
| 2-W | Vire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| . 1 | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | . 1 | İ | UEPFP | UEPPC | 1.52 | 132.47 | 82.14 | 1 | l | 1 | 15.20 | l | 1 | 1 | 1 |

Version 4Q02: 12/18/02 Page 200 of 416

| UNBUNDL | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | ment: 2 | Exhi | bit: B |
|----------|--|-------------|----------|----------|-------|----------------|--------|------------|-------|--|----------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 1.52 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | <u> </u> | UEPFP | UEPP1 | 1.52 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Louisiana Calling Port | | | UEPFP | UEPL2 | 1.52 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 1.52 | 132.47 | 82.14 | | | - | 15.20 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | 1 | UEPFP | UEPXA | 1.52 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 1.52 | 132.47 | 82.14 | | | + | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 1.52 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 1.52 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | 1 | |
| 1 | Capable Port | 1 | 1 | UEPFP | UEPXE | 1.52 | 132.47 | 82.14 | |] | | 15.20 | | 1 | I | I |
| | 2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional | | | | | | | | | | | | | | | |
| | Calling Port | 1 | 1 | UEPFP | UEPXK | 1.52 | 132.47 | 82.14 | |] | | 15.20 | | 1 | I | I |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPFP | UEPXL | 1.52 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Room Calling Port | | | UEPFP | UEPXM | 1.52 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | Discount Room Calling Port | | | UEPFP | UEPXO | 1.52 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local | | | | | | | | | | | | | | | |
| | Discount Calling Port | | | UEPFP | UEPXP | 1.52 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 1.52 | 132.47 | 82.14 | | | | 15.20 | | | | |
| LOCA | AL NUMBER PORTABILITY | | | HEDED | LNPCP | 2.45 | 0.00 | 0.00 | | | | 45.00 | | | | |
| INITE | Local Number Portability (1 per port) ROFFICE TRANSPORT | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.20 | | | | |
| INIE | | | <u> </u> | | | | | | | | - | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFP | U1TV2 | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | OLFIF | UTTVZ | 22.00 | 39.30 | 20.02 | | | | 13.20 | | | | |
| | or Fraction Mile | | | UEPFP | 1L5XX | 0.013 | | | | | | | | | | |
| FFA | TURES | | | OLI III | TEO/O | 0.010 | | | | | | | | | | |
| | All Features Offered | | | UEPFP | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | 1 | 1 |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | 3.22 | 0.00 | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 8.24 | 1.81 | | | | 15.20 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change | | | UEPFP | USACC | | 8.24 | 1.81 | | | | 15.20 | | | | |
| | PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | ļ | 1 | | | 23.20 | | | | | 1 | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 33.62 | | | | | 1 | | | | 1 | 1 |
| LINE | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | 58.73 | | | | | | | | | | |
| UNE | Loop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | <u> </u> | 1 | UEPPX | UECD1 | 14.93 | | | | | 1 | 15.20 | | | - | - |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | 1 | 2 | UEPPX | UECD1 | 25.35 | | | | 1 | + | 15.20 | | 1 | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | 1 | 3 | UEPPX | UECD1 | 25.35 50.46 | | | | 1 | + | 15.20 | | 1 | | |
| IINE | Port Rate | | 3 | OLI I A | OLOD1 | 30.40 | | | | | + | 13.20 | | | t | t |
| OIAL | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 8.27 | 217.95 | 83.92 | | | + | 15.20 | | | t | t |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | 1 | | | | 5.27 | 2.7.00 | 33.32 | | 1 | | .0.20 | | 1 | 1 | 1 |
| 1 | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | | | | | | | | | | | |
| | Switch-as-is | 1 | 1 | UEPPX | USAC1 | | 7.10 | 1.81 | |] | | 15.20 | | 1 | I | I |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | |
| | with BellSouth Allowable Changes | <u></u> | L | UEPPX | USA1C | | 7.10 | 1.81 | | <u> </u> | <u> </u> | 15.20 | | <u> </u> | <u> </u> | <u> </u> |
| ADD | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 26.01 | 26.01 | | | | 15.20 | | | | |
| Telep | phone Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | DID Trunk Termination (One Per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | <u> </u> | 1 | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |

Version 4Q02: 12/18/02 Page 201 of 416

| ONROND | LED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|---|-------------|----------|----------|----------|--|--------|--------|------------|-------|--------------|-------|---|--|--|--|---|
| CATEGORY | Y RATE ELEMENTS | Interi m | Zone | E | cs | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| LOC | CAL NUMBER PORTABILITY | | | HEDDY | | LNDOD | 0.45 | 0.00 | 0.00 | | | | | | | | |
| 2.14/ | Local Number Portability (1 per port) //IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL I | INE CID | DOD: | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | E Port/Loop Combination Rates | LINE SIDI | FUR | <u> </u> | | | | | | | | | | | | | |
| ONL | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | |
| | UNE Zone 1 | | 1 | UEPPB | UEPPR | | 27.48 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | <u> </u> | OLITE | OLITIK | | 21.40 | | | | | | | | | | - |
| | UNE Zone 2 | | 2 | UEPPB | UEPPR | | 40.34 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | 1 | OL. I D | <u> </u> | | 10.01 | | | | | | | | | | |
| | UNE Zone 3 | | 3 | UEPPB | UEPPR | | 70.99 | | | | | | | | 1 | I | 1 |
| UNE | E Loop Rates | | | 1 | | | 1 | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 19.09 | | | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 31.95 | | | | | | 15.20 | | | <u> </u> | <u> </u> |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 62.60 | | | | | | 15.20 | | | | |
| UNE | E Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 8.39 | 184.10 | 128.42 | | | | 15.20 | | | | |
| NON | NRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | | | | | | | | | | | | | | |
| | Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 37.40 | 26.23 | | | | 15.20 | | | | |
| | DITIONAL NRCs | | | | | | | | | | | | | | | | |
| LOC | CAL NUMBER PORTABILITY | | | | | LLIBOY | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-C | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | CSD CSD | | 1 | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| B-C | HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS | SC MS 8 | : TNI | OLITE | OLITIK | 01000 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | 1 | 1 | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| USE | ER TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VER | RTICAL FEATURES | | | | | | | | | | | | | | | | |
| | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| INT | EROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and | | | | | | | | | | | | | | | | |
| | facilities termination | | <u> </u> | | UEPPR | M1GNC | 22.613 | 39.36 | 26.62 | | | ļ | 15.20 | | | 1 | |
| | Interoffice Channel mileage each, additional mile | | <u> </u> | UEPPB | UEPPR | M1GNM | 0.013 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | VIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUI | NK PORT | <u> </u> | 1 | | ļ | | | | | | | | | | | |
| UNE | E Port/Loop Combination Rates | | <u> </u> | 1 | | ļ | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | LIEBSS | | | 400 50 | | | | | | | | | 1 | 1 |
| | Zone 1 | - | 1 | UEPPP | | | 180.52 | | | | - | 1 | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | | 289.78 | | | | | | | | 1 | I | 1 |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | - | | UEPPP | | 1 | 209.78 | | | | | | | | - | | |
| | Zone 3 | | 3 | UEPPP | | | 586.76 | | | | | | | | | 1 | 1 |
| LINE | E Loop Rates | | - 3 | OLITI | | | 300.70 | | | | | | | | | | |
| JINE | 4-Wire DS1 Digital Loop - UNE Zone 1 | - | 1 | UEPPP | | USL4P | 85.70 | | | | | | 15.20 | | | - | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 194.96 | | | | | | 15.20 | | 1 | t | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | - | 3 | UEPPP | | USL4P | 491.94 | | | | | 1 | 15.20 | | | I | <u> </u> |
| UNE | E Port Rate | | Ť | 1 | | | .0 | | | | | | .0.20 | | 1 | t | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 94.82 | 443.08 | 251.60 | | | | 15.20 | | İ | 1 | |
| NON | NRECURRING CHARGES - CURRENTLY COMBINED | | Ì | | | | 1 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | | |
| | Combination - Conversion -Switch-as-is | | | UEPPP | | USACP | 0.00 | 115.63 | 76.29 | | | | 15.20 | | l | I | 1 |
| ADE | DITIONAL NRCs | | | | | | | | | | | | | | | | |

Version 4Q02: 12/18/02 Page 202 of 416

| ONBOND | /LEL | NETWORK ELEMENTS - Louisiana | | | | | | | | | | T - | | | nent: 2 | | bit: B |
|--------|------|--|-------------|----------|--------|--------|---------|--------|------------|--------------|------------|---|---|--|--|---|-------------|
| ATEGOR | Υ | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | • | • |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | |
| | | Inward/two way Tel Nos. (except NC) | | | UEPPP | PR7TF | | 0.48 | | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | 1 |
| | | Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 11.18 | 11.18 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | |
| | | Subsequent Inward Tel Numbers | | | UEPPP | PR7ZT | | 22.35 | 22.35 | | | | 15.20 | | | | |
| LO | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| INT | TERF | ACE (Provsioning Only) | | | | | | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Ne | | Additional "B" Channel | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 14.11 | | | | | 15.20 | | | | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 14.11 | | | | | 15.20 | | | | |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 14.11 | | | | | 15.20 | | | | |
| CA | | YPES | | | | | | | | | | | | | | | |
| | | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Inte | | ice Channel Mileage | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 70.7352 | 86.69 | 79.44 | | | | 15.20 | | | | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.2652 | | | | | | | | | | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| UN | | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 154.17 | | | | | | 15.20 | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 263.43 | | | | | | 15.20 | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 560.41 | | | | | | 15.20 | | | | |
| UN | | op Rates | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 85.70 | | | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 194.96 | | | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 491.94 | | | | | | 15.20 | | | | |
| UN | | rt Rate | | | | | | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 68.47 | 441.34 | 245.90 | | | | 15.20 | | | | |
| NO | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | | - Switch-as-is | | | UEPDC | USAC4 | | 125.75 | 65.08 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | l | 1 | LIEBBO | | | , | | | | | | | | I | I |
| | | - Conversion with DS1 Changes | | <u> </u> | UEPDC | USAWA | | 125.75 | 65.08 | | | | 15.20 | | | . | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 125.75 | 65.08 | | | | 15.20 | | | | |
| AD | | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | 4= 00 | | | | |
| | | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | | Channel Activation/Chan - 1-Way Outward Trunk | | _ | UEPDC | UDTTB | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | 4= 00 | | | | |
| | | Activation/Chan Inward Trunk w/out DID | <u> </u> | <u> </u> | UEPDC | UDTTC | | 14.06 | 14.06 | | | | 15.20 | | | - | + |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | l | 1 | LIEDDO | LIDTTD | | 44.00 | 44.00 | | | | 45.00 | | | I | 1 |
| | | Activation Per Chan - Inward Trunk with DID | 1 | _ | UEPDC | UDTTD | | 14.06 | 14.06 | | | | 15.20 | | | | + |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | l | 1 | LIEDDO | LIDTTE | | 44.00 | 1100 | | | | 45.00 | | | I | 1 |
| | | Activation / Chan - 2-Way DID w User Trans | <u> </u> | <u> </u> | UEPDC | UDTTE | | 14.06 | 14.06 | | | | 15.20 | | | - | + |
| BIF | | R 8 ZERO SUBSTITUTION | | <u> </u> | LIEDDO | 00005 | | 0.00 | 005.00 | | | | 45.00 | | | | |
| | | B8ZS -Superframe Format | <u> </u> | <u> </u> | UEPDC | CCOSF | | 0.00 | 605.00 | | | | 15.20 | | | - | |
| | | B8ZS - Extended Superframe Format | <u> </u> | <u> </u> | UEPDC | CCOEF | | 0.00 | 605.00 | | | | 15.20 | | | - | |
| Alt | | te Mark Inversion | <u> </u> | <u> </u> | LIEDDO | 140005 | | | | | | | | | | - | + |
| | | AMI -Superframe Format | | <u> </u> | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | | AMI - Extended SuperFrame Format one Number/Trunk Group Establisment Charges | | ! | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |

| UNBUND | LED NETWORK ELEMENT | S - Louisiana | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|---|--------------------------------------|-------------|----------|---------------------|---------------|------------------|--------|------------|--------------|------------|---------|---|--|--|---|--|
| CATEGORY | r RATE | ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | • | | Rates (\$) | • | • |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | Telephone Number for 2-Way | | | | UEPDC | UDTGX | 0.00 | | | | | | 15.20 | | | | |
| | Telephone Number for 1-Way | | | | UEPDC | UDTGY | 0.00 | | | | | | 15.20 | | | | |
| | | Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 15.20 | | | | |
| | DID Numbers for each Group | | | | UEPDC | ND4 | 0.00 | | | | | | 15.20 | | | | |
| | | ive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | 15.20 | | | | |
| | Reserve Non-Consecutive DID | Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Reserve DID Numbers | | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| Ded | | Mileage) - FX/FCO for 4-Wire DS | l Digital | l Loop | with 4-Wire DDITS 1 | runk Port | | | | | | | | | | | |
| | | Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | | UEPDC | 1LNO1 | 70.47 | 86.69 | 79.44 | | | | 15.20 | | | | |
| | lateraffina Ok a sal NEL | Additional rate as 112 00 " | | | LIEDDO | 41 NIC A | 0.0050 | 0.00 | 0.00 |] | | | | | 1 | I | |
| L | | Additional rate per mile - 0-8 miles | | <u> </u> | UEPDC | 1LNOA | 0.2652 | 0.00 | 0.00 | | | 1 | | 1 | - | - | 1 |
| | | Fixed rate 9-25 miles (Facilities | | | LIEDDO | 1LNO2 | 0.00 | 0.00 | 0.00 |] | | | | | I | I | |
| | Termination) | A 1.1%11 | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - | Additional rate per mile - 9-25 | | | UEPDC | 1LNOB | 0.0050 | 0.00 | 0.00 |] | | | | | I | I | |
| | miles | Fired sets OF: seiles (Feeilities | | | UEPDC | TLNOB | 0.2652 | 0.00 | 0.00 | | | | | | | | |
| | | Fixed rate 25+ miles (Facilities | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Termination) | | | | UEPDC | ILNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | ļ |
| | | A 1 177 1 1 | | | UEPDC | 1LNOC | 0.0050 | 0.00 | 0.00 | | | | | | | | |
| | | Additional rate per mile - 25+ miles | | | UEPDC | LNPCP | 0.2652 | 0.00 | 0.00 | 0.00 | | | | | | | ├ |
| | Local Number Portability, per Central Office Termininating F | DSU Activated | | | UEPDC | CTG | 3.15 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| 4 18/ | IRE DS1 LOOP WITH CHANNEL | | | | UEPDC | CIG | 0.00 | | | | | | | | | | ļ |
| | | el Bank, and up to 24 Feature Act | ivetions | | | | | | | | | | | | | | |
| | | nbinations of rates depending on | | | har of narta wood | | - | | | | | | | | - | - | - |
| | E DS1 Loop | inbinations of rates depending on | type ar | la nun | Der of ports used | | | | | | | | | | | | |
| ONL | 4-Wire DS1 Loop - UNE Zone | . 1 | | 1 | UEPMG | USLDC | 85.70 | 0.00 | 0.00 | | | | 15.20 | | | | |
| — | 4-Wire DS1 Loop - UNE Zone | | | 2 | UEPMG | USLDC | 194.96 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 4-Wire DS1 Loop - UNE Zone | | | 3 | UEPMG | USLDC | 491.94 | 0.00 | 0.00 | | | | 15.20 | | | | |
| LINE | | s (D4 Channel Bank Configuration | ne) | 3 | OLI WO | OOLDC | 431.34 | 0.00 | 0.00 | | | | 13.20 | | | | |
| O. C. | 24 DSO Channel Capacity - 1 | | , | | UEPMG | VUM24 | 97.35 | 0.00 | 0.00 | | | | 15.20 | | | | † |
| | 48 DSO Channel Capacity - 1 | | | | UEPMG | VUM48 | 194.70 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 96 DSO Channel Capacity -1 | | | | UEPMG | VUM96 | 389.40 | 0.00 | 0.00 | | | | 15.20 | | | | † |
| | 144 DS0 Channel Capacity - | | | | UEPMG | VUM14 | 584.10 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 192 DS0 Channel Capacity -1 | | | | UEPMG | VUM19 | 778.80 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 240 DS0 Channel Capacity - | | | | UEPMG | VUM20 | 973.50 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 288 DS0 Channel Capacity - | | | | UEPMG | VUM28 | 1,168.20 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 384 DS0 Channel Capacity - | | | | UEPMG | VUM38 | 1,557.60 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 480 DS0 Channel Capacity - | | | 1 | UEPMG | VUM40 | 1,947.00 | 0.00 | 0.00 | j | | | 15.20 | | | | |
| | 576 DS0 Channel Capacity -1 | | | | UEPMG | VUM57 | 2,336.40 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 672 DS0 Channel Capacity - | 1 per 28 DS1s | | | UEPMG | VUM67 | 2,725.80 | 0.00 | 0.00 | <u> </u> | | | 15.20 | | | | |
| Non | -Recurring Charges (NRC) Asso | ociated with 4-Wire DS1 Loop wit | h Chanr | neliztio | n with Port - Conve | rsion Charge | Based on a Sy | stem | | | | | | | | | |
| | | s One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| | tiples of this configuration fund | tioning as one are considered Ac | | | | | | | | <u> </u> | | | | | | | |
| | NRC - Conversion (Currently | Combined) with or without | | | | | | | | | | | | | | | |
| | BellSouth Allowed Changes | | <u></u> | <u>L</u> | UEPMG | USAC4 | 0.00 | 146.13 | 8.12 | <u> </u> | | <u></u> | 15.20 | <u></u> | <u></u> | | |
| | | tions Where 4-Wire DS1 Loop wi | | | | ination Curre | ently Exists and | | | | | | | | | | |
| New | | Il states, except in Density Zone 1 | of Top | 8 MS/ | \'s | | | | | | | | | | | | |
| | | ditionally Add NRC for each Port | | | | | | | | | | | | | _ | _ | |
| | and Assoc Fea Activation | | | <u> </u> | UEPMG | VUMD4 | 0.00 | 715.54 | 467.54 | | | ļ | 15.20 | | ļ | ļ | 1 |
| Bip | olar 8 Zero Substitution | | | <u> </u> | ļ | 1 | | | | | | ļ | | | ļ | ļ | 1 |
| | | mat, superframe - Subsequent | | | l | | | | | | | | | | 1 | 1 | |
| | Activity Only | | | <u> </u> | UEPMG | CCOSF | 0.00 | 0.00 | 605.00 | | | ļ | 15.20 | | 1 | | 1 |
| | Clear Channel Capability Form | mat - Extended Superframe - | | | İ | | | | |] | | | | | I | I | |
| | Subsequent Activity Only | | | <u> </u> | UEPMG | CCOEF | 0.00 | 0.00 | 605.00 | | | ļ | 15.20 | | ļ | ļ | 1 |
| Alte | rnate Mark Inversion (AMI) | | | <u> </u> | ļ | 1 | | | | | | ļ | | | ļ | ļ | 1 |
| | Superframe Format | | | <u> </u> | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | ļ | | | 1 | | |
| | Extended Superframe Format | | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | handa Porte Associated with 4-1 | Wire DS1 Loop with Channelization | on with | Port | I | 1 | | | | | | 1 | | l | 1 | 1 | 1 |

Version 4Q02: 12/18/02 Page 204 of 416

| OURONDL | ED NETWORK ELEMENTS - Louisiana | 1 | | T | 1 | ı | | | | | 0 | 06 | Attachr | | | bit: B |
|----------|---|-------------|----------|------------------------|-----------------|-------------------|------------------|---------------|-----------------|------------------|---|----------------|---|--|----------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Exch | ange Ports | | | | | | | | | | | | | | | |
| | Line Oile Octobring Observation I BBV Total Book Business | | | UEPPX | LIEDOV | 4.50 | 0.00 | 0.00 | 0.00 | 0.00 | | 45.00 | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business | | 1 | UEPPX | UEPCX | 1.52 1.52 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 15.20 | | | | |
| | Line Side Outward Charmenzed PBA Trunk Port - Business | | | UEFFX | UEPUX | 1.52 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.52 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 8.29 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Outdial – | | | 02.17 | 02. 5 | 0.20 | 0.00 | 0.00 | 0.00 | 0.00 | | 10.20 | | | | |
| | (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) | | | UEPPX | UEPCY | 1.52 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Combination | | | | | | | | | | | | | | | |
| | (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) | | | UEPPX | UEPCT | 1.52 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Outdial – | | | | | | | | | | | | | | | |
| | Louisiana Only – Calling Plan | | | UEPPX | UEPC2 | 1.52 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Two Way - | | | | | | | | | | | | | | | |
| _ | Louisiana Only – Calling Plan | | | UEPPX | UEPC3 | 1.52 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| Feati | ure Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 Bank | | | UEPPX | 1PQWM | 0.6497 | 25.36 | 13.40 | | | | 15.20 | | | | |
| | Feature (Service) Activation for each Trunk Port Terminated in | 1 | 1 | UEPPX | TPQWW | 0.6497 | 25.36 | 13.40 | | | | 15.20 | | | | |
| | D4 Bank | | | UEPPX | 1PQWU | 0.6497 | 78.05 | 18.40 | | | | 15.20 | | | | |
| Teler | phone Number/ Group Establishment Charges for DID Service | | | 02.17 | | 0.0.01 | 70.00 | 10.10 | | | | 10.20 | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| Loca | I Number Portability Local Number Portability - 1 per port | | 1 | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| EEAT | FURES - Vertical and Optional | | | UEFFX | LINPUP | 3.10 | 0.00 | 0.00 | | | | | | | | |
| | Switching Features Offered with Line Side Ports Only | 1 | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| UNBUNDLE | PORT LOOP COMBINATIONS - MARKET RATES | | | - | | | | | | | | | | | | |
| Mark | et Rates shall apply where BellSouth is not required to provide | unbun | dled lo | cal switching or sw | itch ports per | FCC and/or St | ate Commissio | n rules. | | | | | | | | |
| | includes: | | | | | | | | | | | | | | | |
| | undled port/loop combinations that are Currently Combined or I | | | | | | | | | | | | | | | |
| The | Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd South currently is developing the billing capability to mechanica | ale, Mia | imi); G | A (Atlanta); LA (New | Orleans); NC | Greensboro-\ | Winston Salem | -Highpoint/Ch | arlotte-Gaston | ia-Rock Hill); 1 | N (Nashville | e). | In the interi | m whore Ball | Courth connet | hill Markot |
| | s, BellSouth shall bill the rates in the Cost-Based section prece | | | | | | | | ig charges for | not currently c | ombinea m | FL and NC. | in the interi | ii wiiere beli | South Camilot | i bili warket |
| | Market Rate for unbundled ports includes all available features | | | lile Market Nates at | lu reserves tri | le right to true- | up the billing t | illierence. | l | | | | | | l | 1 |
| | Office and Tandem Switching Usage and Common Transport Us | | | ne Port section of the | nis rate exhibi | it shall annly to | all combination | ns of loon/no | rt network eler | nents excent | or UNE Coi | Port/Loon | Combination | s which have | a flat rate us | sage charge |
| | Office and Tandem Switching Usage and Common Transport Co | a | | | CAIIIDI | sa apply to | | соор, ро | | UNOUPL | JL 001 | с. теоор | | | rate us | |
| | Not Currently Combined scenarios the Nonrecurring charges are | elisted | in the l | irst and Additional | NRC column | s for each Port | USOC. For Cu | rrently Combi | ned scenarios | . the Nonrecur | ring charge | are listed i | n the NRC - C | Currently Con | nbined sectio | n. |
| | tional NRCs may apply also and are categorized accordingly. | | | | | | | , | | , | | | | , | | |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 25.77 | | • | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | ļ | 2 | | ļ | 36.39 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | 1 | 3 | | 1 | 62.26 | | | | | | | | | - | |
| UNE | Loop Rates | 1 | 1 | UEPRX | UEPLX | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | 1 | 2 | UEPRX | UEPLX | 11.77 22.39 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | 1 | 3 | UEPRX | UEPLX | 48.26 | | | | | | | | | | |
| | re Voice Grade Line Port (Res) | 1 | 3 | OLI NA | OLFLA | 40.20 | | | | | | | | | | |
| 2-Wii | | | | l . | | | | | | | | | | | l | |
| 2-Wi | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| 2-Wi | 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res | | | UEPRX UEPRX | UEPRL UEPRC | 14.00 14.00 | 90.00 90.00 | 90.00 | | | | 15.20 15.20 | | | | |

Version 4Q02: 12/18/02 Page 205 of 416

| UNBUNDL | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | T - | | ment: 2 | | bit: B |
|----------|--|--|--|----------------|----------------|----------------|-------|------------|---------|--------------|----------|---|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonre | | | g Disconnect | | | | Rates (\$) | | |
| | OMF and a Control of the Health of Street and Additional Parties | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res | | | UEPRX | UEPAS | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res | | | CELLICA | OLITIO | 14.00 | 30.00 | 50.00 | | | | 10.20 | | | | |
| | (RUL) | | | UEPRX | UEPAG | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res | | | | | | | | | | | | | | | |
| | (AC7) 2-Wire voice unbundles res, low usage line port with Caller ID | | | UEPRX | UEPAH | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | - | |
| | (LUM) | | | UEPRX | UEPAP | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | 02.101 | 02.74 | 1 1100 | 00.00 | 00.00 | | | | 10.20 | | | | 1 |
| | Capability | | | UEPRX | UEPRT | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled Louisiana Area Plus Port without Caller | | | | | | | | | | | | | | | |
| 1.00 | ID Capability AL NUMBER PORTABILITY | | | UEPRX | UEPRQ | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | ļ |
| LOC | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | - | |
| FEA | TURES | | | OLI TOX | LIVI OX | 0.00 | | | | | | | | | | |
| | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2 Wise Vales Conda Lang / Line Book Combination Contact on in | | | HEDDY | USAC2 | | 44.50 | 44.50 | | | | 45.00 | | | | |
| - | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with | | | UEPRX | USAC2 | | 41.50 | 41.50 | | | | 15.20 | | | - | |
| | change | | | UEPRX | USACC | | 41.50 | 41.50 | | | | 15.20 | | | | |
| ADD | ITIONAL NRCs | | | | 33,133 | | | | | | | | | | | 1 |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | | | | | |
| | Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates | | - | | + | | | | | | | | | | 1 | <u> </u> |
| ONE | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 25.77 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 36.39 | | | | | | | | | | 1 |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 62.26 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX UEPBX | UEPLX UEPLX | 22.39 48.26 | | | | | | | | | 1 | |
| 2-Wi | re Voice Grade Line Port (Bus) | | 3 | UEPBA | UEPLA | 40.20 | | | | | | | | | 1 | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | 1 |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice Grade unbundled Louisiana extended local dialing | | | | | | | | | | | | | | | |
| | parity port with Caller ID - bus 2-Wire voice unbundled Louisiana Bus Area Calling Port with | | | UEPBX | UEPAX | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | Caller ID (BUC) | | | UEPBX | UEPAA | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | 02. 5% | 02.701 | 1 1100 | 00.00 | 00.00 | | | | 10.20 | | | | |
| | Capability | | | UEPBX | UEPBE | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled Louisiana Business Dialing Plan | | | | | | | | | | | | | | | |
| | without Caller ID | | | UEPBX | UEPWH | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled Louisiana Business Area Calling Port without Caller ID Capability | | | UEPBX | UEPBA | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| LOC | AL NUMBER PORTABILITY | | | OLI DA | JEI DA | 14.00 | 30.00 | 30.00 | | | | 10.20 | | | | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | 1 | İ | | | | | | † |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | ļ | 15.20 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch with change | | | UEPBX | USACC | | 41.50 | 41.50 | 1 | | | 15.20 | | | | |
| ADD | ITIONAL NRCs | | | OLI DA | 30,00 | | 41.50 | 71.50 | | | | 10.20 | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | 1 | İ | | | | | | 1 |
| | Subsequent | <u>L</u> | <u>L</u> | UEPBX | USAS2 | | 0.00 | 0.00 | <u></u> | <u> </u> | <u> </u> | 15.20 | | | <u></u> | <u> </u> |
| 2-WI | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | • | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | <u> </u> |

| ONRONDLE | D NETWORK ELEMENTS - Louisiana | | | 1 | • | | | | | | | | | ment: 2 | | bit: B |
|----------|---|-------------|--|----------------|--------|-------|--------|------------|--|------------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | | Nonrec | urring | Nonrecurring D | Disconnect | | l . | oss | Rates (\$) | 1 | |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 25.77 | 11100 | Auu | 11130 | Auui | COMILO | COMPAR | COMPAN | COMPAR | COMPAN | COMPAN |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 36.39 | | | | | | | | | | |
| + | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | + | 62.26 | | | | | | | | | | —— |
| UNFI | pop Rates | | Ŭ | | + | 02.20 | | | | | | | | | | |
| - | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 22.39 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 48.26 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port Rates (RES - PBX) | | Ŭ | 02.110 | 02.21 | 10.20 | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | | |
| | Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| LOCAL | NUMBER PORTABILITY | | | OLI IKO | OLITE | 14.00 | 50.00 | 50.00 | | | | 10.20 | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | | | | | | | | 1 | 1 | |
| NONRE | ECURRING CHARGES - CURRENTLY COMBINED | | | | | 0.10 | | | | | l | | | | | |
| 1101111 | - Committee Committee | | | | + | | | | | | l | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | 1 | UEPRG | USAC2 | | 41.50 | 41.50 | | | 1 | 15.20 | | l | Ì | 1 |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | OLI IKO | 00/102 | | 41.00 | 41.00 | | | | 10.20 | | | | |
| | Change | | | UEPRG | USACC | | 41.50 | 41.50 | | | | 15.20 | | | | |
| ADDIT | IONAL NRCs | | | OLI NO | OOACC | | 41.50 | 41.50 | <u> </u> | | | 13.20 | | | | - |
| ADDITI | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | <u> </u> | | | | | | | |
| | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | 0.00 | 0.00 | | | | 13.20 | | | | |
| | Group | | | | | | 14.64 | 14.64 | | | | 15.20 | | | | |
| 2.WIDE | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | + | | 14.04 | 14.04 | + | | | 13.20 | | | | |
| | ort/Loop Combination Rates | | | | + | | | | + | | | | | | | |
| ONET | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 25.77 | | | <u> </u> | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 2 | | + | 36.39 | | | + | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 3 | | | 62.26 | | | <u> </u> | | | | | | | |
| LINE L | poop Rates | | 3 | | + | 02.20 | | | + | | | | | | | |
| ONE E | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 11.77 | | | + | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 2 | UEPPX | UEPLX | 22.39 | | | - | | | | | | | |
| | | | | UEPPX | UEPLX | 48.26 | | | - | | | | | | | |
| O Mina | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 48.26 | | | - | | | | | | | |
| 2-wire | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | ļ | | | | | | | |
| | Line Cide Habrardad Combination C Way DDV Tayah Dest. Bus. | | | HEDDY | LIEDDO | 44.00 | 00.00 | 00.00 | | | | 45.00 | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | ļ | | | 15.20 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | | UEPPO | 14.00 | 90.00 | 90.00 | ļ | | | 15.20 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | ļ | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Louisiana | | | LIEDDY | LIEDLO | 44.00 | | | | | | 45.00 | | | | |
| | Calling Port | | | UEPPX | UEPL2 | 14.00 | 00.00 | 00.00 | ļ | | | 15.20 | | | | . |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | ļ | | | 15.20 | | | | . |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | ļ | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | <u> </u> |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional | | | l | | | | | | | | | | | | 1 |
| | Calling Port | | | UEPPX | UEPXK | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | 1 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | 1 | | | | | | | | 1 | | | l | Ì | 1 |
| | Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | 15.20 | | ļ | ļ | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | 1 | | | | | | | | 1 | | | l | Ì | 1 |
| | Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | 15.20 | | ļ | ļ | 1 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | 1 | l | [l | | | | | | 1 | | | l | Ì | 1 |
| | Discount Room Calling Port | | <u> </u> | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local | | 1 | | | | | | | | 1 | | | l | Ì | 1 |
| | Discount Calling Port | | <u> </u> | UEPPX | UEPXP | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | <u> </u> | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | ↓ |
| LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | ļ | ļ | |
| | Local Number Portability (1 per port) | L | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FFΔTI | IRES | | \bot | | | | | | | | | | | | | L |

| NRONDE | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | 1 - | | ment: 2 | | bit: B |
|---------------|--|-------------|----------|----------------|----------------|----------------|--------|---------------------------------------|--------------|-------|---|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | <u> </u> | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | HEDDY | 110400 | | 44.50 | 44.50 | | | | 45.00 | | | | |
| ADDI | Change FIONAL NRCs | | | UEPPX | USACC | | 41.50 | 41.50 | | | | 15.20 | | | | - |
| ADDII | TIONAL NRCS | | | | | | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - | | | OLITA | 00/102 | | 0.00 | 0.00 | | | | 10.20 | | | | |
| | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | Group | | | | | | 14.64 | 14.64 | | | | 15.20 | | | | |
| 2-WIR | E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP | RT | | | | | | | | | | | | | | |
| UNE F | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 25.77 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 36.39 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 62.26 | | | | | | | | | | |
| UNE L | oop Rates | | <u> </u> | | | | | | | | | | | | | |
| - | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO UEPCO | UEPLX UEPLX | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | | UEPLX | 22.39 48.26 | | | | | | | | | | |
| 2 14/: - | 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Coin) | | 3 | UEPCO | UEPLX | 48.26 | | | | | | | | | | |
| 2-99116 | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | | | 1 | | | | | |
| | Blocking (AL, KY, LA, MS) | | | UEPCO | UEPRF | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS, SC) | | | UEPCO | UEPRA | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS) | | | UEPCO | UEPRB | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS) | | | UEPCO | UEPRN | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking (LA) | | | UEPCO | UEPLA | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 14.00 | 90.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Coin Outward Operator Screening & Blocking: 900/976, | | | | | | | | | | | | | | | |
| 1.004 | 1+DDD, 011+, & Local (AL, KY, LA, MS) L NUMBER PORTABILITY | | <u> </u> | UEPCO | UEPCN | 14.00 | 90.00 | 90.00 | | | <u> </u> | 15.20 | | - | - | |
| LOCA | | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| NOND | Local Number Portability (1 per port) | | | ULPCU | LINFUA | 0.35 | | | | | 1 | | | - | - | |
| NONK | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | | | | | | | | | | | |
| ADDIT | Change FIONAL NRCs | | | UEPCO | USACC | | 41.50 | 41.50 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 15.20 | | | | |
| 2-WIR | E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | ORT (| | | | | | | | | | | İ | İ | |
| UNE F | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 28.93 | | · · · · · · · · · · · · · · · · · · · | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 39.35 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | ļ | | 64.46 | | | | | | | | | | |
| UNE L | Loop Rates | | <u> </u> | HEDED | LIEOS? | | | | | | 1 | | | | | <u> </u> |
| $\overline{}$ | 2-Wire Voice Grade Loop (SL2) - Zone 1 | 1 | 1 2 | UEPFR | UECF2 | 14.93 | | | | | <u> </u> | | | | | |
| -+ | 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 | | | UEPFR UEPFR | UECF2 UECF2 | 25.35 50.46 | | | | | 1 | | | | | <u> </u> |
| 1 | e Voice Grade Line Port Rates (Res) | | J | ULPFK | UEUFZ | 50.46 | | | | | 1 | | | | - | |

| ONROND | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|---|-------------|--------|--------|---------|-------|--------|------------|-------|--------------|--|---|--|---|--------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice Grade unbundled Louisiana extended local dialing | | | | | | | | | | | | | | | |
| | parity port with Caller ID - res | | 1 | UEPFR | UEPAS | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res | | | | | | | | | | | 4= 00 | | | | |
| | (RUL) | | 1 | UEPFR | UEPAG | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | UEPFR | UEPAP | 44.00 | 405.00 | 00.00 | | | | 45.00 | | | | |
| | (LUM) | | 1 | UEPFR | UEPAP | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled Louisiana Residence Dialing Plan without Caller ID | | | UEPFR | UEPWG | 14.00 | 405.00 | 90.00 | | | | 45.00 | | | | |
| INITE | EROFFICE TRANSPORT | - | - | UEPFR | UEPWG | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| IINIE | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFR | U1TV2 | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | 1 | 1 | OLFIN | UTIVZ | 22.00 | 35.30 | 20.02 | 1 | | | 15.20 | | 1 | | |
| | or Fraction Mile | | | UEPFR | 1L5XX | 0.013 | | | | | | | | | | |
| EEA | TURES | | | OLFIK | ILJAA | 0.013 | | | | | 1 | | | | | |
| 1.57 | All Features Offered | | | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| LOC | AL NUMBER PORTABILITY | 1 | 1 | OLFIK | OLFVI | 0.00 | 0.00 | 0.00 | | | | 13.20 | | | | 1 |
| | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | - |
| NON | IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | OLITIK | LIVI OX | 0.55 | | | | | | | | | | † |
| 14014 | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | + |
| | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 8.24 | 1.81 | | | | 15.20 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | OLITIK | CONOL | | 0.24 | 1.01 | | | | 10.20 | | | | 1 |
| | Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 8.24 | 1.81 | | | | 15.20 | | | | |
| 2-WI | IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR | FINE | PORT (| | 00/100 | | 0.24 | 1.01 | | | | 10.20 | | | | 1 |
| | Port/Loop Combination Rates | <u> </u> | 1 | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 28.93 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 39.35 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 64.46 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 14.93 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 25.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 50.46 | | | | | | | | | | |
| 2-Wi | ire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice Grade unbundled Alabama extended local dialing | | | | | | | | | | | | | 1 | I | |
| | parity port with Caller ID - bus | | 1 | UEPFB | UEPAW | | | | | | | | | | | |
| | 2-Wire voice Grade unbundled Louisiana extended local dialing | | | LIEDED | UED. | | | | | | | 4- 00 | | 1 | I | |
| | parity port with Caller ID - bus | | 1 | UEPFB | UEPAX | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire voice unbundled Louisiana Bus Area Calling Port with | | | LIEDED | LIEDAA | 44.00 | 405.00 | 00.00 | | | | 45.00 | | | | |
| | Caller ID (BUC) | | 1 | UEPFB | UEPAA | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID | | | UEPFB | UEPWH | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| 1.00 | AL NUMBER PORTABILITY | | 1 | UEPFB | UEPWH | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| LUC | Local Number Portability (1 per port) | 1 | 1 | UEPFB | LNPCX | 0.35 | | | 1 | | | | | 1 | | |
| INTE | EROFFICE TRANSPORT | 1 | 1 | CLID | LIVIOA | 0.35 | | | 1 | | | | | 1 | t | |
| IIIVIE | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | 1 | | + | + | | | | | | | | | | t | |
| | Termination | | | UEPFB | U1TV2 | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | 1 | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | 1 | 1 | | J | 22.00 | 00.00 | 20.02 | | | | 10.20 | | | | |
| | or Fraction Mile | | | UEPFB | 1L5XX | 0.013 | | | | | | | | 1 | I | |
| FEA | TURES | 1 | | | | 5.5.6 | | | 1 | | | | | 1 | 1 | |
| | All Features Offered | | | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | 1 | | | 15.20 | | 1 | t | |
| NON | IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | 1 | 1 | | 5.50 | 0.00 | 3.30 | Ì | | | .0.20 | | İ | 1 | 1 |
| 1 | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | 1 | | | | | 1 | | | | | 1 | t | |
| | Combination - Conversion - Switch-as-is | 1 | İ | UEPFB | USAC2 | | 8.24 | 1.81 | I | l | 1 | 15.20 | | | 1 | 1 |

| ONBONDE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | _ | | ment: 2 | | bit: B |
|--|--|-------------|--|--------|----------------|-------|--------|----------------|-------|--------------|---|---|---|---|-------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | LIEDED | 110400 | | 0.04 | 4.04 | | | | 45.00 | | | | |
| 0.14/15 | Combination - Conversion - Switch with change | | <u> </u> | UEPFB | USACC | | 8.24 | 1.81 | | | | 15.20 | | | | |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| UNE P | | | 1 | | | 28.93 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 39.35 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 64.46 | | | | | | | | | | |
| LINE | | | 3 | | | 64.46 | | | | | | | | | | |
| UNE L | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 14.93 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 | | | UEPFP | UECF2 | 25.35 | | | | | | | | | | |
| | | | 2 | UEPFP | UECF2 | | | | | | | | | | | |
| O 181: | 2-Wire Voice Grade Loop (SL2) - Zone 3 Voice Grade Line Port Rates (BUS - PBX) | | 3 | UEFFF | UEUFZ | 50.46 | | | - | - | | | - | | | |
| Z-VVITE | VOICE Glade Lille FOIL Rates (DUS - FDA) | | - | - | + | | | | - | | <u> </u> | | - | - | - | |
| | Line Side Unbundled Combination 2 Way BBY Trusk Bort Bus | | 1 | UEPFP | UEPPC | 14.00 | 132.47 | 82.14 | | | | 15.20 | | I | I | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus | | - | UEPFP | UEPPO | 14.00 | 132.47 | 82.14 | - | | <u> </u> | 15.20 | - | - | - | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPPO UEPP1 | 14.00 | 132.47 | 82.14 82.14 | - | - | | 15.20 | - | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Louisiana | | | UEFFF | UEFFI | 14.00 | 132.47 | 8∠.14 | - | - | | 15.20 | - | | | |
| | Calling Port | | | UEPFP | UEPL2 | 14.00 | 132.47 | 82.14 | | | | 15.20 | | 1 | 1 | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | <u> </u> | UEPFP | UEPLD | 14.00 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unburidled PBX LD Terminal Ports 2-Wire Voice Unburidled 2-Way Combination PBX Usage Port | | <u> </u> | UEPFP | UEPXA | 14.00 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | | | <u> </u> | UEPFP | UEPXA | 14.00 | | 82.14 | | | | | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | <u> </u> | UEPFP | UEPXB | 14.00 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | | 132.47 | | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 14.00 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | LIEDED | LIEDVE | 44.00 | 100.47 | 00.44 | | | | 45.00 | | | | |
| | Capable Port | | - | UEPFP | UEPXE | 14.00 | 132.47 | 82.14 | | | | 15.20 | | | | - |
| | 2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional | | | LIEDED | LIEDVIA | 44.00 | 100.47 | 00.44 | | | | 45.00 | | | | |
| | Calling Port | | | UEPFP | UEPXK | 14.00 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | LIEDED | LIEDVI | 44.00 | 100.47 | 00.44 | | | | 45.00 | | | | |
| | Administrative Calling Port | | _ | UEPFP | UEPXL | 14.00 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | 44.00 | | | | | | 4= 00 | | | | |
| | Room Calling Port | | <u> </u> | UEPFP | UEPXM | 14.00 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | 4= 00 | | | | |
| | Discount Room Calling Port | | | UEPFP | UEPXO | 14.00 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local | | | | l | | | | | | | | | | | |
| | Discount Calling Port | | | UEPFP | UEPXP | 14.00 | 132.47 | 82.14 | | | | 15.20 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | <u> </u> | UEPFP | UEPXS | 14.00 | 132.47 | 82.14 | | | | 15.20 | | | | |
| LOCA | L NUMBER PORTABILITY | | | | LUDOD | | | | | | | 1= 00 | | | | |
| l | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.20 | | | | |
| INTER | OFFICE TRANSPORT | | <u> </u> | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | 4= 00 | | | | |
| | Termination Control of the Control o | | _ | UEPFP | U1TV2 | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | 41 =>04 | | | | | | | | | | | |
| l | or Fraction Mile | | | UEPFP | 1L5XX | 0.013 | | | | | | | | | | |
| FEAT | | | | | | | | | | | | | | | | |
| l | All Features Offered | | | UEPFP | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | <u> </u> | 1 | | | | | | | <u> </u> | | 1 | - | - | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | LIEDED | LICACO | | 001 | 4.61 | | | | 45.00 | | 1 | 1 | |
| | Combination - Conversion - Switch-as-is | | <u> </u> | UEPFP | USAC2 | | 8.24 | 1.81 | | | <u> </u> | 15.20 | 1 | - | - | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | 1 | LIEDED | 110400 | | | | | | | | | I | I | |
| IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | Combination - Conversion - Switch with change | | <u> </u> | UEPFP | USACC | | 8.24 | 1.81 | | | <u> </u> | 15.20 | 1 | - | - | |
| | PORT/LOOP COMBINATIONS - MARKET BASED RATES | DOST. | <u> </u> | 1 | | | | | - | - | ļ | | | 1 | 1 | |
| | E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PURI | <u> </u> | 1 | | | | | | | <u> </u> | | 1 | - | - | |
| UNE P | Port/Loop Combination Rates | | L | | | 50.00 | | | | | 1 | | | 1 | 1 | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | 1 | | 50.93 | | | | | <u> </u> | | 1 | - | - | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | 1 | | 61.35 | | | | | <u> </u> | | 1 | - | - | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | 1 | | 86.46 | | | | | <u> </u> | | 1 | - | - | |
| UNE L | oop Rates | | . | HEDDY | LIEOS (| | | | | | ļ | 4= 0- | | | | |
| ļļ_ | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | | UEPPX | UECD1 | 14.93 | | | ļ | | ļ | 15.20 | | ļ | ļ | ļ |
| 1 1 | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 25.35 | | | | | <u> </u> | 15.20 | | | | l |

| NRONDL | ED NETWORK ELEMENTS - Louisiana | | | | | , | | | | | | _ | _ | | ment: 2 | | bit: B |
|---------|---|--|--|--|----------|--|--------|--------|------------|--|------------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | В | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increments Charge - Manual Sv Order vs. Electronic Disc Add |
| | | 1 | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | 088 | Rates (\$) | | |
| | | | | ļ | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | + | 2 | UEPPX | | UECD1 | 50.46 | FIISL | Auu i | FIISL | Auu i | SOMEC | 15.20 | SOWAN | SOWAN | SOWAN | SUMAN |
| LINE | Port Rate | | 3 | OLFFA | | OLCDI | 30.40 | | | | | | 13.20 | | | | |
| ONE | Exchange Ports - 2-Wire DID Port | | 1 | UEPPX | | UEPD1 | 36.00 | 600.00 | 45.00 | | | | 15.20 | | | | |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | | | OLITA | | OLI DI | 00.00 | 000.00 | 40.00 | | | | 10.20 | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination | - | | | | | | | | | | | | | | | |
| | Switch-As-Is Top 8 MSAs only | | | UEPPX | | USAC1 | | 100.00 | 42.50 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | | |
| | with BellSouth Allowable Changes Top 8 MSAs only | | | UEPPX | | USA1C | | 100.00 | 42.50 | | | | 15.20 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | | |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | | 45.00 | 45.00 | | | | 15.20 | | | | |
| Telep | hone Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | | |
| | DID Trunk Termination (One Per Port) | | | UEPPX | - | NDT | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | ļ | ļ | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Reserve DID Numbers | ├ | <u> </u> | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | 15.20 | | ļ | - | |
| LOCA | AL NUMBER PORTABILITY | | | EBBV | | 111000 | 0.15 | | | | | | | | | | |
| 0.14/17 | Local Number Portability (1 per port) | INE OIDS | DOD: | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL L | INE SIDE | POR | 1 | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | 1 | 1 | | 1 | | | | - | | | | | | - | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port | | 1 | LIEDDD | LIEDDD | | 04.00 | | | | | | | | | | |
| | UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | 7 | UEPPB | UEPPR | | 84.09 | | | | | | | | | | |
| | | | _ | LIEDDD | LIEDDD | | 00.05 | | | | | | | | | | |
| | UNE Zone 2 | | 2 | UEPPB | UEPPR | 1 | 96.95 | | | - | | | | | | - | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 127.60 | | | | | | | | | | |
| LIME | Loop Rates | | 3 | UEPPB | UEPPR | | 127.60 | | | | | | | | | | |
| UNE | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | LISL2Y | 19.09 | | | | | - | 15.20 | | | - | |
| | 2-Wile ISBN Digital Glade Loop - ONL Zolle I | + | | OLFFB | ULFFR | USLZX | 19.09 | | | | | 1 | 13.20 | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 31.95 | | | | | | 15.20 | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 62.60 | | | | | 1 | 15.20 | | | | † |
| UNF | Port Rate | | Ŭ | OLITE | OLITIK | OOLEX | 02.00 | | | | | | 10.20 | | | | |
| 0.1_ | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 65.00 | 525.00 | 400.00 | | | | 15.20 | | | | |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | | | | | | | | | | | | | | |
| | Combination - Conversion - Top 8 MSAs only | | | UEPPB | UEPPR | USACB | 0.00 | 230.00 | 230.00 | | | | 15.20 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | | |
| LOCA | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-CH | ANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| B-CH | ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, & | TN) | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | <u> </u> | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | ļ |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| USEF | R TERMINAL PROFILE | | | LIEDDE | LIEDDO | LIALINAA | 0.00 | 0.00 | 0.00 | | | | | | | - | |
| VEDI | User Terminal Profile (EWSD only) | 1 | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | - | 1 | ! |
| VERI | | + | 1 | LIEDDD | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | - | | | 15.20 | | | | |
| INITE | All Vertical Features - One per Channel B User Profile ROFFICE CHANNEL MILEAGE | + | - | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | - | | | 15.20 | | - | - | - |
| INTE | Interoffice Channel mileage each, including first mile and | + | - | | | + | | | | - | | | | | - | - | - |
| | facilities termination | | | LIEPPR | UEPPR | M1GNC | 22.613 | 39.36 | 26.62 | | | | 15.20 | | | 1 | |
| | Interoffice Channel mileage each, additional mile | + | | | | M1GNM | 0.013 | 0.00 | 0.00 | | | - | 15.20 | | | | |
| 4.WII | RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN | K PORT | | OLI FD | OFI. LIV | IVITOTNIVI | 0.013 | 0.00 | 0.00 | | | | 13.20 | | | t | |
| | Port/Loop Combination Rates | I | 1 | 1 | | | | | | | | | | | | - | |
| - ONE | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | + | | | | | | | | | | - | | | | | |
| 1 | Zone 1 | 1 | 1 | UEPPP | | 1 | 935.70 | | | | | 1 | 1 | | I | 1 | Ì |

Version 4Q02: 12/18/02 Page 211 of 416

| INBUNDLED NETWO | RK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | ment: 2 | Exhi | oit: B |
|--------------------|---|--|----------|--------|----------|----------|----------|------------|--------------|-------|--|-----------|--|--|-------------------------|----------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| 4W DO4 D: | STALL AND JORNA DOA DOSTAL TO ALL DOSTAL LINE | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Zone 2 | gital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | 2 | UEPPP | | 1,044.96 | | | | | | | | | | |
| | gital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | 2 | UEPPP | + | 1,044.90 | | | | | | | | | | |
| Zone 3 | gital Loop/44V ISBN DS1 Digital Trunk Fort - ONE | | 3 | UEPPP | | 1,341.94 | | | | | | | | | | |
| UNE Loop Rates | | | Ŭ | OLITI | + | 1,041.04 | | | | | | | | | | |
| | Digital Loop - UNE Zone 1 | | 1 | UEPPP | USL4P | 85.70 | | | | | | 15.20 | | | | |
| 4-Wire DS1 | Digital Loop - UNE Zone 2 | | 2 | UEPPP | USL4P | 194.96 | | | | | | 15.20 | | | | |
| | Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | 491.94 | | | | | | 15.20 | | | | |
| UNE Port Rate | • | | | | | | | | | | | | | | | |
| | Ports - 4-Wire ISDN DS1 Port | | | UEPPP | UEPPP | 850.00 | 1,150.00 | 1,150.00 | | | | 15.20 | | | | |
| | CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | |
| | n - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | USACP | 0.00 | 950.00 | 950.00 | | | ļ | 15.20 | | | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | |
| | Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | l | | LIEDDD | DD3T5 | | | | | | | 4-0- | | | | |
| | way Telephone Numbers (except NC) | | ļ | UEPPP | PR7TF | | 0.48 | | | - | | 15.20 | | 1 | 1 | |
| | Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | LIEDDD | DDZTO | | 44.40 | 44.40 | | | | 45.00 | | | | |
| | el Numbers (All States except NC) | | | UEPPP | PR7TO | | 11.18 | 11.18 | | | | 15.20 | | | | |
| | Loop / 4-Wire ISDN DS1 Digital Trk Port - it Inward Telephone Numbers | | | UEPPP | PR7ZT | | 20.25 | 22.35 | | | | 15.20 | | | | |
| LOCAL NUMBER P | | | | UEPPP | PR/ZI | | 22.35 | 22.35 | | | | 15.20 | | | | |
| | per Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| INTERFACE (Provs | | | | UEPPP | LINECIN | 1.75 | | | | | | | | | | |
| Voice/Data | | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Digital Data | | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Inward Data | | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New or Additional | | | | 02 | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | litional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 14.11 | | | | | 15.20 | | | | |
| New or Add | litional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 14.11 | | | | | 15.20 | | | | |
| New or Add | litional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 14.11 | | | | | 15.20 | | | | |
| CALL TYPES | | | | | | | | | | | | | | | | |
| Inward | | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Outward | | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Two-way | | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Interoffice Channe | | | | | | | | | | | | | | | | |
| | Including First Mile | | | UEPPP | 1LN1A | 70.7532 | 86.69 | 79.44 | | | | 15.20 | | | | |
| | e-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.2652 | | | | | | | | | | |
| UNE Port/Loop Co | AL LOOP WITH 4-WIRE DDITS TRUNK PORT | | 1 | | + + | | | | | | 1 | | | - | - | |
| | gital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | + | 154.17 | | | | | | 15.20 | | | | <u> </u> |
| | gital Loop/4W DDITS Trunk Port - UNE Zone 1 | | | UEPDC | + | 263.43 | | | | | | 15.20 | | | | |
| | gital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 3 | UEPDC | + | 560.41 | | | | | | 15.20 | | | | |
| UNE Loop Rates | gital 200p/411 DDITO Hullik Folt - OITE ZOITE 3 | | - | 02. 00 | + + | 300.41 | | | | | | 13.20 | | | | <u> </u> |
| | Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 85.70 | | | | | | 15.20 | | | | |
| | Digital Loop - UNE Zone 2 | 1 | 2 | UEPDC | USLDC | 194.96 | | | | | | 15.20 | | | | |
| | Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 491.94 | | | | l | | 15.20 | | İ | İ | |
| UNE Port Rate | | | | - | | | | | | | | | | | | |
| 4-Wire DDIT | TS Digital Trunk Port | | | UEPDC | UDD1T | 750.00 | 1,006.28 | 479.28 | 0.00 | 0.00 | | 15.20 | | | | |
| NONRECURRING (| CHARGES - CURRENTLY COMBINED | <u></u> | | | | | | | | | | | | | | |
| | Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| - Switch-As- | -Is Top 8 MSAs only | | | UEPDC | USAC4 | | 125.75 | 65.08 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| 4-Wire DS1 | Digital Loop / 4-Wire DDITS Trunk Port Combination | 1 | | | | | | | | | | | | | | 1 |
| - Conversion | n with DS1 Changes Top 8 MSAs only | | | UEPDC | USAWA | | 125.75 | 65.08 | | | | 15.20 | | | | |
| | B. S. I | 1 | | | | | | | | | | | | | | 1 |
| | Digital Loop / 4-Wire DDITS Trunk Port Combination | l | | LIEDDO | LICANAID | | 405 7- | 05.00 | | | | 45.00 | | | | |
| - Conversion | n with Change - Trunk Top 8 MSAs only | | <u> </u> | UEPDC | USAWB | | 125.75 | 65.08 | | | ļ | 15.20 | | | | ļ |

Version 4Q02: 12/18/02 Page 212 of 416

| ONBONDE | ED NETWORK ELEMENTS - Louisiana | | | 1 | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|--|----------------|----------------|------------------|--------|------------------|-------|--------------|--|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | UEPDC | LIDTTA | | 44.00 | 14.06 | | | | 45.00 | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | <u> </u> | UEPDC | UDTTA | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | 02. 50 | 05.15 | | | | | | | 10.20 | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 14.06 | 14.06 | | | | 15.20 | | | | |
| BIPC | LAR 8 ZERO SUBSTITUTION | | | LIEBBO | 00005 | | | | | | | 15.00 | | | | |
| | B8ZS - Superframe Format B8ZS - Extended Superframe Format | | | UEPDC UEPDC | CCOSF CCOEF | | 0.00 | 605.00 605.00 | | | | 15.20 15.20 | | | | |
| Altor | nate Mark Inversion | | <u> </u> | UEPDC | CCOEF | | 0.00 | 605.00 | | | | 15.20 | | | | |
| Aitei | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Teler | phone Number/Trunk Group Establisment Charges | | | 02. 50 | | | 0.00 | 0.00 | | | | | | | 1 | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | 15.20 | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 15.20 | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 15.20 | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | |
| | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | 15.20 | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | 15.20 | | | | |
| | Reserve Non-Consecutive DID Nos. Reserve DID Numbers | | 1 | UEPDC UEPDC | ND6 NDV | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | - | |
| Dodi | cated DS1 (Interoffice Channel Mileage) - | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | 1 | 15.20 | | - | - | - |
| | CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |
| 1741 | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO1 | 70.47 | 86.69 | 79.44 | | | | 15.20 | | | | |
| | Later Con Observat Miles and A Life and a second and a constant | | | LIEDDO | 41.000 | 0.0050 | 0.00 | 2.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | UEPDC | 1LNOA | 0.2652 | 0.00 | 0.00 | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | OLFDC | ILINOZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | miles | | | UEPDC | 1LNOB | 0.2652 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | | | 1 | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.2652 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability, per DS0 Activated | | ļ | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | | ļ | <u> </u> | | | | | |
| 4 14/11 | Central Office Termininating Point RE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | UEPDC | CTG | 0.00 | | | | | | | | 1 | 1 | |
| | RE DS1 LOOP WITH CHANNELIZATION WITH PORT em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | vations | | - | | | | | | | | | | | | - |
| | em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti stem can have various rate combinations based on type and nui | | | l used | | | | | 1 | 1 | 1 | - | 1 | | | |
| | DS1 Loop | | Ports | 1 | | | | | | | | | | - | - | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 85.70 | 0.00 | 0.00 | Ì | Ì | | 15.20 | | 1 | 1 | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 194.96 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 491.94 | 0.00 | 0.00 | | | | 15.20 | | | | |
| UNE | DSO Channelization Capacities (D4 Channel Bank Configuration | าร) | | | | | • | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 97.35 | 0.00 | 0.00 | ļ | ļ | | 15.20 | | ļ | ļ | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | <u> </u> | UEPMG | VUM48 | 194.70 | 0.00 | 0.00 | | | ļ | 15.20 | | | ļ | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | <u> </u> | UEPMG UEPMG | VUM96 VUM14 | 389.40 | 0.00 | 0.00 | 1 | 1 | <u> </u> | 15.20 | - | 1 | 1 | |
| - | 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM14 VUM19 | 584.10 778.80 | 0.00 | 0.00 | | | | 15.20 15.20 | | | | - |
| - | 240 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 VUM20 | 973.50 | 0.00 | 0.00 | 1 | 1 | 1 | 15.20 | 1 | | | |
| | 288 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM28 | 1,168.20 | 0.00 | 0.00 | | | | 15.20 | | † | t | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,557.60 | 0.00 | 0.00 | | | | 15.20 | 1 | I | I | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 1,947.00 | 0.00 | 0.00 | 1 | 1 | l - | 15.20 | 1 | t | t | |

Version 4Q02: 12/18/02 Page 213 of 416

| NRONDLE | NETWORK ELEMENTS - Louisiana | | | ı | _ | 1 | | | | | _ | _ | | ment: 2 | | bit: B |
|----------|---|-------------|---------|-------------------|---------------|--------------|----------------|---------------|-----------------|-------------------|------------|--------------|---|---|--------------------|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Charge |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,336.40 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 2,725.80 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | curring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | stem | | | | | | | | | |
| | num System configuration is One (1) DS1, One (1) D4 Channe es of this configuration functioning as one are considered Ac | | | | | | | | | | | | | | | - |
| | NRC - Conversion (Currently Combined) with or without | ad i artei | r the m | inimum system cor | inguration is | countea. | | | | | | | | | | |
| | BellSouth Allowed Changes - Top 8 MSAs Only | | | UEPMG | USAC4 | 0.00 | 450.00 | 50.00 | | | | 15.20 | | | | |
| | Additions Where Currently Combined and New (Not Currently | v Comb | nined) | | 00/104 | 0.00 | 430.00 | 30.00 | | | | 13.20 | | | | |
| | sity Zone 1 Top 8 MSAs | , | , | | + | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | | | | | | |
| | Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 900.00 | 600.00 | | | | 15.20 | | | | |
| | 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 605.00 | | | | 15.20 | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 605.00 | | | | 15.20 | | | | <u> </u> |
| | te Mark Inversion (AMI) Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | - |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Dort | UEFIVIG | IVICOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ge Ports | on with | FOIL | | 1 | | | | | | | | | | | - |
| LACITATI | gerons | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | 1 |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 14.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 36.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Outdial – | | | | | | | | | | | | | | | |
| | (AL, KY, LA, MS, & TN) | | | UEPPX | UEPCY | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN | | | UEPPX | UEPCT | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Outdial – | | | | | | | | | | | | | | | |
| | Louisiana Only – Calling Plan | | | UEPPX | UEPC2 | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Two Way - | | | | | | | | | | | | | | | |
| | Louisiana Only – Calling Plan | | | UEPPX | UEPC3 | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| Feature | Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | ļ |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| | Bank | | | UEPPX | 1PQWM | 0.6497 | 40.00 | 20.00 | | | | 15.20 | | | | <u> </u> |
| | Feature (Service) Activation for each Trunk Port Terminated in D4 Bank | | | UEPPX | 1PQWU | 0.6497 | 110.00 | 30.00 | | | | 15.20 | | | | |
| | one Number/ Group Establishment Charges for DID Service | | | UEPPA | IFQWU | 0.6497 | 110.00 | 30.00 | | | | 15.20 | | | | - |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| Local N | lumber Portability | | | | | | | | | | | | | | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | RES - Vertical and Optional | | | | | | | | | | | | | | | |
| | witching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | <u> </u> |
| | All Features Available | <u> </u> | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | ↓ |
| | ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | | C4=+- 4 | | | | isabin | tal Dart | | | | | | | | |
| | Based Rates are applied where BellSouth is required by FCC | | | | | | | | dlad Dart == :' | on of this Dat | Evhil-!4 | | | | | ₩ |
| | ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport | | | | | | | | | | | `ain Bant" - | on Combine | l iono | - | |
| o. End (| Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Cu | usage r | Combi | ined Combos For | Currently Co | mhined Combo | to all compina | rring charges | shall be those | identified in t | he Nonrecu | rring - Curr | op Combinat | od sections | L Additional ME | Cs may |
| 4 The f | not and additional for nomeculing charges apply to NOI Cl | uri Gilli V | | mea combos. For | Junionity 60 | | o, me nometu | iy onaryes | Julian pe mose | i acinii eu ili t | HOIHECU | y - Culle | onery Combine | - 300 LIUII3. | | . Jo illay |
| | | • | | | | | | | | | | | | | | |
| apply a | Iso and are categorized accordingly. tet Rates for Unbundled Centrex Port/Loop Combination will | | | | | | a T | | | | 1 | 1 | | | | |

Version 4Q02: 12/18/02 Page 214 of 416

| AROND | LED | NETWORK ELEMENTS - Louisiana | | | ı | <u> </u> | | | | | | l - | | | nent: 2 | | bit: B |
|---------|---------|---|-------------|--|--------|----------|--------|--------|------------|--------------|------------|---|---|--|--|---|--|
| ATEGORY | Y | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | ROMAN | SOMAN | SOM AN | SOMAN | SOMAN |
| 2 14/ | liro VI | G Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | + | | riist | Auu i | FIISL | Auu i | SOIVIEC | SOWAN | SUMAN | SOWAN | SOWAN | SUMAN |
| | | | | | | | | | | | | | | | | | |
| UNE | | /Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | -Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- lon-Design | | 1 | UEP91 | | 13.13 | | | | | | | | | | |
| | | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- lon-Design | | 2 | UEP91 | | 23.75 | | | | | | | | | | |
| | | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI 31 | + | 20.70 | | | | | | | | | | |
| | | on-Design | | 3 | UEP91 | | 49.62 | | | | | | | | | | |
| LINE | | /Loop Combination Rates (Design) | | 3 | ULF91 | _ | 45.02 | | | | | | | | | | |
| UNE | | | | | | | | | | | | | | | | | |
| | | -Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | esign | | 1 | UEP91 | | 16.29 | | | | | | | | | | |
| | | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | Ì | 1 |
| | D | esign | | 2 | UEP91 | | 26.71 | | | | | | | | | | |
| | | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | İ |
| | | esign | | 3 | UEP91 | | 48.26 | | | | | <u> </u> | | | | | <u></u> |
| UNE | E Loo | p Rate | | | | | | | | | | | | | | | |
| | 2- | -Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 11.77 | | | | | | | | | | |
| | | -Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 22.39 | | | | | | | | | | |
| | | -Wire Voice Grade Loop (SL 1) - Zone 3 | | | UEP91 | UECS1 | 48.26 | | | | | | | | | | |
| | | -Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 14.93 | | | | | | | | | | |
| | | -Wire Voice Grade Loop (SL 2) - Zone 1 -Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 25.35 | | | | | | | | | | |
| | | -Wire Voice Grade Loop (SL 2) - Zone 2 -Wire Voice Grade Loop (SL 2) - Zone 3 | | | UEP91 | UECS2 | 50.46 | | | | | | | | | | |
| | | | | 3 | UEP91 | UECS2 | 50.46 | | | | | | | | | | |
| | E Port | | | | | | | | | | | | | | | | |
| All 3 | | s (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | |
| | | -Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | -Wire Voice Grade Port (Centrex 800 termination)Basic Local rea | | | UEP91 | UEPYB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | -Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | UEP91 | UEPYH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | -Wire Voice Grade Port (Centrex from diff Serving Wire | | | OLF91 | OLFIII | 1.30 | 30.03 | 19.00 | | | | 13.20 | | | | - |
| | | enter)2 Basic Local Area | | | UEP91 | UEPYM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | | | - | UEF91 | UEPTIVI | 1.30 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | -Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm - Basic Local Area | | | UEP91 | UEPYZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2- | -Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | 40.00 | | | | | | | | |
| | | Basic Local Area | | | UEP91 | UEPY9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | -Wire Voice Grade Port Terminated on 800 Service Term - | | 1 | | | | | | | | | , | | | Ì | 1 |
| | | asic Local Area | | <u> </u> | UEP91 | UEPY2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | ļ | |
| AL, | | A, MS, & TN Only | | <u> </u> | | | | | | | | | | | | | |
| | | -Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | -Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | -Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | -Wire Voice Grade Port (Centrex from diff Serving Wire | | 1 | | 1 7 | | | | | | | | | | | |
| | | renter)2 | | 1 | UEP91 | UEPQM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | Ì | 1 |
| | | -Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm | | | UEP91 | UEPQZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| + | | | | | | | | | | | | | | | | | |
| | | -Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | -Wire Voice Grade Port Terminated on 800 Service Term | | <u> </u> | UEP91 | UEPQ2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | ļ | |
| Loc | | ritching | | | | | | | | | | | | | | | |
| | | entrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.8577 | | | | | | | | | | |
| Loc | | mber Portability | | | | | | | | | | | | | | | |
| | L | ocal Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| Feat | atures | | | | | | | | | | | | | | | | |
| | Α | Il Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | | | | | |
| | | Il Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 412.25 | | | | | 15.20 | | | | |
| | | Il Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | | | | | | | | | | |
| NAF | | | | 1 | | | 0.00 | | | | | | | | | 1 | |
| 13741 | | nbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | 1 | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | | |

Version 4Q02: 12/18/02 Page 215 of 416

| NBUNDLED | NETWORK ELEMENTS - Louisiana | 1 | | | 1 | | | | | | Cup Cada | Cup Cada | Attachr | | | oit: B |
|-----------|---|--|------|--------|--------|--------|--------|------------|--|-------|----------|-----------|--|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring Dis | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | neous Terminations runk Side | | | | + | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.29 | 115.85 | 18.20 | | | | 15.20 | | | | |
| | ce Channel Mileage - 2-Wire | | | OLI 31 | CLIVAO | 0.23 | 113.03 | 10.20 | | | | 13.20 | | | | |
| | nteroffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | nteroffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.013 | 00.00 | 20.02 | | | | 10.20 | | | | |
| | Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |
| D4 Chan | nel Bank Feature Activations | | | | | | | | | | | | | | | |
| l F | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.6497 | | | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | 1 | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | ļ | | UEP91 | 1PQW7 | 0.6497 | | | ļ | | | 15.20 | | | ļ | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| <u> </u> | Different Wire Center | | | UEP91 | 1PQWP | 0.6497 | | | | | | 15.20 | | | | |
| | Footure Activation on D. 4 Channel Bank Brivata Line Lean Clat | | | UEP91 | 1PQWV | 0.6497 | | | | | | 15 20 | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP91 | 1PQWV | 0.6497 | | | | | | 15.20 | | | | |
| | -eature Activation on D-4 Channel Bank Tijle Line/Trunk Loop | | | UEP91 | 1PQWQ | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWQ | 0.6497 | | | | | | 15.20 | | | | |
| | curring Charges (NRC) Associated with UNE-P Centrex | | | OLF91 | IFQWA | 0.0437 | 1 | | | | | 13.20 | | | | |
| | Conversion - Currently Combined Switch-As-Is with allowed | | | | + + | | | | | | | | | | | |
| | changes, per port | | | UEP91 | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | 0.00 | 36.66 | 16.10 | | | | | | | | |
| | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 680.40 | 10.10 | | | | 15.20 | | | | |
| | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 680.40 | | | | | 15.20 | | | | |
| 9 | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 79.31 | | | | | 15.20 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 73.93 | | | | | 15.20 | | | | |
| | ENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| | G Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | rt/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP95 | | 13.13 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | LIEBOE | | 00.75 | | | | | | | | | | |
| | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP95 | - | 23.75 | | | | | | | | | | |
| | 2-vvire vG Loop/2-vvire voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP95 | | 49.62 | | | | | | | | | | |
| | rt/Loop Combination Rates (Design) | | 3 | OLF 95 | + | 45.02 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | + | | | | | | | | | | | |
| | Design | | 1 | UEP95 | | 16.29 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 2 | UEP95 | | 26.71 | | | | | | | | | | |
| 2 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP95 | | 51.82 | | | | | | | | | | |
| UNE Loc | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | ļ | 2 | UEP95 | UECS1 | 22.39 | | | ļ | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | ļ | 3 | UEP95 | UECS1 | 48.26 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 14.93 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | - | 2 | UEP95 | UECS2 | 25.35 | | | | | | | | | ļ | |
| UNE Por | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 50.46 | | | | | | | | | | |
| All State | | | | | + + | | + | | | | | | | | 1 | - |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | 1 | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex doo termination) | | | | 02. 10 | 1.00 | 55.55 | 10.00 | | | | 10.20 | | | 1 | |
| | Area | I | l | UEP95 | UEPYH | 1.36 | 38.85 | 19.08 | 1 | | | 15.20 | | | İ | l |

Version 4Q02: 12/18/02 Page 216 of 416

| ONBOND | LED NETWORK ELEMENTS - Louisiana | | | | | | | | | | 1 - | T - | | ment: 2 | | bit: B |
|---------|--|-------------|------|----------------|----------------|---------------|-----------------|------------|--------------|------------|--|---|--|--|---|---|
| ATEGORY | 7 RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Dee | Nonrec | urring | Nonrecurring | Disconnect | | • | oss | Rates (\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalen | t | | | | | | | | | | | | | | |
| | - Basic Local Area | | 1 | UEP95 | UEPY9 | 1.36 | 38.85 | 19.08 | | | 1 | 15.20 | | | - | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| ΛI | KY, LA, MS, SC, & TN Only | - | - | UEF95 | UEF12 | 1.30 | 30.00 | 19.06 | | | | 15.20 | | | | |
| AL, | 2-Wire Voice Grade Port (Centrex) | | 1 | UEP95 | UEPQA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | 1 | UEP95 | UEPQB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex 600 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 | 1 | | UEP95 | UEPQH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | 1 | 1 | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | 1 | 1 | | | | 22.20 | | | | | | | İ | 1 | |
| | Center)2 | | | UEP95 | UEPQM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP95 | UEPQZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalen | t | | UEP95 | UEPQ9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| Loc | al Switching | | 1 | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | 1 | UEP95 | URECS | 0.8577 | | | | | | 15.20 | | | | |
| Loc | al Number Portability | | 1 | LIEDOE | LNPCC | 0.25 | | | | | | | | | | |
| Eoo | Local Number Portability (1 per port) tures | - | - | UEP95 | LINFCC | 0.35 | | | | | | | | | | |
| Геа | All Standard Features Offered, per port | | 1 | UEP95 | UEPVF | 0.00 | | | | | | 15.20 | | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 412.25 | | | | 1 | 15.20 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | 412.20 | | | | | 15.20 | | | | |
| NAF | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | cellaneous Terminations | | | | | | | | | | | | | | | |
| 2-W | ire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | 1 | UEP95 | CEND6 | 8.29 | 115.85 | 18.20 | | | | 15.20 | | | | |
| 4-W | ire Digital (1.544 Megabits) | | | LIEBOE | N4411D4 | 00.47 | 100.10 | 20.00 | | | | 45.00 | | | | |
| | DS1 Circuit Terminations, each DS0 Channels Activated, each | | | UEP95 UEP95 | M1HD1 M1HDO | 68.47 0.00 | 196.18 14.06 | 92.92 | | | | 15.20 15.20 | | | | |
| Into | roffice Channel Mileage - 2-Wire | - | - | UEF95 | INTINDO | 0.00 | 14.00 | | | | | 15.20 | | | | |
| inte | Interoffice Channel Facilities Termination | | 1 | UEP95 | MIGBC | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.013 | 00.00 | 20.02 | | | | 10.20 | | | | |
| Fea | ture Activations (DS0) Centrex Loops on Channelized DS1 Servi | ce | | 02.00 | 02 | 0.0.0 | | | | | | | | | 1 | |
| | Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.6497 | | | | | | 15.20 | | | | |
| | · | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQW7 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.6497 | | | | | | 15.20 | | | | |
| | Footure Activation on D.4 Channel Beats British Line Law Class | | | LIEDOE | 10014/17 | 0.0407 | | | | | | 45.00 | | | 1 | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | + | 1 | UEP95 | 1PQWV | 0.6497 | | | | | | 15.20 | | - | | |
| | Slot | | | UEP95 | 1PQWQ | 0.6497 | | | | | | 15.20 | | 1 | I | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | + | 1 | UEP95 | 1PQWQ | 0.6497 | | | | | } | 15.20 | 1 | 1 | + | - |
| Non | -Recurring Charges (NRC) Associated with UNE-P Centrex | 1 | 1 | OLI 33 | 11 QVVA | 0.0437 | | | | | 1 | 13.20 | 1 | 1 | t | |
| INOI | NRC Conversion Currently Combined Switch-As-Is with allowed | + | | + | + | | | | | | | | | | t | |
| | changes, per port | | | UEP95 | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | 1 | |
| | Conversion of Existing Centrex Common Block, each | 1 | | UEP95 | USACN | | 36.66 | 16.10 | | | | 15.20 | 1 | | t | t |
| | New Centrex Standard Common Block | | 1 | UEP95 | M1ACS | 0.00 | 680.40 | | | | 1 | 15.20 | | 1 | 1 | 1 |

| ONBONDI | FED | NETWORK ELEMENTS - Louisiana | | 1 | ı | | | | | | | Com Cont | Comp Control | | nent: 2 | | bit: B |
|----------|-----|---|-------------|--|--------|--------|-------|--------|------------|--------------|-------|--|--------------|--|--|---|--|
| CATEGORY | r | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 680.40 | | | | | 15.20 | | | | |
| | | AR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 73.93 | | | | | 15.20 | | | | |
| | | ENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | | G Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | | t/Loop Combination Rates (Non-Design) 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | N | lon-Design | | 1 | UEP9D | | 13.13 | | | | | | | | | | |
| | | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | ĺ |
| | | lon-Design | | 2 | UEP9D | | 23.75 | | | | | | | | | | |
| | | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | LIEDOD | | 40.00 | | | | | | | | | | |
| LINIE | | Von-Design | - | 3 | UEP9D | | 49.62 | | | 1 | | | | | | - | |
| UNE | | t/Loop Combination Rates (Design) 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | - | | | | | | | 1 | | | | | | - | |
| | | vviie vo Loop/2-vviie voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9D | | 16.29 | | | | | | | | | | 1 |
| | | !-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | + | 021 00 | + | 10.23 | | | | | | | | | | |
| | | Design | | 2 | UEP9D | | 26.71 | | | | | | | | | 1 | 1 |
| | | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | | 1 | 20.71 | | | | | | | | | | |
| | | Design | | 3 | UEP9D | | 51.82 | | | | | | | | | | İ |
| UNE | | p Rate | | | | | | | | | | | | | | | |
| | 2 | -Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 11.77 | | | | | | | | | | |
| | 2 | -Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 22.39 | | | | | | | | | | |
| | 2 | -Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 48.26 | | | | | | | | | | |
| | | -Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 14.93 | | | | | | | | | | |
| | | -Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 25.35 | | | | | | | | | | |
| | | -Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 50.46 | | | | | | | | | | |
| | | t Rate | | | | | | | | | | | | | | | |
| ALL | STA | | | | | | | | | | | | | | | | |
| | | -Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | Α | t-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | UEP9D | UEPYB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | -Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | | | | | | | | | | | | | |
| | | Vrea | | | UEP9D | UEPYC | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | -Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | LIEDOD | LIEDVD | 4.00 | 00.05 | 40.00 | | | | 45.00 | | | | |
| | | View Vision Condo Port (Control / EBC M5200)/2 Poris Local | | 1 | UEP9D | UEPYD | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | Α | t-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | UEP9D | UEPYE | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | -Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | 1 | | | | | | | | | | | |] | 1 |
| | | rea | | | UEP9D | UEPYF | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | P-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | UEP9D | UEPYG | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | ĺ |
| -+ | | Nea 1-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | OLFBD | ULFIG | 1.30 | 30.03 | 19.08 | 1 | | 1 | 15.20 | | | 1 | |
| | | Area | | | UEP9D | UEPYT | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | 1 |
| | | -Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | 021 00 | OL: 11 | 1.50 | 30.03 | 13.00 | + | | | 10.20 | | | | † |
| | | Area | | 1 | UEP9D | UEPYU | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | 1 | 1 |
| | | t-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | | | | | | | | | | | | | |
| | Α | Area | | | UEP9D | UEPYV | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | <u> </u> |
| | 2 | -Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | | | | | - | | | | | | |] | 1 |
| | | vrea | | | UEP9D | UEPY3 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | -Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | | | | | | | | | 4 | | | | 1 |
| | | Area | | 1 | UEP9D | UEPYH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | ├ |
| | | t-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | 1 |
| | | the Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | | | | 55.55 | .0.50 | | | | 70.20 | | | 1 | |
| | | Basic Local Area | | | UEP9D | UEPYJ | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | 1 |
| | | -Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
|] | 2 | Basic Local Area | L | L | UEP9D | UEPYM | 1.36 | 104.41 | 67.93 | | | <u></u> | 15.20 | | | <u> </u> | <u> </u> |
| | 2 | -Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | | İ | | | | | | | | | | | |
| | IB | Basic Local Area | l | 1 | UEP9D | UEPYO | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | Ì | 1 |

| JNRUNDLI | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|---|-------------|------|----------------|----------------|--------------|--------|------------|--------------|--------------|--|----------------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonre | | Nonrecurring | g Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYP | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPYQ | 4.00 | 101.11 | 67.93 | | | | 45.00 | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPTQ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | - |
| | Basic Local Area | | | UEP9D | UEPYR | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| - | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | OLF 9D | OLFIK | 1.30 | 104.41 | 07.55 | | | | 13.20 | | | | |
| | Basic Local Area | | | UEP9D | UEPYS | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | 02. 02 | 020 | 1.00 | 10 | 01.00 | | | | .0.20 | | | | 1 |
| | Basic Local Area | | | UEP9D | UEPY4 | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY5 | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY6 | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY7 | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9D | UEPYZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | ļ |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | | | | 40.00 | | | | | | | | |
| 41 1/ | Local Area | | | UEP9D | UEPY2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| AL, K | (Y, LA, MS, SC, & TN Only | | | UEP9D | UEPQA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | + |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Fort (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | l | 1 | | | | | | | | | | | |
| | Indication)3 | | | UEP9D | UEPQW | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | ļ |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.36 | 38.85 | 19.08 | | | | 15.20 | | ļ | ļ | |
| 1 | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | UEP9D | LIEDOM | 1.00 | 104.41 | 67.93 | | | | 15.00 | | | | |
| - | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D UEP9D | UEPQM UEPQO | 1.36 1.36 | 104.41 | 67.93 | | | | 15.20 15.20 | | | | - |
| _ | 2-vviile voice Glade Fort (Gentlewallier SWC/EDS-PSET)2, 3 | | | OLFBD | ULFQU | 1.30 | 104.41 | 67.93 | | 1 | 1 | 15.20 | | 1 | 1 | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 1.36 | 104.41 | 67.93 | | 1 | 1 | 15.20 | | 1 | 1 | † |
| <u> </u> | | | | | ~~ | | | 350 | | | | .0.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.36 | 104.41 | 67.93 | | | ļ | 15.20 | | | | <u> </u> |
| | 0 M/ - V/ - 0 - 1 Det /0 - 1 - / - / - 0 - / - / - 0 - / - / - / - 0 - / - / | | | LIEBOD | LIEDOS | | | | | | | ,= == | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 1.36 | 104.41 | 67.93 | | | | 15.20 | | ļ | ļ | <u> </u> |
| | 2 Wire Voice Crede Port (Contravidities CN/C /EDC MESSON C | | | LIEBOD | LIEDO7 | 1.36 | 404.44 | 67.93 | | | | 45.00 | | | | |
| -+ | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9D | UEPQ7 | 1.36 | 104.41 | 67.93 | | 1 | | 15.20 | | | | |
| | Term | | | UEP9D | UEPQZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |

| JNBUNDL | ED NETWORK ELEMENTS - Louisiana | | | • | | | | | | | | , | Attachr | | | bit: B |
|----------|--|-------------|--|--------|-----------|--------|--------|------------|--------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | : | | UEP9D | UEPQ9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| Loca | l Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.8577 | | | | | | | | | | |
| Loca | l Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| Feat | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | 15.20 | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 412.25 | | | | | 15.20 | | | | |
| | All Centrex Control Features Offered, per port | 1 | <u> </u> | UEP9D | UEPVC | 0.00 | | | | | | 15.20 | | | | |
| NAR | - 1 | 1 | <u> </u> | LIEDOD | LIADOX | | | | | | | 7= 00 | | | | |
| | Unbundled Network Access Register - Combination | 1 | <u> </u> | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| B#1 | Unbundled Network Access Register - Outdial ellaneous Terminations | 1 | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | ellaneous Terminations re Trunk Side | 1 | | - | | | | | | | | | | | - | |
| 2-991 | Trunk Side Terminations, each | - | | UEP9D | CEND6 | 8.29 | 115.85 | 18.20 | | | | 15.20 | | | | |
| 4-Wi | re Digital (1.544 Megabits) | - | | UEF9D | CENDO | 0.29 | 115.65 | 10.20 | | | | 15.20 | | | | |
| 4-441 | DS1 Circuit Terminations, each | 1 | | UEP9D | M1HD1 | 68.47 | 196.18 | 98.62 | | | | 15.20 | | | | |
| | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 14.06 | 90.02 | | | | 15.20 | | | | |
| Inter | office Channel Mileage - 2-Wire | | | OLF3D | WITIDO | 0.00 | 14.00 | | | | | 13.20 | | | | |
| inter | Interoffice Channel Facilities Termination | 1 | | UEP9D | MIGBC | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.013 | 00.00 | 20.02 | | | | 10.20 | | | | |
| Feat | ure Activations (DS0) Centrex Loops on Channelized DS1 Service | ce | | OLI OD | IVIIODIVI | 0.010 | | | | | | | | | | |
| | hannel Bank Feature Activations | Ĭ | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.6497 | | | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQW7 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP9D | 1PQWP | 0.6497 | | | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | ļ | | UEP9D | 1PQWV | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | 4= 00 | | | | |
| | Slot | | | UEP9D | 1PQWQ | 0.6497 | | | | | | 15.20 | | | | |
| NI | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.6497 | | | | | | 15.20 | | | | |
| non- | Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed | 1 | | - | | | | | | | | | | | - | |
| | changes, per port | | | UEP9D | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| | Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 36.66 | 16.10 | | | | 15.20 | | | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 680.40 | 10.10 | | | | 15.20 | | | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACC | 0.00 | 680.40 | | | | | 15.20 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 73.93 | | | | | 15.20 | | | | |
| UNE | P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | 02. 02 | OTTE OF T | 0.00 | 70.00 | | | | | 10.20 | | | | |
| | re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | 1 | | | 1 | | | | | | | | | | İ | İ |
| | Port/Loop Combination Rates (Non-Design) | 1 | i – | | 1 1 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | - | 1 | | | | | | | | | | | | | |
| | Non-Design | <u> </u> | 1 | UEP9E | | 13.13 | | | <u> </u> | | | | | | <u> </u> | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | |] | |
| | Non-Design | | 2 | UEP9E | | 23.75 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | |] | |
| | Non-Design | 1 | 3 | UEP9E | | 49.62 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | <u> </u> | ļ | | | | | | | | | | | ļ | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | -1 | | | | | | | | | | 1 | | | 1 | |
| | D | | | LIEDOE | | | | | | | | | | | | |
| | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9E | | 16.29 | | | | | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - Louisiana | | | | <u> </u> | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|--|--|----------|--------|--------|------------|----------|--------------|----------|---|--|--|--|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Charge - | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | | g Disconnect | 201150 | 001441 | | Rates (\$) | 2011411 | 001141 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | + | - | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Design | | 3 | UEP9E | | 51.82 | | | | | | | | | | |
| UNF | Loop Rate | | | OLI SL | + | 31.02 | | | | | 1 | | | | | |
| OI4E | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 11.77 | | | | | | | | | | + |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 22.39 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 48.26 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 14.93 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 25.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 50.46 | | | | | | | | | | |
| UNE | Port Rate | | | | | | | | | | | | | | | |
| | L, KY, LA, MS, & TN only | | | | 1 | | | | İ | | | | | | 1 | 1 |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | 1 | 1 1 | 1 | | | İ | İ | | | | 1 | İ | 1 |
| | Area | | | UEP9E | UEPYB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | LIEDOE | HEDVII | 4.00 | 20.05 | 40.00 | | | | 45.00 | | | | |
| | Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | - | UEP9E | UEPYH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEF9E | UEPTIVI | 1.30 | 104.41 | 07.93 | | | | 15.20 | | | | |
| | Term - Basic Local Area | | | UEP9E | UEPYZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | | | UEP9E | UEPYZ | 1.30 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP9E | UEPY9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | - | UEP9E | UEPT9 | 1.30 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | Basic Local Area | | | UEP9E | UEPY2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| A1 1/ | Y, LA, MS, & TN Only | | | UEF9E | UEFTZ | 1.30 | 30.00 | 19.06 | | | | 15.20 | | | | |
| AL, N | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 1.36 | 38.85 | 19.08 | | | 1 | 15.20 | | - | - | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Carlet ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | OLF3L | ULFQII | 1.30 | 30.03 | 19.00 | | | 1 | 13.20 | | - | - | |
| | Center)2 | | | UEP9E | UEPQM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| + | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | 1 | OLFBL | ULFQIVI | 1.30 | 104.41 | 07.93 | | | 1 | 13.20 | | | | + |
| | Term | | | UEP9E | UEPQZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | ĺ |
| Local | Switching | | | | | | | | | | | | | | | 1 |
| | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.8577 | | | | | | | | | | ĺ |
| Local | Number Portability | | | | | | | | | | | | | | | 1 |
| | Local Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | | | | 1 |
| Featu | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9E | UEPVF | 0.00 | | | | | | 15.20 | | | | |
| | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 412.25 | | | | | 15.20 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 0.00 | | | | | | 15.20 | | | | |
| NARS | | | | | | | | | | | | | | | | ļ |
| | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | | | ļ | ļ | ļ |
| | Unbundled Network Access Register - Indial | | <u> </u> | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | ļ | ļ | | | . | . | ļ |
| <u> </u> | Unbundled Network Access Register - Outdial | | <u> </u> | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | ļ | ļ | | | . | . | ļ |
| | ellaneous Terminations | | <u> </u> | | | | | | | | ļ | | | | | <u> </u> |
| 2-Wir | e Trunk Side | | <u> </u> | 115505 | 051150 | 0.55 | | 10 | | | ļ | 4= 6 - | | | | <u> </u> |
| 4 1 | Trunk Side Terminations, each | | <u> </u> | UEP9E | CEND6 | 8.29 | 115.85 | 18.20 | | | <u> </u> | 15.20 | | - | - | |
| 4-Wir | e Digital (1.544 Megabits) | | <u> </u> | LIEDOE | MALIDA | 20.4= | 400.40 | 20.00 | - | ļ | ļ | 45.00 | | 1 | 1 | |
| | DS1 Circuit Terminations, each | | <u> </u> | UEP9E | M1HD1 | 68.47 | 196.18 | 92.92 | | | <u> </u> | 15.20 | | - | - | |
| 1 | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 14.06 | | | | ļ | 15.20 | | ! | ! | |
| interc | office Channel Mileage - 2-Wire | | _ | LIEDOE | MICEC | 20.00 | 00.00 | 20.00 | 1 | | ļ | 45.00 | | 1 | | |
| | Interoffice Channel Facilities Termination | | _ | UEP9E | MIGBC | 22.60 | 39.36 | 26.62 | 1 | | ļ | 15.20 | | 1 | | |
| Faster | Interoffice Channel mileage, per mile or fraction of mile | | 1 | UEP9E | MIGBM | 0.013 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Servic nannel Bank Feature Activations | c | 1 | | + | | | | | | <u> </u> | | | | | |
| D4 Cr | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | ├ | UEP9E | 1PQWS | 0.6497 | | | | ļ | ! | 15.20 | | | 1 | + |

Version 4Q02: 12/18/02 Page 221 of 416

| NRONDL | ED NETWORK ELEMENTS - Louisiana | | | 1 | | | | | | | 1 - | T - | | ment: 2 | | bit: B |
|---------|---|-------------|------|--------|----------|--------|--------|------------|--------------|------------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | 7144. | | 71441 | | 00 | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9E | 1PQW7 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP9E | 1PQWP | 0.6497 | | | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9E | 1PQWQ | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.6497 | | | | | | 15.20 | | | | |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | 1 | | UEP9E | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | l | I | |
| | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 36.66 | 16.10 | | | | 15.20 | | | | |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 680.40 | | | | | 15.20 | | | | |
| | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 680.40 | | | | | 15.20 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 73.93 | | | | | 15.20 | | | | |
| UNE | P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | |
| | re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP93 | | 13.13 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 2 | UEP93 | | 23.75 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP93 | | 49.62 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP93 | | 16.29 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 2 | UEP93 | | 26.71 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP93 | | 51.82 | | | | | | | | | | |
| UNE | Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP93 | UECS1 | 22.36 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 48.26 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 14.93 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | ļ | 2 | UEP93 | UECS2 | 25.35 | | | | | | | | | 1 | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 50.46 | | | | | | | | | . | 1 |
| | Port Rate | | | | | | | | | | | | | | . | |
| AL, I | (Y, LA, MS, & TN only | | | LIEBOO | 1,150,11 | | | | | | | | | ļ | . | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | . | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | 1 | | l | | | | | | | | | | l | I | |
| | Area | | | UEP93 | UEPYB | 1.36 | 38.85 | 19.08 | | | 1 | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | 1 | | LIEBOO | LIED. " | | | | | | | | | l | I | |
| | Area | <u> </u> | | UEP93 | UEPYH | 1.36 | 38.85 | 19.08 | | | | 15.20 | 1 | | - | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | 1 | | LIEBOO | LIEDVAA | 4.00 | 404 | 07.00 | | | | 45.00 | | l | I | |
| | Center)2 Basic Local Area | | | UEP93 | UEPYM | 1.36 | 104.41 | 67.93 | | | 1 | 15.20 | | - | 1 | 1 |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | 1 | | LIEDOS | HEDV7 | 4.00 | 404.41 | 07.00 | | | | 45.00 | | l | I | |
| | Term - Basic Local Area | ļ | | UEP93 | UEPYZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | - | - |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | 1 | | LIEBOO | LIEDVO | 4.00 | 00.05 | 10.00 | | | | 45.00 | | l | I | |
| | - Basic Local Area | ļ | | UEP93 | UEPY9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | - | |
| 1 | 2-Wire Voice Grade Port Terminated on 800 Service Term - | 1 | | LIEBOO | LIEDY CO | | | | | | | | | l | I | |
| | Basic Local Area | | | UEP93 | UEPY2 | 1.36 | 38.85 | 19.08 | | | } | 15.20 | 1 | 1 | ! | |
| | 2-Wire Voice Grade Port (Centrex) | ļ | | UEP93 | UEPQA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | - | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| 1 | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 | UEPQH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | <u> </u> |

Version 4Q02: 12/18/02 Page 222 of 416

| UNBUNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachr | nent: 2 | Exhil | oit: B |
|----------|---|-------------|----------|-----------------|----------------|----------------|------------------|----------------|-------------------|----------------|--|----------------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | Rec | | curring | Nonrecurring | | 001150 | 001111 | | Rates (\$) | 001441 | 0011411 |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Center)2 | | | UEP93 | UEPQM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | l |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP93 | UEPQZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink of equivalent | | | UEP93 | UEPQ9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.8577 | | | | | | | | | | 1 |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP93 | LNCCC | 0.35 | | | | | 1 | | | | | <u> </u> |
| Featur | | | | LIEDOS | LIEDVE | 0.00 | | | | | | 45.00 | | | | |
| | All Standard Features Offered, per port | | | UEP93 UEP93 | UEPVF UEPVC | 0.00 | | | | | ļ | 15.20 15.20 | | | | |
| NARS | All Centrex Control Features Offered, per port | | | OLFSS | UEFVU | 0.00 | | | | | } | 15.20 | | | | |
| CAAN | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | ī |
| | laneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.27 | 115.85 | 18.20 | | | | 15.20 | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | UEP93 | M1HD1 | 68.47 | 100.10 | 92.92 | | | | 45.00 | | | | |
| | DS1 Circuit Terminations, each DS0 Channels Activated, Per Channel | | | UEP93 UEP93 | M1HD1 M1HDO | 0.00 | 196.18 14.06 | 92.92 | | | | 15.20 15.20 | | | | |
| Interes | fice Channel Mileage - 2-Wire | | | UEP93 | WITHDO | 0.00 | 14.06 | | | | | 15.20 | | | | |
| litteroi | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | 1 |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.013 | | | | | | | | | | ī |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | i |
| D4 Ch | annel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.6497 | | | | | | 15.20 | | | | ļ |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP93 | 1PQW7 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP93 | 1PQWP | 0.6497 | | | | | | 15.20 | | | | l |
| | Different Wife Center | | | OLF 93 | IFQVVF | 0.0497 | | | | | | 13.20 | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | | | UEP93 | 1PQWV | 0.6497 | | | | | | 15.20 | | | | |
| | Slot | | | UEP93 | 1PQWQ | 0.6497 | | | | | | 15.20 | | | | i |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.6497 | | | | | | 15.20 | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | _ | | | | | | | | | | | | |
| | changes, per port | | | UEP93 | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP93 | USACN | 2.22 | 36.66 | 16.10 | | | | 15.20 | | | | |
| | New Centrex Standard Common Block New Centrex Customized Common Block | | | UEP93 UEP93 | M1ACS M1ACC | 0.00 | 680.40 680.40 | | | | | 15.20 15.20 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 UEP93 | URECA | 0.00 | 73.93 | | | | | 15.20 | | | | |
| Note 1 | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | 021 00 | JILOA | 0.00 | 13.33 | | | | | 10.20 | | | | <u> </u> |
| | 2 - Requires Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| Note 3 | - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES | | | | | | | | | • | | | | | | |
| | ket Rates are applied where BellSouth is not required by FCC | | | | | ndled Local Sv | vitching or Sw | itch Ports. | | | | | | | | |
| | urring Charges for all Standard Centrex and Centrex Conrol Fe | | | | | ibis aball | to all comes | | | | 4 4 11515 2 | hain David | | | | —— |
| | Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu | | | | | | | | | | | | | | Additional NE | Ce may |
| | nirst and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly. | urrenitly | COIIIDI | neu compos. For | Currently Co | moneu compo | os, ane monfect | urring charges | SIMIL DE LITOSE I | identined in t | ne Nomecu | ining - Curre | and Combine | u sections. I | Additional NR | OS IIIAY |
| INF-P | CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) |) | | | | | | l | | | | | | | | |
| 2-Wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | Í | | | | | | | | | | | | | | |
| | | • | | | • | | | | | | • | • | • | | • | |

Version 4Q02: 12/18/02 Page 223 of 416

| NRONDI | LED NETWORK ELEMENTS - Louisiana | _ | | 1 | | | | | | | Γ- | | | nent: 2 | | bit: B |
|---------|--|-------------|------------------|--------|---------|--------|--------|------------|--|--------------|--|---|--|--|---|-------------------------------------|
| ATEGORY | Y RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge Manual S Order vs Electronic |
| | | | | | | | Name | | . Names accombine | . Dianamant | | | 220 | Detec (ft) | l | |
| | | | 1 | | | Rec | Nonrec | | Nonrecurring | | 001150 | 0011411 | | Rates (\$) | 0011411 | 001111 |
| LIME | E Port/Loop Combination Rates (Non-Design) | _ | | | _ | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNE | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comb | _ | 1 | | | | | | | | | | | | | 1 |
| | Non-Design | 0 - | 1 | UEP91 | | 25.77 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comb | ١- | - ' - | OLF91 | | 25.11 | | | | | | | | | | 1 |
| | Non-Design | , - | 2 | UEP91 | | 36.39 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comb | ١ - | | OLI 31 | | 30.33 | | | | | | | | | | |
| | Non-Design | ´ | 3 | UEP91 | | 62.26 | | | | | | | | | | |
| UNE | E Port/Loop Combination Rates (Design) | | Ŭ | 02. 0. | | 02.20 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comb | 0 - | | | | | | | | | | | | | | |
| | Design | | 1 | UEP91 | | 28.93 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comb |) - | | | | | | | | | | | | | | |
| | Design | | 2 | UEP91 | | 39.35 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comb |) - | | | | | | | | | | | | | | |
| | Design | | 3 | UEP91 | | 64.46 | | | | | | | | | | |
| UNE | E Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 22.39 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | 48.26 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 14.93 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 25.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 50.46 | | | | | | | | | | |
| | E Ports | | | | | | | | | | | | | | | |
| All S | States (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP91 | UEPYB | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | 1 | OLF91 | OLFIB | 14.00 | 30.00 | 25.00 | | | | 13.20 | | | | |
| | Area | | | UEP91 | UEPYH | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| _ | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | + | 1 | OLI 01 | OLI III | 14.00 | 00.00 | 20.00 | | | | 10.20 | | | | |
| | Center)2 Basic Local Area | | | UEP91 | UEPYM | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Serving | е | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP91 | UEPYZ | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | nt | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP91 | UEPY9 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP91 | UEPY2 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| AL, | , KY, LA, MS, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 | | 1 | UEP91 | UEPQM | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Serving | е | | | | 44.00 | | | | | | 4= 00 | | | | |
| | Term | | | UEP91 | UEPQZ | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | O.W. Weiter Oracle Boot transfer to the U.S. or Manuffel and and its | | | LIEDOA | LIEDOS | 44.00 | 50.00 | 05.00 | | | | 45.00 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivale | nt | 1 | UEP91 | UEPQ9 | 14.00 | 50.00 | 25.00 | - | | | 15.20 | | | | |
| 1.00 | 2-Wire Voice Grade Port Terminated on 800 Service Term | | 1 | UEP91 | UEPQ2 | 14.00 | 50.00 | 25.00 | | | 1 | 15.20 | | | | 1 |
| LOC | Centrex Intercom Funtionality, per port | - | 1 | UEP91 | URECS | 0.8577 | | | | | | | | | | |
| 1.00 | cal Number Portability | + | 1 | OLF31 | UNLUO | 0.0077 | | | | 1 | } | | | | | - |
| LUC | Local Number Portability (1 per port) | - | 1 | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| Feet | atures | - | 1 | 02.31 | LINI 00 | 0.33 | | | - | | | | | | - | |
| . Jai | All Standard Features Offered, per port | - | 1 | UEP91 | UEPVF | 0.00 | | | - | | | | | | - | |
| | All Select Features Offered, per port | | 1 | UEP91 | UEPVS | 0.00 | 412.25 | | † | | | 15.20 | | | <u> </u> | |
| | All Centrex Control Features Offered, per port | 1 | 1 | UEP91 | UEPVC | 0.00 | | | t | 1 | | | | | 1 | |
| NAF | | | | | 1 | 2.00 | | | İ | İ | | | | | İ | |
| | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | 1 | İ | | 15.20 | | | 1 | |
| | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | İ | İ | | 15.20 | | | İ | |
| | Unbundled Network Access Register - Outdial | 1 | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | İ | | İ | 15.20 | | | | 1 |

Version 4Q02: 12/18/02 Page 224 of 416

| NRONDF | ED NETWORK ELEMENTS - Louisiana | | | | , | | | | | | 1 - | | Attachr | | | bit: B |
|---------|---|--|------|----------------|----------------|----------------|---------------|---------------|--------------|-------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | ellaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wir | e Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.29 | 115.85 | 18.20 | | | | 15.20 | | | | |
| Interd | office Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| - | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 UEP91 | M1GBC M1GBM | 22.60 0.013 | 39.36 | 26.62 | - | | | 15.20 | | | | — |
| Eostu | Interoffice Channel mileage, per mile or fraction of mile ire Activations (DS0) Centrex Loops on Channelized DS1 Service | | | UEP91 | MIGBIN | 0.013 | | | | | | | | | | |
| | hannel Bank Feature Activations | e | | | 1 | | | | | | | | | | | |
| D4 C1 | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.6497 | | | | | | 15.20 | | | | |
| | realtire Activation on 5-4 Channel Bank Centrex Loop Glot | | | OLI 31 | II QWO | 0.0437 | | | | | | 13.20 | | | | - |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP91 | 1PQW6 | 0.6497 | | | | | | 15.20 | | | | |
| | Slot | | | UEP91 | 1PQW7 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | 1 | | <u> </u> | 11 9411 | 3.0437 | | | | | | 10.20 | | | | |
| | Different Wire Center | | | UEP91 | 1PQWP | 0.6497 | | | | | | 15.20 | | | | ļ |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP91 | 1PQWQ | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.6497 | | | | | | 15.20 | | | | |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | Conversion - Currently Combined Switch-As-Is with allowed | | | LIEDOA | 110100 | | 0.40 | 0.40 | | | | 45.00 | | | | |
| | changes, per port Conversion of Existing Centrex Common Block | | | UEP91 UEP91 | USAC2 USACN | 0.00 | 0.10 36.66 | 0.10 16.10 | | | | 15.20 | | | | ļ |
| | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 680.40 | 10.10 | | | | 15.20 | | | | <u> </u> |
| | New Centrex Standard Common Block New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 680.40 | | | | | 15.20 | | | | <u> </u> |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 79.31 | | | | | 15.20 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 73.93 | | | | | 15.20 | | | | - |
| UNE- | P CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| | re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP95 | | 25.77 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design | | 2 | UEP95 | | 36.39 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP95 | | 62.26 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP95 | | 28.93 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP95 | | 39.35 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP95 | | 64.46 | | | | | | | | | | |
| UNE | Loop Rate | | | | | | _ | | | | | | | _ | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | ļ | 2 | UEP95 | UECS1 | 22.39 | | | | | | | | | ļ | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | ļ | 3 | UEP95 | UECS1 | 48.26 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 14.93 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 25.35 50.46 | | | <u> </u> | | | | | | - | |
| IINE | 2-Wire Voice Grade Loop (SL 2) - Zone 3 Port Rate | 1 | 3 | UEP95 | UECS2 | 50.46 | | | H | | | | | | 1 | |
| All St | | 1 | | | 1 | | | | H | | | | | | 1 | |
| All St | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 14.00 | 50.00 | 25.00 | 1 | | | 15.20 | | | 1 | |
| - | 2-Wire Voice Grade Fort (Centrex 800 termination) | 1 | | UEP95 | UEPYB | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | - |
| \top | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP95 | UEPYM | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |

| ONBONDE | ED NETWORK ELEMENTS - Louisiana | | | 1 | | | | | | | 12 | | | ment: 2 | | bit: B |
|-------------------|---|-------------|----------|----------------|----------------|--------|-----------------|------------|-------|------------|-------|---|--|---|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Increments Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | | Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP95 | LIEDVZ | 14.00 | 135.00 | 90.00 | | | | 45.00 | | | | |
| +- | Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | <u> </u> | UEP95 | UEPYZ | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | - Basic Local Area | | | UEP95 | UEPY9 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| -+ | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | OL1 50 | OLI 13 | 14.00 | 00.00 | 20.00 | | | | 10.20 | | | | |
| | Basic Local Area | | | UEP95 | UEPY2 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| AL, K | Y, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 | | | UEP95 | UEPQM | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP95 | UEPQZ | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | | | 1 | l | | | | | | | | | | 1 | I | |
| \longrightarrow | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | <u> </u> | UEP95 | UEPQ9 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | - | - | ļ |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | <u> </u> | UEP95 | UEPQ2 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| Local | Switching Control Interest Control Interest Control Interest Control Interest Control Interest Control Interest Control Interest Control Interest Control Interest Control Interest Control Interest Control Interest Control | | | UEP95 | URECS | 0.8577 | | | | | | 45.00 | | | | |
| Local | Centrex Intercom Funtionality, per port Number Portability | | <u> </u> | UEP95 | URECS | 0.8577 | | | | | | 15.20 | | | | |
| Local | Local Number Portability (1 per port) | | 1 | UEP95 | LNPCC | 0.35 | | | | | | | | | | 1 |
| Featu | | | | UEP95 | LINECC | 0.35 | | | | | | | | | | |
| reatu | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | | | | | | 15.20 | | | | |
| -+ | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 412.25 | | | | | 15.20 | | | | |
| - | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | | | | | 15.20 | | | | |
| NARS | | | | 02. 00 | 02. 10 | 0.00 | | | | | | 10.20 | | | | |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| Misce | Ilaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.29 | 115.85 | 18.20 | | | | 15.20 | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 68.47 | 196.18 | 92.92 | | | | 15.20 | | | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.06 | | | | | 15.20 | | | | |
| Intero | ffice Channel Mileage - 2-Wire | | | LIEDOE | MODO | 00.00 | 00.00 | 20.00 | | | | 45.00 | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 UEP95 | MIGBC MIGBM | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| Ecoto | Interoffice Channel mileage, per mile or fraction of mile re Activations (DS0) Centrex Loops on Channelized DS1 Service | | - | UEP95 | INIIGRIN | 0.013 | | | | | 1 | | | | | |
| | annel Bank Feature Activations | е | | | - | | | | | | | | | - | - | 1 |
| D4 CII | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.6497 | | | | | | 15.20 | | | | |
| | I eature Activation on 5-4 Chamiler Bank Centrex Loop Glot | | | OLI 95 | II QWO | 0.0437 | | | | | | 13.20 | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | 02. 00 | | 0.0.0. | | | | | | 10.20 | | | | |
| | Slot | | | UEP95 | 1PQW7 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.6497 | | | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | 1 | | | | | | | - | | | | | | |
| | Slot | | | UEP95 | 1PQWQ | 0.6497 | | | | | ļ | 15.20 | | 1 | 1 | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.6497 | | | | | ļ | 15.20 | | 1 | 1 | |
| Non-F | Recurring Charges (NRC) Associated with UNE-P Centrex | | | ļ | | | | | ļ | | | | | ļ | 1 | ļ |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | 1 | | | | | | | | | | | 1 | I | |
| | changes, per port | | | UEP95 | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | - | - | 1 |
| 1 | Conversion of Existing Centrex Common Block, each | | 1 | UEP95 UEP95 | USACN M1ACS | 0.00 | 36.66 680.40 | 16.10 | | | | 15.20 15.20 | | | | |
| +- | | | | | | | | | | | | 15 20 | | i | • | 1 |
| | New Centrex Standard Common Block New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 680.40 | | | | 1 | 15.20 | | + | | |

| ONROND | LED NETWORK ELEMENTS - Louisiana | 1 | | T | | | | | | | 10 | 001 | | nent: 2 | | bit: B |
|----------|---|-------------|----------|--------|-----------|-------|--------|------------|-------|--|---------|-----------------------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | E-P CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | _ | 1 | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) | _ | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design | 1 | | UEP9D | | 25.77 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | - | - 1 | UEP9D | | 25.77 | | | | - | | | | | - | - |
| | Non-Design | 1 | 2 | UEP9D | | 36.39 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | - | | OLI 3D | | 30.33 | | | | | | | | | | |
| | Non-Design | | 3 | UEP9D | | 62.26 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | 1 | | | | | | | | | | 1 | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | - | | | 1 | | | | | | | | | | | |
| | Design | | 1 | UEP9D | | 28.93 | | | | 1 | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | - | | | | | | | | | | | | | | |
| | Design | | 2 | UEP9D | | 39.35 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | - [| | | | | | | | | | | <u> </u> | | | |
| | Design | 1 | 3 | UEP9D | 1 | 64.46 | | | | ļ | ļ | | | | | |
| UNE | Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 22.39 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | _ | 3 | UEP9D | UECS1 | 48.26 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | - | 1 | UEP9D | UECS2 | 14.93 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | - | 2 | UEP9D | UECS2 | 25.35 | | | | | | | | | | |
| LINE | 2-Wire Voice Grade Loop (SL 2) - Zone 3 E Port Rate | - | 3 | UEP9D | UECS2 | 50.46 | | | | - | | | | | | |
| | STATES | - | 1 | | | | | | | | | | | | | |
| ALL | 2-Wire Voice Grade Port (Centrex) Basic Local Area | 1 | - | UEP9D | UEPYA | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | 1 | 1 | OLI OD | OLI IX | 14.00 | 00.00 | 20.00 | | | | 10.20 | | | | |
| | Area | | | UEP9D | UEPYB | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | | 1 | | | | | | | | | | 1 | |
| | Area | | | UEP9D | UEPYC | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYD | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYE | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYF | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | LIEDOD | LIEDY(O | 44.00 | 50.00 | 05.00 | | | | 45.00 | | | | |
| | Area | _ | | UEP9D | UEPYG | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | 1 | LIEBOD | UEPYT | 14.00 | E0.00 | 25.00 | | 1 | | 15.00 | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | - | 1 | UEP9D | UEPTI | 14.00 | 50.00 | 25.00 | | - | | 15.20 | | | + | |
| | Area | | 1 | UEP9D | UEPYU | 14.00 | 50.00 | 25.00 | | I | | 15.20 | | | I | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | + | +- | OL1 3D | OLI TO | 14.00 | 30.00 | 25.00 | | | 1 | 13.20 | | | t | |
| | Area | | 1 | UEP9D | UEPYV | 14.00 | 50.00 | 25.00 | | I | | 15.20 | | | I | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | 1 | | | 1 | | 33.55 | 20.50 | | 1 | | .0.20 | | | 1 | t e |
| | Area | | 1 | UEP9D | UEPY3 | 14.00 | 50.00 | 25.00 | | I | | 15.20 | | | I | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | | | | | | | | | | | | | |
| | Area | 1 | | UEP9D | UEPYH | 14.00 | 50.00 | 25.00 | | <u> </u> | <u></u> | 15.20 | | | <u> </u> | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | - | | | |
| | Indication))3 Basic Local Area | 1 | | UEP9D | UEPYW | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | 1 | l | 1 | | | | | I | | | | | I | |
| | Basic Local Area | 1 | | UEP9D | UEPYJ | 14.00 | 50.00 | 25.00 | | ļ | | 15.20 | | | ļ | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | 1 | | LIEDOD | LIEDY 4.4 | 44.00 | 405.00 | 20.00 | | 1 | | 45.00 | | | 1 | |
| | 2 Basic Local Area | + | + | UEP9D | UEPYM | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | 1 | UEP9D | UEPYO | 14.00 | 135.00 | 90.00 | | I | | 15.20 | | | I | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | 1 | + | OEFSD | UEFTU | 14.00 | 135.00 | 90.00 | | | 1 | 15.20 | | | | |
| | | | | | | | | | • | • | | | | | | 1 |

| UNBUNDLI | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|--|----------------|----------------|----------------|----------------|----------------|-------|------------|---|---|--|--|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonred | | | Disconnect | | 1 | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPTQ | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | Basic Local Area | | | UEP9D | UEPYR | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | | | | | | | | | | | 1 |
| | Basic Local Area | | | UEP9D | UEPYS | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY4 | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPTS | 14.00 | 135.00 | 90.00 | | | | 15.20 | | 1 | 1 | + |
| | Basic Local Area | | | UEP9D | UEPY6 | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | | | | | | | | | | | 1 | İ | |
| | Basic Local Area | | | UEP9D | UEPY7 | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9D | UEPYZ | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPY9 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | UEF9D | UEPT9 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | Local Area | | | UEP9D | UEPY2 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| AL, K | Y, LA, MS, SC, & TN Only | | | 02. 02 | 02. 12 | 1 1.00 | 00.00 | 20.00 | | | | 10.20 | | 1 | İ | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D UEP9D | UEPQE UEPQF | 14.00 14.00 | 50.00 50.00 | 25.00 25.00 | | | | 15.20 15.20 | | | | - |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | 1 | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQW | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQV | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | OLI 3D | OLI QU | 14.00 | 30.00 | 25.00 | | | | 13.20 | | | | |
| | 2 | | | UEP9D | UEPQM | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | - |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| <u> </u> | 2 WHO VOICE GRADE FOR (GOINGWAILER GWO/EBG WOTTZ)Z, O | | | OLI OD | OLI QIX | 14.00 | 100.00 | 30.00 | | | | 10.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | , , | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | <u> </u> | UEP9D | UEPQ5 | 14.00 | 135.00 | 90.00 | | | 1 | 15.20 | - | | 1 | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 14.00 | 135.00 | 90.00 | | | | 15.20 | | 1 | 1 | |
| | 2 WING VOICE GRADE FOR CONTRIBUTION OF THE CON | | | 021 00 | OLI QU | 14.00 | 133.00 | 50.00 | + | | | 13.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | 1 | UEP9D | UEPQ7 | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | 1 | 1 | |
| | Term | | | UEP9D | UEPQZ | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | <u> </u> |
| | L.,, ., | | 1 | | | | | | | | | 4.5.5 | 1 | I | | |
| ļ | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | ! | UEP9D | UEPQ9 | 14.00 | 50.00 | 25.00 | ļ | | <u> </u> | 15.20 | ļ | | | <u> </u> |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | <u> </u> | 1 | UEP9D | UEPQ2 | 14.00 | 50.00 | 25.00 | 1 | l . | 1 | 15.20 | i . | I . | ı | ь |

| NRONDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | , | | nent: 2 | | bit: B |
|-------------|--|-------------|----------|--------------|--------|--------|--------|------------|--|------------|---|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sy Order vs. Electronic Disc Add |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | l | 220 | Rates (\$) | | |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| l ocal | Switching | | | | | | 11130 | Auu i | 11130 | Auu i | JONIEC | JONAN | JOINAIN | JONAN | JOHAN | JONAN |
| Looui | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.8577 | | | + | | | | | | | 1 |
| Local | Number Portability | | | 02. 02 | 0.1200 | 0.0077 | | | + | | | | | | | 1 |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| Featur | | | | | | 0.00 | | | | | | | | | | |
| . oatu | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | 15.20 | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 412.25 | | | | | 15.20 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | - | | | | | 15.20 | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | 1 | | | 15.20 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | 1 | | | 15.20 | | | | |
| Miscel | laneous Terminations | | | | | | - | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.29 | 115.85 | 18.20 | 1 | | | 15.20 | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 68.47 | 196.18 | 98.62 | | | | 15.20 | | | | |
| | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 14.06 | | | | | 15.20 | | | | |
| Intero | fice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.013 | | | | | | | | | | |
| Featur | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 Ch | annel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.6497 | | | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQW7 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP9D | 1PQWP | 0.6497 | | | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQWQ | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.6497 | | | | | | 15.20 | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP9D | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| _ | Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 36.66 | 16.10 | | | | 15.20 | | | - | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 680.40 | | | | | 15.20 | | | - | |
| _ | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 680.40 | | | | | 15.20 | | | - | |
| 100- | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 73.93 | | | | | 15.20 | | | - | |
| | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | - | 1 | | | | | | | | | | - | |
| UNE P | ort/Loop Combination Rates (Non-Design) | | | | 1 | | | | | | | | | | ! | ļ |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | 4 | LIEDOE | | 05.77 | | | | | | | | | 1 | |
| | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9E | + | 25.77 | | | | | | | | | | |
| | Non-Design | | 2 | UEP9E | | 36.39 | | | | | | | | | 1 | |
| - | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI DL | 1 | 30.39 | | | | | 1 | | | | 1 | 1 |
| | Non-Design | | 3 | UEP9E | | 62.26 | | | | | | | | | 1 | |
| UNF P | ort/Loop Combination Rates (Design) | | J | OLI OL | + | 02.20 | | | | | | | | | - | |
| SILE | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | + | | | | | | | | | | | |
| | Design | | 1 | UEP9E | | 28.93 | | | | | | | | | | |
| - | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | <u> </u> | | 1 | 20.00 | | | | | | | | | I | t |
| | Design | | 2 | UEP9E | | 39.35 | | | | | | | | | 1 | |
| \neg | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | 1 | 00.00 | | | † | | | | | | † | |
| | Design | | 3 | UEP9E | | 64.46 | | | 1 | | | | | | | |
| | oop Rate | | | | 1 | 0-10 | | | + + | | | | | | 1 | 1 |

| ARONDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|---------|---|-------------|----------|--------|-------|--------|--------|------------|-------------|--------------|-------|-----------|--|------------|---|--|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge |
| | | | | | | Rec | Nonred | curring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMA |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 22.39 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 48.26 | | | | | | | | | | Ī |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 14.93 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 25.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 50.46 | | | | | | | | | | |
| UNE P | ort Rate | | | | | | | | | | | | | | | |
| AL, FL | , KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9E | UEPYB | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9E | UEPYH | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP9E | UEPYZ | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP9E | UEPY9 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | † |
| | Basic Local Area | | | UEP9E | UEPY2 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| AL. KY | , LA, MS, & TN Only | | | 02. 02 | 022 | 1 1100 | 00.00 | 20.00 | | | | 10.20 | | | | † |
| | 2-Wire Voice Grade Port (Centrex) | | 1 | UEP9E | UEPQA | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | 1 | UEP9E | UEPQB | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 14.00 | 50.00 | 25.00 | | | + | 15.20 | | | | + |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 | | | UEP9E | UEPQM | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9E | UEPQZ | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.8577 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | <u> </u> |
| | Local Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| Featur | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | <u> </u> | UEP9E | UEPVF | 0.00 | | | 1 | | 1 | 15.20 | | | | <u> </u> |
| | All Select Features Offered, per port | | <u> </u> | UEP9E | UEPVS | 0.00 | 412.25 | | . | | | 15.20 | | | | 4 |
| | All Centrex Control Features Offered, per port | | <u> </u> | UEP9E | UEPVC | 0.00 | | | . | | | 15.20 | | | ļ | 4 |
| NARS | | | | ļ | 1 | | | | ļ | | | | | | | <u> </u> |
| | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | 1 | | | | | | | <u> </u> |
| | Unbundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | laneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | ļ | 1 | | | | ļ | | | | | | | <u> </u> |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.29 | 115.85 | 18.20 | | | | 15.20 | | | ļ | 1 |
| 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 68.47 | 196.18 | 92.92 | | | | 15.20 | | | | 1 |
| | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 14.06 | | ļ | | | 15.20 | | | | <u> </u> |
| Interof | fice Channel Mileage - 2-Wire | | | ļ | | | | | ļ | | | | | | | <u> </u> |
| | Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.013 | | | | | | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 Cha | annel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | l | | UEP9E | 1PQWS | 0.6497 | - | | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |

| NRONDL | ED NETWORK ELEMENTS - Louisiana | , | | • | | | | | | | | | | ment: 2 | | bit: B |
|---------|---|-------------|----------|-------|-------|--------|--------|------------|--------------|------------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | _ | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | 1 | | | | | | 71441 | | 71441 | | 00 | | | | |
| | Slot | | | UEP9E | 1PQW7 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | 1 | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP9E | 1PQWP | 0.6497 | | | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9E | 1PQWQ | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.6497 | | | | | | 15.20 | | | | |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | 1 | <u></u> | UEP9E | USAC2 | | 0.10 | 0.10 | <u> </u> | | <u></u> | 15.20 | | <u> </u> | <u> </u> | <u> </u> |
| | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 36.66 | 16.10 | | | | 15.20 | | | | |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 680.40 | | | | | 15.20 | | | | |
| | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 680.40 | | | | | 15.20 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 73.93 | | | | | 15.20 | | | | |
| UNE | -P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | |
| 2-Wi | re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | - | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP93 | | 25.77 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 2 | UEP93 | | 36.36 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP93 | | 62.26 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | - | | | | | | | | | | | | | | |
| | Design | | 1 | UEP93 | | 28.93 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 2 | UEP93 | | 39.35 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP93 | | 64.46 | | | | | | | | | | |
| UNE | Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 | UECS1 | 22.36 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 48.26 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 14.93 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 25.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 50.46 | | | | | | | | | | |
| | Port Rate | | | | | | | | | | | | | | | |
| AL, I | KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP93 | UEPYB | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP93 | UEPYH | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP93 | UEPYM | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| _ | Term - Basic Local Area | ļ | <u> </u> | UEP93 | UEPYZ | 14.00 | 135.00 | 90.00 | | | | 15.20 | | ļ | . | ļ |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | t | | l | 1 | | | | | | | | | l | I | |
| | - Basic Local Area | ļ | <u> </u> | UEP93 | UEPY9 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | . | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | l | I | |
| | Basic Local Area | ļ | <u> </u> | UEP93 | UEPY2 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | ļ | . | ļ |
| | 2-Wire Voice Grade Port (Centrex) | 1 | <u> </u> | UEP93 | UEPQA | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| - | 2-Wire Voice Grade Port (Centrex 800 termination) | 1 | <u> </u> | UEP93 | UEPQB | 14.00 | 50.00 | 25.00 | 1 | | 1 | 15.20 | | | | <u> </u> |
| _ | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | ļ | <u> </u> | UEP93 | UEPQH | 14.00 | 50.00 | 25.00 | ļ | | ļ | 15.20 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | 1 | | l | 1 | | | | | | 1 | | | | | |
| 1 | Center)2 | 1 | | UEP93 | UEPQM | 14.00 | 135.00 | 90.00 | | | <u> </u> | 15.20 | <u> </u> | | | <u></u> |

| BUNDLE | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | ment: 2 | | bit: B |
|---------|--|-------------|----------|---------|----------------|--------|--------|------------|--------------|-------|-------|-----------------------|---|------------|--|---|
| ΓEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increme Charge Manual Order v Electror Disc Ad |
| | | | | | | | | | | | | | 1st | | DISC 1St | DISC Ad |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMA |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP93 | UEPQZ | 14.00 | 135.00 | 90.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 14.00 | 50.00 | 25.00 | | | | 15.20 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.8577 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP93 | LNCCC | 0.35 | | | | | | | | | | |
| Featu | | | | 02. 00 | 2.1000 | 0.00 | | | | | | | | | | 1 |
| , catu | All Standard Features Offered, per port | l | | UEP93 | UEPVF | 0.00 | | | | | 1 | 15.20 | | <u> </u> | | |
| | All Centrex Control Features Offered, per port | l | | UEP93 | UEPVC | 0.00 | | | | | 1 | 15.20 | | <u> </u> | | |
| NARS | | - | I | 02. 00 | 35.1 40 | 0.00 | | | | | | 10.20 | | | | |
| TUTATO | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| Micco | Ilaneous Terminations | | | ULF 93 | UANUX | 0.00 | 0.00 | 0.00 | | | | 13.20 | | | | |
| | e Trunk Side | | | | | | | | | | | | | | | |
| 2-Wile | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.27 | 115.85 | 18.20 | | | | 15.20 | | | | |
| 4 Wire | e Digital (1.544 Megabits) | | | ULF 93 | CLINDO | 0.27 | 113.03 | 10.20 | | | | 13.20 | | - | | - |
| 4-99176 | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 68.47 | 400.40 | 92.92 | | | | 15.20 | | | | |
| - | | | | | M1HD1 M1HDO | 0.00 | 196.18 | 92.92 | | | | | | | | |
| lestana | DS0 Channels Activated, Per Channel | | | UEP93 | MITHDO | 0.00 | 14.06 | | | | | 15.20 | | | | |
| intero | ffice Channel Mileage - 2-Wire | | | LIEDOO | MODO | 00.00 | 00.00 | 00.00 | | | | 45.00 | | | | <u> </u> |
| | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | <u> </u> |
| | Interoffice Channel mileage, per mile or fraction of mile | <u> </u> | | UEP93 | MIGBM | 0.013 | | | | | | | | | | <u> </u> |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | <u> </u> |
| D4 Ch | annel Bank Feature Activations | | | LIEDAA | 1001110 | | | | | | | 45.00 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.6497 | | | | | | 15.20 | | | | <u> </u> |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP93 | 1PQW7 | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | 400440 | 0.040= | | | | | | 4= 00 | | | | |
| | Different Wire Center | | | UEP93 | 1PQWP | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.6497 | | | | | | 15.20 | | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | l | | UEP93 | 10000 | 0.0407 | | | | | 1 | 45.00 | | I | Ì | 1 |
| _ | Slot | | | | 1PQWQ | 0.6497 | | | | | | 15.20 | | 1 | | ├ |
| N | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.6497 | | | | | | 15.20 | | 1 | | ├ |
| Non-R | Recurring Charges (NRC) Associated with UNE-P Centrex | | | 1 | | | | | | | | | | 1 | | ├ |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | l | | LIEBOO | 110465 | | | | | | İ | , | | 1 | | |
| | changes, per port | | 1 | UEP93 | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| | Conversion of Existing Centrex Common Block, each | | 1 | UEP93 | USACN | 0.00 | 36.66 | 16.10 | | | | 15.20 | | | | <u> </u> |
| _ | New Centrex Standard Common Block | | 1 | UEP93 | M1ACS | 0.00 | 680.40 | | | | | 15.20 | | | | |
| | New Centrex Customized Common Block | | 1 | UEP93 | M1ACC | 0.00 | 680.40 | | | | | 15.20 | | | | <u> </u> |
| | NAR Establishment Charge, Per Occasion | | 1 | UEP93 | URECA | 0.00 | 73.93 | | | | | 15.20 | | | | <u> </u> |
| | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | ļ | | | | | | | | | | | | . | ļ | |
| | 2 - Requres Interoffice Channel Mileage | ļ | | | | | | | | | | | | . | ļ | ļ |
| | 3 - Requires Specific Customer Premises Equipment | 1 | 1 | 1 | 1 | | | | | | | | | 1 | 1 | 1 |

| The "Shore" In how in the sections for stand-allow loops or loops as part of a combination refers to Geographically Surveyaged Will: Tone Designations by Central Offices, when to internet Western Commissions. The sections of the section of the se | LINDLIND | I EF | NETWORK ELEMENTS Mississippi | | | | | | | | | | | | Attach | | Fulcil | hia. D |
|--|--|---------|--|----------|---------|-------------------------|---------------|------------------|----------------|-----------------|-----------------|---------------|-------------|---------------|-----------------|--|--|--|
| ACTEGINE RATE ELEMENTS IN DOCUMENT ALTER ELEMENTS IN DOCUMENT OF THE PLAN OF T | UNDUND | LEL | NETWORK ELEMENTS - MISSISSIPPI | | 1 | | | I | | | | | Svc Order | Svc Order | | | | |
| ATT ELEMENTS Internal Process Laboration Section Control | | | | | | | | | | | | | | | | | | |
| ## CATEGORY ## ART ELEMENTS ## Zone ## BOS USO ## ATTES () ## Land Control | | | | | | | | | | | | | | | | | | |
| The Total Antenne in the sections for stand-affects (e.g., p. 1965) The Total Antenne in the sections for stand-affects (e.g., p. 1965) The Total Antenne in the sections for stand-affects (e.g., p. 1965) The Total Antenne in the sections for stand-affects (e.g., p. 1965) The Total Antenne in the sections for stand-affects (e.g., p. 1965) The Total Antenne in the sections for stand-affects (e.g., p. 1965) The Total Antenne in the sections for stand-affects (e.g., p. 1965) The Total Antenne in the sections of stand-affects (e.g., p. 1965) The Total Antenne in the sections of stand-affects (e.g., p. 1965) The Total Antenne in the sections of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g., p. 1965) The Total Antenne in the section of stand-affects (e.g. | CATEGORY | Y | RATE FLEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | - | | | | |
| Pack | 5711 2 5511 | . | | m | | | 5555 | | | 101120 (4) | | | per LSR | per LSK | | | | |
| The Towns shown in the sections for stand-allows loops or loops as part of a combination refers to Designate-ling Description (Processing Control Co | | | | | | | | | | | | | | | | | | |
| The Total selection in the accidance for stand-allote loops or loops as part of a combination returns to despite plant by becompared by the Blant Commission. The Westernoon Selection S | | | | | | | | | | | | | | | 151 | Addi | DISC 1St | DISC Add I |
| Part The Prison in the sections for transf allow Rope or ropes as part of a combination refers to deposphicity) Parwings (the Eons. To Not Chappelland) Discussion (1997) (19 | | | | | | | | _ | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| The Your in the sections for stand-denie loops or loop as part of combination refers to Geographically Decemped (N. Zones. To view Geographically Decemped (N. Zones. To view Geographically Decemped (N. Zones. To view Geographically Decemped (N. Zones. To view Geographically Decemped (N. Zones. To view Geographically Decemped (N. Zones. To view Geographically Decemped (N. Zones. To view Geographically Decemped (N. Zones. To view Geographically Decemped (N. Zones. To view Geographically Decemped (N. Zones. To view Geographically Decemped (N. Zones. To view Geographically Decemped (N. Zones. To view Geographically Decemped (N. Zones. To view Geographically Decemped (N. Zones. To view Geographically Decemped (N. Zones. To view Geographically Geograph | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Interpretation between control butter of the Company of the State specific decreases service ordering charges an ordered by the State commissions. The decreases service ordering charges are ordered plants in the decreases service ordering charges are ordered decreased as the service ordering charges are ordered decreased as the service ordering charges are ordered decreased as the service ordering charges are ordered decreased as the service ordering charges are ordered decreased as the service ordering charges are ordered decreased as the service ordering charges are ordered decreased as the service ordering charges are ordered decreased as the service ordering charges are ordered decreased as the service ordered as | The | e "Zo | ne" shown in the sections for stand-alone loops or loops as | part of | a com | bination refers to Ge | eographicall | Deaveraged U | | view Geograp | | | | | | er to Internet | Website: | |
| OPERATIONS. SUPPORT SYSTEMS WITE 17) Residual Sevents Sevents and sevents and | | | | | | | | | | ٠. | • | • | • | • | , | | | |
| April Set Bell South regional electronic service ordering charge. LCE may set exist the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic continues service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic continues service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge. CCE may set the regional electronic service ordering charge services are serviced as a set of the service services are serviced as a set of the service services are serviced as a set of the service services are serviced as a set of the service services are serviced as a set of the service services are serviced as a set of the service services are serviced as a set of the service services are serviced as a set of the service services are serviced as a service service service service services are serviced as a service service service service | | | | | | | | | | | | | | | | | | |
| NOTE: (2) Any element that can be ordered electronically year to the Section in the casegory. Please refer to BellSouth's Sustainess Number for Local Ordering (BRR-LO) to determine it a product can be ordered electronically. For the index confidence in this casegory. Please refer to BellSouth's Element to ACLE on the case of the Confidence of the Con | NO. | TE: (| 1) Electronic Service Order: CLEC should contact its contract | ct negot | iator i | it prefers the state : | specific elec | tronic service o | rdering charge | es as ordered b | y the State Co | mmissions. T | he electron | ic service or | dering charg | e currently co | ntained in th | is rate |
| NOTE: (2) Any element that can be ordered electronically year to the Section in the casegory. Please refer to BellSouth's Sustainess Number for Local Ordering (BRR-LO) to determine it a product can be ordered electronically. For the index confidence in this casegory. Please refer to BellSouth's Element to ACLE on the case of the Confidence of the Con | exh | nibit i | s the BellSouth regional electronic service ordering charge. | CLEC | may ele | ect either the state s | pecific Com | mission ordered | rates for the | electronic serv | ice ordering ch | arges, or CLE | C may elect | the regiona | al electronic s | service orderi | ng charge. | |
| Income series that cannot be ordered electronically at present part the BBR-LO, the Island SOMRC rate in this capacity of the Class I the Management of the Class I the Management of the Class I the Management of the Class I the Management of the Class I the Management of the Class I the Management of the Class I the Management of the Class I the Management of the Class I the Management of the Class I the Management of the Class I the Management of the Class I the Management of the Class I the Management of the Class I the Management of the Class I the Management of the Management | | | | | | | | | | | | | | | | | | lv. For |
| Contents of the part of the | | | | | | | | | | | | | | | | | | |
| Manual Sented Order Charge per LER (December Con'y MS) SOMM 197 | | | | | | | | g, | 3 | | | | | | | | , | |
| Stochastic DSS Chapter and LSR, submitted via BSST OSS SONE | | | | | | | SOMAN | | | | 1 97 | | | | | | | |
| Interactive interfaces (Regional) | | | | | | 1 | | İ | | | | | | | | t | 1 | |
| NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable. | | | | | | İ | SOMEC | | 3.50 | | | | | 1 | | I | Ì | 1 |
| NOTE: The Expedite Charge will be maintained commensuration with BellSouth's PCC No.1 Tariff, Section 5 as applicable. | UNE SERV | | | | | | | | | | | | | | | | | |
| UNIE Reportion Charge per Circuit or Line Assignation LSOCL per JUNE-P SOAP | | | | BellSou | th's F | CC No.1 Tariff. Section | on 5 as appl | icable. | | | | | | | | | | |
| UNIE-P SOASP 200.00 | - 110 | | | | | | - с ис ирр. | 1 | | | | | | | | | | |
| UNBOUNCE EXCHANGE ACCESS LOOP 2-WIRE AND ON OTICE STATE LOOP 1 | | | | | | | SDASP | | 200.00 | | | | | 1 | | I | Ì | 1 |
| 3.9 3.9 3.7 3.5 3.2 3.7 3.5 3.2 3.7 3.5 3.2 3.7 3.5 3.2 3.5 | UNBUNDLE | | | | | - · · | 1 | 1 | | | | | | | | t | 1 | |
| 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1 1 LEANL UEAL 2 16,75 17,75 23,48 5.25 15,75 1,75 2,74 1,75 2 | | | | | | | | | | | | | | | | | | |
| 2-Vittle Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEANL UEANL 16.87 37.90 17.55 23.48 5.25 15.76 | | | | | 1 | UEANL | UEAL2 | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | t | 1 | |
| 2 N/W Analog Voice Grade Loop. Service Level 1-Zone 4 | | | | | 2 | | | | | | | | | | | | | |
| EVINO Analog Visice Grade Loop - Service Level 1-Zone 4 UEANL UEAL 43.86 37.92 17.56 23.48 5.25 15.75 | | | | | 3 | | | | | | | | | | | | | |
| Unbundled Miscellaneoux Rate Element, Tag Loop at End User Premise UEANL URETL 8.33 0.83 15.75 | | | | | 4 | | | | | | | | | | | | | |
| Death Deat | | | | | | | | | | | | | | | | | | |
| Loop Testing - Basic 1st Half Hour | | | | | | UEANL | URETL | | 8.33 | 0.83 | | | | 15.75 | | | | |
| Loop Testing: - Basic Additional Half Hour UEANL UREWO 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 15,75 1 | | | | | | | | | | 0.00 | | | | | | | | |
| Unbundled Vicioe Loop, Non-Design Vicioe Loop, Dilling for BST providing make up (Engineering Information - E.I.) Introduction of the Coordination for IVV-SL1s (per IcR) (per LSR) | | | | | | UEANL | URETA | | 19.97 | | | | | 15.75 | | | | |
| Unbundled Vicioe Loop, Non-Design Vicioe Loop, Dilling for BST providing make up (Engineering Information - E.I.) Introduction of the Coordination for IVV-SL1s (per IcR) (per LSR) | | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | UEANL | UREWO | | 15.75 | 8.92 | | | | 15.75 | | | | |
| Manual Order Coordination for VIVL-SL1s (per Losp) | | | | | | | | | | | | | | | | | | |
| Order Coordination for Specified Conversion Time for UVI-SL1 UEANL OCOSL 18.19 18.19 | | | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.51 | 13.51 | | | | | | | | |
| Description | | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 8.20 | 8.20 | | | | | | | | |
| 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | | | | | | | | | |
| 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | | (per LSR) | | | UEANL | OCOSL | | 18.19 | 18.19 | | | | | | | | |
| 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | 2-W | VIRE | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 11.01 | 36.53 | 16.16 | 22.66 | 4.42 | | 15.75 | | | | |
| 2 Wire Analog Voice Grade Loop - Non-Designed - Zone 4 | | | | | | | | | | | 22.66 | | | | | | | |
| Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | I | 3 | | | 11.57 | 36.53 | 16.16 | 22.66 | 4.42 | | 15.75 | | | | |
| Premise | | | | | 4 | UEQ | UEQ2X | 13.10 | 36.53 | 16.16 | 22.66 | 4.42 | | 15.75 | | | | |
| Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) UEQ | | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | 1 |
| Designed (per loop) | | | | | | UEQ | URETL | | 8.33 | 0.83 | | | | 15.75 | | | | |
| Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.) | | | | | | l | | | | | | | | | | 1 | | 1 |
| BST providing make-up (Engineering Information - E.I.) | \bot | | | | | UEQ | USBMC | | 8.20 | 8.20 | | | | | | | | |
| Loop Testing - Basic 1st Half Hour | | | | | | l | 1 | | | | | | | | | 1 | | 1 |
| Loop Testing - Basic Additional Half Hour | | | | | | | | | | 13.51 | | | | | | ļ | ļ | 1 |
| CLÉC to CLÉC Conversion Charge Without Outside Dispatch UEQ UREWO 14.24 7.42 15.75 | \vdash | | | | | | | | | | | | | | | . | | 1 |
| UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 UEPSR UEPSB UEALS 12.03 37.92 17.55 23.48 5.25 15.75 | | | | | | | | | | | | | | | | | | |
| 2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 | <u> </u> | | | | | UEQ | UREWO | | 14.24 | 7.42 | | | | 15.75 | | . | ļ | 1 |
| 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 | | | | | | ļ | 1 | | | | | | | | | . | ļ | |
| Zone 1 | 2-W | | | | | | 1 | | | | | | | | | | | |
| 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1 | | | | | ١., | LIEBOD LIEBOD | | 40.00 | 07.00 | 47 | 00.10 | | | 45 | | I | Ì | 1 |
| Zone 1 | | | | | 1 | UEPSK UEPSB | UEALS | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | 1 | - | |
| 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSB UEALS, 16.87 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSB UEALS, 16.87 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop- Se | | | | | | HEDOD HEDOD | LIEADO | 40.00 | 27.00 | 47.55 | 22.40 | 5.05 | | 45.75 | | I | Ì | 1 |
| Zone 2 UEPSR UEPSB UEALS, 16.87 37.92 17.55 23.48 5.25 15.75 | | | | | 1 | DEPSK DEPSB | OEAR2 | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | 1 | - | |
| 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSB UEABS 16.87 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 2 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 3 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 3 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 3 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 3 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 3 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 3 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 3 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 3 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 3 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 3 UEPSR UEPSB UEALS, 3 UEPSR UEPSB UEALS, 3 UEPSR UEPSB UEALS, 3 UEPSR UEPSB UEALS, 3 UEPSR UEPSB UEALS, 3 UEPSR UEPSB UEALS, 3 UEPSR UEPSB UEALS, 3 UEPSR UEPSB UEALS, 3 UEPSR UEPSB UEALS, 3 UEPSR UEPSB UEALS, 3 UEPSR UEPSB UEALS, 3 UEPSR UEPSB UEALS, 3 UEPSR UEPSB UEALS, 3 UEPSR UEPSB UEALS, 3 UEPSR UEPSB UEALS, | | | | | _ | HEDOD HEDOD | LIEALO | 40.0- | 07.00 | 47.55 | 20.42 | | | 45 7- | | 1 | | 1 |
| Zone 2 UEPSR UEPSB UEABS 16.87 37.92 17.55 23.48 5.25 15.75 Z Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 3 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 Z Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 Z Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 Z Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 Z Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 Z Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 Z Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 Z Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 Z Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 Z Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 Z Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 Z Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 Z Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 Z Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- UEPSR UEPSB UEALS, 25.68 37.92 UEPSR UEPSB UEPSB UEPSR UEPSB UEPSB UEPSB UEPSB | \vdash | | | | 2 | UEPSR UEPSB | UEALS, | 16.87 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | ! | | |
| 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 3 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 UEALS, 25.68 | | | | | _ | HEDOD HEDOD | LIEADO | 40.0- | 07.00 | 47.55 | 20.42 | | | 45 | | I | Ì | 1 |
| Zone 3 3 UEPSR UEPSB UEALS, 25.68 37.92 17.55 23.48 5.25 15.75 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | 2 | DEROK DEROB | UEABS | 16.87 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | ! | | |
| 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | 2 | HEDOD HEDOD | LIEALS | 25.00 | 27.00 | 17.55 | 22.40 | E 05 | | 15 75 | | I | Ì | 1 |
| Z write Arianog Voice Grade Loop-Service Level 1-Line Splitting- | \vdash | | | | 3 | DEPOK DEPOB | UEALS, | 25.68 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | |
| | | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | | 3 | UEPSR UEPSB | UEABS | 25.68 | 37.92 | 17.55 | 23.48 | 5.25 | İ | 15.75 | | I | Ì | 1 |

Version 4Q02: 12/18/02 Page 233 of 416

| ONRONDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | T - | | | ment: 2 | 1 | bit: B |
|-----------|---|-------------|------|--------------|----------------|----------------|------------------|----------------|----------------|----------------|--|---|--|---|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | 1 | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 4 | UEPSR UEPSB | LIEALO | 43.85 | 37.92 | 47.55 | 22.40 | 5.05 | | 45.75 | | | | |
| | Zone 4 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 4 | DEPSK DEPSB | UEALS, | 43.85 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | |
| | Zone 4 | | 4 | UEPSR UEPSB | UEABS | 43.85 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | |
| UNBUNDLED | EXCHANGE ACCESS LOOP | | | 02. 0 02. 02 | 02,120 | 10.00 | 07.02 | 11.00 | 20.10 | 0.20 | | 10.10 | | | | 1 |
| | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | == == | | | | | | | |
| - | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | 1 | 15.75 | | | | + |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | 3 | OLA | ULALZ | 21.55 | 103.90 | 00.20 | 32.02 | 10.37 | | 13.73 | | | | + |
| | Ground Start Signaling - Zone 4 | | 4 | UEA | UEAL2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 18.19 | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | 1 |
| | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 3 | UEA | UEAR2 | 07.55 | 105.00 | CO 00 | 50.00 | 40.07 | | 45.75 | | | | |
| | Battery Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 3 | UEA | UEAR2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | + |
| | Battery Signaling - Zone 4 | | 4 | UEA | UEAR2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | Ė | UEA | OCOSL | 10.112 | 18.19 | 00.20 | 02.02 | 10.01 | | 10.70 | | | | † |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.56 | 36.29 | | | | 15.75 | | | | |
| | Loop Tagging - Service Level 2 (SL2) | | | UEA | URETL | | 10.45 | 1.03 | | | | 15.75 | | | | |
| 4-WIR | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | | UEA | UEAL4 | 27.47 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | 4 |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 38.26 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | - |
| | 4-Wire Analog Voice Grade Loop - Zone 3 4-Wire Analog Voice Grade Loop - Zone 4 | | 3 | UEA UEA | UEAL4 UEAL4 | 50.03 50.03 | 132.27 132.27 | 94.59 94.59 | 60.68 60.68 | 14.64 14.64 | | 15.75 15.75 | | | | + |
| | Order Coordination for Specified Conversion Time (per LSR) | | - | UEA | OCOSL | 30.03 | 18.19 | 34.33 | 00.00 | 14.04 | | 13.73 | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.56 | 36.29 | | | | 15.75 | | | | † |
| 2-WIR | E ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | 1 |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | | UDN | U1L2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | | UDN | U1L2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | 1 |
| | 2-Wire ISDN Digital Grade Loop - Zone 4 | | 4 | UDN | U1L2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UDN UDN | OCOSL UREWO | | 18.19 91.46 | 44.07 | | | | 15.75 | | | | |
| 2-WIR | E Universal Digital Channel (UDC) COMPATIBLE LOOP | | | UDIN | UKEWU | | 91.40 | 44.07 | | | | 15.75 | | | | + |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | 1 |
| | 1 | | 1 | UDC | UDC2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | 2 | | 2 | UDC | UDC2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | 3 | | 3 | UDC | UDC2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | <u> </u> |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 4 | UDC | UDC2X | 59.18 | 117.61 | 79.92 | 50.00 | 40.07 | | 15.75 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch * | | 4 | UDC | UREWO | 59.18 | 91.46 | 44.07 | 52.82 | 10.37 | | 15.75 | | | | + |
| 2-WIR | E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIRI F | LOOF | | ONLYVO | | 91.40 | 44.07 | + | | | 15.75 | | | | + |
| 12 77110 | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | 1 | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 11.11 | 121.27 | 70.81 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | - | | _ | | | | | | | 1 | | | 1 |
| | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 11.47 | 121.27 | 70.81 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 11.74 | 121.27 | 70.81 | 50.38 | 7.93 | | 15.75 | | | | <u> </u> |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | I | I | UAL | | | | | 1 | | 1 | | l | l | 1 | 1 |

Version 4Q02: 12/18/02 Page 234 of 416

| ONRONDE | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | T - | | ment: 2 | | bit: B |
|----------|--|-------------|----------|------|-----------|--------|--------|------------|-------|------------|-------|---|--|---|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonred | | | Disconnect | | | | Rates (\$) | | |
| | | | | | 00001 | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 18.19 | | | | | | | | | - |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | 1 | UAL | 1141 0141 | 44.44 | 00.45 | 50.00 | 50.00 | 7.00 | | 45.75 | | | | |
| | facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry & | | 1 | UAL | UAL2W | 11.11 | 96.15 | 58.03 | 50.38 | 7.93 | | 15.75 | | | | + |
| | facility reservation - Zone 2 | | 2 | UAL | UAL2W | 11.47 | 96.15 | 58.03 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | UAL | UALZVV | 11.47 | 96.15 | 58.03 | 50.38 | 7.93 | 1 | 15.75 | | - | - | + |
| | facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 11.74 | 96.15 | 58.03 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | 3 | OAL | OALZVV | 11.74 | 30.13 | 30.03 | 30.30 | 7.55 | 1 | 13.73 | | | | + |
| | facility reservation - Zone 4 | | 4 | UAL | UAL2W | 12.69 | 96.15 | 58.03 | 50.38 | 7.93 | | 15.75 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | <u> </u> | UAL | OCOSL | 12.00 | 18.19 | 00.00 | 00.00 | 7.00 | | 10.70 | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.04 | 40.33 | | | | 15.75 | | | | 1 |
| 2-WIF | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | 1 |
| | & facility reservation - Zone 1 | <u></u> | 1 | UHL | UHL2X | 8.75 | 129.98 | 79.52 | 50.38 | 7.93 | L | 15.75 | <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 9.22 | 129.98 | 79.52 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 9.87 | 129.98 | 79.52 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 4 | | 4 | UHL | UHL2X | 10.46 | 129.98 | 79.52 | 50.38 | 7.93 | | 15.75 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.19 | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | = | = | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 8.75 | 104.86 | 66.74 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | _ | UHL | UHL2W | 9.22 | 104.86 | 66.74 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL2W | 9.22 | 104.86 | 66.74 | 50.38 | 7.93 | | 15.75 | | | | + |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 9.87 | 104.86 | 66.74 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | 3 | OFIL | UTILZVV | 5.07 | 104.00 | 00.74 | 30.36 | 7.93 | | 13.73 | | | | + |
| | and facility reservation - Zone 4 | | 4 | UHL | UHL2W | 10.46 | 104.86 | 66.74 | 50.38 | 7.93 | | 15.75 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | <u> </u> | UHL | OCOSL | 10.10 | 18.19 | 00.1 1 | 00.00 | 7.00 | | 10.70 | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 85.98 | 40.33 | | | | 15.75 | | | 1 | 1 |
| 4-WIF | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | 1 |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 13.78 | 158.74 | 108.28 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 13.43 | 158.74 | 108.28 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 15.59 | 158.74 | 108.28 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 4 | | 4 | UHL | UHL4X | 14.46 | 158.74 | 108.28 | 56.72 | 10.68 | | 15.75 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.19 | | | | | | | | | + |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 1 | UHL | UHL4W | 13.78 | 133.62 | 95.50 | 56.72 | 10.68 | | 15.75 | | | | |
| | and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry | | 1 | UHL | UHL4VV | 13.78 | 133.02 | 95.50 | 56.72 | 10.68 | | 15.75 | | | | + |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 13.43 | 133.62 | 95.50 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | UNL | UHL4VV | 13.43 | 133.02 | 95.50 | 30.72 | 10.06 | | 15.75 | | | | + |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 15.59 | 133.62 | 95.50 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 3 | OTIL | OLICANA | 10.00 | 133.02 | 33.30 | 30.72 | 10.00 | | 13.73 | | | | + |
| | and facility reservation - Zone 4 | | 4 | UHL | UHL4W | 14.46 | 133.62 | 95.50 | 56.72 | 10.68 | | 15.75 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | 1 | t | UHL | OCOSL | 0 | 18.19 | 55.50 | 552 | .0.50 | | | | 1 | 1 | <u> </u> |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 85.98 | 40.33 | | | | 15.75 | İ | 1 | 1 | 1 |
| 4-WIF | RE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 4 | | 4 | USL | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 18.19 | ` | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.90 | 42.96 | | | ļ | 15.75 | | | | ↓ |
| 4-WIF | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | <u> </u> | | | | | | | | | | | | | <u> </u> |

Version 4Q02: 12/18/02 Page 235 of 416

| UNBUNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------------|--|-------------|------|------------|----------------|----------------|------------------|----------------|----------------|----------------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | 1 | .1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 4 | UDL | UDL19 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 2 | UDL UDL | UDL56 UDL56 | 27.44 34.55 | 126.53 126.53 | 88.85 88.85 | 60.68 60.68 | 14.64 14.64 | | 15.75 15.75 | | | - | + |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | - | + |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | | UDL | UDL56 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | - | + |
| | Order Coordination for Specified Conversion Time (per LSR) | | -4 | UDL | OCOSL | 32.23 | 18.19 | 00.00 | 00.00 | 14.04 | | 13.73 | | | | + |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | + |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | 1 | 1 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 4 | | | UDL | UDL64 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | 1 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 18.19 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 101.94 | 49.66 | | | | 15.75 | | | | |
| 2-WIR | E Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service | | | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 11.11 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service | | _ | | | | 400.04 | | ===== | = | | | | | | |
| | inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 11.47 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | - |
| | 2 Wire Unbundled Copper Loop/Short including manual service | | 2 | UCL | UCLPB | 11.74 | 120.34 | 69.87 | 50.38 | 7.93 | | 45.75 | | | | |
| | inquiry & facility reservation - Zone 3 2 Wire Unbundled Copper Loop/Short including manual service | | 3 | UCL | UCLPB | 11.74 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | + |
| | inquiry & facility reservation - Zone 4 | | 4 | UCL | UCLPB | 12.69 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | 7 | UCL | UCLMC | 12.03 | 8.20 | 8.20 | 30.30 | 7.55 | | 15.75 | | | | + |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | OCL | OOLIVIO | | 0.20 | 0.20 | | | | | | | | + |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 11.11 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | 1 | 1 |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 11.47 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 11.74 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 4 | | 4 | UCL | UCLPW | 12.69 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | <u> </u> |
| | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | 1 | | | | | | ==== | = | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 29.29 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | + |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 43.46 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | UCL | UCLZL | 43.40 | 120.34 | 09.07 | 50.36 | 7.93 | | 15.75 | | | - | + |
| | inquiry and facility reservation - Zone 3 | l | 3 | UCL | UCL2L | 64.44 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | 1 | |
| - 1 | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | _ | | 30121 | 54.44 | 120.04 | 00.07 | 55.56 | 7.95 | | 10.70 | | | 1 | |
| | inquiry and facility reservation - Zone 4 | | 4 | UCL | UCL2L | 87.60 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | 1 |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 29.29 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 43.46 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | <u> </u> |
| 1 | 2-Wire Unbundled Copper Loop/Long - without manual service | 1 | | | 1101014 | 04.44 | 05.01 | 57 00 | 50.00 | 7.00 | | 45 | | 1 | I | 1 |
| | inquiry and facility reservation - Zone 3 | <u> </u> | 3 | UCL | UCL2W | 64.44 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | ļ | - | + |
| 1 | 2-Wire Unbundled Copper Loop/Long - without manual service | 1 | 4 | UCL | LICLOW. | 07.00 | 05.04 | F7.00 | 50.00 | 7.00 | | 45.75 | | 1 | I | 1 |
| + | inquiry and facility reservation - Zone 4 Order Coordination for Unbundled Copper Loops (per loop) | 1 | 4 | UCL | UCL2W UCLMC | 87.60 | 95.21 8.20 | 57.09 8.20 | 50.38 | 7.93 | | 15.75 | | | + | + |
| + | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UCL | UCLIVIC | | 0.20 | 0.20 | + + | | | | | | + | + |
| | (UCL-Des) | l | | UCL | UREWO | | 95.21 | 42.40 | | | | 15.75 | | | 1 | |
| 4-WIR | E COPPER LOOP | 1 | | | 5 | | 00.21 | 72.70 | | | | 10.70 | | 1 | † | |
| 7 | 4-Wire Copper Loop/Short - including manual service inquiry | 1 | | | 1 | | | | | | | | | 1 | 1 | |
| | and facility reservation - Zone 1 | 1 | 1 | UCL | UCL4S | 17.30 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | 1 | I | 1 |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | 1 | 1 |
| | and facility reservation - Zone 2 | l | 2 | UCL | UCL4S | 18.84 | 144.68 | 94.22 | 56.72 | 10.68 | I | 15.75 | | Ì | I | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | ment: 2 | | bit: B |
|--|---|-------------|------------------|----------------|----------------|--------|----------------|---------------|--|-------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 21.33 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | UCL | 1101.40 | 04.00 | 444.00 | 94.22 | 50.70 | 40.00 | | 45.75 | | | | |
| | and facility reservation - Zone 4 Order Coordination for Unbundled Copper Loops (per loop) | | 4 | UCL | UCL4S UCLMC | 21.33 | 144.68 8.20 | 94.22 8.20 | 56.72 | 10.68 | | 15.75 | | | - | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | 1 | UCL | UCLIVIC | | 8.20 | 8.20 | | | - | | | - | - | |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 17.30 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | - ' - | OOL | OCLAVI | 17.50 | 113.30 | 01.44 | 30.72 | 10.00 | | 13.73 | | | | |
| 1 1 | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 18.84 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | _ | 002 | 002 | 10.01 | 1.0.00 | 0 | 00.72 | 10.00 | | 10.70 | | | | |
| 1 1 | facility reservation - Zone 3 | | 3 | UCL | UCL4W | 21.33 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | Ť | | 1 | 00 | | | 33.12 | | | | | | | |
| 1 1 | facility reservation - Zone 4 | | 4 | UCL | UCL4W | 21.33 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | 1 | I | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | - | 8.20 | 8.20 | į į | | | | | | | |
| 1 | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 54.72 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| i | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 97.47 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| 1 | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 106.06 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| 1 | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| \vdash | inquiry and facility reservation - Zone 4 | | 4 | UCL | UCL4L | 106.06 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| \longmapsto | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | |
| i l | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | 54.72 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| \vdash | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 1 | UCL | UCL4O | 54.72 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| i l | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 97.47 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | UCL | UCL4O | 31.41 | 119.50 | 01.44 | 30.72 | 10.00 | | 13.73 | | | | |
| i l | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 106.06 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual service | | Ť | 002 | 002.0 | 100.00 | | 0 | 00.12 | 10.00 | | 10.10 | | | | |
| i l | inquiry and facility reservation - Zone 4 | | 4 | UCL | UCL4O | 106.06 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| 1 | (UCL-Des) | | | UCL | UREWO | | 95.21 | 42.40 | | | | 15.75 | | | | |
| LOOP MODIFIC | CATION | | | | | | | | | | | | | | | |
| 1 1 | | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| | | | | UEQ, ULS, UEA, | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEANL, UEPSR, | | | | | | | | | | | | |
| $\longleftarrow \longleftarrow$ | pair less than or equal to 18k ft | | 1 | UEPSB | ULM2L | | 32.57 | 32.57 | ļ | | | 15.75 | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | 1101 1110 1150 | | | 474 40 | 474.40 | j | | | 45.35 | | I | | |
| | greater than 18k ft | | - | UCL, ULS, UEQ | ULM2G | | 171.49 | 171.49 | | | 1 | 15.75 | | | 1 | 1 |
| 1 1 | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft | | | UHL, UCL | ULM4L | | 32.57 | 32.57 | | | | 15.75 | | 1 | 1 | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | 1 | UTIL, UCL | ULIVI4L | | 32.57 | 32.57 | | | | 15.75 | | | - | - |
| 1 1 | pair greater than 18k ft | | | UCL | ULM4G | | 171.49 | 171.49 | | | | 15.75 | | 1 | 1 | |
| | pail greater that FOK It | | | UAL, UHL, UCL, | ULIVI4G | | 171.49 | 171.49 | | | | 15.75 | | | | 1 |
| | | | | UEQ, ULS, UEA, | | | | | | | | | | 1 | 1 | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, | | | UEANL, UEPSR, | | | | |] | | | | | I | I | |
| | per unbundled loop | | | UEPSB | ULMBT | | 32.59 | 32.59 | | | | 15.75 | | 1 | 1 | |
| SUB-LOOPS | i ' | | | | 1 | | | | | | | | | | | |
| Sub-Lo | oop Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | 1 | | | | | | | | | | | |
| | Up | - 1 | | UEANL | USBSA | | 259.69 | | | | | 15.75 | | <u> </u> | | |
| | | | | | | _ | _ | | | - | | | | | | |
| ļļ | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | - 1 | | UEANL | USBSB | | 22.77 | | | | | 15.75 | | L | 1 | |
| 1 1 | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | l | 1 | | | | | | | | | 1 | 1 | |
| | Facility Set-Up | 1 1 | 1 | UEANL | USBSC | | 178.47 | | | | | 15.75 | | | | |
| L | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | | - | | | | | | | | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | ment: 2 | | bit: B |
|--|---|-------------|----------|------------------------|----------------|--------|---------------|---------------|--------------|-------|---|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | 1 | | Rates (\$) | | |
| | O L Love British for Borowing Andrew Vision Contribution | | | | | .100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN2 | 7.15 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | · · | <u> </u> | OL7 WIL | CODINE | 7.10 | 00.10 | 01.14 | 40.00 | 0.71 | | 10.70 | | | | |
| | Zone 2 | I | 2 | UEANL | USBN2 | 9.51 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | ١, | 3 | LIEANII | LIODNIO | 40.45 | 00.40 | 04.44 | 45.00 | 0.74 | | 45.75 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 3 | UEANL | USBN2 | 12.45 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | Zone 4 | | 4 | UEANL | USBN2 | 18.26 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop | | | UEANL | USBMC | | 8.20 | 8.20 | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 7.30 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | <u> </u> | 0271112 | 005.11 | 7.00 | 70.10 | | 01.27 | 0.00 | | 10.10 | | | | |
| | Zone 2 | | 2 | UEANL | USBN4 | 13.92 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | LICDNIA | 40.70 | 70.40 | 44.45 | 51.27 | 9.35 | | 45.75 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | 3 | OCAINL | USBN4 | 16.73 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | Zone 4 | | 4 | UEANL | USBN4 | 16.73 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | - | | UEANL UEANL | USBMC USBR2 | 2.29 | 8.20 53.32 | 8.20 18.28 | 45.36 | 6.71 | | 15.75 15.75 | | - | - | - |
| | Sub-Loop 2-vvire intrabuliding Network Cable (INC) | | | UEANL | USBRZ | 2.29 | 53.32 | 18.28 | 45.36 | 0.71 | | 15.75 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.20 | 8.20 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 4.40 | 59.60 | 24.55 | 51.27 | 9.35 | | 15.75 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.20 | 8.20 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 6.06 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | T | 2 | UEF | UCS2X | 7.09 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | | UEF | UCS2X | 8.16 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4 | | 4 | UEF | UCS2X | 9.90 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.20 | 8.20 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 5.10 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | ı | 2 | UEF | UCS4X | 9.11 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | - 1 | 3 | UEF | UCS4X | 14.00 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4 | | 4 | UEF | UCS4X | 14.00 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.20 | 8.20 | | | | | | | | |
| Unb | undled Sub-Loop Modification | | | - | | | | | | | | | | | | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | | | | | | | | | | | | |
| | Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load | | | UEF | ULM2X | | 176.80 | 5.13 | | | | 15.75 | | - | - | - |
| | Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 176.80 | 5.13 | | | | 15.75 | | | | |
| | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged | | 1 | - | | | | | | | | | | | | |
| | Tap Removal, per PR unloaded | | | UEF | ULM4T | | 279.81 | 6.15 | | | | 15.75 | | | | |
| Unb | undled Network Terminating Wire (UNTW) | | | UENTW | UENPP | 0.3366 | 30.55 | | | | | 45.75 | | | | |
| Netv | Unbundled Network Terminating Wire (UNTW) per Pair vork Interface Device (NID) | | | UENTW | UENPP | 0.3300 | 30.55 | | | | | 15.75 | | - | - | - |
| 11314 | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 43.84 | 28.90 | | | | 15.75 | | † | † | † |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 65.30 | 50.36 | | | | 15.75 | | | | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 5.94 | 5.94 | | | | 15.75 | | | | |
| SUB-LOOPS | Network Interface Device Cross Connect - 4W | | 1 | UENTW | UNDC4 | | 5.94 | 5.94 | 1 | | - | 15.75 | | - | | - |
| | -Loop Feeder | | 1 | | | | | | 1 | | - | | | | | |
| | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | 1 | UEA, | | | | | | | | | | | | |
| | Distribution Facility set-up | | <u> </u> | UDN,UCL,UDL,UDC | USBFW | | 259.69 | | | | | 15.75 | | | | |
| | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA, | HODEY | | 22.77 | 22.77 | | | | 45.75 | | | | |
| \vdash | set-up USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | UDN,UCL,UDL,UDC USL | USBFZ | | 534.46 | 11.30 | - | | 1 | 15.75 15.75 | | - | | - |

| UNBUNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | ment: 2 | Exhi | bit: B |
|--|--|-------------|----------|------------|----------------|----------------|------------------|----------------|----------------|----------------|--|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 | | 1 | UEA | USBFA | 7.98 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | | UEA | USBFA | 7.98 | 93.23 | 06.00 | 54.45 | 13.51 | | 15.75 | | | | + |
| | Grade - Zone 2 | | 2 | UEA | USBFA | 10.39 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, | | | | | | | | | | | | | 1 | İ | + |
| | Voice Grade - Zone 3 | | 3 | UEA | USBFA | 16.11 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start Loop, | | | | | | | | | | | | | | | |
| | Voice Grade - Zone 4 | | 4 | UEA | USBFA | 28.37 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | Order Coordination for Specified Conversion Time, per LSR Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | UEA | OCOSL | | 18.19 | | | | | | | | | + |
| | Grade - Zone 1 | | 1 | UEA | USBFB | 7.98 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | <u> </u> | OLA | CODI D | 7.30 | 95.25 | 30.30 | 34.43 | 10.01 | | 10.70 | | | | <u> </u> |
| | Grade - Zone 2 | | 2 | UEA | USBFB | 10.39 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFB | 16.11 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | 4 | UEA | USBFB | 20.27 | 93.23 | 50.50 | 54.45 | 40.54 | | 45.75 | | | | |
| | Grade - Zone 4 Order Coordination for Specified Time Conversion, per LSR | | 4 | UEA | OCOSL | 28.37 | 18.19 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | + |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | OLA | CCCGE | | 10.19 | | | | | | | | | |
| | Voice Grade - Zone 1 | | 1 | UEA | USBFC | 7.98 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | | | | | | | | | | | | | 1 |
| | Voice Grade - Zone 2 | | 2 | UEA | USBFC | 10.39 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | | | | | ==== | | | | | | | | |
| | Voice Grade - Zone 3 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | 3 | UEA | USBFC | 16.11 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | + |
| | Voice Grade - Zone 4 | | 4 | UEA | USBFC | 28.37 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | 20.01 | 18.19 | 00.00 | 04.40 | 10.01 | | 10.70 | | | | 1 |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | - | | | | | | | | | | | | |
| | Grade - Zone 1 | | 1 | UEA | USBFD | 21.69 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | | | | | = | | .= | | | | | | |
| | Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | 2 | UEA | USBFD | 26.06 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | - |
| | Grade - Zone 3 | | 3 | UEA | USBFD | 34.77 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | OLA | COBI B | 04.77 | 107.71 | 70.00 | 00.00 | 17.04 | | 10.70 | | | | <u> </u> |
| | Grade - Zone 4 | | 4 | UEA | USBFD | 34.77 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 18.19 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | 1 | | LIODEE | 04.00 | 407.74 | 70.00 | 00.00 | 47.04 | | 45.75 | | | | |
| | Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | 1 | UEA | USBFE | 21.69 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | - |
| | Grade - Zone 2 | | 2 | UEA | USBFE | 26.06 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | OLA | CODI E | 20.00 | 107.71 | 70.00 | 00.00 | 17.04 | | 10.70 | | | | 1 |
| | Grade - Zone 3 | | 3 | UEA | USBFE | 34.77 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop-Start | | | | | | | | | | | | | | | |
| | Loop - Zone 4 | | 4 | UEA | USBFE | 34.77 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UEA UDN | OCOSL USBFF | 14.60 | 18.19 106.46 | 68.78 | 55.58 | 13.13 | | 15.75 | | | | + |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 18.78 | 106.46 | 68.78 | 55.58 | 13.13 | | 15.75 | | | 1 | + |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | | UDN | USBFF | 25.47 | 106.46 | 68.78 | 55.58 | 13.13 | | 15.75 | | | | + |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 4 | | 4 | UDN | USBFF | 41.41 | 106.46 | 68.78 | 55.58 | 13.13 | | 15.75 | | | | <u> </u> |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UDN | OCOSL | | 18.19 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 14.60 | 106.46 | 68.78 | 55.58 | 13.13 | <u> </u> | 15.75 | | | | |
| ļļ. | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS USBFS | 18.78 25.47 | 106.46 106.46 | 68.78 68.78 | 55.58 55.58 | 13.13 13.13 | | 15.75 15.75 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 25.47 41.41 | 106.46 | 68.78 | 55.58 | 13.13 | | 15.75 | | - | - | + |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 55.19 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 100.03 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | | USL | USBFG | 183.66 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4 | | 4 | USL | USBFG | 430.04 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 18.19 | | | | | | <u> </u> | L | L | 1 |

| ONBONDLE | D NETWORK ELEMENTS - Mississippi | | | , | | | | | | | | | | ment: 2 | | bit: B |
|---------------|---|-------------|----------|---------|----------------|-----------------|------------------|------------------|--|----------------|---|---|--|--|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Charge - |
| | | | | | | B | Nonre | urring | Nonrecurring | Disconnect | | l. | oss | Rates (\$) | l. | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | | | | | | | | | | | | | |
| | 1 | | 1 | UCL | USBFH | 5.88 | 84.27 | 46.59 | 53.14 | 10.70 | | 15.75 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | | | | | | | | | | | | | |
| | 2 | | 2 | UCL | USBFH | 5.21 | 84.27 | 46.59 | 53.14 | 10.70 | | 15.75 | | | | <u> </u> |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | 3 | 1101 | HODELL | 4.40 | 04.07 | 40.50 | 50.44 | 40.70 | | 45.75 | | | | |
| | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4 | | 4 | UCL | USBFH USBFH | 4.40 3.63 | 84.27 84.27 | 46.59 46.59 | 53.14 53.14 | 10.70 10.70 | | 15.75 15.75 | | | | + |
| - | Order Coordination For Specified Conversion Time, per LSR | | - | UCL | OCOSL | 3.03 | 18.19 | 40.55 | 33.14 | 10.70 | 1 | 13.73 | | | | - |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 13.49 | 101.58 | 63.90 | 59.71 | 13.67 | | 15.75 | | | | + |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 10.96 | 101.58 | 63.90 | 59.71 | 13.67 | | 15.75 | | | | † |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 8.59 | 101.58 | 63.90 | 59.71 | 13.67 | | 15.75 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4 | | 4 | UCL | USBFJ | 8.59 | 101.58 | 63.90 | 59.71 | 13.67 | | 15.75 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 18.19 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 22.89 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 25.11 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 30.84 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 4 | UDL | USBFN | 41.05 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | <u> </u> |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | 1 | LIDI | LICREO | 20.00 | 404.07 | 04.00 | C2 C0 | 47.04 | | 45.75 | | | | |
| - | Zone 1 | | 1 | UDL | USBFO | 22.89 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | + |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFO | 25.11 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | UDL | USBFU | 25.11 | 101.97 | 04.29 | 03.00 | 17.04 | | 15.75 | | | | + |
| | Zone 3 | | 3 | UDL | USBFO | 30.84 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | ODL | OOD! O | 00.04 | 101.07 | 04.20 | 00.00 | 17.04 | | 10.70 | | | | + |
| | Zone 4 | | 4 | UDL | USBFO | 41.05 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 18.19 | | | | | | | | | 1 |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UDL | USBFP | 22.89 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UDL | USBFP | 25.11 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | .= | | | | | | |
| | Zone 3 | | 3 | UDL | USBFP | 30.84 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | - |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 4 | | 4 | UDL | USBFP | 41.05 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| - | Order Coordination For Specified Conversion Time, per LSR | | 4 | UDL | OCOSL | 41.05 | 18.19 | 04.29 | 03.00 | 17.04 | - | 15.75 | | | | + |
| SUB-LOOPS | Order Coordination For Specified Conversion Time, per ESK | | + | ODL | OCOGL | | 10.19 | | | | | | | | | + |
| | oop Feeder | | | | | | | | | | | | | | | † |
| | Sub Loop Feeder - DS3 - Per Mile Per Month | | | UE3 | 1L5SL | 18.88 | | | | | | | | | | 1 |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | П | | UE3 | USBF1 | 349.41 | 3,396.56 | 406.45 | 157.96 | 89.54 | | 15.75 | | | | 1 |
| | Sub Loop Feeder – STS-1 – Per Mile Per Month | | | UDLSX | 1L5SL | 18.88 | | | | | | | | | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | | | UDLSX | USBF7 | 376.07 | 3,396.56 | 406.45 | 157.96 | 89.54 | | 15.75 | | | | |
| | Sub Loop Feeder – OC-3 – Per Mile Per Month | | | UDLO3 | 1L5SL | 14.33 | | | | | | | | | | ↓ |
| | Sub Loop Feeder - OC-3 - Facility Termination Protection Per | ١. | | LIDI OO | | =0.5- | | | | | | 1 | | | | |
| | Month | <u> </u> | 1 | UDLO3 | USBF5 | 58.63 | 0.000.5- | 100 :- | .== 0- | 20.5: | | , | | | ļ | |
| | Sub Loop Feeder - OC-3 - Facility Termination Per Month | 1 | - | UDLO3 | USBF2 | 569.22 | 3,396.56 | 406.45 | 157.96 | 89.54 | | 15.75 | 1 | 1 | ļ. | + |
| | Sub Loop Feeder - OC-12 - Per Mile Per Month Sub Loop Feeder - OC-12 - Facility Termination Protection Per | <u> </u> | 1 | UDL12 | 1L5SL | 17.63 | | | | | | | - | | - | + |
| | Month | | | UDL12 | USBF6 | 662.39 | | | | | | 1 | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Per Month | l i | | UDL12 | USBF3 | 1,795.00 | 3,396.56 | 406.45 | 157.96 | 89.54 | | 15.75 | | | + | + |
| | Sub Loop Feeder - OC-48 - Per Mile Per Month | l i | | UDL48 | 1L5SL | 57.83 | 5,000.00 | -10010 | 107.00 | 00.04 | | 10.70 | | | 1 | |
| | Sub Loop Feeder - OC-48 - Facility Termination Protection Per | | 1 | | | 51.30 | | | | | | | | İ | | 1 |
| | Month | - 1 | | UDL48 | USBF9 | 331.52 | | | | | | 1 | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Per Month | | | UDL48 | USBF4 | 1,545.00 | 3,581.56 | 406.45 | 157.96 | 89.54 | | 15.75 | | | | |
| | Sub Loop Feeder - OC-12 Interface On OC-48 | | | UDL48 | USBF8 | 374.04 | 803.60 | 406.45 | 157.96 | 89.54 | | 15.75 | _ | | | |
| UNBUNDLED | LOOP CONCENTRATION | | | | | 1 | | | | | | | | | | |
| | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 36367 | 327.30 | 327.30 | | | | 15.75 | | | ļ | ↓ |
| | Unbundled Loop Concentration - System B (TR008) Unbundled Loop Concentration - System A (TR303) | | <u> </u> | ULC | UCT8B UCT3A | 47.56 397.35 | 136.37 327.30 | 136.37 327.30 | ļ | | | 15.75 15.75 | | | | |
| 1 | | | | nent: | | | | 327 30 | 1 | | i | 15 /5 | | | | 1 |

| | LED NETWORK ELEMENTS - Mississippi | | | | , | | | | | | | | | ment: 2 | | bit: B |
|-------------|--|--|--|------------------|----------------|----------------|------------------|------------|--|-------|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 4.52 | 63.65 | 46.34 | 17.31 | 4.85 | | 15.75 | | | | |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | | | | | 40.00 | | | | | | | | | |
| | Card) | | <u> </u> | UDN | ULCC1 | 7.17 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite Card) | | | UDC | ULCCU | 7.17 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | UDC | ULCCU | 7.17 | 10.60 | 10.54 | 5.56 | 5.55 | | 15.75 | | | | |
| | Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 1.80 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | 0271 | 02002 | 1.00 | 10.00 | 10.01 | 0.00 | 0.00 | | 10.10 | | | | |
| | Loop Interface (SPOTS Card) | | | UEA | ULCCR | 10.66 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | | | | | | | | | | | | | | |
| | (Specials Card) | | | UEA | ULCC4 | 6.36 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 31.07 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | | | | | | | | | | | | | | |
| | Interface | | | UDL | ULCC7 | 9.42 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | Unbundled Loop Concentration - Digital 56 Kbps Data Loop | 1 | 1 | UDL | ULCC5 | 9.42 | 40.00 | 40.54 | [[| 5.53 | 1 | 45.75 | | | | |
| -+ | Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop | | - | ODL | ULUUS | 9.42 | 10.60 | 10.54 | 5.56 | 5.53 | - | 15.75 | 1 | | | |
| | Interface | 1 | 1 | UDL | ULCC6 | 9.42 | 10.60 | 10.54 | 5.56 | 5.53 | 1 | 15.75 | | | | |
| UNE OTHE | R, PROVISIONING ONLY - NO RATE | | | ODL | OLOGO | 0.42 | 10.00 | 10.04 | 0.00 | 0.00 | | 10.70 | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | | | | UEANL,UEF,UEQ,U | | | | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| UNE OTHER | R, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Haland Hala Octobrilland Brooks and Calaborate | | | UAL,UCL,UDC,UDL, | LINIEGNI | 0.00 | 0.00 | | | | | | | | | |
| + | Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | 1 | UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | - | | | | | | | |
| | rate | | | UEA,UDN,UCL,UDC | LISBEO | 0.00 | 0.00 | | | | | | | | | |
| + | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | OL7,ODIV,OOL,ODO | OODI Q | 0.00 | 0.00 | | | | | | | | | |
| | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | CITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| NOT | E: minimum billing period of three months for DS3 and above L | ocal Lo | ор | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | UE3 | 41 END | 44.00 | | | | | | | | | | |
| + | month High Capacity Unbundled Local Loop - DS3 - Facility | | <u> </u> | UE3 | 1L5ND | 11.20 | | | | | | | | | | |
| | Termination per month | 1 | 1 | UE3 | UE3PX | 326.15 | 454.13 | 265.47 | 123.23 | 86.19 | 1 | 15.75 | | | | |
| -+ | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | 1 | | 0_0 | JEGI A | 320.13 | -104.13 | 200.47 | 120.20 | 00.19 | | 10.70 | 1 | | 1 | |
| | month | 1 | 1 | UDLSX | 1L5ND | 11.20 | | | j | | 1 | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | | | | | | | | | 1 | | | |
| | Termination per month | <u> </u> | <u></u> | UDLSX | UDLS1 | 338.55 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | <u> </u> | | | |
| LOOP MAK | | | | | | | | • | | • | | | | | | |
| | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Manual). | <u> </u> | ļ | UMK | UMKLW | | 24.12 | 24.12 | ļ | | | | ļ | | ļ | |
| | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 25.58 | 25.58 | | | | | | | | |
| -+ | Loop MakeupWith or Without Reservation, per working or | 1 | | OWIN | OIVINLE | | 25.58 | 20.08 | | | - | | 1 | | 1 | |
| | spare facility queried (Mechanized) | 1 | 1 | UMK | PSUMK | | 0.6652 | 0.6652 | j | | 1 | | | | | |
| HIGH FREC | UENCY SPECTRUM | | | | . 50 | | 3.5552 | 3.3302 | † † | | | | | | | |
| | E SHARING | 1 | | | | | | | † | | | | | | | |
| | ITTERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| SPL | Line Sharing Splitter, per System 96 Line Capacity | | | ULS | ULSDA | 186.67 | 189.89 | 0.00 | 178.41 | 0.00 | | 15.75 | | | | |
| SPL | | | | | | | | | | | | | | | | |
| SPL | Line Sharing Splitter, per System 24 Line Capacity | | | ULS | ULSDB | 46.67 | 189.89 | 0.00 | 178.41 | 0.00 | | 15.75 | | | | |
| SPL | | ı | | ULS ULS | ULSDB ULSD8 | 46.67 15.55 | 189.89 189.89 | 0.00 | 178.41 178.41 | 0.00 | | 15.75 15.75 | | | | |

Version 4Q02: 12/18/02 Page 241 of 416

| UNBUNDL | ED NETWORK ELEMENTS - Mississippi | | | • | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|----------|--------------------|-------------|---------------|--------|------------|--------------|-------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| END | USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC | Y SPEC | TRUM | | | | | | | | | | | | | |
| | Line Sharing - per Line Activation (BST Owned Splitter) | | 1 | ULS | ULSDC | 0.61 | 18.62 | 10.66 | 10.04 | 4.93 | | 15.75 | | | | |
| | Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) | | | ULS | ULSDS | | 16.48 | 8.24 | | | | 15.75 | | | | |
| | Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) | | | ULS | ULSCS | | 16.48 | 8.24 | | | | 15.75 | | | | |
| | Line Sharing - per Line Activation (DLEC owned Splitter) | ı | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | 15.75 | | | | 1 |
| LINE | SPLITTING | | | | | | | | | | | | | | | 1 |
| END | USER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | Line Splitting - per line activation DLEC owned splitter | R | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | Line Splitting - per line activation BST owned - physical | R | | UEPSR UEPSB | UREBP | 0.61 | 18.62 | 10.66 | 10.04 | 4.93 | | 15.75 | | | | |
| | Line Splitting - per line activation BST owned - virtual | R | | UEPSR UEPSB | UREBV | 0.61 | 18.62 | 10.66 | 10.04 | 4.93 | | 15.75 | | | | |
| | OTE SITE HIGH FREQUENCY SPECTRUM | 1 | | <u> </u> | 1 | | | | | | | | | | | 1 |
| SPLI | TTERS-REMOTE SITE | | | | | | | | | | | | | | | |
| | Remote Site Line Share BellSouth Owned Splitter, 24 Port | | 1 | ULS | ULSRB | 42.59 | 114.62 | 0.00 | 84.87 | 0.00 | | 15.75 | | | | |
| | Remote Site Line Share Cable Pair Activation CLEC Owned at RS and Deactivation | 1 | | ULS | ULSTG | | 95.48 | 0.00 | 68.12 | 0.00 | | 15.75 | | | | |
| END | USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU | M AKA | REMO | TE SITE LINE SHARI | | | | | | | | | | | | |
| | Remote Site Line Share Line Activationfor End User Served at RS. BST Splitter | | | ULS | ULSRC | 0.61 | 36.96 | 21.17 | 19.93 | 9.78 | | 15.75 | | | | |
| | RS Line Share Line Activation for End User served at RS, CLEC Splitter | | | ULS | ULSTC | 0.61 | 36.96 | 21.17 | 19.93 | 9.78 | | 15.75 | | | | |
| | Remote Site Line Share Subsequent Activity-RS BST Owned Splitter | | | ULS | ULSRS | 0.01 | 49.07 | 17.80 | 19.95 | 3.10 | | | | | | |
| | Remote Site Line Share Subsequent Activity-RS CLEC Owned | - | | | | | | | | | | 15.75 | | | | |
| | Splitter | I | | ULS | ULSTS | | 49.07 | 17.80 | | | | 15.75 | | | | |
| | DEDICATED TRANSPORT | <u> </u> | Щ. | L | 1 | | | | | | | | | | | |
| | E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu ROFFICE CHANNEL - DEDICATED TRANSPORT | ım billir | ig perio | oa - below DS3=one | month, abov | e DS3=four mo | ntns | | | | | | | | - | <u> </u> |
| INTE | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | • | | U1TVX | 1L5XX | 0.0098 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | 40.77 | 07.57 | 47.00 | 7.11 | | 45.75 | | | | |
| | Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | U1TVX | U1TV2 | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. | | | U1TVX | 1L5XX | 0.0098 | | | | | | | | | | |
| | Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade | | | U1TVX | U1TR2 | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0098 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV4 | 19.79 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0098 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination | | | U1TDX | U1TD5 | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0098 | -10.70 | 21.01 | 17.20 | 7.11 | | 10.70 | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination | | | U1TDX | U1TD6 | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | 40.76 | 21.31 | 17.20 | 7.11 | | 15.75 | | | | |
| | month Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | U1TD1 | 1L5XX | 0.201 | | | | | | | | | | |
| | Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | - | | U1TD1 | U1TF1 | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | | |
| | month Interoffice Channel - Dedicated Transport - DS3 - Facility | | | U1TD3 | 1L5XX | 4.76 | | | | | | | | | | |
| | Termination per month | | | U1TD3 | U1TF3 | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 4.76 | | | | | | | | | | |

Version 4Q02: 12/18/02 Page 242 of 416

| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | |
|-------------------|---|-------------|--------|------------------|----------------|----------------|--------|------------|--|---------------------------------------|-----------|----------------------------------|---|---|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| +- | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | - | - | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Termination | | | U1TS1 | U1TFS | 644.21 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 | | | | |
| LOC# | L CHANNEL - DEDICATED TRANSPORT | | | 01101 | 00 | 011.21 | 200.07 | 100.10 | 02.00 | 00.20 | | 10.70 | | | | |
| | : LOCAL CHANNEL DEDICATED TRANSPORT - minimum billir | g perio | d = be | low DS3=one mont | n, above DS3 | =four months | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade | | | ULDVX | ULDV2 | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | | 15.75 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | | ULDVX | ULDR2 | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | | 15.75 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade | | | ULDVX | ULDV4 | 15.99 | 194.66 | 33.80 | 38.27 | 3.78 | | 15.75 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | | 1 | ULDD1 | ULDF1 | 36.83 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 2 | | 2 | ULDD1 | ULDF1 | 35.99 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| $-\!+\!-$ | Local Channel - Dedicated - DS1 - Zone 3 | | 3 | ULDD1 | ULDF1 | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | 1 | 1 | 1 |
| \longrightarrow | Local Channel - Dedicated - DS1 - Zone 4 | | 4 | ULDD1 | ULDF1 | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | | | | | 1 |
| \longrightarrow | Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3 ULDD3 | 1L5NC ULDF3 | 9.66 413.87 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | 1 |
| +- | Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month | | - | ULDD3 | 1L5NC | 9.66 | 454.13 | ∠05.47 | 123.23 | 80.19 | | 15.75 | | | | 1 |
| | Local Channel - Dedicated - STS-1 - Fer Wille per Month Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1 | ULDFS | 408.02 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | |
| DARK FIBER | | | | 02001 | JLDI'S | 400.02 | +54.13 | 200.47 | 123.23 | 00.19 | | 13.13 | | † | | 1 |
| - IDEN | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | 1 | 1 | |
| | Thereof per month - Local Channel | | | UDF | 1L5DC | 59.95 | | | | | | | | | | |
| | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 642.79 | 138.67 | 326.97 | 203.85 | | 15.75 | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 28.27 | | | | | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 642.79 | 138.67 | 326.97 | 203.85 | | 15.75 | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Local Loop | | | UDF | 1L5DL | 59.95 | | | | | | | | | | |
| | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 642.79 | 138.67 | 326.97 | 203.85 | | 15.75 | | | | |
| 3XX ACCESS | TEN DIGIT SCREENING | | | | | | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006216 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | | OUD | N8R1X | | 0.00 | 0.44 | | | | 45.75 | | | | |
| \longrightarrow | Number Reserved 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | | OHD | NORIA | | 2.60 | 0.44 | | | | 15.75 | | | | |
| | POTS Translations | | | OHD | | | 5.97 | 0.81 | 4.60 | 0.54 | | 15.75 | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With | | | OLID | | | 5.91 | 0.01 | 4.00 | 0.54 | | 13.73 | | | | |
| | POTS Translations | | | OHD | N8FTX | | 5.97 | 0.81 | 4.60 | 0.54 | | 15.75 | | | | |
| -+ | 8XX Access Ten Digit Screening, Customized Area of Service | | | OTID | 1401 174 | | 0.07 | 0.01 | 4.00 | 0.04 | | 10.70 | | | | |
| | Per 8XX Number | | | OHD | N8FCX | | 2.60 | 1.30 | | | | 15.75 | | | | |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | | | | | | | | | | | | | |
| | Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 3.04 | 1.74 | | | | 15.75 | | | | |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 3.04 | 0.44 | | | | 15.75 | | | | |
| | 8XX Access Ten Digit Screening, Call Handling and Destination | | |] | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | | |
| | Features | | | OHD | N8FDX | | 2.60 | | | | | 15.75 | | 1 | 1 | ļ |
| | | | | | | | | | | | | | | 1 | 1 | |
| | 8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query | | | OHD | ļ | 0.0006216 | | | | | | | | | | ļ |
| | 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per | | | OHD | | 0.0000040 | | | | | | | | 1 | 1 | |
| LINE INCOS | query ATION DATA BASE ACCESS (LIDB) | | | OHD | + | 0.0006216 | | | | | | | | | | 1 |
| -INE INFORM | LIDB Common Transport Per Query | | | OQT | 1 | 0.0000197 | | | | | | | | | | 1 |
| -+- | LIDB Validation Per Query | | | OQU | + | 0.0000197 | | | | | | | | | | 1 |
| -+- | LIDB Originating Point Code Establishment or Change | | | OQU OQT, OQU | NRPBX | 0.0137033 | 34.52 | 34.52 | 42.33 | 42.33 | | 15.75 | | | t | |
| SIGNALING (| | | | | 5/ | t | 04.02 | 04.02 | 72.00 | 72.00 | | 10.70 | | I | I | 1 |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 132.21 | | | † | | | | | 1 | 1 | Ì |
| | CCS7 Signaling Usage, Per TCAP Message | | | UDB | | 0.0000597 | | | i i | | | | | | | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 16.55 | 35.74 | 35.74 | 16.53 | 16.53 | | 15.75 | | | | |
| | CCS7 Signaling Connection, Per link (B link) (also known as D | | | | | | | | | | | | | | | |
| | link) | | | UDB | TPP++ | 16.55 | 35.74 | 35.74 | 16.53 | 16.53 | | 15.75 | | <u> </u> | <u> </u> | |
| | CCS7 Signaling Usage, Per ISUP Message | | | UDB | | 0.0000149 | _ | | | • | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 683.55 | | | | | | | | | | |
| | | | | | | | | | | | | | | | 1 | 1 |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 29.18 | 29.18 | 35.78 | 35.78 | | 15.75 | | | | |

| UNBUNDI | LED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-----------|--|-------------|------|--|-------|-----------|----------|------------|---|--------|---|---|---|---|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - 2-wr Voice Grade | | | | | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | | 15.75 | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | | 0.0098 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | | | | | | | | | | | | | | | |
| | Termination | | | | | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | | | | | 36.83 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 2 | | | | | 35.99 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 3 | | | | | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 4 | | | | | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | Interoffice Transport - Dedicated - DS1 Per Mile | | | | | 0.2010 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 Per Facility Termination | ļ | | | 1 | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | . | . | |
| <u> </u> | | <u> </u> | | | | | | | 1 | | | 15.75 | | ļ | ļ | 1 |
| CALLING N | AME (CNAM) SERVICE | <u> </u> | | L | | | | | 1 | | | | | ļ | ļ | 1 |
| | CNAM For DB Owners - Service Establishment | | | OQV | | | 23.09 | 23.09 | 21.23 | 21.23 | | 15.75 | | | | |
| | CNAM For Non DB Owners - Service Establishment | | 1 | OQV | | | 23.09 | 23.09 | 21.23 | 21.23 | | 15.75 | | 1 | . | |
| | CNAM For DB Owners - Service Provisioning With Point Code | | | | | | | | | | | | | | | |
| | Establishment | | | OQV | | | 996.62 | 737.08 | 270.49 | 198.89 | | 15.75 | | | | |
| | CNAM For Non DB Owners - Service Provisioning With Point | | | | | | | | | | | | | | | |
| | Code Establishment | | | OQV | | | 344.32 | 246.56 | 276.85 | 198.89 | | 15.75 | | | | |
| | CNAM for DB Owners, Per Query | | | OQV | | 0.0010231 | | | | | | | | | | |
| | CNAM for Non DB Owners, Per Query | | | OQV | | 0.0010231 | | | | | | | | | | |
| LNP Query | | | | | | | | | | | | | | | | |
| | LNP Charge Per query | | | OQV | | 0.0008477 | | | | | | | | | | |
| | LNP Service Establishment Manual | | | | | | 12.59 | 12.59 | 11.58 | 11.58 | | 15.75 | | | | |
| | LNP Service Provisioning with Point Code Establishment | | | | | | 596.94 | 304.96 | 270.49 | 198.89 | | 15.75 | | | | |
| OPERATOR | CALL PROCESSING | | | | | | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB | | | | | 1.20 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | 0.20 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using | | | | | 0.20 | | | | | | | | | | |
| | Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWARD OF | PERATOR SERVICES | | | | | | | | | | | | | | | |
| | Inward Operator Services - Verification, Per Minute | | | | | 1.15 | | | | | | | | | | |
| | Inward Operator Services - Verification and Emergency Interrupt - Per Minute | | | | | 1.15 | | | | | | | | | | |
| | - OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| Faci | lity based CLEC | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | 15.75 | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| L l | per OCN | <u></u> | | <u> </u> | CBAOL | | 500.00 | 500.00 | <u> </u> | | <u></u> | 15.75 | | <u> </u> | <u> </u> | <u> </u> |
| UNE | PCLEC | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | 15.75 | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV per OCN | | | | | | 500.00 | 500.00 | | | | 15.75 | | | | |
| Unb | randing via OLNS for UNEP CLEC | 1 | | | | | | | 1 | | | | | | | |
| | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | 15.75 | | | | |
| DIRECTORY | ASSISTANCE SERVICES | | | | | | | • | | | | | | | | |
| DIRI | ECTORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.275 | | | | | | | | | | |
| DIRI | ECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (| DACC) | | | | | | | † | | | | | | | |
| | Directory Assistance Call Completion Access Service (DACC), | | | | | | | | † | | | | | | | |
| l [| Per Call Attempt | 1 | | | | 0.10 | | | 1 | | | | | I | I | |
| DIRECTORY | ASSISTANCE SERVICES | 1 | | | | | | | † | | | | | | | |
| | ECTORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | |
| | Directory Assistance Data Base Service Charge Per Listing | 1 | | | 1 | 0.04 | | | † | | | | | İ | İ | 1 |
| | Directory Assistance Data Base Service, per month | | | + | DBSOF | 150.00 | | | | | | | | | | |

| UNBUN | DLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | ment: 2 | | bit: B |
|-----------|-------|---|-------------|----------|--------------|-------|-----------|------------|------------|--------------|-------|-------|---|---|---|---|---|
| CATEGOR | RY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | RECTORY ASSISTANCE | | 1 | | | | | | | | | | | | - | |
| Fa | | Based CLEC Recording and Provisioning of DA Custom Branded | | 1 | | | | | | | | | | | | - | |
| | | Announcement | | | AMT | CBADA | | 3,000.00 | 3,000.00 | | | | 15.75 | | | | |
| | | Loading of Custom Branded Announcement per Switch per OCN | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | 15.75 | | | | |
| UN | NEP C | | | | | | | | | | | | | | | | |
| | | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | 15.75 | | | | |
| | | Loading of DA Custom Branded Announcement per Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | 15.75 | | | | |
| Ur | | ding via OLNS for UNEP CLEC | | | | | | 1,170.00 | 1,110.00 | | | | 10.10 | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | | | 1 | | 420.00 | 420.00 | | | | 15.75 | | | | |
| | | Loading of DA per Switch per OCN | | | | 1 | | 16.00 | 16.00 | | | | 15.75 | | <u> </u> | | <u> </u> |
| SELECTIV | | | | | | | | | | | | | | | | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | USRCR | | 85.19 | 85.19 | 14.19 | 14.19 | | 15.75 | | | | |
| VIRTUAL | | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR, UEPSB | VE1LS | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| PHYSICAL | L COL | LOCATION | | | , - | | | - | | | | | | | | | |
| | | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR, UEPSB | PE1LS | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| AIN SELE | | CARRIER ROUTING | | | | | 0.0200 | | | | | | | | | 1 | |
| | | Regional Service Establishment | | | SRC | SRCEC | | 101,685.12 | | 8,640.51 | | | 15.75 | | | | |
| | | End Office Establishment | | | SRC | SRCEO | | 167.49 | 167.49 | 1.71 | 1.71 | | 15.75 | | | | |
| | | Query NRC, per query | | | SRC | | 0.0030502 | | | | | | | | | | |
| AIN - BEL | | TH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | |
| | | AIN SMS Access Service - Service Establishment, Per State, Initial Setup | | | A1N | CAMSE | | 39.67 | 39.67 | 40.92 | 40.92 | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 7.87 | 7.87 | 9.14 | 9.14 | | 15.75 | | | | |
| - | | AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User | | <u> </u> | A1N | CAM1P | | 7.87 | 7.87 | 9.14 | 9.14 | | 15.75 | | | | |
| | | ID Code | | | A1N | CAMAU | | 35.21 | 35.21 | 27.21 | 27.21 | | 15.75 | | | | |
| | | AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement | | | A1N | CAMRC | | 42.13 | 42.13 | 11.78 | 11.78 | | 15.75 | | | | |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0021 | | | | | | | | | | |
| | | AIN SMS Access Service - Session, Per Minute | | | | | 0.5649 | | | | | | | | | | |
| | | AIN SMS Access Service - Company Performed Session, Per Minute | | | | | 0.8393 | | | | | | | | | | |
| AIN - DEI | | TH AIN TOOLKIT SERVICE | | | | - | 0.8393 | | | | | | | | | - | |
| AIN - BLL | | AIN Toolkit Service - Service Establishment Charge, Per State, | | | | | | | | | | | | | | | |
| | | Initial Setup | | | CAM | BAPSC | | 39.67 | 39.67 | 40.92 | 40.92 | | 15.75 | | | | |
| | | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 4,226.54 | 4,226.54 | | | | 15.75 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | | DN, Term. Attempt | | | | BAPTT | | 7.87 | 7.87 | 9.14 | 9.14 | | 15.75 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay | | | | BAPTD | | 7.87 | 7.87 | 9.14 | 9.14 | | 15.75 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate | | | | BAPTM | | 7.87 | 7.87 | 9.14 | 9.14 | | 15.75 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP | | | | ВАРТО | | 34.67 | 34.67 | 14.44 | 14.44 | | 15.75 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP | | | | BAPTC | | 34.67 | 34.67 | 14.44 | 14.44 | | 15.75 | | | | |
| | | Alln Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code | | | | BAPTF | | 34.67 | 34.67 | 14.44 | 14.44 | | 15.75 | | | | |
| \vdash | | AIN Toolkit Service - Query Charge, Per Query | | | | DAPIF | 0.0535577 | 34.67 | 34.07 | 14.44 | 14.44 | | 15.75 | | 1 | | 1 |
| | | AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query | | | | | 0.0063509 | | | | | | | | | | |

| JNBUNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|--|-------------|--------|--------------------|----------------|-----------------|---------------|----------------|----------------|------------|----------|-----------|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | AINLT - II 's O - ' - OOD Os - O - Ol - O - D - OMO A - O - O | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | 0.06 | | | | | | | | | | |
| | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | | | | 0.00 | | | | | | | | | | |
| | Subscription | | | CAM | BAPMS | 11.11 | 7.87 | 7.87 | 5.54 | 5.54 | | 15.75 | | | | |
| | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | Subscription | | | CAM | BAPLS | 2.71 | 8.71 | 8.71 | | | | 15.75 | | | | |
| | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | Subscription | | | CAM | BAPDS | 8.48 | 7.87 | 7.87 | 5.54 | 5.54 | | 15.75 | | | | |
| | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | | | CAM | BAPES | 0.09 | 8.71 | 8.71 | | | | 45.75 | | | | |
| NHANCEDE | Service Subscription XTENDED LINK (EELs) | | | CAIVI | BAPES | 0.09 | 8.71 | 8.71 | | | | 15.75 | | | | - |
| | The monthly recurring and non-recurring charges below will a | anniv a | nd the | Switch-As-Is Chara | e will not ann | ly for FFI s nr | visioned as ' | Ordinarily Com | hined' Network | k Flements | | | | | | |
| | The monthly recurring and the Switch-As-Is Charge and not the | | | | | | | | | | | | | | | |
| | Minimum billing is one month for DS1 and below and three m | | | | | , | | ., | | | | | | | | |
| 2-WIR | E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 07.55 | 405.00 | CO 00 | 50.00 | 10.37 | | 45.75 | | | | |
| | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | | 3 | UNCVX | UEAL2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | - |
| | Combination - Zone 4 | | 4 | UNCVX | UEAL2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | _ | ONOVA | OLITILE | 40.72 | 100.00 | 00.20 | 02.02 | 10.07 | | 10.70 | | | | |
| | per month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | | |
| | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | 15.75 | | | | |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | LINOVA | UEAL2 | 42.00 | 405.00 | CO 00 | 50.00 | 40.07 | | 45.75 | | | | |
| | Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | 1 | UNCVX | UEAL2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | ONOVA | OLITILE | 10.70 | 100.00 | 00.20 | 02.02 | 10.07 | | 10.70 | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 4 | | 4 | UNCVX | UEAL2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | 15.075 | | | | | · | | | | | | |
| | per month | | | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | LINC1Y | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| 4-WIR | E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | FROFF | ICE TR | ANSPORT (FEL) | UNCCC | | 3.03 | 3.03 | 7.20 | 7.20 | | 13.73 | | | | |
| 7 **** | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | I | I | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 27.47 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.26 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | _ | LINOVA | | | | | | | | , | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 4 | | 4 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 4 | UNCVA | UEAL4 | 50.03 | 132.27 | 94.59 | 80.08 | 14.04 | | 15.75 | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | | 1 | 2210 | | | | | | | | | | |
| | Month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | <u> </u> | 15.75 | | | | <u></u> |
| | | | | | | | | | | | 1 | | | | | |
| _ | Channelization - Channel System DS1 to DS0 combination Per | | | | | | | | | | | | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month Voice Grade COCI - DS1 to DS0 Channel System combination - | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | 15.75 | | | | |

| <u> NAROND LE</u> | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-------------------|---|-------------|-------|-----------------|---------|--------|--------|-----------------|--------------|-------|--------|-----------|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | urring Add'l | Nonrecurring | | 001150 | 001111 | | Rates (\$) | 001141 | SOMAN |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | First | Addi | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 27.47 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.26 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 4 | | 4 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | - | UNCVA | ULAL4 | 30.03 | 132.21 | 54.55 | 00.08 | 14.04 | | 13.73 | | | | |
| | per month | | | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| 4-WIR | E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT (EEL) | 1 | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | LINODY | LIDI 50 | 07.44 | 100 50 | 00.05 | 00.00 | 44.04 | | 45.75 | | | | |
| | Transport Combination - Zone 1 First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | 1 | UNCDX | UDL56 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | ONODA | ODLOG | 04.00 | 120.00 | 00.00 | 00.00 | 14.04 | | 10.70 | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 4 | | 4 | UNCDX | UDL56 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month Interoffice Transport - Dedicated - DS1 - combination Facility | | | UNC1X | 1L5XX | 0.1813 | | | | | | 15.75 | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | | ONOTA | 01111 | 31.72 | 03.13 | 02.20 | 10.00 | 14.50 | | 10.70 | | | | |
| | Month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | 15.75 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | 400 =0 | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | 1 | UNCDX | UDL56 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | ONODA | ODESO | 34.33 | 120.55 | 00.03 | 00.00 | 14.04 | | 10.70 | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 4 | | 4 | UNCDX | UDL56 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | טטוטו | 1.22 | 0.02 | 4.74 | | | | 15.75 | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| 4-WIR | E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT (EEL) | | | 0.00 | 0.00 | 7.20 | 1.20 | | 10.70 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | _ | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | - 3 | ONODA | ODLOT | 40.70 | 120.55 | 00.03 | 00.00 | 14.04 | | 10.70 | | | | |
| | Transport Combination - Zone 4 | | 4 | UNCDX | UND64 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | LINICAY | LIATE 4 | £4.70 | 00.70 | 20.00 | 10.00 | 44.00 | | 45.75 | | | | |
| | Termination Per Month Channelization - Channel System DS1 to DS0 combination Per | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | | |
| | Month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | 15.75 | | | | |
| - | OCU-DP COCI (data) - DS1 to DS0 Channel System | 1 | | 011017 | 1410(1 | 102.03 | 31.37 | 02.54 | 10.07 | 10.10 | | 13.73 | | | | |
| 1 | combination - per month (2.4-64kbs) | l | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | | | | 15.75 | | | | |

| ONBONDLE | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--|---|-------------|----------|----------------|----------|--------|--------|------------|----------------|----------------|-------|---|---------------------------------|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| - | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | <u> </u> | ONODA | ODLOT | 27.44 | 120.00 | 00.00 | 00.00 | 14.04 | | 10.70 | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 4 | LINODY | LIDI 04 | 00.05 | 100.50 | 00.05 | 00.00 | 44.04 | | 45.75 | | | | |
| | Interoffice Transport Combination - Zone 4 OCU-DP COCI (data) - DS1 to DS0 Channel System | | 4 | UNCDX | UDL64 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONODA | 15155 | 1.22 | 0.02 | 4.74 | | | | 10.70 | | | | 1 |
| | Is Charge | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| 4-WIR | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE | ROFFI | CE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport - Zone 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | UNCIX | USLAA | 129.30 | 255.95 | 136.43 | 46.10 | 12.07 | | 15.75 | | | | |
| | Transport - Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | | | | | - | | | | | | |
| | Transport - Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCIX | UTIFT | 51.72 | 89.79 | 82.28 | 10.86 | 14.90 | | 15.75 | | | | - |
| | Is Charge | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| 4-WIR | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE | ROFFI | CE TR | ANSPORT (EEL) | | | | | _ | | | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | | | | | | | | | | | | | |
| | 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | _ | LINIOAV | 1101.307 | 400.00 | 050.00 | 450.45 | 40.40 | 12.07 | | 45.75 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | 0.10.17 | 002,01 | 200 1 | 200.00 | 100110 | .0.10 | 12.01 | | 10.70 | | | | 1 |
| | 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC3X | 1L5XX | 4.29 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | LINICAV | U1TF3 | 641.90 | 280.37 | 163.70 | 60.00 | CO 00 | | 45.75 | | | | |
| | month DS3 to DS1 Channel System combination per month | | | UNC3X UNC3X | MQ3 | 107.85 | 179.17 | 94.52 | 62.08 34.30 | 60.29 32.82 | | 15.75 15.75 | | | | - |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 12.96 | 6.62 | 4.74 | 34.30 | 32.02 | | 15.75 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | 1 | | | | | | | | | | İ | |
| | Zone 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | 3 | UNCIX | USLAA | 200.74 | 255.95 | 130.43 | 46.10 | 12.07 | | 15.75 | | | | |
| | Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | <u> </u> | UNC1X | UC1D1 | 12.96 | 6.62 | 4.74 | .50 | .2.37 | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | <u></u> | | UNC3X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | ļ |
| 2-WIR | E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | EROFF | ICE TE | RANSPORT (EEL) | | | | | | | | | | | | ļ |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 4 | UNCVX | UEAL2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | + | OI NO VA | ULALZ | 13.09 | 105.96 | 00.28 | 52.62 | 10.37 | | 15.75 | | | | + |
| 1 1 | Combination - Zone 2 | l | 2 | UNCVX | UEAL2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | 1 | |

| <u>UNBUND</u> LE | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachi | nent: 2 | Exhi | bit: B |
|------------------|---|-------------|----------|-----------------|---------|----------------|--------|------------|--------------|-------|-------|-----------|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | A.1.2 2-WireVG Loop used with 2-wire VG Interoffice Transport | | 3 | ONCVA | OLALZ | 21.00 | 103.30 | 00.20 | 32.02 | 10.57 | | 13.73 | | | | |
| | Combination - Zone 4 | | 4 | UNCVX | UEAL2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNCVX | 1L5XX | 0.00088 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade | | | | | | | | | | | | | | | |
| | combination - Facility Termination per month | | | UNCVX | U1TV2 | 20.32 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCVX | LINICOC | | 5.63 | 5.63 | 7.00 | 7.20 | | 15.75 | | | | |
| 4-WIB | IS Charge RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | FROFE | ICE TE | | UNCCC | | 5.03 | 5.03 | 7.20 | 7.20 | | 15.75 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | LINOIT | IOL II | TARGE ORT (LLL) | - | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 27.47 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | - | | _ | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.26 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | ١. | | | = | | | | | | | | | | |
| | Combination - Zone 4 | | 4 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.00088 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade | | | UNCVA | ILSAA | 0.00066 | | | | | | | | | | 1 |
| | combination - Facility Termination per month | | | UNCVX | U1TV4 | 17.86 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNCVX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| DS3 E | DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | E TRA | NSPOF | RT (EEL) | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Per | | | | | | | | | | | | | | | |
| | Mile per month | | | UNC3X | 1L5ND | 11.20 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - | | | UNC3X | UE3PX | 050.47 | 454.40 | 005.47 | 400.00 | 00.40 | | 45.75 | | | | |
| | Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 252.17 4.29 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | UNCSA | ILJAA | 4.23 | | | | | | | | | | |
| | Termination per per month | | | UNC3X | U1TF3 | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC3X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| STS1 | DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE TF | RANSP | ORT (EEL) | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile per month | | | UNCSX | 1L5ND | 11.20 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - | | | LINICOV | UDLS1 | 264.35 | 454.13 | 205 47 | 400.00 | 00.40 | | 45.75 | | | | |
| | Facility Termination per month Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | UNCSX | UDLST | 204.30 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | - |
| | per month | | | UNCSX | 1L5XX | 4.29 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | 0.100/1 | 120,01 | 20 | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 644.21 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | 1 |
| | Is Charge | | | UNCSX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| 2-WIR | E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL |) | | | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | LINIONIY | 1141.07 | 04.04 | 447.04 | 70.00 | 50.00 | 40.07 | | 45.75 | | | | |
| | Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | 1 | UNCNX | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | Transport - Zone 2 | | 2 | UNCNX | U1L2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | CINCINA | UILZA | 21.39 | 117.01 | 13.32 | 52.02 | 10.37 | | 15.75 | | | | |
| | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | 1 | | | |
| | Transport - Zone 4 | | 4 | UNCNX | U1L2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | <u> </u> | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combintion - Facility | | | | == | | | | | | | | | | | |
| | Termination per month | | <u> </u> | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 |] | 15.75 | | l | | ⊥ |

| ONDONDLE | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|---|-------------|--|----------------|---------|---------|--------|------------|--------------|-------|----------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | всѕ | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | | - |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Channelization - Channel System DS1 to DS0 combination - | | | | | | | | | | | | | | | |
| | per month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | 15.75 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | combination - per month | | | UNCNX | UC1CA | 2.62 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | | UNCNX | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | UNCIX | UILZX | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | + |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | UNCINA | UTLZX | 21.39 | 117.01 | 19.92 | 32.02 | 10.57 | | 13.73 | | | | + |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | Ŭ | ONONA | OTLEX | 07.04 | 117.01 | 70.02 | 02.02 | 10.01 | | 10.70 | | | | + |
| | Combination - Zone 4 | | 4 | UNCNX | U1L2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | combintaion- per month | | | UNCNX | UC1CA | 2.62 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| 4-WIR | RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE T | RANSPORT (EEL) | | | | | | | | | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month Interoffice Transport - Dedicated - STS1 combination - Facility | | | UNCSX | 1L5XX | 4.29 | | | | | | | | | | - |
| | Termination | | | UNCSX | U1TFS | 644.21 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 | | | | |
| | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 107.63 | 179.17 | 94.52 | 34.30 | 32.82 | | 15.75 | | | | + |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 12.96 | 6.62 | 4.74 | 34.30 | 32.02 | | 15.75 | | | | + |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | ONCIA | OCIDI | 12.30 | 0.02 | 7.77 | | | | 13.73 | | | | + |
| | Zone 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | - | ONOTA | OOLOG | 70.00 | 200.00 | 100.40 | 40.10 | 12.01 | | 10.70 | | | | + |
| | Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | 0.1017 | 002.01 | 120.00 | 200.00 | 100.10 | 10.10 | 12.01 | | 10.70 | | | | 1 |
| | Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | 1 |
| | Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 12.96 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNCSX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| 4-WIR | E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | FFICE T | RANS | PORT (EEL) | | | | | | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | _ | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCDX | UDL56 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | _ | LINICDY | LIDI EC | 40.70 | 400.50 | 00.05 | 00.00 | 44.04 | | 45.75 | | | | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL56 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 4 | | 4 | UNCDX | UDL56 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | 1 | 15.75 | | 1 | I | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | - | 4 | OIACDV | ODLOB | 32.25 | 120.53 | 88.85 | 80.00 | 14.04 | | 15.75 | | 1 | | + |
| | Per Mile | | l | UNCDX | 1L5XX | 0.00088 | | | | | 1 | | | 1 | I | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | 0.100/ | ILOAA | 0.00000 | | | | | | | | | | + |
| | Facility Termination | | l | UNCDX | U1TD5 | 14.14 | 40.78 | 27.57 | 17.26 | 7.11 | 1 | 15.75 | | 1 | I | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | - | 5.13DX | 31150 | 17.19 | 40.70 | 21.01 | 17.20 | 7.11 | | 10.70 | | | <u> </u> | |
| | Is Charge | | | UNCDX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | 1 | 1 |
| 4-WID | RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE | RANS | | | | 0.00 | 0.00 | 0 | 0 | 1 | .5 5 | | | 1 | + |

| ONRONDE | ED NETWORK ELEMENTS - Mississippi | | | 1 | 1 | | | | | | 1 - | | | ment: 2 | | bit: B |
|----------|---|-------------|----------|----------------------|----------------|----------------|-----------|------------|--|-------|-------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increments Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | 4 | LINICDY | UDL64 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15 75 | | | | |
| | Combination - Zone 1 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | 1 | UNCDX | UDL64 | 21.44 | 120.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | . |
| | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | _ | 0.1027 | 00201 | 000 | 120.00 | 00.00 | 00.00 | | | 10.70 | | | | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL64 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 4 | | 4 | UNCDX | UDL64 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.00088 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | UNCDX | ILSXX | 0.00088 | | | | | | | | | | |
| | Facility Termination | | | UNCDX | U1TD6 | 14.14 | 40.78 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | 1 | İ | |
| | Is Charge | | | UNCDX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | NETWORK ELEMENTS | | | | | | | | | | | | | | | |
| When | used as a part of a currently combined facility, the non-recurr | rng cha | rges de | o not apply, but a S | Switch As Is c | harge does app | ply. | | | | | | | | | |
| When | used as ordinarily combined network elements in All States, to ecurring Currently Combined Network Elements "Switch As Is" | ne non- | recurri | ng charges apply a | nd the Switch | As Is Charge | does not. | | | | | | | | | |
| Nonre | Nonrecurring Currently Combined Network Elements Switch As is | Charge | (One a | applies to each con | ibination) | | | | | | | | | | | ļ |
| | Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONOVA | 011000 | | 0.00 | 0.00 | 7.20 | 7.20 | | 10.70 | | | | |
| | Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge - DS1 | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | · | | | | | | | | | | | | | | |
| | Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As- | - | | UNC3X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | Is Charge - STS1 | | | UNCSX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| NOTE | :: Local Channel - Dedicated Transport - minimum billing perior | d - Belo | w DS3 | | | r months | 5.05 | 5.05 | 7.20 | 7.20 | | 10.70 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade | | | UNCVX | ULDV2 | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | | 15.75 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade | | | UNCVX | ULDV4 | 15.99 | 194.66 | 33.80 | 38.27 | 3.78 | | 15.75 | | | | |
| | Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNC1X | ULDF1 | 36.83 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | Local Channel - Dedicated -DS1 Per Month Zone 2 | | 2 | UNC1X | ULDF1 | 35.99 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | Local Channel - Dedicated - DS1- Per Month Zone 3 | | 3 | UNC1X | ULDF1 | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | Local Channel - Dedicated - DS1- Per Month Zone 4 | | 4 | UNC1X | ULDF1 | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 9.66 | 454.40 | 205 47 | 400.00 | 20.40 | | 45.75 | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month | | 1 | UNC3X UNCSX | ULDF3 1L5NC | 413.87 9.66 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | - | |
| | Local Channel - Dedicated - STS-1 - Fer Mile per Month Local Channel - Dedicated - STS-1 - Facility Termination | | | UNCSX | ULDFS | 408.02 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | |
| Optio | nal Features & Functions: | | | 0.100/1 | OLD. C | .00.02 | .00 | 200.11 | 120.20 | 00.10 | | 10.70 | | | | |
| | TIPLEXERS | | | | | | | | | | | | | | | |
| | : minimum billing period is one month for DS1 to DS0 Channe | | | | | | | | | | | | | | | |
| NOTE | : minimum billing period is three months for DS3 to DS1 and a | bove C | hannel | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | 15.75 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UDL | 1D1DD | 1.22 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | UDL | וטוטט | 1.22 | 0.62 | 4.74 | | | | 15.75 | | | 1 | - |
| | month | | | UDN | UC1CA | 2.62 | 6.62 | 4.74 | | | | 15.75 | | 1 | 1 | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | 15.75 | | | | |
| | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | 15.75 | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 12.96 | 6.62 | 4.74 | | | | 15.75 | | | 1 | <u> </u> |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | 1 | 1 | LILDDA | LICADA | 40.00 | 0.00 | 474 | | | | 45.75 | | I | | |
| CL I | month Loop Feeder | | <u> </u> | ULDD1 | UC1D1 | 12.96 | 6.62 | 4.74 | | | | 15.75 | | - | - | |
| J-duc-L | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | 1 | SW | UNC1X | USBFG | | | | 1 | | 1 | | | | | 1 |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | <u> </u> | 5w | UNC1X | USBFG | 55.19 | 101.97 | 64.29 | 63.68 | 17.64 | | | | † | † | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | <u> </u> | | UNC1X | USBFG | 100.03 | 101.97 | 64.29 | 63.68 | 17.64 | | | | 1 | 1 | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | 1 | | UNC1X | USBFG | 183.66 | 101.97 | 64.29 | 63.68 | 17.64 | | | | | | |

Version 4Q02: 12/18/02 Page 251 of 416

| UNBUN | DLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|------|--|-------------|----------|---------------------|----------------|-----------------|-----------------|-----------------|----------------|----------------|--------|---|---------------------------------|---|---|---|
| CATEGO | RY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring | | COMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4 | | 4 | UNC1X | USBFG | 430.04 | 101.97 | 64.29 | First 63.68 | Add'l 17.64 | SOWIEC | SUMAN | SUMAN | SUMAN | SOWAN | SOWAN |
| LINBLIND | | OCAL EXCHANGE SWITCHING(PORTS) | | 4 | UNCIA | USBFG | 430.04 | 101.97 | 64.29 | 03.00 | 17.04 | | | | | | 1 |
| | | ge Ports | | 1 | | 1 | | | | | | | | | | | |
| | | Although the Port Rate includes all available features in GA, F | (Y. I A | & TN. t | he desired features | will need to b | ne ordered usin | g retail USOCs | <u> </u> | | | | | | | | 1 |
| | | VOICE GRADE LINE PORT RATES (RES) | , |] | | 1 | | 9 | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | | ĺ |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled MS extended local | | | | | | | | | | | | | | | |
| | | dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAT | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | LIEDOD | LIEDAD | 4.44 | 0.00 | 0.00 | 4.40 | 4.00 | | 45.75 | | | | |
| | | with Caller ID (LUM) | | | UEPSR | UEPAP | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | ļ |
| | | Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID | | | UEPSR | UEPWJ | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | UEPSR | UEPWJ | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Capability | | | UEPSR | UEPRT | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | 1.72 | 1.55 | | 15.75 | | | | |
| F | EATU | | | | 02. 0.0 | 00,100 | 0.00 | 0.00 | 0.00 | | | | 10.10 | | | | |
| | | All Available Vertical Features | | | UEPSR | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | | |
| 2- | | VOICE GRADE LINE PORT RATES (BUS) | | | | | | 2.00 | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled Line Port with | | | | | | | | | | | | | | | |
| | | unbundled port with Caller+E484 ID - Bus. | | 1 | UEPSB | UEPBC | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled MS extended local dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAY | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan without Caller ID | | | UEPSB | UEPWK | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | | | | | | | | | | | | | |
| | | Capability | | | UEPSB | UEPBE | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | EATU | Subsequent Activity | | <u> </u> | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| F | | All Available Vertical Features | | <u> </u> | UEPSB | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | | |
| F | | NGE PORT RATES (DID & PBX) | | | OLFOB | OLF VI | 2.30 | 0.00 | 0.00 | | | | 13.73 | | | | 1 |
| | | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| | | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| | | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| | | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| | | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| | | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | 1 |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | ļ | | <u> </u> |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | <u> </u> | UEPSP | UEPXC | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | <u> </u> |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | UEPSP | UEPXD | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| | | Capable Port | | <u> </u> | UEPSP | UEPXE | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | <u> </u> |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPSP | UEPXM | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |

Version 4Q02: 12/18/02 Page 252 of 416

| HNRH | INDI E | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachi | ment: 2 | Evhi | bit: B |
|----------|--|---|---------|--|--|-------------|--|---------------|---------------|-------------------|----------------|--------------|-------------|---------------|--|--|-------------|
| ONDO | MULL | D NET WORK ELEMENTO - MISSISSIPPI | | 1 | | | 1 | | | | | Svc Order | Svc Order | | Incremental | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| 04750 | | DATE ELEMENTO | Interi | . | BCS | 11000 | | | DATEO (6) | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy | | | | | | | | | | | | | | | |
| | | Calling Port | | | UEPSP | UEPXQ | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional | | | | | | | | | | | | | | | |
| | | Calling Port | | | UEPSP | UEPXR | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| | | 2-Wire Voice Unbundled PBX Port, Mississippi only | | | UEPSP | UEPA5 | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| | | Subsequent Activity | | 1 | UEPSP | USASC | 0.00 | 0.00 | 0.00 | 1 1100 | 0.02 | | 15.75 | | | | |
| | FEATU | | | | OLI OI | 00/100 | 0.00 | 0.00 | 0.00 | | | | 10.70 | | | | |
| | LAIO | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | EVOLIA | | | 1 | OLFSF OLFSL | OLFVI | 2.30 | 0.00 | 0.00 | | | | 13.73 | | | | ļ |
| <u> </u> | EXCHA | ANGE PORT RATES (COIN) | | 1 | 1 | 1 | | 0.00 | 0.00 | 4 10 | 4 *** | | 45 | | 1 | 1 | 1 |
| | NO== | Exchange Ports - Coin Port | L | 1 | | 1 | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | -1-1-2- | 15.75 | | | | ļ. |
| L | | Transmission/usage charges associated with POTS circuit sv | | | | | | | | | | | | | <u> </u> | | |
| L | | Access to B Channel or D Channel Packet capabilities will be | availal | ole onl | y through BFR/New | Business Re | quest Process. | Rates for the | packet capabi | itties will be de | termined via t | ne Bona Fic | e Request/l | New Busines | s Request Pro | cess. | |
| UNBUN | | LOCAL EXCHANGE SWITCHING(PORTS) | | <u> </u> | | 1 | | | | | | | | | | | |
| | EXCHA | ANGE PORT RATES | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| | | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | | | | | | | | | | | | | | | |
| | | capability | | | UEPDD | UEPDD | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | | |
| | | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 13.69 | 73.19 | 53.30 | 47.90 | 10.76 | | 15.75 | | | | |
| | | All Features Offered | | 1 | UEPTX UEPSX | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | | |
| - | NOTE: | Transmission/usage charges associated with POTS circuit sv | vitched | lieade | | | | | | ission by R-Ch | annole accori | ated with 2 | | orte | | | |
| | | Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Poguet Dre | 2000 | |
| | NOIL. | Exchange Ports - 2-Wire ISDN Port Channel Profiles | availai | Jie Oili | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | illes will be de | termineu via t | ie Bolla Fit | e Request/i | New Dusilies: | i Kequest Fit | 1 | |
| | | Exchange Ports - 2-Wire ISDN Port Charmer Profiles Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 84.63 | 205.00 | 102.14 | 81.65 | 20.69 | | 15.75 | | | | |
| | | | | | UEPEX | UEPEX | 84.03 | 205.00 | 102.14 | 81.00 | 20.69 | | 15.75 | | | | |
| | | NDLED PORT with REMOTE CALL FORWARDING CAPABILITY | | | | | | | | | | | | | | | |
| | UNBUN | NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Unbundled Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | Non-Re | ecurring | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPVR | USAC2 | | 0.0988 | 0.0988 | | | | 15.75 | | | | |
| | | Unbundled Remote Call Forwarding Service - Conversion with | | | OLI VIX | OOAOZ | | 0.0300 | 0.0300 | | | | 13.73 | | | | |
| | | allowed change (PIC and LPIC) | | | UEPVR | USACC | | 0.0988 | 0.0988 | | | | | | | | |
| | LINIDLIN | NDLED REMOTE CALL FORWARDING - Bus | | | UEFVK | USACC | | 0.0900 | 0.0966 | | | | | | | | |
| | UNBUN | NDLED REMOTE CALL FORWARDING - BUS | | | | | | | | | | | | | | | |
| | | | | 1 | LIED) (D | LIEDA C | | | | | | | , | | | | |
| | ļ | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | ! | UEPVB | UERAC | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | | | 1 | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | <u> </u> | UEPVB | UERLC | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Unbundled Remote Call Forwarding Service Expanded and | | | | | | | | | | | | | | | |
| 1 | 1 | Exception Local Calling | l | 1 | UEPVB | UERVJ | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | 1 | 1 | |
| | Non-Re | ecurring | | | | | | | - | | | | | | | | |
| | T | Unbundled Remote Call Forwarding Service - Conversion - | | | | İ | | | | | | | | | | | İ |
| 1 | 1 | Switch-as-is | l | 1 | UEPVB | USAC2 | | 0.0988 | 0.0988 | | | | 15.75 | | Ì | Ì | |
| | | Unbundled Remote Call Forwarding Service - Conversion with | | | 521 VD | 30,102 | | 5.0300 | 0.0300 | | | | 15.75 | | 1 | 1 | 1 |
| 1 | 1 | allowed change (PIC and LPIC) | l | 1 | UEPVB | USACC | | 0.0988 | 0.0988 | | | | | | 1 | 1 | |
| LIMBLE | IDLER! | LOCAL SWITCHING, PORT USAGE | | 1 | OLFVD | USACC | | 0.0988 | 0.0988 | | | | | | | | + |
| ONBON | | | | 1 | | + | | | | | | | | | | | 1 |
| | ∟nd Of | ffice Switching (Port Usage) | | 1 | | 1 | | | | | | | | | | | |
| | | End Office Switching Function, Per MOU | | 1 | | | 0.0010269 | | | | | | | | | | |
| | | End Office Trunk Port - Shared, Per MOU | | <u> </u> | | 1 | 0.000161 | | | | | | | | | | |
| | Tander | m Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | | | 0.0001723 | | | | | | | | | | |
| | | Tandem Trunk Port - Shared, Per MOU | | | | | 0.0001828 | | | | | | | | | | |
| | | | | 1 | 1 | 1 | 1 | | | | | | | | | | 1 |
| | Commo | on Transport | | | | | | | | | | | | | | | |

Version 4Q02: 12/18/02 Page 253 of 416

| UNBUNDLED | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-----------|---|-------------|--|----------------------|-------------|----------------|----------------|---------------|-----------------|------------------|-------------|-------------|-------------------------------------|-------------------------------------|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Order vs. | Increment Charge - Manual Sv Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic Disc Add |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | | |
| | O T F T | | | | | 0.0004541 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Common Transport - Facilities Termination Per MOU DRT/LOOP COMBINATIONS - COST BASED RATES | | | | - | 0.0004541 | | | | | | | | | | |
| | sed Rates are applied where BellSouth is required by FCC ar | nd/or St | ate Co | mmission rule to pro | ovide Unbun | dled Local Swi | tching or Swit | ch Ports | | | | | | | 1 | |
| | s shall apply to the Unbundled Port/Loop Combination - Cos | | | | | | | | ed Port section | of this Rate E | xhibit. | | | | | |
| | ce and Tandem Switching Usage and Common Transport Us | | | | | | | | | | | | | | | |
| | and additional Port nonrecurring charges apply to Not Curr | ently C | ombin | ed Combos. For Cur | rently Comb | ined Combos th | ne nonrecurrin | g charges sha | l be those ider | ntified in the N | onrecurring | - Currently | Combined se | ections. | | |
| | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.22 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 2 | | | 17.13 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | - | 26.26 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 4 | | 4 | | 1 | 44.91 | | | | | | | | | İ | |
| | op Rates | | | | | _ | | | | | | | | | | |
| 2 | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 10.98 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 15.91 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 25.04 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 4 /oice Grade Line Port Rates (Res) | | 4 | UEPRX | UEPLX | 43.68 | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | 1 | |
| 2 | 2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - res | | | UEPRX | UEPAT | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| | (LUM) | | | UEPRX | UEPAP | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| v | 2-Wire Voice Unbundled Mississippi Residence Dialing Plan without Caller ID | | | UEPRX | UEPWJ | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability | | | UEPRX | UEPRT | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| FEATUR | | | | LIEBBY | | | | | | | | | | | | |
| | All Features Offered NUMBER PORTABILITY | | | UEPRX | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | OLI TOX | LIVI OX | 0.00 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPRX | USAC2 | | 0.0988 | 0.0988 | | | | 15.75 | | | | |
| S | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPRX | USACC | | 0.0988 | 0.0988 | | | | 15.75 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Subsequent Database Update | | <u> </u> | | | 1 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | - | | | | | | | | | | | - |
| | Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | 33.132 | 5.50 | 0.00 | 0.00 | | | | 10.70 | | | | |
| | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| 2 | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.22 | • | | | - | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 17.13 | | | | | | | | | 1 | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | - | 26.26 | | | | | | | | | 1 | |
| | ор катеs 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 10.98 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 15.91 | | | | | | | | | † | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 25.04 | | | | | | | | | | |
| 2 | 2-Wire Voice Grade Loop (SL1) - Zone 4 | | 4 | UEPBX | UEPLX | 43.68 | | | | | | | | | | |
| | oice Grade Line Port (Bus) | | | | | | • | | | - | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | ļ | UEPBX | UEPBC | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Mississippi extended local | | | UEPBX | UEPBO | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | - |
| | z-vvire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - bus | l | 1 | UEPBX | UEPAY | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | l | I | |

Version 4Q02: 12/18/02 Page 254 of 416

| ONRONDE | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | 1 - | | | ment: 2 | | bit: B |
|----------|--|-------------|--------|----------------|----------------|----------------|--------|------------|--------------|-------|-----------|---|--|--|--------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | <u> </u> | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled Mississippi Business Dialing Plan without Caller ID | | | UEPBX | UEPWK | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID Capability | | | UEPBX | UEPBE | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| LOCA | AL NUMBER PORTABILITY | | | UEPBX | UEPBE | 1.23 | 40.31 | 19.84 | 24.90 | 0.58 | | 15.75 | | | | |
| LOCA | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | - |
| FEAT | TURES | | | OLI DX | LIVI OX | 0.00 | | | | | | | | | | |
| , | All Features Offered | | | UEPBX | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | 1 | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPBX | USAC2 | | 0.0988 | 0.0988 | | | | 15.75 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | 1 | |
| | Switch with change | | | UEPBX | USACC | | 0.0988 | 0.0988 | | | | 15.75 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 0.00 | 0.00 | | | | 15.75 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 15.75 | | | | |
| 2-WIF | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.22 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 17.13 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 26.26 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 4 | | 4 | | | 44.91 | | | | | | | | | | |
| UNE | Loop Rates | | 1 | LIEBBO | LIEDLY | 40.00 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG UEPRG | UEPLX UEPLX | 10.98 15.91 | | | | | | | | | - | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 25.04 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEPRG | UEPLX | 43.68 | | | | | | | | | | |
| 2-Wir | re Voice Grade Line Port Rates (RES - PBX) | | _ | OLI IKO | OLI LX | 40.00 | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| LOCA | AL NUMBER PORTABILITY | | | | | - | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.75 | | | | |
| FEAT | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 7.96 | 1.91 | | | | 15.75 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | UEPRG | USAC2 | | 7.96 | 1.91 | | | | 15.75 | | | - | |
| | Conversion - Switch with Change | | | UEPRG | USACC | | 7.96 | 1.91 | | | | 15.75 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 0.00 | 0.00 | | | | 15.75 | | | | |
| ADDI | TIONAL NRCs | | | | - | | | | | | | | | | - | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 7.36 | 7.36 | | | <u></u> | 15.75 | | | | |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | 1 | | 12.22 | | | | | | | | ļ | 1 | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 17.13 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 4 | 1 | _ | 26.26 44.91 | | | | | | | | | 1 | 1 |
| LIME | 2-Wire VG Loop/Port Combo - Zone 4 Loop Rates | | 4 | 1 | + | 44.91 | | | 1 | | | | | - | | |
| UNE | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 10.98 | | | | | | | | 1 | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEPPX | UEPLX | 15.91 | | | | | | | | 1 | t | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | - | | UEPPX | UEPLX | 25.04 | | | 1 | | ł – – – – | | | | t | † |

Version 4Q02: 12/18/02 Page 255 of 416

| ONRONDER | ED NETWORK ELEMENTS - Mississippi | | | 1 | | | | | | | Γ- | | | ment: 2 | | bit: B |
|--|--|--|----------|----------------|----------------|----------------|----------------|----------------|----------------|--------------|-------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEPPX | UEPLX | 43.68 | | | | | | | | | | |
| 2-Wire | e Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | Line Cide Habrardlad Combination C Way DDV Tarrah Dark Drop | | | LIEDDY | LIEDDO | 4.00 | CO 07 | 20.40 | 27.00 | C 47 | | 45.75 | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | 1 | UEPPX UEPPX | UEPPC UEPPO | 1.23 | 69.37 | 32.48 32.48 | 37.86 | 6.17 | | 15.75 | | | - | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus | | <u> </u> | UEPPX | UEPPO UEPP1 | 1.23 1.23 | 69.37 69.37 | 32.48 | 37.86 37.86 | 6.17 6.17 | | 15.75 15.75 | | | | - |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | - | - |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | 1 | UEPPX | UEPXB | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | 1 | UEPPX | UEPXC | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | 1 | | | 52. AD | 1.20 | 00.01 | 32.40 | 37.30 | 0.17 | | 10.70 | | 1 | 1 | |
| | Capable Port | 1 | 1 | UEPPX | UEPXE | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | 1 | I | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | 1 | 5 | | 52.70 | 220 | | | | | İ | 1 | |
| | Administrative Calling Port | | | UEPPX | UEPXL | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | 1 | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | 1 | | | | | | | | | | | | | | |
| | Room Calling Port | 1 | 1 | UEPPX | UEPXM | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | 1 | I | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | Discount Room Calling Port | | | UEPPX | UEPXO | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy | | | | | | | | | | | | | | | |
| | Calling Port | | | UEPPX | UEPXQ | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional | | | | | | | | | | | | | | | |
| | Calling Port | | | UEPPX | UEPXR | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | Mississippi PBX 2-Way Combo Local Opt 2 Calling Port | <u> </u> | <u> </u> | UEPPX | UEPA5 | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| LOCA | L NUMBER PORTABILITY | | | LIEDDY | LNDOD | 0.45 | 0.00 | 0.00 | | | | 45.75 | | | | |
| FEAT | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.75 | | | | |
| FEAT | All Features Offered | | | UEPPX | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | | |
| NONE | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | ULFFX | OLFVI | 2.50 | 0.00 | 0.00 | | | | 13.73 | | | | |
| INOINI | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | 1 | | | | | | | |
| | Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 7.96 | 1.91 | | | | 15.75 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | 02.17 | 00/102 | | 7.00 | | | | | 10.10 | | | | |
| | Conversion - Switch with Change | | | UEPPX | USACC | | 7.96 | 1.91 | | | | 15.75 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Subsequent Database Update | | | | | | 0.00 | 0.00 | | | | 15.75 | | | | |
| ADDIT | FIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | Group | | | | | | 7.36 | 7.36 | | | | 15.75 | | | | |
| | E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | | | | | | | | | | | | |
| UNE F | Port/Loop Combination Rates | | <u></u> | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 12.22 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | + + | 17.13 | | | | | | | | | ! | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | + | 26.26 44.91 | | | | | 1 | | | | | - |
| IINE I | 2-Wire VG Coin Port/Loop Combo – Zone 4 Loop Rates | | 4 | | + | 44.91 | | | | | 1 | | | | | - |
| UNE L | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 10.98 | | | 1 | | } | | | 1 | | - |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 15.91 | | | | | 1 | | | 1 | t | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 25.04 | | | † | | 1 | | | | I | <u> </u> |
| | 2-Wire Voice Grade Loop (SL1) - Zone 4 | | 4 | UEPCO | UEPLX | 43.68 | | | 1 | | 1 | | | | I | <u> </u> |
| 2-Wire | e Voice Grade Line Ports (COIN) | | | | 02. Z/ | 70.00 | | | 1 | | 1 | | | | I | |
| | 2-Wire Coin 2-Way without Operator Screening and without | | | | † | | | | | | | | | İ | 1 | |
| | Blocking (AL, KY, LA, MS) | 1 | 1 | UEPCO | UEPRF | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | 1 | I | |
| | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | | | | | | | | |
| | Blocking; with Dialing Parity (Note 3) (MS) | | | UEPCO | UEPMC | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | 1 | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | | | | | | | | | |
| 1 1 | 900/976, 1+DDD (AL, KY, LA, MS) | 1 | I | UEPCO | UEPRA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | ĺ | | |

Version 4Q02: 12/18/02 Page 256 of 416

| <u> </u> | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|--|--|-------|--------|---------|-------|--------|------------|--------------|-------|-------|---|---------------------------------|---|---|----------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | | - |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Coin 2-W with Operator Screening and Blocking: 011, 900/976, 1+DDD; with Dialing Parity (MS) | | | UEPCO | UEPMA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (AL, LA, MS) | | | UEPCO | UEPRB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; | | | | | | | | | | | | | | | |
| | with Dialing Parity (MS) | | | UEPCO | UEPMB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin 2-W Operator Screening: 900 Block: 900/976, | | | UEPCU | UEPCD | 1.23 | 40.31 | 19.84 | 24.90 | 6.38 | | 15.75 | | | | + |
| | 1+DDD, 011+, Local; with Dialing Parity (MS) | | | UEPCO | UEPCJ | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin Outward without Blocking and without Operator | | | OLI CO | OLI OS | 1.20 | 40.51 | 13.04 | 24.30 | 0.50 | | 13.73 | | | | |
| | Screening (KY, LA, MS) | | | UEPCO | UEPRN | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin Outward without Blocking and without Operator | | | | | | | | | | | | | | | |
| | Screening; With Dailing Parity (MS) | | | UEPCO | UEPME | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (GA, KY, MS) | | | UEPCO | UEPRJ | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 | | | | | | | | | | | | | | | |
| - | Blocking; with Dialing Parity (MS) | | | UEPCO | UEPMD | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin Outward Operator Screening & Blocking: 900/976, | | | UEPCO | UEPKH | 1.23 | 40.31 | 19.84 | 24.90 | 0.58 | | 15.75 | | | | + |
| | 1+DDD, 011+, and Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD, | | | 021 00 | OLI OIT | 1.20 | 40.01 | 10.04 | 24.00 | 0.00 | | 10.70 | | | | † |
| | 011+, and Local; with Dialing Parity (MS) | | | UEPCO | UEPCS | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | 1 |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | | | | | | | | | | | | | |
| | LA) | | | UEPCO | UEPCR | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| ADDIT | IONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | |
| 1.004 | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 4.62 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| LOCAL | L NUMBER PORTABILITY Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | + |
| NONE | ECURRING CHARGES - CURRENTLY COMBINED | | | UEPCO | LINPUX | 0.33 | | | | | | | | | | + |
| NONK | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | + |
| | Switch-as-is | | | UEPCO | USAC2 | | 0.0988 | 0.0988 | | | | 15.75 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch with change | | | UEPCO | USACC | | 0.0988 | 0.0988 | | | | 15.75 | | | | |
| ADDIT | IONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | <u> </u> | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 15.75 | | | | |
| | E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | ORI (| RES) | - | | | | | | | | | | | |
| UNE P | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 15.16 | | | | | | | | | | + |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 20.02 | | | | | | | | | | + |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 28.82 | | | | | | | | | | + |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 4 | | 4 | | | 46.99 | | | | | | | | | | 1 |
| UNE L | oop Rates | | | | | | | | | | | | | <u> </u> | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFR | UECF2 | 13.89 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 18.75 | | • | | • | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 27.55 | | | | | | | | ļ | ļ | |
| 0.147 | 2-Wire Voice Grade Loop (SL2) - Zone 4 | | 4 | UEPFR | UECF2 | 45.72 | | | | | | | | 1 | 1 | + |
| 2-Wire | Voice Grade Line Port Rates (Res) | | | UEPFR | UEPRL | 1.27 | 108.35 | 70.57 | 54.24 | 11.70 | - | 15 75 | | | | + |
| | 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res | - | | UEPFR | UEPRC | 1.27 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 15.75 | | - | | + |
| | 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1.27 | 108.35 | 70.57 | 54.24 | 11.70 | - | 15.75 | | 1 | | + |
| | 2-Wire voice Grade unbundled Mississippi extended local | 1 | | | 52.10 | 1.27 | 100.00 | 70.07 | 07.27 | 11.70 | | 10.70 | | 1 | † | † |
| | dialing parity port with Caller ID - res | 1 | | UEPFR | UEPAT | 1.27 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | I | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| ı | (LUM) | l | | UEPFR | UEPAP | 1.27 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | Ì | 1 | |

| ONROND | DLED NETWORK ELEMENTS - Mississippi | | | | <u> </u> | | | | | | | | | ment: 2 | | bit: B |
|-------------|--|-------------|----------|--|----------|--------|--------|------------|--------------|-------|-------|---|---|---|---|---|
| CATEGORY | Y RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | O Wise Vision Link and Ind Missississis Decidence Distinct Disc | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled Mississippi Residence Dialing Plan without Caller ID | | | UEPFR | UEPWJ | 1.27 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| INT | TEROFFICE TRANSPORT | | | OLFIK | OLFWJ | 1.21 | 100.33 | 70.57 | 34.24 | 11.70 | | 13.73 | | | 1 | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFR | U1TV2 | 20.32 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFR | 1L5XX | 0.0088 | | | | | | | | | | |
| FE <i>F</i> | ATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | 1 | UEPFR | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | | |
| LOC | OCAL NUMBER PORTABILITY | | | UEDED | LNDOV | 0.05 | | | | | | | | | | |
| NO | Local Number Portability (1 per port) NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | 1 | 1 | UEPFR | LNPCX | 0.35 | | | | | | | | | - | - |
| NOI | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | 1 | <u> </u> | 1 | | | | | + | | | | | - | | - |
| | Combination - Conversion - Switch-as-is | 1 | | UEPFR | USAC2 | | 16.94 | 3.72 | | | | 15.75 | | | 1 | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | 1 | | 1 | | | .0.04 | J Z | 1 | | | | | 1 | 1 | |
| | Combination - Conversion - Switch-With-Change | 1 | | UEPFR | USACC | | 16.94 | 3.72 | | | | 15.75 | | | | |
| | NIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR | E LINE | PORT (| BUS) | | | | | | | | | | | | |
| UNE | IE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 15.16 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 20.02 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 28.82 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 4 | | 4 | | | 46.99 | | | | | | | | | | |
| UNI | IE Loop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1 | 1 | 1 | UEPFB | UECF2 | 13.89 | | | | | | | | | - | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 18.75 | | | | | | | | | - | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 | 1 | 3 | UEPFB | UECF2 | 27.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | 1 | 4 | UEPFB | UECF2 | 45.72 | | | | | | | | | | |
| 2-W | Vire Voice Grade Line Port (Bus) | | <u> </u> | 02.1.0 | 020.2 | 10.72 | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 1.27 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 1.27 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 1.27 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire voice Grade unbundled Mississippi extended local | | | | | | | | | | | | | | | |
| | dialing parity port with Caller ID - bus | | | UEPFB | UEPAY | 1.27 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 1.27 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled Mississippi Business Dialing Plan without Caller ID | | | UEPFB | UEPWK | 1.27 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| 1.00 | OCAL NUMBER PORTABILITY | 1 | 1 | UEFFB | UEFWK | 1.27 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | 1 | | 1 |
| LOC | Local Number Portability (1 per port) | 1 | 1 | UEPFB | LNPCX | 0.35 | | | | | | | | 1 | t | 1 |
| INT | TEROFFICE TRANSPORT | 1 | | 1 | | 3.30 | | | 1 | | | | | 1 | 1 | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | 1 | | | | | | | 1 | | | | | | | |
| | Termination | | | UEPFB | U1TV2 | 20.32 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | ļ | | UEPFB | 1L5XX | 0.0088 | | | ļl | | | | | ļ | 1 | |
| FE <i>F</i> | ATURES | 1 | 1 | HEDED | LIED: /= | | | | ļl | | | , | | | | |
| No | All Features Offered | 1 | 1 | UEPFB | UEPVF | 2.56 | 0.00 | 0.00 | ļ — | | | 15.75 | | | 1 | ļ |
| NOI | DNRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | 1 | | | | | | | + | | | | | | + | |
| | Combination - Conversion - Switch-as-is | 1 | | UEPFB | USAC2 | | 16.94 | 3.72 | | | | 15.75 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | 1 | | | 0002 | | 10.04 | 0.72 | † | | | 10.70 | | 1 | † | |
| | Combination - Conversion - Switch with change | 1 | | UEPFB | USACC | | 16.94 | 3.72 | | | | 15.75 | | | | |
| | NIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| UNI | IE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 15.16 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | ļ | 2 | | | 20.02 | | | ļļ | | | | | | 1 | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | <u> </u> | 3 | _ | | 28.82 | | | | | | | | | | |
| I IAIT | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 4 IE Loop Rates | 1 | 4 | | | 46.99 | | | | | | | | | | |
| UNI | 2-Wire Voice Grade Loop (SL2) - Zone 1 | 1 | 1 | UEPFP | UECF2 | 13.89 | | | + | | | | | - | | - |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | 1 | | UEPFP | UECF2 | 18.75 | | | 1 | | - | | | - | 1 | 1 |

| UNBUNDL | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|---|-------------|--------|--------|----------------|----------------|--------|------------|--|-------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 27.55 | | | | | | | | | | |
| 0 14/:- | 2-Wire Voice Grade Loop (SL2) - Zone 4 | | 4 | UEPFP | UECF2 | 45.72 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| İ | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | - | | | | | | |
| | Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | UEPFP | UEPXE | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| | Administrative Calling Port | | | UEPFP | UEPXL | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPFP | UEPXM | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | Discount Room Calling Port 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy | | | UEPFP | UEPXO | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| | Calling Port | | | UEPFP | UEPXQ | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port | | | UEPFP | UEPXR | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| | Mississippi PBX 2-Way Combo Local Opt 2 Calling Port | | | UEPFP | UEPA5 | 1.27 | 137.41 | 80.14 | 67.20 | 11.29 | | 15.75 | | | | |
| LOCA | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.75 | | | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFP | U1TV2 | 20.32 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| FEAT | or Fraction Mile | | | UEPFP | 1L5XX | 0.0088 | | | 1 | | | | | | | |
| FEAT | All Features Offered | | | UEPFP | UEPVF | 2.56 | 0.00 | 0.00 | - | | | 15.75 | | | | |
| NONE | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | UEPFP | UEFVF | 2.56 | 0.00 | 0.00 | 1 | | | 15.75 | | | | |
| INOINI | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 16.94 | 3.72 | | | | 15.75 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | 1 | | | | | .0.04 | 52 | 1 | | | | | 1 | 1 | |
| | Combination - Conversion - Switch with change | l | | UEPFP | USACC | | 16.94 | 3.72 | 1 | | | 15.75 | | | 1 | |
| | PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | İ., | | | <u> </u> | | |
| 2-WIF | RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 21.32 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 26.16 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | ļ | | 34.98 | | | 1 | | | | | | 1 | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4 | ļ | 4 | ļ | | 53.15 | | | 1 | | ļ | | | ļ | ļ | |
| UNE | Loop Rates | ļ | | LIEDDY | UEOD4 | 10.00 | | | ļ . | | 1 | | | | - | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | l | 1 | UEPPX | UECD1 UECD1 | 13.89 18.75 | | | + + | | 1 | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | <u> </u> | 2 | UEPPX | UECD1 | 18.75 27.55 | | | | | 1 | | | | - | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4 | - | 3 4 | UEPPX | UECD1 | 45.72 | | | + | | | | | | + | |
| UNE | Port Rate | - | 4 | ULPFA | DECDI | 43.72 | | | + | | | | | | + | |
| ONE | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 7.43 | 225.96 | 87.13 | 114.59 | 14.25 | | 15.75 | | | 1.97 | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | | | 52. 51 | 7.40 | | 57.15 | 114.00 | 17.20 | | 10.70 | | 1 | 1.57 | 1 |
| 110111 | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | LIEDDY | | | | | | | | | | | | |
| | Switch-as-is 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | UEPPX | USAC1 | | 7.35 | 1.88 | | | | 15.75 | | | 1.97 | |
| | with BellSouth Allowable Changes | | | UEPPX | USA1C | | 7.35 | 1.88 | | | | 15.75 | | | 1.97 | |

Version 4Q02: 12/18/02 Page 259 of 416

| UNBUNDLED | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-----------|---|-------------|------|--------|--------|--------|---------|--------|------------|--------------|-------|-------|-----------|--|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | Е | scs | USOC | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electronic Disc Add |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| ADDITION | NAL NOO- | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | NAL NRCs | | | LIEDDY | | LICAC4 | | 26.94 | 26.94 | | | | 45.75 | | | 4.07 | |
| | -Wire DID Subsequent Activity - Add Trunks, Per Trunk ne Number/Trunk Group Establisment Charges | | | UEPPX | | USAS1 | | 26.94 | 26.94 | | | | 15.75 | | | 1.97 | |
| | DID Trunk Termination (One Per Port) | | - | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | ocal Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | SDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | NE SIDE | PORT | | | | | | | | | | | | | | |
| | t/Loop Combination Rates | | | | | | 1 | | | | | | | | | | |
| 2\ | W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - INE Zone 1 | | 1 | UEPPB | UEPPR | , | 28.59 | | | | | | | | | | |
| | W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | - 1 | UEPPB | UEPPR | 1 | 28.59 | | | | | | | | | - | |
| U | JNE Zone 2 | | 2 | UEPPB | UEPPR | | 35.00 | | | | | | | | | | |
| | W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - INE Zone 3 | | 3 | UEPPB | UEPPR | | 45.18 | | | | | | | | | | |
| 2\ | W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | UEPPB | UEPPR | | | | | | | | | | | | |
| UNE Loo | INE Zone 4 | | 4 | | | | 67.61 | | | | | | | | | | |
| | -Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 18.26 | | | | | | 15.75 | | | 1.97 | |
| | | | _ | | | | | | | | | | | | | | |
| | -Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 24.67 | | | | | | 15.75 | | | 1.97 | |
| | -Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 34.85 | | | | | | 15.75 | | | 1.97 | |
| UNE Port | -Wire ISDN Digital Grade Loop - UNE Zone 4 t Rate | | 4 | UEPPB | UEPPR | USL2X | 57.28 | | | | | | 15.75 | | | 1.97 | |
| E | xchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 10.33 | 190.80 | 133.22 | 100.72 | 21.13 | | 15.75 | | | 1.97 | |
| | URRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | -Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | | | | | | | | | | | | | | |
| | Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 38.73 | 27.17 | | | | 15.75 | | | 1.97 | |
| | NAL NRCs | | | | | | | | | | | | | | | | |
| | NUMBER PORTABILITY | | | LIEDDD | UEPPR | LNPCX | 0.25 | 0.00 | 0.00 | | | | | | | | |
| | ocal Number Portability (1 per port) NEL USER PROFILE ACCESS: | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| | VS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | VS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | SSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C.MS. & | TN) | OLITE | OLITIK | 01000 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | 111, | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| USER TE | RMINAL PROFILE | | | | | | | | | | | | | | | | |
| U | Jser Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | AL FEATURES | | | | | | | | | | | | | | | | |
| | II Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | FICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | nteroffice Channel mileage each, including first mile and acilities termination | | | UEPPB | UEPPR | M1GNC | 22.5298 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | 1.97 | |
| | nteroffice Channel mileage each, additional mile | | | | UEPPR | M1GNM | 0.0098 | 0.00 | 0.00 | | | | | | İ | 1 | |
| | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | 1 | | | | 2.20 | 2.20 | | | | | | | 1 | |
| | t/Loop Combination Rates | | | | | | 1 | | | | | | | | | | |
| | W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | Cone 1 | | 1 | UEPPP | | | 155.43 | | | | | | | | | | |
| | W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Cone 2 | | 2 | UEPPP | | | 205.74 | | | | | | | | | | |
| 4\ | W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| 1 7 | one 3 | | 3 | UEPPP | | 1 | 283.10 | | | | | 1 | 1 | | I | 1 | 1 |

| ONRONDL | ED NETWORK ELEMENTS - Mississippi | | | 1 | | | | | | | | _ | | ment: 2 | | bit: B |
|----------|---|--|------|-------|-------|------------------|--------|------------|--|-------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Zone 4 | | 4 | UEPPP | | 534.81 | | | | | | | | | | |
| LINE | Loop Rates | | - | OLFFF | | 334.61 | | | | | | | | | | |
| OILE | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | USL4P | 79.08 | | | | | | 15.75 | | | 1.97 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | USL4P | 129.38 | | | | | | 15.75 | | | 1.97 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | 206.74 | | | | | | 15.75 | | | 1.97 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 4 | | 4 | UEPPP | USL4P | 458.46 | | | | | | 15.75 | | | 1.97 | |
| UNE | Port Rate | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | UEPPP | 76.35 | 458.93 | 260.59 | 127.75 | 32.76 | | 15.75 | | | 1.97 | |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | |
| | Combination - Conversion -Switch-as-is | | | UEPPP | USACP | 0.00 | 119.76 | 79.01 | | | | 15.75 | | | 1.97 | |
| ADD | TIONAL NRCs | 1 | | 1 | 1 | | | | † | | | | | 1 | 1.5. | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | 1 | 1 | | | | † | | | | | İ | İ | |
| | Inward/two way Tel Nos. (except NC) | | | UEPPP | PR7TF | | 0.49 | | | | | 15.75 | | | 1.97 | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | |
| | Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 11.58 | 11.58 | | | | 15.75 | | | 1.97 | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | |
| | Subsequent Inward Tel Numbers | | | UEPPP | PR7ZT | | 23.15 | 23.15 | | | | 15.75 | | | 1.97 | |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| INTE | RFACE (Provsioning Only) | | | | | | | | | | | | | | | |
| | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New | or Additional "B" Channel | | | | | | | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 14.61 | | | | | 15.75 | | | 1.97 | |
| | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 14.61 | | | | | 15.75 | | | 1.97 | |
| | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 14.61 | | | | | 15.75 | | | 1.97 | |
| CALI | . TYPES | | | | | | | | | | | | | | | |
| | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Inter | office Channel Mileage | | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 57.53 | 89.79 | 82.28 | 16.66 | 14.90 | | 15.75 | | | 1.97 | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.20 | | | | | | | | | | |
| | RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | 1 | 1 | UEPDC | | 121 70 | | | | | | 15 75 | | 1 | 1.97 | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | + | 131.78 182.07 | | | | | | 15.75 15.75 | | - | 1.97 | |
| -+ | | | 3 | UEPDC | | 182.07 259.44 | | | | | | | | - | 1.97 | |
| -+ | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 | | | UEPDC | | 259.44 511.15 | | | | | | 15.75 15.75 | | - | 1.97 | |
| IINE | Loop Rates | | 4 | OLFDC | | 311.15 | | | | | | 15.75 | | - | 1.97 | |
| UNE | 4-Wire DS1 Digital Loop - UNE Zone 1 | - | 1 | UEPDC | USLDC | 79.08 | | | + | | | 15.75 | | - | 1.97 | |
| -+ | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 129.38 | | | | | | 15.75 | | | 1.97 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 206.74 | | | | | | 15.75 | | | 1.97 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 4 | | 4 | UEPDC | USLDC | 458.46 | | | | | | 15.75 | | | 1.97 | |
| UNF | Port Rate | 1 | - | 02.00 | JOLDO | 450.40 | | | + | | | 10.73 | | | 1.97 | |
| 0.11 | 4-Wire DDITS Digital Trunk Port | 1 | | UEPDC | UDD1T | 52.70 | 457.12 | 254.70 | 120.96 | 14.61 | | 15.75 | | | 1.97 | |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | 1 | | | 12211 | 02.70 | 107.12 | 20-1.10 | 120.00 | 17.01 | | 10.70 | | | 1.57 | 1 |
| 11314 | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | 1 | | | + + | | | | | | | | | | <u> </u> | |
| | - Switch-as-is | 1 | | UEPDC | USAC4 | | 130.24 | 67.41 | j | | | 15.75 | | l | 1.97 | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | 1 | | | 1 | | .00.27 | 3 | † | | | .0 0 | | 1 | , | |
| | - Conversion with DS1 Changes | l | | UEPDC | USAWA | | 130.24 | 67.41 | | | | 15.75 | | | 1.97 | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | 1 | 1 | | | | † | | | | | İ | | |
| | - Conversion with Change - Trunk | 1 | | UEPDC | USAWB | | 130.24 | 67.41 |] | | | 15.75 | | 1 | 1.97 | |
| ADD | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | 1 | 1 | | | | † | | | | | İ | İ | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | l | l | UEPDC | UDTTA | | 14.56 | 14.56 | | |] | 15.75 | | 1 | 1.97 | |

| | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|---------|---|-------------|----------|-------------------------|-------------------------|----------------------------------|--------|------------|--------------|------------|-------|-----------------------|--|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge |
| | | | | | | Rec | Nonred | curring | Nonrecurring | Disconnect | | • | | Rates (\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMA |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 14.56 | 14.56 | | | | 15.75 | | | 1.97 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 14.56 | 14.56 | | | | 15.75 | | | 1.97 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | LIEDDO | LIDTTD | | 44.50 | 44.50 | | | | 45.75 | | | 4.07 | |
| | Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | <u> </u> | <u> </u> | UEPDC | UDTTD | | 14.56 | 14.56 | | | | 15.75 | | | 1.97 | - |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 14.56 | 14.56 | | | | 15.75 | | | 1.97 | |
| | AR 8 ZERO SUBSTITUTION | | 1 | OLI DO | ODITE | | 14.50 | 14.50 | | | 1 | 13.73 | | | 1.37 | + |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 600.00 | | | | 15.75 | | | 1.97 | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 600.00 | | | | 15.75 | | | 1.97 | |
| | te Mark Inversion | | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Teleph | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | 15.75 | | | 1.97 | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 15.75 | | | 1.97 | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 15.75 | | | 1.97 | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | 15.75 | | | 1.97 | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | 15.75 | | | 1.97 | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | Reserve DID Numbers | | <u> </u> | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | ted DS1 (Interoffice Channel Mileage) - FX/FC0 for 4-Wire DS1 Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | 1 Digita | Loop | with 4-Wire DDITS | Trunk Port | | | | | | | | | | | |
| | | | | LIEDDO | 41.004 | F7 00 | 00.70 | 00.00 | 40.00 | 44.00 | | 45.75 | | | 1.97 | |
| | Termination) | <u> </u> | <u> </u> | UEPDC | 1LNO1 | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | 1.97 | - |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.20 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | 1 | OLI DO | ILIVOA | 0.20 | 0.00 | 0.00 | | | 1 | | | | | |
| | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | |
| | miles | | | UEPDC | 1LNOB | 0.20 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.20 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | DS1 LOOP WITH CHANNELIZATION WITH PORT | <u> </u> | | | | | | | | | | | | | | |
| | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | | | L | | | | | | | | | | | | |
| | ystem can have up to 24 combinations of rates depending on | type a | nd nun | ber of ports used | | | | | | | | | | | | |
| | S1 Loop | | 1 | LIEDMO | LICI DC | 70.00 | 0.00 | 0.00 | | | 1 | | | | | 1 |
| | 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 | | | UEPMG UEPMG | USLDC | 79.08 129.38 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 206.74 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 4 | | 4 | UEPMG | USLDC | 458.46 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | SO Channelization Capacities (D4 Channel Bank Configuration | ns) | _ | OLI WO | OOLDC | 430.40 | 0.00 | 0.00 | | | | 13.73 | | | 1.37 | |
| | 24 DSO Channel Capacity - 1 per DS1 | , | | UEPMG | VUM24 | 95.06 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 190.12 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 380.24 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | 1 |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | 1 | | UEPMG | VUM14 | 570.36 | 0.00 | 0.00 | | | Ì | 15.75 | | | 1.97 | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 760.48 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 950.60 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,140.72 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,520.96 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | 1 |
| | | | | | | | 0.00 | 0.00 | | | 1 | 15.75 | · · · · · · · · · · · · · · · · · · · | | 1.97 | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 1,901.20 | 0.00 | | | | | | | | | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG UEPMG UEPMG | VUM40 VUM57 VUM67 | 1,901.20 2,281.44 2,661.68 | 0.00 | 0.00 | | | | 15.75 15.75 | | | 1.97 | |

Version 4Q02: 12/18/02 Page 262 of 416

| UNBUNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | ment: 2 | | bit: B |
|-----------|---|-------------|----------|---------------------|------------------|--------------------|----------------|----------------|--|-----------------|---|----------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | _ | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | I | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Multip | oles of this configuration functioning as one are considered Ac | dd'I afte | r the m | inimum system co | nfiguration is | counted. | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without | | | LIEDMO | USAC4 | 0.00 | 454.05 | 0.44 | | | | 45.75 | | | 4.07 | |
| Systo | BellSouth Allowed Changes m Additions at End User Locations Where 4-Wire DS1 Loop with | th Chan | nolizat | UEPMG | | 0.00 | 151.35 | 8.41 | | | | 15.75 | | | 1.97 | |
| | Not Currently Combined) in all states, except in Density Zone 1 | | | | I Curre | LAISIS AND | | | | | | | | | | — |
| itew (| 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation | Огтор | I WIGH | UEPMG | VUMD4 | 0.00 | 715.15 | 327.39 | 148.05 | 17.56 | | 15.75 | | | 1.97 | |
| Binol | ar 8 Zero Substitution | | | OLI WO | VOIVID4 | 0.00 | 7 10.10 | 327.33 | 140.00 | 17.50 | | 15.75 | | | 1.57 | - |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 600.00 | | | | 15.75 | | | 1.97 | |
| | Clear Channel Capability Format - Extended Superframe - | | | | | 3.00 | 5.55 | 333.33 | | | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 600.00 | | | | 15.75 | | | 1.97 | |
| Altern | ate Mark Inversion (AMI) | | | LIEBLIO | | | | | | | | | ļ | ļ | ļ | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Evelo | Extended Superframe Format inge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Dort | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | - | | | |
| | inge Ports Associated with 4-Wire DST Loop with Channelization | on with | FOIL | | | | | | | | | | | | | |
| LACITE | Inge i orts | | | | | | | | | | | | | | | - |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 | | | 1.97 | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 | | | 1.97 | |
| | Live City Investigation Change in LDDV To all Days it as DDD | | | LIEDDY | UEDAY | 4.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 45.75 | | | 4.07 | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX UEPPX | UEP1X UEPDM | 1.23 7.40 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 15.75 | | | 1.97 1.97 | — |
| | Unbundled Exchange Ports, 2-Wire Channelized – Outdial – | | | UEPPA | UEPDIVI | 7.40 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 | | | 1.97 | |
| | (AL, KY, LA, MS, & TN)(Conversion from Network Access | | | | | | | | | | | | | | | |
| | Service) | | | UEPPX | UEPCY | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 | | | 1.97 | l |
| | Unbundled Exchange Ports, 2-Wire Channelized – Combination | | | | | | | | | | | | | | | |
| | (AL, KY, LA, MS, & TN) (Conversion from Network Access | | | | | | | | | | | | | | | |
| | Service) | | | UEPPX | UEPCT | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 | | | 1.97 | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Outdial– Mississippi Only – Calling Plan | | | UEPPX | UEPC4 | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 | | | 1.97 | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Two Way - | | | UEPPA | UEPC4 | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 | 1 | | 1.97 | <u> </u> |
| | Mississippi Only – Calling Plan | | | UEPPX | UEPA5 | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 | | | 1.97 | |
| Featu | re Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | - | |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| | Bank | | | UEPPX | 1PQWM | 0.61 | 25.36 | 13.39 | 4.29 | 4.26 | | 15.75 | | | 1.97 | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | = | | | | | | | | | |
| Tolon | D4 Bank hone Number/ Group Establishment Charges for DID Service | | | UEPPX | 1PQWU | 0.61 | 78.03 | 18.39 | 60.66 | 11.85 | | 15.75 | | | 1.97 | — |
| reiep | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 15.75 | - | | 1.97 | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | - |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.75 | İ | | 1.97 | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | URES - Vertical and Optional | | ! | | | ļ | | | ļ | | <u> </u> | <u> </u> | | ļ | ļ | |
| Local | Switching Features Offered with Line Side Ports Only All Features Available | 1 | ! | UEPPX | UEPVF | 2.56 | 0.00 | 0.00 | | | 1 | 15.75 | | - | 1.97 | |
| | Mississippi PBX 2-Way Combo Local Opt 2 Calling Port | | | UEPPX | UEPA5 | 14.00 | 90.00 | 90.00 | | | | 15.75 | | | 1.97 | |
| UNBUNDLED | CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: | S | | OLI I A | JLI AJ | 14.00 | 30.00 | 30.00 | | | | 10.75 | — | | | |
| | at Based Rates are applied where BellSouth is required by FCC | | State (| Commission rule to | provide Unb | undled Local S | witching or Sw | vitch Ports. | | | | | 1 | Ì | İ | |
| 2. Fea | tures shall apply to the Unbundled Port/Loop Combination - C | ost Bas | ed Rat | e section in the sa | me manner as | they are applie | d to the Stand | l-Alone Unbur | | | | | | | | |
| 3. End | Office and Tandem Switching Usage and Common Transport | Usage | rates ir | the Port section of | of this rate exh | nibit shall apply | to all combina | ations of loop | port network e | lements excep | t for UNE (| | | | | |
| 4. The | first and additional Port nonrecurring charges apply to Not Co | urrently | Comb | ined Combos. Fo | r Currently Co | mbined Combo | s, the nonrect | urring charges | shall be those | identified in t | he Nonrecu | rring - Curr | ently Combine | ed sections. | Additional NF | Cs may |
| | also and are categorized accordingly. | | | | | | | | | | | | | | | |
| | rket Rates for Unbundled Centrex Port/Loop Combination will | | otiated | on an Individual C | Case Basis, un | til further notice | э. | | | | | | | | | |
| | CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only |) | <u> </u> | | | ļ | | | | | ļ | ļ | | | | |
| 2-Wire | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | l | 1 | l | 1 | | | | | | l | 1 | l . | l . | l . | |

Version 4Q02: 12/18/02 Page 263 of 416

| UNBU | NDLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attach | ment: 2 | Exhil | bit: B |
|--|----------|---|--|--|----------------|----------|--------|---------|------------|--------------|--------------|-----------|-----------|-------------|--|-------------|-------------|
| | | - 11 | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | |
| CATEG | ORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | P | , | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | D130 131 | DISC Add I |
| | | | | | | | Rec | Nonrec | curring | Nonrecurring | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | UNE Po | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 1 | UEP91 | | 12.22 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 2 | UEP91 | | 17.13 | | | | | | | | | | |
| , | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 3 | UEP91 | | 26.26 | | | | | | | | | | |
| , | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | | | | | | | | | | | | | | |
| | | Non-Design | | 4 | UEP91 | | 44.91 | | | | | | | | | | |
| | UNE PO | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
|] | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | 1 | LIEBO4 | | 45.40 | | | | | | | | | | |
| | | Design | | 1 | UEP91 | | 15.12 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | l | 2 | UEP91 | | 10.00 | | | | | | 1 | | 1 | | 1 |
| | | Design | | 2 | UEP91 | | 19.98 | | | | | | | | | | + |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | l | 3 | UEP91 | | 28.78 | | | | | | 1 | | 1 | | 1 |
| \longmapsto | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 3 | UEP91 | - | 28.78 | | | | | | | | | | + |
| , | | Design | | 4 | UEP91 | | 46.95 | | | | | | | | | | |
| | IINE L | op Rate | | | OLF91 | + | 40.95 | | | | | 1 | | | | | + |
| | ONL L | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 10.98 | | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 15.91 | | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | 25.04 | | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP91 | UECS1 | 43.68 | | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 13.89 | | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 18.75 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 27.55 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP91 | UECS2 | 45.72 | | | | | | | | | | 1 |
| | UNE Po | | | | | | - | | | | | | | | | | 1 |
| | All Stat | es (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| l , | | Area | | | UEP91 | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP91 | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| , | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term - Basic Local Area | | | UEP91 | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | l | 1 | | 1 | | | | l | _ | | l | | Ì | | 1 |
| | | - Basic Local Area | | | UEP91 | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | l | | LIEDO4 | LIEDYO | 4.00 | 40.01 | 10.01 | 24.65 | 0.50 | | 45 | | 1 | | 1 |
| <u> </u> | A1 1/1/ | Basic Local Area LA, MS, & TN Only | | <u> </u> | UEP91 | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | + |
| \vdash | AL, KY | | | - | UEP91 | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | - | 15.75 | | | | + |
| \vdash | | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | ! | | UEP91 UEP91 | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | - | | + |
| \longmapsto | | 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 | 1 | 1 | UEP91 | UEPQB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 1 | 15.75 | | | | + |
| - | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | - | | OL1 31 | טבו עוו | 1.23 | 40.51 | 15.04 | 24.30 | 0.36 | | 13.73 | | | | + |
| | | Center)2 | l | | UEP91 | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | - | l | 02. 01 | JEI WIVI | 1.25 | 100.00 | 70.07 | U-1.24 | 11.70 | | 10.70 | | | | + |
| | | Term | l | 1 | UEP91 | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | Ì | | 1 |
| | | - | 1 | t | | | 20 | . 55.56 | . 0.01 | J2- | 170 | | | | 1 | | 1 |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | l | | UEP91 | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | 1 | | 1 |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | 1 | | 1 |
| | Local S | witching | | | | | | - | | | | | | | | | 1 |
| | | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.7947 | | | 1 | | | | | | | 1 |
| | Local N | lumber Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | _ | UEP91 | UEPVF | 2.56 | | | | | | 15.75 | | | _ | |

| UNE | SUNDLE | D NETWORK ELEMENTS - Mississippi | | | | 1 | | | | | | 1 - | 1 - | | ment: 2 | | bit: B |
|-------------|---------|---|--|----------|---------|----------------|--------|--------|------------|--------------|------------|---|---|--|--|---|---|
| ATE | EGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | l. | . |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 404.98 | | | | | 15.75 | | | | 1 |
| | | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 2.56 | | | | | | 15.75 | | | | Ī |
| | NARS | | | | | | | | | | | | | | | | 1 |
| | | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | aneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire | Trunk Side | | <u> </u> | LIEDOA | OFNIAO | 0.05 | 400.00 | 10.05 | 04.77 | 0.00 | | 45.75 | | | | |
| | lutanaf | Trunk Side Terminations, each fice Channel Mileage - 2-Wire | | 1 | UEP91 | CENA6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | 1 | 15.75 | | | - | |
| | Interor | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBC M1GBM | 0.0098 | 40.77 | 21.31 | 17.20 | 1.11 | 1 | 15.75 | | t | t | \vdash |
| | Featur | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | 02.31 | IVITODIVI | 0.0090 | | | | | | | | | | |
| | | nnel Bank Feature Activations | ř – | | | 1 | | | | | | 1 | <u> </u> | | I | I | |
| | 3 | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.57 | | | | | | | | 1 | 1 | |
| | 1 | | | | | | 5.51 | | | 1 | | | | | 1 | 1 | 1 |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | l | | UEP91 | 1PQW6 | 0.57 | | | | | | | | 1 | 1 | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | 1 |
| | | Slot | | | UEP91 | 1PQW7 | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | 1 |
| | | Different Wire Center | | | UEP91 | 1PQWP | 0.57 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP91 | 1PQWQ | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.57 | | | | | | | | | | |
| | Non-Re | ecurring Charges (NRC) Associated with UNE-P Centrex | | <u> </u> | | | | | | | | | | | | | |
| | | Conversion - Currently Combined Switch-As-Is with allowed changes, per port | | | UEP91 | USAC2 | | 0.10 | 0.10 | | | | 15.75 | | | | |
| | | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 37.97 | 16.68 | | | | 15.75 | | | | |
| | | New Centrex Standard Common Block | | 1 | UEP91 | M1ACS | 0.00 | 666.32 | 10.00 | | | 1 | 15.75 | | | | + |
| | | New Centrex Standard Common Block | | 1 | UEP91 | M1ACC | 0.00 | 666.32 | | | | 1 | 15.75 | | | | + |
| | | Secondary Block, per Block | | 1 | UEP91 | M2CC1 | 0.00 | 77.91 | | | | 1 | 15.75 | | | | + |
| | | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 72.63 | | | | | 15.75 | | | | + |
| | UNE-P | CENTREX - 5ESS (Valid in All States) | | | 02. 0. | OTTE OF T | 0.00 | 72.00 | | | | | 10.70 | | | | |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | 1 |
| | | Non-Design | | 1 | UEP95 | | 12.22 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | 1 |
| | | Non-Design | | 2 | UEP95 | | 17.13 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 3 | UEP95 | | 26.26 | | | | | | | | | | 1 |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | | | | | | | | | | | | | | |
| | | Non-Design | | 4 | UEP95 | | 44.91 | | | | | | | | | | |
| | UNE P | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | 1 | LIEDOE | | 45.40 | | | | | | | | | | |
| | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP95 | | 15.12 | | | | | 1 | | | | - | - |
| | | Design | l | 2 | UEP95 | | 19.98 | | | | | | | | 1 | 1 | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | 06430 | + | 19.98 | | | | | | | | | | |
| | | Design | l | 3 | UEP95 | | 28.78 | | | | | | | | 1 | 1 | |
| | - | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | 02.1 33 | + | 20.70 | | | | | | | | | | |
| | | Design | l | 4 | UEP95 | | 46.95 | | | | | | | | I | I | |
| | UNE I | poop Rate | | † | | | .0.00 | | | | | | | | 1 | 1 | |
| | J L | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 10.98 | | | | | | | | 1 | 1 | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 15.91 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 25.04 | | | | | | | | 1 | 1 | |
| | -t | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | | UEP95 | UECS1 | 43.68 | | | | | İ | 1 | | 1 | | |

| ADOIADEE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|--|-------------|----------|----------------|----------------|--------------|--------|------------|--------------|-------|-------|----------------|---|---|-------------------------|---------------------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Increment Charge |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | l | 1 |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | | UEP95 | UECS2 | 13.89 | | | | | | | | | | ļ |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 18.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 27.55 | | | | | | | | | | ļ |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP95 | UECS2 | 45.72 | | | | | | | | | | <u> </u> |
| UNE Po | | | | | - | | | | | | | | | | | |
| All Stat | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | <u> </u> | UEP95 | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15 75 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | UEF95 | UEFIB | 1.23 | 40.31 | 19.04 | 24.90 | 0.30 | | 15.75 | | | | - |
| | Area | | | UEP95 | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| - | Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | - |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP95 | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | , LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP95 | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| FL & G | | | | | | | | | | | | | | | | |
| Local S | witching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7947 | | | | | | | | | | |
| | lumber Portability | | | LIEDAE | LUBOO | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | <u> </u> | UEP95 | LNPCC | 0.35 | | | | | | | | | | ļ |
| Feature | | | | LIEDOE | LIEDVE | 0.50 | | | | | | 45.75 | | | | |
| | All Standard Features Offered, per port All Select Features Offered, per port | | | UEP95 UEP95 | UEPVF UEPVS | 2.56 0.00 | 404.98 | | | | | 15.75 15.75 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 2.56 | 404.90 | | | | - | 15.75 | | | | - |
| NARS | rai Control Control i Gatares Cherea, per port | | | OLI 30 | OLI VO | 2.00 | | | ł | | | 13.73 | | 1 | 1 | \vdash |
| 147.110 | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | \vdash |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1 | |
| Miscella | aneous Terminations | | | | | 2.00 | 2.00 | 2.00 | İ | | | .5.70 | | | | |
| | Trunk Side | | | | 1 | | | | İ | | | | | İ | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.56 | | | | | | | | | |
| | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | <u> </u> |
| | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | ļ | ļ |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0098 | | | | | | | | | | ļ |
| | Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | <u> </u> |
| | nnel Bank Feature Activations | | - | LIEDOE | 100000 | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | <u> </u> | UEP95 | 1PQW6 | 0.57 | | | | | 1 | | | | | |

| NDUNDLLI | NETWORK ELEMENTS - Mississippi | 1 | | | | | | | | | C C1 | Comp Control | Attachr | | | bit: B |
|----------|---|-------------|------|----------------|---------|-------|--------|------------|--------------|------------|-------|--------------|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | | Rates (\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP95 | 1PQWQ | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.57 | | | | | | | | | | |
| | curring Charges (NRC) Associated with UNE-P Centrex | | | OLI 50 | II QVVA | 0.07 | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP95 | USAC2 | | 0.10 | 0.10 | | | | 15.75 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP95 | USACN | | 37.97 | 16.68 | | | | 15.75 | | | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 666.32 | | | | | 15.75 | | | 1 | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 666.32 | | | | | 15.75 | | | 1 | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.63 | | | | | 15.75 | | | 1 | |
| | CENTREX - DMS100 (Valid in All States) | | | | 1 1 | - 77 | | | | | | | | | İ | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE Po | ort/Loop Combination Rates (Non-Design) | 1 | | | | | | | | | | | | | t | |
| 0.12. | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | 1 |
| | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9D | | 12.22 | | | | | | | | | | |
| | Non-Design | | 2 | UEP9D | | 17.13 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | | 26.26 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 4 | UEP9D | | 44.91 | | | | | | | | | | |
| UNE Po | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9D | | 15.12 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 19.98 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 28.78 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | - 3 | OLI 3D | + | 20.70 | | | | | | | | | | |
| | Design | | 4 | UEP9D | | 46.95 | | | | | | | | | | |
| | op Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 10.98 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 15.91 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 25.04 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP9D | UECS1 | 43.68 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 13.89 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 18.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 27.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP9D | UECS2 | 45.72 | | | | | | | | | | |
| UNE Po | ort Rate | | | | | | | | | | | | | | | |
| ALL ST | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | İ | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | UEP9D | UEPYF | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | UEP9D UEP9D | UEPYF | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |

| ONBONDE | D NETWORK ELEMENTS - Mississippi | | | 1 | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|----------|----------------|----------------|--------------|----------------|----------------|----------------|--------------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonre | | | Disconnect | | | | Rates (\$) | | |
| | O Min Maio On to Post (Octoo (FDO M5000)) O Posis Local | | | | | NCC | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | UEP9D | UEPYT | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | OLF3D | OLFII | 1.23 | 40.31 | 19.04 | 24.90 | 0.38 | | 13.73 | | | | |
| | Area | | | UEP9D | UEPYU | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYV | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | - | - | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | OLI SD | OLI 10 | 1.20 | 40.01 | 10.04 | 24.00 | 0.00 | | 10.70 | | | | |
| | Area | | | UEP9D | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | | |
| | Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | UEP9D | UEPYW | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | - | - | |
| | Basic Local Area | | | UEP9D | UEPYJ | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | 02. 02 | 020 | 20 | 10.01 | .0.01 | 2 | 0.00 | | 10.10 | | | | |
| | 2 Basic Local Area | | | UEP9D | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPYO | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | - | - | |
| | Basic Local Area | | | UEP9D | UEPYP | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | OLI SD | OLI II | 1.20 | 100.00 | 70.07 | 04.24 | 11.70 | | 10.70 | | | | |
| | Basic Local Area | | | UEP9D | UEPYQ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPYR | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | Basic Local Area | | | UEP9D | UEPYS | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | OLI OD | OLI 10 | 1.20 | 100.00 | 70.07 | 04.24 | 11.70 | | 10.70 | | | | |
| | Basic Local Area | | | UEP9D | UEPY4 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | | | | | | = | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPY5 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | 1 | |
| | Basic Local Area | | | UEP9D | UEPY6 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY7 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | = | | | | | | | |
| | Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | | - | | | | | | | | | | |
| | Local Area | | | UEP9D | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| AL, K | Y, LA, MS, SC, & TN Only | | | UEP9D | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | - | - | |
| | 2-Wire Voice Grade Port (Centrex 666 termination) | | | UEP9D | UEPQC | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D UEP9D | UEPQF UEPQG | 1.23 1.23 | 40.31 40.31 | 19.84 19.84 | 24.90 24.90 | 6.58 6.58 | | 15.75 15.75 | | | | |
| + | 2-Wire Voice Grade Port (Centrex / EBS-M5012)3 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQG | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Fort (Centrex / EBS-M5000)3 | | | UEP9D | UEPQU | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | † | † | † |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | <u> </u> | UEP9D | UEPQH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQW | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | † | † | † |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2 | | | UEP9D | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | 1 | 1 | |

| ONBOND | LED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | ment: 2 | | bit: B |
|---------|---|--------------|--|--------|----------------|--------|--------|------------|--------------|-------|---|---|--|---|---|---|
| CATEGOR | rate elements | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 0 M/ V(-) O I D I (O I / E/(OMO /EDO ME140)0 0 | | | LIEDOD | LIEDOD | 4.00 | 400.05 | 70.57 | 5404 | 44.70 | | 45.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | 1 | | UEP9D | UEPQR | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2 WHO VOICE GRADE FOR (CONTROL AND FEED WOOTE)2, 0 | 1 | | OLI OD | OLI QU | 1.20 | 100.00 | 70.01 | 04.24 | 11.70 | | 10.70 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | 1 | | UEP9D | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2 Wise Vaine Conda Boot terminated in an Manalink or annihila | | | UEP9D | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalen | T . | 1 | | UEPQ9 UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | | | | | | | |
| Loc | 2-Wire Voice Grade Port Terminated on 800 Service Term | 1 | | UEP9D | UEPQZ | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| LOC | Centrex Intercom Funtionality, per port | 1 | | UEP9D | URECS | 0.7947 | | | | | | | | | | 1 |
| 100 | al Number Portability | | 1 | OLI 3D | OKEGO | 0.7347 | | | | | | | | | | |
| | Local Number Portability (1 per port) | 1 | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| Fea | tures | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 2.56 | | | | | | 15.75 | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 404.98 | | | | | 15.75 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 2.56 | | | | | | 15.75 | | | | |
| NA | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | cellaneous Terminations | 1 | | | | | | | | | | | | | | |
| 2-W | /ire Trunk Side | | | LIEDOD | OFNIDO | 0.05 | 100.00 | 10.05 | 04.77 | 0.00 | | 45.75 | | | | |
| 4 14 | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| 4-1/ | /ire Digital (1.544 Megabits) DS1 Circuit Terminations, each | 1 | | UEP9D | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | | |
| | DS0 Channels Activiated per Channel | 1 | | UEP9D | M1HD0 | 0.00 | 14.56 | 90.23 | 74.00 | 2.54 | | 15.75 | | | | |
| Inte | proffice Channel Mileage - 2-Wire | | | OLI 3D | WITIDO | 0.00 | 14.50 | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0098 | | 27.07 | 11120 | | | 10.70 | | | | |
| Fea | ture Activations (DS0) Centrex Loops on Channelized DS1 Servi | ce | | | | | | | | | | | | | | |
| D4 | Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.57 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | 1 |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | ļ | | UEP9D | 1PQW6 | 0.57 | | | | | | | | | | ļ |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | 1 | 1 | | 1.50 | | | | | | 1 | | | | | |
| | Slot | | <u> </u> | UEP9D | 1PQW7 | 0.57 | | | ļ | | | | ļ | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | 1 | | LIEDOD | 1DO)4/D | 0.57 | | | | | | | | | | |
| | Different Wire Center | 1 | | UEP9D | 1PQWP | 0.57 | | | 1 | | - | | | - | 1 | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | 1 | 1 | UEP9D | 1PQWV | 0.57 | | | | | 1 | | | | | |
| | Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop | 1 | | 021 30 | 11 04 44 4 | 0.37 | | | 1 | | | | 1 | 1 | 1 | |
| | Slot | 1 | | UEP9D | 1PQWQ | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | 1 | | UEP9D | 1PQWA | 0.57 | | | | | | | | | | |
| Nor | n-Recurring Charges (NRC) Associated with UNE-P Centrex | 1 | | - | | | | | | | | | İ | İ | | 1 |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | 1 | | | | | | | | | | | | | | |
| | changes, per port | 1 | 1 | UEP9D | USAC2 | | 0.10 | 0.10 | | | 1 | 15.75 | | | | |
| | Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 37.97 | 16.68 | | | | 15.75 | | | | |

| NRONDLE | D NETWORK ELEMENTS - Mississippi | | | 1 | | | | | | | T - | | | nent: 2 | | bit: B |
|---------|--|-------------|------|--------|----------------|--------------|--------|------------|----------------|--------------|---|---|--|--|--|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Dee | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.63 | | | | | 15.75 | | | | |
| UNE-P | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| 2-Wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP9E | | 12.22 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 2 | UEP9E | | 17.13 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP9E | <u> </u> | 26.26 | | | | | | | | 1 | <u> </u> | <u> </u> |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 4 | UEP9E | | 44.91 | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP9E | | 15.12 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 2 | UEP9E | | 19.98 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP9E | | 28.78 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 4 | UEP9E | | 46.95 | | | | | | | | | | |
| UNE L | oop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 10.98 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 15.91 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 25.04 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP9E | UECS1 | 43.68 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 13.89 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 18.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 27.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP9E | UECS2 | 45.72 | | | | | | | | | | |
| | ort Rate | | | | | | | | | | | | | | | |
| AL, FL | ., KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9E | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | l | | | | | | | | | | | |
| | Area | | | UEP9E | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP9E | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP9E | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9E | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| AL, K | /, LA, MS, & TN Only | | | LIEDOE | LIEDOA | 4.00 | 40.04 | 40.04 | 04.00 | 0.50 | | 45.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | LIEDOE | LIEDOM | 4.00 | 400.05 | 70.55 | 54.01 | 44 =- | | 4 | | | 1 | |
| | Center)2 | | | UEP9E | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | <u> </u> |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | LIEDOE | LIEDGE | | 400 0- | == | | | | , | | | 1 | |
| - | Term | | | UEP9E | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | - | |
| | O Miles Vision Condo Dout Assessing to Live a Marcellot and a second | | | LIEBOE | LIEDOS | 4.00 | 40.01 | 10.01 | 04.00 | 0.50 | | 45.75 | | | I | |
| -+- | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ9 UEPQ2 | 1.23 1.23 | 40.31 | 19.84 | 24.90 24.90 | 6.58 6.58 | | 15.75 | | | - | |
| | LANGE VICE LETTER PORT LETTING FOR SOIL SERVICE LETT | i . | i | UEP9E | コロヒセロン | 1 23 | 40.31 | 19.84 | 24 90 | 6.58 | | 15.75 | | | 1 | 1 |

| ONRONDLE | D NETWORK ELEMENTS - Mississippi | | | 1 | | | | | | | 1 - | | | ment: 2 | | bit: B |
|----------|---|-------------|----------|----------------|----------------|--------|---------------|---------------|--------------|-------|-------|---|---|---|----------|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.7947 | | | | | | | | | | |
| Local | Number Portability Local Number Portability (1 per port) | | 1 | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| Featu | | | | UEF9E | LINFCC | 0.35 | | | | | | | | | | |
| reatu | All Standard Features Offered, per port | | 1 | UEP9E | UEPVF | 2.56 | | | | | | 15.75 | | | | |
| + | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 404.98 | | | | | 15.75 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 2.56 | 404.00 | | | | | 15.75 | | | | |
| NARS | | | | 02. 02 | 02. 70 | 2.00 | | | | | | 10.70 | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| Misce | llaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | | | | • | | | • | | | _ | | | |
| | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | | |
| | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 14.56 | | | | | 15.75 | | | | |
| Intero | ffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.0098 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | <u> </u> | | | | | | | | | | | | | |
| D4 Ch | annel Bank Feature Activations | | | UEP9E | 1PQWS | 0.57 | | | | | | 45.75 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | TPQW5 | 0.57 | | | | | | 15.75 | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.57 | | | | | | 15.75 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9E | 1PQW7 | 0.57 | | | | | | 15.75 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9E | 1PQWP | 0.57 | | | | | | 15.75 | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.57 | | | | | | 15.75 | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9E | 1PQWQ | 0.57 | | | | | | 15.75 | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.57 | | | | | | 15.75 | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | LIEDOE | 110400 | | 0.40 | 0.40 | | | | 45.75 | | | | |
| | changes, per port Conversion of Existing Centrex Common Block, each | | | UEP9E UEP9E | USAC2 USACN | | 0.10 37.97 | 0.10 16.68 | | | | 15.75 15.75 | | | | |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 666.32 | 10.08 | | | | 15.75 | | | | |
| | New Centrex Standard Common Block | | | UEP9E | M1ACC | 0.00 | 666.32 | | | | | 15.75 | | | | - |
| | NAR Establishment Charge, Per Occasion | | 1 | UEP9E | URECA | 0.00 | 72.63 | | | | | 15.75 | | | | |
| IINE-E | P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | 1 | ULFBL | UNLUA | 0.00 | 72.03 | | | | | 13.73 | | | | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | 1 | | | | | | | | | | | | | |
| | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| 0.12. | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design | | 1 | UEP93 | | 12.22 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP93 | | 17.13 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | | 3 | UEP93 | | 26.26 | | | | | | | | | | |
| <u> </u> | Non-Design | ļ | 4 | UEP93 | \bot | 44.91 | | | | | | | | | | |
| UNE F | Port/Loop Combination Rates (Design) | ļ | <u> </u> | | 4 | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design | | 1 | UEP93 | | 15.12 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP93 | | 19.98 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP93 | | 28.78 | | | | | | | | | | |

| ONRONDE | ED NETWORK ELEMENTS - Mississippi | | | 1 | <u> </u> | | | | | | Γ- | | | ment: 2 | | bit: B |
|----------|---|-------------|----------|----------------|----------|--------|--------|------------|--|-------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | II. | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | LIEBOO | | 40.05 | | | | | | | | | | |
| LINE | Design | | 4 | UEP93 | | 46.95 | | | | | | | | | | |
| UNE | Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 10.98 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 2 | UEP93 | UECS1 | 15.91 | | | | | | | | | | |
| + | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 25.04 | | | + | | | | | | - | - |
| + | 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP93 | UECS1 | 43.68 | | | + | | | | | | - | - |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 4 | UEP93 | UECS2 | 13.89 | | | | | | | | | | |
| | | | 2 | | | 18.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 3 | UEP93 UEP93 | UECS2 | 27.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | | | UECS2 | | | | | | - | | | | | |
| LINIE | 2-Wire Voice Grade Loop (SL 2) - Zone 4 Port Rate | | 4 | UEP93 | UECS2 | 45.72 | | | + | | | | | - | | |
| | Y, LA, MS, & TN only | | <u> </u> | | + | | | | | | 1 | | | - | | |
| AL, K | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | <u> </u> | UEP93 | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 1 | 15.75 | | - | | |
| | | | | UEF93 | UEFTA | 1.23 | 40.31 | 19.04 | 24.90 | 0.36 | - | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP93 | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP93 | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP93 | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP93 | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP93 | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP93 | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 | UEPQH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP93 | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP93 | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1,23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.7947 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP93 | LNCCC | 0.35 | | | | | | | | | | |
| Featu | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP93 | UEPVF | 2.56 | | | | | | 15.75 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 2.56 | | | | | | 15.75 | | | | |
| NARS | 3 | | | | | | | | | | | | | | | |
| 1 | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | 1 | | | 15.75 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| Misce | ellaneous Terminations | | | | | | | | <u> </u> | | | | | | | |
| 2-Wir | e Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| 4-Wir | e Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | | |
| | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 14.56 | | | | | 15.75 | | | | |
| Interd | office Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.0098 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 CI | nannel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.57 | | | | | | | | | | |

| IBUNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|---------|---|-------------|------|-------|-------|------|--------|------------|-------------|--------------|-------|-----------------------|----------|------------|---|------------------------------------|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Sv Order vs. |
| | | | | | | _ [| Nonrec | urrina | Nonrecurrin | g Disconnect | | 1 | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP93 | 1PQW7 | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP93 | 1PQWP | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot | | | UEP93 | 1PQWQ | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.57 | | | | | | | | | | |
| | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP93 | USAC2 | | 0.10 | 0.10 | | | | 15.75 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP93 | USACN | | 37.97 | 16.68 | | | | | | | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | 0.00 | 72.63 | | | | | 15.75 | | | | |
| Note 1 | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| Note 2 | 2 - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| Note 3 | - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |

| UNBUND | LED | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhib | bit: B |
|-----------------|--------|--|---------|--|----------------------------|----------------|---------------------|----------------|------------------|-----------------------|-----------------------|---------|--|---------------------------------------|---------------------------------------|---------------------------------------|--|
| | | | Interi | | | | | | | | | | Svc Order Submitted Manually | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incrementa Charge - Manual Sve |
| CATEGORY | Y | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Order vs. Electronic- Disc 1st | Order vs. Electronic Disc Add'l |
| | | | | | | | Rec | Nonre First | curring Add'l | Nonrecurring First | g Disconnect Add'l | COMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN |
| The | e "Zoı | ne" shown in the sections for stand-alone loops or loops as | part of | a comi | l bination refers to Ge | eographically | Deaveraged U | | | | | | | | | | SOMAN |
| http | p://wv | ww.interconnection.bellsouth.com/become_a_clec/html/interc | • | | | | | | | , | | | , | | | | |
| | | SUPPORT SYSTEMS | | Ĺ.,, | | | | | | | | | | <u> </u> | | | |
| | | Electronic Service Order: CLEC should contact its contracts the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | is rate |
| | | s the belisouth regional electronic service ordering charge. 2) Any element that can be ordered electronically will be bille | | | | | | | | | | | | | | | lly. For |
| | | ements that cannot be ordered electronically at present per the | | | | | | | | | | | | | | | |
| | | charge, SOMAN, will be applied to a CLECs bill when it sub | | | | | 3 . 3 | . | | | | | | | | | |
| | | Electronic OSS Charge, per LSR, submitted via BST's OSS | | | | | | | | | | | | | | | |
| | | nteractive interfaces (Regional) | | | | SOMEC | | 3.50 | | | | | | | | | |
| | | DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with E | olico. | th's FC | C No 1 Tariff Coati | on 5 ac armi | cable | | | 1 | 1 | 1 | | | | | - |
| INO | | I he Expedite charge will be maintained commensurate with E JNE Expedite Charge per Circuit or Line Assignable USOC, per | ensol | inis FC | ALL UNE EXCEPT | on o as appli | capie. | 1 | 1 | + | + | | 1 | | | | 1 |
|]] | | Day | | 1 | UNE-P | SDASP | | 200.00 | | | | | | | | | |
| UNBUNDLE | | KCHANGE ACCESS LOOP | | 1 | | | İ | 200.00 | İ | | | | | | | | |
| | VIRE A | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| oxdot | 2 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 12.11 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
| \vdash | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 21.24 | 57.99 | 42.37 | | | 1 | | 26.94 | 12.76 | | |
| $\vdash \vdash$ | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 33.65 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
|]] | | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | 1 | UEANL | URETL | | 8.33 | 0.83 | | | | | 26.94 | 12.76 | | |
| \vdash | | Loop Testing - Basic 1st Half Hour | | 1 | UEANL | URET1 | | 76.24 | 0.63 | | | | | 26.94 | 12.76 | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 39.51 | | | | | | 26.94 | 12.76 | | |
| | (| CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | | UVL-SL1) | | | UEANL | UREWO | | 15.76 | 8.93 | | | | | 26.94 | 12.76 | | |
| | | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | l | | | | | | | | | | | | |
| | | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM UEAMC | | 28.74 61.38 | 28.74 61.38 | | | | | | | | |
| \vdash | | Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 | | | UEANL | UEAIVIC | | 61.38 | 61.38 | | | | | | | | - |
| | | per LSR) | | | UEANL | OCOSL | | 45.34 | | | | | | | | | |
| 2-W | | Unbundled COPPER LOOP | | | OL7 II VL | CCCCE | | 40.04 | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 10.16 | 35.27 | 15.60 | | | | | 26.94 | 12.76 | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | UEQ | UEQ2X | 17.55 | 35.27 | 15.60 | | | | | 26.94 | 12.76 | | |
| | 2 | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 27.58 | 35.27 | 15.60 | | | | | 26.94 | 12.76 | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | | 26.94 | 12.76 | | |
| \vdash | | Premise Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | OLG | UKEIL | 1 | 8.33 | 0.83 | 1 | 1 | 1 | + | ∠0.94 | 12.76 | | |
|]] | | Designed (per loop) | | 1 | UEQ | USBMC | l . | 45.34 | | | | | | | | | |
| | | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | | | | | | | | | | | | | |
| $oxed{oxed}$ | E | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 28.74 | 28.74 | | | | | 26.94 | 12.76 | | |
| \vdash | | Loop Testing - Basic 1st Half Hour | | <u> </u> | UEQ | URET1 | | 76.24 | | | | 1 | | 26.94 | 12.76 | | |
| \vdash | | Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch | | <u> </u> | UEQ | URETA | - | 39.51 | - | 1 | - | | | 26.94 | 12.76 | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND) | | 1 | UEQ | UREWO | | 14.26 | 7.42 | | | | | 26.94 | 12.76 | | |
| UNBUNDI F | | (CHANGE ACCESS LOOP | | 1 | OLQ | ONLVVO | | 14.20 | 1.42 | | | | | 20.94 | 12.70 | | |
| | | ANALOG VOICE GRADE LOOP | | 1 | | | | | | | | | | | | | |
| | | Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| $\vdash \vdash$ | | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 12.11 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
|]] | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | ١. | LIEDOD LIEGOS | LIEAGO | | | | | | | | | | | |
| \vdash | | Zone 1 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | 1 | UEPSR UEPSB | UEABS | 12.11 | 57.99 | 42.37 | 1 | 1 | 1 | 1 | 26.94 | 12.76 | | - |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | 2 | UEPSR UEPSB | UEALS | 21.24 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
| \vdash | _ | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | 521 SK 521 55 | 32,120 | 21.24 | 51.35 | 72.37 | 1 | 1 | 1 | | 20.34 | 12.70 | | |
|]] | | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 21.24 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
| | 2 | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | 1- | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 33.65 | 57.99 | 42.37 | | | 1 | | 26.94 | 12.76 | | |
| | | | | | | | | | | | | | | | | | |
| \vdash | 2 | Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | | 3 | UEPSR UEPSB | UEABS | 33.65 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |

Version 4Q02: 12/18/02 Page 274 of 416

| <u>UNBUND</u> L | LED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-----------------|---|-------------|--|------------|----------------|----------------|------------------|------------------|-------|--------------|-------|---|---------------------------------|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonred | | | g Disconnect | | | | Rates (\$) | | |
| 0.14 | IRE ANALOG VOICE GRADE LOOP | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Z-VV | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | + | | | | | |
| | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 14.97 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 25.93 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 40.81 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | | |
| | Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 14.97 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | - | ULA | ULANZ | 14.57 | 142.51 | 100.30 | | | | | 20.54 | 12.70 | | - |
| | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 25.93 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 40.81 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.64 | 36.33 | | | | | 26.94 | 12.76 | | |
| 4 10/ | Loop Tagging - Service Level 2 (SL2) IRE ANALOG VOICE GRADE LOOP | | | UEA | URETL | | 10.45 | 1.03 | | | 1 | | 26.94 | 12.76 | | |
| 4-44 | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 21.32 | 288.47 | 237.45 | | | | | 26.94 | 12.76 | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 2 | UEA | UEAL4 | 36.27 | 288.47 | 237.45 | | | | | 26.94 | 12.76 | | - |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 56.57 | 288.47 | 237.45 | | | | | 26.94 | 12.76 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | Ť | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.64 | 36.33 | | | | | 26.94 | 12.76 | | |
| 2-W | IRE ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | | UDN | U1L2X | 19.42 | 325.91 | 251.31 | | | | | 26.94 | 12.76 | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN UDN | U1L2X U1L2X | 32.88 51.14 | 325.91 325.91 | 251.31 251.31 | | | | | 26.94 26.94 | 12.76 12.76 | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) | | 3 | UDN | OCOSL | 51.14 | 45.34 | 251.31 | | | - | | 26.94 | 12.76 | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.55 | 44.12 | | | 1 | | 26.94 | 12.76 | | |
| 2-W | IRE Universal Digital Channel (UDC) COMPATIBLE LOOP | | | ODIT | OIKEVVO | | 01.00 | 44.12 | | | | | 20.04 | 12.70 | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | 1 | | 1 | UDC | UDC2X | 19.42 | 325.91 | 251.31 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | 2 | | 2 | UDC | UDC2X | 32.88 | 325.91 | 251.31 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | _ | LIBO | LIDOOY | 54.44 | 005.04 | 054.04 | | | | | 00.04 | 40.70 | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | 3 | UDC UDC | UDC2X UREWO | 51.14 | 325.91 91.55 | 251.31 44.12 | | | | | 26.94 26.94 | 12.76 12.76 | | |
| 2-W | IRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIRI F | LOOF | | UKEWU | | 91.55 | 44.12 | | | | | 20.94 | 12.76 | | - |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | 1 | 1 | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 11.00 | 264.71 | 145.60 | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | 1 |
| | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 18.39 | 264.71 | 145.60 | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UAL | UAL2X OCOSL | 28.42 | 264.71 45.34 | 145.60 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | UAL | UCUSL | | 45.34 | | | | + | | | | | |
| | facility reservation - Zone 1 | | 1 | UAL | UAL2W | 11.00 | 190.25 | 114.82 | | | | | 26.94 | 12.76 | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | J | 11.00 | 100.20 | 114.02 | | | 1 | | 20.04 | 12.70 | | |
| | facility reservaton - Zone 2 | 1 | 2 | UAL | UAL2W | 18.39 | 190.25 | 114.82 | | | | | 26.94 | 12.76 | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 3 | ļ | 3 | UAL | UAL2W | 28.42 | 190.25 | 114.82 | | | | | 26.94 | 12.76 | | <u> </u> |
| | Order Coordination for Specified Conversion Time (per LSR) | ļ | <u> </u> | UAL | OCOSL | | 45.34 | 40.00 | | | 1 | | 00.01 | 40.70 | | ļ |
| 2 14/1 | CLEC to CLEC Conversion Charge without outside dispatch IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDIE | LOCE | UAL | UREWO | | 86.12 | 40.36 | | | 1 | | 26.94 | 12.76 | | |
| 2-10 | 2 Wire Unbundled HDSL Loop including manual service inquiry | LIDLE | LOOP | 1 | + + | | | | | | + | | | | | |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.01 | 284.74 | 163.54 | | | | | 0.00 | 0.00 | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | 1 | <u> </u> | † · | | 0.01 | 20 4 | .00.04 | | | | | 3.50 | 5.50 | | |
| | & facility reservation - Zone 2 | 1 | 2 | UHL | UHL2X | 14.87 | 284.74 | 163.54 | | | | | 0.00 | 0.00 | | |

| ONBONDE | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--|---|-------------|----------|------------|----------------|----------------|------------------|------------------|--------------|--------------|--------|-----------------------|---------------------------------|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred | | | g Disconnect | 001150 | 001111 | | Rates (\$) | 001111 | 001111 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 22.82 | 284.74 | 163.54 | | | | | 0.00 | 0.00 | | |
| - | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 22.02 | 45.34 | 105.54 | | | | | 0.00 | 0.00 | | - |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | 0.1.2 | 00002 | | .0.0 . | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.01 | 207.48 | 132.05 | | | | | 26.94 | 12.76 | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 14.87 | 207.48 | 132.05 | | | | | 26.94 | 12.76 | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 22.82 | 207.48 | 132.05 | | | | | 26.94 | 12.76 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 45.34 | 40.00 | | | | | 00.04 | 40.70 | | |
| 4-14/15 | CLEC to CLEC Conversion Charge without outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDI E I | OOB | UHL | UREWO | | 86.06 | 40.36 | | 1 | | | 26.94 | 12.76 | | |
| 4-9915 | 4 Wire Unbundled HDSL Loop including manual service inquiry | IIIBLE | LOOP | | _ | | | | | 1 | | - | | | | <u> </u> |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 10.62 | 341.65 | 220.45 | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | <u> </u> | 0.1.2 | 01.12.17 | 10.02 | 011100 | 220.10 | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 17.67 | 341.65 | 220.45 | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 27.24 | 341.65 | 220.45 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 45.34 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 10.62 | 264.39 | 188.96 | | | | | 26.94 | 12.76 | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | _ | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 17.67 | 264.39 | 188.96 | | | | | 26.94 | 12.76 | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 27.24 | 264.39 | 188.96 | | | | | 26.94 | 12.76 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 21.24 | 45.34 | 188.96 | | 1 | | - | 26.94 | 12.76 | | ļ |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.06 | 40.36 | | | | | 26.94 | 12.76 | | |
| 4-WIR | RE DS1 DIGITAL LOOP | | | OTIL | OKEWO | | 00.00 | 40.00 | | | | | 20.04 | 12.70 | | - |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 47.60 | 714.84 | 421.47 | | | | | 42.19 | 12.76 | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 84.36 | 714.84 | 421.47 | | | | | 42.19 | 12.76 | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 134.29 | 714.84 | 421.47 | | | | | 42.19 | 12.76 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 48.31 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.99 | 43.00 | | | | | 26.94 | 12.76 | | |
| 4-WIR | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 25.32 | 489.04 | 337.51 | | | | | 26.94 | 12.76 | | |
| | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL UDL | UDL19 UDL19 | 43.11 67.26 | 489.04 489.04 | 337.51 337.51 | | | - | | 26.94 26.94 | 12.76 12.76 | | |
| | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL | UDL19 | 25.32 | 489.04 | 337.51 | | | + | | 26.94 | 12.76 | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL | UDL56 | 43.11 | 489.04 | 337.51 | | | | | 26.94 | 12.76 | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | 1 | | UDL | UDL56 | 67.26 | 489.04 | 337.51 | 1 | 1 | 1 | | 26.94 | 12.76 | | |
| <u> </u> | Order Coordination for Specified Conversion Time (per LSR) | | Ŭ | UDL | OCOSL | 020 | 45.34 | 337.31 | Ì | Ì | | | 20.04 | .20 | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 25.32 | 489.04 | 337.51 | | | | | 26.94 | 12.76 | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL | UDL64 | 43.11 | 489.04 | 337.51 | | | | | 26.94 | 12.76 | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 67.26 | 489.04 | 337.51 | | | | | 26.94 | 12.76 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 45.34 | | | ļ | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.03 | 49.70 | | | | | 26.94 | 12.76 | | |
| 2-WIR | RE Unbundled COPPER LOOP | 1 | | | _ | | | | | | 1 | 1 | | | | 1 |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 | l | 4 | UCL | UCLPB | 13.26 | 262.86 | 143.75 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service | 1 | | UUL | UCLFD | 13.20 | 202.00 | 143.75 | 1 | 1 | 1 | 1 | | 1 | 1 | + |
| | inquiry & facility reservation - Zone 2 | 1 | 2 | UCL | UCLPB | 22.39 | 262.86 | 143.75 | | | | | | | | 1 |
| 1 | 2 Wire Unbundled Copper Loop/Short including manual service | | | | 502.5 | 22.00 | 202.00 | 140.70 | | | | | | | | |
| | inquiry & facility reservation - Zone 3 | 1 | 3 | UCL | UCLPB | 34.80 | 262.86 | 143.75 | | | | | | | | 1 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | 1 | | | | | | |
| İ | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 13.26 | 188.39 | 112.96 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | l | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | <u> </u> | 2 | UCL | UCLPW | 22.39 | 188.39 | 112.96 | | <u> </u> | | | 26.94 | 12.76 | | <u> </u> |

| ONRONDER | D NETWORK ELEMENTS - North Carolina | | | 1 | | | | | | | | | | ment: 2 | | bit: B |
|-----------|---|--|--------------|----------------|----------------|-------|---|-----------------|-------|--------------|---|---|--|------------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | _ | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 34.80 | 188.39 | 112.96 | | | | | 26.94 | 12.76 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | | UCL | UCLMC | | 61.38 | 61.38 | | | 1 | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 13.26 | 262.86 | 143.75 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | UCL | UCLZL | 13.20 | 202.00 | 143.73 | | | + | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 22.39 | 262.86 | 143.75 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | - | 002 | OCLL | 22.00 | 202.00 | 1 1017 0 | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 34.80 | 262.86 | 143.75 | | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | İ | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 13.26 | 188.39 | 112.96 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | l | 1 | | | | | | | 1 | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 22.39 | 188.39 | 112.96 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | _ | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL UCL | UCL2W UCLMC | 34.80 | 188.39 61.38 | 112.96 61.38 | | | 1 | | 26.94 | 12.76 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch | | | UCL | UCLIVIC | | 61.38 | 61.38 | | | 1 | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 97.14 | 42.44 | | | | | 26.94 | 12.76 | | |
| 4-WID | E COPPER LOOP | | | UCL | UKLVVO | | 37.14 | 42.44 | | | 1 | | 20.94 | 12.70 | | |
| 4-4411 | 4-Wire Copper Loop/Short - including manual service inquiry | | | | + | | | | | | + | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 17.36 | 311.03 | 191.93 | | | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | <u> </u> | 002 | 002.0 | | 011.00 | 101.00 | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 29.61 | 311.03 | 191.93 | | | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 46.26 | 311.03 | 191.93 | | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 17.36 | 236.57 | 161.14 | | | | | 26.94 | 12.76 | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | _ | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 29.61 | 236.57 | 161.14 | | | | | 26.94 | 12.76 | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 46.26 | 236.57 | 161.14 | | | | | 26.94 | 12.76 | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 40.20 | 61.38 | 61.38 | | | + | | 20.94 | 12.76 | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | OOL | OCLIVIC | | 01.50 | 01.30 | | | 1 | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 17.36 | 311.03 | 191.93 | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | 002 | 002.2 | | 011.00 | 101.00 | | | 1 | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 29.61 | 311.03 | 191.93 | | | | | | | | |
| ĺ | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 46.26 | 311.03 | 191.93 | | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | l | | | | | | | | 1 | | | 1 | |
| | inquiry and facility reservation - Zone 1 | ļ | 1 | UCL | UCL4O | 17.36 | 236.57 | 161.14 | | | 1 | | 26.94 | 12.76 | ļ | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | l | _ | LICI | 110140 | 20.04 | 220 57 | 101 11 | | | | 1 | 20.04 | 10.70 | 1 | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 29.61 | 236.57 | 161.14 | | | 1 | | 26.94 | 12.76 | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 46.26 | 236.57 | 161.14 | | | | 1 | 26.94 | 12.76 | 1 | |
| | Order Coordination for Unbundled Copper Loops (per loop) | 1 | <u> </u> | UCL | UCL4C UCLMC | 40.∠0 | 61.38 | 61.38 | | 1 | 1 | | 20.94 | 12.76 | 1 | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | COLIVIO | | 01.30 | 01.30 | + | | | | | <u> </u> | | |
| | (UCL-Des) | | 1 | UCL | UREWO | | 97.14 | 42.44 | | | | 1 | | | 1 | |
| OOP MODIF | | | i – | | | | • | | | l | 1 | | İ | | | |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| | | l | | UEQ, ULS, UEA, | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | l | | UEANL, UEPSR, | | | | | | | | 1 | | | 1 | |
| | pair less than or equal to 18k ft | | | UEPSB | ULM2L | | 21.24 | 21.24 | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | L | 1 7 | | | | | | |] | | | 1 | |
| | greater than 18k ft | | | UCL, ULS, UEQ | ULM2G | | 119.24 | 119.24 | | | | | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | l | | l | 1 | | | | | | 1 | 1 | | | Ì | 1 |
| | less than or equal to 18K ft | | | UHL, UCL | ULM4L | | 21.24 | 21.24 | | l | 1 | l | l | | l | |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | 1 | , | | | | | | 1 - | T - | | ment: 2 | | bit: B |
|-------------|---|----------------|----------|---|--------------|---|--------|------------|--------------|--------------|---|---|---|---|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | | | | | | | | | | | |
| | pair greater than 18k ft | | | UCL | ULM4G | | 119.24 | 119.24 | | | | | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, | | | | | | | | | | | | |
| | per unbundled loop | | | UEPSB | ULMBT | | 24.84 | 24.84 | | | | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-L | oop Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | | | | | | |
| | Up | - 1 | | UEANL | USBSA | | 373.57 | | | | | | | | | |
| ı I | | | | [| 1 | | | |] | | | | | | _ | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | | <u> </u> | UEANL | USBSB | | 33.78 | | | ļ | | | | ļ | 1 | ļ |
| ı | Sub-Loop - Per Building Equipment Room - CLEC Feeder | ١. | | 115 4411 | LIODGG | | | | | | | | | | | |
| | Facility Set-Up | ı | | UEANL | USBSC | | 234.76 | | | | | | | | | |
| ı | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | | | LIEANI | Hebes | | 04.0= | | | | | | | | | |
| | Set-Up | | - | UEANL | USBSD | | 81.05 | | ļ | | | | | | 1 | 1 |
| ı | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 1 | LIEANI | HEDNO | 7 24 | 106.00 | E 1 E 1 | | | | | 26.04 | 10.70 | | |
| | Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 1 | UEANL | USBN2 | 7.31 | 126.03 | 54.54 | ļ | ļ | | | 26.94 | 12.76 | | |
| ı | Zone 2 | Ι. | 2 | UEANL | USBN2 | 11.93 | 126.03 | 54.54 | | | | | 26.94 | 12.76 | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | <u> </u> | | UEANL | USBNZ | 11.93 | 126.03 | 54.54 | | | | | 26.94 | 12.76 | - | |
| ı | Zone 3 | l , | 3 | UEANL | USBN2 | 18.20 | 126.03 | 54.54 | | | | | 26.94 | 12.76 | | |
| | Zone 3 | <u>'</u> | 3 | OLANL | USBINZ | 10.20 | 120.03 | 34.34 | | | | | 20.94 | 12.70 | | |
| ı | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 61.38 | 61.38 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | 02/11/2 | 0020 | | 01.00 | 01.00 | | | | | | | | |
| ı | Zone 1 | | 1 | UEANL | USBN4 | 8.44 | 156.52 | 79.66 | | | | | 26.94 | 12.76 | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | • | | | | | | | | | | |
| ı | Zone 2 | | 2 | UEANL | USBN4 | 13.81 | 156.52 | 79.66 | | | | | 26.94 | 12.76 | | |
| i | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| ı | Zone 3 | | 3 | UEANL | USBN4 | 21.10 | 156.52 | 79.66 | | | | | 26.94 | 12.76 | | |
| | | | | | | | | | | | | | | | | |
| ı | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 61.38 | 61.38 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR2 | 2.79 | 114.05 | 37.20 | | | | | 26.94 | 12.76 | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 61.38 | 61.38 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | 3.74 | 127.67 | 50.82 | | | | | 26.94 | 12.76 | | |
| ı İ | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | 0.40 | 61.38 | 61.38 | | | | | 00.04 | 40.70 | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | - | 1 | UEF | UCS2X | 6.10 | 137.10 | 60.24 | | | | | 26.94 | 12.76 | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS2X | 9.70 | 137.10 | 60.24 | | | | | 26.94 26.94 | 12.76 | - | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 14.59 | 137.10 | 60.24 | | | | | 26.94 | 12.76 | - | 1 |
| ı | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | l | | UEF | USBMC | | 61.38 | 61.38 | | | | | | 1 | I | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | - | 1 | UEF | UCS4X | 6.58 | 162.24 | 85.38 | | | | | 26.94 | 12.76 | + | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | H | | UEF | UCS4X | 10.51 | 162.24 | 85.38 | | | | | 26.94 | 12.76 | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | l i | | UEF | UCS4X | 15.84 | 162.24 | 85.38 | | | | | 26.94 | 12.76 | I | 1 |
| | 1 Jappa. Gridaria da Cad Loop Biotribution 2016 0 | <u> </u> | <u> </u> | | 55577 | 10.04 | 102.24 | 00.00 | 1 | 1 | | | 20.04 | 12.70 | 1 | |
| ı | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | l | | UEF | USBMC | | 61.38 | 61.38 | | | | | | 1 | I | |
| Unbu | ndled Sub-Loop Modification | | | | | | | | İ | İ | | | İ | | 1 | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | | | | | | | | | | | | |
| <u> </u> | Coil/Equip Removal per 2-W PR | L | | UEF | ULM2X | | 124.51 | 1.82 | | <u> </u> | | | 26.94 | 12.76 | <u> </u> | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load | | | | | _ | | | | | | | | | | |
| <u> </u> | Coil/Equip Removal per 4-W PR | <u> </u> | | UEF | ULM4X | | 124.51 | 1.82 | | <u> </u> | | | 26.94 | 12.76 | <u></u> | <u> </u> |
| | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged | | | | | | - | | | | | | | | | |
| | Tap Removal, per PR unloaded | | | UEF | ULM4T | | 249.25 | 47.30 | | | | | 26.94 | 12.76 | | |
| Unbu | ndled Network Terminating Wire (UNTW) | | | <u> </u> | <u> </u> | | | | | | | | | | 1 | |
| | | • | 1 | UENTW | UENPP | 0.4351 | 64.98 | | 1 | | 1 | 1 | l | l | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID) | | - | CLITITY | | | | | | | | | | | | |

| ONRONDE | D NETWORK ELEMENTS - North Carolina | | | | | 1 | | | | | | | | ment: 2 | | oit: B |
|--|---|-------------|------|------------------------|----------------|--------|-----------------|----------------|--|-------|----------|---|---|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Network Interface Device (NID) - 1-6 lines | I | | UENTW | UND16 | | 127.93 | 98.21 | | | | | 26.94 | 12.76 | | |
| | Network Interface Device Cross Connect - 2 W | ı | | UENTW | UNDC2 | | 11.68 | 11.68 | | | | | 26.94 | 12.76 | | |
| OUD LOOPO | Network Interface Device Cross Connect - 4W | l l | | UENTW | UNDC4 | | 11.68 | 11.68 | | | | | 26.94 | 12.76 | | |
| SUB-LOOPS | Fandan | | 1 | | | | | | - | | | | | | | |
| Sub-Li | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | 1 | UEA, | | | | | | | | | | | | |
| | Distribution Facility set-up | | | UDN,UCL,UDL,UDC | USBFW | | 373.57 | | | | | | | | | |
| | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA, | USBFX | | 22.70 | 22.70 | | | | | | | | |
| | set-up USL Feeder DS1 Set-up at DSX location, per DS1 termination | | 1 | UDN,UCL,UDL,UDC USL | USBFZ | | 33.78 523.51 | 33.78 11.31 | - | | | | 19.99 | 19.99 | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice | | 1 | USL | USBFZ | | 523.51 | 11.31 | | | | | 19.99 | 19.99 | | |
| | Grade - Zone 1 | | 1 | UEA | USBFA | 10.41 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFA | 17.31 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFA | 26.67 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | | |
| | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFB | 10.41 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFB | 17.31 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFB | 26.67 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | | |
| | Order Coordination for Specified Time Conversion, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | 1 | UEA | OCOSL | | 45.34 | | - | | | | | | | |
| | Voice Grade - Zone 1 | | 1 | UEA | USBFC | 10.41 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2 | | 2 | UEA | USBFC | 17.31 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 26.67 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFD | 19.96 | 226.36 | 144.28 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFD | 33.91 | 226.36 | 144.28 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFD | 52.85 | 226.36 | 144.28 | | | | | 26.94 | 12.76 | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFE | 19.96 | 226.36 | 144.28 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFE | 33.91 | 226.36 | 144.28 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | UEA | USBFE | 52.85 | 226.36 | 144.28 | | | | | 26.94 | 12.76 | | |
| | Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR | ! | 3 | UEA | OCOSL | 5∠.85 | 45.34 | 144.28 | | | | | ∠6.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | - | 1 | UDN | USBFF | 17.24 | 202.01 | 105.88 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 29.17 | 202.01 | 105.88 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | | UDN | USBFF | 45.37 | 202.01 | 105.88 | † | | | | 26.94 | 12.76 | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | Ť | UDN | OCOSL | | 45.34 | | 1 | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 17.24 | 202.01 | 105.88 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 29.17 | 202.01 | 105.88 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 45.37 | 202.01 | 105.88 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 35.65 | 393.01 | 153.37 | | | | | 42.19 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 63.18 | 393.01 | 153.37 | | | | | 42.19 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | <u> </u> | 3 | USL | USBFG | 100.58 | 393.01 | 153.37 | ļ | | ļ | | 42.19 | 12.76 | | |
| | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | USL UCL | OCOSL USBFH | 9.14 | 48.31 172.89 | 90.81 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | 2 | UCL | USBFH | 14.90 | 172.89 | 90.81 | | | | | 26.94 | 12.76 | | |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | Exhil | bit: B |
|--------------|--|-------------|--|----------------|----------------|--------------------|---|------------------|--------------|------------|--|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | II. | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | | Rates (\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | | | | | | | | | | | | | İ |
| | 3 | | 3 | UCL | USBFH | 22.71 | 172.89 | 90.81 | | | | | 26.94 | 12.76 | | ـــــــ |
| | Order Coordination For Specified Conversion Time, per LSR | | <u> </u> | UCL | OCOSL | 10.11 | 45.34 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 13.41 | 207.14 | 134.77 | | | | | 26.94 | 12.76 | | |
| - | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 3 | UCL | USBFJ USBFJ | 22.42 34.66 | 207.14 207.14 | 134.77 134.77 | | | | | 26.94 26.94 | 12.76 12.76 | | — |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 Order Coordination For Specified Conversion Time, per LSR | | 3 | UCL | OCOSL | 34.00 | 45.34 | 134.77 | 1 | | | | 26.94 | 12.76 | | - |
| - | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 24.27 | 215.00 | 132.92 | + | | | | 26.94 | 12.76 | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 41.55 | 215.00 | 132.92 | 1 | | | | 26.94 | 12.76 | | — |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 65.02 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | Ŭ | ODL | OOD! IV | 00.02 | 210.00 | 102.02 | | | | | 20.04 | 12.70 | | |
| 1 | Zone 1 | | 1 | UDL | USBFO | 24.27 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | 1 | 1 |
| İ | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | <u> </u> | İ | | | | | † | | | | | 1 | Ì | |
| 1 | Zone 2 | | 2 | UDL | USBFO | 41.55 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | 1 | 1 |
| İ | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UDL | USBFO | 65.02 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | | |
| | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 45.34 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UDL | USBFP | 24.27 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UDL | USBFP | 41.55 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UDL | USBFP | 65.02 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | | |
| SUB-LOOPS | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 45.34 | | | | | | | | | |
| | l pop Feeder | | | | | | | | 1 | | | | | | | |
| Jub-L | Sub Loop Feeder - DS3 - Per Mile Per Month | - | | UE3 | 1L5SL | 16.03 | | | † | | | | | | | - |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | i i | | UE3 | USBF1 | 350.32 | 3,399.57 | 406.81 | 164.08 | 93.01 | | | 26.94 | 12.76 | | |
| | Sub Loop Feeder – STS-1 – Per Mile Per Month | i | | UDLSX | 1L5SL | 16.03 | 0,000.01 | .00.01 | 1000 | 00.01 | | | 20.01 | 12.10 | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | i | | UDLSX | USBF7 | 376.06 | 3,399.57 | 406.81 | 164.08 | 93.01 | | | 26.94 | 12.76 | | |
| | Sub Loop Feeder – OC-3 – Per Mile Per Month | ı | | UDLO3 | 1L5SL | 12.16 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | Month | I | | UDLO3 | USBF5 | 56.60 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Per Month | ı | | UDLO3 | USBF2 | 564.14 | 3,399.57 | 406.81 | 164.08 | 93.01 | | | 26.94 | 12.76 | | |
| | Sub Loop Feeder - OC-12 - Per Mile Per Month | - | | UDL12 | 1L5SL | 14.97 | | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | Month | ı | | UDL12 | USBF6 | 639.50 | | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Per Month | ı | | UDL12 | USBF3 | 1,841.00 | 3,399.57 | 406.81 | 164.08 | 93.01 | | | 26.94 | 12.76 | | |
| | Sub Loop Feeder - OC-48 - Per Mile Per Month | - 1 | <u> </u> | UDL48 | 1L5SL | 49.10 | | | ļ | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Protection Per | ١. | 1 | LIDI 40 | LICREO | 240.00 | | | | | | | | 1 | 1 | 1 |
| | Month Sub Loop Feeder - OC-48 - Facility Termination Per Month | | 1 | UDL48 UDL48 | USBF9 USBF4 | 319.92 1,603.00 | 3,585.57 | 406.81 | 160.39 | 90.92 | 1 | | 26.94 | 12.76 | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Per Month Sub Loop Feeder - OC-12 Interface On OC-48 | | | UDL48 | USBF8 | 360.95 | 3,585.57 804.30 | 406.81 | 160.39 | 90.92 | | | 26.94 | 12.76 | - | |
| IINBIINDI ED | LOOP CONCENTRATION | <u> </u> | 1 | 0DL40 | USDEO | 300.95 | 004.30 | 400.01 | 100.39 | 90.92 | } | | 20.94 | 12.76 | 1 | |
| CHOCHDEED | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 398.41 | 652.26 | 652.26 | † † | | 1 | | | 1 | 1 | t |
| | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8B | 58.36 | 271.78 | 271.78 | † † | | 1 | | | | | — |
| 1 | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 439.73 | 652.25 | 652.26 | † † | | | | | | | |
| 1 | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 98.34 | 271.78 | 271.78 | † † | | | | | | | |
| | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 5.52 | 126.85 | 92.35 | 33.65 | 9.42 | | | | İ | | |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | | | | | - | | | | | | | | | |
| | Card) | <u> </u> | L | UDN | ULCC1 | 8.77 | 21.11 | 21.00 | 10.81 | 10.74 | <u></u> | | | <u> </u> | <u> </u> | <u> </u> |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite | | | | | | | | | | | | | | | |
| | Card) | | | UDC | ULCCU | 8.77 | 21.11 | 21.00 | 10.81 | 10.74 | | | | | | |
| | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | | | | _ | | | - | | | | |] | 1 |
| | Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 0.89 | 35.73 | 35.49 | | | | | | | | |
| 1 | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | L | l | | | | | | | | | | | 1 |
| | Loop Interface (SPOTS Card) | | | UEA | ULCCR | 13.03 | 21.11 | 21.00 | 10.81 | 10.74 | | | | | | └ |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | l | 1 | l | I | _ | | | [] | | | | | Ì | Ì | 1 |
| 1 | (Specials Card) | 1 | | UEA | ULCC4 | 7.77 | 21.11 | 21.00 | 10.81 | 10.74 | 1 | | | I | I | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|--|--|-------------|--|-------------------------------------|----------------|----------------|------------------|----------------|--|-------|--|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | • | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 37.98 | 21.11 | 21.00 | 10.81 | 10.74 | | | | | | |
| | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | | LIDI | 007 | 44.54 | 04.44 | 04.00 | 40.04 | 10.71 | | | | | | |
| | Interface Unbundled Loop Concentration - Digital 56 Kbps Data Loop | | | UDL | ULCC7 | 11.51 | 21.11 | 21.00 | 10.81 | 10.74 | | | | | | |
| | Interface | | | UDL | ULCC5 | 11.51 | 21.11 | 21.00 | 10.81 | 10.74 | | | | | | |
| | Unbundled Loop Concentration - Digital 64 Kbps Data Loop | | | ODL | OLCCS | 11.31 | 21.11 | 21.00 | 10.01 | 10.74 | | | | | | |
| | Interface | | | UDL | ULCC6 | 11.51 | 21.11 | 21.00 | 10.81 | 10.74 | | | | | | |
| UNE OTHER, | PROVISIONING ONLY - NO RATE | | | - | | _ | | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | | | | UEANL,UEF,UEQ,U | | | | | | | | | | | | |
| LINE OTHER | Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE | | <u> </u> | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| UNE UTHER, | FROVISIONING UNLT - NO KATE | <u> </u> | | | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | LIEA LIBALLIOI LIBO | LIODEO | 0.00 | 0.00 | | | | | | | | | |
| | rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | OOL | 00001 | 0.00 | 0.00 | | | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | TY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| NOTE | minimum billing period of three months for DS3 and above L | ocal Lo | ор | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month High Capacity Unbundled Local Loop - DS3 - Facility | | | UE3 | 1L5ND | 13.33 | | | | | | | | | | |
| | Termination per month | | | UE3 | UE3PX | 450.69 | 1,071.00 | 646.12 | | | | | 53.48 | 53.48 | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | | | ., | | | | | | | | 1 | |
| | month | | | UDLSX | 1L5ND | 13.33 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 464.26 | 1,071.00 | 646.12 | | | | | 53.48 | 53.48 | | |
| LOOP MAKE- | | | | | | | | | | | | | | | | |
| | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility | | | UMK | UMKLW | | 55.44 | 55.44 | | | | | | | | |
| | queried (Manual). | | | UMK | UMKLP | | 55.73 | 55.73 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or | | | | | | | | | | | | | | 1 | |
| | spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.6960821 | 0.6960821 | | | | | | | | |
| | ENCY SPECTRUM | | | | | | | | | | | | | | | |
| | SHARING | | | | | | | | | | | | | | | |
| SPLIT | TERS-CENTRAL OFFICE BASED | | | | | 101.10 | 201 = 1 | | | | | | | 10 =0 | | |
| | Line Sharing Splitter, per System 96 Line Capacity | | | ULS | ULSDA | 181.18 | 631.54 | 0.00 | | | | | 26.94 | 12.76 | | |
| | Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity | <u> </u> | | ULS ULS | ULSDB ULSD8 | 38.99 12.73 | 631.54 424.61 | 0.00 | | | | | 26.94 26.94 | 12.76 12.76 | | |
| | Line Sharing Splitter, Fer System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton- | _ ' | | ULS | ULSDO | 12.73 | 424.01 | 0.00 | | | | | 20.94 | 12.76 | 1 | |
| | deactivation (per LSOD) | | 1 | ULS | ULSDG | | 146.32 | 31.27 | | | | | 26.94 | 12.76 | | |
| END U | ISER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY | SPEC | TRUM | | | | | | | | | | | :=:// | 1 | |
| | Line Sharing - per Line Activation (BST Owned Splitter) | | | ULS | ULSDC | 0.61 | 54.71 | 28.77 | <u> </u> | | | | 26.94 | 12.76 | | |
| | Line Sharing - per Subsequent Activity per Line | | | | | | | | | | | | | _ | | |
| | Rearrangement(BST Owned Splitter | | <u> </u> | ULS | ULSDS | | 35.42 | 16.57 | 1 | | | | 26.94 | 12.76 | 1 | |
| | Line Sharing - per Subsequent Activity per Line | | 1 | | | | 05.4. | 10.00 | | | | | 00.01 | 10 =0 | | |
| | Rearrangement(DLEC Owned Splitter Line Sharing - per Line Activation (DLEC owned Splitter) | | ! | ULS ULS | ULSCS | 0.61 | 35.14 47.44 | 16.29 19.31 | | | 1 | | 26.94 26.94 | 12.76 12.76 | 1 | 1 |
| LINE | Iline Sharing - per Line Activation (DLEC owned Splitter) SPLITTING | | | ULO | ULSUU | 0.61 | 47.44 | 19.31 | + | | | | 26.94 | 12.76 | | |
| | JSER ORDERING-CENTRAL OFFICE BASED | | l | | | | | | | | | | | | † | 1 |
| | Line Splitting - per line activation DLEC owned splitter | | 1 | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | 1 | |
|]] | | | | | | | | | | | | | | | | |

| ONBONDL | ED NETWORK ELEMENTS - North Carolina | | | | 1 | 1 | | | | | Γ- | | | ment: 2 | | bit: B |
|--|---|--|----------|--------------------|----------------|----------------|------------------|----------------|--------------|-------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DEM | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 56.92 | 28.59 | | | | | 26.94 | 12.76 | | |
| | OTE SITE HIGH FREQUENCY SPECTRUM TTERS-REMOTE SITE | | | | | | | | | | | | | | | |
| SPLI | Remote Site Line Share BellSouth Owned Splitter, 24 Port | | | ULS | ULSRB | 54.47 | 113.79 | 0.00 | | | | | 26.94 | 12.76 | | |
| | Remote Site Line Share Cable Pair Activation CLEC Owned at | - ' | | ULS | OLSKB | 34.47 | 113.79 | 0.00 | | | | | 20.54 | 12.70 | | |
| | RS and Deactivation | 1 | | ULS | ULSTG | | 74.38 | 0.00 | | | | | 26.94 | 12.76 | | |
| END | USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU | M AKA | REMO | | | | 7 1.00 | 0.00 | | | | | 20.0 . | 12.10 | | |
| | Remote Site Line Share Line Activationfor End User Served at | | | | | | | | | | | | | | | |
| | RS, BST Splitter | - 1 | | ULS | ULSRC | 0.61 | 56.92 | 28.59 | | | | | 26.94 | 12.76 | | |
| | RS Line Share Line Activation for End User served at RS, CLEC | | | | | | | | | | | | | | | |
| | Splitter State of the State of | I | | ULS | ULSTC | 0.61 | 56.92 | 28.59 | | | | | 26.94 | 12.76 | | |
| | Remote Site Line Share Subsequent Activity-RS BST Owned | | | | ULSRS | | 48.71 | 17.67 | | | | | 26.94 | 12.76 | | |
| | Splitter Remote Site Line Share Subsequent Activity-RS CLEC Owned | | <u> </u> | ULS | ULOKO | | 48.71 | 17.07 | | | | | 20.94 | 12.76 | 1 | |
| | Splitter | | | ULS | ULSTS | | 48.71 | 17.67 | | | | | 26.94 | 12.76 | | |
| UNBUNDLED | DEDICATED TRANSPORT | <u> </u> | | OLO | 02010 | | 40.71 | 17.07 | | | | | 20.04 | 12.70 | | |
| | : INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu | m billir | g perio | od - below DS3=one | month, abov | e DS3=four mo | nths | | | | | | | | | |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | Ĭ | | 1 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0125 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination | | 1 | U1TVX | U1TV2 | 18.00 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | LIATE OF | 41.5307 | 0.0405 | | | | | | | | | | |
| | Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. | | 1 | U1TVX | 1L5XX | 0.0125 | | | | | | | | | | |
| | Facility Termination | 1 | | U1TVX | U1TR2 | 18.00 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade | | | OTTVX | OTTIVE | 10.00 | 137.40 | 32.30 | | | | | 30.07 | 30.07 | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0125 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | | | | | | | | | | | | | |
| | - Facility Termination | | | U1TVX | U1TV4 | 22.16 | 106.11 | 65.95 | | | | | 22.32 | 22.32 | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | U1TDX | 1L5XX | 0.0282 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | LIATOV | LIATOR | 47.40 | 407.40 | 50.50 | | | | | 00.07 | 00.07 | | |
| | Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | 1 | U1TDX | U1TD5 | 17.40 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | per month | | | U1TDX | 1L5XX | 0.0282 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | OTIDA | TESTA | 0.0202 | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD6 | 17.40 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TD1 | 1L5XX | 0.5753 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination Page 19 Mills 19 Page 19 Mills 19 Page 19 | | | U1TD1 | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | LIATES | 41.577 | 40.00 | | | | | | | | | | |
| - | month Interoffice Channel - Dedicated Transport - DS3 - Facility | <u> </u> | | U1TD3 | 1L5XX | 12.98 | | | | | | | | | | |
| | Termination per month | | | U1TD3 | U1TF3 | 720.38 | 794.94 | 579.55 | | | | | 91.26 | 91.26 | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | 01100 | 01110 | 720.00 | 704.04 | 070.00 | | | | | 31.20 | 31.20 | | |
| | month | | | U1TS1 | 1L5XX | 6.14 | | | | | | | | | 1 | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TS1 | U1TFS | 790.37 | 642.23 | 408.89 | | | | | 53.48 | 53.48 | | |
| | AL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| NOTE | E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin | ng perio | | | | | | | | | | | | | ļ | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 | | | ULDVX | ULDV2 | 11.24 | 553.80 | 89.69 | | | 1 | | 42.17 | 12.76 | ļ | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 | - | 3 | ULDVX ULDVX | ULDV2 ULDV2 | 19.91 31.70 | 553.80 553.80 | 89.69 89.69 | | | 1 | | 42.17 42.17 | 12.76 12.76 | | 1 |
| | | | 1 | ULDVX | ULDV2 ULDV4 | 31.70 12.03 | 562.23 | 92.67 | | | | | 42.17 42.17 | 12.76 | 1 | |
| | | | | | 106014 | 12.03 | 302.23 | 32.07 | 1 | | 1 | | 42.17 | 12.70 | 1 | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 | | | | ULDV4 | 21.33 | 562 23 | 92 67 | | | | | 42 17 | 12 76 | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | | 2 | ULDVX ULDVX | ULDV4 ULDV4 | 21.33 33.95 | 562.23 562.23 | 92.67 92.67 | | | | | 42.17 42.17 | 12.76 12.76 | | |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|--|--|--|--|--------------|--------|---------|-------------|------------|-------------|--|--|------------------------------------|---------------------------------|--|---------------------------------------|--|
| | | lutari | | | | | | | | | | Svc Order Submitted Manually | Incremental Charge - | | Incremental Charge - Manual Svc | Incremental Charge - Manual Svo |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Order vs. Electronic- Disc 1st | Order vs. Electronic- Disc Add'l |
| | | | | | | B | Nonrec | urring | Nonrecurrin | g Disconnect | | l . | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - DS1 - Zone 2 | | 2 | ULDD1 | ULDF1 | 47.94 | 534.48 | 462.69 | | | | | 86.15 | 1.77 | | |
| | Local Channel - Dedicated - DS1 - Zone 3 | | 3 | ULDD1 | ULDF1 | 76.32 | 534.48 | 462.69 | | | | | 86.15 | 1.77 | | |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3 | 1L5NC | 0.9954 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3 | ULDF3 | 298.92 | 562.25 | 527.88 | | | | | 56.25 | 56.25 | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 0.9954 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1 | ULDFS | 286.13 | 1,071.00 | 646.12 | | | | | 53.48 | 53.48 | | |
| DARK FIBER | | | | | | | | | | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Local Channel | | <u> </u> | UDF | 1L5DC | 64.04 | 4 0 4 7 0 0 | | | | | | | | | |
| \vdash | NRC Dark Fiber - Local Channel | l | 1 | UDF | UDFC4 | | 1,347.00 | 279.87 | | | | | | | | 1 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel | 1 | 1 | UDF | 1L5DF | 27.71 | | | | I | | 1 | | I | 1 | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | 21.11 | 1,807.00 | 562.96 | | | | | | | - | |
| | Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | 1 | 1 | וטט | UDI 14 | - | 1,007.00 | 302.90 | | + | } | - | 1 | | 1 | |
| | Thereof per month - Local Loop | 1 | 1 | UDF | 1L5DL | 64.04 | | | | I | | 1 | | I | 1 | |
| | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | 04.04 | 1,347.00 | 279.87 | | | | | | | | |
| 8XX ACCESS | TEN DIGIT SCREENING | | | ODI | ODI LT | | 1,047.00 | 210.01 | | | | | | | | |
| JAK AGGEGG | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0005 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | | 01.5 | | 0.0000 | | | | | | | | | | |
| | Number Reserved 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | | OHD | N8R1X | | 7.05 | 0.96 | | | | | 26.94 | | | |
| | POTS Translations | | | OHD | | | 23.82 | 2.73 | | | | | 41.35 | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations | | | OHD | N8FTX | | 23.82 | 2.73 | | | | | 41.35 | | | |
| | 8XX Access Ten Digit Screening, Customized Area of Service | | | | | | | | | | | | 11.00 | | | |
| | Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | OHD | N8FCX | | 5.63 | 2.82 | | | | | | | | |
| | Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 6.59 | 3.77 | | | | | | | | |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 8.01 | 0.96 | | | | | 26.94 | | | |
| | 8XX Access Ten Digit Screening, Call Handling and Destination | | | | | | | | | | | | | | | |
| | Features | | | OHD | N8FDX | | 5.63 | | | | | | | | | |
| LINE INFORM | ATION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | |
| | LIDB Common Transport Per Query | | | OQT | | 0.00003 | | | | | | | | | | |
| | LIDB Validation Per Query | | | OQU | | 0.0134 | | | | | | | | | | |
| | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 62.26 | | | | | | 26.94 | 26.94 | | |
| SIGNALING (| | | | | | | | | | | | | | | | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 18.22 | 278.02 | 278.02 | | | | | 41.35 | 41.35 | | |
| | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP++ | 18.22 | 278.02 | 278.02 | | | | | 41.35 | 41.35 | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 132.83 | | | | | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | UDB | | 0.00004 | | | | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | UDB | | 0.00009 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 338.98 | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code | | | | | | | | | | | | | | | |
| | Establishment or Change, per STP affected | | | UDB | CCAPO | | 40.00 | 40.00 | | | | | 19.99 | 19.99 | | |
| | CCS7 Signaling Point Code, per Destination Point Code | | | UDB | CCAPD | | 9.00 | 9.00 | | | | | 19.99 | 19.99 | | |
| E911 SERVICI | Establishment or Change, Per Stp Affected | | 1 | סטט | CCAPD | | 8.00 | 8.00 | | | 1 | | 19.99 | 19.99 | - | |
| Lati SEKVICI | Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 | | 1 | | | 11.24 | 553.80 | 89.69 | | | | | 42.17 | 12.76 | | |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 | ! | 2 | | + | 19.91 | 553.80 | 89.69 | | | | | 42.17 | 12.76 | | 1 |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 | 1 | 3 | | + | 31.70 | 553.80 | 89.69 | | - | 1 | | 42.17 | 12.76 | | I |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | 1 | - | | + | 0.0282 | 333.00 | 03.03 | | - | 1 | | 72.17 | 12.70 | | I |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | 1 | | | + | 5.0202 | | | | - | 1 | | 1 | I | | I |
| | Termination | 1 | | | | 18.00 | 137.48 | 52.58 | | 1 | | | 38.07 | 38.07 | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | 1 | 1 | | 1 | 27.05 | 534.48 | 462.69 | | t | | | 86.15 | 1.77 | İ | |
| | Local Channel - Dedicated - DS1 - Zone 2 | 1 | 2 | | | 47.94 | 534.48 | 462.69 | l | 1 | | | 86.15 | 1.77 | | |
| | Local Channel - Dedicated - DS1 - Zone 3 | | 3 | | | 76.32 | 534.48 | 462.69 | | | | | 86.15 | 1.77 | | |
| | Interoffice Transport - Dedicated - DS1 Per Mile | 1 | 1 | İ | | 0.5753 | - | | | 1 | Ì | İ | | 1 | | |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|--------------|--|--|--|--------------|-------|-----------|---|---|--------------|-------|---|-----------------------|--|--|--------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted Manually | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| CALLING NA | ME (CNAM) SERVICE | | <u> </u> | | - | 71.29 | 217.17 | 103.75 | | | | | 38.07 | 38.07 | | |
| CALLING NA | CNAM For DB Owners - Service Establishment | | | OQV | + | | 75.62 | | | | | | | | | |
| | CNAM For Non DB Owners - Service Establishment | 1 | | OQV | _ | | 75.62 | | | | | | | | | |
| | CNAM For DB Owners - Service Provisioning With Point Code Establishment (Initial) | | | oqv | | | 2,354.00 | 2,354.00 | | | | | | | | |
| | CNAM For DB Owners - Service Provisioning With Point Code | | | | | | | | | | | | | | | |
| | Establishment (Subsequent) | | | OQV | | | 1,739.00 | 1,739.00 | | | | | | | | |
| | CNAM For Non DB Owners - Service Provisioning With Point | | | | | | | | | | | | | | | |
| | Code Establishment (Initial) | | | OQV | | | 1,072.00 | 1,072.00 | | | | | | | | <u> </u> |
| | CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent) | | | oqv | | | 768.44 | 768.44 | | | | | | | | |
| | CNAM for DB & Non DB Owners, Per Query | | | OQV | + | 0.0009592 | 700.44 | 700.44 | | | | - | | | - | |
| LNP Query Se | | | | OQV | | 0.0003332 | | | | | | | | | | |
| | LNP Charge Per guery | | | OQV | | 0.00084 | | | | | | | | | 1 | |
| | LNP Service Establishment Manual | | | OQV | | 0.0000 | 41.25 | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | LNP Service Provisioning with Point Code Establishment (Initial) | | | OQV | | | 1,563.00 | 1,563.00 | | | | | | | | |
| | LNP Service Provisioning with Point Code Establishment | | | | | | | | | | | | | | | |
| | (Subsequent) | | | OQV | | | 883.99 | 883.99 | | | | | | | | ļ |
| OPERATOR C | ALL PROCESSING | | | | | | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB | | | | | 1.20 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST | | | | | 1.24 | | | | | | | | | | |
| | LIDB | | | | | 0.20 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using | | | | | | | | | | | | | | | |
| | Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWARD OPE | RATOR SERVICES | | | | | | | | | | | | | | | |
| ļ | Inward Operator Services - Verification, Per Minute | | | | | 1.15 | | | | | | | | | | ļ |
| | Inward Operator Services - Verification and Emergency Interrupt - Per Minute | | | | | 1.15 | | | | | | | | | | |
| BBANDING - | OPERATOR CALL PROCESSING | | | | + | 1.15 | | | | | | - | | | - | |
| | ty based CLEC | | | | | | | | | | | | | | | + |
| 1 40 | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | | 26.94 | 12.76 | 1 | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | , | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | |
| | per OCN | | | | CBAOL | | 500.00 | 500.00 | | | | | 26.94 | 12.76 | | |
| UNEP | CLEC | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | 26.94 | 12.76 | | ļ |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | 500.00 | 500.00 | | | | | 00.04 | 10.70 | | |
| Unbro | per OCN Inding via OLNS for UNEP CLEC | | 1 | | + | | 500.00 | 500.00 | | | 1 | | 26.94 | 12.76 | - | <u> </u> |
| Ulibra | Loading of OA per OCN (Regional) | | | | + | | 1,200.00 | 1,200.00 | | | | - | 26.94 | 12.76 | - | |
| DIRECTORY | ASSISTANCE SERVICES | | | | | | 1,200.00 | 1,200.00 | | | | | 20.54 | 12.70 | | + |
| | CTORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | 1 | |
| | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.275 | | | | | | | | | | |
| DIREC | CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I | DACC) | | | | | | | | | | | | | | |
| | Directory Assistance Call Completion Access Service (DACC), | | | | | | | | | | | | | | | |
| | Per Call Attempt | ļ | <u> </u> | | | 0.062 | | | | | | | | | ļ | . |
| | ASSISTANCE SERVICES | <u> </u> | ļ | | | | | | ļ | | <u> </u> | | | | | 4 |
| DIREC | CTORY ASSISTANCE DATA BASE SERVICE (DADS) | ! | | | + | 0.04 | | | | | } | | | | ! | |
| \vdash | Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month | 1 | - | | DBSOF | 150.00 | | | + | | - | | | - | | + |
| BRANDING - | DIRECTORY ASSISTANCE | | | | DBSOF | 150.00 | | | | | 1 | - | | 1 | t | |
| | ty Based CLEC | 1 | | 1 | 1 | | | | † | | 1 | | | 1 | † | † |
| 1 23 | Recording and Provisioning of DA Custom Branded | † | | İ | 1 | | | | † | | | | | İ | 1 | 1 |
| | Announcement | 1 | 1 | AMT | CBADA | | 3,000.00 | 3,000.00 | | | I | | 26.94 | 12.76 | I | |

| UNBL | JNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|---------|--|-------------|--|--------------|----------------|-----------|------------|---|--------------|--------|--|---|--|---|----------|--|
| CATE | GORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Loading of Custom Branded Announcement per Switch per OCN | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | 26.94 | 12.76 | | |
| | UNEP (| | | | AIVII | CBADC | | 1,170.00 | 1,170.00 | | | | | 26.94 | 12.76 | | + |
| | CIVE | Recording of DA Custom Branded Announcement | | 1 | | | | 3,000.00 | 3,000.00 | | | | | 26.94 | 12.76 | | |
| | | Loading of DA Custom Branded Announcement per Switch per | | | | | | 0,000.00 | -,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | † |
| | | OCN | | | | | | 1,170.00 | 1,170.00 | | | | | 26.94 | 12.76 | | |
| | | ding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | 26.94 | 12.76 | | |
| 051.50 | | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | 26.94 | 12.76 | | _ |
| SELEC | TIVE RO | Selective Routing Per Unique Line Class Code Per Request Per | | | | - | | | | | | | | | | | + |
| | | Switch | | | | USRCR | | 82.25 | 82.25 | 14.14 | 14.14 | | | 26.94 | 12.76 | | |
| VIRTU | | LOCATION | | <u> </u> | 1 | 3331 | | 02.20 | 02.20 | 17.17 | 1-7.14 | | | 20.04 | 12.70 | | |
| | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | 1 | | | | | | | | | | | 1 |
| | | Splitting | | | UEPSR, UEPSB | VE1LS | 0.0287 | 33.96 | 32.08 | 36.72 | 34.84 | | | 19.99 | 19.99 | | |
| PHYSI | CAL CO | LLOCATION | | | | | | | | | | | | | | | |
| | | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | 1 | HEDOD LIEBOR | DEALO | 0.0000 | 00.50 | 04.0= | 20.00 | | | | 10.00 | 10.00 | | 1 |
| AIN CE | | Splitting E CARRIER ROUTING | | | UEPSR, UEPSB | PE1LS | 0.0309 | 33.53 | 31.65 | 36.29 | 34.41 | | | 19.99 | 19.99 | | |
| AIN SE | LECTIV | Regional Service Establishment | | | SRC | SRCEC | | 215,597.00 | | | | | | | | | + |
| | | End Office Establishment | | | SRC | SRCEO | | 347.27 | | | | | | | | | + |
| | | Query NRC, per query | | | SRC | CITOLO | 0.0053758 | 047.27 | | | | | | | | | † |
| AIN - E | ELLSO | JTH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | 1 |
| | | AIN SMS Access Service - Service Establishment, Per State, | | | | | | | | | | | | | | | 1 |
| | | Initial Setup | | | A1N | CAMSE | | 294.77 | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N A1N | CAMDP CAM1P | | 86.94 | | | | | | | | | _ |
| | | AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User | | | AIN | CAIVITP | | 86.94 | | | | | | | | | + |
| | | ID Code | | | A1N | CAMAU | | 200.83 | | | | | | | | | |
| | | AIN SMS Access Service - Security Card, Per User ID Code, | | | , | 07 1112 10 | | 200.00 | | | | | | | | | † |
| | | Initial or Replacement | | | A1N | CAMRC | | 172.05 | | | | | | | | | |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0023 | | | | | | | | | | |
| | | AIN SMS Access Service - Session, Per Minute | | | | | 0.0791 | | | | | | | | | | |
| | | AIN SMS Access Service - Company Performed Session, Per | | | | | | | | | | | | | | | |
| AIN E | ELLEOI | Minute JTH AIN TOOLKIT SERVICE | | | | | 2.08 | | | | | | | | | | |
| AIN - E | L | AIN Toolkit Service - Service Establishment Charge, Per State, | | | | | | | | | | | | | | | + |
| | | Initial Setup | | | CAM | BAPSC | | 290.05 | | | | | | | | | |
| | | AIN Toolkit Service - Training Session, Per Customer | | | İ | BAPVX | | 8,363.00 | | | | | | | | | 1 |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | 1 |
| | | DN, Term. Attempt | | | | BAPTT | | 72.76 | | | | | | | | | <u> </u> |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DARTE | | 70 | | | | | | | | | |
| | | DN, Off-Hook Delay | | <u> </u> | 1 | BAPTD | | 72.76 | | | | | | | | | ├ |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate | | 1 | 1 | BAPTM | | 72.76 | | | | | | | | | |
| — | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DAL 1M | | 12.10 | | | | | | | | | + |
| | | DN, 10-Digit PODP | | 1 | 1 | ВАРТО | | 149.95 | | | | | | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | 1 |
| | | DN, CDP | | | | BAPTC | | 149.95 | | | | | | | | | <u> </u> |
| 1 | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | 1 | L | | | | | | | | 1 | | | 1 |
| - | | DN, Feature Code | | <u> </u> | ļ | BAPTF | 2.22 | 149.95 | | | | 1 | | | | | |
| | 1 | AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | - | <u> </u> | ļ | - | 0.02 | | | | | | | - | | - | + |
| | | Subscription, Per Node, Per Query | | | | | 0.005 | | | | | | | | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | | | 1 | 0.003 | | | † | | | | | | | |
| | 1 | Account, Per 100 Kilobytes | | 1 | 1 | | 1.45 | | | | | | | 1 | | | 1 |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | 1 | | | | | | | | | | | | | 1 |
| 1 | | Subscription | l | | CAM | BAPMS | 15.98 | 71.80 | | | | | | | | | 1 |

| ATT CATE C | Exhibit: B | nt: 2 | Attachn | | | | | | | | | | | | NBUNDLED NETWORK ELEMENTS - North Carolina |
|--|-----------------------|-------|---------|-----------|-----------|----------|-------------------|----------------|---------------|-----------------|---|---------------------------------------|---------|----------|--|
| ATTEMPS AND THE ELEMENTS IN THE PROPERTY OF TH | | | | Svc Order | Svc Order | | | | | | | | | | |
| ATT ELEMENTS Mary BOC Section | Charge - Charge - | | | | | | | | | | | | | | |
| CATEGORY RATE ELEMENTS | lanual Svc Manual Sv | | | | | | | | | | | | | Indan: | |
| Bestronic Extention First Monrecurring Nonrecurring Nonrecurring Solution | Order vs. Order vs. | | | | | | | RATES (\$) | | | USOC | BCS | Zone | | ATEGORY RATE ELEMENTS |
| Main Totals Service - Special Study - Per ANN Totals Service Service - Special Study - Per ANN Totals Service Service - Special Study - Per ANN Totals Service Service - Special Study - Per ANN Totals Service Service - Special Study - Per ANN Totals Service Service - Special Study - Per ANN Totals Service Service - Special Study - Per ANN Totals Service Service - Special Study - Per ANN Totals Service Service - Special Study - Per ANN Totals Service Service - Special Study - Per ANN Totals Service Service - Special Study - Per ANN Totals Service Service - Special Study - Per ANN Totals Service Service - Special Study - Per ANN Totals Service Service - Special Study - Per ANN Totals Service Service - Special Study - Per ANN Total Service Service - Special Study - Per ANN Total Service Service - Special Study - Per ANN Total Service Service - Special Study - Per ANN Total Service Service - Special Study - Per ANN Total Service Service - Special Study - Per ANN Total Service Service - Special Study - Per ANN Total Service Service - Special Study - Per ANN Total Service | lectronic- Electronic | | | po. 2011 | po. 20.1 | | | | | | | | | m | |
| Note | Disc 1st Disc Add'i | | | | | | | | | | | | | | |
| Section | 2.00 .01 | | | | | | | | | | | | | | |
| SAT Totals Service - Special Guidy - Per ANT Totals Service CAA | | | | | | | | | | Rec | | | | | |
| Subsystem CAM DAPE DAP | SOMAN SOMAN | SOMAN | SOMAN | SOMAN | SOMEC | Add'l | First | Add'l | First | | | | | | |
| ANY Tools Service - Call Event Report - Pen ANY Tools CAM | | ļ | | | | | | | | | | | | | |
| Subscription APT Total Service - Call Event Special Study - Per ANT Totales OAM DAPES 0.000 7.1 80 DAPES 0.000 7.0 0 DAPES 0.000 A.7 20 DAPES 0 | | | | | | | | | 47.20 | 0.08 | BAPLS | CAM | | | |
| ANY Total Service Call Event Special Study - Per ANY Totals DAMPES DA | | ļ | | | | | | | 74.00 | 45.00 | DARRO | 0444 | | | |
| Service Collectorion | | | | | | | | | 71.80 | 15.90 | BAPDS | CAM | | | |
| EMBANCED LITKINGE LINK (EELs) | | ļ | | | | | | | 47.20 | 0.003 | DADEC | CAM | | | |
| NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-Ase Charge will not apply for EELs provisioned as "Ordinarity Combined Network Elements." | | | | | | | | | 47.20 | 0.003 | DAPES | CAIVI | | | |
| NOTE: The monthly recurring and the Switch-Asis Charge and nor the non-recurring charges below will apply for EELs provisioned as: *Currently Combined Network Elements.** NOTE: Minimum Billing is one month for DS and ablow and stree membrases.** | | | | | | Flomente | hined' Network | Ordinarily Com | visioned as ' | ly for EELs pro | e will not ann | Switch-As-Is Chara | nd the | annly a | |
| NOTE Minimum billing is one month for DS1 and below and three months above DS1 services. | | | | | | | | | | | | | | | |
| 2 | | | | | | | INCOMOTIVE ETCHIC | try Combined | ca as carren | LLLS provision | тіп аррту тог | | | | |
| First 2-Wine VD CoopleSL2 in a DST interofficed 1 UNCVX | | | | | | | | | | | | | | | |
| Combination - Zone 1 | - | | | | | | | | | | | , , , , , , , , , , , , , , , , , , , | Ī | | |
| First 2/Wew KG Grade Loop(SL2) in a DST Interofficed 2 UNCVX | | | | | | | | 106.56 | 142.97 | 14.97 | UEAL2 | UNCVX | 1 | | Combination - Zone 1 |
| First 2-Wire VG Grade Loop(SL2) in a DST Interorificed 3 UNCVX | | | | | | | | | _ | | | | | | |
| Transport Combination - Zone 3 3 UNCVX UEAL 2 40.81 142.97 106.56 | | | | | <u> </u> | | | 106.56 | 142.97 | 25.93 | UEAL2 | UNCVX | 2 | | |
| Intereffice Transport - Dedicated - OS1 combination - Per Mile per morth | | | | | | | | | | | | | | | |
| Description | | ļ | | | | | | 106.56 | 142.97 | 40.81 | UEAL2 | UNCVX | 3 | | |
| Interdiffect Transport - Dedicated - DS1 combination - Facility UNC1X | | | | | | | | | | | | | | | Interoffice Transport - Dedicated - DS1 combination - Per Mile |
| Termination per month | | | | | | | | | | 0.5753 | 1L5XX | UNC1X | | | |
| DST Channelization System Per Month | | ļ | | | | | | | | | | | | | |
| Viole Grade COCI - DS1 To D9 Interface - Per Month | | | | | | | | | | | | | | | |
| Each Additional 2-Wire VGL Loop(SL2) in the same DS1 1 UNCVX | | | | | | | | | | | | | | | |
| Interoffice Transport Combination - Zone 1 | | 38.07 | 38.07 | | | | | 9.38 | 13.09 | 1.27 | 1D1VG | UNCVX | | | |
| Each Additional 2-Wire VS Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL2 25.93 142.97 106.56 Interoffice Transport Combination - Zone 3 UNCVX UEAL2 40.81 142.97 106.56 Interoffice Transport Combination - Zone 3 UNCVX UEAL2 40.81 142.97 106.56 Interoffice Transport Combination - Zone 3 UNCVX UEAL2 40.81 142.97 106.56 Interoffice Transport Combination - Zone 3 UNCVX UEAL2 40.81 142.97 106.56 Interoffice Transport Combination - Zone 3 UNCVX ID1VG 1.27 13.09 9.38 38.07 38.07 38.07 38.07 38.07 38.07 38.07 38.07 Interoffice Transport Combination - Zone 1 UNCVX UEAL4 21.32 288.47 237.45 Interoffice Transport Combination - Zone 3 UNCVX UEAL4 21.32 288.47 237.45 Interoffice Transport Combination - Zone 3 UNCVX UEAL4 36.27 288.47 237.45 Interoffice Transport Dedicated - DS1 - Facility Termination - Per Mile Per Month Uncold - Channel System DS1 to DS0 Combination - Per Mile Per Month Uncold - Channel System DS1 to DS0 Combination - Per Mile UNC1X UNC1X U1TF1 UNC1X U1TF1 UNC1X U1TF1 UNC1X U1TF1 | | ļ | | | | | | 100 50 | 440.07 | 44.07 | | 110000 | | | |
| Interoffice Transport Combination - Zone 2 2 UNCVX | | | | | | | | 106.56 | 142.97 | 14.97 | UEAL2 | UNCVX | 1 | | |
| Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | ļ | | | | | | 106 56 | 142.07 | 25.02 | LIEALO | LINCV/V | 2 | | |
| Interoffice Transport Combination - Zone 3 3 UNCVX UEAL2 40.81 142.97 106.56 | | | | | | | | 106.30 | 142.97 | 25.95 | UEALZ | UNCVA | | | |
| Voice Grade COCI - DS1 to DS0 Channel System combination - per month UNCVX 1D1VG 1.27 13.09 9.38 38.07 38.07 38.07 | | ļ | | | | | | 106 56 | 142 97 | 40.81 | LIFAL 2 | LINCVX | 3 | | |
| Der month UNCVX 1DIVG 1.27 13.09 9.38 38.07 38.07 38.07 | | | | | | | | 100.00 | 142.01 | 40.01 | OLALE | ONOVA | Ŭ | | |
| Nonrecurring Currently Combined Network Elements Switch -As- UNC1X | | 38.07 | 38.07 | | | | | 9.38 | 13.09 | 1.27 | 1D1VG | UNCVX | | | |
| Is Charge | | | | | | | | 0.00 | | | | | | | |
| First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice 1 UNCVX UEAL4 21.32 288.47 237.45 | | 38.07 | 38.07 | | | 10.96 | 32.28 | 21.75 | 21.75 | | UNCCC | UNC1X | | | |
| Transport Combination - Zone 1 | | | | | | | | | | | | ANSPORT (EEL) | ICE TRA | EROFF | 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN |
| First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice 2 UNCVX | | | | | | | | | | | | | | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice |
| Transport Combination - Zone 2 2 UNCVX UEAL4 36.27 288.47 237.45 | | | | | | | | 237.45 | 288.47 | 21.32 | UEAL4 | UNCVX | 1 | | |
| First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice 3 UNCVX | | | | | | | | | | | | | | | |
| Transport Combination - Zone 3 3 UNCVX UEAL4 56.57 288.47 237.45 | | | | | | | | 237.45 | 288.47 | 36.27 | UEAL4 | UNCVX | 2 | | |
| Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.5753 UNC1X U1TF1 71.29 217.17 163.75 38.07 38.0 | | | | | | | | | | | I | l | | | |
| Per Month UNC1X 1L5XX 0.5753 | | | | | | | | 237.45 | 288.47 | 56.57 | UEAL4 | UNCVX | 3 | | |
| Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | | | | | | | | 0.5750 | 41.530 | LINICAY | | | |
| Month | \longrightarrow | | | | | | | | | 0.5753 | ILSXX | UNCTX | 1 | 1 | |
| Channelization - Channel System DS1 to DS0 combination Per Month UNC1X MQ1 146.69 197.78 140.06 38.07 38.07 38.07 | | 38.07 | 38.07 | | | | | 163.75 | 217 17 | 71 20 | LI1TE1 | LINC1Y | | | |
| Month | | 30.07 | 30.07 | | | | | 103.75 | 211.11 | 11.29 | UTILL | 014017 | 1 | - | |
| Voice Grade COCI - DS1 to DS0 Channel System combination - DNCVX 1D1VG 1.27 13.09 9.38 38.07 38.07 38.07 | | 38.07 | 38.07 | | | | | 140 06 | 197 79 | 146 60 | MO1 | UNC1X | | | |
| Der month | + | 50.07 | 30.07 | | | | - | 140.00 | 101.10 | 140.09 | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 5.101/ | 1 | | |
| Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCVX | | 38.07 | 38.07 | | | | | 9,38 | 13.09 | 1,27 | 1D1VG | UNCVX | | | |
| Interoffice Transport Combination - Zone 1 | | | 55.57 | | | | | 2.00 | | | | | | | |
| Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 UNCVX UEAL4 36.27 288.47 237.45 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 UNCVX UEAL4 56.57 288.47 237.45 Voice Grade COCI - DS1 to DS0 Channel System combination - per month UNCVX ID1VG 1.27 13.09 9.38 38.07 | | | | | | | | 237.45 | 288.47 | 21.32 | UEAL4 | UNCVX | 1 | | |
| Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month UNCVX 1D1VG 1.27 13.09 9.38 38.07 38.07 | | | | | | | | | | | | | | | Additional 4-Wire Analog Voice Grade Loop in same DS1 |
| Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 56.57 288.47 237.45 | | | | | <u> </u> | | | 237.45 | 288.47 | 36.27 | UEAL4 | UNCVX | 2 | <u></u> | |
| Voice Grade COCI - DS1 to DS0 Channel System combination - per month UNCVX 1D1VG 1.27 13.09 9.38 38.07 38.07 | | | | | | | | | | | | | | | |
| per month | | | | | | | | 237.45 | 288.47 | 56.57 | UEAL4 | UNCVX | 3 | | |
| | | | | | | | | | | | | | | | |
| | | 38.07 | 38.07 | | | | | 9.38 | 13.09 | 1.27 | 1D1VG | UNCVX | | | |
| | | | | | | | | | | | I | L | | · | Nonrecurring Currently Combined Network Elements Switch -As |
| Is Charge | \longrightarrow | 38.07 | 38.07 | | | 10.96 | 32.28 | 21.75 | 21.75 | | | | | <u> </u> | |

Version 4Q02: 12/18/02 Page 286 of 416

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | 1 | | | | | | | | T - | | ment: 2 | | bit: B |
|----------|---|-------------|--------|-----------------|-------|--------|--------|------------|--------------|-------|---|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 25.32 | 489.04 | 337.51 | | | | | | | | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 43.11 | 489.04 | 337.51 | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 67.26 | 489.04 | 337.51 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.5753 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 25.32 | 489.04 | 337.51 | | | | | 00.07 | 55.51 | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 43.11 | 489.04 | 337.51 | | | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System - | | 3 | UNCDX | UDL56 | 67.26 | 489.04 | 337.51 | | | | | | | | |
| | combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | Is Charge | <u> </u> | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | <u> </u> |
| 4-WIRI | E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | INTERC | DEFICE | TRANSPORT (EEL) |) | | | | | | | | | | | |
| | Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | 1 | UNCDX | UDL64 | 25.32 | 489.04 | 337.51 | | | | | | | | <u> </u> |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 43.11 | 489.04 | 337.51 | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 67.26 | 489.04 | 337.51 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.5753 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | | | | | | | | | | | | | | |
| | Month OCU-DP COCI (data) - DS1 to DS0 Channel System | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | | - |
| | combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | <u> </u> |
| | Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 1 | UNCDX | UDL64 | 25.32 | 489.04 | 337.51 | | | | | | | | <u> </u> |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 43.11 | 489.04 | 337.51 | | | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 67.26 | 489.04 | 337.51 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-WIRI | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE | EROFFI | CE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 | | _1 | UNC1X | USLXX | 47.60 | 714.84 | 421.47 | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 84.36 | 714.84 | 421.47 | | | | | | | | |
| | Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 134.29 | 714.84 | 421.47 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.5753 | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|---|-------------|----------|--------------------|----------------|-----------------|-----------------|-----------------|--------------|-------|---|---|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring Add'l | Nonrecurring | | COMEC | SOMAN | OSS SOMAN | Rates (\$) | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | First | Addi | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | Is Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI | EROFFI | CE TR | | | | | | | | | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | , | | | | | | | | | | | | |
| | 1 | | 1 | UNC1X | USLXX | 47.60 | 714.84 | 421.47 | | | | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 84.36 | 714.84 | 421.47 | | | | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 3 | LINGAV | LICL VV | 424.00 | 714.84 | 404.47 | | | | | | | | |
| - | Interoffice Transport - Dedicated - DS3 combination - Per Mile | 1 | 3 | UNC1X | USLXX | 134.29 | /14.84 | 421.47 | | | | | | | + | + |
| | Per Month | | | UNC3X | 1L5XX | 12.98 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 720.38 | 794.94 | 579.55 | | | | | 38.07 | 38.07 | | |
| | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 233.10 | 403.97 | 234.40 | | | | | 38.07 | 38.07 | | |
| | DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - | | | UNC1X | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 47.60 | 714.84 | 421.47 | | | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 84.36 | 714.84 | 421.47 | | | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 3 DS3 Interface Unit (DS1 COCI) combination per month | | 3 | UNC1X UNC1X | USLXX UC1D1 | 134.29 16.07 | 714.84 13.09 | 421.47 9.38 | | | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | 10.01 | | | | | | | | | | |
| 2-WIRE | Is Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | FEROFE | ICE TE | UNC3X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | 1 | | 38.07 | 38.07 | | |
| 2 ***** | 2-WireVG Loop used with 2-wire VG Interoffice Transport | Litori | <u> </u> | I CANTON ORT (EEE) | 1 | | | | | | | | | | | |
| | Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport | | 1 | UNCVX | UEAL2 | 14.97 | 142.97 | 106.56 | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 25.93 | 142.97 | 106.56 | | | | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 40.81 | 142.97 | 106.56 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0282 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade | | | UNCVA | ILSAA | 0.0262 | | | | | | | | | 1 | |
| | combination - Facility Termination per month | | | UNCVX | U1TV2 | 18.00 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | 00.07 | | | |
| 4 14/100 | Is Charge VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | FEDOLE | ICE TE | UNCVX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-VVIRE | 4-WireVG Loop used with 4-wire VG Interoffice Transport | EKUFF | ICE II | KANSPORT (EEL) | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 21.32 | 288.47 | 237.45 | | | | | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 36.27 | 288.47 | 237.45 | | | | | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per | | 3 | UNCVX | UEAL4 | 56.57 | 288.47 | 237.45 | | | | | | | | |
| | Mile Per Month | | ļ | UNCVX | 1L5XX | 0.0282 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 22.16 | 106.11 | 65.95 | | | <u> </u> | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCVX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| DS3 DI | GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | E TRA | NSPOR | | 3,1000 | | 21.73 | 21.73 | 52.20 | 10.30 | | | 30.07 | 30.07 | t | |
| | High Capacity Unbundled Local Loop - DS3 combination - Per | | | <u> </u> | 1 | | | | | | | | | | | |
| | Mile per month | | | UNC3X | 1L5ND | 13.33 | | | | | ļ | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | | | UNC3X | UE3PX | 450.69 | 1,071.00 | 646.12 | | | <u> </u> | | 38.07 | 38.07 | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 12.98 | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhil | bit: B |
|--|---|--|---------|-----------|--------|--------|-----------------|------------|--|------------|-----------|-----------|--|--|--|--|
| 0.1.2011222 | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | - | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | + | | Monroe | | Monroourring | Dissennest | | | 000 | Rates (\$) | | L |
| | | | | | - | Rec | Nonrec First | Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| + | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | LIISI | Auu i | FIISL | Add I | SOMEC | SOWAN | SOMAN | SOWAN | SOWAN | SOWAN |
| | Termination per per month | | | UNC3X | U1TF3 | 720.38 | 794.94 | 579.55 | | | | | 38.07 | 38.07 | | i . |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | 01100/1 | 01110 | 720.00 | 704.04 | 070.00 | | | | | 00.07 | 00.07 | | — |
| | Is Charge | | | UNC3X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | 1 |
| STS1 I | DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE TF | ANSP | ORT (EEL) | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile per month | | | UNCSX | 1L5ND | 13.33 | | | | | | | | | | l |
| | High Capacity Unbundled Local Loop - STS1 combination - | | | | | | | | | | | | | | | ĺ |
| | Facility Termination per month | | | UNCSX | UDLS1 | 464.26 | 1,071.00 | 646.12 | | | | | 38.07 | 38.07 | | ! |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile | 1 | | LINIOOV | 41.500 | | | | 1 | | | | 1 | | 1 | İ |
| | per month | 1 | | UNCSX | 1L5XX | 6.14 | | | | | 1 | | | 1 | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | 1 | | UNCSX | U1TFS | 790.37 | 642.23 | 408.89 | 1 | | | | 38.07 | 38.07 | 1 | İ |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | OIYOOA | 01113 | 190.31 | 042.23 | 400.69 | | | 1 | 1 | 36.07 | 30.07 | 1 | <u> </u> |
| | Is Charge | | | UNCSX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | 1 |
| 2-WIRI | E ISON EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEI |) | 5.100A | 311000 | | 21.73 | 21.73 | 32.20 | 10.30 | 1 | | 30.07 | 30.07 | 1 | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | 1 | ĺ | | | | | | | | | | | | | |
| | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 19.42 | 325.91 | 251.31 | | | | | | | | 1 |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | |
| | Transport - Zone 2 | | 2 | UNCNX | U1L2X | 32.88 | 325.91 | 251.31 | | | | | | | | l |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | ĺ |
| | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 51.14 | 325.91 | 251.31 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.5753 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combintion - Facility | | | LINIOAN | | 74.00 | 047.47 | 100.75 | | | | | 00.07 | 00.07 | | 1 |
| - | Termination per month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | 1 | | | | 38.07 | 38.07 | | |
| | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | | 1 |
| + | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | UNCIX | IVIQT | 140.03 | 197.70 | 140.00 | | | | | 36.07 | 36.07 | | |
| | combination - per month | | | UNCNX | UC1CA | 3.59 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | 1 |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | İ | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 19.42 | 325.91 | 251.31 | | | | | | | | 1 |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.88 | 325.91 | 251.31 | | | | | | | | l |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | ĺ |
| | Combination - Zone 3 | ļ | 3 | UNCNX | U1L2X | 51.14 | 325.91 | 251.31 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | 1 | | LINGNIV | LICACA | 0.50 | 45.70 | 44.00 | 1 | | | | 00.5- | 00.5= | 1 | İ |
| | combintaion- per month Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | UNCNX | UC1CA | 3.59 | 15.76 | 11.28 | | | - | | 38.07 | 38.07 | | |
| | Is Charge | 1 | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | 1 | İ |
| 4-WIRI | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | ITEROF | FICE TI | | 311000 | | 21.73 | 21.73 | 52.20 | 10.30 | | | 30.07 | 30.07 | | |
| 1 | First DS1 Loop in STS1 Interoffice Transport Combination - | | | (-22) | | | | | 1 | | | | İ | 1 | İ | |
| | Zone 1 | 1 | 1 | UNC1X | USLXX | 47.60 | 714.84 | 421.47 | 1 | | | | 1 | | 1 | İ |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | 1 | | 1 | |
| | Zone 2 | <u> </u> | 2 | UNC1X | USLXX | 84.36 | 714.84 | 421.47 | | | | | | | | <u> </u> |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | 1 | | | | | | | | | | | 1 | | | 1 |
| | Zone 3 | ļ | 3 | UNC1X | USLXX | 134.29 | 714.84 | 421.47 | ļ | | | | ļ | ļ | ļ | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile | 1 | | LINCOV | 41.577 | | | | 1 | | | | 1 | | 1 | İ |
| | Per Month Interoffice Transport - Dedicated - STS1 combination - Facility | l | | UNCSX | 1L5XX | 6.14 | | | | | | | | | ļ | |
| | Termination | 1 | | UNCSX | U1TFS | 790.37 | 642.23 | 408.89 | I | | | | 38.07 | 38.07 | 1 | 1 |
| | STS1 to DS1 Channel System conbination per month | 1 | | UNCSX | MQ3 | 233.10 | 403.97 | 234.40 | + | | | | 38.07 | 38.07 | | t e |
| | DS3 Interface Unit (DS1 COCI) combination per month | † | | UNC1X | UC1D1 | 16.07 | 13.09 | 9.38 | 1 | | | | 38.07 | 38.07 | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | 1 | | - | | | | 2.30 | 1 | | | | 1 | 1 | Ì | |
| | Zone 1 | <u>L</u> | 1 | UNC1X | USLXX | 47.60 | 714.84 | 421.47 | <u> </u> | | <u> </u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 2 | <u> </u> | 2 | UNC1X | USLXX | 84.36 | 714.84 | 421.47 | ļ | | | | ļ | 1 | ļ | . |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | _ | | 1 | | | | | | | | | 1 | | 1 |
| | Zone 3 | ļ | 3 | UNC1X | USLXX | 134.29 | 714.84 | 421.47 | | | | | 20.5- | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | l | l | UNC1X | UC1D1 | 16.07 | 13.09 | 9.38 | L | | | | 38.07 | 38.07 | | 1 |

| <u>JNBU</u> NDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachr | nent: 2 | Exhi | bit: B |
|------------------|--|-------------|---------|--------------------|----------------|----------------|------------------|------------------|--------------|-------|-------|-------|--|--|----------|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCSX | UNCCC | | 04.75 | 21.75 | 32.28 | 40.00 | | | 38.07 | 38.07 | | |
| 4-WID | IS Charge E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI | FEICE 1 | DANS | | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-VVIIX | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | I IOL I | IVAINO | l OKT (LLL) | | | | | | | | | | | | + |
| | Combination - Zone 1 | | 1 | UNCDX | UDL56 | 25.32 | 489.04 | 337.51 | | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | | | | | | | | | | | | | 1 |
| | Combination - Zone 2 | | 2 | UNCDX | UDL56 | 43.11 | 489.04 | 337.51 | | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL56 | 67.26 | 489.04 | 337.51 | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0282 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | ONODA | TESTON | 0.0202 | | | | | | | | | | |
| | Facility Termination | | | UNCDX | U1TD5 | 17.40 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNCDX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-WIR | E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI | FFICE 1 | RANS | PORT (EEL) | | | | | | | | | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | LINODY | LIDI 04 | 05.00 | 400.04 | 007.54 | | | | | | | | |
| - | Combination - Zone 1 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | 1 | UNCDX | UDL64 | 25.32 | 489.04 | 337.51 | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 43.11 | 489.04 | 337.51 | | | | | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | ONODA | ODLO4 | 40.11 | 409.04 | 337.31 | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL64 | 67.26 | 489.04 | 337.51 | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Per Mile | | | UNCDX | 1L5XX | 0.0282 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination | | | UNCDX | U1TD6 | 17.40 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCDX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| DDITIONAL | NETWORK ELEMENTS | | | ONODA | UNCCC | | 21.75 | 21.75 | 32.20 | 10.30 | | | 30.07 | 30.07 | | + |
| | used as a part of a currently combined facility, the non-recurr | ng cha | rges do | not apply, but a S | Switch As Is c | harge does app | oly. | | | | | | | | | |
| | used as ordinarily combined network elements in All States, the | | | | | | | | | | | | | | | |
| Nonre | curring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each con | nbination) | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | UNCCC | | 21.73 | 21.73 | 32.20 | 10.90 | | | 36.07 | 30.07 | | + |
| | Is Charge - DS1 | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge - DS3 | | | UNC3X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| NOTE | Is Charge - STS1 Local Channel - Dedicated Transport - minimum billing period | l Bala | DC2 | UNCSX | UNCCC | 4b - | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| NOTE | Local Channel - Dedicated Transport - minimum billing period Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 | 1 - Belo | | =one month, DS3 a | ULDV2 | 11.24 | 553.80 | 89.69 | | | | | | | | |
| _ | Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade Zone 2 | | 2 | UNCVX | ULDV2 | 19.91 | 553.80 | 89.69 | | | | | | | | + |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 | | 3 | UNCVX | ULDV2 | 31.70 | 553.80 | 89.69 | | | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 1 | | 1 | UNCVX | ULDV4 | 12.03 | 562.23 | 92.67 | | | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 2 | | 2 | UNCVX | ULDV4 | 21.33 | 562.23 | 92.67 | | • | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | | 3 | UNCVX | ULDV4 | 33.95 | 562.23 | 92.67 | | | | | | | | ↓ |
| | Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNC1X | ULDF1 ULDF1 | 27.05 47.94 | 534.48 534.48 | 462.69 | | | | | | | - | + |
| | Local Channel - Dedicated -DS1 Per Month Zone 2 Local Channel - Dedicated - DS1- Per Month Zone 3 | | | UNC1X UNC1X | ULDF1 ULDF1 | 76.32 | 534.48 | 462.69 462.69 | | | | | | | | + |
| - | Local Channel - Dedicated - DS3 - Per Mile per month | | 3 | UNC3X | 1L5NC | 0.9954 | JJ4.40 | 402.09 | | | | | | | | + |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | UNC3X | ULDF3 | 298.92 | 562.25 | 527.88 | | | | | | | | † |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 0.9954 | | | | | | | | | İ | |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | | UNCSX | ULDFS | 286.13 | 1,071.00 | 646.12 | | | | | | | | |
| | | | i | 1 | 1 | | | | | | 1 | i l | | | | 1 |
| | nal Features & Functions: | | | | | | | | | | | ļ | | | | + |

| UNB | UNDLE | D NETWORK ELEMENTS - North Carolina | , | | | | | | | | | | | ment: 2 | | bit: B |
|--------------|--------|--|-------------|----------|---------------------|----------------|-----------------|----------------|----------------|--------------------|--------------------------------------|--------------------------|----------------|--|---|--|
| CATE | GORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | Svc Ord Submitt Elec per LS | ed Submitted Manually | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | | | | DISC 1St | DISC Auu I |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disco | | | | Rates (\$) | | |
| | | | | <u> </u> | | | | First | Add'l | First A | Id'I SOME | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | NOTE: | minimum billing period is three months for DS3 to DS1 and a | bove C | nannei | | | 440.00 | 407.70 | 110.00 | | | | 04.05 | 0.40 | | |
| | | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 146.69 | 197.78 | 140.06 | | | | 24.85 | 8.16 | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UDL | 1D1DD | 2.00 | 13.09 | 9.38 | | | | 24.85 | 8.16 | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month | | | LIDA | 110404 | 0.50 | 40.00 | 0.00 | | | | 04.05 | 0.40 | | |
| | | | | | UDN UEA | UC1CA 1D1VG | 3.59 | 13.09 | 9.38 | | | _ | 24.85 24.85 | 8.16 8.16 | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | MQ3 | 1.27 | 13.09 | 9.38 | | | | | | | |
| | | DS3 to DS1 Channel System per month | | | UXTD3 | | 233.10 | 403.97 | 234.40 | | | | 24.78 | 7.42 | | |
| | | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 233.10 | 403.97 | 234.40 | | | | 38.07 | 38.07 | | |
| | | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 16.07 | 13.09 | 9.38 | | | | 24.85 | 8.16 | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 16.07 | 13.09 | 9.38 | | | | 24.85 | 8.16 | | |
| | | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel | | | | | 40.0= | | | | | | | | | |
| | | per month | | | U1TD1 | UC1D1 | 16.07 | 13.09 | 9.38 | | | | 24.85 | 8.16 | | |
| | Sub-Lo | pop Feeder | | | | | | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | | SW | UNC1X | USBFG | | | | | | _ | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | UNC1X | USBFG | 35.65 | 393.01 | 153.37 | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | | UNC1X | USBFG | 63.18 | 393.01 | 153.37 | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | | UNC1X | USBFG | 100.58 | 393.01 | 153.37 | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4 | | 4 | UNC1X | USBFG | | | | | | | | | | |
| UNBL | | LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | |
| | Exchan | nge Ports | | | | | | | | | | | | | | |
| | NOTE: | Although the Port Rate includes all available features in GA, I | KY, LA | & TN, t | he desired features | will need to I | oe ordered usin | g retail USOCs | 5 | | | | | | | |
| | 2-WIRE | VOICE GRADE LINE PORT RATES (RES) | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | |
| | | Endough Both OMFor Analysis Both 3th Oallooks B. Both | | | LIEDOD | LIEBBO | 0.40 | 04.00 | 04.00 | | | | 00.04 | 40.70 | | |
| | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | |
| | | Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | LIEDOD | LIEDAD | 0.40 | 04.00 | 04.00 | | | | 00.04 | 40.70 | | |
| | | with Caller ID (LUM) | | | UEPSR | UEPAP | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | |
| | | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | | 40.00 | | |
| | | Capability | | | UEPSR | UEPRT | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | |
| | | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 26.94 | 12.76 | | |
| | FEATU | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | UEPSR | UEPVF | 3.40 | 0.00 | 0.00 | | | | 26.94 | 12.76 | | |
| | 2-WIRE | VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | |
| | | Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | |
| | | | | <u> </u> | | | | | | | | | | | | |
| | - | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exhange Ports - 2-Wire VG unbundled incoming only port with | | | UEPSB | UEPBO | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | |
| | | Caller ID - Bus | | | UEPSB | UEPB1 | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | |
| | | 2-Wire voice unbundled Incoming Only Port without Caller ID Capability | | | UEPSB | UEPBE | 2.19 | 21.60 | 21.60 | | | | 26.94 | 12.76 | | |
| | | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 1 | | | 1 |
| | FEATU | RES | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | UEPSB | UEPVF | 3.40 | 0.00 | 0.00 | | | | 26.94 | 12.76 | İ | İ |
| | | INGE PORT RATES (DID & PBX) | | 1 | | | | | | | | | 1 | T | | 1 |
| | | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 2.18 | 21.60 | 21.60 | | | | 26.94 | 12.76 | 1 | i e |
| | + | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | 1 | 1 | UEPSP | UEPPC | 2.18 | 21.60 | 21.60 | | | 1 | 26.94 | 12.76 | t | 1 |
| | 1 | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | - | I | UEPSP | UEPPO | 2.18 | 21.60 | 21.60 | | - | + | 26.94 | 12.76 | 1 | |
| | 1 | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | - | | UEPSP | UEPP1 | 2.18 | 21.60 | 21.60 | | | + | 26.94 | 12.76 | | 1 |
| | 1 | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | l | 1 | UEPSP | UEPLD | 2.18 | 21.60 | 21.60 | | - | - | 26.94 | 12.76 | | 1 |
| | | 2-ville Arialog Long Distance Terminal FDA Trufk - Bus | | | | | | | | | | | | | | |
| | - | 2 Wire Voice Unbundled PRY LD Terminal Ports | | | HEDED | I I E DI D | 2 40 | 24.60 | 24.60 | | | | 20.04 | 40.70 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP UEPSP | UEPLD | 2.18 2.18 | 21.60 21.60 | 21.60 21.60 | | | | 26.94 26.94 | 12.76 12.76 | | |

Version 4Q02: 12/18/02 Page 291 of 416

| UNBUNDLED N | IETWORK ELEMENTS - North Carolina | | | | _ | | | | | | | | Attachi | nent: 2 | Exhil | oit: B |
|---------------|---|--|----------|----------------------|------------------|-------------------|----------------|----------------|------------------|-----------------|---|-----------------|--------------|-------------|-------------|-------------|
| 1 | | | | | | | | | | | Svc Order | Svc Order | | Incremental | | Incrementa |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | p = = = = = = = = = = = = = = = = = = = | p = = = = = = = | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | + | | Nonred | urrina | Monroourring | a Disconnect | | | 000 | Rates (\$) | | l |
| | | - | | | _ | Rec | | | | | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Vire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| 2-V | Vire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| 2-V | Vire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | pable Port | | | UEPSP | UEPXE | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | Vire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | 02. 0. | OL: AL | 2.10 | 21.00 | 21.00 | | | | | 20.01 | 12.70 | | |
| | | | | LIEDOD | LIEDVI | 0.40 | 04.00 | 04.00 | | | | | 00.04 | 40.70 | | |
| | ministrative Calling Port | | | UEPSP | UEPXL | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | Vire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| Roo | om Calling Port | | | UEPSP | UEPXM | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| 2-V | Vire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | scount Room Calling Port | l | 1 | UEPSP | UEPXO | 2.18 | 21.60 | 21.60 | | 1 | 1 | | 26.94 | 12.76 | | l |
| | Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | - | | UEPSP | UEPXS | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | l |
| | | <u> </u> | | | | | | | | | | | | | | |
| | bsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | 26.94 | 12.76 | | |
| FEATURES | | <u> </u> | | | | | | | | | | | | | | |
| | Available Vertical Features | l | | UEPSP UEPSE | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 26.94 | 12.76 | | l |
| EXCHANG | E PORT RATES (COIN) | | | | | | | | | | | | | | | |
| | change Ports - Coin Port | | | | + | 2.59 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | | | | luarrit arritale | | | | inning bu D Cl | | -4- d!4b 0 | ina ICDN m | | 12.70 | | |
| | ansmission/usage charges associated with POTS circuit st | | | | | | | | | | | | | L | | |
| | cess to B Channel or D Channel Packet capabilities will be | availal | ole onl | y through BFR/New | Business Re | quest Process. | Rates for the | packet capabi | ities will be de | etermined via t | he Bona Fic | le Request/I | New Business | Request Pro | cess. | |
| UNBUNDLED LOC | CAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| EXCHANG | E PORT RATES | | | | | | | | | | | | | | | |
| | change Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 12.36 | 81.84 | 81.84 | | | | | 26.94 | 12.76 | | |
| | change Ports - DDITS Port - 4-Wire DS1 Port with DID | | | OLI EX | OLI I Z | 12.00 | 01.04 | 01.04 | | | | | 20.04 | 12.70 | | |
| | | | | | | 400.00 | 440.00 | | | | | | | | | |
| | pability | | | UEPDD | UEPDD | 123.65 | 116.59 | 69.92 | | | | | 26.94 | 12.76 | | |
| Exc | change Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 24.50 | 62.29 | 62.29 | | | | | 55.30 | 55.30 | | |
| All | Features Offered | | | UEPTX UEPSX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | | | | |
| NOTE: Tra | ansmission/usage charges associated with POTS circuit sv | vitched | usage | will also apply to c | ircuit switche | ed voice and/or | circuit switch | ed data transm | ission by B-Cl | hannels associ | ated with 2- | wire ISDN p | orts. | | | |
| | cess to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Request Pro | cess | |
| | change Ports - 2-Wire ISDN Port Channel Profiles | . avana | 1 | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | itics will be a | I | I Dona i ic | ic requestr | tett Busines | ricquestrie | 0000. | |
| | | - | | | | | | | | | | | 50.00 | 50.00 | | |
| | change Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 179.75 | 241.63 | 241.63 | | | | | 53.89 | 53.89 | | |
| | ED PORT with REMOTE CALL FORWARDING CAPABILITY | | | | | | | | | | | | | | | |
| UNBUNDLI | ED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | | | | |
| Uni | bundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | | | | | | | | | | | | | | | |
| 11-1 | bundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | | | | | | | | | | | | | | | |
| | bundled Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| Uni | bundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| Non-Recur | rrina | | | | | | | | | | | | | | | |
| | bundled Remote Call Forwarding Service - Conversion - | | 1 | 1 | 1 | 1 | | | | † | 1 | | | | | 1 |
| | itch-as-is | l | 1 | UEPVR | USAC2 | | 2.77 | 0.40 | | 1 | 1 | | 26.94 | 12.76 | | l |
| | | - | | UEFVK | USACZ | | 2.11 | 0.40 | | | | | 20.94 | 12.76 | | |
| | bundled Remote Call Forwarding Service - Conversion with | l | 1 | | 1 | | | | | 1 | 1 | | | | | l |
| | owed change (PIC and LPIC) | | | UEPVR | USACC | | 2.77 | 0.40 | | | | | | | | |
| UNBUNDLI | ED REMOTE CALL FORWARDING - Bus | l | | | | | | | | | | | | | | l |
| | | | | | 1 | | | | | İ | İ | | | | | İ |
| Hall | bundled Remote Call Forwarding Service, Area Calling - Bus | l | 1 | UEPVB | UERAC | 2.19 | 21.60 | 21.60 | | 1 | 1 | | 26.94 | 12.76 | | l |
| Uni | Danielos Remote Can i Orwarding Service, Area Canting - Bus | | | OLI VD | JEIVAG | 2.19 | 21.00 | 21.00 | | | | | 20.34 | 12.10 | | |
| [| | l | 1 | | l=s | | | | | 1 | 1 | | | | | l |
| | bundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | bundled Remote Call Forwarding Service, InterLATA - Bus | <u></u> | <u> </u> | UEPVB | UERTE | 2.19 | 21.60 | 21.60 | <u></u> | <u></u> | <u> </u> | | 26.94 | 12.76 | | L |
| Uni | bundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | bundled Remote Call Forwarding Service Expanded and | | | | İ | | | | | | | | | | | |
| | ception Local Calling | | 1 | UEPVB | UERVJ | 2.19 | 21.60 | 21.60 | | 1 | ĺ | | 26.94 | 12.76 | | l |
| | | | | OLF VD | OLIVU | 2.19 | ∠1.00 | 21.00 | | | | | 20.94 | 12.70 | | |
| Non-Recur | | <u> </u> | _ | ļ | 1 | | | | | ļ | . | | | | | |
| | bundled Remote Call Forwarding Service - Conversion - | | 1 | | 1 | | | | | 1 | ĺ | | | | | l |
| Swi | ritch-as-is | l | 1 | UEPVB | USAC2 | | 2.77 | 0.40 | | 1 | 1 | | 26.94 | 12.76 | | l |
| Uni | bundled Remote Call Forwarding Service - Conversion with | | | | 1 | | | | | İ | | | | | | İ |
| | owed change (PIC and LPIC) | | | UEPVB | USACC | | 2.77 | 0.40 | | 1 | ĺ | | | | | l |
| | | 1 | - | OLI VD | JUAGO | - | 2.11 | 0.40 | | 1 | 1 | | | | | |
| UNBUNDLED LOC | AL SWITCHING, PORT USAGE | | | <u> </u> | ì | 1 | | | | | | | | | | |
| | 0 1: 11 | | | | | | | | | | | | | | | |
| End Office | Switching (Port Usage) | | | | | | | | | | | | | | | |
| End Office | • Switching (Port Usage) d Office Switching Function, Per MOU d Office Trunk Port - Shared, Per MOU | | | | | 0.0015 0.00023 | | | | | | | | | | |

Version 4Q02: 12/18/02 Page 292 of 416

| UNBUNDLED NETWO | ORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|---------------------|--|----------|---------|-----------------------|---------------|-------------------|----------------|----------------|------------------|------------------|--------------|-------------|-------------|-------------|-------------|------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual S |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (1) | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| | | | | | | | | | | | | | 151 | Add I | DISC ISI | DISC Add |
| | | | | | | | Nonre | curring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Tandem Switchin | g (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | |
| Tandem S | witching Function Per MOU | | | | | 0.0006 | | | | | | | | | | |
| Tandem T | runk Port - Shared, Per MOU | | | | | 0.0003 | | | | | | | | | | |
| Common Transpo | ort | | | | | | | | | | | | | | | |
| Common ⁻ | Fransport - Per Mile, Per MOU | | | | | 0.00001 | | | | | | | | | | |
| Common ⁻ | Fransport - Facilities Termination Per MOU | | | | | 0.00034 | | | | | | | | | | |
| UNBUNDLED PORT/LOO | P COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | are applied where BellSouth is required by FCC ar | | | | | | | | | | | | | | | |
| Features shall ap | ply to the Unbundled Port/Loop Combination - Cos | t Basec | Rate | section in the same | manner as th | ey are applied | to the Stand-A | Ione Unbundle | ed Port section | n of this Rate I | Exhibit. | | | | | |
| End Office and Ta | andem Switching Usage and Common Transport Us | sage rat | es in t | he Port section of th | is rate exhib | it shall apply to | all combinati | ons of loop/po | ort network ele | ments except | for UNE Coi | n Port/Loop | Combination | ns. | | |
| The first and add | itional Port nonrecurring charges apply to Not Curr | ently C | ombine | ed Combos. For Cur | rently Comb | ined Combos th | ne nonrecurrin | g charges sha | III be those ide | ntified in the l | Nonrecurring | - Currently | Combined se | ections. | | |
| 2-WIRE VOICE GI | RADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | ombination Rates | | | | | | | | | | | | | | | |
| | Loop/Port Combo - Zone 1 | | 1 | | | 13.03 | | | | | | | | | | |
| | Loop/Port Combo - Zone 2 | | 2 | | | 21.33 | | | | | | | | | | |
| | Loop/Port Combo - Zone 3 | | 3 | | | 32.61 | | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | |
| 2-Wire Voi | ce Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 10.75 | | | | | | | | | | |
| 2-Wire Voi | ce Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 19.05 | | | | | | | | | | |
| 2-Wire Voi | ce Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 30.33 | | | | | | | | | | |
| 2-Wire Voice Grad | de Line Port Rates (Res) | | | | | | | | | | | | | | | |
| 2-Wire voi | ce unbundled port - residence | | | UEPRX | UEPRL | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| 2-Wire voi | ce unbundled port with Caller ID - res | | | UEPRX | UEPRC | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| 2-Wire voi | ce unbundled port outgoing only - res | | | UEPRX | UEPRO | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| 2-Wire voi | ce unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| (LUM) | | | | UEPRX | UEPAP | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| 2-Wire voi | ce unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | | | | | |
| Capability | | | | UEPRX | UEPRT | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| FEATURES | | | | | | | | | | | | | | | | |
| All Feature | | | | UEPRX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| LOCAL NUMBER | PORTABILITY | | | | | | | | | | | | | | | |
| | ber Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| NONRECURRING | CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| 2-Wire Voi | ce Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| Switch-as- | | | | UEPRX | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| 2-Wire Voi | ce Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| Switch wit | | | | UEPRX | USACC | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | ce Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | nt Database Update | | | | | | 1.42 | | | | | | 10.27 | | | |
| ADDITIONAL NRO | | | | | | | | | | | | | | | | |
| 2-Wire Voi | ce Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| Activity | | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | <u> </u> |
| | RADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| | ombination Rates | | | | | | | | | | | | | | | |
| | Loop/Port Combo - Zone 1 | | 1 | | | 13.03 | | | | | | | | | | |
| | Loop/Port Combo - Zone 2 | | 2 | | | 21.33 | | | | | | | | | | |
| | Loop/Port Combo - Zone 3 | | 3 | | | 32.61 | | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | |
| | ce Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 10.75 | | | | | | | | | | |
| | ce Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 19.05 | | | | | | | | | | |
| | ce Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 30.33 | | | | | | | | | | |
| | de Line Port (Bus) | | | | | | | | | | | | | | | |
| | ce unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | ce unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | ce unbundled port outgoing only - bus | | | UEPBX | UEPBO | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | ce unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | ce unbundled Incoming Only Port without Caller ID | | | | | | | | | | | | | | | |
| Capability | | | <u></u> | UEPBX | UEPBE | 2.28 | 79.59 | 63.97 | <u></u> | <u> </u> | | <u> </u> | 40.18 | 9.45 | | <u> </u> |
| | PORTABILITY | | | | | | | | | | | | | | | |

| UNBUNDLEI | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-----------|--|--|------|--|--------|-------|--------|------------|-------|--------------|-------|-----------|--|--|-------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| FEATU | | | | UEPBA | LINPUX | 0.35 | | | | | | | | | | |
| | All Features Offered | | | UEPBX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPBX | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch with change | | | UEPBX | USACC | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | 1.42 | | | | | | 40.07 | | | |
| | Subsequent Database Update DNAL NRCs | | | | | | 1.42 | | | | | | 10.27 | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| UNE Po | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 13.03 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.33 | | | | | | | | | | ļ |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 32.61 | | | | | | | | | | |
| | op Rates | | 1 | UEPRG | UEPLX | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 19.05 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 30.33 | | | | | | | | | | |
| | Voice Grade Line Port Rates (RES - PBX) | | | OLI NO | OLI DI | 00.00 | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | | |
| | Res | | | UEPRG | UEPRD | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | ļ |
| FEATU | | | | LIEDDO | LIEDVE | 0.40 | 0.00 | 0.00 | | | | | 40.40 | 0.45 | | |
| | All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | UEPRG | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | 02.110 | 00/102 | | | 0.10 | | | | | 10.10 | 0.10 | | |
| | Conversion - Switch with Change | | | UEPRG | USACC | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Subsequent Database Update | | | | | | 1.42 | | | | | | 10.27 | | | |
| | ONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 13.03 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.33 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 32.61 | | | | | | | | | | |
| UNE Lo | op Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 10.75 | | • | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | ļ | 2 | UEPPX | UEPLX | 19.05 | | | | | | | | | | <u> </u> |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | ļ | 3 | UEPPX | UEPLX | 30.33 | | | | | | | | | | |
| 2-wire | Voice Grade Line Port Rates (BUS - PBX) | | | | + | | | | | 1 | 1 | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | 1 | | UEPPX | UEPPC | 2.28 | 164.57 | 128.16 | | | | 1 | 40.18 | 9.45 | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | - | | UEPPX | UEPPO | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | 1 | | UEPPX | UEPP1 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| 1 | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | 1 | UEPPX | UEPXD | 2.28 | 164.57 | 128.16 | | 1 | 1 | I | 40.18 | 9.45 | l | 1 |

| ONDOND | DLED NETWORK ELEMENTS - North Ca | rolina | | | | | | | | | 1 | • | | ment: 2 | | bit: B |
|----------|---|-----------------------|---------------|----------------|----------------|--------------|-----------------|-----------------|-----------------------|-----------------------|---|---|--|---|---|---|
| CATEGORY | Y RATE ELEMENTS | | iteri m Zo | ne BC | s usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled PBX LD Terminal S | witchboard IDD | | | | | 11130 | Auu | 11130 | Addi | JONILO | JOHAN | JONIAN | JONAN | JOINAIN | JOWAN |
| | Capable Port | | | UEPPX | UEPXE | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/H Administrative Calling Port | lospital Economy | | UEPPX | UEPXL | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/H | lospital Economy | | | LIEDVAA | | | | | | | | | | | |
| | Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PE | RY Hotel/Hospital | | UEPPX | UEPXM | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | Discount Room Calling Port | DX 1 lotel/1 lospital | | UEPPX | UEPXO | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PE | BX Measured Port | | UEPPX | UEPXS | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| LOC | CAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| FE# | ATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| NOI | ONRECURRING CHARGES (NRCs) - CURRENTL | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combina | ation (PBX) - | | | | | | | | | | | | | | |
| | Conversion - Switch-As-Is | (55).0 | | UEPPX | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combina | ation (PBX) - | | | | | | | | | | | | | | |
| | Conversion - Switch with Change | | | UEPPX | USACC | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop / Line Port Combin | ation - Conversion - | | | | | 4.40 | | | | | | 40.07 | | | |
| ADI | Subsequent Database Update DDITIONAL NRCs | | | + | | | 1.42 | | | | | | 10.27 | | | |
| ADI | 2-Wire Voice Grade Loop/ Line Port Combina | otion (DDV) | | _ | | | | | | | | | | | | |
| | Subsequent Activity | alion (PDA) - | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| 2-14 | WIRE VOICE GRADE LOOP WITH 2-WIRE ANAL | OG LINE COIN PORT | | ULFFX | U3A32 | 0.00 | 0.00 | 0.00 | | | | | 40.16 | 9.43 | | |
| | IE Port/Loop Combination Rates | OO EINE COINT ON | | + | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 13.03 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 21.33 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 32.61 | | | | | | | | | | |
| UNI | IE Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 19.05 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 30.33 | | | | | | | | | | |
| 2-W | Wire Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screeni | ing and without | | | | | | | | | | | | | | |
| | Blocking (NC) | | | UEPCO | UEPND | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Coin 2-Way with Operator Screening | | | UEPCO | UEPNC | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Coin 2-Way with Operator Screening 900/976, 1+DDD (NC, TN) | and Blocking: 011, | | UEPCO | UEPRP | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Coin 2-Way with Operator Screening | and 011 Blocking | | | | | | | | | | | | | | |
| | (NC) | • | | UEPCO | UEPNB | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Coin 2-Way with Operator Screening: 900/976, 1+DDD, 011+, and Local (NC, TN) | 900 Blocking: | | UEPCO | UEPCA | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| -+ | 2-Wire Coin Outward with Operator Screenin | g and 011 Blocking | | OLI OO | OLI OIL | 2.20 | 70.00 | 00.01 | | | | | 40.10 | 0.40 | | |
| | (NC) | | | UEPCO | UEPNE | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Coin Outward with Operator Screenin | ng and Blocking: | | LIEDOO | LIEDOL | 0.00 | 70.50 | 00.07 | | | | | 40.40 | 0.45 | | |
| | 900/976, 1+DDD, 011+, and Local (NC) 2-Wire 2-Way Smartline with 900/976 (all sta | ton auront I A) | | UEPCO UEPCO | UEPCL UEPCK | 2.28 2.28 | 79.59 79.59 | 63.97 63.97 | | | | | 40.18 40.18 | 9.45 9.45 | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all sta | | | UEPCU | UEPCK | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | LA) | (an states except | | UEPCO | UEPCR | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| ΔDI | DITIONAL UNE COIN PORT/LOOP (RC) | | | 02.00 | OLI OIL | 2.20 | 70.00 | 55.51 | | | | | 40.10 | 5.45 | 1 | |
| 7.01 | UNE Coin Port/Loop Combo Usage (Flat Ra | ite) | | UEPCO | URECU | 3.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| LO | OCAL NUMBER PORTABILITY | | | | 3200 | 50 | 3.30 | 5.50 | 5.50 | 3.50 | | | | 0.10 | | |
| | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | İ | İ | | | İ | İ | | |
| NOI | DNRECURRING CHARGES - CURRENTLY COME | BINED | | | <u> </u> | | | | | <u> </u> | | | | | <u> </u> | |
| - I | 2-Wire Voice Grade Loop / Line Port Combin | ation - Conversion - | | | | | | | | | | | | | | |
| 1 | | | 1 | UEPCO | USAC2 | 1 | 2.77 | 0.40 | 1 | I | 1 | I | 40.18 | 9.45 | 1 | |
| | Switch-as-is 2-Wire Voice Grade Loop / Line Port Combin | ation Constitution | | UEPCO | OOAOZ | | 2.77 | 0.40 | | | | | 40.10 | 9.43 | | 1 |

| ONRONDI | LED NETWORK ELEMENTS - North Carolina | | | 1 | <u> </u> | | | | | | 1 - | T - | | ment: 2 | | bit: B |
|----------|--|-------------|--|--------|----------|--------------|--------|------------|--|-------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion | - | | | | | | | | | | | | | | |
| | Subsequent Database Update | | 1 | | | | 1.42 | | | | | | | | | |
| ADD | DITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | <u> </u> | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | 4 |
| | IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR | E LINE I | PORT (| RES) | | | | | 1 | | | | | | | |
| | E Port/Loop Combination Rates E Loop Rates | | 1 | | | | | | | | | | | | | |
| | ire Voice Grade Line Port Rates (Res) | | 1 | | | | | | | | | | | | | |
| 2-44 | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 2.40 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res | + | | UEPFR | UEPRC | 2.19 2.19 | 225.00 | 225.00 | + | | - | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port outgoing only - res | 1 | 1 | UEPFR | UEPRO | 2.19 | 225.00 | 225.00 | + + | | 1 | | 40.18 | 9.45 | | |
| | 2-Wire voice unburidled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID | 1 | 1 | OLITIN | OLFRO | 2.19 | 223.00 | 223.00 | + + | | 1 | | 40.10 | 9.45 | 1 | |
| | (LUM) | | | UEPFR | UEPAP | 2.19 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| INT | EROFFICE TRANSPORT | 1 | + | OLITIK | JLI AI | 2.13 | 225.00 | 225.00 | | | | | 70.10 | 3.43 | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | <u> </u> | | | | | | | |
| | Termination | 1 | | UEPFR | U1TV2 | 18.00 | 140.00 | 71.00 | | | | | | l | I | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | 1 | OLITIK | OTTVZ | 10.00 | 140.00 | 71.00 | | | 1 | | | | | + |
| | or Fraction Mile | | | UEPFR | 1L5XX | 0.0125 | | | | | | | | | | |
| EEA | ATURES | | 1 | OLITIK | TESTON | 0.0125 | | | | | 1 | | | | | + |
| 1 | All Features Offered | | | UEPFR | UEPVF | 3.40 | 0.00 | 0.00 | <u> </u> | | | | 40.18 | 9.45 | | + |
| 1.00 | CAL NUMBER PORTABILITY | | | OLITIK | OLI VI | 3.40 | 0.00 | 0.00 | <u> </u> | | | | 40.10 | 3.43 | | + |
| | Local Number Portability (1 per port) | | 1 | UEPFR | LNPCX | 0.35 | | | | | 1 | | | | | 1 |
| NON | NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | OLITIK | LIVIOX | 0.00 | | | <u> </u> | | | | | | | |
| 1101 | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | + |
| | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | OLITIK | 00/102 | | 0.00 | 1.07 | 1 | | | | 40.10 | 3.40 | | 1 |
| | Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| 2-W | TRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR | E LINE | PORT (| | 00,100 | | 0.00 | 1.01 | 1 | | | | 10.10 | 00 | | 1 |
| | E Port/Loop Combination Rates | T | 1 | 1 | | | | | | | | | | | | |
| | Loop Rates | | | | | | | | i i | | | | | | | |
| | ire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 2.19 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 2.19 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 2.19 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 2.19 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | 1 |
| LOC | CAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | | | | | | | | |
| INT | EROFFICE TRANSPORT | | | | | | | | | | | | | | | 1 |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | 1 |
| | Termination | | | UEPFB | U1TV2 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFB | 1L5XX | | | | | | | | | | | |
| FEA | ATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFB | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| NON | NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | <u></u> | <u>L</u> | UEPFB | USAC2 | | 9.03 | 1.87 | l | | | | 40.18 | 9.45 | <u></u> | <u> </u> |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change | <u> </u> | | UEPFB | USACC | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | Loop Rates | | | | | | | | | | | | | | | |
| 2-W | ire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | 1 | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |

| <u> </u> | WORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--------------------|--|--|------|--------|--|---------------|--------|------------|--------------|--------------|--|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Increment Charge Manual S Order vs Electroni |
| | | | | | | | | | | | | | 1st | Add'I | Disc 1st | Disc Add |
| | | | | | 1 | B | Nonrec | urring | Nonrecurring | g Disconnect | | l | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-Wire | Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| 2-Wire | Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| 2-Wire Capab | Voice Unbundled PBX LD Terminal Switchboard IDD le Port | | | UEPFP | UEPXE | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | Voice Unbundled 2-Way PBX Hotel/Hospital Economy istrative Calling Port | | | UEPFP | UEPXL | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Calling Port | | | UEPFP | UEPXM | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital ant Room Calling Port | | | UEPFP | UEPXO | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | BER PORTABILITY | | | | 1 | | | | | | | | | 27.10 | | |
| | Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| INTEROFFICE | | | | | | | | | | | | | | | | |
| Interofi Termin | fice Transport - Dedicated - 2 Wire Voice Grade - Facility lation | | | UEPFP | U1TV2 | | | | | | | | | | | |
| | fice Transport - Dedicated - 2 Wire Voice Grade - Per Mile ction Mile | | | UEPFP | 1L5XX | | | | | | | | | | | |
| FEATURES | , , , , , , , , , , , , , , , , , , , | | | 02 | 120701 | | | | | | | | | | | |
| | atures Offered | | | UEPFP | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | NG CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| 2-Wire | Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | nation - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | Loop / Dedicated IO Transport / 2 Wire Line Port nation - Conversion - Switch with change | | | UEPFP | USACC | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | OOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | |
| | p Combination Rates | | | | | | | | | | | | | | | |
| | VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 20.97 | | | | | | | | | | |
| | VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 27.80 | | | | | | | | | | |
| | VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | 37.08 | | | | | | | | | | |
| UNE Loop Rat | | | 1 | UEPPX | LIEOD4 | 0.05 | | | | | | | | | | |
| | Analog Voice Grade Loop - (SL2) - UNE Zone 1 Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 UECD1 | 8.85 15.68 | | | | | | | | | | |
| | Analog Voice Grade Loop - (SL2) - UNE Zone 2 Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 24.96 | | | | | 1 | | | | | |
| UNE Port Rate | | | 3 | OLFFX | OLCDI | 24.50 | | | | | | | | | | |
| | nge Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 12.12 | 224.81 | 188.40 | | | | | 40.18 | 9.45 | | |
| | ING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | UEPPX | USAC1 | | 13.26 | 8.39 | | | | | 53.89 | 11.34 | | |
| | Voice Grade Loop / 2-Wire DID Trunk Port Conversion | 1 | | 52. TA | 30,101 | | 10.20 | 0.00 | | | | | 55.03 | 11.54 | | l |
| | ellSouth Allowable Changes | | | UEPPX | USA1C | | 13.26 | 8.39 | | | | | 53.89 | 11.34 | | |
| | DID Subsequent Activity - Add Trunks, Per Trunk | 1 | | UEPPX | USAS1 | | 53.49 | | | | } | - | 40.18 | 9.45 | | } |
| | Imber/Trunk Group Establisment Charges | | | OLI-FA | USASI | | 33.49 | | | | | | 40.10 | 9.45 | | |
| | unk Termination (One Per Port) | 1 | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| DID No | umbers, Establish Trunk Group and Provide First Group | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | onal DID Numbers for each Group of 20 DID Numbers | 1 | | UEPPX | ND2 ND4 | 0.00 | 0.00 | 0.00 | | 1 | 1 | - | | 1 | | 1 |
| | umbers, Non- consecutive DID Numbers, Per Number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | 1 | 1 | | | 1 | | 1 |
| | ve Non-Consecutive DID numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | 1 | 1 | | | 1 | | 1 |
| | ve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | 1 | | | | | | |
| | ER PORTABILITY | 1 | | 52. TA | 100 | 5.00 | 0.00 | 0.00 | | | | | | | | |
| | Number Portability (1 per port) | 1 | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | 1 | | |
| | DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII | NE SIDF | PORT | | | 20 | | | | Ì | İ | İ | | İ | | 1 |
| | p Combination Rates | | | | | | | | | | İ | | | | | 1 |

| ONROND | JLEL | NETWORK ELEMENTS - North Carolina | | | | | | 1 | | | | | T - | | | ment: 2 | | bit: B |
|-------------|-------|--|-------------|----------|----------|--------|-------|---------|--------|------------|--------------|--------------|---|---|--|--|---|----------|
| CATEGOR | ιΥ | RATE ELEMENTS | Interi m | Zone | E | scs | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | 1 | | Nonro | rrina | Monroourring | n Dissennest | | | 000 | Potos (\$) | l | |
| | | | | | | | | Rec | Nonred | | | g Disconnect | 001150 | 001111 | | Rates (\$) | 0011411 | 001441 |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | 1 | | - | | - | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | UNE Zone 1 | | 1 | UEPPB | UEPPR | | 38.84 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | - | UEPPB | UEFFR | + | 30.04 | | | | | | | | | - | + |
| | | UNE Zone 2 | | 2 | UEPPB | UEPPR | | 50.01 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | _ | OLITE | OLITIK | | 00.01 | | | | | | | | | | + |
| | | UNE Zone 3 | | 3 | UEPPB | UEPPR | | 65.18 | | | | | | | | | | |
| UN | | op Rates | | Ŭ | OLITE | OLITIK | | 00.10 | | | | | | | | | | † |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 14.47 | | | | | | | | | | + |
| | | - · · · · · · · - · · - · · · · · · · · | | | | | | | | | | | | | | | | 1 |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 25.64 | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 40.81 | | | | | | | | | | 1 |
| UN | | ort Rate | | | | | | | | | | | | | | | | 1 |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 24.37 | 388.20 | 302.77 | | | | | 19.99 | 19.99 | | |
| NO | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | 1 | | | | 1 | | | | † | | | | | İ | İ | † |
| | | Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 174.35 | 174.35 | | | | | | | | |
| AD | | ONAL NRCs | | | | | | | | | | | | | | | | 1 |
| LO | CAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-0 | | NNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | | CSD | | † | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| B-C | | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C.MS. 8 | (NT | | | | | | | | | | | | | | |
| | | ERMINAL PROFILE | T . | T | | | | | | | | | | | | | | |
| 1 | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| VE | | AL FEATURES | | | | | | | | | | | | | | | | 1 |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 3.40 | 0.00 | 0.00 | | | | | | | | 1 |
| INT | | OFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | _ |
| | | Interoffice Channel mileage each, including first mile and | | | | | | | | | | | | | | | | 1 |
| | | facilities termination | | | UEPPB | UEPPR | M1GNC | 18.0282 | 137.48 | 52.58 | | | | | 19.99 | 19.99 | | |
| | | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0282 | 0.00 | 0.00 | | | | | | | | 1 |
| 4-V | | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | | | | | | | | | | | | | | 1 |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | | 1 |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | 1 |
| | | Zone 1 | | 1 | UEPPP | | | 226.55 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | 1 |
| | | Zone 2 | | 2 | UEPPP | | | 263.28 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | 1 | | | | | | | |
| | | Zone 3 | 1 | 3 | UEPPP | | I | 313.15 | | | | | | | | l | I | |
| UN | | op Rates | Ì | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 47.54 | | | | | | | | | | 1 |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 84.27 | | | | | | | | | | 1 |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 134.14 | | | | | | | | | | 1 |
| UN | IE Po | rt Rate | | | | | | | | | | | | | | | | 1 |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 179.01 | 956.47 | 663.10 | | | | | 19.99 | 19.99 | | 1 |
| NO | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | 1 |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | | |
| | | Combination - Conversion -Switch-as-is | 1 | 1 | UEPPP | | USACP | 0.00 | 481.51 | 481.51 | | | | | | l | I | |
| AD | DITIO | ONAL NRCs | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | | |
| | | Subsequent Inward/2-Way Tel Nos - (NC Only) | 1 | | UEPPP | | PR7TG | | 1.17 | 1.17 | | | | | | | 1 | |
| | | 4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent | | | | | | | | | | | | | | | | 1 |
| | | Activity Outward tel nos. (NC only) | 1 | 1 | UEPPP | | PR7TP | | 28.17 | 28.17 | | | | | | l | I | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | 1 | | | | | | | |
| | | Subsequent Inward Tel Numbers | 1 | 1 | UEPPP | | PR7ZT | | 56.33 | 56.33 | | | | | | l | I | |
| LO | | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | 1 | | UEPPP | | LNPCN | 1.75 | | | İ | İ | İ | İ | | İ | 1 | 1 |
| | | ACE (Provsioning Only) | 1 | † | † | | | | | | | | 1 | | | | | 1 |

| UNBUNDLED NETWORK ELEMENTS - North Carolina | 1 | | | | | | | | | | | | ment: 2 | | oit: B |
|--|-------------|----------|--------|-------|---------|--------|------------|--------------|------------|----------|-----------|--|--|---|---|
| CATEGORY RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | í |
| Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | í |
| Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | i |
| New or Additional "B" Channel | | | | | | | | | | | | | | | ĺ |
| New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 36.92 | | | | | | 19.99 | 19.99 | | í . |
| New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 36.92 | | | | | | 19.99 | 19.99 | | <u> </u> |
| New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 36.92 | | | | | | 19.99 | 19.99 | | <u> </u> |
| CALL TYPES | | | | | | | | | | | | | | | |
| Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Outward | | 1 | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | ļ | | | ļ | | |
| Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | ļ | | | | | | | |
| Interoffice Channel Mileage | | | L | 1 | | | | ļ | | | | | ļ | | |
| Fixed Each Including First Mile | | 1 | UEPPP | 1LN1A | 71.8653 | 217.17 | 163.75 | 0.00 | | ļ | | 19.99 | 19.99 | | |
| Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.5753 | | | 1 | | ļ | | | ļ | | |
| 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK | PORT | | | 1 | | | | | | ļ | | | | | |
| UNE Port/Loop Combination Rates | | . | LIEBBO | | | | | | | ļ | | | | | - |
| 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE 2 | | 1 | UEPDC | | 171.06 | | | | | | | | | | |
| 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE 2 | | | UEPDC | | 207.79 | | | | | | | | | | |
| 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE 2 | Zone 3 | 3 | UEPDC | | 257.66 | | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | |
| 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 47.54 | | | | | | | | | | |
| 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 84.27 | | | | | | | | | | |
| 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 134.14 | | | | | | | | | | |
| UNE Port Rate | | | LIEBBO | | 100 50 | 201.10 | 404.00 | | | | | 10.00 | 10.00 | | |
| 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 123.52 | 831.43 | 491.39 | | | | | 19.99 | 19.99 | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | Cambination | | | - | | | | | | | | | | | |
| 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port (- Switch-as-is | Combination | | UEPDC | USAC4 | | 490.38 | 490.38 | | | | | | | | 1 |
| 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port | Combination | | UEPDC | USAC4 | | 490.38 | 490.38 | | | | | | | | |
| - Conversion with DS1 Changes | Combination | | UEPDC | USAWA | | 490.38 | 490.38 | | | | | | | | í |
| 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port | Combination | | UEPDC | USAWA | | 490.38 | 490.38 | - | | | | | | | |
| - Conversion with Change - Trunk | Combination | | UEPDC | USAWB | | 490.38 | 490.38 | | | | | | | | 1 |
| ADDITIONAL NRCs | | | UEFDC | USAWB | | 490.36 | 490.30 | - | | | | | | | |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subse | aguent | + | | | | | | | | | | | | | |
| Service Activity Per Service Order | squent | | UEPDC | USAS4 | | 127.63 | 127.63 | | | | | | | | ł |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | _ | | ULFDC | U3A34 | | 127.03 | 127.03 | | | 1 | | | | | |
| Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 28.81 | 28.81 | | | | 1 | | 1 | | i |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subse | | 1 | 02.100 | 35117 | | 20.01 | 20.01 | + + | | | | | | | |
| Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 28.81 | 28.81 | | | | 1 | | 1 | | i |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsc | ant Channel | 1 | | | | 20.01 | 20.01 | 1 | | | | | 1 | | ĺ |
| Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 28.81 | 28.81 | | | | 1 | 19.99 | 19.99 | | i |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsc | gnt Chan | 1 | | | | | | 1 | | | | 12.00 | 12.00 | | í Toronto |
| Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 28.81 | 28.81 | | | | | 19.99 | 19.99 | | i |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsc | qnt Chan | 1 | | | | | | 1 1 | | | | | 1 | İ | i |
| Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 28.81 | 28.81 | | | | | | | | i |
| BIPOLAR 8 ZERO SUBSTITUTION | | | | | | | | i i | | | | | | | i |
| B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 615.00 | | | | | | | | í |
| B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 615.00 | | | | | | | | í |
| Alternate Mark Inversion | | | | | | | | | | | | | | | |
| AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Telephone Number/Trunk Group Establisment Charges | | | | | | | | | - | | | | | | <u> </u> |
| Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | 19.99 | 19.99 | | |
| Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | 19.99 | 19.99 | | |
| Telephone Number for 1-Way Inward Trunk Group \ | | | UEPDC | UDTGZ | 0.00 | | | | | | | 19.99 | 19.99 | | |
| DID Numbers, Establish Trunk Group and Provide F | irst Group | | | | | | | 1 | | | 1 | |] | | 1 |
| of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | | | | | |
| DID Numbers, Non- consecutive DID Numbers , Per | Number | 1 | UEPDC | ND5 | 0.00 | | | | | | l | 1 | 1 | 1 | 1 |

| NRONDLED | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-----------|---|-------------|----------|--------------------|----------------|------------------|--------|------------|--------------|------------|-------|-----------|---|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge |
| | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMA |
| R | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| R | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Dedicated | d DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digital | Loop | with 4-Wire DDITS | Trunk Port | | | | | | | | | | | |
| ln | nteroffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| Te | ermination) | | | UEPDC | 1LNO1 | 71.29 | 217.17 | 163.75 | 0.00 | 0.00 | | | 19.99 | 19.99 | | |
| | | | | | | | | | | | | | | | | |
| In | nteroffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.5753 | 0.00 | 0.00 | | | | | | | | |
| In | nteroffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | | | | | | | | | | | | 1 |
| Te | ermination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| In | nteroffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | |
| m | niles | | | UEPDC | 1LNOB | 0.5753 | 0.00 | 0.00 | | | | | | | | |
| In | nteroffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| Te | ermination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | · | | | | | | | | | | | | | | | 1 |
| In | nteroffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.5753 | 0.00 | 0.00 | | | | | | | | |
| | ocal Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | 1 |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | 1 |
| 4-WIRE D | DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | † |
| | s 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | vations | | | | | | | | | | | | | | † |
| | stem can have up to 24 combinations of rates depending on | | | ber of ports used | | | | | | | | | | | | † |
| UNE DS1 | | type un | <u> </u> | lber or ports asea | + | 1 | | | | | | | | | | + |
| | -Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 47.54 | 0.00 | 0.00 | | | | | | | | + |
| | -Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 84.27 | 0.00 | 0.00 | | | | | | | | + |
| | -Wire DS1 Loop - UNE Zone 3 | | | UEPMG | USLDC | 134.14 | 0.00 | 0.00 | | | | | | | | + |
| | Channelization Capacities (D4 Channel Bank Configuration | 26) | 3 | OLI WO | OOLDO | 134.14 | 0.00 | 0.00 | | | | | | | | + |
| | 4 DSO Channel Capacity - 1 per DS1 | 13) | | UEPMG | VUM24 | 123.06 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | + |
| | 8 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 246.12 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | + |
| | 6 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM96 | 492.24 | 0.00 | 0.00 | - | | | | 19.99 | 19.99 | | + |
| | 44 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 738.36 | 0.00 | 0.00 | - | | | | 19.99 | 19.99 | | + |
| | 92 DS0 Channel Capacity - 1 per 8 DS1s | | | UEPMG | VUM19 | 984.48 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | + |
| | 40 DS0 Channel Capacity - 1 per 8 DS1s | | | UEPMG | VUM20 | 1,230.60 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | + |
| | | | | UEPMG | VUM28 | | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | + |
| | 88 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | | 1,476.72 | | | | | | | | | | + |
| | 84 DS0 Channel Capacity - 1 per 16 DS1s | | | | VUM38 | 1,968.96 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | ╄ |
| | 80 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,461.20 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | ↓ |
| | 76 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,953.44 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | ↓ |
| | 72 DS0 Channel Capacity - 1 per 28 DS1s | | L | UEPMG | VUM67 | 3,445.68 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | ↓ |
| | urring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | stem | | | | | | | | | |
| | um System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| | s of this configuration functioning as one are considered Ad | id'i afte | r the m | inimum system coi | nfiguration is | counted. | | | | | | | | | | |
| | IRC - Conversion (Currently Combined) with or without | | | | | | | | | | | | | | | |
| | sellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 330.61 | 16.64 | | | | | 19.99 | 19.99 | | <u> </u> |
| | Additions at End User Locations Where 4-Wire DS1 Loop wit | | | | ination Curre | ently Exists and | | | | | | | | | | <u> </u> |
| | t Currently Combined) in all states, except in Density Zone 1 | of Top | 8 MSA | \'s | \bot | | | | | | | | ļ | . | ļ | ↓ |
| | DS1/D4 Channel Bank - Additionally Add NRC for each Port | 1 | 1 | l | L | |] | | | | | | Ì | I | l | |
| | nd Assoc Fea Activation | | | UEPMG | VUMD4 | 0.00 | 743.74 | 326.22 | 149.02 | 17.68 | | | 19.99 | 19.99 | | 4 |
| | Zero Substitution | | | | | | | | | | | | | | | <u> </u> |
| | Clear Channel Capability Format, superframe - Subsequent | 1 | 1 | | | | | | | | | | Ì | I | l | |
| | ctivity Only | <u> </u> | | UEPMG | CCOSF | 0.00 | 0.00 | 615.00 | | | | | ļ | ļ | | <u> </u> |
| | Clear Channel Capability Format - Extended Superframe - | 1 | 1 | l | l | | | | | | | | Ì | I | l | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 615.00 | | | | | | 1 | | ↓ |
| | Mark Inversion (AMI) | ļ | <u> </u> | | 1 | | | | | | | | | ļ | | ↓ |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | xtended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | e Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | 1 | | | | | | | | | | | |
| Exchange | e Ports | | | | | | | | | - | | | | | | |
| | | l | | | 1 | | | | | | | | | | | |
| Li | ine Side Combination Channelized PBX Trunk Port - Business | l | l | UEPPX | UEPCX | 2.28 | 0.00 | 0.00 | 0.00 | 0.00 | I | I | 40.18 | 9.45 | 1 | 1 |
| | ine Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 2.28 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | $\overline{}$ |

| JNBUNDLE | D NETWORK ELEMENTS - North Carolina | | , | | | , | | | | | | | Attachr | | Exhit | |
|---|--|---|---|---|--|--|--|---|--|--|----------------------------|-----------|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | Nonrec | RATES (\$) | Nonrecurring | Dissennest | | Submitted | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$) | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | 1 | | - | Rec | | | | | COMEC | SOMAN | SOMAN | | SOMAN | SOMAN |
| | | | 1 | | - | | First | Add'l | First | Add'l | SOMEC | SUMAN | SUMAN | SOMAN | SUMAN | SUMAN |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 2.28 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | + | UEPPX | UEPDM | 13.26 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| Featur | e Activations - Unbundled Loop Concentration | | 1 | OLITA | OLI DIVI | 10.20 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.10 | 0.40 | | |
| · outu | Feature (Service) Activation for each Line Port Terminated in D4 | | 1 | | | | | | | | | | | | | |
| | Bank | | | UEPPX | 1PQWM | 0.65 | 25.27 | 13.34 | 4.15 | 4.12 | | | 40.18 | 9.45 | | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| | D4 Bank | | | UEPPX | 1PQWU | 0.65 | 77.75 | 18.33 | 58.74 | 11.48 | | | 40.18 | 9.45 | | |
| Teleph | none Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | ļ | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers - groups of 20 - Valid all States | ļ | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Non-Consecutive DID Numbers - per number | <u> </u> | <u> </u> | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | ļ | | |
| | Reserve Non-Consecutive DID Numbers Reserve DID Numbers | | 1 | UEPPX | ND6 NDV | 0.00 | 0.00 | 0.00 | | | | | | 1 | | |
| l aaci i | Reserve DID Numbers Number Portability | | 1 | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | - | | |
| Local | Local Number Portability - 1 per port | | 1 | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEATI | JRES - Vertical and Optional | | 1 | ULFFX | LINE CE | 3.13 | 0.00 | 0.00 | | | | | | | | |
| | Switching Features Offered with Line Side Ports Only | | 1 | | | | | | | | | | | | | |
| Looui | All Features Available | | 1 | UEPPX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| JNBUNDLED | PORT LOOP COMBINATIONS - MARKET RATES | | | OLI I X | 02. 1. | 0.10 | 0.00 | 0.00 | | | | | 10.10 | 0.10 | | |
| | Rates shall apply where BellSouth is not required to provide | unbund | dled lo | cal switching or sw | itch ports per | FCC and/or St | ate Commissio | n rules. | | | | | | | | |
| Market | | | | | | | | | | | | | | | | |
| | ncludes: | | | | | | | | | | | | | | | |
| This in Unbun | ncludes: Idled port/loop combinations that are Currently Combined or N | Not Cur | | | | | | | | | | | | | | |
| This in Unbun The To | ncludes: adled port/loop combinations that are Currently Combined or N op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda | Not Cur ale, Mia | ami); G/ | A (Atlanta); LA (New | Orleans); NO | (Greensboro-\ | Winston Salem | -Highpoint/Ch | arlotte-Gastoni | a-Rock Hill); | N (Nashvill | | | | | |
| This in Unbun The To | ncludes: Idled port/loop combinations that are Currently Combined or N | Not Cur ale, Mia | ami); G/ | A (Atlanta); LA (New | Orleans); NO | (Greensboro-\ | Winston Salem | -Highpoint/Ch | arlotte-Gastoni | a-Rock Hill); | N (Nashvill | | . In the interi | m where Bell | South cannot | bill Market |
| This in Unbun The To BellSo Rates, | ncludes: Idled port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precedure. | Not Cur ale, Mia ally bill ding in | ami); G/ the rec lieu of | A (Atlanta); LA (New urring and non-rec | Orleans); NC urring Market | (Greensboro-\ Rates in this s | Winston Salem ection except f | -Highpoint/Ch or nonrecurrir | arlotte-Gastoni | a-Rock Hill); | N (Nashvill | | . In the interi | m where Bell | South cannot | bill Market |
| This in Unbun The To BellSo Rates, The Ma | ncludes: Includes: Included port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Included currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preceder Includes all available features includes all available features includes all available features. | Not Cur ale, Mia ally bill ding in in all st | ami); G/ the rec lieu of ates. | A (Atlanta); LA (New urring and non-rect the Market Rates ar | Orleans); NO urring Market nd reserves th | (Greensboro-\ Rates in this so he right to true- | Winston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrir lifference. | arlotte-Gastoni ig charges for i | a-Rock Hill); 1 | N (Nashvill combined in | FL and NC | | | | |
| This in Unbun The To BellSo Rates, The Mi | includes: Idled port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precerarket Rate for unbundled ports includes all available features in the Cost and Tandem Switching Usage and Common Transport Usage. | Not Cur ale, Mia ally bill ding in in all st | ami); G/ the rec lieu of ates. | A (Atlanta); LA (New urring and non-rect the Market Rates ar | Orleans); NO urring Market nd reserves th | (Greensboro-\ Rates in this so he right to true- | Winston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrir lifference. | arlotte-Gastoni ig charges for i | a-Rock Hill); 1 | N (Nashvill combined in | FL and NC | | | | |
| This ir Unbun The To BellSo Rates, The Mi End O | includes: Includes: Includes combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdig uth currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section preceded and the cost-Based section preceded in the Cost-Based sectio | Not Cur ale, Mia ally bill ding in in all sta | ami); GA the rec lieu of ates. tes in th | A (Atlanta); LA (New urring and non-rec the Market Rates ar ne Port section of the | orleans); NO urring Market nd reserves th his rate exhibi | C (Greensboro-\ Rates in this some right to true- it shall apply to | Winston Salem ection except fup the billing conditions on the billing conditions on the conditions of | -Highpoint/Ch or nonrecurrir lifference. ons of loop/po | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently on ments except | N (Nashvill combined in | FL and NC | Combination | ns which have | e a flat rate us | age charge |
| This ir Unbun The To BellSo Rates, The Mi End O (USOC | includes: Includes: Include port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdig outh currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section precedures Rate for unbundled ports includes all available features in the Cost-Based section precedures and Tandem Switching Usage and Common Transport Uses: URECU). | Not Cur ale, Mia ally bill ding in in all sta | ami); GA the rec lieu of ates. tes in th | A (Atlanta); LA (New urring and non-rec the Market Rates ar ne Port section of the | orleans); NO urring Market nd reserves th his rate exhibi | C (Greensboro-\ Rates in this some right to true- it shall apply to | Winston Salem ection except fup the billing conditions on the billing conditions on the conditions of | -Highpoint/Ch or nonrecurrir lifference. ons of loop/po | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently on ments except | N (Nashvill combined in | FL and NC | Combination | ns which have | e a flat rate us | age charge |
| This ir Unbun The To BellSo Rates, The Mi End O' (USOC For No Additio | includes: Includes: Include port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdi, uth currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section precederarket Rate for unbundled ports includes all available features in the cand Tandem Switching Usage and Common Transport Use: URECU). In Currently Combined scenarios the Nonrecurring charges are ponal NRCs may apply also and are categorized accordingly. | Not Cur ale, Mia ally bill ding in in all sta | ami); GA the rec lieu of ates. tes in th | A (Atlanta); LA (New urring and non-rec the Market Rates ar ne Port section of the | orleans); NO urring Market nd reserves th his rate exhibi | C (Greensboro-\ Rates in this some right to true- it shall apply to | Winston Salem ection except fup the billing conditions on the billing conditions on the conditions of | -Highpoint/Ch or nonrecurrir lifference. ons of loop/po | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently on ments except | N (Nashvill combined in | FL and NC | Combination | ns which have | e a flat rate us | age charge |
| This ir Unbun The Tc BellSo Rates, The Mi End Or (USOO For No | includes: Idled port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederaket Rate for unbundled ports includes all available features in tifice and Tandem Switching Usage and Common Transport Ust: URECU). Interest Currently Combined scenarios the Nonrecurring charges are conal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | Not Cur ale, Mia ally bill ding in in all sta | ami); GA the rec lieu of ates. tes in th | A (Atlanta); LA (New urring and non-rec the Market Rates ar ne Port section of the | orleans); NO urring Market nd reserves th his rate exhibi | C (Greensboro-\ Rates in this some right to true- it shall apply to | Winston Salem ection except f up the billing c all combination | -Highpoint/Ch or nonrecurrir lifference. ons of loop/po | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently on ments except | N (Nashvill combined in | FL and NC | Combination | ns which have | e a flat rate us | age charge |
| This ir Unbun The Tc BellSo Rates, The Mi End Or (USOO For No | includes: Includes: Includes: Includes port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdig outh currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section preced arket Rate for unbundled ports includes all available features iffice and Tandem Switching Usage and Common Transport Uses: URECU). Includes URECU. Include | Not Cur ale, Mia ally bill ding in in all sta | ami); G/ the rec lieu of ates. tes in th | A (Atlanta); LA (New urring and non-rec the Market Rates ar ne Port section of the | orleans); NO urring Market nd reserves th his rate exhibi | C (Greensboro-) Rates in this so right to true- it shall apply to s for each Port | Winston Salem ection except f up the billing c all combination | -Highpoint/Ch or nonrecurrir lifference. ons of loop/po | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently on ments except | N (Nashvill combined in | FL and NC | Combination | ns which have | e a flat rate us | age charge |
| This ir Unbun The Tc BellSo Rates, The Mi End Or (USOO For No | includes: Includes: Include port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdig and the Combined or Nop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdig and Combined State of the Cost-Based section precedures are the Cost-Based section precedures are the Cost-Based section precedures are the Cost-Based section precedures are the Cost-Based section precedures are the Cost-Based section precedures in the Cost-Based section precedures in the Cost-Based section precedures in the Cost-Based section precedures in the Cost-Based section precedures in the Cost-Based section precedures in the Cost-Based section precedures in the Cost-Based section precedures in the Cost-Based section precedures in the Cost-Based section precedures in the Cost-Based section precedures in the Cost-Based section preceded and cost- | Not Cur ale, Mia ally bill ding in in all sta | ami); G/ the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-rec the Market Rates ar ne Port section of the | orleans); NO urring Market nd reserves th his rate exhibi | C (Greensboro-) Rates in this sale right to true- it shall apply to s for each Port | Winston Salem ection except f up the billing c all combination | -Highpoint/Ch or nonrecurrir lifference. ons of loop/po | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently on ments except | N (Nashvill combined in | FL and NC | Combination | ns which have | e a flat rate us | age charge |
| This ir Unbun The Tc BellSo Rates, The Mi End Or (USOO For No | includes: Idled port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederaket Rate for unbundled ports includes all available features in tifice and Tandem Switching Usage and Common Transport Us: URECU). It Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | Not Cur ale, Mia ally bill ding in in all sta | ami); G/ the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-rec the Market Rates ar ne Port section of the | orleans); NO urring Market nd reserves th his rate exhibi | C (Greensboro-) Rates in this size right to true- it shall apply to s for each Port 24.75 33.05 | Winston Salem ection except f up the billing c all combination | -Highpoint/Ch or nonrecurrir lifference. ons of loop/po | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently on ments except | N (Nashvill combined in | FL and NC | Combination | ns which have | e a flat rate us | age charge |
| This ir Unbun The TG BellSo Rates, The M End O (USOC For Nc Additic 2-WIRI UNE P | includes: Includes: | Not Cur ale, Mia ally bill ding in in all sta | ami); G/ the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-rec the Market Rates ar ne Port section of the | orleans); NO urring Market nd reserves th his rate exhibi | C (Greensboro-) Rates in this sale right to true- it shall apply to s for each Port | Winston Salem ection except f up the billing c all combination | -Highpoint/Ch or nonrecurrir lifference. ons of loop/po | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | Combination | ns which have | e a flat rate us | age charge |
| This ir Unbun The TG BellSo Rates, The M End O (USOC For Nc Additic 2-WIRI UNE P | includes: Includes: | Not Cur ale, Mia ally bill ding in in all sta | ami); G/ the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-reci the Market Rates an le Port section of the First and Additional | r Orleans); NC urring Market nd reserves th his rate exhibi | c (Greensboro-Nates in this sie eright to true- le right to true- it shall apply to s for each Port | Winston Salem ection except f up the billing c all combination | -Highpoint/Ch or nonrecurrir lifference. ons of loop/po | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | Combination | ns which have | e a flat rate us | age charge |
| This ir Unbun The TG BellSo Rates, The M End O (USOC For Nc Additic 2-WIRI UNE P | includes: Idled port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Uth currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section precederarket Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Use: URECU). It Currently Combined scenarios the Nonrecurring charges are noral INCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 | Not Cur ale, Mia ally bill ding in in all sta | ami); G/ the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-reci the Market Rates ar ne Port section of the First and Additional | r Orleans); NC urring Market d reserves th lis rate exhibi NRC column | c (Greensboro-Nates in this sue right to true- it shall apply to s for each Port 24.75 33.05 44.33 | Winston Salem ection except f up the billing c all combination | -Highpoint/Ch or nonrecurrir lifference. ons of loop/po | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | Combination | ns which have | e a flat rate us | age charge |
| This ir Unbun The TG BellSo Rates, The M End O (USOC For Nc Additic 2-WIRI UNE P | includes: Idled port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: uuth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preced arket Rate for unbundled ports includes all available features i ffice and Tandem Switching Usage and Common Transport Use: URECU). In Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-reci the Market Rates an ne Port section of the First and Additional | r Orleans); NC urring Market d reserves th his rate exhibi NRC column UEPLX UEPLX | C (Greensboro-) Rates in this sue right to true- it shall apply to s for each Port 24.75 33.05 44.33 10.75 19.05 | Winston Salem ection except f up the billing c all combination | -Highpoint/Ch or nonrecurrir lifference. ons of loop/po | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | Combination | ns which have | e a flat rate us | age charge |
| This ir Unbun The Tc BellSo Rates, The M. End O (USOC For Nc Additic 2-WIRI UNE P | includes: Includes: | Not Cur ale, Mia ally bill ding in in all sta | ami); G/ the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-reci the Market Rates ar ne Port section of the First and Additional | r Orleans); NC urring Market d reserves th lis rate exhibi NRC column | c (Greensboro-Nates in this sue right to true- it shall apply to s for each Port 24.75 33.05 44.33 | Winston Salem ection except f up the billing c all combination | -Highpoint/Ch or nonrecurrir lifference. ons of loop/po | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | Combination | ns which have | e a flat rate us | age charge |
| This ir Unbun The Tc BellSo Rates, The M. End O (USOC For Nc Additic 2-WIRI UNE P | includes: Includes: Includes: Includes: Includes: Included port/loop combinations that are Currently Combined or No B MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Urth Currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section precederarket Rate for unbundled ports includes all available features iffice and Tandem Switching Usage and Common Transport Use: URECU). Includes: URECU). Includes: URECU). Includes: Includes: URECU). Includes: URECU). Includes: URECU). Includes: Inclue | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-reci the Market Rates ar ne Port section of the First and Additional | r Orleans); NC urring Market d reserves th lis rate exhibi NRC column UEPLX UEPLX UEPLX UEPLX | c (Greensboro-Nates in this sie eright to true- it shall apply to sfor each Port 24.75 33.05 44.33 10.75 19.05 30.33 | Winston Salem ection except f up the billing of all combination USOC. For Cu | -Highpoint/Ch or nonrecurrir lifference. ons of loop/po urrently Combi | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | o Combination | ns which have | e a flat rate us | age charge |
| This ir Unbun The Tc BellSo Rates, The M. End O (USOC For Nc Additic 2-WIRI UNE P | includes: Includes: | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-reci the Market Rates an ne Port section of the First and Additional | r Orleans); NC urring Market d reserves th his rate exhibi NRC column UEPLX UEPLX | C (Greensboro-) Rates in this sue right to true- it shall apply to s for each Port 24.75 33.05 44.33 10.75 19.05 | Winston Salem ection except f up the billing c all combination | -Highpoint/Ch or nonrecurrir lifference. ons of loop/po | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | Combination | ns which have | e a flat rate us | age charge |
| This ir Unbun The Tc BellSo Rates, The M. End O (USOC For Nc Additic 2-WIRI UNE P | includes: Includes: Includes: Includes: Include port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Includes a MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Includes a MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Includes a MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Includes a MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Includes a MSAs | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-reci the Market Rates ar ne Port section of the First and Additional | r Orleans); NC urring Market d reserves th dis rate exhibi NRC column UEPLX UEPLX UEPLX UEPLX UEPLX | c (Greensboro-Nates in this sue right to true-lit shall apply to s for each Port 24.75 33.05 44.33 10.75 19.05 30.33 14.00 | Winston Salem ection except f up the billing o all combinatio USOC. For Cu | -Highpoint/Ch or nonrecurrir lifference. ons of loop/po urrently Combi | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | o Combination in the NRC - 0 | ns which have | e a flat rate us | age charge |
| This ir Unbun The Tc BellSo Rates, The M. End O (USOC For Nc Additic 2-WIRI UNE P | includes: Idled port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederaket Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Ust: URECU). Interest Currently Combined scenarios the Nonrecurring charges are conal NRCs may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-reci the Market Rates an ne Port section of the First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | r Orleans); NC urring Market d reserves th lis rate exhibi NRC column UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO | C (Greensboro-) Rates in this size right to true- it shall apply to s for each Port 24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00 14.00 | Winston Salem ection except f up the billing of all combination USOC. For Cu | 90.00 | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | o Combination in the NRC - C | Swhich have | e a flat rate us | age charge |
| This ir Unbun The Tc BellSo Rates, The M. End O (USOC For Nc Additic 2-WIRI UNE P | includes: Includes: | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-reci the Market Rates an ne Port section of the First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | r Orleans); NC urring Market do reserves th his rate exhibi NRC column UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL | C (Greensboro-) Rates in this size right to true- it shall apply to s for each Port 24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00 14.00 | Winston Salem ection except f up the billing of all combination USOC. For Cu | 90.00 | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | o Combination in the NRC - C | Swhich have | e a flat rate us | age charge |
| This ir Unbun The Tc BellSo Rates, The M. End O (USOC For Nc Additic 2-WIRI UNE P | includes: Includ | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-recithe Market Rates and Le Port section of the First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | r Orleans); NC urring Market d reserves th lis rate exhibi NRC column UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | C (Greensboro-Nates in this sie eright to true- it shall apply to s for each Port 24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00 14.00 | Winston Salem ection except if up the billing of all combination usons. For Cu | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | 40.18 40.18 | 9.45 9.45 | e a flat rate us | age charge |
| This ir Unbun The Tc BellSo Rates, The Mi End O' (USOC For Nc Additi 2-WIRI UNE P | Includes: Includ | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-reci the Market Rates ar ne Port section of th First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | r Orleans); NC urring Market d reserves th lis rate exhibi NRC column UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO | C (Greensboro-Nates in this sie eright to true- it shall apply to s for each Port 24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00 14.00 | Winston Salem ection except f up the billing of all combination all combinations. USOC. For Cu | Highpoint/Chor nonrecurrir lifference. In so of loop/pour rently Combiner of the loop of | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | 40.18 40.18 40.18 | 9.45 | e a flat rate us | age charge |
| This ir Unbun The Tc BellSo Rates, The Mi End O' (USOC For Nc Additi 2-WIRI UNE P | includes: Includ | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-recithe Market Rates are Port section of the First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX | r Orleans); NC urring Market do reserves th his rate exhibi NRC column UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP | 24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00 | Winston Salem ection except if up the billing of all combination usons. For Cu | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | 40.18 40.18 | 9.45 9.45 | e a flat rate us | age charge |
| This ir Unbun The TG BellSo Rates, The M End O (USOC For Nc Addition 2-WIRI UNE P UNE L 2-Wire | includes: Includes: Includes: Includes: Include port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Includes a MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Includes a MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Includes a MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Includes a MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Includes a MSAs in BellSouth's region precedure are a MSAs and Tandem Switching Usage and Common Transport Usage: Includes all available features in the Cost-Based section precedures are a MSAs and Transport Usage and Common Transport Usage: Includes a MSAs and Transport Usage and Common Transport Usage: Includes a MSAs and Transport Usage and Common Transport Usage are a MSAs and Transport Usage are a MSAs and Transport Usage are a MSAs and Transport Usage are a MSAs and Transport Usage are a MSAs and Transport Usage are a MSAs and Transport Usage are a MSAs and Transport Usage are a MSAs and Transport Usage are a MSAs and Transport Usage are a MSAs and Transport Usage are a MSAs and Transport Usage are a MSAs and Transport Usage are a MSAs and Transport Usage and Transport Usage Ine port with Caller ID (LUM) Included Transport Usage Ine MSAs and Transport Usage Ine Port Without Caller ID (Capability - NUMBER PORTABILITY Local Number Portability (1 per port) | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-recithe Market Rates and Le Port section of the First and Additional UEPRX | r Orleans); NC urring Market d reserves th lis rate exhibi NRC column UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | C (Greensboro-Nates in this sie eright to true- it shall apply to s for each Port 24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00 14.00 | Winston Salem ection except if up the billing of all combination usons. For Cu | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | 40.18 40.18 | 9.45 9.45 | e a flat rate us | age charge |
| This ir Unbun The Tc BellSo Rates, The Mi End O' (USOC For Nc Additi 2-WIRI UNE P | Includes: Idled port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Uth currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section precederarket Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Use: URECU). In Currently Combined scenarios the Nonrecurring charges are ponal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability NUMBER PORTABILITY Local Number Portability (1 per port) | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-recithe Market Rates are ne Port section of the First and Additional UEPRX | r Orleans); NC urring Market d reserves th lis rate exhibi NRC column UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC | 24.75 24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00 14.00 14.00 0.35 | Winston Salem ection except if up the billing of all combination all combinations of the combination of the | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | 40.18 40.18 40.18 40.18 | 9.45 9.45 9.45 | e a flat rate us | age charge |
| This ir Unbun The Tunbun The Ti BellSo Rates, The Mi End O' (USOC For No Addition 2-WIRI UNE P UNE L 2-Wire | includes: Includ | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-recithe Market Rates are Port section of the First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX | r Orleans); NC urring Market do reserves th his rate exhibi NRC column UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP | 24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00 | Winston Salem ection except if up the billing of all combination usons. For Cu | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | 40.18 40.18 | 9.45 9.45 | e a flat rate us | age charge |
| This ir Unbun The Tunbun The Ti BellSo Rates, The Mi End O' (USOC For No Addition 2-WIRI UNE P UNE L 2-Wire | Includes: Idled port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Uth currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section precederarket Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Use: URECU). In Currently Combined scenarios the Nonrecurring charges are ponal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability NUMBER PORTABILITY Local Number Portability (1 per port) | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-recithe Market Rates are ne Port section of the First and Additional UEPRX | r Orleans); NC urring Market d reserves th lis rate exhibi NRC column UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC | 24.75 24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00 14.00 14.00 0.35 | Winston Salem ection except if up the billing of all combination all combinations of the combination of the | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | 40.18 40.18 40.18 40.18 | 9.45 9.45 9.45 | e a flat rate us | age charge |
| This ir Unbun The Tunbun The Ti BellSo Rates, The Mi End O' (USOC For No Addition 2-WIRI UNE P UNE L 2-Wire | includes: Idled port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Uth currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section precederarket Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Use: URECU). Idle Currently Combined scenarios the Nonrecurring charges are sonal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled box Usage Line Port without Caller ID (LIUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered ECURRING CHARGES - CURRENTLY COMBINED | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-recithe Market Rates and the Market Rates and Port section of the Market Rates and Additional UEPRX | VORIENTS; NC VORIENTS; NC VORIENTS MARKET VORIENTS VORIEN | 24.75 24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00 14.00 14.00 0.35 | Winston Salem ection except if up the billing of all combination all combinations of the combination with the combination of th | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | 40.18 40.18 40.18 40.18 | 9.45 9.45 9.45 9.45 | e a flat rate us | age charge |
| This ir Unbun The Tunbun The Ti BellSo Rates, The Mi End O' (USOC For No Addition 2-WIRI UNE P UNE L 2-Wire | includes: Includes: Includes: Includes: Include port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederaket Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Use: URECU). Includes the Nonrecurring charges are conal NRCs may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID (Lapability - NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered ECURRING CHARGES - CURRENTLY COMBINED | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-recithe Market Rates are ne Port section of the First and Additional UEPRX | r Orleans); NC urring Market d reserves th lis rate exhibi NRC column UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC | 24.75 24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00 14.00 14.00 0.35 | Winston Salem ection except if up the billing of all combination all combinations of the combination of the | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | 40.18 40.18 40.18 40.18 | 9.45 9.45 9.45 | e a flat rate us | age charge |
| This ir Unbun The Tunbun The Ti BellSo Rates, The Mi End O' (USOC For No Addition 2-WIRI UNE P UNE L 2-Wire | includes: Idled port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Uth currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section precederarket Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Use: URECU). Idle Currently Combined scenarios the Nonrecurring charges are sonal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled box Usage Line Port without Caller ID (LIUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered ECURRING CHARGES - CURRENTLY COMBINED | Not Cur ale, Mia ally bill ding in in all sta | ami); G/A the rec lieu of ates. tes in the in the F | A (Atlanta); LA (New urring and non-recithe Market Rates and the Market Rates and Port section of the Market Rates and Additional UEPRX | VORIENTS; NC VORIENTS; NC VORIENTS MARKET VORIENTS VORIEN | 24.75 24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00 14.00 14.00 0.35 | Winston Salem ection except if up the billing of all combination all combinations of the combination with the combination of th | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for n rt network elen | ia-Rock Hill); I not currently o | N (Nashvill combined in | FL and NC | 40.18 40.18 40.18 40.18 | 9.45 9.45 9.45 9.45 | e a flat rate us | age charge |

Version 4Q02: 12/18/02 Page 301 of 416

| ONROND | LED NETWORK ELEMENTS - North Carolina | _ | | 1 | | | | | | | 1 - | | | ment: 2 | | oit: B |
|----------|---|-------------|----------|--------|--------|-------|------------------------|------------|-------|--------------|--|---|--|--|---|---|
| CATEGORY | Y RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | • | L |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | | | | | |
| | Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| UNI | E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | + | 24.75 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 2 | | | 33.05 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 44.33 | | | | | | | | | | |
| UNI | E Loop Rates | | | | | 44.55 | | | | | | | | | | |
| 0111 | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 19.05 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 30.33 | | | | | | | | 1 | 1 | |
| 2-W | Vire Voice Grade Line Port (Bus) | | Ť | | 1 - | 55.55 | | | | | | | | İ | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | | | | | | | | | | | | | |
| | Capability | | <u>L</u> | UEPBX | UEPBE | 14.00 | 90.00 | 90.00 | | | <u> </u> | | 40.18 | 9.45 | <u> </u> | |
| LO | CAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| FE/ | ATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| NO | NRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as- | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch with | 1 | | HEDDY | 110400 | | 44.50 | 44.50 | | | | | 40.40 | 0.45 | | |
| 4.01 | change DITIONAL NRCs | | 1 | UEPBX | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| ADI | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | - | | | | | | | | | | | |
| | Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| 2-10 | VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PB) | ١ | 1 | OLFBA | 03A32 | | 0.00 | 0.00 | | | | | 40.10 | 9.43 | | |
| | E Port/Loop Combination Rates | , | | | | | | | | | | | | | | |
| 0111 | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 24.75 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 33.05 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 44.33 | | | | | | | | | | |
| UNI | E Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 19.05 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 30.33 | | | | | | | | | | |
| 2-W | Vire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | _ | - | | | | | | |] | |
| | Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| LO | CAL NUMBER PORTABILITY | | | | | | , in the second second | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FE/ | ATURES | | | | | | | | | | | | | ļ | ļ | |
| <u> </u> | All Features Offered | | <u> </u> | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| NO | NRECURRING CHARGES - CURRENTLY COMBINED | - | | | + + | | | | | | | | | | | |
| | 2 Wire Voice Crade Loop/Line Best Combined to Co. 1911 Ac 19 | . | | LIEDDC | LICACO | | 44 50 | 44.50 | | | | | 40.40 | 0.45 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | + | 1 | UEPRG | USAC2 | | 41.50 | 41.50 | - | - | - | | 40.18 | 9.45 | | |
| | Change | | | UEPRG | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| ΔDI | DITIONAL NRCs | | | OLFING | USACC | | 41.50 | 41.30 | 1 | 1 | 1 | | 40.18 | 9.45 | 1 | |
| ADI | 2 Wire Loop/Line Side Port Combination - Non feature - | - | | | + + | | | | 1 | 1 | | | | | | |
| | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | 1 | 1 |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | - | | | + + | | 0.00 | 0.00 | 1 | | | | 70.10 | 3.43 | <u> </u> | |
| | Group | | | | | | 14.64 | 14.64 | | | | | 40.18 | 9.45 | | |
| 2-W | VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PB) | 3 | | | 1 | | 17.04 | 14.04 | | | | | 70.10 | 5.45 | 1 | |
| | E Port/Loop Combination Rates | 1 | 1 | | 1 | | | | | | | | | İ | 1 | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | 1 | 24.75 | | | | | | | | İ | 1 | |
| - | 2-Wire VG Loop/Port Combo - Zone 2 | 1 | 2 | Ì | | 33.05 | | | 1 | 1 | 1 | | | 1 | 1 | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | oit: B |
|----------|--|--|------|----------------|----------------|----------------|--------|------------|--|-------|---|---|---|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring I | | | | | Rates (\$) | | |
| | law vo. 12 . a | | _ | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 44.33 | | | . | | | | | | | |
| UNE L | oop Rates | | 4 | LIEDDY | LIEDLY | 40.75 | | | . | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 1 | UEPPX UEPPX | UEPLX UEPLX | 10.75 19.05 | | | + + | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 30.33 | | | - | | | | | | | |
| 2-Wire | e Voice Grade Line Port Rates (BUS - PBX) | | 3 | UEPPA | UEPLA | 30.33 | | | + | | | | | | | |
| 2-11116 | Voice Grade Line Fort Nates (BOO - FBX) | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | 1 | | | | 40.18 | 9.45 | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| İ | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEAT | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPPX | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| ADDIT | TONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 40.18 | 9.45 | | |
| | E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | | | | | | · | | | | | | |
| UNE P | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 24.75 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | ļ | 2 | | | 33.05 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | ļ | 3 | | | 44.33 | | | | | | | | | | |
| UNE L | oop Rates | | - | LIEDCO | LIEDLY | 10.7- | | | | | | | | 1 | 1 | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO UEPCO | UEPLX UEPLX | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 19.05 30.33 | | | ++ | | | | | | | - |
| 2-Wire | e Voice Grade Line Port Rates (Coin) | | J | 02, 00 | OLI LA | 30.33 | | | | | | | | 1 | 1 | |
| 2-44116 | 2-Wire Coin 2-Way without Operator Screening and without | | | | + | | | | | | | | | | | |
| 1 | Blocking (NC) | 1 | | UEPCO | UEPND | 14.00 | 90.00 | 90.00 | 1 | | | | 40.18 | 9.45 | | 1 |
| | 2-Wire Coin 2-Way with Operator Screening (NC) | 1 | | UEPCO | UEPNC | 14.00 | 90.00 | 90.00 | + | | <u> </u> | | 40.18 | 9.45 | 1 | |
| <u> </u> | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | 1 | | | | | 55.56 | 22.30 | | | | | | 5.70 | | |
| 1 | 900/976, 1+DDD (NC, TN) | l | | UEPCO | UEPRP | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (NC) | | | UEPCO | UEPNB | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) | | | UEPCO | UEPCA | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |

| ONRONDL | ED NETWORK ELEMENTS - North Carolina | | | | • | | | | | | | | | ment: 2 | | oit: B |
|---------|--|--|----------|--------|-----------|--------|--------|------------|--|--|--|---------|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking (NC) | | | UEPCO | UEPNE | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | LIEDOO | UEPCL | 44.00 | 00.00 | 90.00 | | | | | 40.40 | 9.45 | | |
| LOC | 900/976, 1+DDD, 011+, and Local (NC) AL NUMBER PORTABILITY | | | UEPCO | UEPCL | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| LOCA | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | | | 02. 00 | Litti Oxt | 0.00 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | | | | | | | | | | | |
| | Change | | | UEPCO | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| ADD | TIONAL NRCs | | <u> </u> | | \bot | | | | | | | | | | | |
| | 2 Wire Voice Crade Lean/Line Best Combination Culture | 1 | 1 | UEPCO | LICACO | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | 1 |
| 2 14/1 | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | ODT / | | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | Port/Loop Combination Rates | LINE | OKI (| KES) | + | | | | | | 1 | | | | | |
| | Loop Rates | | | | + + | | | | | | | | | | | |
| | re Voice Grade Line Port Rates (Res) | | | | + | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| | (LUM) | | | UEPFR | UEPAP | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFR | U1TV2 | 18.00 | 140.00 | 71.00 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFR | 1L5XX | 0.0125 | | | | | | | | | | |
| ΕΕΛΊ | TURES | | | UEPFR | ILSAA | 0.0125 | | | | | 1 | | | | | |
| 1 | All Features Offered | | | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| LOC | AL NUMBER PORTABILITY | | | OLITIK | OLI VI | 0.00 | 0.00 | 0.00 | | | | | 40.10 | 0.40 | | |
| | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-With-Change | <u> </u> | | UEPFR | USACC | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE Port/Loop Combination Rates | LINE | OKI (| B05) | + | | | | | | | | | | | |
| | Loop Rates | | | | + | | | | | | 1 | | | | | |
| | re Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | 1 | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | ļ | | UEPFB | LNPCX | 0.35 | | | | ļ | ļ | | | | | |
| INTE | ROFFICE TRANSPORT | ļ | <u> </u> | | 1 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | 1 | 1 | UEPFB | U1TV2 | | | | | | | | | | | 1 |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | 1 | 1 | UEPFB | UTIVZ | | | | | | | | | | | |
| | or Fraction Mile | 1 | 1 | UEPFB | 1L5XX | | | | | | | | | | | 1 |
| FFΔ | TURES | | \vdash | CLID | ILUAA | | | | | 1 | | | | | | |
| | All Features Offered | 1 | | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | 2.00 | 2.00 | 2.00 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | 1 | | | | | | | | 1 | | 1 | |
| | Combination - Conversion - Switch-as-is | <u> </u> | L | UEPFB | USAC2 | | 9.03 | 1.87 | <u> </u> | <u> </u> | <u></u> | <u></u> | 40.18 | 9.45 | <u></u> | <u></u> |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change | l | 1 | UEPFB | USACC | | 9.03 | 1.87 | Ì | Ì | | I | 40.18 | 9.45 | | l |

| ONRONDI | LED NETWORK ELEMENTS - North Carolina | | | 1 | | | | | | | | | | ment: 2 | | oit: B |
|--|--|--------------|--|--------|---------|-------|-----------------|-----------------|--|-------|---|---|--|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | N | | I Mariana di Santa | B' | | | | | D130 13t | DISC Add I |
| | | ļ | | | | Rec | Nonred First | urring Add'l | Nonrecurring First | Add'l | COMEC | SOMAN | SOMAN | Rates (\$) | SOMAN | SOMAN |
| 2.W | IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | - | | | - | | FIRST | Add I | FIRST | Addi | SOMEC | SOWAN | SUMAN | SOMAN | SUMAN | SOWAN |
| | E Port/Loop Combination Rates | + | | | | | | | | | | | | | | |
| | E Loop Rates | | | | | | | | | | | | | | | |
| | ire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | 1 | | | | | | | |
| | 10 10:00 0:000 2:00 1 0:11 110:00 (2:00 1:2/) | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | l | | | | | | | | | 1 | | 1 | 1 |
| | Capable Port | | | UEPFP | UEPXE | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | LIEDED | HEDVI | 44.00 | 205.02 | 470.00 | | | | | 40.40 | 0.45 | | |
| L | Administrative Calling Port | | <u> </u> | UEPFP | UEPXL | 14.00 | 225.00 | 170.00 | 1 | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPFP | UEPXM | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | 1 | 1 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | + | | ULFFF | UEFAIVI | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | - | - |
| | Discount Room Calling Port | | | UEPFP | UEPXO | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | 1 | 1 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | 1 | ! | UEPFP | UEPXS | 14.00 | 225.00 | 170.00 | 1 | | | | 40.18 | 9.45 | 1 | |
| 1.00 | CAL NUMBER PORTABILITY | 1 | ! | 02111 | OLI AG | 14.00 | 223.00 | 170.00 | 1 | | | | 40.10 | 5.45 | 1 | |
| | Local Number Portability (1 per port) | + | † | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | 1 | | | | 40.18 | 9.45 | | |
| INT | EROFFICE TRANSPORT | 1 | ! | | 2 01 | 0.10 | 0.00 | 0.00 | | | <u> </u> | | 70.70 | 5.40 | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | 1 | <u> </u> | | | | | | 1 | | | | 1 | 1 | 1 | |
| | Termination | | | UEPFP | U1TV2 | | | | | | | | 1 | | 1 | 1 |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | 1 | 1 | | | | | | | | | | 1 | | 1 | |
| | or Fraction Mile | | | UEPFP | 1L5XX | | | | | | | | 1 | | 1 | 1 |
| FEA | TURES | 1 | 1 | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFP | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| NON | NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change | <u> </u> | <u> </u> | UEPFP | USACC | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | D PORT/LOOP COMBINATIONS - MARKET BASED RATES | <u></u> | <u> </u> | | | | | | | | | | | | | |
| | IRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNI | PORT | <u> </u> | | | | | | ļ | | | | | | | |
| UNE | Port/Loop Combination Rates | <u> </u> | . | | | 22.2- | | | 1 | | | | ļ | ļ | ļ | |
| - | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 60.85 | | | 1 | | | | | ļ. | | |
| - | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 67.68 | | | | | | | | 1 | | |
| 11615 | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 E Loop Rates | 1 | 3 | | | 77.96 | | | 1 | | 1 | | | | | |
| UNE | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | 1 | 1 | UEPPX | UECD1 | 8.85 | | | + | | - | | - | 1 | - | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 15.68 | | | 1 | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | 1 | 3 | UEPPX | UECD1 | 25.96 | | | 1 | | | | | 1 | | |
| LINE | E Port Rate | + | - 3 | OLI FA | OLCD1 | 25.90 | | | + + | | | | | + | | |
| JINE | Exchange Ports - 2-Wire DID Port | + | | UEPPX | UEPD1 | 52.00 | 485.00 | 75.00 | + + | | | | 40.18 | 9.45 | | |
| NON | NRECURRING CHARGES - CURRENTLY COMBINED | 1 | | J 1 / | 32.101 | 32.00 | 400.00 | 70.00 | | | | | 70.10 | 5.45 | | |
| 1.10. | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination | - | | | | | | | | | | | | | | |
| | Switch-As-Is Top 8 MSAs only | | | UEPPX | USAC1 | | 200.00 | 75.00 | | | | | 53.89 | 11.34 | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | 1 | 1 | | 22 | | 200.00 | . 0.30 | | | | | 55.55 | 54 | 1 | |
| | with BellSouth Allowable Changes Top 8 MSAs only | | | UEPPX | USA1C | | 200.00 | 75.00 | | | | | 53.89 | 11.34 | 1 | 1 |
| ADD | DITIONAL NRCs | 1 | i – | | | | | | 1 | | | | 1 | 1 | | |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 75.00 | | | | | | 40.18 | 9.45 | | |
| Tele | ephone Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | DID Trunk Termination (One Per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | |
| ı I | of 20 DID Numbers | 1 | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | I | Ì | | Ì | 1 |

| | | | | | | | | | | | | | | | | | bit: B |
|---------------|--|----------|----------|----------|--------|---------|----------|----------|------------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interi | Zone | В | cs | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | - (., | | | per Lon | per LSK | | | | |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| $\overline{}$ | | | | | | | ı | Nonrec | urring | Nonrecurring | n Disconnect | | | oss | Rates (\$) | | |
| -+- | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional DID Numbers for each Group of 20 DID Numbers | | - | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | 11130 | Auu i | JOHILO | JONAN | JOHAN | JONAN | JOHAN | JOHIAN |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | 1 | | | | | + |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | | 0.00 | 0.00 | | | | | | | | + |
| | | | | | | | 0.00 | | | | | | | | | | |
| | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII | NE SIDE | POR | | | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | |
| | UNE Zone 1 | | 1 | UEPPB | UEPPR | 2 | 79.47 | | | | | | | | | | |
| . 1 | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | l | | | | | | | | | | | | | | | |
| . 1 | UNE Zone 2 | 1 | 2 | UEPPB | UEPPR | | 90.64 | | | I | I | | | | Ì | | I |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | |
| . 1 | UNE Zone 3 | l | 3 | UEPPB | UEPPR | | 105.81 | | | 1 | | | | | | | |
| UNE L | oop Rates | | | | | | | | | | | İ | | | | | 1 |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 14.47 | | | İ | İ | İ | | | İ | 1 | 1 |
| | | 1 | | <u> </u> | | | / | | | t | | 1 | | | 1 | 1 | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 25.64 | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 40.81 | | | | | | | | | | + |
| LINE | Port Rate | | 3 | OLITB | OLITIK | OOLZX | 40.01 | | | | | | | | | | - |
| UNEF | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 65.00 | 450.00 | 375.00 | | | 1 | | 19.99 | 19.99 | - | |
| NONE | ECURRING CHARGES - CURRENTLY COMBINED | | | UEPPB | UEFFR | UEPPB | 65.00 | 450.00 | 373.00 | | | | | 19.99 | 19.99 | | |
| NONK | | | | ļ | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | LIEDDD | LIEDDD | 110400 | 0.00 | 200.00 | 000.00 | | | | | | | | |
| | Combination - Conversion - Top 8 MSAs only | | | UEPPB | UEPPR | USACB | 0.00 | 200.00 | 200.00 | | | | | | | | |
| | TONAL NRCs | | | | | | | | | | | | | | | | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-CHA | NNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| B-CH/ | ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, & | TN) | | | | | | | | | | | | | | |
| USER | TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VERT | CAL FEATURES | | | | | | | | | | | | | | | | 1 |
| | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| INTER | OFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and | | | | | | | | | | | | | | | | 1 |
| | facilities termination | | | LIFPPR | UEPPR | M1GNC | 18.0282 | 137.48 | 52.58 | | | | | 19.99 | 19.99 | | |
| | Interoffice Channel mileage each, additional mile | | | | UEPPR | | 0.0282 | 0.00 | 0.00 | | | | | | | | † |
| 4-WID | E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | OLITE | OLITIK | WITCHWI | 0.0202 | 0.00 | 0.00 | | | | | | | | + |
| | Port/Loop Combination Rates | I | | | | | | | | | | | | | | | + |
| ONLI | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | 1 | | | | | + |
| | Zone 1 | | 1 | UEPPP | | | 947.54 | | | | | | | | | | |
| +- | | | <u> </u> | UEFFF | | | 947.54 | | | | | | | | | | |
| . 1 | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | l | _ | LIEDDO | | | 004.0- | | | 1 | | | | | | | |
| | Zone 2 | . | 2 | UEPPP | | 1 | 984.27 | | | 1 | 1 | ! | | | | - | + |
| . 1 | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | l | _ | | | | | | | 1 | | | | | | | |
| | Zone 3 | | 3 | UEPPP | | 1 | 1,034.14 | | | | | <u> </u> | | | | | ↓ |
| UNE L | oop Rates | | | L | | I | ļ! | | | ļ | | ļ | | | | | ↓ |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 47.54 | | | ļ | | ļ | | | | | ↓ |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | ļ | 2 | UEPPP | | USL4P | 84.27 | | | 1 | | | | | | | ↓ |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 134.14 | | | | | | | | | | |
| UNE P | Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 900.00 | 1,150.00 | 1,150.00 | | | | | 19.99 | 19.99 | | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | İ | | | | | | | | | | |
| - | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | | |
| | | | 1 | 1 | | 1 | | | 005.00 | 1 | I | 1 | | | 1 | l | 1 |
| ' | Combination - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | | USACP | 0.00 | 925.00 | 925.00 | | | | | | | | |

| ONBOND | LEC | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|--|-------|---|-------------|------|--------|--------|---------|----------|------------|--|------------|--|---|--|--|---|---|
| CATEGOR | Υ | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates (\$) | l | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | |
| | | Subsequent Inward/2-Way Tel Nos - (NC Only) | | | UEPPP | PR7TG | | 1.17 | 1.17 | | | | | | | | |
| | | 4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | | Activity Outward tel nos. (NC only) | | | UEPPP | PR7TP | | 28.17 | 28.17 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | |
| | | Subsequent Inward Telephone Numbers | | | UEPPP | PR7ZT | | 56.33 | 56.33 | | | | | | | | |
| LO | | NUMBER PORTABILITY | | | LUEDDO | LUBOU | | | | | | | | | | | |
| INIT | | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| INI | | ACE (Provsioning Only) Voice/Data | | | UEPPP | PR71V | 0.00 | | | | | | | | | | |
| | | Digital Data | | - | UEPPP | PR71D | 0.00 | | | | | 1 | | | | | |
| | | Inward Data | | | UEPPP | PR71E | 0.00 | | | | | | | | | | |
| Ne | | Additional "B" Channel | | | 0=111 | 11371 | 0.00 | | | | | | | | | t | |
| | | New or Additional - Voice/Data B Channel | 1 | | UEPPP | PR7BV | 0.00 | 36.92 | | | | | | 19.99 | 19.99 | 1 | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 36.92 | | | | | | 19.99 | 19.99 | | |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 36.92 | | | | | | 19.99 | 19.99 | | |
| CA | | YPES | | | | | | | | | | | | | | | |
| | | Inward | | | UEPPP | PR7C1 | 0.00 | | | | | | | | | | |
| | | Outward | | | UEPPP | PR7C0 | 0.00 | | | | | | | | | | |
| | | Two-way | | | UEPPP | PR7CC | 0.00 | | | | | | | | | | |
| Inte | | ice Channel Mileage | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 71.8653 | 217.17 | 163.75 | 0.00 | | | | 19.99 | 19.99 | | |
| 4.11 | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.5753 | | | | | | | | | | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | _ | | | | - | | 1 | | | | - | |
| UN | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | - | 797.54 | | | | | | | | | - | - |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 834.27 | | | | | 1 | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | | UEPDC | - | 884.14 | | | | | | | | | | |
| UN | | op Rates | | | 02. 20 | | 00 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 47.54 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 84.27 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 134.14 | | | | | | | | | | |
| UN | | rt Rate | | | | | | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 750.00 | 1,050.00 | 480.00 | 0.00 | 0.00 | | | 19.99 | 19.99 | | |
| NO | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | | - Switch-As-Is Top 8 MSAs only | | | UEPDC | USAC4 | | 288.86 | 133.87 | | | | | | | | |
| | | 4 Wise DC4 Digital Lass / 4 Wise DDITC Touch Dark Combination | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only | | | UEPDC | USAWA | | 288.86 | 133.37 | | | | | | | | |
| | | - Conversion with DST Changes Top 8 MSAs only | | | UEPDC | USAWA | | 200.00 | 133.37 | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | | - Conversion with Change - Trunk Top 8 MSAs only | | | UEPDC | USAWB | | 288.86 | 133.37 | | | | | | | | |
| AD | DITIO | ONAL NRCs | | | | | | | | | | | | | | 1 | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | | Service Activity Per Service Order | | | UEPDC | USAS4 | | 127.63 | 127.63 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | |
| | | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 28.81 | 28.81 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | l | | | | | <u> </u> | | | | | | _ | |
| | | Channel Activation/Chan - 1-Way Outward Trunk | ļ | | UEPDC | UDTTB | | 28.81 | 28.81 | | | ļ | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | l | | LIEDDO | LIDTTO | | 00.01 | 00.01 | | | | | 40.00 | 40.00 | I | |
| | | Activation/Chan Inward Trunk w/out DID | <u> </u> | | UEPDC | UDTTC | | 28.81 | 28.81 | — | | <u> </u> | | 19.99 | 19.99 | - | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | l | | LIEDDC | UDTTD | | 20.04 | 20.04 | | | | | 19.99 | 10.00 | I | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | <u> </u> | - | UEPDC | טווטט | | 28.81 | 28.81 | - | | - | | 19.99 | 19.99 | - | |
| | | 4-wire DS1 Loop / 4-wire DD11S Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans | l | | UEPDC | UDTTE | | 28.81 | 28.81 | | | | | | 1 | I | |
| BIE | | R 8 ZERO SUBSTITUTION | | | OLI-DO | JUITE | | 20.01 | 20.01 | | | | | | | | |
| Bir | | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 615.00 | | | | | 19.99 | 19.99 | | |
| | | B8ZS - Extended Superframe Format | - | | UEPDC | CCOEF | | 0.00 | 615.00 | | | | ł – – – – | 19.99 | 19.99 | t | 1 |

| <u>JNB</u> UND | LED | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|----------------|--------|--|-------------|----------|-------------------|-----------------|----------|--------|------------|--------------|------------|----------|-----------|-------------|------------|---|---|
| TEGOR | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vi Electron Disc Ado |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Alte | ernat | e Mark Inversion | | | | | | | | | | | | | | | |
| | | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | - | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Tel | lepho | ne Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | ŀ | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | 19.99 | 19.99 | | 1 |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | |
| | | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | İ | İ | İ | 1 |
| Dec | | ed DS1 (Interoffice Channel Mileage) - | | | 1 | 1 | | | | | | | | İ | İ | İ | 1 |
| | | for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | 1 | 1 | | | | | | | | İ | İ | İ | 1 |
| 1 | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | 1 | 1 | | | | | | | | İ | İ | İ | 1 |
| | | Termination) | | | UEPDC | 1LNO1 | 71.29 | 217.17 | 163.75 | 0.00 | 0.00 | | | 19.99 | 19.99 | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.5753 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 0.5753 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | 0.0.00 | | | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | ı | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.5753 | 0.00 | 0.00 | | | | | | | | |
| | | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| 4-W | VIRE | DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| Sys | stem | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | vations | | | | | | | | | | | | | | |
| A s | syster | n can have various rate combinations based on type and nur | mber of | ports | used | | | | | | | | | | | | |
| UNI | E DS | 1 Loop | | | | | | | | | | | | | | | |
| | · | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 47.54 | | | | | | | | | | |
| | · | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 84.27 | 0.00 | 0.00 | | | | | | | | |
| | · | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 134.14 | 0.00 | 0.00 | | | | | | | | |
| UNI | | O Channelization Capacities (D4 Channel Bank Configuration | าร) | | | | | | | | | | | | | | |
| | | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 123.06 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 246.12 | 0.00 | 0.00 | | - | | | 19.99 | 19.99 | | |
| | | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 492.24 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 738.36 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 984.48 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,230.60 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,476.72 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,968.96 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,461.20 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,953.44 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,445.68 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | curring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | stem | | | | | | | | | |
| | | num System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| Mu | | s of this configuration functioning as one are considered Ad | ld'I afte | r the m | ninimum system co | onfiguration is | counted. | | · | | | | | | | | |
| 1 | | NRC - Conversion (Currently Combined) with or without | | 1 | <u> </u> | 1 | | | | | | 1 | 1 | | _ | <u> </u> | |
| | | BellSouth Allowed Changes - Top 8 MSAs Only | <u> </u> | | UEPMG | USAC4 | 0.00 | 330.61 | 16.64 | | | | | 19.99 | 19.99 | | |
| Sys | stem | Additions Where Currently Combined and New (Not Currentle | y Comb | oined) | | | | | | | - | | | | | | |
| In E | Densi | ity Zone 1 Top 8 MSAs | | | | | | | | | | | | | | | |
| | | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | 1 | | 1 | | - | | | | | | I | | | |
| | | Fea Activation - | <u></u> | <u>L</u> | UEPMG | VUMD4 | 0.00 | 743.74 | 326.22 | 149.02 | 17.68 | <u> </u> | <u> </u> | 19.99 | 19.99 | <u> </u> | |
| | | 8 Zero Substitution | | | | | | | | | | | | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | Exhi | bit: B |
|--|--|--|--|---------------------|--|-------------------|----------------|-----------------|-------------------|-----------------|--|--|---|---|---------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| - | Clear Channel Capability Format, superframe - Subsequent | | 1 | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 615.00 | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | OLFIVIG | CCOSI | 0.00 | 0.00 | 013.00 | | | | | | 1 | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 615.00 | | | | | | | | |
| Altern | ate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | nge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| Excha | nge Ports | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| | Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | | 40.18 | 9.45 | | 1 |
| | Emic Side Outward Oriannenzed FDA Hullk Fort - Dusilless | 1 | 1 | OLITA | JLI JA | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | <u> </u> | 1 | 40.10 | 5.40 | 1 | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 52.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | <u> </u> | |
| Featur | re Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| | Bank | | | UEPPX | 1PQWM | 0.65 | 40.00 | 20.00 | 10.00 | 5.00 | | | 40.18 | 9.45 | | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | 4= 00 | | | | | | |
| Tolonk | D4 Bank hone Number/ Group Establishment Charges for DID Service | | | UEPPX | 1PQWU | 0.65 | 110.00 | 30.00 | 75.00 | 15.00 | | | 40.18 | 9.45 | | |
| Telepi | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | 1 | | | | | 1 |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | - | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| FE 4 T | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | URES - Vertical and Optional Switching Features Offered with Line Side Ports Only | | - | | - | | | | | | | | | | | |
| Local | All Features Available | | | UEPPX | UEPVF | 3.40 | 0.00 | 0.00 | | | 1 | | 40.18 | 9.45 | | 1 |
| UNBUNDLED | CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | S | | OLITA | OLI VI | 3.40 | 0.00 | 0.00 | | | | | 40.10 | 3.43 | | |
| | at Based Rates are applied where BellSouth is required by FCC | | State 0 | Commission rule to | provide Unbu | indled Local S | witching or Sw | itch Ports. | | | 1 | | | 1 | | |
| | tures shall apply to the Unbundled Port/Loop Combination - C | | | | | | | | dled Port section | on of this Rate | e Exhibit. | | | | | |
| 3. End | Office and Tandem Switching Usage and Common Transport | Usage | rates in | the Port section of | this rate exh | ibit shall apply | to all combina | ations of loop/ | port network e | lements excep | t for UNE (| Coin Port/Lo | op Combinat | ions. | | |
| 4. The | first and additional Port nonrecurring charges apply to Not Cu | urrently | Comb | ined Combos. For | Currently Co | mbined Combo | s, the nonrect | urring charges | shall be those | identified in t | he Nonrecu | rring - Curre | ently Combine | ed sections. | Additional NF | ≀Cs may |
| | also and are categorized accordingly. | | | | | | | | | | | | | | | |
| 5. Ma | rket Rates for Unbundled Centrex Port/Loop Combination will | be nego | otiated | on an Individual Ca | se Basis, unt | til further notic | e. | | | | | | | | | <u> </u> |
| | P CENTREX - 5ESS (Valid in All States) P VG Loop/2-Wire Voice Grade Port (Centrex) Combo | <u> </u> | 1 | | | | | | | | | 1 | | | | |
| | Port/Loop Combination Rates (Non-Design) | | <u> </u> | | + | | | | | | _ | - | 1 | | - | |
| ONEF | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | - | | | + | | | | | | | | | | | |
| | Non-Design | | 1 | UEP95 | 1 | 13.03 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | T . | | | 12.00 | | | | | | | | | | |
| | Non-Design | <u> </u> | 2 | UEP95 | <u> </u> | 21.33 | | | | | <u> </u> | | <u> </u> | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| L | Non-Design | ļ | 3 | UEP95 | 1 | 32.61 | | | | | | | | 1 | ļ | |
| UNE P | Port/Loop Combination Rates (Design) | | 1 | | | | | | | | <u> </u> | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | 1 | 1 | UEP95 | 1 | 17.25 | | | | | | | | 1 | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | | OFL 20 | + | 17.25 | | | | | 1 | 1 | 1 | | 1 | |
| | Design | | 2 | UEP95 | | 28.21 | | | | | | | | 1 | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | | | | 20.21 | | | | | 1 | | 1 | † | 1 | |
| | Design | | 3 | UEP95 | 1 | 43.09 | | | | | | | | 1 | | |
| UNE L | .oop Rate | | L | | L | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | UEP95 | UECS1 | 10.75 | | - | | | | | | | | |
| I I - | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP95 | UECS1 | 19.05 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | 1 | | UEP95 | UECS1 | 30.33 | | | 1 | I | 1 | | l | 1 | | 1 |

Version 4Q02: 12/18/02 Page 309 of 416

| NBUNDLED NETWORK ELEMENTS - North C | arolina | | | | | | | | | | | Attachi | ment: 2 | Exhi | oit: B |
|---|-----------------------|--------|----------------|----------------|--------|--------|------------|--|--------------|--|-----------|--|--|-------|--|
| ATEGORY RATE ELEMENTS | Inter m | i Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | Increment Charge Manual S Order vs Electroni Disc Add |
| | | | | | Rec | Nonrec | | | g Disconnect | L | | | Rates (\$) | | |
| | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 14.97 | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 25.93 | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 40.81 | | | | | | | | | | |
| UNE Port Rate | | | | | | | | | | | | | | | |
| All States | | - | LIEBOE | LIEDYA | 0.00 | 70.50 | 00.07 | | | | | 40.40 | 0.45 | | |
| 2-Wire Voice Grade Port (Centrex) Basic Lo | | - | UEP95 | UEPYA | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| 2-Wire Voice Grade Port (Centrex 800 termi | nation) | | UEP95 | UEPYB | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| 2-Wire Voice Grade Port (Centrex with Calle Area | , | | UEP95 | UEPYH | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| 2-Wire Voice Grade Port (Centrex from diff Center) Basic Local Area | Serving Wire | | UEP95 | UEPYM | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| 2-Wire Voice Grade Port, Diff Serving Wire | Center - 800 Service | | | 1 | 0 | | | 1 | 1 | | | 121.10 | 1 | İ | |
| Term - Basic Local Area | | | UEP95 | UEPYZ | 2.28 | | | I | | | 1 | 40.18 | 9.45 | | |
| 2-Wire Voice Grade Port terminated in on M | egalink or equivalent | | 1 | 1 | _ | | | 1 | 1 | | | | | İ | |
| - Basic Local Area | • ' | | UEP95 | UEPY9 | 2.28 | 79.59 | 63.97 | 1 | | | | 40.18 | 9.45 | | |
| 2-Wire Voice Grade Port Terminated on 800 | Service Term - | | | | | | | | | | | | | | |
| Basic Local Area NC Only | | | UEP95 | UEPY2 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| 2-Wire Voice Grade Port (Centrex) | | - | UEP95 | UEPUA | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| 2-Wire Voice Grade Port (Centrex 800 termi | nation) | | UEP95 | UEPUB | 2.28 | 79.59 | 63.97 | | | 1 | | 40.18 | 9.45 | | |
| 2-Wire Voice Grade Port (Centrex with Calle | | | UEP95 | UEPUH | 2.28 | 79.59 | 63.97 | | | 1 | | 40.18 | 9.45 | | |
| 2-Wire Voice Grade Port (Centrex from diff | | | 02.00 | 02. 0 | 2.20 | 7 0.00 | 00.01 | | | | | 10.10 | 0.10 | | |
| Center)2 2-Wire Voice Grade Port, Diff Serving Wire | · · | | UEP95 | UEPUM | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| Term | Service | | UEP95 | UEPUZ | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| 2-Wire Voice Grade Port terminated in on M | egalink or equivalent | | UEP95 | UEPU9 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| 2-Wire Voice Grade Port Terminated on 800 | Service Term | | UEP95 | UEPU2 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| Local Switching | | | | | | | | | | | | | | | |
| Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.903 | | | | | | | | | | |
| Local Number Portability | | | | | | | | | | | | | | | |
| Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Features | | | | | | | | | | | | | | | |
| All Standard Features Offered, per port | | | UEP95 | UEPVF | 3.40 | | | | | | | | | | |
| All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 457.83 | | | | | | | | | |
| All Centrex Control Features Offered, per p | ort | | UEP95 | UEPVC | 3.40 | | | | | | | | | | ļ |
| NARS | Lia atia a | | LIEDOE | LIADOY | 2.22 | 0.00 | 0.00 | - | - | | | 40.40 | 2.7- | ļ | ļ |
| Unbundled Network Access Register - Com | | + | UEP95 UEP95 | UARCX UAR1X | 0.00 | 0.00 | 0.00 | - | - | | | 40.18 40.18 | 9.45 9.45 | 1 | <u> </u> |
| Unbundled Network Access Register - India | | - | | | | | | | | | | | | | |
| Unbundled Network Access Register - Outo | ıaı | - | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | - | | - | | 40.18 | 9.45 | | |
| Miscellaneous Terminations 2-Wire Trunk Side | | _ | | | | | | | | | | | | | |
| Trunk Side Terminations, each | | | UEP95 | CEND6 | 12.36 | | | | | | | | | | |
| 4-Wire Digital (1.544 Megabits) | | _ | UEP93 | CENDO | 12.30 | | | | | | | | | | |
| DS1 Circuit Terminations, each | | - | UEP95 | M1HD1 | 123.65 | | | | | 1 | | 40.18 | 9.45 | | |
| DS0 Channels Activated, each | | + | UEP95 | M1HD0 | 0.00 | 28.81 | | | | | | 40.18 | 9.45 | | |
| Interoffice Channel Mileage - 2-Wire | | + | OL1 33 | WITIDO | 0.00 | 20.01 | | | | 1 | | 40.10 | 5.40 | | |
| Interoffice Channel Facilities Termination | | + | UEP95 | MIGBC | 18.00 | | | | | 1 | | | | | |
| Interoffice Channel mileage, per mile or frac | tion of mile | + | UEP95 | MIGBM | 0.0282 | | | - | 1 | 1 | | | | | |
| Feature Activations (DS0) Centrex Loops on Cha | | 1 | 1 | | 5.0202 | | | † | t | 1 | | 1 | 1 | 1 | |
| D4 Channel Bank Feature Activations | | + | 1 | | | | | 1 | 1 | † | | | | | |
| Feature Activation on D-4 Channel Bank Ce | ntrex Loop Slot | | UEP95 | 1PQWS | 0.65 | | | | | | | | | | |
| Feature Activation on D.4 Channel Book EV | line Side Loop Slot | | UEP95 | 1PQW6 | 0.65 | | |] | | | | | | | |
| Feature Activation on D-4 Channel Bank FX Feature Activation on D-4 Channel Bank FX | | | | | | | | | | | | | | | |
| Slot Feature Activation on D-4 Channel Bank Ce | ntrex Loop Slot - | | UEP95 | 1PQW7 | 0.65 | | | | | | | | | | |
| Different Wire Center | | | UEP95 | 1PQWP | 0.65 | | | | | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|----------|--|----------|----------|-------|----------|-------|--------|------------|---|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| J J | The state of the s | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | |
| I | | 1 | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | Inter. | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (1) | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | D | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates (\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQWQ | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.65 | | | | | | | | | | |
| Non- | -Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP95 | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.73 | | | | | | 40.18 | 9.45 | | |
| | -P CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | - | | | | | | | | | | | | | | |
| l | Non-Design \(\) | <u> </u> | 1 | UEP9D | <u> </u> | 13.03 | | | <u> </u> | <u> </u> | <u> </u> | <u> </u> | | <u> </u> | <u> </u> | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 2 | UEP9D | | 21.33 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP9D | | 32.61 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | - | | | | | | | | | | | | | | |
| | Design | | 1 | UEP9D | | 17.25 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 2 | UEP9D | | 28.21 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP9D | | 43.09 | | | | | | | | | | |
| UNE | Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 19.05 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 30.33 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 14.97 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 25.93 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 40.81 | | | | | | | | | | |
| | Port Rate | | | | | | | | | | | | | | | |
| | STATES | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | <u> </u> | | UEP9D | UEPYB | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | | | | | | | | | | | | | |
| | Area | <u> </u> | | UEP9D | UEPYC | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | | | | | | | | | | | | | 1 |
| | Area | 1 | <u> </u> | UEP9D | UEPYD | 2.28 | 79.59 | 63.97 | <u> </u> | <u> </u> | <u></u> | <u></u> | 40.18 | 9.45 | <u> </u> | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | <u></u> | <u></u> | UEP9D | UEPYE | 2.28 | 79.59 | 63.97 | | L | | | 40.18 | 9.45 | L | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | | | | _ | | | | | | | | | |
| I | Area | <u> </u> | <u></u> | UEP9D | UEPYF | 2.28 | 79.59 | 63.97 | <u> </u> | <u></u> | <u></u> | <u></u> | 40.18 | 9.45 | <u> </u> | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | | | | | | | | | | | |
| | Area | <u> </u> | <u> </u> | UEP9D | UEPYG | 2.28 | 79.59 | 63.97 | | L | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | | | | | | | | | | | | | |
| I | Area | <u> </u> | <u></u> | UEP9D | UEPYT | 2.28 | 79.59 | 63.97 | <u> </u> | <u></u> | <u></u> | <u></u> | 40.18 | 9.45 | <u> </u> | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | 1 | 1 | UEP9D | UEPYU | 2.28 | 79.59 | 63.97 | | | | 1 | 40.18 | 9.45 | Ì | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | | 1 | | _ | | | | | | | | | |
| | Area | 1 | 1 | UEP9D | UEPYV | 2.28 | 79.59 | 63.97 | | | | 1 | 40.18 | 9.45 | Ì | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | i i | | | | | | | | | | | | | | |
| | Area | 1 | 1 | UEP9D | UEPY3 | 2.28 | 79.59 | 63.97 | | | | 1 | 40.18 | 9.45 | Ì | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | | | | _ | | | | | | | | | |
| | Area | 1 | i | UEP9D | UEPYH | 2.28 | 79.59 | 63.97 | | I | ĺ | I | 40.18 | 9.45 | | 1 |

| ONBONDER | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|---|-------------|------|----------------|----------------|--------------|----------------|----------------|-------|--------------|--------|---|---------------------------------|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | | g Disconnect | 001150 | 001111 | | Rates (\$) | 001441 | 0011411 |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | OLI 3D | OLI IW | 2.20 | 73.55 | 05.51 | | | | | 40.10 | 3.43 | | |
| | Basic Local Area | | | UEP9D | UEPYJ | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2 Basic Local Area | | | UEP9D | UEPYM | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYO | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPTP | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | Basic Local Area | | | UEP9D | UEPYQ | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | 02. 05 | 02 Q | 2.20 | 10 1.01 | 120.10 | | | | | 10.10 | 0.10 | | |
| | Basic Local Area | | | UEP9D | UEPYR | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYS | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY4 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPTS | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | Basic Local Area | | | UEP9D | UEPY6 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | OLI OD | OLI 10 | 2.20 | 104.01 | 120.10 | | | | | 40.10 | 0.40 | | |
| | Basic Local Area | | | UEP9D | UEPY7 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9D | UEPYZ | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| NC On | | | | UEP9D | UEP12 | 2.20 | 79.59 | 63.97 | | | | | 40.16 | 9.45 | | |
| 110 011 | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPUA | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPUB | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPUC | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPUD | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPUE | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPUF | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D UEP9D | UEPUG UEPUT | 2.28 2.28 | 79.59 79.59 | 63.97 63.97 | | | | | 40.18 40.18 | 9.45 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPUU | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5206)3 | | | UEP9D | UEPUV | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPU3 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPUH | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | _ | | | | | | | | | | |
| | Indication)3 | | | UEP9D | UEPUW | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPUJ | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2 | | | UEP9D | UEPUM | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPUO | 2.28 | 164.57 | 128.16 | | 1 | 1 | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPUP | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-1/05009)2, 3 | | 1 | UEP9D | UEPUQ | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | | | | | 02.00 | 2.20 | 104.07 | 120.10 | | 1 | 1 | | 70.10 | 5.45 | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | l | UEP9D | UEPUR | 2.28 | 164.57 | 128.16 | | | | 1 | 40.18 | 9.45 | | |
| İ | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPUS | 2.28 | 164.57 | 128.16 | | | ļ | | 40.18 | 9.45 | | |
| | | | | UEP9D | UEPU4 | 2.28 | 164.57 | 128.16 | | | 1 | l | | l | l | |

| <u>UNBUNDLE</u> | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|-----------------|--|-------------|----------|----------------|----------------|----------------|-----------------|------------|-------|--------------|----------|-----------|--|---|----------|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Charge - |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPU5 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPU6 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPU7 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPUZ | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPU9 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port Terminated in 61 Megalifik of equivalent | | | UEP9D | UEPU2 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | + |
| Local | Switching | | | OLI OD | OLI OZ | 2.20 | 70.00 | 00.07 | | | | | 40.10 | 0.40 | | 1 |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.903 | | | | | | | | | | 1 |
| Local | Number Portability | | | | | | | | | | | | | | | 1 |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| Featu | res | | | | | | | | | | | | | | | 1 |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 3.40 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 457.83 | | | | | | 40.18 | 9.45 | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 3.40 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | ellaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | e Trunk Side | | | | | | | | | | | | | | | |
| 4 140 | Trunk Side Terminations, each | | | UEP9D | CEND6 | 12.36 | | | | | | | | | | |
| 4-Wire | e Digital (1.544 Megabits) | | | LIEDOD | MALIBA | 100.05 | | | | | | | 40.40 | 0.45 | | |
| | DS1 Circuit Terminations, each DS0 Channels Activiated per Channel | | | UEP9D UEP9D | M1HD1 M1HDO | 123.65 0.00 | 28.81 | | | | | | 40.18 40.18 | 9.45 9.45 | | - |
| Intoro | office Channel Mileage - 2-Wire | | | UEP9D | IVITIDO | 0.00 | 20.01 | | | | | | 40.16 | 9.45 | | + |
| intero | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 18.00 | | | | | | | | | | + |
| - | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0282 | | | | | | | | | | + |
| Featu | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | OLI 3D | IVIIODIVI | 0.0202 | | | | | | | | | | + |
| | nannel Bank Feature Activations | | | | | | | | | | | | | | | + |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.65 | | | | | | | | | | 1 |
| | Today of the transfer of the t | | | 02. 02 | 4.1.6 | 0.00 | | | | | | | | | | 1 |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP9D | 1PQW6 | 0.65 | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQW7 | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP9D | 1PQWQ | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.65 | | | | | | | | | | + |
| Non-F | Recurring Charges (NRC) Associated with UNE-P Centrex | | | 02. 02 | | 0.00 | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | 1 | | | | | | | | | | | 1 |
| | changes, per port | | | UEP9D | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.73 | | | | | | 40.18 | 9.45 | | |
| | 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | 2 - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | 3 - Requires Specific Customer Premises Equipment | | <u> </u> | | - | | | | | ļ | | | | | | 1 |
| | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES | 1/ | <u> </u> | | manufate 11:-1 | | | tal Dari | - | 1 | | | | 1 | 1 | + |
| 1. Mai | rket Rates are applied where BellSouth is not required by FCC a | | | | | iaiea Local Sv | ittening or Swi | ton Ports. | | 1 | <u> </u> | | | | l | |
| | curring Charges for all Standard Centrex and Centrex Conrol Fe | _4 | | | | | | | | | II. | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhib | bit: B |
|----------|---|--|--|------------------|---------------------|--------------|----------------|----------------|--|--|------------|---------------|--------------|--------------|---------------|--------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | | Manual Svc | | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | | | | | |
| OATEGORT | KATE EEEMENTO | m | 20110 | 500 | 0000 | | | πΑΙΣΟ (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | <u> </u> | | | | | | | | | | | | | |
| | | | <u> </u> | | | Rec | Nonred | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | | | SOMAN | SOMAN | SOMAN | |
| 4. Th | e first and additional Port nonrecurring charges apply to Not C | urrently | Combi | ined Combos. For | Currently Co | mbined Combo | s, the nonrect | irring charges | s shall be those | identified in t | he Nonrecu | rring - Curre | ently Combin | ed sections. | Additional NR | RCs may |
| apply | y also and are categorized accordingly. | | | | | | | | | | | | | | | |
| | P CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| | re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | 1 | | |
| | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| ONE | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 1 | | | | | | | | 1 | | | | | |
| | | 1 | | LIEDOE | | 04.75 | | | | | | | | | | |
| | Non-Design | | 1 | UEP95 | | 24.75 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 2 | UEP95 | | 33.05 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | 1 | | | | | | 1 | 1 | Ì | I |] | 1 | 1 | 1 |
| | Non-Design | <u></u> | 3 | UEP95 | | 44.33 | | | <u> </u> | | <u> </u> | | | | L | L |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | 1 | | 1 | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | 1 | 1 | UEP95 | | 28.97 | | | 1 | 1 | Ì | I |] | 1 | 1 | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | <u> </u> | | | | | | | | | | | | | |
| | Design | | 2 | UEP95 | | 39.93 | | | 1 | 1 | 1 | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLF 93 | 1 | 33.33 | | | | | 1 | | | | | |
| | | | _ | LIEDOE | | E4.04 | | | | | | | | | | |
| | Design | | 3 | UEP95 | | 54.81 | | | | | | | | | | |
| UNE | Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 19.05 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 30.33 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 14.97 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 25.93 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 40.81 | | | | | | | | | | |
| LINE | Port Rate | | Ŭ | OLI 50 | OLOGE | 40.01 | | | | | | | | | | |
| All S | | | | | | | | | + | | | | | | | |
| All 3 | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | 1 | UEP95 | UEPYA | 14.00 | 105.00 | 85.00 | | | 1 | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP95 | UEPYH | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 14.00 | | | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP95 | UEPY9 | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | OLI 33 | OLI 13 | 14.00 | 103.00 | 05.00 | + | | 1 | | 40.10 | 3.43 | | |
| | Basic Local Area | 1 | 1 | UEP95 | UEPY2 | 14.00 | 105.00 | 85.00 | 1 | 1 | Ì | I | 40.18 | 9.45 | 1 | 1 |
| NO O | | | | OFL 20 | ULF1Z | 14.00 | 105.00 | 00.00 | | | | - | 40.18 | 9.45 | | |
| NC C | | - | <u> </u> | LIEDOE | UEBUT | | | | 1 | 1 | 1 | 1 | | | 1 | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPUA | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPUB | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPUH | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | 1 | | | | | | | | | l | I | | | |
| | Center)2 | 1 | 1 | UEP95 | UEPUM | 14.00 | 215.00 | 165.00 | 1 | 1 | | l | 40.18 | 9.45 | İ | İ |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP95 | UEPUZ | 14.00 | 215.00 | 165.00 | 1 | 1 | 1 | | 40.18 | 9.45 | | |
| | | | | | 1 | 50 | | | İ | 1 | İ | | 121.70 | 20 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | 1 | 1 | UEP95 | UEPU9 | 14.00 | 105.00 | 85.00 | 1 | 1 | | l | 40.18 | 9.45 | İ | İ |
| | 2-Wire Voice Grade Port Terminated in on Megalink or equivalent | | | UEP95 | UEPU2 | 14.00 | 105.00 | 85.00 | 1 | t | 1 | 1 | 40.18 | 9.45 | 1 | 1 |
| 1 000 | 2-vvire voice Grade Port Terminated on 800 Service Term | | 1 | OLF 30 | JLF UZ | 14.00 | 105.00 | 00.00 | | | } | | 40.18 | 9.45 | | |
| Loca | | - | - | LIEDOE | LIDECO | 2 202 | | | | | | 1 | | - | - | - |
| | Centrex Intercom Funtionality, per port | <u> </u> | | UEP95 | URECS | 0.903 | | | . | - | 1 | . | ļ | | ļ | ļ |
| Loca | l Number Portability | <u> </u> | <u> </u> | | | | | | ļ | ļ | | | | ļ | | |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Featu | ures | | | | | | | | 1 | | | | | | | |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 457.83 | | 1 | | | | | | İ | İ |
| | | t | 1 | UEP95 | UEPVC | 0.00 | | | 1 | 1 | 1 | | 1 | t | i e | i |
| | All Centrex Control Features Offered, per port | | | | | | | | | | | | | | | |

| JINDUNULEI | D NETWORK ELEMENTS - North Carolina | 1 | | | | | | | | | C C1 | Com Cont | | ment: 2 | | bit: B |
|------------------------------|---|-------------|------|--------|-------------|--------|--------|------------|--------------|--------------|----------|-----------------------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | g Disconnect | | | | Rates (\$) | • | • |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | aneous Terminations Trunk Side | | | | | | | | | - | | | | | | |
| | Trunk Side Trunk Side Terminations, each | | | UEP95 | CEND6 | 12.36 | | | | - | 1 | | | | | |
| | Digital (1.544 Megabits) | | | ULF 93 | CLINDO | 12.30 | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 123.65 | | | | | | | 40.18 | 9.45 | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 28.81 | | | | | | 40.18 | 9.45 | | |
| | fice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 18.00 | | | İ | 1 | | | | İ | İ | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0282 | | | | | | | | | | |
| Feature | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 Cha | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.65 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQW7 | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | 4 D O 1 4 D | | | | | | | | | | | |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.65 | | | | | | | | | | |
| , | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Stot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP95 | IPQWV | 0.05 | | | | - | | | | | | |
| | Slot | | | UEP95 | 1PQWQ | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.65 | | | | | | | | | | |
| | ecurring Charges (NRC) Associated with UNE-P Centrex | | | OL: 00 | II QVV/ | 0.00 | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP95 | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| , | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.73 | | | | | | 40.18 | 9.45 | | |
| | CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP9D | | 24.75 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 33.05 | | | | 1 | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLFBD | + + | 33.03 | | | 1 | | 1 | | | 1 | 1 | |
| | Non-Design | l | 3 | UEP9D | | 44.33 | | | | 1 | | | | | | |
| | ort/Loop Combination Rates (Design) | 1 | 3 | 021 00 | 1 1 | 77.55 | | | | - | | | | 1 | | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | + + | - | | | | † | | | | | 1 | |
| | Design | l | 1 | UEP9D | | 28.97 | | | | I | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | 1 | | | | | | | | | | | |
| | Design | <u> </u> | 2 | UEP9D | | 39.93 | | | | <u> </u> | <u> </u> | | | <u> </u> | <u> </u> | <u> </u> |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP9D | | 54.81 | | | | | | | | <u> </u> | <u> </u> | |
| | pop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP9D | UECS1 | 19.05 | | | | | ļ | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | ļ | 3 | UEP9D | UECS1 | 30.33 | | | ļ | ļ | ļ | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | ļ | 1 | UEP9D | UECS2 | 14.97 | | | | | ļ | | | | | |
| $-\!\!\!+\!\!\!\!-\!\!\!\!-$ | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | I | 2 | UEP9D | UECS2 | 25.93 | | | | ļ | ļ | | | | | |
| | | | ^ | LIEDAD | 115000 | 10.01 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 40.81 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate | | 3 | UEP9D | UECS2 | 40.81 | | | | | | | | | | |

| NRONDLE | D NETWORK ELEMENTS - North Carolina | | | 1 | | | | | | | 1 - | | | ment: 2 | | bit: B |
|---------|---|-------------|------|-------|-------|-------|--------|------------|--|------------|---|---|--|--|----------|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | всѕ | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Increment: Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Dee | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | UEP9D | UEPYF | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | UEP9D | UEPYG | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | UEP9D | UEPYT | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | UEP9D | UEPY4 | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | UEP9D | UEPY7 | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | Sasic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY9 | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| NC On | | | | OFLAD | UEF12 | 14.00 | 105.00 | 65.00 | | | | | 40.18 | 9.45 | | |
| 110 011 | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPUA | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPUB | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPUC | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPUD | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPUE | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPUF | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |

| UNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--|---|---------|--|----------|----------|--------|---------|------------|--------------|--------------|--|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Increme |
| | | | | | | | | | | | II. | Submitted | Charge - | Charge - | Charge - | Charg |
| | | | | | | | | | | | | | | | | |
| | | Interi | l_ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual |
| GORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order |
| | | m | | | | | | | | | Po. 20.1 | po. 20.1 | | Electronic- | Electronic- | Electro |
| | | | | | | | | | | | | | Electronic- | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc A |
| | | | | | | | | | | | | | | | | |
| | | | | | | В | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMA |
| | 2 Mire Vaine Crede Dest (Control / EDC ME242)2 | | | UEP9D | UEPUG | 44.00 | | | 11100 | Addi | COMILO | COMPAR | | | COMPAR | 001117 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | | | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPUT | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPUU | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| 1 | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPUV | 14.00 | 105.00 | 85.00 | | | 1 | | 40.18 | 9,45 | | |
| | | | 1 | | | | | | | | <u> </u> | | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPU3 | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPUH | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | | |
| | Indication)3 | | | UEP9D | UEPUW | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPUJ | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | 1 | | | | | | | 1 | 1 | | | | 1 | 1 |
| | 2 | l | 1 | UEP9D | UEPUM | 14.00 | 215.00 | 165.00 | | 1 | 1 | | 40.18 | 9.45 | 1 | 1 |
| + | O Wise Maior Conda Dest (Contact ANY - CANO /EDO DOSTICO C | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | <u> </u> | UEP9D | UEPUO | 14.00 | 215.00 | 165.00 | | | ļ | | 40.18 | 9.45 | | 1 |
| | | | 1 | | | | | | | 1 | 1 | | | | 1 | 1 |
| 1 | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | l | 1 | UEP9D | UEPUP | 14.00 | 215.00 | 165.00 | | 1 | 1 | | 40.18 | 9.45 | 1 | 1 |
| + | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPUQ | 14.00 | 215.00 | 165.00 | | l | 1 | | 40.18 | 9.45 | l | 1 |
| | z-vvire voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | 1 | ロピアタレ | UEPUQ | 14.00 | 215.00 | 165.00 | | ļ | | | 40.18 | 9.45 | ļ | ! |
| | | | | | | | | | | | 1 | | | 1 | l | |
| 1 | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | l | 1 | UEP9D | UEPUR | 14.00 | 215.00 | 165.00 | | 1 | 1 | | 40.18 | 9.45 | 1 | 1 |
| | | | 1 | | | | | | | | 1 | | | | | |
| | 0.14" | | | | | | 0.15.00 | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPUS | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPU4 | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wile Voice Grade Fort (Certifex diller SWC /LB3-W3000)2, 3 | | 1 | OLFBD | ULF U4 | 14.00 | 213.00 | 103.00 | | | <u> </u> | | 40.10 | 3.43 | | 1 |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPU5 | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | | | |
| | O Mira Vaina Canda Dart (Cantrau/differ CMC /EBC ME046)0. 2 | | | LIEDOD | UEPU6 | 14.00 | 215.00 | 405.00 | | | | | 40.40 | 0.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPU6 | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPU7 | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | 1 | | | | | |
| | | | | LIEDOD | LIEDLIZ | 44.00 | 045.00 | 405.00 | | | | | 40.40 | 0.45 | | |
| | Term | | | UEP9D | UEPUZ | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPU9 | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| + | 2-Wire Voice Grade Port Terminated on 800 Service Term | | 1 | UEP9D | UEPU2 | 14.00 | 105.00 | 85.00 | | | 1 | | 40.18 | 9.45 | | 1 |
| | | | | UEF9D | UEPUZ | 14.00 | 105.00 | 65.00 | | | | | 40.16 | 9.43 | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.903 | | | | | | | | | | |
| I ocal I | Number Portability | | 1 | | | | | | | | i e | | | | | 1 |
| _ocar I | | | | LIEDOD | LNDCC | 0.05 | | | | l | 1 | | | 1 | l | 1 |
| | Local Number Portability (1 per port) | | ļ | UEP9D | LNPCC | 0.35 | | | | ļ | ļ | | | | | ! |
| Featur | | | <u>L</u> | l | <u> </u> | | | | <u></u> | L | L | | | <u> </u> | L | <u>L</u> |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | | | | | |
| t e | All Select Features Offered, per port | | t | UEP9D | UEPVS | 0.00 | 457.83 | | | | 1 | | 40.18 | 9.45 | | t |
| | | | | | | | -101.00 | | | | | | 70.10 | 3.43 | | |
| 1 | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | | | | | Ļ | | | | | |
| NARS | | | <u> </u> | <u> </u> | | | | | <u></u> | L | L | | | <u> </u> | L | <u> </u> |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| 1 | Unbundled Network Access Register - Inward | | 1 | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | 1 | | 40.18 | 9.45 | | 1 |
| <u> </u> | | | | | | | | | | | 1 | | | | | ├ |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | Ļ | | 40.18 | 9.45 | | <u> </u> |
| Miscel | laneous Terminations | <u></u> | <u>L_</u> | <u> </u> | | | | | <u></u> | L | L | | | <u> </u> | L | <u>L_</u> |
| 2-Wire | Trunk Side | | | | | | | | | | 1 | | | | | |
| 1• | Trunk Side Terminations, each | | t | UEP9D | CEND6 | 12.36 | | | | | 1 | | | 1 | | t |
| 4 160- | | | 1 | OE1 3D | OLINDO | 12.30 | | | | | | | | ļ | - | 1 |
| 4-Wire | Digital (1.544 Megabits) | | 1 | | | | | | | l | 1 | | | | l | 1 |
| | DS1 Circuit Terminations, each | | I | UEP9D | M1HD1 | 123.65 | 1 | | | 1 | I | | 40.18 | 9.45 | l | 1 |
| | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 28.81 | | | | 1 | | 40.18 | 9.45 | | |
| Interef | ffice Channel Mileage - 2-Wire | | t | | | 0.00 | 20.01 | | | 1 | 1 | | | 3.70 | 1 | t |
| mileror | | | 1 | LIEDAD | | 10 | | | | - | | | | | l | 1 |
| | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 18.00 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0282 | | | | | 1 | | | | | |
| Featur | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | t | | | | | | | | 1 | | | | | t — |
| | | | | | + | | - | | | ļ | | | | | | |
| D4 Cha | annel Bank Feature Activations | | 1 | | | | | | | l | 1 | | | | l | <u> </u> |
| 1 | Feature Activation on D-4 Channel Bank Centrex Loop Slot | 1 | 1 | UEP9D | 1PQWS | 0.65 | | | | 1 | 1 | | | 1 | 1 | 1 |
| T | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | l | 1 | UEP9D | 1PQW6 | 0.65 | | | | l | | | l | | ı | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|---|-------------|----------|-----------------------|--------------|------------------|--------|------------|-------------|--------------|-------|-----------|---------|------------|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | B | Nonrec | urring | Nonrecurrin | g Disconnect | | • | oss | Rates (\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9D | 1PQW7 | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.65 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP9D | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 695.11 | | | 1 | | 1 | 40.18 | 9.45 | | 1 |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.73 | | | | | | 40.18 | 9.45 | | |
| Note 1 | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | 2 - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | - Requires Specific Customer Premises Equipment | | | | | | | • | | | | | | | | |
| Note: | Rates displaying an "R" in Interim column are interim and sub | ject to | rate tru | ie-up as set forth ir | General Tern | ns and Condition | ons. | | | | | | | | | |

| HINRI! | NDI EL | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Evhil | bit: B |
|------------------------|---------|---|----------|----------|---------------------|----------------|-------------------|-----------------|-----------------|-----------------|-----------------|---------------|--------------|------------------|----------------|---------------|--|
| ONBOI | ADEEL | NETWORK ELEMENTS - South Carollia | 1 | | 1 | | I | | | | | Svc Order | Svc Order | Incremental | Incremental | | |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | 1 | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svo |
| CATEGO | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'I | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 151 | Auu i | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonred | curring | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | | | SOMAN | SOMAN | SOMAN | SOMAN |
| | | one" shown in the sections for stand-alone loops or loops as | | | | eographically | y Deaveraged U | NE Zones. To | view Geograp | hically Deavera | iged UNE Zone | e Designation | ns by Cent | ral Office, refe | er to Internet | Website: | |
| | | ww.interconnection.bellsouth.com/become_a_clec/html/inter | rconnec | tion.ht | m | | | | | | | | | | | | |
| | | SUPPORT SYSTEMS | | | | | | | | | | | | | | | |
| | | 1) Electronic Service Order: CLEC should contact its contract | | | | | | | | | | | | | | | is rate |
| | | is the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | |
| | | 2) Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | |
| | | lements that cannot be ordered electronically at present per t | | | | e in this cate | gory reflects the | e charge that v | vould be billed | to a CLEC on | ce electronic c | ordering cap | abilities co | me on-line fo | r that elemen | t. Otherwise, | the manual |
| | orderin | g charge, SOMAN, will be applied to a CLECs bill when it sub | omits ar | LSR t | o BellSouth. | | | | | , | | • | | • | • | • | |
| | | Manual Service Order Charge, per LSR, Disconnect Only (SC) | | | | SOMAN | | | | 1.97 | | | | | | | |
| | | Electronic OSS Charge, per LSR, submitted via BST's OSS | | | | 001450 | | 0.50 | | | | | | | | | |
| LINE CE | | interactive interfaces (Regional) | | | | SOMEC | | 3.50 | | | | | | | | | |
| | | DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with | Ballean | th's E | C No 1 Tariff Coati | on E oo onni | iooblo | | | | | | | | | | |
| H | NOTE: | UNE Expedite Charge will be maintained commensurate with UNE Expedite Charge per Circuit or Line Assignable USOC, per | Delisou | III S FC | ALL UNE EXCEPT | он э аѕ аррн | icable. | | | | | | | | | | |
| | | Day | 1 | | UNE-P | SDASP | | 200.00 | | | | | 1 | | 1 | 1 | |
| LINBUN | | XCHANGE ACCESS LOOP | 1 | | OINL-F | SUASE | <u> </u> | 200.00 | | | | | | | | | 1 |
| | | ANALOG VOICE GRADE LOOP | 1 | | | <u> </u> | | | | | | | | | | | I |
| H | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | 1 | 2 | UEANL | UEAL2 | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | | Premise | | | UEANL | URETL | | 8.33 | 0.83 | | | | 15.69 | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 34.23 | 34.23 | | | | 15.69 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.90 | 19.90 | | | | 15.69 | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | | (UVL-SL1) | | | UEANL | UREWO | | 15.81 | 8.96 | | | | 15.69 | | | | |
| | | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | | | | | | | | | | | | |
| | | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.47 | 13.47 | | | | | | | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 8.17 | 8.17 | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | | | | | | | | | |
| | | (per LSR) | | | UEANL | OCOSL | | 18.13 | 18.13 | | | | | | | | |
| | 2-WIRE | Unbundled COPPER LOOP | | L . | LIEO | LIEGOV | 10.01 | 20.10 | 10.10 | 20.00 | | | | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | l l | | UEQ | UEQ2X | 12.94 | 36.40 | 16.10 | 22.66 | 4.42 | | 15.69 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | | UEQ | UEQ2X | 14.51 | 36.40 | 16.10 | 22.66 | 4.42 | | 15.69 | | | | |
| \vdash | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User | <u> </u> | 3 | UEQ | UEQ2X | 15.02 | 36.40 | 16.10 | 22.66 | 4.42 | | 15.69 | | - | - | |
| | | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | 15.69 | | | | |
| $\vdash \vdash \vdash$ | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | 1 | | الالا | UNLIL | 1 | 0.33 | 0.63 | | | | 15.09 | | 1 | 1 | |
| | | Designed (per loop) | 1 | | UEQ | USBMC | | 8.17 | 8.17 | | | | 1 | | 1 | 1 | |
| \vdash | | Unbundled Copper Loop, Non-Design Copper Loop, billing for | 1 | | | SODIVIO | | 0.17 | 0.17 | | | | | | | | I |
| | | BST providing make-up (Engineering Information - E.I.) | 1 | | UEQ | UEQMU | | 13.47 | 13.47 | | | | 15.69 | | 1 | 1 | |
| | | Loop Testing - Basic 1st Half Hour | † | | UEQ | URET1 | İ | 34.23 | 34.23 | | | | 15.69 | | İ | 1 | 1 |
| | | Loop Testing - Basic Additional Half Hour | 1 | | UEQ | URETA | | 19.90 | 19.90 | | | | 15.69 | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | 1 | | | 1 | | | | | | | - · · · | | | | |
| | | (UCL-ND) | 1 | | UEQ | UREWO | | 14.30 | 7.45 | | | | 15.69 | | | | |
| UNBUN | DLED E | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | |] | |
| | | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | 1 | | l | | | | | | | | | | | | |
| \sqcup | | Zone 1 | ļ | 1 | UEPSR UEPSB | UEABS | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | ļ | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | 1 | _ | | | | | | | | | | | 1 | 1 | I |
| \sqcup | | Zone 2 | ļ | 2 | UEPSR UEPSB | UEALS | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | ļ | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | 1 | _ | LIEBOD LIEBOS | LIEARS | | | | | | | 4 | | 1 | 1 | |
| I | | Zone 2 | ! | 2 | UEPSR UEPSB | UEABS | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| - | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | 1 | 3 | UEPSR UEPSB | UEALS | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | 1 | 1 | |
| | | | | | | | | | | | | | | | | | 1 |
| | | Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 3 | OLI OK OLI OD | OLALO | 20.72 | 31.32 | 17.02 | 23.30 | 3.32 | | 10.00 | | | | |

Version 4Q02: 12/18/02 Page 319 of 416

| MRUNDLI | ED NETWORK ELEMENTS - South Carolina | | | 1 | | | | | | | | | | nent: 2 | | bit: B |
|----------|--|-------------|------|------|--------|-------|--------|------------|----------------|----------------|---|---|--|--|-------------------------|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Charge - | Charge - |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic Disc Add |
| | | | | | + | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| NBUNDLED | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | 1 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | + | | | | | | | | | | | + |
| | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | Ŭ | UEA | OCOSL | 20.10 | 18.13 | 00.10 | 00.00 | 10.01 | | 10.00 | | | | + |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | 02/1 | 00002 | | 10.10 | | | | | | | | | + |
| | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UEA | OCOSL | 28.46 | 18.13 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | + |
| - | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.90 | 36.44 | - | | | 15.69 | | | - | + |
| | Loop Tagging - Service Level 2 (SL2) | | - | UEA | URETL | | 10.45 | 1.03 | | | | 15.69 | | | | + |
| 4 W/ID | E ANALOG VOICE GRADE LOOP | | - | UEA | UKEIL | | 10.45 | 1.03 | | | | 15.69 | | | | + |
| 4-4416 | | | 1 | UEA | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | + |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | | UEA | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | | | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | - | | UEA | OCOSL | | 18.13 | 20.44 | | | | 45.00 | | | | |
| 0.14/15 | CLEC to CLEC Conversion Charge without outside dispatch | - | | UEA | UREWO | | 87.90 | 36.44 | | | | 15.69 | | | | |
| 2-WIR | | - | 1 | UDN | U1L2X | 25.21 | 117.58 | 80.03 | 50.05 | 40.04 | | 45.00 | | | | |
| _ | 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2 | | | UDN | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 53.05 | 10.61 10.61 | | 15.69 15.69 | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | | UDN | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | + |
| | Order Coordination For Specified Conversion Time (per LSR) | - | 3 | UDN | OCOSL | 31.10 | 18.13 | 00.03 | 33.03 | 10.01 | | 13.09 | | | - | |
| | CLEC to CLEC Conversion Charge without outside dispatch | - | | UDN | UREWO | | 91.82 | 44.25 | - | | | 15.69 | | | - | |
| 2-WID | E Universal Digital Channel (UDC) COMPATIBLE LOOP | | | ODIN | UKLVVO | | 91.02 | 44.23 | | | | 13.09 | | | | + |
| Z-VVIII | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 1 | LIDC | LIDCOV | 25.24 | 447.50 | 00.00 | 52.05 | 40.04 | | 45.00 | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 1 | UDC | UDC2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| _ | 2 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 2 | UDC | UDC2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | ├ ── |
| | 3 | | 3 | UDC | UDC2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | Ŭ | UDC | UREWO | 00 | 91.82 | 44.25 | 00.00 | 10.01 | | 15.69 | | | | |
| 2-WIR | E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOP | | 1 1 | | | 20 | † 1 | | | | | | t | † |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 12.19 | 120.84 | 70.56 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | ' | | | | | | | | | | | | | 1 |
| | & facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry | | 2 | UAL | UAL2X | 13.71 | 120.84 | 70.56 | 50.37 | 7.93 | | 15.69 | | | | - |
| | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 14.14 | 120.84 | 70.56 | 50.37 | 7.93 | | 15.69 | | | | ļ |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 18.13 | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 12.19 | 95.81 | 57.82 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 13.71 | 95.81 | 57.82 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | ļ | 3 | UAL | UAL2W | 14.14 | 95.81 | 57.82 | 50.37 | 7.93 | | 15.69 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 18.13 | | ļ | | | , | | | . | |
| | CLEC to CLEC Conversion Charge without outside dispatch | <u></u> | | UAL | UREWO | | 86.38 | 40.48 | ļ | | | 15.69 | | | . | 4 |
| 2-WIR | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | ļ | | | | | | 1 | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.58 | 129.52 | 79.24 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.92 | 129.52 | 79.24 | 50.37 | 7.93 | | 15.69 | | | | |

| CHECHEL | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|----------|--|--|------|------------|----------------|--------|-----------------|------------|--------------|-------|----------|---|---------------------------------|---|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | T |
| | 0.00% | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 11.40 | 129.52 | 79.24 | 50.37 | 7.93 | | 15.69 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 11.40 | 18.13 | 79.24 | 50.57 | 7.93 | | 15.69 | | | | + |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | OTIL | OCOGL | | 10.13 | | | | | | | | | + |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.58 | 104.49 | 66.50 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | 0.1.2 | U.I.E.II | 0.00 | 10 11 10 | 00.00 | 00.01 | 7.00 | | 10.00 | | | | † |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.92 | 104.49 | 66.50 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 11.40 | 104.49 | 66.50 | 50.37 | 7.93 | | 15.69 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.13 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.32 | 40.48 | | | | 15.69 | | | | |
| 4-WIR | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | 1 | 1 | <u> </u> |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | 40.00 | .= | | == 40 | 40.00 | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.02 | 158.18 | 107.89 | 55.12 | 10.38 | | 15.69 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | 2 | UHL | UHL4X | 14.33 | 158.18 | 107.89 | 55.12 | 10.38 | | 15.69 | | | | |
| | and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry | | | UHL | UHL4X | 14.33 | 158.18 | 107.89 | 55.12 | 10.38 | | 15.69 | | - | - | + |
| ı İ | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 16.84 | 158.18 | 107.89 | 55.12 | 10.38 | | 15.69 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 10.04 | 18.13 | 107.09 | 33.12 | 10.36 | | 13.09 | | | | + |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | OTIL | OCCOL | | 10.13 | | | | | | | | | + |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.02 | 133.14 | 95.16 | 55.12 | 10.38 | | 15.69 | | | | |
| i | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | 0.1.2 | 0112111 | 10.02 | 100.11 | 00.10 | 00.12 | 10.00 | | 10.00 | | | | 1 |
| ı İ | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 14.33 | 133.14 | 95.16 | 55.12 | 10.38 | | 15.69 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | 1 |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 16.84 | 133.14 | 95.16 | 55.12 | 10.38 | | 15.69 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.13 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.32 | 40.48 | | | | 15.69 | | | | |
| 4-WIR | RE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | | USL | USLXX | 79.51 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 3 | USL | USLXX | 136.00 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | - |
| | 4-Wire DS1 Digital Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | USL | USLXX | 229.15 | 253.03 18.13 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 101.30 | 43.13 | | | | 15.69 | | | | + |
| 4-WIF | RE 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP | | | USL | UKLVVO | | 101.30 | 45.15 | | | | 13.09 | | | | + |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | + |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | 1 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 18.13 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL UDL | OCOSL UREWO | | 18.13 102.34 | 40.0E | | | | 15.69 | | | | + |
| 2-14/15 | CLEC to CLEC Conversion Charge without outside dispatch RE Unbundled COPPER LOOP | 1 | | UDL | UKEWU | | 102.34 | 49.85 | | | | 15.09 | 1 | + | | + |
| Z-VVIR | 2-Wire Unbundled Copper Loop/Short including manual service | | | | + | | | | | | | | | | t | + |
| | inquiry & facility reservation - Zone 1 | l | 1 | UCL | UCLPB | 12.19 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | 1 | 1 | |
| | 2-Wire Unbundled Copper Loop/Short including manual service | 1 | Ė | | | .20 | | 33.32 | 55.57 | | | .0.00 | | 1 | 1 | † |
| | inquiry & facility reservation - Zone 2 | l | 2 | UCL | UCLPB | 13.71 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | 1 | 1 | |
| | 2 Wire Unbundled Copper Loop/Short including manual service | | | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 3 | <u> </u> | 3 | UCL | UCLPB | 14.14 | 119.91 | 69.62 | 50.37 | 7.93 | <u> </u> | 15.69 | <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | l | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 12.19 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | 1 | 1 | ↓ |
| | 2-Wire Unbundled Copper Loop/Short without manual service | l | 1 | I | 1 | | | | | | | | l | 1 | 1 | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|--------------|---|--|--|----------------|----------------|--------|----------------|---------------|--------------|------------|---|---|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | + | | Nonrec | curring | Nonrecurring | Disconnect | | | 088 | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | 1 | | | 71441 | | 71441 | | 00 | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 14.14 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 38.22 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | _ | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 55.33 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 67.95 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 07.93 | 8.17 | 8.17 | 30.37 | 7.95 | | 13.09 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | 1 | | OOL | OCLIVIC | | 0.17 | 0.17 | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | 1 | 1 | UCL | UCL2W | 38.22 | 94.87 | 56.89 | 50.37 | 7.93 | 1 | 15.69 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | 1 | † | İ | 1 | | | 22.30 | 22.37 | 50 | | | | | | |
| | inquiry and facility reservation - Zone 2 | <u> </u> | 2 | UCL | UCL2W | 55.33 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | <u> </u> | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | |] | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 67.95 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | LIDEWO | | 04.07 | 40.57 | | | | 45.00 | | | | |
| 4 14/15 | (UCL-Des) E COPPER LOOP | | | UCL | UREWO | | 94.87 | 42.57 | | | | 15.69 | | | | |
| 4-WIR | 4-Wire Copper Loop/Short - including manual service inquiry | | | | + | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 19.64 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | 1 | <u> </u> | OOL | COLTO | 10.04 | 1-1-1.17 | 30.00 | 00.12 | 10.00 | | 10.00 | | | | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 20.90 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 19.34 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 19.64 | 119.13 | 81.15 | 55.12 | 10.38 | | 15.69 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 20.90 | 119.13 | 81.15 | 55.12 | 10.38 | | 15.69 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | UCL | UCL4VV | 20.90 | 119.13 | 01.10 | 55.12 | 10.36 | | 15.69 | | | | |
| | facility reservation - Zone 3 | | 3 | UCL | UCL4W | 19.34 | 119.13 | 81.15 | 55.12 | 10.38 | | 15.69 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | Ť | UCL | UCLMC | 10.01 | 8.17 | 8.17 | 00.12 | 10.00 | | 10.00 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 77.29 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 118.78 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | 444.40 | 444.47 | 00.00 | 55.40 | 40.00 | | 45.00 | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL UCL | UCL4L UCLMC | 144.10 | 144.17 8.17 | 93.88 8.17 | 55.12 | 10.38 | | 15.69 | | | 1 | |
| + | Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - without manual svc. | | - | UUL | JULIVIU | | 0.17 | 0.17 | 1 | | | | | | 1 | 1 |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | 77.29 | 119.44 | 81.45 | 55.12 | 10.38 | | 15.69 | | | | |
| 1 | 4-Wire Unbundled Copper Loop/Long - without manual svc. | 1 | † | 1-7- | 122.0 | 20 | | 510 | 552 | | | | | | 1 | |
| | inquiry and facility reservation - Zone 2 | 1 | 2 | UCL | UCL4O | 118.78 | 119.44 | 81.45 | 55.12 | 10.38 | 1 | 15.69 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 144.10 | 119.44 | 81.45 | 55.12 | 10.38 | | 15.69 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | ļ | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | 1101 | LIDEWO | | 04.0- | 40.5- | | | | 45.00 | | | | |
| LOOP MODIFI | (UCL-Des) | | ! | UCL | UREWO | | 94.87 | 42.57 | 1 | | | 15.69 | | | 1 | |
| LOOF WIODIFI | ICATION | 1 | | UAL, UHL, UCL, | + + | | | | 1 | | - | 1 | 1 | | 1 | |
| | | | | UEQ, ULS, UEA, | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | 1 | 1 | UEANL, UEPSR, | | | | | | | 1 | | | | | |
| | pair less than or equal to 18k ft | | | UEPSB | ULM2L | | 32.46 | 32.46 | | | | 15.69 | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | | | | | | | | | | | | | |
| | greater than 18k ft | 1 | | UCL, ULS, UEQ | ULM2G | | 170.89 | 170.89 | | |] | 15.69 | 1 | 1 | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | | | | | | | | | | | |

| ONRONDLE | D NETWORK ELEMENTS - South Carolina | | | 1 | 1 | | | | | | 1 | | | ment: 2 | | bit: B |
|---------------|---|-------------|----------|--|----------|--------|--------|------------|--|-------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft | | | UCL | ULM4G | | 170.89 | 170.89 | | | | 15.69 | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULMBT | | 32.48 | 32.48 | | | | 15.69 | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-L | oop Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | | | | | | |
| | Up | I | | UEANL | USBSA | | 241.42 | 241.42 | | | | 15.69 | | | | |
| | Cub Long Dos Corne Boul continue Dos Of Dair Dougl Could | ١. | | LIFANII | LICECE | | 00.00 | 20.00 | | | | 45.00 | | | 1 | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | UEANL | USBSB | | 22.69 | 22.69 | | | 1 | 15.69 | | | - | - |
| | Facility Set-Up | | 1 | UEANL | USBSC | | 177.84 | 177.84 | 1 | | | 15.69 | | | | |
| - | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | - | 1 | OL, ave | 50000 | | 177.04 | 177.04 | | | | 10.05 | | | | |
| | Set-Up | 1 | 1 | UEANL | USBSD | | 55.58 | 55.58 | 1 | | | 15.69 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | I | 1 | UEANL | USBN2 | 8.87 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN2 | 12.58 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN2 | 14.79 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | Zone 3 | - | 3 | UEAINL | USBINZ | 14.79 | 65.94 | 31.03 | 45.35 | 0.71 | | 15.09 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | - | | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 14.11 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN4 | 19.40 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | 40.00 | = | | | | | 4= 00 | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 18.90 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR2 | 2.41 | 53.13 | 18.21 | 45.35 | 6.71 | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | - 1 | <u> </u> | UEANL | USBR4 | 5.36 | 59.38 | 24.47 | 49.82 | 9.09 | | 15.69 | | | | |
| i l | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | 1 | |
| - | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 7.11 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | - |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | -i- | 2 | UEF | UCS2X | 9.83 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | i | 3 | UEF | UCS2X | 10.48 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | t e |
| | | | | | | | | | | | | | | | 1 | 1 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | Ī | 1 | UEF | UCS4X | 7.85 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | - | 2 | UEF | UCS4X | 14.17 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | 1 | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS4X | 12.64 | 79.21 | 44.29 | 49.82 | 9.09 | 1 | 15.69 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | 1 | UEF | USBMC | | 8.17 | 8.17 | 1 | | | | | | | |
| Unbur | ndled Sub-Loop Modification | | | | 505.110 | | 0.17 | 5.17 | | | | | | | | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | | | | | | | | | | | | |
| | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 176.17 | 5.11 | | | | 15.69 | | | | |
| 1 - | Unbundled Sub-loop Modification - 4-W Copper Dist Load | | 1 | l | L | | | | 1 | | | | | | _ | |
| | Coil/Equip Removal per 4-W PR | | <u> </u> | UEF | ULM4X | | 176.17 | 5.11 | | | 1 | 15.69 | | | | |
| | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | 1 | UEF | ULM4T | | 278.82 | 6.13 | 1 | | | 15.69 | | | | |
| Unbur | ndled Network Terminating Wire (UNTW) | | 1 | UEF | ULIVI4 I | | 218.82 | 0.13 | | | | 15.09 | | | + | - |
| Olibul | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.3303 | 30.20 | 30.20 | | | 1 | 15.69 | | | † | |
| Netwo | rk Interface Device (NID) | | | | 1 | 3.0000 | 55.25 | 55.20 | | | | .0.00 | | 1 | 1 | t |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 43.68 | 28.79 | | | İ | 15.69 | | | | |

| UNDUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | • | | ment: 2 | | bit: B |
|--|---|-------------|------|-----------------|----------------|------------------|-----------------|----------------|----------------|----------------|--|---|---|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 64.42 | 49.53 | | | | 15.69 | | | | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 5.92 | 5.92 | | | | 15.69 | | | | |
| CUD LOOPS | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 5.92 | 5.92 | | | | 15.69 | | | | |
| SUB-LOOPS | oop Feeder | | | | | | | | | | | | | | | |
| Sub-Li | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | | UEA, | | | | | | | | | | | | |
| | Distribution Facility set-up | | | UDN,UCL,UDL,UDC | USBFW | | 241.42 | | | | | 15.69 | | | | |
| | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA, | | | | | | | | | | | 1 | |
| | set-up | | | UDN,UCL,UDL,UDC | USBFX | | 22.69 | 22.69 | | | | 15.69 | | | | |
| | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 523.87 | 11.34 | | | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 1 | | 1 | UEA | USBFA | 8.93 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | _ | l | | | | | | | | | | | | |
| | Grade - Zone 2 | | 2 | UEA | USBFA | 11.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, | | | | HODEA | 4474 | 00.00 | 50.00 | 54.00 | 40.74 | | 45.00 | | | | |
| | Voice Grade - Zone 3 Order Coordination for Specified Conversion Time, per LSR | | 3 | UEA UEA | USBFA OCOSL | 14.74 | 93.28 18.13 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | UEA | UCUSL | | 18.13 | | | | | | | | | |
| | Grade - Zone 1 | | 1 | UEA | USBFB | 8.93 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | - | OLA | OODI D | 0.33 | 33.20 | 30.03 | 34.00 | 13.74 | | 13.03 | | | | |
| | Grade - Zone 2 | | 2 | UEA | USBFB | 11.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice | | | | | | | | 000 | | | | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFB | 14.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 18.13 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | | | | | | | | | | | | | |
| | Voice Grade - Zone 1 | | 1 | UEA | USBFC | 8.93 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | _ | l | | | | | | | | | | | | |
| | Voice Grade - Zone 2 | | 2 | UEA | USBFC | 11.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 14.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | 3 | UEA | OCOSL | 14.74 | 18.13 | 36.69 | 54.68 | 13.74 | 1 | 15.69 | | | - | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | ULA | OCOGL | | 10.13 | | | | | | | | | |
| | Grade - Zone 1 | | 1 | UEA | USBFD | 21.63 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 2 | | 2 | UEA | USBFD | 27.57 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFD | 26.04 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 18.13 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | l | | | | | | | | | | | | |
| | Grade - Zone 1 | | 1 | UEA | USBFE | 21.63 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFE | 27.57 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | UEA | USBFE | 21.51 | 107.91 | 70.30 | 02.20 | 17.52 | 1 | 15.69 | | | - | |
| | Grade - Zone 3 | | 3 | UEA | USBFE | 26.04 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | Ŭ | UEA | OCOSL | 20.04 | 18.13 | 70.00 | 02.20 | 17.02 | | 10.00 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 17.05 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 20.92 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 23.49 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UDN | OCOSL | | 18.13 | | | | | | _ | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 17.05 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 20.92 | 106.47 | 68.92 | 55.81 | 13.37 | ļ | 15.69 | | | ļ | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 23.49 | 106.47 | 68.92 | 55.81 | 13.37 | ļ | 15.69 | | | ļ | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 55.85 | 102.19 | 64.64 | 62.26 | 17.52 | <u> </u> | 15.69 | | | 1 | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 2 | USL USL | USBFG | 109.16 203.35 | 102.19 | 64.64 64.64 | 62.26 62.26 | 17.52 17.52 | | 15.69 15.69 | | - | | 1 |
| | Order Coordination For Specified Conversion Time, Per LSR | | 3 | USL | OCOSL | 203.35 | 102.19 18.13 | 04.64 | 6∠.26 | 17.52 | | 15.09 | | - | + | |
| | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | 1 | 1 | UCL | USBFH | 5.98 | 83.97 | 46.42 | 53.14 | 10.69 | | 15.69 | | | t | 1 |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | + - | 001 | CODITI | 5.50 | 00.91 | 40.42 | 33.14 | 10.09 | | 10.09 | | | | |
| 1 1 | 2 | 1 | 2 | UCL | USBFH | 4.80 | 83.97 | 46.42 | 53.14 | 10.69 | | 15.69 | | 1 | 1 | |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | Exhi | bit: B |
|--|---|-------------|--|----------------|----------------|--------------------|-----------------|------------|--------------|-------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | | | . == | | | =0.44 | | | | | | | |
| | 3 | | 3 | UCL | USBFH | 4.59 | 83.97 | 46.42 | 53.14 | 10.69 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | OCOSL USBFJ | 13.21 | 18.13 101.22 | 63.67 | 58.03 | 13.29 | | 15.69 | | | - | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 8.28 | 101.22 | 63.67 | 58.03 | 13.29 | | 15.69 | | | | |
| - | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 8.42 | 101.22 | 63.67 | 58.03 | 13.29 | 1 | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | - | UCL | OCOSL | 0.42 | 18.13 | 03.07 | 36.03 | 13.25 | | 13.09 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 21.02 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 21.30 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 20.17 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | 1 | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | Ť | | | | | | | 32 | | | İ | | 1 | 1 |
| | Zone 1 | | 1 | UDL | USBFO | 21.02 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | 1 | 1 | 1 |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UDL | USBFO | 21.30 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UDL | USBFO | 20.17 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 18.13 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UDL | USBFP | 21.02 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | LIDI | HODED | 04.00 | 100.10 | 04.04 | 00.00 | 47.50 | | 45.00 | | | | |
| | Zone 2 | | 2 | UDL | USBFP | 21.30 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFP | 20.17 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | 3 | UDL | OCOSL | 20.17 | 18.13 | 04.04 | 02.20 | 17.52 | - | 15.09 | | - | - | - |
| SUB-LOOPS | Order coordination for opecined conversion filme, per Lorc | | 1 | ODL | OCCOL | | 10.13 | | | | | | | | | |
| | pop Feeder | | 1 | | | | | | | | | | | | | |
| 000 | Sub Loop Feeder - DS3 - Per Mile Per Month | | | UE3 | 1L5SL | 20.44 | | | | | | | | | 1 | |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | - 1 | | UE3 | USBF1 | 348.12 | 3,408.62 | 407.90 | 160.83 | 91.17 | | 15.69 | | | | |
| | Sub Loop Feeder – STS-1 – Per Mile Per Month | - 1 | | UDLSX | 1L5SL | 20.44 | | | | | | | | | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | - 1 | | UDLSX | USBF7 | 369.07 | 3,408.62 | 407.90 | 160.83 | 91.17 | | 15.69 | | | | |
| | Sub Loop Feeder – OC-3 – Per Mile Per Month | - | | UDLO3 | 1L5SL | 15.51 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | Month | - 1 | | UDLO3 | USBF5 | 56.04 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Per Month | I | | UDLO3 | USBF2 | 565.50 | 3,408.62 | 407.90 | 160.83 | 91.17 | | 15.69 | | | | |
| | Sub Loop Feeder - OC-12 - Per Mile Per Month | | 1 | UDL12 | 1L5SL | 19.08 | | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | Month Sub Loop Feeder - OC-12 - Facility Termination Per Month | | | UDL12 UDL12 | USBF6 USBF3 | 669.82 1,840.00 | 3,408.62 | 407.90 | 160.83 | 91.17 | | 15.69 | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Per Month Sub Loop Feeder - OC-48 - Per Mile Per Month | - | 1 | UDL48 | 1L5SL | 62.60 | 3,408.62 | 407.90 | 160.83 | 91.17 | | 15.69 | | | | |
| | Sub Loop Feeder - OC-48 - Fer Mile Fer Month Sub Loop Feeder - OC-48 - Facility Termination Protection Per | - | 1 | UDL46 | ILSSL | 02.00 | | | | | - | | | - | - | - |
| | Month | | | UDL48 | USBF9 | 326.16 | | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Per Month | -i- | 1 | UDL48 | USBF4 | 1,560.00 | 3,594.62 | 407.90 | 160.83 | 91.17 | | 15.69 | | | | |
| | Sub Loop Feeder - OC-12 Interface On OC-48 | i i | 1 | UDL48 | USBF8 | 366.86 | 806.47 | 407.90 | 160.83 | 91.17 | | 15.69 | | | | |
| UNBUNDLED | LOOP CONCENTRATION | · | | 002.0 | 002.0 | 000.00 | 000.11 | 101.00 | 100.00 | 0 | | 10.00 | | | | |
| | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 318.73 | 326.13 | 326.13 | | | | 15.69 | | | 1 | |
| | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 46.69 | 135.89 | 135.89 | | | | 15.69 | | | | |
| | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 351.78 | 326.13 | 326.13 | | | | 15.69 | | | | |
| | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 78.67 | 135.89 | 135.89 | | | | 15.69 | | | | |
| | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 4.42 | 63.43 | 46.18 | 16.83 | 4.71 | | 15.69 | | | | |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | | | | | | | | | | | | | | |
| | Card) | | | UDN | ULCC1 | 7.02 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | 1 | 1 | 1 |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite | | | LUBO | | | | | | | | | | I | I | I |
| | Card) | | | UDC | ULCCU | 7.02 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | | | |
| | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | 1154 | 111.000 | | 10.50 | 10.50 | | | | 45.00 | | 1 | 1 | |
| | Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 1.75 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | | | |
| | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card) | | | UEA | ULCCR | 10.42 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | I | I | I |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | 1 | UEA | ULCCK | 10.42 | 10.06 | 10.50 | 5.41 | 5.37 | | 15.09 | | | | |
| | | | 1 | 1 | 1 | | | | 1 | | 1 | 1 | ı | 1 | 1 | 1 |

| ONRONE | DLED NETWORK ELEMENTS - South Carolina | | | 1 | | 1 | | | | | 1 - | T - | | ment: 2 | | bit: B |
|----------|--|--|----------|-------------------------------------|----------------|-----------------|------------------|------------|------------------|------------|---|---|--|--|---|---|
| CATEGOR | Y RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | 088 | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 30.38 | 10.56 | 10.50 | 5.41 | 5.37 | COMILO | 15.69 | COMPAR | COMPAR | COMPAR | COMPAR |
| | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | | | | | | | | | | | | | | |
| | Interface | | | UDL | ULCC7 | 9.21 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | | | |
| | Unbundled Loop Concentration - Digital 56 Kbps Data Loop | | | | | | | | | | | | | | | |
| | Interface | | | UDL | ULCC5 | 9.21 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | | | |
| | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | UDL | ULCC6 | 9.21 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | | | |
| UNF OTHE | ER, PROVISIONING ONLY - NO RATE | | | ODL | OLCCO | 9.21 | 10.30 | 10.50 | 3.41 | 5.57 | | 13.09 | | | | |
| 0.1.2 | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | | | | UEANL,UEF,UEQ,U | | | | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| UNE OTHE | R, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | | | | | | | | | | | | | |
| | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAP | ACITY UNBUNDLED LOCAL LOOP | 1 | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | TE: minimum billing period of three months for DS3 and above L | ocal Lo | op | | 1 | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | 1 | <u> </u> | | | | | | | | | | | | | |
| | month High Capacity Unbundled Local Loop - DS3 - Facility | | | UE3 | 1L5ND | 12.26 | | | | | | | | | | |
| | Termination per month | | | UE3 | UE3PX | 306.36 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 12.26 | | | | | | 15.69 | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | UDLOX | TESIND | 12.20 | | | | | | 13.03 | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 313.49 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| LOOP MAI | | | | | | | | | | | | | | | | |
| | Loop Makeup - Preordering Without Reservation, per working or | | | LIMIZ | LIMIZLAN | | 24.04 | 24.04 | | | | | | | | |
| | spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility | | | UMK | UMKLW | | 24.04 | 24.04 | | | | | | | | |
| | queried (Manual). | | | UMK | UMKLP | | 25.49 | 25.49 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or | 1 | <u> </u> | | | | 20.40 | 20.40 | | | | | | | | |
| | spare facility queried (Mechanized) | <u> </u> | <u>L</u> | UMK | PSUMK | | 0.34 | 0.34 | | | | | | | | <u> </u> |
| | QUENCY SPECTRUM | | | | | | | · · · · · | | · · · · · | | | | | | |
| | NE SHARING | | ļ | | | | | | | | | | | | | |
| SP | LITTERS-CENTRAL OFFICE BASED | <u> </u> | <u> </u> | LILC | ULSDA | 216.22 | 400.04 | 0.00 | 470.00 | 0.00 | | 15.69 | | | | |
| | Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity | 1 | ! | ULS ULS | ULSDA | 216.22 54.05 | 189.21 189.21 | 0.00 | 178.38 178.38 | 0.00 | | 15.69 15.69 | | | | - |
| | Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity | | 1 | ULS | ULSDB ULSD8 | 18.02 | 189.21 | 0.00 | 178.38 | 0.00 | 1 | 15.69 | | | 1 | |
| | Line Sharing Splitter, Per System, 6 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- | + ' | l | 010 | JEGDO | 10.02 | 103.21 | 0.00 | 170.30 | 0.00 | | 13.09 | | | - | † |
| | deactivation (per LSOD) | | 1 | ULS | ULSDG | | 86.67 | 0.00 | 49.95 | 0.00 | | 15.69 | | | | |
| EN | ID USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC | Y SPEC | TRUM | | | | | | | | | | | | | |
| | Line Sharing - per Line Activation (BST owned Splitter) | | | ULS | ULSDC | 0.61 | 18.55 | 10.62 | 10.04 | 4.93 | | 15.69 | | | | |
| | Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) | | | ULS | ULSDS | | 16.42 | 8.21 | | | | 15.69 | | | | |
| | Line Sharing - per Subsequent Activity per Line | <u> </u> | | | | | | | | | | | | | | |
| | Rearrangement(DLEC Owned Splitter) | | | ULS | ULSCS | | 16.42 | 8.21 | | | | 15.69 | | | | |
| | Line Sharing - per Line Activation (DLEC owned Splitter) | | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | 15.69 | | | | |
| | NE SPLITTING | - | <u> </u> | | | | | | | | | | | | 1 | |
| | ID USER ORDERING-CENTRAL OFFICE BASED | | | UEPSR UEPSB | L | | | | | | | | | | | 1 |
| LIV | Line Splitting - per line activation DLEC owned splitter | 1 1 | | | UREOS | 0.61 | | | | | | | | | | |

| UNBUNE |)LED | NETWORK ELEMENTS - South Carolina | | | 1 | | T | | | | | | | | ment: 2 | | bit: B |
|-----------------|----------|--|-------------|----------|-------------------------|----------------|-----------------|----------------------------|------------------|-------------------------|----------------|---|---|--|--|---|--|
| CATEGOR | RY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | 1 | <u> </u> |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Lir | ne Splitting - per line activation BST owned - virtual | ı | | UEPSR UEPSB | UREBV | 0.61 | 37.09 | 21.24 | 20.07 | 9.85 | | 15.69 | | | | |
| | | SITE HIGH FREQUENCY SPECTRUM | | | | | | | | | | | | | | | |
| SP | | RS-REMOTE SITE | | | | | | | | | | | | | | | <u> </u> |
| | | emote Site Line Share BellSouth Owned Splitter, 24 Port | l I | | ULS | ULSRB | 38.61 | 115.04 | 0.00 | 85.18 | 0.00 | | 15.69 | | | | _ |
| | | emote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation | ١, | | ULS | ULSTG | | 95.83 | 0.00 | 68.37 | 0.00 | | 15.69 | | | | |
| EN | | R ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM | M AKA | REMO | | | | 90.00 | 0.00 | 00.37 | 0.00 | | 13.08 | | | | |
| | | emote Site Line Share Line Activationfor End User Served at | <u></u> | | 1 | 1 | | | | | | | | | | | 1 |
| | RS | S, BST Splitter | - 1 | | ULS | ULSRC | 0.61 | 37.09 | 21.24 | 20.07 | 9.85 | | 15.69 | | | | |
| | | S Line Share Line Activation for End User served at RS, CLEC | | | | | | | | | | | | | | | 1 |
| | | blitter | I | | ULS | ULSTC | 0.61 | 37.09 | 21.24 | 20.07 | 9.85 | | 15.69 | | | | ļ |
| | | emote Site Line Share Subsequent Activity-RS BST Owned | Ι. | | | 000 | | 40.00 | 47.07 | | | | 45.00 | | | | |
| | | olitter emote Site Line Share Subsequent Activity-RS CLEC Owned | <u> </u> | | ULS | ULSRS | | 49.26 | 17.87 | - | | | 15.69 | | | - | |
| | | olitter | ١, | | ULS | ULSTS | | 49.26 | 17.87 | | | | 15.69 | | | | |
| UNBUNDL | | DICATED TRANSPORT | <u> </u> | | 020 | OLOTO | | 40.20 | 17.07 | | | | 10.00 | | | | 1 |
| | | TEROFFICE CHANNEL DEDICATED TRANSPORT - minimu | m billin | g perio | d - below DS3=one | month, abov | e DS3=four mo | nths | | | | | | | | | |
| IN ⁻ | TEROFF | FICE CHANNEL - DEDICATED TRANSPORT | | Ī | | | | | | | | | | | | | |
| | | teroffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | 1 |
| | | er Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | ļ |
| | | teroffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | 40.00 | | | | | 4= 00 | | | | |
| | | acility Termination teroffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | U1TVX | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | 1 |
| | | ev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | |
| | | teroffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | OTTVX | 120701 | 0.0107 | | | | | | | | | | 1 |
| | | acility Termination | | | U1TVX | U1TR2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Int | teroffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | | er Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | |
| | | teroffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | | | | | | | | | | | | | |
| | | Facility Termination | | | U1TVX | U1TV4 | 21.29 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | teroffice Channel - Dedicated Transport - 56 kbps - per mile er month | | | U1TDX | 1L5XX | 0.0167 | | | | | | | | | | |
| | | teroffice Channel - Dedicated Transport - 56 kbps - Facility | | | UTIDA | ILSAA | 0.0167 | | | | | | | | | | |
| | | ermination | | | U1TDX | U1TD5 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | teroffice Channel - Dedicated Transport - 64 kbps - per mile | | | - | | | | | | | | | | | | |
| | | er month | | | U1TDX | 1L5XX | 0.0167 | | | | | | | | | | |
| | | teroffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | | ermination | | | U1TDX | U1TD6 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | teroffice Channel - Dedicated Channel - DS1 - Per Mile per | | | U1TD1 | 1L5XX | 0.2445 | | | | | | | | | | |
| | | teroffice Channel - Dedicated Tranport - DS1 - Facility | | | וטווטו | ILSXX | 0.3415 | | | | | | | | | | |
| | | ermination | | | U1TD1 | U1TF1 | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | | teroffice Channel - Dedicated Transport - DS3 - Per Mile per | | | 01.5. | | 77111 | 00.11 | 01.00 | 10.00 | | | 10.00 | | | | 1 |
| | mo | onth | | | U1TD3 | 1L5XX | 8.02 | | | | | | | | | | |
| | Int | teroffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | 1 |
| | | ermination per month | | | U1TD3 | U1TF3 | 880.65 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | ļ |
| | | teroffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | 114704 | 41.5307 | 0.00 | | | | | | | | | | |
| | | onth teroffice Channel - Dedicated Transport - STS-1 - Facility | | | U1TS1 | 1L5XX | 8.02 | | | - | | | | | | - | <u> </u> |
| | | ermination | | | U1TS1 | U1TFS | 880.55 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | |
| LO | | HANNEL - DEDICATED TRANSPORT | | | 0.101 | 31110 | 300.33 | 213.51 | 100.12 | 00.00 | 30.39 | | 10.08 | | | | |
| | TE: LC | OCAL CHANNEL DEDICATED TRANSPORT - minimum billir | ng perio | d = be | low DS3=one month | n, above DS3 | four months | | | | | | | | | | 1 |
| | Lo | cal Channel - Dedicated - 2-Wire Voice Grade | | | ULDVX | ULDV2 | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | | 15.69 | | | | |
| | | cal Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | | ULDVX | ULDR2 | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | | 15.69 | | | | |
| | | cal Channel - Dedicated - 4-Wire Voice Grade | | <u> </u> | ULDVX | ULDV4 | 16.54 | 193.97 | 33.68 | 37.19 22.24 | 3.68 15.30 | | 15.69 | | | | <u> </u> |
| | | and the second production of the second produc | | | | | | | | | | | | | | | 1 |
| | Lo | ocal Channel - Dedicated - DS1 - Zone 1 | | 1 | ULDD1 | ULDF1 | 42.62 | 177.87 | 154.06 | | | | 15.69 | | | | |
| | Lo Lo | cal Channel - Dedicated - DS1 - Zone 1 cal Channel - Dedicated - DS1 - Zone 2 cal Channel - Dedicated - DS1 - Zone 3 | | 2 | ULDD1 ULDD1 ULDD1 | ULDF1 ULDF1 | 70.32 190.68 | 177.87 177.87 177.87 | 154.06 154.06 | 22.24 22.24 22.24 | 15.30 15.30 | | 15.69 15.69 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--------------|--|-------------|--|--|--------|-----------|--------|------------|--------------|------------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | 1 |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3 | ULDF3 | 446.00 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 11.93 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1 | ULDFS | 435.10 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| DARK FIBER | | | | | | | | | | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel | | | UDF | 1L5DC | 97.65 | | | | | | | | | | |
| | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | 97.00 | 640.51 | 138.17 | 317.76 | 198.11 | | 15.69 | | - | - | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | UDF | UDFC4 | | 640.51 | 130.17 | 317.76 | 190.11 | | 15.69 | | - | - | |
| | Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 36.41 | | | | | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | 00.41 | 640.51 | 138.17 | 317.76 | 198.11 | | 15.69 | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | 1 | 1 | 32 | | 0.0.01 | | 30 | | | .0.00 | | 1 | 1 | |
| | Thereof per month - Local Loop | | | UDF | 1L5DL | 97.65 | | | 1 | | | | | I | I | |
| | NRC Dark Fiber - Local Loop | | 1 | UDF | UDFL4 | | 640.51 | 138.17 | 317.76 | 198.11 | | 15.69 | | | | |
| 8XX ACCESS | TEN DIGIT SCREENING | | | | | | | | <u> </u> | | | | | | | |
| | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006673 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | | | | | | · | | · · | | | | | 1 | |
| | Number Reserved | | <u> </u> | OHD | N8R1X | | 2.59 | 0.44 | | | ļ | 15.69 | | 1 | | ļ |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | | | | | | | | | | | | | | |
| | POTS Translations | | | OHD | | | 5.95 | 0.81 | 4.58 | 0.54 | | 15.69 | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With | | | 0.15 | | | | | 4.50 | | | 4= 00 | | | | |
| | POTS Translations | | | OHD | N8FTX | | 5.95 | 0.81 | 4.58 | 0.54 | | 15.69 | | | | |
| | 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number | | | OHD | N8FCX | | 2.59 | 1.30 | | | | 15.69 | | | | |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | OHD | NOFCX | | 2.59 | 1.30 | | | | 15.69 | | | | |
| | Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 3.03 | 1.74 | | | | 15.69 | | | | |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 3.03 | 0.44 | 1 | | | 15.69 | | | | |
| | 8XX Access Ten Digit Screening, Call Handling and Destination | | | OND | NOI AX | | 5.05 | 0.44 | <u> </u> | | | 15.05 | | | | |
| | Features | | | OHD | N8FDX | | 2.59 | 2.59 | | | | 15.69 | | | | |
| | 8XX Access Ten Digit Screening, w/ 8XX No. Delivery | | | OHD | | 0.0006673 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, w/ POTS No. Delivery | | | OHD | | 0.0006673 | | | | | | | | | | |
| LINE INFORM | ATION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | |
| | LIDB Common Transport Per Query | | | OQT | | 0.0000246 | | | | | | | | | | |
| | LIDB Validation Per Query | | | OQU | | 0.0138158 | | | | | | | | | | |
| | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 34.40 | | 42.18 | | | 15.69 | | | | |
| SIGNALING (| | | | | | | | | | | | | | | | |
| | CCS7 Signaling Connection, Per 56 Kbps Facility | | ļ | UDB | TPP++ | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | - | - | |
| | CCS7 Signaling Termination, Per STP Port | | ļ | UDB | PT8SX | 163.49 | | | 1 | | | | | - | - | |
| | CCS7 Signaling Usage, Per TCAP Message | 1 | <u> </u> | UDB UDB | TPP++ | 0.0000692 | 35.61 | 35.61 | 16.40 | 16.40 | 1 | 15 60 | | | 1 | 1 |
| | CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D | | | סטט | 177++ | 16.93 | 33.01 | 35.61 | 16.48 | 16.48 | | 15.69 | | | | |
| | link) | | 1 | UDB | TPP++ | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | 15.69 | | I | | |
| | CCS7 Signaling Usage, Per ISUP Message | 1 | - | UDB | 155++ | 0.0000173 | 33.01 | 30.01 | 10.46 | 10.48 | 1 | 15.69 | | | t | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 791.37 | | | + | | | | | † | t | |
| | CCS7 Signaling Point Code, per Originating Point Code | 1 | | | 0.000 | 701.07 | | | + + | | | | | † | † | |
| | Establishment or Change, per STP affected | | | UDB | CCAPO | | 29.08 | 29.08 | 35.65 | 35.65 | | 15.69 | | I | I | |
| | CCS7 Signaling Point Code, per Destination Point Code | | i – | | 1 | i i | | | | 22.30 | | | | | 1 | |
| | Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 29.08 | 29.08 | 35.65 | 35.65 | | 15.69 | | I | I | |
| E911 SERVICI | | | | | | | | | <u> </u> | | | | | | | |
| | Local Channel - Dedicated - 2-wr Voice Grade | | | | | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | | 0.0167 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | 1 | | <u> </u> | | | | | 1 7 | · <u> </u> | | | | _ | _ | |
| | Termination | | <u> </u> | ļ | | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | ļ | 15.69 | | 1 | | ļ |
| | Local Channel - Dedicated - DS1 - Zone 1 | | <u> </u> | ļ | | 42.62 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | ļ | ļ | |
| | Local Channel - Dedicated - DS1 - Zone 2 | | <u> </u> | | - | 70.32 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 3 | | <u> </u> | ļ | | 190.68 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | 1 | 1 | 1 |
| | Interoffice Transport - Dedicated - DS1 Per Mile | | 1 | | | 0.3415 | | | + + | | | | | | | 1 |
| | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | 1 | 1 | |
| | nineronice transport - Dedicated - DST Per Facility Termination | 1 | 1 | 1 | 1 | //.14 | 89.47 | 81.99 | 10.39 | 14.48 | 1 | 15.69 | | 1 | | 1 |

| UNBUNDLE' | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--|---|--|--|--------------|--------------|-----------|----------|------------|--------------|------------|--|-----------|-------------|--|--|--|
| | | 1 | | | | 1 | | | | | Svc Order | Svc Order | Incremental | | | |
| 1 | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| 1 | | | | | | | | | | | | | | | | |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | Elec | | Manual Svc | Manual Svc | | |
| CATEGORI | KATE ELEMENTS | m | Zone | 603 | 0300 | | | KAILS (4) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| 1 | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| 1 | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | + | | Nonrec | urring | Nonrecurring | Disconnect | 1 | l | 088 | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | CNAM For DB Owners - Service Establishment | | | OQV | | | 23.00 | 23.00 | 21.15 | 21.15 | | 15.69 | JOWAN | SOWAN | SOWAN | SOWAN |
| | CNAM For Non DB Owners - Service Establishment | | | OQV | | | 23.00 | 23.00 | 21.15 | 21.15 | | 15.69 | | | | + |
| | CNAM For DB Owners - Service Provisioning With Point Code | | | OQV | | | 25.00 | 25.00 | 21.10 | 21.13 | | 13.03 | | | | + |
| 1 | Establishment | | | oqv | | | 993.09 | 734.47 | 269.53 | 198.18 | | 15.69 | | | | |
| | CNAM For Non DB Owners - Service Provisioning With Point | | | OQV | | | 333.03 | 754.47 | 203.33 | 130.10 | | 13.03 | | | | + |
| 1 | Code Establishment | | | oqv | | | 343.09 | 245.69 | 275.87 | 198.18 | | 15.69 | | | | |
| | CNAM for DB Owners, Per Query | | | OQV | | 0.0010433 | 343.09 | 243.09 | 213.01 | 190.10 | | 13.09 | | | | + |
| | CNAM for Non DB Owners, Per Query | | | OQV | + | 0.0010433 | + | | | | 1 | | | | | + |
| LNP Query Ser | | | | OQV | + | 0.0010433 | + | | | | 1 | | | | | + |
| LINE QUELY SEI | LNP Charge Per query | | | | + | 0.0008837 | + | | | | 1 | | | | | + |
| \vdash | LNP Service Establishment Manual | - | 1 | | + | 0.000637 | 25.09 | 25.09 | 23.07 | 23.07 | | 15.69 | - | - | - | + |
| \vdash | LNP Service Establishment Manual LNP Service Provisioning with Point Code Establishment | - | + | - | + | | 594.82 | 303.88 | 269.53 | 198.18 | | 15.69 | - | - | - | + |
| ODED A TOD C | | | - | | | | 594.82 | 303.88 | 269.53 | 198.18 | | 15.69 | | | | |
| OPERATOR CA | ALL PROCESSING Oper. Call Processing - Oper. Provided, Per Min Using BST | | 1 | — | + | | | | | | | 1 | | - | | |
| | LIDB | | | | | 1.20 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST | | | | | | | | | | | | | | | 1 |
| 1 | LIDB | | | | | 0.20 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using | | | | | | | | | | | | | | | 1 |
| 1 | Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWARD OPEF | RATOR SERVICES | | | | | 00 | | | | | | | | | | 1 |
| 1 | Inward Operator Services - Verification, Per Minute | | | | + | 1.15 | 1 | | | | 1 | | | | | + |
| | Inward Operator Services - Verification and Emergency Interrupt | | | | + | | | | | | 1 | | | | | + |
| 1 | - Per Minute | | | | | 1.15 | | | | | | | | | | |
| BRANDING - C | PERATOR CALL PROCESSING | | | | | | | | | | | | | | | 1 |
| | / based CLEC | | | | | | | | | | | | | | | 1 |
| | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | 15.69 | | | | 1 |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | 1,000.00 | 1,000.00 | | | | | | | | 1 |
| 1 | per OCN | | | | CBAOL | | 500.00 | 500.00 | | | | 15.69 | | | | |
| UNEP (| | | | | | | | | | | | | | | | 1 |
| | Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | 15.69 | | | | 1 |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | 1,000.00 | 1,000.00 | | | | | | | | 1 |
| 1 | per OCN | | | | | | 500.00 | 500.00 | | | | 15.69 | | | | |
| Unbrar | nding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | 1 |
| | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | 15.69 | | | | 1 |
| | SSISTANCE SERVICES | | | | | | 1,200.00 | 1,200.00 | | | | 10.00 | | | | |
| | TORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | 1 |
| | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.275 | | | | | | | | | | 1 |
| | TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D | DACC) | | | | 0.2.0 | | | | | | | | | | 1 |
| 3 | Directory Assistance Call Completion Access Service (DACC), | 1 | | | | | | | | | | | | | | 1 |
| 1 1 | Per Call Attempt | l | 1 | İ | I | 0.10 | l | | | | | | | l | Ì | 1 |
| DIRECTORY A | SSISTANCE SERVICES | 1 | 1 | | + | 30 | + | | | 1 | 1 | | 1 | | 1 | |
| | TORY ASSISTANCE DATA BASE SERVICE (DADS) | 1 | 1 | | + | | + | | | 1 | 1 | | 1 | | 1 | |
| | Directory Assistance Data Base Service Charge Per Listing | 1 | 1 | | + | 0.04 | + | | | 1 | 1 | | 1 | | 1 | |
| | Directory Assistance Data Base Service, per month | l | | | DBSOF | 150.00 | - t | | | | 1 | 1 | | | | + |
| BRANDING - P | DIRECTORY ASSISTANCE | 1 | 1 | | 35551 | 130.00 | | | | | | 1 | | | | + |
| | / Based CLEC | 1 | 1 | | † | | + | | | | | 1 | | | | + |
| raciity | Recording and Provisioning of DA Custom Branded | 1 | 1 | | † | | + | | | | | 1 | | | | + |
| 1 | Announcement | l | | AMT | CBADA | | 3,000.00 | 3,000.00 | | | | 15.69 | | | | 1 |
| | Loading of Custom Branded Announcement per Switch per | l | 1 | CIVII | CDADA | | 3,000.00 | 3,000.00 | | | 1 | 15.09 | | 1 | | + |
| 1 1 | OCN | l | 1 | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | 15.69 | | l | Ì | I |
| UNEP | | - | + | CIVII | CDADC | | 1,170.00 | 1,170.00 | | | | 15.69 | - | - | | + |
| UNEP | Recording of DA Custom Branded Announcement | <u> </u> | | - | + | | 3,000.00 | 3,000.00 | | | | 15.69 | | | | + |
| \vdash | Loading of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per | - | + | - | + | | 3,000.00 | 3,000.00 | | | | 15.69 | - | - | | + |
| 1 1 | loading of DA Custom Branded Announcement per Switch per IOCN | l | 1 | İ | I | | 1,170.00 | 1,170.00 | | | | 15.69 | | l | Ì | I |
| l l | LACIN . | i . | 1 | | | 1 | 1,170.00 | 1,170.00 | | | <u> </u> | 15.09 | | | | + |
| l la be- | | | | | | | | | | | | | | | | |
| Unbran | nding via OLNS for UNEP CLEC Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | 15.69 | | | | + |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | T | | | | | 1 - | | | nent: 2 | | bit: B |
|--|--|--|--|--------------------|----------------|-------------------|----------------|----------------|----------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| 1 | | | | | + | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | l | l |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| SELECTIVE R | OUTING | | | | | | | | | | | | | | | |
| | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| | Switch | | | | USRCR | | 84.89 | 84.89 | 14.14 | 14.14 | | 15.69 | | | | |
| VIRTUAL COL | | | | | | | | | | | | | | | | |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | HEDOD HEDOD | VE4LC | 0.0047 | 40.00 | 44.00 | 0.04 | 5.45 | | 45.00 | | | | |
| PHYSICAL CO | Splitting | | | UEPSR, UEPSB | VE1LS | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | - | - |
| FITTSICAL CC | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | 1 | |
| | Splitting | | | UEPSR, UEPSB | PE1LS | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| AIN SELECTIV | /E CARRIER ROUTING | | | | | | - | | | | | | | | | |
| | Regional Service Establishment | | | SRC | SRCEC | | 101,324.34 | 101,324.34 | 8,609.85 | 8,609.85 | | 15.69 | | | | |
| | End Office Establishment | | | SRC | SRCEO | | 175.66 | 175.66 | 1.70 | 1.70 | | 15.69 | | | | |
| | Query NRC, per query | | | SRC | | 0.0035036 | | | | | | | | | | |
| AIN - BELLSO | UTH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | |
| | AIN SMS Access Service - Service Establishment, Per State, Initial Setup | 1 | l | A1N | CAMSE | | 39.53 | 39.53 | 40.78 | 40.78 | | 15.69 | | | | I |
| | іншаі Зекир | | | AIN | CAIVISE | | 39.53 | 39.53 | 40.78 | 40.78 | | 15.69 | | | | |
| | AIN SMS Access Service - Port Connection - Dial/Shared Access | | l | A1N | CAMDP | | 7.85 | 7.85 | 9.11 | 9.11 | | 15.69 | | | | |
| | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 7.85 | 7.85 | 9.11 | 9.11 | | 15.69 | | | | |
| | AIN SMS Access Service - User Identification Codes - Per User | | | | | | | | - | - | | | | | İ | 1 |
| | ID Code | | | A1N | CAMAU | | 35.08 | 35.08 | 27.12 | 27.12 | | 15.69 | | | | |
| | AIN SMS Access Service - Security Card, Per User ID Code, | | | | | | | | | | | | | | | |
| | Initial or Replacement | | | A1N | CAMRC | | 41.98 | 41.98 | 11.74 | 11.74 | | 15.69 | | | | |
| | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0027 | | | | | | | | | | |
| | AIN SMS Access Service - Session, Per Minute | | | | | 0.7121 | | | | | | | | | | |
| | AIN SMS Access Service - Company Performed Session, Per Minute | | | | | 0.8364 | | | | | | | | | | |
| AIN - BELLSO | UTH AIN TOOLKIT SERVICE | | | | | 0.0304 | | | | | | | | | 1 | |
| AIIV BEEEGO | AlN Toolkit Service - Service Establishment Charge, Per State, | | | | | | | | | | | | | | | |
| | Initial Setup | | | CAM | BAPSC | | 39.53 | 39.53 | 40.78 | 40.78 | | 15.69 | | | | |
| | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 4,211.54 | 4,211.54 | 0.00 | 0.00 | | 15.69 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, Term. Attempt | | | | BAPTT | | 7.85 | 7.85 | 9.11 | 9.11 | | 15.69 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| - | DN, Off-Hook Delay | | | | BAPTD | | 7.85 | 7.85 | 9.11 | 9.11 | | 15.69 | | | - | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate | | | | BAPTM | | 7.85 | 7.85 | 9.11 | 9.11 | | 15.69 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DAFTIVI | | 7.00 | 7.05 | 5.11 | 9.11 | | 13.03 | | | 1 | |
| | DN, 10-Digit PODP | 1 | l | | BAPTO | | 34.54 | 34.54 | 14.39 | 14.39 | | 15.69 | | | | I |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | - | - | | | | | | | | |
| | DN, CDP | | | | BAPTC | | 34.54 | 34.54 | 14.39 | 14.39 | | 15.69 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | 1 | |
| | DN, Feature Code | ļ | <u> </u> | | BAPTF | 0.05=000= | 34.54 | 34.54 | 14.39 | 14.39 | | 15.69 | | | ļ | |
| | AIN Toolkit Service - Query Charge, Per Query | | | 1 | + | 0.0558238 | | | 1 | | | | | | 1 | 1 |
| | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query | l | | | | 0.0069214 | | | | | | | | | 1 | 1 |
| | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | | | + | 0.0009214 | | | 1 | | | | | | t | |
| | Account, Per 100 Kilobytes | 1 | l | | | 0.07 | | | | | | | | | | I |
| | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | | | | 2.07 | | | | | | | | | 1 | 1 |
| | Subscription | <u> </u> | L | CAM | BAPMS | 11.87 | 7.85 | 7.85 | 5.52 | 5.52 | <u></u> | 15.69 | | | <u> </u> | <u> </u> |
| | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | Subscription | | | CAM | BAPLS | 3.51 | 8.68 | 8.68 | | | | 15.69 | | | | |
| | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | 1 | l - | | | | | | | | | | | | _ | |
| — | Subscription | ļ | | CAM | BAPDS | 8.48 | 7.85 | 7.85 | 5.52 | 5.52 | | 15.69 | | | 1 | 1 |
| | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription | 1 | l | CAM | BAPES | 0.12 | 8.68 | 8.68 | | | | 15.69 | | | | I |
| ENHANCED E | XTENDED LINK (EELs) | | | O/NVI | DAFEO | 0.12 | 0.08 | 0.08 | 1 | | | 15.69 | | | t | |
| | The monthly recurring and non-recurring charges below will | apply a | nd the | Switch-As-Is Charo | e will not ann | oly for EFI s pro | ovisioned as ' | Ordinarily Con | nbined' Networ | k Elements | | | | | t | t |
| | The monthly recurring and the Switch-As-Is Charge and not t | | | | | | | | | | 1 | l | | | t | |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | 1 | - | | | | | | 1 - | _ | | ment: 2 | | bit: B |
|--|--|-------------|--|----------------|----------|--------|--------|---------------------------------------|--------------|---------------------------------------|---|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| NOTE | Minimum billing is one month for DS1 and below and three m | aontha. | ah awa | DC1 complete | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | | | | | | | | | | | | | | | |
| 2-11111 | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | LICOLI | I I | I | + | | | | | | | | | | | + |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | 1 | <u> </u> | UNCIA | ILOAA | 0.27 | | | | | | | | | | † |
| | Termination per month | 1 | 1 | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | 1 | <u> </u> |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | 1 | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | | | | |
| | Interoffice Transport Combination - Zone 1 | 1 | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | 11000 | UEAL2 | 00.40 | 405.00 | 00.40 | 50.05 | 40.04 | | 45.00 | | | | |
| | Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| + | Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | ONOVA | OLALZ | 20.40 | 103.30 | 00.43 | 33.03 | 10.01 | | 15.05 | | | | |
| | per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 4-WIRI | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | <u> </u> |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | - | UNCVA | UEAL4 | 32.59 | 132.30 | 94.03 | 59.55 | 14.01 | | 15.09 | | | | 1 |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | - | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | <u> </u> |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | | UNCIX | UTIFT | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | 1 |
| | Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | | | | 12.00 | 2.01 | | .5.50 | | | 1 | <u> </u> |
| | per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | l | l | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | UNCVA | UEAL4 | 43.89 | 132.38 | 94.83 | 39.35 | 14.01 | | 15.69 | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | 1 | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | ΙŤ | | | | | | 22.30 | | | | | | | |
| | per month , | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | | | | | | | | | | | | | |
| 4 140- | Is Charge 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INITES | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 4-WIRI | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | INTERC | JEFICE | IKANSPUKI (EEL | <u> </u> | | | | | | | | | | - | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | 32230 | 20.00 | 120.00 | 00.12 | 55.55 | 17.01 | | 10.00 | | | | |
| | Transport Combination - Zone 2 | L | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | <u> </u> | 15.69 | | <u> </u> | <u> </u> | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| \vdash | Transport Combination - Zone 3 | ļ | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | <u> </u> |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | 1 | 1 | LINGAY | 41.500 | | | | | | | | | | | |
| 1 | Per Month | 1 | | UNC1X | 1L5XX | 0.27 | | | | | <u> </u> | | | l | <u> </u> | <u> </u> |

| ONRONDLE | D NETWORK ELEMENTS - South Carolina | | | ı | | T | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|----------|-------|-------|--------|--------|------------|--------------|-------|---|---|--|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | UNCDX | טטוטו | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | 1 |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | _ | | | | | | == == | | | 4= 00 | | | | |
| | Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | - |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 4-WIR | E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | | UNCCC | | 3.01 | 5.01 | 7.00 | 7.00 | | 13.03 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | 1 | | | | | | | | | | | | | |
| | Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | 1 |
| | Termination Per Month Channelization - Channel System DS1 to DS0 combination Per | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | - |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | UNCCC | - | | | 7.00 | 7.00 | | | | | | |
| 4-WID | Is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE | POFFI | CE TR | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 7-00110 | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | <u> </u> | | | | 0.00 | | | | | 45.00 | | | | |
| | Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | - | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | - | 15.69 | | | - | |
| | Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | - | - |
| | Transport - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | <u> </u> | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | 01.71 | | | | | 1 | | | | | |
| 4 14/10 | Is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE | | CE TO | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | 1 | 15.69 | | | - | |
| 4-vviR | First DS1Loop in DS3 Interoffice Transport Combination - Zone | KOFFI | CE IK | , , | | | | | | | <u> </u> | | | | | |
| | 1 First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|---|-------------|----------|----------------|--------------|----------------|-----------------|------------------|--------------|-------|-------|----------------|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonred First | aurring Add'l | Nonrecurring | | COMEC | COMAN | | Rates (\$) | COMAN | SOMAN |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | | - | | FIRST | Addi | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | | | | | | | | | † |
| | Per Month | | | UNC3X | 1L5XX | 6.42 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | + |
| | DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month | | | UNC3X UNC1X | MQ3 UC1D1 | 144.02 8.64 | 178.54 6.59 | 94.18 4.73 | 33.33 | 31.90 | | 15.69 15.69 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | UNCIA | OCIDI | 8.04 | 0.55 | 4.73 | | | | 13.09 | | | | + |
| | Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | _ | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | - |
| | DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | + |
| | Is Charge | | | UNC3X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 2-WIR | E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | EROFF | ICE TE | | 011000 | | 0.01 | 0.01 | 7.00 | 7.00 | | 10.00 | | | | + |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | 1 | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | 4 |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per | | 3 | UNCVX | UEALZ | 20.40 | 105.96 | 00.43 | 55.05 | 10.01 | | 15.09 | | | | + |
| | Mile Per Month | | | UNCVX | 1L5XX | 0.0134 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade | | | | | | | | | | | | | | | |
| | combination - Facility Termination per month | | | UNCVX | U1TV2 | 19.44 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| 4 14/10 | Is Charge E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | | ICE TE | UNCVX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | + |
| 4-WIR | 4-WireVG Loop used with 4-wire VG Interoffice Transport | EROFF | ICE II | RANSPORT (EEL) | | | | | | | | | | | | + |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | | - | | | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0134 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade | | | UNCVX | ILJAA | 0.0134 | | | | | | | | | | + |
| | combination - Facility Termination per month | | | UNCVX | U1TV4 | 17.03 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | 1 |
| | Is Charge | | | UNCVX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| DS3 D | IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | E TRAI | NSPOR | T (EEL) | | | | | | | | | | | | 4 |
| | High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month | | | UNC3X | 1L5ND | 12.26 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - | | | UNC3X | ILDIND | 12.20 | | | | | | | | | | + |
| | Facility Termination per month | | | UNC3X | UE3PX | 306.36 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 6.42 | | | | | | 1.0.00 | | | | <u> </u> |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per per month | ļ | | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | <u> </u> |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | 1 | LINGSV | LINICCO | | | | 7.00 | 7.00 | | 45.00 | | | | |
| QTQ4 | Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE TO | ANSP | UNC3X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 3131 | High Capacity Unbundled Local Loop - STS1 combination - Per | 10= 11 | VALIA DE | J. (LLL) | + | | | | | | | | | | | + |
| | Mile per month | | | UNCSX | 1L5ND | 12.26 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | <u></u> | | UNCSX | UDLS1 | 313.49 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | <u> </u> | <u> </u> | <u> </u> |

| ONBONDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | • | | ment: 2 | | bit: B |
|----------------|--|-------------|----------|----------------|---------|--------|--------|---------------------------------------|--|-------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 6.42 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | UNCSA | ILSAA | 0.42 | | | | | | | | | | 1 |
| | Termination per month | | | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 2-WIR | E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL |) | | | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | 1 | LINIONIV | 1141.07 | 05.04 | 447.50 | 80.03 | 52.05 | 40.04 | | 45.00 | | | | |
| | Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | Transport - Zone 2 | | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | CITOTOL | UILLIN | 02.70 | | 00.00 | 00.00 | 10.01 | | 10.00 | | 1 | İ | |
| | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combintion - Facility | | | | | | | | | | | | | | | |
| | Termination per month Channelization - Channel System DS1 to DS0 combination - | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | 1 |
| | per month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | ONOTA | IVIQI | 107.57 | 31.24 | 02.71 | 10.50 | 3.01 | | 10.03 | | | | |
| | combination - per month | | | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | 1 |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | 1 |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | - 3 | ONON | UILZX | 37.70 | 117.50 | 00.03 | 33.03 | 10.01 | | 13.03 | | | | 1 |
| | combintaion- per month | | | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 4-WIR | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE T | RANSPORT (EEL) | | | | | | | | | | | | - |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | + '- | ONOTA | OOLAX | 30.07 | 255.05 | 137.03 | 44.00 | 11.73 | | 10.00 | | | | |
| | Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month | | | UNCSX | 1L5XX | 6.42 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | UNCSA | ILSAA | 0.42 | | | | | | | | | | - |
| | Termination | | | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | |
| | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | <u> </u> | 15.69 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| - | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | CINOIA | OOLAA | 100.40 | 200.00 | 137.09 | 44.00 | 11.73 | | 13.09 | | | | + |
| | Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| 4 14/10 | Is Charge | | ED A NIC | UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 4-WIR | E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | FFICE | KANS | FUKI (EEL) | + | | | | | | | | | | | |
| 1 | Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| <u> </u> | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | <u> </u> | | 550 | 20.00 | .20.00 | 55.1 <u>Z</u> | 55.50 | 51 | | .0.00 | | | | † |
| | Combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | <u> </u> | 15.69 | | | <u></u> | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | l . | I . |] |

| UNBU | <u>INDL</u> EI | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--------|----------------|--|--|--|---------------------|----------------|-----------------|--------------|--------------|--------------|-------|-------|---|--|--|-------------------------|--|
| CATEG | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | LINODY | 41.500 | 0.0404 | | | | | | | | | | |
| | | Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | 1 |
| | | Facility Termination | | | UNCDX | U1TD5 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONODA | 01103 | 10.41 | 40.03 | 21.41 | 10.77 | 0.31 | | 13.03 | | | | |
| | | Is Charge | | | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE 1 | RANS | PORT (EEL) | | | | | | | | | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | | Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | LINODY | LIBI 04 | 04.74 | 100.00 | 00.40 | 50.05 | 44.04 | | 45.00 | | | | |
| | | Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Per Mile | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | UNCDA | ILJAA | 0.0134 | | | | | | | | | | |
| | | Facility Termination | | | UNCDX | U1TD6 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | 0.105/1 | 01150 | 10.11 | 10.00 | 2 | 10.11 | 0.01 | | 10.00 | | | | |
| | | Is Charge | | | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| ADDITI | ONAL N | NETWORK ELEMENTS | | | | | | | | | | | | | | | |
| | When u | used as a part of a currently combined facility, the non-recurr | rng cha | rges do | not apply, but a S | witch As Is c | harge does app | oly. | | | | | | | | | |
| | | used as ordinarily combined network elements in All States, t | | | | | As Is Charge o | does not. | | | | | | | | | |
| | Nonrec | curring Currently Combined Network Elements "Switch As Is" | Charge | (One a | applies to each com | bination) | | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | - | | | | | | | | | | | | | | |
| | | Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As- | | 1 | UNCDX | UNCCC | | 10.0 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | Is Charge - DS1 | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONOTA | 011000 | | 0.01 | 0.01 | 7.00 | 7.00 | | 10.00 | | | | |
| | | Is Charge - DS3 | | | UNC3X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | | Is Charge - STS1 | | | UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | NOTE: | Local Channel - Dedicated Transport - minimum billing period | d - Belo | w DS3: | | | r months | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade | | | UNCVX | ULDV2 | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | | 15.69 | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade | | | UNCVX | ULDV4 | 16.54 | 193.97 | 33.68 | 37.19 | 3.68 | | 15.69 | | | | |
| | | Local Channel - Dedicated - DS1 per month Zone 1 | <u> </u> | 1 | UNC1X | ULDF1 | 42.62 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | ļ |
| | | Local Channel - Dedicated -DS1 Per Month Zone 2 | <u> </u> | 2 | UNC1X | ULDF1 ULDF1 | 70.32 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | |
| | | Local Channel - Dedicated - DS1- Per Month Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month | - | 3 | UNC1X UNC3X | 1L5NC | 190.68 11.93 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | 1 | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination | | | UNC3X UNC3X | ULDF3 | 446.00 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | | Local Channel - Dedicated - DSS - Pacifity Termination Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 11.93 | 402.02 | 204.55 | 118.75 | 03.77 | | 13.09 | | | + | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination | | | UNCSX | ULDFS | 435.10 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | Option | al Features & Functions: | | | 5.1.5 G/K | 022.0 | 100.10 | 102.02 | 201.00 | 110.10 | 00.77 | | 10.00 | | | | |
| | MULTII | PLEXERS | | | | | | | | | | | | | | | |
| | | minimum billing period is one month for DS1 to DS0 Channel | | | | | | | | | | | | | | | |
| | NOTE: | minimum billing period is three months for DS3 to DS1 and a | bove C | hannel | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | | month (2.4-64kbs) | <u> </u> | ļ | UDL | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | 1 | 1 | LIDNI | LICACA | 0.50 | 0.50 | 4.70 | | | | 45.00 | | | | |
| | | month Voice Grade COCI - DS1 to DS0 Channel System - per month | - | - | UDN UEA | UC1CA 1D1VG | 2.56 0.56 | 6.59 6.59 | 4.73 4.73 | | | | 15.69 15.69 | | | 1 | <u> </u> |
| | | DS3 to DS1 Channel System per month | 1 | 1 | UXTD3 | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | | | |
| | | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | 1 | 1 | |
| | | | | | | | | | | | | | | | • | 1 | 1 |
| | | | | | | | | | | | | | 15 69 | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Loop per month DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | USL | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | |

| ONBONDE | ED NETWORK ELEMENTS - South Carolina | | | | • | | | | | | , | | | ment: 2 | | bit: B |
|----------|---|-------------|----------|-----------------------|----------------|-----------------|-----------------|--------------|--|-------|--------|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001441 | | Rates (\$) | 2011411 | 001441 |
| | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | per month | | | U1TD1 | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | |
| Sub-l | Loop Feeder | | | 0 | 00.5. | 0.0 . | 0.00 | 0 | | | | 10.00 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | | sw | UNC1X | USBFG | | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | UNC1X | USBFG | 55.85 | 102.19 | 64.64 | 62.26 | 17.52 | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | UNC1X | USBFG | 109.16 | 102.19 | 64.64 | 62.26 | 17.52 | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | UNC1X | USBFG | 203.35 | 102.19 | 64.64 | 62.26 | 17.52 | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4 | | 4 | UNC1X | USBFG | | | | | | | | | | | |
| | LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | ange Ports | | | | | | | | | | | | | | | |
| | E: Although the Port Rate includes all available features in GA, | KY, LA | & TN, t | he desired features v | will need to I | be ordered usir | ng retail USOCs | 5 | | | | | | | | |
| 2-WIF | RE VOICE GRADE LINE PORT RATES (RES) | | | LIEBOB | | | | | | | | 1= 00 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | | <u> </u> | UEPSR | UEPRL | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | - | - | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAU | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8) | | | UEPSR | UEPAJ | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | UEPSR | UEPAP | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG South Carolina Residence Dialing Plan without Caller ID | | | UEPSR | UEPWL | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG South Carolina Residence Area Calling Plan without Caller ID capability | | | UEPSR | UEPRS | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | | | | | |
| | Capability Subsequent Activity | | | UEPSR UEPSR | UEPRT USASC | 1.65 0.00 | 2.38 0.00 | 2.28 0.00 | 1.42 | 1.33 | | 15.69 15.69 | | | | |
| ΕΕΛΤ | TURES | | | UEFSK | USASC | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| I LAI | All Available Vertical Features | | 1 | UEPSR | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | † |
| 2-WIF | RE VOICE GRADE LINE PORT RATES (BUS) | | | 02. 0.0 | 02 | 0.01 | 0.00 | 0.00 | | | | 10.00 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | UEPSB | UEPBL | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with | | | | | | | | | | | | | | | |
| | unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled SC extended local | | | UEPSB | UEPBO | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | dialing parity Port with Caller ID - Bus. Exhange Ports - 2-Wire VG unbundled incoming only port with | | | UEPSB | UEPAZ | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Caller ID - Bus Exchange Ports - 2-Wire VG unbundled South Carolina Bus | | | UEPSB | UEPB1 | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Area Calling Port with Caller ID - Bus (LMB) | | | UEPSB | UEPAB | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire Voice South Carolina Business Dialing Plan without Caller ID | | | UEPSB | UEPWM | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire Voice South Carolina Business Area Calling Port without Caller ID | | | UEPSB | UEPBB | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID Capability | | | UEPSB | UEPBE | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| FFAT | Subsequent Activity TURES | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| FEAT | All Available Vertical Features | | - | UEPSB | UEPVF | 3.04 | 0.00 | 0.00 | | | 1 | 15.69 | | | t | |
| - | All Available Vertical Features | | | 02.00 | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | - | - | † |
| EXCH | HANGE PORT RATES (DID & PBX) | | <u> </u> | 1 | | 3.54 | 0.00 | 0.00 | | | | 10.00 | | 1 | 1 | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |

| NBUNDLED NETWORK ELEMENTS - South Carolina | · <u>-</u> | | | | · <u></u> | | | · <u> </u> | | · <u></u> | | Attachr | nent: 2 | Exhil | bit: B |
|---|-------------|----------|---|---|------------------------------|--|--|--------------------------------------|--------------------------------------|-----------------|--|-------------------------|-------------------------|-------------------------|------------------------|
| | | | | | | | | | | | Svc Order Submitted | Incremental Charge - | Incremental Charge - | | Increment Charge |
| ATEGORY RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. | Manual Svc Order vs. | Manual Svc Order vs. | Manual S |
| | "" | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic Disc Add |
| | | | | | _ 1 | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates (\$) | | |
| | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPSP | UEPXE | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | 1 | 1 | l | | | | | | | | | | | | |
| Room Calling Port | ļ | ļ | UEPSP | UEPXM | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| Discount Room Calling Port | | | UEPSP | UEPXO | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port | | | UEPSP | UEPXT | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| FEATURES | | | | | | | | | | | | | | | |
| All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| EXCHANGE PORT RATES (COIN) | | | | | | | | | | | | | | | |
| Exchange Ports - Coin Port | | | | | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| Local Switching Features offered with Port | | | | | | | | | | | | | | | |
| NOTE: Transmission/usage charges associated with POTS circuit s | | | | | | | | | | | | | | | |
| NOTE: Access to B Channel or D Channel Packet capabilities will be | e availa | ble only | y through BFR/New | Business Re | quest Process. | Rates for the | packet capabil | ities will be de | termined via t | ne Bona Fid | le Request/N | lew Business | Request Pro | cess. | |
| BUNDLED LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| EXCHANGE PORT RATES Exchange Ports - 2-Wire DID Port | 1 | | UEPEX | UEPP2 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | | 15.69 | | | | |
| Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | | | UEPEX | UEPP2 | 8.86 | 119.57 | 18.78 | 60.03 | 3.11 | | 15.69 | | | | |
| capability | | | UEPDD | UEPDD | 73.62 | 202.47 | 95.90 | 72.75 | 2.47 | | 15.69 | | | | |
| Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 13.38 | 72.93 | 53.11 | 47.90 | 10.76 | | 15.69 | | | | |
| All Features Offered | | | UEPTX UEPSX | UEPVF | 3.04 | 0.00 | 0.00 | 47.50 | 10.70 | | 13.03 | | | | |
| NOTE: Transmission/usage charges associated with POTS circuit s | witched | usage | | | | | | ission by B-Ch | annels associ | ated with 2- | wire ISDN p | orts. | | | |
| NOTE: Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Request Pro | cess. | |
| Exchange Ports - 2-Wire ISDN Port Channel Profiles | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 107.44 | 204.27 | 101.78 | 79.35 | 20.10 | | 15.69 | | | | |
| UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY | Ϋ́ | | | | | | | | | | | | | | |
| LINDUNDI ED DEMOTE CALL ECOMADDIAG CEDUICE DECIDENCE | | | | 1 | | | | | | | | | | | |
| UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | 15.69 | | | | |
| Unbundled Remote Call Forwarding Service - Residence Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 13.03 | | | | |
| Unbundled Remote Call Forwarding Service, Area Calling, Res | | | | | | | | | | | | | | | |
| Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res | | | UEPVR UEPVR | UERLC UERTE | 1.65 1.65 | 2.38 2.38 | 2.28 2.28 | 1.42 1.42 | 1.33 1.33 | | 15.69 15.69 | | | | |
| Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Non-Recurring Unbundled Remote Call Forwarding Service - Conversion - | | | UEPVR UEPVR UEPVR | UERLC UERTE UERTR | 1.65 1.65 | 2.38 2.38 2.38 | 2.28 2.28 2.28 | 1.42 1.42 | 1.33 1.33 | | 15.69 15.69 15.69 | | | | |
| Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Non-Recurring | | | UEPVR UEPVR | UERLC UERTE | 1.65 1.65 | 2.38 2.38 | 2.28 2.28 | 1.42 1.42 | 1.33 1.33 | | 15.69 15.69 | | | | |
| Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Non-Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) | | | UEPVR UEPVR UEPVR | UERLC UERTE UERTR | 1.65 1.65 | 2.38 2.38 2.38 | 2.28 2.28 2.28 | 1.42 1.42 | 1.33 1.33 | | 15.69 15.69 15.69 | | | | |
| Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Non-Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with | | | UEPVR UEPVR UEPVR UEPVR | UERLC UERTE UERTR USAC2 | 1.65 1.65 | 2.38 2.38 2.38 | 2.28 2.28 2.28 0.10 | 1.42 1.42 | 1.33 1.33 | | 15.69 15.69 15.69 | | | | |
| Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Non-Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) | | | UEPVR UEPVR UEPVR UEPVR | UERLC UERTE UERTR USAC2 | 1.65 1.65 | 2.38 2.38 2.38 | 2.28 2.28 2.28 0.10 | 1.42 1.42 | 1.33 1.33 | | 15.69 15.69 15.69 | | | | |
| Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Non-Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus | 3 | | UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR | UERLC UERTE UERTR USAC2 USACC UERAC | 1.65 1.65 1.65 | 2.38 2.38 2.38 0.10 0.10 | 2.28 2.28 2.28 0.10 0.10 | 1.42 1.42 1.42 | 1.33 1.33 1.33 1.33 | | 15.69 15.69 15.69 15.69 | | | | |
| Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Non-Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus | 3 | | UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB | UERLC UERTE UERTR USAC2 USACC UERAC UERAC | 1.65 1.65 1.65 1.65 | 2.38 2.38 2.38 0.10 0.10 2.38 | 2.28 2.28 2.28 0.10 0.10 2.28 | 1.42 1.42 1.42 1.42 | 1.33 1.33 1.33 1.33 | | 15.69 15.69 15.69 15.69 15.69 | | | | |
| Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Non-Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus | 3 | | UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB | UERLC UERTE UERTR USAC2 USACC UERAC UERAC UERLC UERTE | 1.65 1.65 1.65 1.65 | 2.38 2.38 2.38 0.10 0.10 2.38 2.38 | 2.28 2.28 2.28 0.10 0.10 2.28 2.28 | 1.42 1.42 1.42 1.42 1.42 | 1.33 1.33 1.33 1.33 1.33 | | 15.69 15.69 15.69 15.69 15.69 15.69 | | | | |
| Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Non-Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus | 3 | | UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB | UERLC UERTE UERTR USAC2 USACC UERAC UERAC | 1.65 1.65 1.65 1.65 | 2.38 2.38 2.38 0.10 0.10 2.38 | 2.28 2.28 2.28 0.10 0.10 2.28 | 1.42 1.42 1.42 1.42 | 1.33 1.33 1.33 1.33 | | 15.69 15.69 15.69 15.69 15.69 | | | | |
| Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus | 3 | | UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB | UERLC UERTE UERTR USAC2 USACC UERAC UERAC UERLC UERTE | 1.65 1.65 1.65 1.65 | 2.38 2.38 2.38 0.10 0.10 2.38 2.38 | 2.28 2.28 2.28 0.10 0.10 2.28 2.28 | 1.42 1.42 1.42 1.42 1.42 | 1.33 1.33 1.33 1.33 1.33 | | 15.69 15.69 15.69 15.69 15.69 15.69 | | | | |

Version 4Q02: 12/18/02 Page 337 of 416

| UNBUNDI | LED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|-----------------|---|-------------|----------|---------------------|--------------|----------------|-----------------|---------------|------------------|------------------|-------------|---|---------------------------------|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Remote Call Forwarding Service - Conversion - | | | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPVB | USAC2 | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | |
| I INIDI INIDI E | allowed change (PIC and LPIC) D LOCAL SWITCHING. PORT USAGE | | | UEPVB | USACC | | 0.10 | 0.10 | | | | | | | | |
| | Office Switching (Port Usage) | | <u> </u> | | _ | | | | | | | | | | | |
| Eliu | End Office Switching Function, Per MOU | + | 1 | | | 0.0010519 | | | | | | | | | | |
| | End Office Trunk Port - Shared, Per MOU | | | | | 0.0002136 | | | | | | | | | | |
| Tan | dem Switching (Port Usage) (Local or Access Tandem) | | | | | 0.0002130 | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | | | 0.0001634 | | | | | | | | | | |
| | Tandem Trunk Port - Shared, Per MOU | | | | | 0.0002863 | | | | | | | | | | |
| Con | nmon Transport | 1 | | | | 0.0002000 | | | | | | | | 1 | 1 | |
| | Common Transport - Per Mile, Per MOU | 1 | | | | 0.0000045 | | | | | | | | 1 | 1 | |
| | Common Transport - Facilities Termination Per MOU | 1 | | | 1 | 0.0004095 | | | | | | | | İ | İ | |
| UNBUNDLE | D PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | t Based Rates are applied where BellSouth is required by FCC a | nd/or St | ate Co | mmission rule to pr | rovide Unbun | dled Local Swi | tching or Swite | ch Ports. | | | | | | | | |
| | tures shall apply to the Unbundled Port/Loop Combination - Co | | | | | | | | ed Port section | of this Rate E | xhibit. | | | | | |
| | Office and Tandem Switching Usage and Common Transport U | | | | | | | | | | | n Port/Loop | Combination | ns. | | |
| The | first and additional Port nonrecurring charges apply to Not Cur | rently C | ombine | ed Combos. For Cu | rrently Comb | ined Combos tl | he nonrecurrin | g charges sha | Il be those iden | ntified in the N | onrecurring | - Currently | Combined se | ections. | | |
| 2-W | IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.89 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.52 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 27.17 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 13.76 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 20.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 26.04 | | | | | | | | | | |
| 2-Wi | ire Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | <u> </u> | UEPRX | UEPRC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | <u> </u> | UEPRX | UEPRO | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice Grade unbundled South Carolina extended local | | | HEDDY | LIEDALI | 4.40 | 40.00 | 40.00 | 24.00 | 0.05 | | 45.00 | | | | |
| | dialing parity port with Caller ID - res | | 1 | UEPRX | UEPAU | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) | | | UEPRX | UEPAJ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled South Carolina Residence Dialing Plan without Caller ID | | | UEPRX | UEPWL | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability | | | UEPRX | UEPRS | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability | | | UEPRX | UEPRT | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| FEA | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRX | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPRX | USAC2 | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch with change | | | UEPRX | USACC | | 0.10 | 0.10 | | | | 15.69 | | | | |
| ADD | DITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| 2-WI | | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |

| DIADOIADE | ED NETWORK ELEMENTS - South Carolina | | 1 | | | | | | | | _ | | | ment: 2 | | bit: B |
|-------------------------------|--|-------------|--|----------------|----------------|----------------|--------|------------|--------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| <u> </u> | | | | | + | | Nonrec | curring | Nonrecurring | Disconnect | | | OSS | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.52 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 27.17 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 13.76 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 20.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 26.04 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice Grade unbundled South Carolina extended local | | | | | | | | | | | | | | | |
| | dialing parity port with Caller ID - bus | | | UEPBX | UEPAZ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| $\!\!\!\!+\!\!\!\!-$ | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | ļ. | |
| | 2-Wire voice unbundled South Carolina Bus Area Calling Port | | 1 | LIEDBY | LIEDAD | 1 40 | 40.20 | 10.00 | 24.00 | 6.05 | | 15.00 | | | | |
| $\longrightarrow \longmapsto$ | with Caller ID (LMB) 2-Wire Voice Unbundled South Carolina Business Dialing Plan | ├ | | UEPBX | UEPAB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | - | 1 | |
| | without Caller ID | | 1 | UEPBX | UEPWM | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled South Carolina Business Area Calling | | 1 | OLFBX | OLF WIVI | 1.13 | 40.30 | 19.90 | 24.90 | 0.05 | 1 | 13.09 | | | | 1 |
| | Port without Caller ID Capability | | | UEPBX | UEPBB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | OLI DX | OLI DD | 1.13 | 40.50 | 13.30 | 24.30 | 0.00 | | 13.03 | | | | |
| | Capability | | | UEPBX | UEPBE | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| LOC/ | AL NUMBER PORTABILITY | | | OLI DX | OLI DE | 1.10 | 40.00 | 10.00 | 24.00 | 0.00 | | 10.00 | | | | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| FEAT | URES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPBX | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPBX | USAC2 | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch with change | | | UEPBX | USACC | | 0.10 | 0.10 | | | | 15.69 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | <u> </u> | 1 | | - | 14.89 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.52 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | <u> </u> | 3 | | - | 27.17 | | | | | | | | | | |
| UNE | Loop Rates | | _ | LIEDDO | LIEDLY | 10.70 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG UEPRG | UEPLX UEPLX | 13.76 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 20.38 26.04 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port Rates (RES - PBX) | | 3 | OLFING | OLFLX | 20.04 | | | | | 1 | | | | | |
| 2-7411 | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | 1 | | + | | | | | | 1 | | | | | 1 |
| | Res | | | UEPRG | UEPRD | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| LOC/ | AL NUMBER PORTABILITY | | | OLI IKO | OLITE | 1.10 | 00.20 | 02.00 | 07.00 | 0.22 | | 10.00 | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | |
| FEAT | URES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | İ | | | | | | | | | | | |
| | Conversion - Switch-As-Is | <u></u> | | UEPRG | USAC2 | | 7.93 | 1.91 | <u> </u> | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch with Change | | | UEPRG | USACC | | 7.93 | 1.91 | | | | 15.69 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | 1 | | | | | | | | | | | |
| | Subsequent Activity | 1 | 1 | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | l | I | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |

| <u>INBUNDL</u> EI | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-------------------|--|-------------|----------|----------------|--------|----------------|--------|------------|--------------|-------|-------|---|---------------------------------|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | 1 | | | | | | | | | | | | | |
| | ort/Loop Combination Rates | | <u> </u> | | | 11.00 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.89 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | - | | 21.52 27.17 | | | | | | | | | | + |
| | pop Rates | | 3 | | | 21.11 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 13.76 | | | | | | | | | | + |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 20.38 | | | | | | | | | | + |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | UEPPX | UEPLX | 26.04 | | | | | | | | | | |
| | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | , | | | | | | | | | | | | | | | 1 |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | 1 | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Room Calling Port | | | UEPPX | UEPXM | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | Discount Room Calling Port | | | UEPPX | UEPXO | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus | | | UEPPX | UEPXS | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | Calling Port | | | UEPPX | UEPXT | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | NUMBER PORTABILITY | | 1 | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | 1 | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | |
| FEATU | - | | | LIEDDY | LIEDVE | 2.04 | 0.00 | 0.00 | | | | 45.00 | | | | |
| | All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | UEPPX | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | + |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | 1 | | | | | | | | | | | | | + |
| | Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 7.93 | 1.91 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | OLITA | UUAUZ | | 7.33 | 1.51 | | | | 13.03 | | | | + |
| | Conversion - Switch with Change | | | UEPPX | USACC | | 7.93 | 1.91 | | | | 15.69 | | 1 | | |
| | ONAL NRCs | | 1 | | 7 | | 00 | | | | | .5.50 | | | | † |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | 1 | | | | | | | | | | | | | | 1 |
| | Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | Group | | | | | | 7.34 | 7.34 | | | | 15.69 | | | | |
| | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | | | | | | | | | | | | |
| | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 14.89 | | | | | | | | ļ | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 21.52 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | 1 | 27.17 | | | | | | | | | ļ. | + |
| | oop Rates | | 1 | LIEDOO | UEPLX | 10.70 | | | | | | | | | - | + |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | - | 2 | UEPCO UEPCO | UEPLX | 13.76 20.38 | | | | | | | | - | 1 | + |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 20.38 | | | | | | | | | | + |
| | Voice Grade Line Ports (COIN) | | 3 | 0L1 00 | OLI LA | 20.04 | | | | | | | | 1 | 1 | - |
| | 2-Wire Coin 2-Way without Operator Screening and without | | 1 | | + | - | | | | | | | | | 1 | |
| | Blocking (SC) | | <u> </u> | UEPCO | UEPSD | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | <u> </u> |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC) | | | UEPCO | UEPSA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |

| ONRONDLE | D NETWORK ELEMENTS - South Carolina | | 1 | 1 | | | | | | | _ | | | ment: 2 | | bit: B |
|----------|--|-------------|--|----------------|--------|----------------|--------|------------|--------------|-------|-------|---|---|---|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | UEPCO | UEPSH | 1 12 | 40.20 | 19.90 | 24.98 | 6.65 | | 15.60 | | | | |
| | (SC) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; | | | UEPCO | UEPSH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | with Dialing Parity (SC) | | | UEPCO | UEPSC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and: 900 Blocking: | | | 02. 00 | 02.00 | 0 | 10.00 | 10.00 | 200 | 0.00 | | 10.00 | | | | |
| | 900/976, 1+DDD, 011+, and Local (SC) | | | UEPCO | UEPCC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, | | | | | | | | | | | | | | | |
| | 011+, Local; Enhanced Call OPT 3YV (SC) | | | UEPCO | UEPCE | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, | | | LIEBOO | UEPCF | 4.40 | 40.00 | 10.00 | 04.00 | 0.05 | | 45.00 | | | | |
| | 011+, Local; Enhanced Call OPT AP7 (SC) 2-Wire Coin Outward without Blocking and without Operator | | | UEPCO | UEPCF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | Screening (SC) | | | UEPCO | UEPSG | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | 02. 00 | 02.00 | 0 | 10.00 | 10.00 | 200 | 0.00 | | 10.00 | | | | |
| | (SC) | | | UEPCO | UEPSF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | 011, 900/976, 1+DDD (SC) | | | UEPCO | UEPSJ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | LIEBOO | LIEDOM | 4.40 | 40.00 | 10.00 | 04.00 | 0.05 | | 45.00 | | | | |
| | 900/976, 1+DDD, 011+, and Local (SC) 2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD, | | 1 | UEPCO | UEPCM | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | - | |
| | 011+, Local; Enhanced Calling OPT 3YW (SC) | | | UEPCO | UEPCP | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | | | | | | | | | | | | | |
| | LA) | | | UEPCO | UEPCR | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| ADDIT | IONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | |
| | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 4.05 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.69 | | | | |
| LOCA | L NUMBER PORTABILITY Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | UEPCO | LINECX | 0.33 | | | | | | | | | | |
| HOMK | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPCO | USAC2 | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch with change | | | UEPCO | USACC | | 0.10 | 0.10 | | | | 15.69 | | | | |
| ADDIT | TONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| 2-WID | E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | OPT (| | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Port/Loop Combination Rates | LIIVE | J 1710 | l l | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 22.50 | | | | | | | | 1 | İ | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 30.56 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 37.22 | | | | | | | | | | |
| UNE L | oop Rates | | | LIEDED | LIFOFO | 00.05 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 2 | UEPFR UEPFR | UECF2 | 20.85 28.91 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 35.57 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port Rates (Res) | | | CELLIK | 02012 | 00.01 | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | 2-Wire voice Grade unbundled South Carolina extended local | | | | | | | | | | | 4= 00 | | | | |
| | dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with | | | UEPFR | UEPAU | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | - | 15.69 | | | | |
| | Caller ID - res (LW8) | | 1 | UEPFR | UEPAJ | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | 02.70 | 1.00 | 100.30 | 70.71 | 1.72 | 1.33 | | 10.08 | | † | t | |
| | (LUM) | | 1 | UEPFR | UEPAP | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| 1 | 2-Wire Voice Unbundled South Carolina Residence Dialing Plan | | | | | | | | | | | | | 1 | 1 | |
| | without Caller ID | | | UEPFR | UEPWL | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| INTER | OFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | ļ | | | | | | | | | | 1 | 1 | <u> </u> |
| | | | i | 1 | 1 | | 1 | | 1 | | 1 | | | | 1 | 1 |

| ONRONE | JLED | NETWORK ELEMENTS - South Carolina | | | 1 | | | | | | | T - | | | ment: 2 | | bit: B |
|---------|--------|---|-------------|----------|---------|---|--------|--------|------------|--------------|------------|---|---|--|--|---|---|
| CATEGOR | RY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | | or Fraction Mile | | | UEPFR | 1L5XX | 0.0167 | | | | | | | | | | |
| FE | ATUF | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPFR | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| LO | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| NC | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 17.00 | 3.74 | | | | 15.69 | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | | Combination - Conversion - Switch-With-Change | | <u> </u> | UEPFR | USACC | | 17.00 | 3.74 | | | | 15.69 | | | | |
| | | VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | PORT (| BUS) | | | | | | | | | | | | |
| UN | NE Po | rt/Loop Combination Rates | | <u> </u> | | | | | | | | | | | ļ | | |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 22.50 | | | ļ | | 1 | | | | ļ | 1 |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 30.56 | | | | | | | | | | |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 37.22 | | | ļ | | 1 | | | | ļ | 1 |
| UN | | op Rates | | <u> </u> | LIEBER | 1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | | ļ | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | | UEPFB | UECF2 | 20.85 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | | UEPFB | UECF2 | 28.91 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 35.57 | | | | | | | | | | |
| 2-V | | /oice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | | 2-Wire voice Grade unbundled South Carolina extended local | | | | | | | | | | | | | | | |
| | | dialing parity port with Caller ID - bus | | | UEPFB | UEPAZ | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | | 2-Wire voice unbundled South Carolina Bus Area Calling Port | | | | | | | | | | | | | | | |
| | | with Caller ID (LMB) | | | UEPFB | UEPAB | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled South Carolina Business Dialing Plan | | | | | | | | | | | | | | | |
| | | without Caller ID | | | UEPFB | UEPWM | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| LO | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | | | | | | | | |
| IN | | FFICE TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | | Termination | | | UEPFB | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | | or Fraction Mile | | | UEPFB | 1L5XX | 0.0167 | | | | | <u> </u> | | | | | <u> </u> |
| FE | ATU | | | <u> </u> | l | | | | | | | | | | | | |
| | | All Features Offered | | <u> </u> | UEPFB | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | ļ | | ļ |
| NC | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | <u> </u> | | | | | | | | | | | ļ | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | | Combination - Conversion - Switch-as-is | | <u> </u> | UEPFB | USAC2 | | 17.00 | 3.74 | | | | 15.69 | | ļ | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | l | | | | | | | | | | | | |
| | | Combination - Conversion - Switch with change | | | UEPFB | USACC | | 17.00 | 3.74 | | | | 15.69 | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| UN | | rt/Loop Combination Rates | | | ļ | | | | | 1 | | <u> </u> | | | | | <u> </u> |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | ļ | | 22.50 | | | | | <u> </u> | | | | | <u> </u> |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 30.56 | | | | | | | | ļ | | ļ |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 37.22 | | | ļ | | 1 | | | | ļ | 1 |
| UN | | op Rates | | <u> </u> | l | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 20.85 | | | 1 | | <u> </u> | | | | | <u> </u> |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 28.91 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 35.57 | | | | | | | | | | |
| 2-1 | Wire \ | /oice Grade Line Port Rates (BUS - PBX) | | | ļ | | | | | | | <u> </u> | | | | | <u> </u> |
| | | | | 1 | l | | | | | | | | | | l | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | - | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | 1 | 15.69 | | | | 1 |

Version 4Q02: 12/18/02 Page 342 of 416

| UNBU | NULÉ | D NETWORK ELEMENTS - South Carolina | | | • | | | | | | | , | | | ment: 2 | | bit: B |
|-------|--------|--|-------------|----------|----------------|--------|--------------|------------------|------------|----------------|----------------|-------|---|--|--|---|--|
| CATEG | ORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Dee | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | <u> </u> | UEPFP | UEPXD | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPFP | UEPXE | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPFP | UEPXL | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPFP | UEPXM | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | LIEDED | UEDYO | 4.05 | 407.00 | 00.61 | 07.00 | | | 45.00 | | | 1 | |
| | | Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | <u> </u> | UEPFP UEPFP | UEPXO | 1.65 1.65 | 137.32 137.32 | 83.31 | 67.02 67.02 | 11.51 11.51 | 1 | 15.69 15.69 | | 1 | 1 | |
| | | 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus | | | | | | | 83.31 | | | | | | | | |
| | 1 0041 | Calling Port | | | UEPFP | UEPXT | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | LOCAL | NUMBER PORTABILITY Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | INTER | DFFICE TRANSPORT | | | UEPFP | LINPCP | 3.15 | 0.00 | 0.00 | - | | | 15.69 | | | | |
| | INTER | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFP | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | | Interroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFP | 1L5XX | 0.0167 | 40.63 | 21.41 | 16.77 | 0.91 | | | | | | |
| | FEATU | | | | OLFIF | ILJAA | 0.0107 | | | | | | | | | | 1 |
| | LATO | All Features Offered | | | UEPFP | UEPVF | 3.04 | 0.00 | 0.00 | 1 | | | 15.69 | | | | |
| | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | 02 | 02. 1. | 0.01 | 0.00 | 0.00 | | | | 10.00 | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 17.00 | 3.74 | | | | 15.69 | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change | | | UEPFP | USACC | | 17.00 | 3.74 | | | | 15.69 | | | | |
| UNBUN | DLED F | ORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | |
| | UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 23.75 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 30.20 | | | | | | | | | | |
| | LINE L | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | 35.52 | | | - | | | | | | | |
| | ONE LO | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 16.68 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 23.13 | | | 1 | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 28.46 | | | | | | | | | İ | |
| | UNE P | ort Rate | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 7.06 | 225.55 | 87.21 | 113.08 | 14.38 | | | 15.69 | | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is | | | UEPPX | USAC1 | | 7.32 | 1.87 | | | | | 15.69 | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes | | | UEPPX | USA1C | | 7.32 | 1.87 | | | | | 15.69 | | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 26.84 | | | | | | 15.69 | | | |
| | releph | one Number/Trunk Group Establisment Charges | | <u> </u> | LIEDDY | NDT | 0.00 | 0.00 | 0.00 | 1 | | 1 | | 15.00 | 1 | 1 | |
| | | DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group | - | 1 | UEPPX | NDT | 0.00 | 0.00 | 0.00 | + + | | | | 15.69 | | | + |
| | | of 20 DID Numbers | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | 1 | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | † | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | † † | | 1 | | 15.69 | 1 | † | † |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | 1 | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | 1 | | | | 15.69 | Ì | 1 | 1 |
| | | Reserve Non-Consecutive DID numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | <u> </u> | | |
| | | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |

| ONRONE | DLE | NETWORK ELEMENTS - South Carolina | | | | | 1 | 1 | | | | | 1_ | | | ment: 2 | | bit: B |
|--|-------|--|--|----------|----------|-------|----------|--------|--------|------------|--|------------|---|---|--|--|---|---|
| CATEGOR | RY | RATE ELEMENTS | Interi m | Zone | В | cs | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | • | |
| | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | NE SIDI | POR1 | | | | | | | | | | | | | | |
| UN | | rt/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 1 | UEPPB | UEPPR | | 30.86 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 38.60 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 44.23 | | | | | | | | | | |
| UN | | op Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | ļ | 1 | UEPPB | UEPPR | USL2X | 21.90 | | | | | | | 15.69 | ļ | ļ | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 29.64 | | | | | | | 15.69 | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 35.27 | | | | | | | 15.69 | | | |
| UN | | rt Rate | ļ | | L | | ļ | | | | | | | | | 1 | 1 | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 8.96 | 190.51 | 133.14 | 100.95 | 21.37 | | | 15.69 | | | |
| NC. | | CURRING CHARGES - CURRENTLY COMBINED | <u> </u> | <u> </u> | | | | | | | | | | | | - | - | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 38.59 | 27.08 | | | | | 15.69 | | | |
| | | ONAL NRCs | | | | | | | | | | | | | | | | |
| LC | | NUMBER PORTABILITY | ļ | | L | | L | | | | | | | | | ļ | ļ | |
| <u> </u> | | Local Number Portability (1 per port) | ļ | <u> </u> | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-(| | INEL USER PROFILE ACCESS: | ļ | <u> </u> | LIEBBB | HERRE | 1141161 | | | | | | | | | | | ļ |
| \vdash | | CVS/CSD (DMS/5ESS) | <u> </u> | ļ | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | ļ | | | | | | | <u> </u> |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| B | | CSD INEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI | CMS ° | TNI | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | - | - |
| B-1 | | INEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI CVS/CSD (DMS/5ESS) | u,ivio, 8 | (IN) | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | 1 | | | | | | | 1 |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | 1 | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | 1 | 1 | |
| US | | ERMINAL PROFILE | 1 | | <u> </u> | | 1 | | 2.20 | 2.30 | | | | | | 1 | 1 | |
| | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VE | ERTIC | AL FEATURES | | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 3.04 | 0.00 | 0.00 | | | | | 15.69 | | | |
| IN | | FFICE CHANNEL MILEAGE | | | | | | | | • | | • | | | | | | |
| | | Interoffice Channel mileage each, including first mile and facilities termination | | | | UEPPR | M1GNC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | 15.69 | | | |
| | | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0167 | 0.00 | 0.00 | | | | | | | | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | (PORT | | | | 1 | | | | | | | | | | | <u> </u> |
| UN | | rt/Loop Combination Rates | ļ | <u> </u> | ļ | | 1 | | | | | | | | | | | 1 |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | | 176.82 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | 2 | UEPPP | | | 241.38 | | | | | | | | | | |
| | | Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | | Zone 3 | | 3 | UEPPP | | | 347.84 | | | | | | | | | | ļ |
| UN | | op Rates 4-Wire DS1 Digital Loop - UNE Zone 1 | 1 | 1 | UEPPP | | USL4P | 90.87 | | | 1 | | 1 | | 15.69 | | | 1 |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 155.43 | | | 1 | | | | 15.69 | † | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 261.89 | | | | | | | 15.69 | 1 | 1 | |
| UN | | rt Rate | 1 | Ť | | | | | | | | | | | | 1 | 1 | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 85.95 | 457.30 | 259.67 | 124.15 | 31.83 | | | 15.69 | | | |
| NC | ONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is | | | UEPPP | | USACP | 0.00 | 119.34 | 78.73 | | | | | 15.69 | | | |
| ΑE | | DNAL NRCs | | | | | 1 | 2.00 | | | | | | | | 1 | 1 | |
| | | INVOID TREE INVOID IN INVOID IN INVOID INVOI | | | UEPPP | | PR7TF | | 0.49 | 0.49 | | | | | 15.69 | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | † | | J | | | | 0.49 | 0.40 | | | | | 10.00 | † | † | 1 |
| | | Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 11.54 | 11.54 | | | | | 15.69 | | | |

| JNBUNDLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | I - | | ment: 2 | | bit: B |
|---|--------------|--|----------------|----------------|------------------|--------|------------|--|-------|----------|---|--|--|---|---|
| ATEGORY RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | • | |
| | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | |
| Subsequent Inward Tel Numbers | | | UEPPP | PR7ZT | | 23.07 | 23.07 | | | | | 15.69 | | | |
| LOCAL NUMBER PORTABILITY | <u> </u> | | LIEDDD | LNIDON | 4 75 | | | | | | | | | | |
| Local Number Portability (1 per port) Voice/Data | 1 | | UEPPP UEPPP | LNPCN PR71V | 1.75 0.00 | 0.00 | 0.00 | | | | | | | - | |
| Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | - | |
| Inward Data | + | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New or Additional "B" Channel | + | | OLITI | I IX/ IL | 0.00 | 0.00 | 0.00 | 1 | | | | | | | |
| New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 14.56 | | | | | | 15.69 | | | |
| New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 14.56 | | | | | | 15.69 | | | |
| New or Additional Inward Data B Channel | 1 | † | UEPPP | PR7BD | 0.00 | 14.56 | | | | | | 15.69 | 1 | 1 | |
| CALL TYPES | | | | 1 | 2.00 | | | | | | | | | | |
| Inward | 1 | i – | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | 1 | |
| Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| Fixed Each Including First Mile | | | UEPPP | 1LN1A | 77.4815 | 89.47 | 81.99 | 16.39 | 14.48 | | | 15.69 | | | |
| Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.3415 | | | | | | | | | | |
| 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 149.77 | | | | | | | | | | |
| 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 214.33 | | | | | | | | | | |
| 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 320.78 | | | | | | | | | | |
| UNE Loop Rates | <u> </u> | | LIEBBO | | | | | | | | | 1= 00 | | | |
| 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 90.87 | | | | | | | 15.69 | | | |
| 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 | - | 3 | UEPDC UEPDC | USLDC | 155.43 261.89 | | | | | | | 15.69 15.69 | | | - |
| UNE Port Rate | | 3 | UEPDC | USLDC | 201.89 | | | | | | | 15.69 | | | |
| 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 58.90 | 455.50 | 253.79 | 117.55 | 14.20 | | | 15.69 | | - | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | + | | OLFDC | ODDII | 30.90 | 455.50 | 233.19 | 117.55 | 14.20 | | | 13.09 | | | |
| 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| - Switch-as-is | | | UEPDC | USAC4 | | 129.78 | 67.17 | | | | | 15.69 | | | |
| 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | 02. 20 | 00/101 | | 120110 | 01111 | | | | | 10.00 | | | |
| - Conversion with DS1 Changes | | | UEPDC | USAWA | | 129.78 | 67.17 | | | | | 15.69 | | | |
| 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| - Conversion with Change - Trunk | | | UEPDC | USAWB | | 129.78 | 67.17 | | | | | 15.69 | | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| Channel Activation/Chan - 1-Way Outward Trunk | <u>L</u> | <u>L</u> | UEPDC | UDTTB | | 14.51 | 14.51 | <u> </u> | | | | 15.69 | <u> </u> | <u></u> | |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | |
| Activation/Chan Inward Trunk w/out DID | ļ | | UEPDC | UDTTC | | 14.51 | 14.51 | | | | | 15.69 | | 1 | |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | 1 | |
| Activation Per Chan - Inward Trunk with DID | 1 | <u> </u> | UEPDC | UDTTD | | 14.51 | 14.51 | ļ | | | | 15.69 | | | |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | 1 | I | |
| Activation / Chan - 2-Way DID w User Trans | | <u> </u> | UEPDC | UDTTE | | 14.51 | 14.51 | | | | | 15.69 | | ! | |
| BIPOLAR 8 ZERO SUBSTITUTION | 1 | | UEPDC | CCOSF | | 0.00 | 605.00 | | | | | 15.69 | | | |
| B8ZS - Superframe Format B8ZS - Extended Superframe Format | + | | UEPDC | CCOSF | | 0.00 | 605.00 | | | - | | 15.69 | - | | \vdash |
| Alternate Mark Inversion | 1 | | OLI: DO | CCOLI | | 0.00 | 005.00 | | | | | 13.69 | 1 | | |
| AMI -Superframe Format | + | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| AMI - Extended SuperFrame Format | 1 | - | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | <u> </u> | |
| Telephone Number/Trunk Group Establisment Charges | <u> </u> | 1 | | | | 3.00 | 3.00 | 1 | | | | | | 1 | |
| Telephone Number for 2-Way Trunk Group | <u> </u> | 1 | UEPDC | UDTGX | 0.00 | | | 1 | | | | 15.69 | | 1 | |
| Telephone Number for 1-Way Outward Trunk Group | 1 | i – | UEPDC | UDTGY | 0.00 | | | 1 | | | | 15.69 | | 1 | |
| Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | | 15.69 | | | |
| DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | |
| of 20 DID Numbers | | <u>L</u> | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | |
| DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | | 15.69 | | | |
| DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | |

| <u>NRONDLED V</u> | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-------------------|---|-------------|---------|---------------------|----------------|------------------|--------|------------|--------------|-------|----------|-----------|---|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order v Electron Disc Ad |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMA |
| Re | serve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | eserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digital | Loop | with 4-Wire DDITS | Trunk Port | | | | | | | | | | | |
| Inte | eroffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| Ter | rmination) | | | UEPDC | 1LNO1 | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | | 15.69 | | | |
| | | | | | | | | | | | | | | | | |
| | eroffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.3415 | 0.00 | 0.00 | | | | | | | | |
| | eroffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | | | | | | | | | | | | |
| | rmination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Inte | eroffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | |
| mil | | | | UEPDC | 1LNOB | 0.3415 | 0.00 | 0.00 | | | | | | | | |
| | eroffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| Ter | rmination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | eroffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.3415 | 0.00 | 0.00 | | | | | | | | |
| | cal Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | entral Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | S1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | | | | | | | | | | | | | | | |
| | em can have up to 24 combinations of rates depending on | type an | nd num | nber of ports used | | | | | | | | | | | | |
| UNE DS1 L | Loop | | | | | | | | | | | | | | | |
| 4-V | Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 90.87 | 0.00 | 0.00 | | | | | | | | |
| | Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 155.43 | 0.00 | 0.00 | | | | | | | | |
| 4-V | Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 261.89 | 0.00 | 0.00 | | | | | | | | |
| | Channelization Capacities (D4 Channel Bank Configuration | าร) | | | | | | | | | | | | | | |
| | DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 82.78 | 0.00 | 0.00 | | | | | 15.69 | | | |
| 48 | DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 165.56 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 331.12 | 0.00 | 0.00 | | | | | 15.69 | | | |
| 144 | 4 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 496.68 | 0.00 | 0.00 | | | | | 15.69 | | | |
| 192 | 2 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 662.24 | 0.00 | 0.00 | | | | | 15.69 | | | |
| 240 | 0 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 827.80 | 0.00 | 0.00 | | | | | 15.69 | | | |
| 288 | 8 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 993.36 | 0.00 | 0.00 | | | | | 15.69 | | | |
| 384 | 4 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,324.48 | 0.00 | 0.00 | | | | | 15.69 | | | |
| 480 | 0 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 1,655.60 | 0.00 | 0.00 | | | | | 15.69 | | | |
| 576 | 6 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 1,986.72 | 0.00 | 0.00 | | | | | 15.69 | | | |
| 672 | 2 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 2,317.84 | 0.00 | 0.00 | | | | | 15.69 | | | |
| Non-Recur | rring Charges (NRC) Associated with 4-Wire DS1 Loop with | Chann | eliztio | n with Port - Conve | rsion Charge | Based on a Sys | stem | | | | | | | | | |
| | m System configuration is One (1) DS1, One (1) D4 Channel | | | | | | | | | | | | | | | |
| Multiples | of this configuration functioning as one are considered Ad | ld'I afte | r the m | ninimum system co | nfiguration is | counted. | | | | | | | | | | |
| NR | RC - Conversion (Currently Combined) with or without | | | | | | | | | | | | | | | |
| | IlSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 150.81 | 8.38 | | | | | 15.69 | | | |
| System Ad | dditions at End User Locations Where 4-Wire DS1 Loop wit | h Chan | nelizat | tion with Port Comb | ination Curre | ently Exists and | | | | | | | | | | |
| New (Not 0 | Currently Combined) in all states, except in Density Zone 1 | | | | | | | | | | | | | | | |
| 1 0 | DS1/D4 Channel Bank - Additionally Add NRC for each Port | | | | | | | | | | | | | | | |
| and | d Assoc Fea Activation | L | L | UEPMG | VUMD4 | 0.00 | 717.71 | 425.81 | 149.08 | 17.69 | <u> </u> | <u> </u> | 15.69 | <u> </u> | | <u> </u> |
| Bipolar 8 2 | Zero Substitution | | | | | | | | | | | | | | | |
| | ear Channel Capability Format, superframe - Subsequent | | | | 1 | | | - | | | | | | | | |
| | tivity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 605.00 | | | | | | | | |
| | ear Channel Capability Format - Extended Superframe - | | | | 1 | | | | | | | | | | | |
| | bsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 605.00 | | | | | | | | <u> </u> |
| | Mark Inversion (AMI) | | | | | | | | | - | | | | | | |
| | perframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | tended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | - | | | | | | |
| Exchange | Ports | | | | | | | | | | | | | | | |
| | | | | | 1 | | | - | | | | | | | | |
| | ne Side Combination Channelized PBX Trunk Port - Business | <u></u> | <u></u> | UEPPX | UEPCX | 1.13 | 0.00 | 0.00 | 0.00 | 0.00 | <u> </u> | <u> </u> | 15.69 | <u> </u> | <u> </u> | <u> </u> |
| | ne Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.13 | 0.00 | 0.00 | 0.00 | 0.00 | | | 15.69 | | | |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | Exhil | oit: B |
|---|--|--|--|--|--|--|--|--|--|------------------------------------|--|--------------------------------------|-----------------|--|------------------|-------------|
| - | | | | | | | | - | | - | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intent | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | 1 | m | | | | | | | | | per LSK | per LSK | | | | Electronic- |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | + | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | _ | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | 1 | | 1 | | FIISL | Auu i | FIISL | Auu i | SOWIEC | SOWAN | JOWAN | SOWAN | JOWAN | JOWAN |
| | Live Cite In an I Color Charles I BBV To all Box Cite A BIB | | | UEPPX | LIED4V | 4.40 | 0.00 | 0.00 | 0.00 | 0.00 | | | 45.00 | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | | UEP1X | 1.13 | 0.00 | 0.00 | 0.00 | 0.00 | | | 15.69 | | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 7.09 | 0.00 | 0.00 | 0.00 | 0.00 | | | 15.69 | | | |
| Featur | e Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| | Bank | | | UEPPX | 1PQWM | 0.56 | 25.45 | 13.44 | 4.20 | 4.17 | | | 15.69 | | | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| | D4 Bank | | | UEPPX | 1PQWU | 0.56 | 78.31 | 18.46 | 59.37 | 11.60 | | | 15.69 | | | |
| Teleph | one Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | |
| | DID Trunk Termination (1 per Port) | | 1 | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | - | + | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | 1 | |
| + | DID Numbers - groups of 20 - Valid all States | | 1 | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | + | | 1 | | | 1 | 1 | |
| | | | 1 | | | | | | | | | | | | 1 | |
| | Non-Consecutive DID Numbers - per number | | 1 | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | ļ | | | | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | 1 | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEATU | JRES - Vertical and Optional | | | | | | | | | | | | | | | |
| | Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 3.04 | 0.00 | 0.00 | | | | | 15.69 | | | |
| IINDIINDI ED | PORT LOOP COMBINATIONS - MARKET RATES | | 1 | OLITA | OLI VI | 3.04 | 0.00 | 0.00 | | | | | 13.03 | | | |
| | | | | | 4-1 | F00 1/ 01 | -1- 0 | | | | | | | | | |
| | Rates shall apply where BellSouth is not required to provide | unbund | aiea io | cal switching or swi | ton ports per | FCC and/or St | ate Commissio | n ruies. | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | icludes: | | L | <u> </u> | <u> </u> | | | | | | <u> </u> | | | | | |
| Unbur | dled port/loop combinations that are Currently Combined or N | | | | | | | | | | | | | | | |
| Unbur The To | dled port/loop combinations that are Currently Combined or N pp 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda | ale, Mia | mi); G | A (Atlanta); LA (New | Orleans); NO | (Greensboro-\ | Winston Salem | -Highpoint/Ch | arlotte-Gastoni | a-Rock Hill); T | N (Nashville | e). | | | | |
| Unbur The To BellSo | dled port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda to the currently is developing the billing capability to mechanica | ale, Mia ally bill | mi); G | A (Atlanta); LA (New curring and non-recu | Orleans); NO urring Market | (Greensboro-\ Rates in this s | Winston Salem ection except f | -Highpoint/Ch or nonrecurrir | arlotte-Gastoni | a-Rock Hill); T | N (Nashville | e). FL and NC. | . In the interi | m where Bell | South cannot | bill Market |
| Unbur The To BellSo Rates, | dled port/loop combinations that are Currently Combined or N p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precec | ale, Mia ally bill ding in | mi); Ga the rec | A (Atlanta); LA (New curring and non-recu | Orleans); NO urring Market | (Greensboro-\ Rates in this s | Winston Salem ection except f | -Highpoint/Ch or nonrecurrir | arlotte-Gastoni | a-Rock Hill); T | N (Nashville | e). FL and NC | . In the interi | m where Bell | South cannot | bill Market |
| Unbur The To BellSo Rates, The M | dled port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderda uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precedarket Rate for unbundled ports includes all available features is | ale, Mia ally bill ding in in all sta | ami); Ga the rec lieu of ates. | A (Atlanta); LA (New curring and non-recu the Market Rates an | Orleans); NO urring Market ad reserves th | (Greensboro-\ Rates in this see right to true- | Vinston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrir lifference. | arlotte-Gastoni ng charges for r | a-Rock Hill); T | N (Nashville combined in | FL and NC | | | 1 | |
| Unbur The To BellSo Rates, The M | dled port/loop combinations that are Currently Combined or N p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precec | ale, Mia ally bill ding in in all sta | ami); Ga the rec lieu of ates. | A (Atlanta); LA (New curring and non-recu the Market Rates an | Orleans); NO urring Market ad reserves th | (Greensboro-\ Rates in this se e right to true- | Vinston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrir lifference. | arlotte-Gastoni ng charges for r | a-Rock Hill); T | N (Nashville combined in | FL and NC | | | 1 | |
| Unbur The To BellSo Rates, The M End O | dled port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precedarket Rate for unbundled ports includes all available features iffice and Tandem Switching Usage and Common Transport Us | ale, Mia ally bill ding in in all sta | ami); Ga the rec lieu of ates. | A (Atlanta); LA (New curring and non-recu the Market Rates an | Orleans); NO urring Market ad reserves th | (Greensboro-\ Rates in this se e right to true- | Vinston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrir lifference. | arlotte-Gastoni ng charges for r | a-Rock Hill); T | N (Nashville combined in | FL and NC | | | 1 | |
| Unbur The To BellSo Rates, The M End O (USOO | dled port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precedarket Rate for unbundled ports includes all available features iffice and Tandem Switching Usage and Common Transport Us: URECU). | ale, Mia ally bill ding in in all sta sage rat | ami); Ga the rec lieu of ates. tes in the | A (Atlanta); LA (New curring and non-recu the Market Rates an he Port section of the | Orleans); NO urring Market ad reserves th uis rate exhibi | G(Greensboro-\ Rates in this so e right to true- it shall apply to | Winston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrin lifference. ons of loop/po | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. | Combination | ns which have | e a flat rate us | age charge |
| Unbur The To BellSo Rates, The M End O (USOO | Idled port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precedarket Rate for unbundled ports includes all available features iffice and Tandem Switching Usage and Common Transport Us: URECU). | ale, Mia ally bill ding in in all sta sage rat | ami); Ga the rec lieu of ates. tes in the | A (Atlanta); LA (New curring and non-recu the Market Rates an he Port section of the | Orleans); NO urring Market ad reserves th uis rate exhibi | G(Greensboro-\ Rates in this so e right to true- it shall apply to | Winston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrin lifference. ons of loop/po | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. | Combination | ns which have | e a flat rate us | age charge |
| Unbur The To BellSo Rates, The M End O (USOC For No | dled port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precedarket Rate for unbundled ports includes all available features iffice and Tandem Switching Usage and Common Transport Use: URECU). It Currently Combined scenarios the Nonrecurring charges are and INRCs may apply also and are categorized accordingly. | ale, Mia ally bill ding in in all sta sage rat | ami); Ga the rec lieu of ates. tes in the | A (Atlanta); LA (New curring and non-recu the Market Rates an he Port section of the | Orleans); NO urring Market ad reserves th uis rate exhibi | G(Greensboro-\ Rates in this so e right to true- it shall apply to | Winston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrin lifference. ons of loop/po | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. | Combination | ns which have | e a flat rate us | age charge |
| Unbur The To BellSo Rates, The M End O (USOC For No Addition 2-WIRI | died port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderda uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precedarket Rate for unbundled ports includes all available features iffice and Tandem Switching Usage and Common Transport Us: URECU). It Currently Combined scenarios the Nonrecurring charges are ponal NRCs may apply also and are categorized accordingly. | ale, Mia ally bill ding in in all sta sage rat | ami); Ga the rec lieu of ates. tes in the | A (Atlanta); LA (New curring and non-recu the Market Rates an he Port section of the | Orleans); NO urring Market ad reserves th uis rate exhibi | G(Greensboro-\ Rates in this so e right to true- it shall apply to | Winston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrin lifference. ons of loop/po | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. | Combination | ns which have | e a flat rate us | age charge |
| Unbur The To BellSo Rates, The M End O (USOC For No Addition 2-WIRI | Idled port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederate Rate for unbundled ports includes all available features if ffice and Tandem Switching Usage and Common Transport Us.: URECU). It Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates | ale, Mia ally bill ding in in all sta sage rat | ami); Ga the rec lieu of ates. tes in the | A (Atlanta); LA (New curring and non-recu the Market Rates an he Port section of the | Orleans); NO urring Market ad reserves th uis rate exhibi | Greensboro-Nates in this see right to true- it shall apply to | Winston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrin lifference. ons of loop/po | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. | Combination | ns which have | e a flat rate us | age charge |
| Unbur The To BellSo Rates, The M End O (USOC For No Addition 2-WIRI | died port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderda uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precedarket Rate for unbundled ports includes all available features iffice and Tandem Switching Usage and Common Transport Us: URECU). It Currently Combined scenarios the Nonrecurring charges are ponal NRCs may apply also and are categorized accordingly. | ale, Mia ally bill ding in in all sta sage rat | ami); Ga the rec lieu of ates. tes in the | A (Atlanta); LA (New curring and non-recu the Market Rates an he Port section of the | Orleans); NO urring Market ad reserves th uis rate exhibi | G(Greensboro-\ Rates in this so e right to true- it shall apply to | Winston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrin lifference. ons of loop/po | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. | Combination | ns which have | e a flat rate us | age charge |
| Unbur The To BellSo Rates, The M End O (USOC For No Addition 2-WIRI | Idled port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederate Rate for unbundled ports includes all available features if ffice and Tandem Switching Usage and Common Transport Us.: URECU). It Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates | ale, Mia ally bill ding in in all sta sage rat | ami); Gathe rec lieu of ates. tes in the | A (Atlanta); LA (New curring and non-recu the Market Rates an he Port section of the | Orleans); NO urring Market ad reserves th uis rate exhibi | Greensboro-Nates in this see right to true- it shall apply to | Winston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrin lifference. ons of loop/po | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. | Combination | ns which have | e a flat rate us | age charge |
| Unbur The To BellSo Rates, The M End O (USOC For No Addition 2-WIRI | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederket Rate for unbundled ports includes all available features in fifice and Tandem Switching Usage and Common Transport Use: URECU). It Currently Combined scenarios the Nonrecurring charges are anal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ont/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 | ale, Mia ally bill ding in in all sta sage rat | ami); Gam | A (Atlanta); LA (New curring and non-recu the Market Rates an he Port section of the | Orleans); NO urring Market ad reserves th uis rate exhibi | (Greensboro-Nates in this see right to true-lit shall apply to s for each Port | Winston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrin lifference. ons of loop/po | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For Nc Additi 2-Will UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederket Rate for unbundled ports includes all available features in fifice and Tandem Switching Usage and Common Transport Use: URECU). It Currently Combined scenarios the Nonrecurring charges are anal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1] [2-Wire VG Loop/Port Combo - Zone 2] | ale, Mia ally bill ding in in all sta sage rat | ami); Gam | A (Atlanta); LA (New curring and non-recu the Market Rates an he Port section of the | Orleans); NO urring Market ad reserves th uis rate exhibi | G(Greensboro-Nates in this sine right to true- it shall apply to s for each Port | Winston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrin lifference. ons of loop/po | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For Nc Additi- 2-Will UNE P | dled port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederate Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage under the Currently Combined scenarios the Nonrecurring charges are conal NRCs may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) cort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 coop Rates | ale, Mia ally bill ding in in all sta sage rat | ami); Gam | A (Atlanta); LA (New zurring and non-rect the Market Rates an he Port section of the First and Additional | Orleans); NC urring Market id reserves th lais rate exhibi | c (Greensboro-) Rates in this sie e right to true- it shall apply to s for each Port 27.76 34.38 40.04 | Winston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrin lifference. ons of loop/po | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For Nc Additi 2-Will UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederket Rate for unbundled ports includes all available features in fifice and Tandem Switching Usage and Common Transport Use: URECU). In Currently Combined scenarios the Nonrecurring charges are small NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) cont/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New curring and non-rect the Market Rates an he Port section of the First and Additional | Orleans); NC urring Market d reserves th dis rate exhibi NRC column | c (Greensboro-) Rates in this sie e right to true- it shall apply to s for each Port 27.76 34.38 40.04 | Winston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrin lifference. ons of loop/po | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For Nc Additi 2-Will UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preceders are the cost-Based section preceders are the cost-Based section preceders are the cost-Based section preceders are the cost-Based section preceders are the cost-Based section preceders are the cost-Based section preceders are the cost-Based section preceders are the cost-Based section preceders are the cost-Based section preceders are the cost-Based section preceders are the cost-Based section preceders are the cost-Based section preceders are the cost-Based section preceders are cost-Based section pr | ale, Mia ally bill ding in in all sta sage rat | ami); G. the reclieu of ates. tes in the limit | A (Atlanta); LA (New curring and non-rect the Market Rates an he Port section of the First and Additional | Orleans); NC urring Market dd reserves th lis rate exhibi NRC column UEPLX UEPLX UEPLX | C(Greensboro-Nates in this sie er ight to true- it shall apply to s for each Port 27.76 34.38 40.04 13.76 20.38 | Winston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrin lifference. ons of loop/po | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For No Additi 2-WIRI UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederates Rate for unbundled ports includes all available features in fifee and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Currently Combined Scenarios the Nonrecurring charges are conal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 | ale, Mia ally bill ding in in all sta sage rat | ami); G. the reclieu of ates. tes in the limit | A (Atlanta); LA (New curring and non-rect the Market Rates an he Port section of the First and Additional | Orleans); NC urring Market d reserves th dis rate exhibi NRC column | c (Greensboro-) Rates in this sie e right to true- it shall apply to s for each Port 27.76 34.38 40.04 | Winston Salem ection except f up the billing o | -Highpoint/Ch or nonrecurrin lifference. ons of loop/po | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For No Additi 2-WIRI UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderds that currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederaket Rate for unbundled ports includes all available features in fifee and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Indiana (Currently Combined scenarios the Nonrecurring charges are unal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New curring and non-rect the Market Rates an he Port section of the First and Additional UEPRX UEPRX UEPRX | Orleans); NC urring Market d reserves th dis rate exhibi NRC column UEPLX UEPLX UEPLX UEPLX | c (Greensboro-) Rates in this sie e right to true- it shall apply to s for each Port 27.76 34.38 40.04 13.76 20.38 26.04 | Winston Salem ection except f up the billing of all combination USOC. For Cu | -Highpoint/Ch or nonrecurrin difference. ons of loop/pour urrently Comb | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For No Additi 2-WIRI UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preceder and the cost-Based section pre | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New curring and non-rect the Market Rates an he Port section of th First and Additional UEPRX UEPRX UEPRX UEPRX | Orleans); NC urring Market dd reserves th is rate exhibi NRC column UEPLX UEPLX UEPLX UEPLX UEPLX | C(Greensboro-) Rates in this sie right to true- it shall apply to s for each Port 27.76 34.38 40.04 13.76 20.38 26.04 | Winston Salem ection except f up the billing of all combination USOC. For Co | -Highpoint/Ch or nonrecurrir difference. ons of loop/po urrently Comb | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. n Port/Loop s are listed | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For No Additi 2-WIRI UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederate Rate for unbundled ports includes all available features in fifee and Tandem Switching Usage and Common Transport User URECU). To Currently Combined scenarios the Nonrecurring charges are conal NRCs may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Tort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Toop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New purring and non-rect the Market Rates and he Port section of the First and Additional UEPRX EPLX UEPLX UEPLX UEPLX UEPLX | C(Greensboro-Nates in this sie er ight to true- it shall apply to s for each Port 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 | Winston Salem ection except fup the billing of all combinate USOC. For Combination of the combination of the | -Highpoint/Chor nonrecurring ifference. Ons of loop/pour irrently Combination in the com | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | n Port/Loop s are listed | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For No Additi 2-WIRI UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederates Rate for unbundled ports includes all available features in fifice and Tandem Switching Usage and Common Transport User URECU). It Currently Combined scenarios the Nonrecurring charges are conal NRCs may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New curring and non-rect the Market Rates an he Port section of th First and Additional UEPRX UEPRX UEPRX UEPRX | Orleans); NC urring Market dd reserves th is rate exhibi NRC column UEPLX UEPLX UEPLX UEPLX UEPLX | C(Greensboro-) Rates in this sie right to true- it shall apply to s for each Port 27.76 34.38 40.04 13.76 20.38 26.04 | Winston Salem ection except f up the billing of all combination USOC. For Co | -Highpoint/Ch or nonrecurrir difference. ons of loop/po urrently Comb | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | FL and NC. n Port/Loop s are listed | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For No Additi 2-WIRI UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederate Rate for unbundled ports includes all available features in fifee and Tandem Switching Usage and Common Transport User URECU). To Currently Combined scenarios the Nonrecurring charges are conal NRCs may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Tort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Toop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New purring and non-rect the Market Rates and he Port section of the First and Additional UEPRX EPLX UEPLX UEPLX UEPLX UEPLX | C(Greensboro-Nates in this sie er ight to true- it shall apply to s for each Port 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 | Winston Salem ection except fup the billing of all combinate USOC. For Combination of the combination of the | -Highpoint/Chor nonrecurring ifference. Ons of loop/pour irrently Combination in the com | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | n Port/Loop s are listed | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For No Additi 2-WIRI UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederates Rate for unbundled ports includes all available features in fifice and Tandem Switching Usage and Common Transport User URECU). It Currently Combined scenarios the Nonrecurring charges are conal NRCs may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New purring and non-rect the Market Rates and he Port section of the First and Additional UEPRX EPLX UEPLX UEPLX UEPLX UEPLX | C(Greensboro-Nates in this sie er ight to true- it shall apply to s for each Port 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 | Winston Salem ection except fup the billing of all combinate USOC. For Combination of the combination of the | -Highpoint/Chor nonrecurring ifference. Ons of loop/pour irrently Combination in the com | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | n Port/Loop s are listed | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For No Additi 2-WIRI UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederate Rate for unbundled ports includes all available features in fifee and Tandem Switching Usage and Common Transport Use: URECU). At Currently Combined scenarios the Nonrecurring charges are conal NRCs may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) OOT/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOD Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled ses, low usage line port with Caller ID | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New purring and non-rect the Market Rates and he Port section of the First and Additional UEPRX PLX UEPLX UEPLX UEPLX UEPRC UEPRC | 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 | Winston Salem ection except fup the billing of all combinated USOC. For Combination of the combination of th | -Highpoint/Chor nonrecurrir difference. Ons of loop/pourrently Combination of the combin | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | 15.69 15.69 | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For No Additi 2-WIRI UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederates Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage In Currently Combined scenarios the Nonrecurring charges are conal NRCs may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Cort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Toop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice unbundled port (Res) 2-Wire voice unbundled port residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New purring and non-rect the Market Rates and he Port section of the First and Additional UEPRX column UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | 27.76 34.38 40.04 113.76 20.38 26.04 14.00 14.00 | Winston Salemection except fup the billing of all combination. USOC. For Combination of the combination of | 90.00 90.00 | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | 15.69 15.69 | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For No Additi 2-WIRI UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderds the Currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preceder and the Cost-Based section pr | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New purring and non-rect the Market Rates and he Port section of the First and Additional UEPRX PLX UEPLX UEPLX UEPLX UEPRC UEPRC | 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 | Winston Salem ection except fup the billing of all combinated USOC. For Combination of the combination of th | -Highpoint/Chor nonrecurrir difference. Ons of loop/pourrently Combination of the combin | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | 15.69 15.69 | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For No Additi 2-WIRI UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederate Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Use: URECU). It Currently Combined scenarios the Nonrecurring charges are sonal NRCs may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) cont/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 - Soop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled see, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice Unbundled South Carolina Residence Dialing Plan | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New purring and non-rect the Market Rates and he Port section of the First and Additional UEPRX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP | 27.76 34.38 40.04 113.76 20.38 26.04 14.00 14.00 | Winston Salemection except fup the billing of all combinated USOC. For Combination of the combination of the | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | 15.69 15.69 | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For No Additi 2-WIRI UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederates Rate for unbundled ports includes all available features in fifee and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Translated Common Transport Usage Translated T | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New purring and non-rect the Market Rates and he Port section of the First and Additional UEPRX column UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | 27.76 34.38 40.04 113.76 20.38 26.04 14.00 14.00 | Winston Salemection except fup the billing of all combination. USOC. For Combination of the combination of | 90.00 90.00 | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | 15.69 15.69 | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For No Additi 2-WIRI UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederates Rate for unbundled ports includes all available features in fifice and Tandem Switching Usage and Common Transport User URECU). It Currently Combined scenarios the Nonrecurring charges are conal NRCs may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 2 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled South Carolina Residence Dialing Plan without Caller ID 2-Wire Voice Unbundled South Carolina Residence Dialing Plan without Caller ID | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New purring and non-rect the Market Rates and the Port section of the First and Additional UEPRX PLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC | 27.76 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 | Winston Salem ection except fup the billing of all combination of the | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | 15.69 15.69 15.69 | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For Nc Additi- 2-Wire UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preceders are fare for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Use: URECU). At Currently Combined scenarios the Nonrecurring charges are sonal NRCs may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) cort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port usage line port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID (Capability 2-Wire voice Unbundled South Carolina Residence Dialing Plan without Caller ID (2-Wire voice unbundled South Carolina Area Calling Port without Caller ID (2-Wire voice unbundled South Carolina Area Calling Port without Caller ID (2-Wire voice unbundled South Carolina Area Calling Port without Caller ID (2-Wire voice unbundled South Carolina Area Calling Port without Caller ID (2-Wire voice unbundled South Carolina Area Calling Port without Caller ID (2-Wire voice unbundled South Carolina Area Calling Port without Caller ID (2-Wire voice unbundled South Carolina Area Calling Port | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New purring and non-rect the Market Rates and he Port section of the First and Additional UEPRX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP | 27.76 34.38 40.04 113.76 20.38 26.04 14.00 14.00 | Winston Salemection except fup the billing of all combinated USOC. For Combination of the combination of the | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | 15.69 15.69 | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For Nc Additi- 2-Wire UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederates Rate for unbundled ports includes all available features in fifee and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Translated Common Transport Usage Translated T | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New purring and non-rect the Market Rates and he Port section of the First and Additional UEPRX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC UEPRC UEPRT UEPRT UEPWL | (Greensboro-) Rates in this sie eright to true- it shall apply to s for each Port 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 14.00 | Winston Salem ection except fup the billing of all combination of the | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | 15.69 15.69 15.69 | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For Nc Additi- 2-Wire UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preceders are fare for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Use: URECU). At Currently Combined scenarios the Nonrecurring charges are sonal NRCs may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) cort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port usage line port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID (Capability 2-Wire voice Unbundled South Carolina Residence Dialing Plan without Caller ID (2-Wire voice unbundled South Carolina Area Calling Port without Caller ID (2-Wire voice unbundled South Carolina Area Calling Port without Caller ID (2-Wire voice unbundled South Carolina Area Calling Port without Caller ID (2-Wire voice unbundled South Carolina Area Calling Port without Caller ID (2-Wire voice unbundled South Carolina Area Calling Port without Caller ID (2-Wire voice unbundled South Carolina Area Calling Port without Caller ID (2-Wire voice unbundled South Carolina Area Calling Port | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New purring and non-rect the Market Rates and the Port section of the First and Additional UEPRX PLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC | 27.76 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 | Winston Salem ection except fup the billing of all combination of the | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | 15.69 15.69 15.69 | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For Nc Additi- 2-Wire UNE P | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederates Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Interest of the Common Transport Usage Interest of the Interest of the Interest of the Interest of the Interest of the Interest of Int | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New purring and non-rect the Market Rates and he Port section of the First and Additional UEPRX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC UEPRC UEPRT UEPRT UEPWL | (Greensboro-) Rates in this sie eright to true- it shall apply to s for each Port 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 14.00 | Winston Salem ection except fup the billing of all combination of the | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | 15.69 15.69 15.69 | Combination | ns which have | e a flat rate us | age charge |
| Unbur The Tr BellSo Rates, The M End O (USOC For No Additi 2-WIRI UNE P UNE L LOCAL | died port/loop combinations that are Currently Combined or No 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precederates Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Interest of the Common Transport Usage Interest of the Interest of the Interest of the Interest of the Interest of the Interest of Int | ale, Mia ally bill ding in in all sta sage rat | ami); G. the rec lieu of ates. tes in the in the l | A (Atlanta); LA (New purring and non-rect the Market Rates and he Port section of the First and Additional UEPRX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC UEPRC UEPRT UEPRT UEPWL | (Greensboro-) Rates in this sie eright to true- it shall apply to s for each Port 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 14.00 | Winston Salem ection except fup the billing of all combination of the | 90.00 90.00 90.00 | arlotte-Gastoni ng charges for r rt network elem | a-Rock Hill); T not currently c | N (Nashville combined in | 15.69 15.69 15.69 | Combination | ns which have | e a flat rate us | age charge |

Version 4Q02: 12/18/02 Page 347 of 416

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | • | | | | | | | | , | | ment: 2 | | oit: B |
|-----------|--|-------------|----------|---------|----------|----------------|--------|------------|--|------------|----------|-----------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment: Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | | | | | |
| | Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 27.76 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 3 | | | 34.38 | | | - | | | | | | | |
| LINIE | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 40.04 | | | - | | | | | | | |
| UNE L | oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 13.76 | | | - | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPBX | UEPLX | 20.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 26.04 | | | + | | 1 | | | | | |
| 2-Wiro | Voice Grade Line Port (Bus) | | J | OLFBA | ULFLA | 20.04 | | | | | | | | 1 | | |
| 2-99116 | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | 15.69 | | 1 | | |
| - | 2-Wire voice unbundled port without Caller ib - bus 2-Wire voice unbundled port with Caller + E484 ID - bus | - | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| _ | 2-Wire voice unbundled port with Caller + E-404 ib - bus 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | <u> </u> | 15.69 | | | | |
| | 2-Wire voice Grade unbundled South Carolina extended local | | | 02. 27. | 02. 20 | | 00.00 | 00.00 | | | | 10.00 | | | | |
| | dialing parity port with Caller ID - bus | | | UEPBX | UEPAZ | 14.00 | 90.00 | 90.00 | 1 | | | 15.69 | | | | |
| | 2-Wire voice unbundled South Carolina Bus Area Calling Port | | | | | | | | | | | | | | | |
| | with Caller ID (LMB) | | | UEPBX | UEPAB | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | | | | | | | | | | | | | |
| | Capability | | | UEPBX | UEPBE | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled South Carolina Business Dialing Plan | | | | | | | | | | | | | | | |
| | without Caller ID | | | UEPBX | UEPWM | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire voice unbundled South Carolina Business Area Calling | | | | | | | | | | | | | | | |
| | Port without Caller ID Capability | | | UEPBX | UEPBB | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| FEATU | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| ADDIT | IONAL NRCs | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | LIEDDY | 110 4 00 | | 0.00 | 0.00 | | | | 45.00 | | | | |
| 0.14/1701 | Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) ort/Loop Combination Rates | | | | + | | | | | | | | | | | |
| UNE P | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | - | 27.76 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | + + | 34.38 | | | + | | - | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | + - | 40.04 | | | | | | | | | | |
| UNF | oop Rates | 1 | 3 | | + - | 40.04 | | | | | - | | | | | |
| 0.12 | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 13.76 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 20.38 | | | | | | | | 1 | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 26.04 | | | | | | | | 1 | | |
| 2-Wire | Voice Grade Line Port Rates (RES - PBX) | | | | 1 | | | | † † | | | | | İ | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | 1 | | | | † † | | | | | İ | | |
| | Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | 15.69 | | 1 | | 1 |
| LOCAL | NUMBER PORTABILITY | | | | 1 | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEATU | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| ADDIT | IONAL NRCs | | | | | | | | | | | | | | | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | | | | |
| | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | . | | | 15.69 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | 1 | | | 4.5.5 | | | | |
| 6 | Group | | | | | | 14.64 | 14.64 | - | | | 15.69 | | | | |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | - | | | | | | | <u> </u> |
| UNE P | ort/Loop Combination Rates | | <u> </u> | | 1 | 07.70 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | | 1 2 | | 1 | 27.76 34.38 | | | | | | | | | | |
| | | | . / | i | | 34 38 | | | | | i | ī | | | | Ī |

| NRONDFI | ED NETWORK ELEMENTS - South Carolina | | | , | | | | | | | , | | | ment: 2 | | bit: B |
|---------|--|-------------|----------|--------------|---------|----------------|--------|------------|--|------------|------------------------|------------------------|---|--|--|--|
| | | | | | | | | | | | Svc Order Submitted | Svc Order Submitted | Incremental Charge - | Incremental Charge - | Incremental Charge - | Increment Charge - |
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'l | | Manual Sy Order vs. Electronic Disc Add |
| - | | | | | | | Nonrec | urring | Nonrecurring I | Disconnect | | | 088 | Rates (\$) | | <u> </u> |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LINE | Loop Rates | | | | + | | FIISL | Auu i | FIISL | Auu i | SOWIEC | SUMAN | SUMAIN | SOMAN | SOWAN | SUMAIN |
| UNE | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 13.76 | | | - | | | | | | - | - |
| | | | | UEPPX | UEPLX | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 2 | UEPPX | UEPLX | 20.38 26.04 | | | | | ļ | | | | | |
| 0.145 | | | 3 | UEFFA | UEPLA | 26.04 | | | | | ļ | | | | | |
| Z-VVII | e Voice Grade Line Port Rates (BUS - PBX) | | - | | | | | | | | | | | | | |
| | Line Cide Unboundled Combinetion 2 Way BBV Troub Bort Bore | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | 45.00 | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | | | | | | | | | 15.69 | | | | 4 |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | ļ |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | ļ |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | ļ |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | ļ |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| LOCA | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | 1 |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEAT | URES | | | | | | | | | | | | | | | 1 |
| | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | TIONAL NRCs | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | | | | |
| | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | 0.00 | | | | | | | | | |
| | Group | | | | | | 7.34 | 7.34 | | | | 15.69 | | | | |
| 2-WIF | RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | eT. | | | + | | 7.04 | 7.04 | - | | | 10.00 | | | | † |
| | Port/Loop Combination Rates | ì | | | + | | | | - | | | | | | | † |
| OITE ! | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 27.76 | | | | | | | | | | + |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | + + | 34.38 | | | + + | | 1 | | | | | |
| _ | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | † | + + | 40.04 | | | + | | | | | | 1 | |
| LINE | Loop Rates | | | | + + | 70.04 | | | + | | | | | - | | |
| ONE | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 13.76 | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 20.38 | | | | | | | | | | - |
| - | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 26.04 | | | - | | 1 | | | | | - |
| 2-Wir | e Voice Grade Line Port Rates (Coin) | | 3 | OLI OO | OLILA | 20.04 | | | | | | | | | | - |
| Z-VVII | 2-Wire Coin 2-Way without Operator Screening and without | | | | + | | | | + | | 1 | | 1 | 1 | | |
| | Blocking (SC) | | | UEPCO | UEPSD | 14.00 | 90.00 | 90.00 | | | I | 15.69 | | Ì | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | ULPCU | UEPOD | 14.00 | 90.00 | 90.00 | | | | 10.09 | | | - | |
| | 900/976, 1+DDD (AL, KY, LA, MS, SC) | | | UEPCO | UEPRA | 14.00 | 90.00 | 90.00 | | | I | 15.69 | | Ì | | 1 |
| _ | | | | OLFOO | ULFRA | 14.00 | 90.00 | 90.00 | + + | | - | 15.69 | | - | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | LIEBCO | LIEDOA | 14.00 | 00.00 | 00.00 | | | I | 15.00 | | Ì | | 1 |
| | 900/976, 1+DDD (SC) | | | UEPCO | UEPSA | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | 1 | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | LIEDOO | LIEDOLL | 44.00 | 20.00 | 00.00 | | | | 45.00 | | | | |
| | (SC) | | | UEPCO | UEPSH | 14.00 | 90.00 | 90.00 | 1 | | | 15.69 | 1 | | - | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; | | | | | | | | | | I | | | Ì | | 1 |
| - | with Dialing Parity (SC) | | | UEPCO | UEPSC | 14.00 | 90.00 | 90.00 | 1 | | | 15.69 | 1 | | - | ₩ |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: | | | LIEBOO | LIEBCO | | | | | | | | | l | I | |
| | 900/976, 1+DDD, 011+, and Local (SC) | | | UEPCO | UEPCC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD, | | | l | | | | | | | I |] | | Ì | | |
| | 011+ & Local; Enhanced Calling OPT 3YV (SC) | | <u> </u> | UEPCO | UEPCE | 14.00 | 90.00 | 90.00 | <u> </u> | | L | 15.69 | | | | L |

| UNBUNDLI | ED NETWORK ELEMENTS - South Carolina | | | | _ | | | | | | ı | | | ment: 2 | | bit: B |
|-----------|---|-------------|--------|----------------------------|------------|----------------|--------|------------|--------------|-------|-------|---|--|---|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | O Miss Cois O M Ones Courses & Blasky 000/07C A DDD 044 | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+, & Local; Enhanced Calling OPT AP7 (SC) | | | UEPCO | UEPCF | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire Coin Outward without Blocking and without Operator Screening (SC) | | | UEPCO | UEPSG | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking (SC) | | | UEPCO | UEPSF | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC) | | | UEPCO | UEPSJ | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC) | | | UEPCO | UEPCM | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2-Wire Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, & Local; w/ Enhanced Call OPT 3YW (SC) | | | UEPCO | UEPCP | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| LOCA | AL NUMBER PORTABILITY | | | | | | 00.00 | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | - | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| UNBUNDLED | PORT/LOOP COMBINATIONS - MARKET BASED RATES | | | | | | | | | | | | | | | |
| 2-WIF | RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 73.68 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | 80.13 85.46 | | | | | | | | | - | |
| UNE | Loop Rates | | 3 | | + | 05.40 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 16.68 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 23.13 | | | | | | | | | | |
| I I I | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 28.46 | | | | | | | | | | |
| UNE | Port Rate Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 57.00 | 600.00 | 75.00 | | | | 15.69 | | | | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | | OLITA | OLIDI | 37.00 | 000.00 | 73.00 | | | | 15.05 | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only | | | UEPPX | USAC1 | | 125.00 | 75.00 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only | | | UEPPX | USA1C | | 125.00 | 75.00 | | | | 15.69 | | | | |
| ADDI | TIONAL NRCs | | | - | | | | | | | | | | | | |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 53.68 | | | | | 15.69 | | | | |
| Telep | hone Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group | | | UEPPX | NDI | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | of 20 DID Numbers | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers Reserve DID Numbers | | | UEPPX UEPPX | ND6 NDV | 0.00 | 0.00 | 0.00 | | | | | | | 1 | |
| LOCA | L NUMBER PORTABILITY | | | UEFFA | NDV | 0.00 | 0.00 | 0.00 | | | | | | | 1 | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | NE SIDI | E PORT | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 1 | UEPPB UEPPF | 2 | 76.90 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB UEPPR | | 84.64 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB UEPPR | | 90.27 | | | | | | | | | | |
| UNE | Loop Rates | | | | 1101.637 | 0.0 | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB UEPPR | USL2X | 21.90 | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 2 | UEPPB UEPPR UEPPB UEPPR | | 29.64 35.27 | | | | | | | | | | |
| | Port Rate | 1 | + Ŭ | Jan Den III | 30 | 55.27 | | | 1 | | 1 | | | 1 | | |

| ONROND | LED | NETWORK ELEMENTS - South Carolina | | 1 | 1 | | | _ | | | | | _ | _ | | ment: 2 | | bit: B |
|---------|------|---|--|----------|--------|-------|----------------|----------|-----------------|-----------------|-----------------------|-------------|---|---|--|--|---|------------|
| CATEGOR | Y | RATE ELEMENTS | Interi m | Zone | E | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | | | Nana | | Namaaaaa | . Dianamant | | | | | D130 130 | DISC Add I |
| - | | | - | | 1 | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | | Exchange Port - 2-Wire ISDN Line Side Port | <u> </u> | | LIEDDD | UEPPR | UEPPB | 55.00 | 525.00 | 400.00 | FIRST | Addi | SOMEC | 15.69 | SOWAN | SOWAN | SUMAN | SUMAN |
| NO | | CURRING CHARGES - CURRENTLY COMBINED | + | 1 | OLFFB | ULFFR | ULFFB | 33.00 | 323.00 | 400.00 | | | | 13.09 | | | | + |
| 140 | 2 | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only | | | UEPPB | UEPPR | USACB | 0.00 | 225.00 | 225.00 | | | | 15.69 | | | | |
| AD | | DNAL NRCs | | | | | | | | | | | | | | | | 1 |
| LO | CAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | 1 |
| B-C | CHAN | INEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | 1 |
| | (| CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | (| CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | (| CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| B-C | CHAN | INEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, 8 | TN) | | | | İ | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | (| CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| US | ER T | ERMINAL PROFILE | | | | | | | | | | | | | | | | 1 |
| | Į | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| VE | | AL FEATURES | | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| INT | | FFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | | Interoffice Channel mileage each, including first mile and | 1 | † | | | | | | | | | | | | | | 1 |
| | | facilities termination | | | LIFPPR | UEPPR | M1GNC | 24.30 | 60.00 | 40.00 | 25.00 | 10.00 | | 15.69 | | | | |
| | | Interoffice Channel mileage each, additional mile | 1 | 1 | | UEPPR | M1GNM | 0.0167 | 0.00 | 0.00 | 20.00 | 10.00 | | 10.00 | | | | + |
| 4-V | | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI | K PORT | | 02 | 02 | | 0.0107 | 0.00 | 0.00 | | | 1 | | | | | + |
| | | rt/Loop Combination Rates | T | | | | | | | | | | | | | | | + |
| 0.11 | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | + |
| | | Zone 1 | | 1 | UEPPP | | | 940.87 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | 1 | <u> </u> | OLITI | | | 340.07 | | | | | | | | | | |
| | | Zone 2 | | 2 | UEPPP | | | 1,005.43 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | 1 | | OLITI | | | 1,005.45 | | | | | | | | | | |
| | | Zone 3 | | 3 | UEPPP | | | 1,111.89 | | | | | | | | | | |
| LIN | | op Rates | + | 3 | UEFFF | | | 1,111.09 | | | | | - | | | | | + |
| UN | | 4-Wire DS1 Digital Loop - UNE Zone 1 | <u> </u> | 1 | UEPPP | | USL4P | 90.87 | | | | | | 15.69 | | | | + |
| - | | 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 | - | 2 | UEPPP | | USL4P USL4P | 155.43 | | | | | | 15.69 | | | | |
| - | | | - | | UEPPP | | USL4P USL4P | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | - | 3 | UEPPP | | USL4P | 261.89 | | | | | | 15.69 | | | | |
| UN | | rt Rate | | <u> </u> | | | | 050.00 | 4 4 = 0 0 0 | 4 4 = 0 0 0 | | | | 4= 00 | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | 1 | | UEPPP | | UEPPP | 850.00 | 1,150.00 | 1,150.00 | | | | 15.69 | | | | |
| NO | | CURRING CHARGES - CURRENTLY COMBINED | 1 | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | | |
| | | Combination - Conversion -Switch-As-Is Top 8 MSAs only | 1 | | UEPPP | | USACP | 0.00 | 950.00 | 950.00 | | | | 15.69 | | | | |
| AD | | DNAL NRCs | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | | |
| | | Inward/two way Telephone Numbers (except NC) | | | UEPPP | | PR7TF | | 0.9822 | | | | | 15.69 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | | |
| | | Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 23.02 | 23.02 | | | | 15.69 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | | |
| | | Subsequent Inward Telephone Numbers | | | UEPPP | | PR7ZT | | 46.05 | 46.05 | | | | 15.69 | | | | 1 |
| LO | | NUMBER PORTABILITY | <u> </u> | | L | | 1 | ļ . | | | | | | | | | | |
| | | Local Number Portability (1 per port) | <u> </u> | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| INT | | ACE (Provsioning Only) | <u> </u> | <u> </u> | | | | | | | | | | | | | | 1 |
| | | Voice/Data | <u> </u> | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Nev | | Additional "B" Channel | | | | | | | | - | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 40.00 | - | | | | | | | | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | | PR7BF | 0.00 | 40.00 | | | | | | | | | |
| | | New or Additional Inward Data B Channel | | | UEPPP | | PR7BD | 0.00 | 40.00 | | | | | | | | | |
| CA | LL T | YPES | | | | | | | | | | | | | | | | |
| -+ | - 1 | Inward | 1 | | UEPPP | | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | İ | |

| ONRONDEF | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|--|-------------|------|--------|-----------|----------|----------|------------|--------------|-------|----------|-----------|--|---|---|----------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | _ |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ice Channel Mileage | | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 77.4815 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.3415 | | | | | | | | | | |
| | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | | UEPDC | | 840.87 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | | UEPDC | | 905.43 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 1,011.89 | | | | | | | | | ļ | |
| | pop Rates | | | LUEBBO | 11101 5 5 | | | | | | | | | | ļ | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 90.87 | | | | | | | | ļ | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 155.43 | | | | | | | | ļ | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 261.89 | | | | | | | | ļ | | |
| | ort Rate | | | | _ | | | | | | | | | ļ | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 750.00 | 1,005.07 | 478.99 | 213.53 | 20.94 | | 15.69 | | | | |
| NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Switch-As-Is Top 8 MSAs only | | | UEPDC | USAC4 | | 259.56 | 134.33 | | | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Conversion with DS1 Changes Top 8 MSAs only | | | UEPDC | USAWA | | 259.56 | 134.33 | | | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Conversion with Change - Trunk Top 8 MSAs only | | | UEPDC | USAWB | | 259.56 | 134.33 | | | | 15.69 | | | | |
| | ONAL NRCs | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 29.01 | 29.01 | | | | 15.69 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 29.01 | 29.01 | | | | 15.69 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 29.01 | 29.01 | | | | 15.69 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 29.01 | 29.01 | | | | 15.69 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 29.01 | 29.01 | | | | 15.69 | | | | |
| | AR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 605.00 | | | | | | | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 605.00 | | | | | | | | |
| Alterna | te Mark Inversion | | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Teleph | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | 15.69 | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 15.69 | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 15.69 | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | |
| | of 20 DID Numbers | <u></u> | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | <u></u> | 15.69 | | <u> </u> | | <u> </u> |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | 15.69 | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | ted DS1 (Interoffice Channel Mileage) - | | | | | | | | | | | | | | | |
| | ofor 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO1 | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | <u> </u> | 15.69 | | <u> </u> | | <u> </u> |
| | | | | | | | | | | | | | | | | |
| 1 | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | l | 1 | UEPDC | 1LNOA | 0.3415 | 0.00 | 0.00 | | | 1 | 1 | | 1 | 1 | 1 |

| UNBUND | PLED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|-------------|--|-----------|-----------|------------------|----------------|--|--------|------------|--|------------|--------------|-----------|-------------|--|--|--|
| | | | | | | _ | | | | | Svc Order | Svc Order | | | Incremental | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGOR | Y RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | P | p | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | DISC ISI | DISC Add I |
| | | | | | | Boo | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | |
| | miles | | | UEPDC | 1LNOB | 0.7598 | 0.00 | 0.00 | | | | | | | | |
| i i | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.7598 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability, per DS0 Activated | 1 | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | 0.00 | 0.00 | | | | | | | | |
| 4.1 | VIRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | ULFDC | CIG | 0.00 | | | | | | | | | | |
| | stem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Ac | tivations | _ | | | | | | | | | | | | | |
| | | | | uood | | | | | | | 1 | | | | | |
| | system can have various rate combinations based on type and no E DS1 Loop | miner of | ports | useu I | _ | - | | | - | | | | | - | - | |
| UN | | + | | LIEDMO | 1101.00 | 00.07 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | + | 1 | UEPMG | USLDC | 90.87 | 0.00 | 0.00 | - | | 1 | 1 | | - | 1 | 1 |
| | 4-Wire DS1 Loop - UNE Zone 2 | 1 | 2 | UEPMG | USLDC | 155.43 | 0.00 | 0.00 | | | 1 | | | 1 | 1 | |
| | 4-Wire DS1 Loop - UNE Zone 3 | 1 | 3 | UEPMG | USLDC | 261.89 | 0.00 | 0.00 | | | | | | | | |
| UN | E DSO Channelization Capacities (D4 Channel Bank Configuration | ons) | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 103.47 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 206.94 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 413.88 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 620.82 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 827.76 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,034.70 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,241.64 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,655.52 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,069.40 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | + | | UEPMG | VUM57 | 2,483.28 | 0.00 | 0.00 | | | <u> </u> | 15.69 | | | | |
| | 672 DS0 Channel Capacity - 1 per 24 DS1s | + | | UEPMG | VUM67 | 2.897.16 | 0.00 | 0.00 | | | 1 | 15.69 | | - | | 1 |
| No | n-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wi | th Chan | a aliztia | | | | | 0.00 | | | 1 | 15.05 | | - | | 1 |
| INO A | Minimum System configuration is One (1) DS1, One (1) D4 Chann | ol Danie | enzuc | To 04 DCC Dorte | with Facture | haseu on a sy | Stem | | | | 1 | | | | | |
| | | | | | | | | | | | ļ | | | | | |
| IVIC | Iltiples of this configuration functioning as one are considered A | ad i ane | r the n | inimum system co | ntiguration is | counted. | | | | | | | | | | ļ |
| | NRC - Conversion (Currently Combined) with or without | | | | | | 4=0.04 | | | | | | | | | |
| | BellSouth Allowed Changes - Top 8 MSAs Only | | | UEPMG | USAC4 | 0.00 | 150.81 | 8.38 | | | | 15.69 | | | | |
| | stem Additions Where Currently Combined and New (Not Curren | tly Comi | oined) | | | | | | | | | | | | | |
| In | Density Zone 1 Top 8 MSAs | | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | 1 | | | | | | | | | | i | | _ | _ | |
| | Fea Activation - | <u> </u> | <u></u> | UEPMG | VUMD4 | 0.00 | 717.71 | 425.81 | 149.08 | 17.69 | <u> </u> | 15.69 | | | | <u> </u> |
| Bij | polar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 605.00 | | | 1 | 1 | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | Subsequent Activity Only | 1 | | UEPMG | CCOEF | 0.00 | 0.00 | 605.00 | | | I | I | | 1 | I | |
| Alt | ernate Mark Inversion (AMI) | | | | İ | | | | 1 | | İ | İ | | 1 | İ | 1 |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | 1 | | İ | İ | | 1 | İ | 1 |
| | Extended Superframe Format | 1 | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | İ | | | | | |
| Fv | change Ports Associated with 4-Wire DS1 Loop with Channelizat | ion with | Port | | | 5.00 | 3.00 | 0.00 | | | l | i | | 1 | 1 | |
| | change Ports | | 1 | | + | | | | | | | ł – – – – | | t | t | 1 |
| | | + | I | | + | | | | | | | ł – – – | | t | t | 1 |
| | Line Side Combination Channelized PBX Trunk Port - Business | 1 | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | I | 15.69 | | 1 | I | |
| | | + | 1 | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | 15.69 | | | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | + | 1 | ULFFA | UEFUX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | 15.09 | | | | |
| | Line Oile Invest Oile Oberes Park BRV Treet British 1917 | .1 | | LIEDDY | LIEDAY | 1 44.55 | 0.00 | 0.00 | | | I | 45.00 | | 1 | I | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | 4 | <u> </u> | UEPPX | UEP1X | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | ļ | 15.69 | | | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | 1 | <u> </u> | UEPPX | UEPDM | 57.00 | 0.00 | 0.00 | 0.00 | 0.00 | ļ | 15.69 | | | | |
| Fe | ature Activations - Unbundled Loop Concentration | | | | | | | | | | ļ | | | ļ | ļ | ļ |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | |] | | | | | | | | 1 | 1 | |
| | Bank | | | UEPPX | 1PQWM | 0.70 | 40.00 | 20.00 | 6.00 | 5.00 | | 15.69 | | | | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | 1 | | | | | |
| . 1 | D4 Bank | | | UEPPX | 1PQWU | 0.70 | 110.00 | 30.00 | 65.00 | 20.00 | 1 | 15.69 | | | | |

| UNBUND | DLED | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|------------------|--------|---|--|--|---------------------|---------------|--------------------|----------------|----------------|--|--|--|---------------|---------------|--|--|--|
| | | | | 1 | | | | | | | | Svc Order | Svc Order | Incremental | | | |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svo |
| CATEGOR | ·Υ | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | | | | | | |
| OA! LOOK | ` | NATE ELEMENTO | m | 20110 | 500 | 0000 | | | TOTAL CO | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | 1 | | | | Nonrec | urring | Nonrecurring | g Disconnect | | l | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Te | lenho | one Number/ Group Establishment Charges for DID Service | | | | | | 11100 | Addi | 11130 | Auui | COMILO | COMPAR | COMPAR | COMPAR | COMPAN | COMPAR |
| 10 | | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| - | | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | t |
| - | | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | t |
| - | | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | t |
| | | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | t |
| - | | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | t |
| - 1 | | umber Portability | | | ULFFX | INDV | 0.00 | 0.00 | 0.00 | | | | 13.09 | | | | |
| LO | | Local Number Portability - 1 per port | | <u> </u> | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | | | | <u> </u> | UEFFA | LINECE | 3.13 | 0.00 | 0.00 | | | | | | | | |
| | | RES - Vertical and Optional | | | | + | | | | | | | | | | | |
| LO | | witching Features Offered with Line Side Ports Only | | 1 | UEPPX | LIEDVE | 3.04 | 0.00 | 0.00 | | | 1 | 45.00 | | | | |
| I INDUSTRE | | All Features Available | <u> </u> | <u> </u> | UEPPX | UEPVF | 3.04 | 0.00 | 0.00 | | . | | 15.69 | | - | | |
| | | ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | | 01-1- | L | 1 | 1 | | B | | | | | | | | |
| | | Based Rates are applied where BellSouth is required by FCC | | | | | | | | | | | | | | | |
| | | res shall apply to the Unbundled Port/Loop Combination - C | | | | | | | | | | | | | | | |
| | | Office and Tandem Switching Usage and Common Transport | | | | | | | | | | | | | | | 1 |
| | | irst and additional Port nonrecurring charges apply to Not Cเ | urrently | Combi | ined Combos. For | Currently Co | mbined Combo | s, the nonrecu | ırring charges | shall be those | identified in t | he Nonrecu | rring - Curre | ently Combine | ed sections. | Additional NR | Cs may |
| | | so and are categorized accordingly. | | | | | | | | | | | | | | | |
| 5. | Mark | et Rates for Unbundled Centrex Port/Loop Combination will | be nego | otiated | on an Individual Ca | ase Basis, un | til further notice | e. | | | | | | | | | 1 |
| UN | IE-P (| CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| 2-V | Wire \ | /G Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 1 | UEP95 | | 14.89 | | | | | | | | | | i . |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 2 | UEP95 | | 21.52 | | | | | | | | | | i . |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | <u> </u> | 02. 00 | | 21.02 | | | | | | | | | | |
| | | Non-Design | | 3 | UEP95 | | 27.17 | | | | | | | | | | i |
| LIN | | rt/Loop Combination Rates (Design) | | | OLI 00 | | 27.17 | | | | | | | | | | |
| 0.1 | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Design | 1 | 1 | UEP95 | | 17.81 | | | | | | | | | | i |
| - | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | ' | OLF 93 | | 17.01 | | | | | | | | | | t |
| | | | | 2 | UEP95 | | 24.26 | | | | | | | | | | i |
| | | Design | | | UEF93 | | 24.20 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | | | | | | | | | | | | | i . |
| | | Design | | 3 | UEP95 | | 29.59 | | | | | | | | | | |
| UN | | op Rate | | <u> </u> | | | 40.70 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 13.76 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 20.38 | | | | | | | | | | |
| \vdash | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 26.04 | | | | | | | | | | ⊢— |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 16.68 | | | | . | | | | . | ļ | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | ļ | 2 | UEP95 | UECS2 | 23.13 | | | | ļ | | | | ļ | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 28.46 | | | | | | | | | | 1 |
| UN | IE Po | rt Rate | | | | | | | | | | | | | | | l |
| All | State | es | | | | | | | | | | | | | | | [|
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | ſ |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | ſ |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | 1 |
| | | Area | | | UEP95 | UEPYH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | i . |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 Basic Local Area | l | 1 | UEP95 | UEPYM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | I | Ì | 1 |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | 1 | | | | |
| | | Term - Basic Local Area | l | 1 | UEP95 | UEPYZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | I | Ì | 1 |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | 2 | 1.101 | | 12.30 | | 1 | İ | |
| | | - Basic Local Area | l | | UEP95 | UEPY9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | 1 | | 1 |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | 02.00 | JE1 10 | 1.10 | 70.00 | 10.00 | 24.30 | 5.05 | | 10.00 | | | - | |
| . | | Basic Local Area | l | | UEP95 | UEPY2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | 1 | | 1 |
| - - | | | | ├ | ULF90 | UEFTZ | 1.13 | 40.30 | 19.90 | 24.98 | 6.05 | | 15.09 | | | | ⊢ |
| AL | | LA, MS, SC, & TN Only | | 1 | LIEDOE | HEDC 1 | 4.40 | 10.00 | 10.00 | 04.60 | 0.00 | 1 | 45.00 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | <u> </u> | <u> </u> | UEP95 | UEPQA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | ļ | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | I | 1 | UEP95 | UEPQB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | 1 | 15.69 | l | 1 | | 1 |

Version 4Q02: 12/18/02 Page 354 of 416

| UNRUN | DLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------------|---------|---|-------------|----------|----------------|----------------|--------------|--------|------------|--------------|------------|---|---|--|--|---|--|
| CATEGO | RY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | 220 | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | 1 | UEP95 | UEPQH | 1.13 | 40.30 | 19.90 | | 6.65 | COMILO | 15.69 | COMPAR | COMPAR | COMPAR | COMPAR |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | 0.00 | | | | | | |
| | | Center)2 | | | UEP95 | UEPQM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term | | | UEP95 | UEPQZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | O Mira Vaina Canda Bart terrainated in an Manalial, an accident | | | UEP95 | UEPQ9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| 1.0 | | Switching | | | OLF 93 | ULFQZ | 1.13 | 40.30 | 19.90 | 24.90 | 0.03 | | 13.09 | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7996 | | | | | | | | | | |
| Lo | | lumber Portability | | | 02. 00 | 0.1200 | 0.7000 | | | | | | | | | 1 | |
| | | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Fe | eature | es . | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP95 | UEPVF | 3.04 | | • | | | | 15.69 | | | | |
| | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 406.42 | | | | | 15.69 | | ļ | ļ | |
| | | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 3.04 | | | | | | 15.69 | | | | |
| N/ | ARS | Halanda Maria Baring Cardinal | | | LIEDOS | LIADOV | 0.00 | 0.00 | 0.00 | | | | 45.00 | | | | |
| | | Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial | | | UEP95 UEP95 | UARCX UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.69 15.69 | | | - | |
| | | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | - | |
| м | liecall | aneous Terminations | | | UEF95 | UARUX | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | | 15.69 | | | | |
| 4- | | Digital (1.544 Megabits) | | | | | | | | | - | | | | | 1 | |
| | | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 73.62 | 202.47 | 95.90 | 72.75 | 2.47 | | 15.69 | | | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.51 | | | | | 15.69 | | | | |
| In | nteroff | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0167 | | | | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D ² | | nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.56 | | | | | | 15.69 | | | | |
| | | realure Activation on D-4 Channel Bank Centrex Loop Stot | | | UEF95 | IPQWS | 0.56 | | | | | | 15.69 | | | - | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.56 | | | | | | 15.69 | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | 02. 00 | 4.10 | 0.00 | | | | | | 10.00 | | | | |
| | | Slot | | | UEP95 | 1PQW7 | 0.56 | | | | | | 15.69 | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP95 | 1PQWP | 0.56 | | | | | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.56 | | | | | | 15.69 | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | LIEDOE | 400000 | 0.50 | | | | | | 45.00 | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 UEP95 | 1PQWQ 1PQWA | 0.56 0.56 | | | | | | 15.69 15.69 | | | - | 1 |
| N/ | | curring Charges (NRC) Associated with UNE-P Centrex | | | UEF95 | IPQWA | 0.56 | | | | | | 15.69 | | | - | |
| INC | JII-NE | NRC Conversion Currently Combined Switch-As-Is with allowed | 1 | - | 1 | + | | | | 1 | | | | | 1 | t | 1 |
| | | changes, per port | | 1 | UEP95 | USAC2 | | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | New Centrex Standard Common Block | | i – | UEP95 | M1ACS | 0.00 | 668.70 | | İ | | | 15.69 | | | 1 | |
| | | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 668.70 | | | | | 15.69 | | <u> </u> | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.89 | | | | | 15.69 | _ | | | |
| | | CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | <u> </u> | | | | | | | | | | | | ļ | |
| UI | | ort/Loop Combination Rates (Non-Design) | | <u> </u> | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | | LIEBOD | | 44.00 | | | | | | | | | | |
| | | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | UEP9D | | 14.89 | | | <u> </u> | | | | | | - | |
| | | Non-Design | | 2 | UEP9D | | 21.52 | | | | | | | | | | |
| - | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | 051 30 | + | 21.02 | | | | | | | | | t | 1 |
| | | Non-Design | | 3 | UEP9D | | 27.17 | | | | | | | | 1 | I | |
| 111 | NF Pr | ort/Loop Combination Rates (Design) | | Ť | | + | , | | | | | | | | | | 1 |

| UNBUNDL | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|------------|--|-------------|------|--------|--------|-------|--------|------------|--------------|------------|--|---|-------------------------|------------|-------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - | | Incremental Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred | curring | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | - | | | | | | | | | | | | | | |
| | Design | | 1 | UEP9D | | 17.81 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | LIEDOD | | 04.00 | | | | | | | | | | |
| | Design | | 2 | UEP9D | | 24.26 | | | | | | | | | - | <u> </u> |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 29.59 | | | | | | | | | | |
| UNE | Loop Rate | | 3 | OLF 3D | | 25.35 | | | | | | | | | | |
| OITE | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 13.76 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 20.38 | | | | | | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 26.04 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 16.68 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 23.13 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 28.46 | | | | | | | | | | |
| | Port Rate | | | | | | | | | | | | | | | |
| ALL S | STATES | | | LIEBOD | LIEDYA | 4.40 | 40.00 | 40.00 | 04.00 | 0.05 | | 45.00 | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | UEP9D | UEPYA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | Area | | | UEP9D | UEPYB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYD | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | UEP9D | UEPYF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | UEP9D | UEPYG | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | | | | | | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | UEP9D | UEPYT | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | <u> </u> |
| | Area | | | UEP9D | UEPYU | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | UEP9D | UEPYJ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPYM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | Basic Local Area | | | UEP9D | UEPYO | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| , <u> </u> | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPYS | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | - | |
| | Basic Local Area | | | UEP9D | UEPY4 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | L | L | UEP9D | UEPY5 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |

| IDUNULE | D NETWORK ELEMENTS - South Carolina | | | ı | | | | | | | 1 | | | ment: 2 | | bit: B |
|---------|--|-------------|----------|----------------|----------------|--------------|----------------|----------------|----------------|--------------|-------|---|---|---|---|---|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electroni Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | LIEBOD | LIEDVO | 4.40 | 400.00 | 70.74 | 54.47 | 44.04 | | 45.00 | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPY6 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | - | |
| | Basic Local Area | | | UEP9D | UEPY7 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLI 3D | OLI 17 | 1.13 | 100.50 | 70.71 | 34.47 | 11.54 | | 13.03 | | | | + |
| | Term | | | UEP9D | UEPYZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | | | | | | | | | | | | |
| | Local Area | | | UEP9D | UEPY2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| AL, K | Y, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | <u> </u> | UEP9D | UEPQB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | <u> </u> | UEP9D UEP9D | UEPQC UEPQD | 1.13 1.13 | 40.30 40.30 | 19.90 19.90 | 24.98 24.98 | 6.65 6.65 | | 15.69 15.69 | | | | + |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQD | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | - | + |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | + |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | | |
| | Indication)3 | | | UEP9D | UEPQW | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | UEP9D | UEPQM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | <u> </u> | UEP9D | UEPQM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | + |
| | 2-Wile Voice Grade Fort (Centrewdiner SWG7EBS-FSET)2, 3 | | | OLI 3D | OLI QO | 1.13 | 100.50 | 70.71 | 34.47 | 11.54 | | 15.05 | | | | + |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | , , | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | | | | | | | | | | | 4= 00 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | - | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | 1 | |
| | 2 VVIIC VOICE GIAGE FOR CONTRIBUTION CHIEF SWC /LDG-W0200)2, 3 | | | 051 30 | טבו עט | 1.13 | 100.36 | 70.71 | 34.47 | 11.94 | | 13.08 | | | t | + |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | 1 | UEP9D | UEPQ6 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | , | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | _ | _ | | |
| | Term | | | UEP9D | UEPQZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | | | | | | 40.00 | | 24.00 | | | 4= 00 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| l aac' | 2-Wire Voice Grade Port Terminated on 800 Service Term Switching | | | UEP9D | UEPQ2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | + |
| Local | Centrex Intercom Funtionality, per port | | - | UEP9D | URECS | 0.7996 | | | 1 | | | 15.69 | | 1 | | + |
| Local | Number Portability | | | 021 30 | JILOO | 0.7330 | | | | | | 10.05 | | | — | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | 1 | — |
| Featu | | | | | | 2.20 | | | | | | | | Ì | 1 | T |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 3.04 | | | | | | 15.69 | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 406.42 | | | | | 15.69 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 3.04 | | | | | | 15.69 | | | | |
| NARS | : 1 | | 1 | İ | 1 | | | | | | | | | | 1 | 1 |

| NBUNDLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|---------|--|--------|--|----------------|----------------|--------|--------|------------|--------------|------------|-----------|-----------|--|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Increme |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charg |
| | | Intori | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual |
| TEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | per LSR | Order vs. | Order vs. | Order vs. | Order |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc A |
| | | | | | | | | | | | | | 151 | Add I | DISC 1St | DISC A |
| | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOM |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | aneous Terminations | | | | | | | | | | | | | | | |
| | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | | 15.69 | | | | |
| | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 73.62 | 202.47 | 95.90 | 72.75 | 2.47 | | 15.69 | | | | |
| | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 14.51 | | | | | 15.69 | | | | |
| | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0167 | | | | | | | | | | |
| | Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |
| | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.56 | | | | | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.56 | | | | | | 15.69 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQW7 | 0.56 | | | | | | 15.69 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP9D | 1PQWP | 0.56 | | | | | | 15.69 | | | | <u> </u> |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | <u> </u> | UEP9D | 1PQWV | 0.56 | | | | | | 15.69 | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP9D | 1PQWQ | 0.50 | | | | | | 45.00 | | | | |
| | Slot | | | | | 0.56 | | | | | | 15.69 | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | - | UEP9D | 1PQWA | 0.56 | | | | | | 15.69 | | | | |
| | curring Charges (NRC) Associated with UNE-P Centrex | | - | | | | | | | | | | | | | 4 |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | UEP9D | USAC2 | | 37.93 | 16.72 | | | | 15.69 | | | | |
| | changes, per port New Centrex Standard Common Block | | | UEP9D UEP9D | M1ACS | 0.00 | 668.70 | 16.72 | | | | | | | | |
| | | | | | | 0.00 | | | | | | 15.69 | | | 1 | |
| | New Centrex Customized Common Block | | | UEP9D UEP9D | M1ACC URECA | 0.00 | 668.70 | | | | | 15.69 | | 1 | 1 | |
| | NAR Establishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | UEP9D | UKECA | 0.00 | 72.89 | | | | | 15.69 | | - | | + |
| | | | | | - | | | | | | | | | | 1 | + |
| | - Requires Interoffice Channel Mileage | | 1 | | + | | | | | | | 1 | | 1 | 1 | + |
| | - Requires Specific Customer Premises Equipment Rates displaying an "R" in Interim column are interim and sub | | <u> </u> | | | | | | | | | [| | | | ↓ |

| UNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--|--|-------------|--|----------------------------|----------------|--|-----------------------|---------------|-----------------------|---------------------|----------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | T | | - | | | 1st | Add'l | Disc 1st | Disc Add'l |
| — | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN |
| The " | | part of | a com | L bination refers to Ge | eographically | / Deaveraged L | | | | | | | | | | JOIVIAIN |
| http:// | /www.interconnection.bellsouth.com/become_a_clec/html/inter | • | | | • • • | | | • • | | | | | | | | |
| | AL SUPPORT SYSTEMS | | ļ., ., | | | L | | | | | | | L | | | |
| | (1) Electronic Service Order: CLEC should contact its contract it is the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | is rate |
| | : (2) Any element that can be ordered electronically will be bille | | | | | | | | | | | | | | | ly. For |
| | elements that cannot be ordered electronically at present per t | | | | | | | | | | | | | | | |
| order | ing charge, SOMAN, will be applied to a CLECs bill when it sub | mits ar | LSR t | o BellSouth. | | | | | | | | | | | | |
| | Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional) | | | | SOMEC | | 3.50 | | | | | | | | | |
| LINE SERVICE | E DATE ADVANCEMENT CHARGE | | | | SOMEC | 1 | 3.50 | | | | | | 1 | | | |
| | : The Expedite charge will be maintained commensurate with I | BellSou | ith's FC | CC No.1 Tariff, Section | on 5 as appli | cable. | | | | | | | | | | |
| | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | ALL UNE EXCEPT | | | | | | | | | | | | |
| I I I I I I I I I I I I I I I I I I I | Day | | <u> </u> | UNE-P | SDASP | | 200.00 | | ļ | | | 1 | | | | |
| | EXCHANGE ACCESS LOOP RE ANALOG VOICE GRADE LOOP | | | | 1 | | | | | | | | | | | |
| 2-4418 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | <u> </u> | - | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | UEANL | URETL | | 0.00 | 0.00 | | | | | 00.05 | 10.54 | 13.32 | 13.32 |
| | Premise Loop Testing - Basic 1st Half Hour | | <u> </u> | UEANL | URETL URET1 | + | 8.33 78.92 | 0.83 78.92 | + | | | 1 | 20.35 20.35 | 10.54 | 13.32 | 13.32 |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 23.33 | 23.33 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | - | | | | | | | | | | | | |
| | (UVL-SL1) | | <u> </u> | UEANL | UREWO | | 15.80 | 8.95 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | 1 | 28.80 | 28.80 | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 36.52 | 36.52 | 1 | | | | | | | |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | | 1 | | | | 55.52 | 55.52 | | | | | | | | |
| | (per LSR) | | <u> </u> | UEANL | OCOSL | | 34.29 | 34.29 | | | | | | | | Ļ |
| 2-WIF | RE Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | | UEQ | UEQ2X | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | - | 2 | UEQ | UEQ2X UEQ2X | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | i | | UEQ | UEQ2X | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise No. 10 Minutes | | <u> </u> | UEQ | URETL | | 8.33 | 0.83 | 1 | | | 1 | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop) | | | UEQ | USBMC | 1 | 36.52 | 36.52 | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | ! | 014 | SODIVIC | † | 30.32 | 30.32 | | | <u> </u> | - | | | | |
| | BST providing make-up (Engineering Information - E.I.) | | <u>L</u> | UEQ | UEQMU | <u></u> | 28.80 | 28.80 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | 1 | 78.92 | 78.92 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch | | <u> </u> | UEQ | URETA | . | 23.33 | 23.33 | 1 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | (UCL-ND) | | | UEQ | UREWO | 1 | 14.29 | 7.44 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | EXCHANGE ACCESS LOOP | | | | 5 | | 14.29 | 7.44 | | | | | 20.00 | 10.04 | 10.02 | 10.02 |
| 2-WIR | RE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | _ | UEPSR UEPSB | UEALS | 13.19 | 31.99 | 20.02 | 40.05 | 4 44 | | | 20.35 | 10.54 | 13.32 | 40.00 |
| \vdash | Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 1 | UEPSK UEPSB | UEALS | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | - | 20.35 | 10.54 | 13.32 | 13.32 |
| | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | 2 | UEPSR UEPSB | UEABS | 17.23 | 31.99 | 00.00 | 40.05 | 1.41 | | | 20.35 | 10.54 | 13.32 | 40.00 |
| | Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | _ | UEFOR UEFOR | UEAB5 | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| UNBUNDLED | EXCHANGE ACCESS LOOP | | | |] | l . | | | | | | | l . |] | | |

Version 4Q02: 12/18/02 Page 359 of 416

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | | , | | ment: 2 | | bit: B |
|----------|---|------------------|----------|------------|----------------|----------------|------------------|----------------|--|----------------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-WIR | E ANALOG VOICE GRADE LOOP | | 1 | | + | | | | - | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | 1 | UEA | UEAL2 | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | UEA | UEALZ | 10.56 | 75.06 | 40.20 | 20.70 | 17.04 | | | 20.33 | 10.54 | 13.32 | 13.3 |
| | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | OLA | OLALZ | 21.03 | 73.00 | 40.20 | 20.70 | 17.04 | | | 20.55 | 10.54 | 13.32 | 13.3. |
| | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | - | | | | | | | | | | | | |
| | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 75.06 | 36.41 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Loop Tagging - Service Level 2 (SL2) | | | UEA | URETL | | 10.45 | 1.03 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 4-WIR | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | <u> </u> | UEA | OCOSL | | 34.29 | 00.44 | | | | | 00.05 | 40.54 | 40.00 | 40.0 |
| 0.14/15 | CLEC to CLEC Conversion Charge without outside dispatch | | <u> </u> | UEA | UREWO | | 75.06 | 36.41 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 2-WIR | E ISDN DIGITAL GRADE LOOP | | _ | LIDAL | U1L2X | 00.00 | 4.40.70 | 00.00 | 70.05 | 00.40 | | | 00.05 | 40.54 | 40.00 | 40.0 |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN UDN | U1L2X U1L2X | 22.22 | 142.76 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 10.54 | 13.32 | 13.3 |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X U1L2X | 29.02 37.95 | 142.76 | 88.88 88.88 | 76.35 76.35 | 39.16 39.16 | | | 20.35 20.35 | 10.54 | 13.32 13.32 | 13.3 13.3 |
| | Order Coordination For Specified Conversion Time (per LSR) | | 3 | UDN | OCOSL | 37.93 | 34.29 | 00.00 | 70.33 | 39.10 | | | 20.33 | 10.54 | 13.32 | 13.3 |
| _ | CLEC to CLEC Conversion Charge without outside dispatch | | 1 | UDN | UREWO | | 91.77 | 44.22 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 2-WIR | E Universal Digital Channel (UDC) COMPATIBLE LOOP | | 1 | ODIV | OKLWO | | 31.77 | 77.22 | | | | | 20.55 | 10.54 | 15.52 | 10.0 |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | 1 |
| | 1 | | 1 | UDC | UDC2X | 22.22 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | 2 | | 2 | UDC | UDC2X | 29.02 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | 3 | | 3 | UDC | UDC2X | 37.95 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDC | UREWO | | 91.77 | 44.22 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 2-WIR | E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOF | i. | | | | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 13.82 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 18.05 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 23.60 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 34.29 | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | Ι. | ١. | | | | 24.22 | | 40.05 | | | | | | | |
| | facility reservator - Zone 1 | - | 1 | UAL | UAL2W | 13.82 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 | ١. | 2 | UAL | UAL2W | 18.05 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| _ | 2 Wire Unbundled ADSL Loop without manual service inquiry & | - ' - | - | UAL | UALZVV | 18.05 | 31.99 | 20.02 | 10.05 | 1.41 | | | ∠0.35 | 10.54 | 13.32 | 13.3 |
| | facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 23.60 | 31.99 | 20.02 | 10.65 | 1.41 | | 1 | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | - '- | 3 | UAL | OCOSL | 23.00 | 34.29 | 20.02 | 10.05 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | CLEC to CLEC Conversion Charge without outside dispatch | - | | UAL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 2-WIR | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | OOP | O/ 1L | JILLANO | | 31.99 | 20.02 | | | | | 20.33 | 10.34 | 10.02 | 10.0 |
| 2-1111 | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | + + | | | | | | | | | | | <u> </u> |
| | & facility reservation - Zone 1 | l | 1 | UHL | UHL2X | 10.83 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | l | <u> </u> | | J | . 5.00 | 2. 3.01 | 2000 | 704 | 33.14 | | | 20.00 | .5.04 | .5.62 | .0.0 |
| | & facility reservation - Zone 2 | l | 2 | UHL | UHL2X | 14.15 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |

| UNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|--|--|-------------|------|------------|----------------|----------------|------------------|------------------|----------------|----------------|----------|---|---|---|---|--------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | 2 Wire Linkundled HDCL Loop including manual contactinguing | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 18.50 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | - | UHL | OCOSL | 10.50 | 34.29 | 254.05 | 74.54 | 33.14 | | | 20.55 | 10.54 | 10.02 | 10.0 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | 0 | | | | | | | | | 1 |
| | and facility reservation - Zone 1 | - 1 | 1 | UHL | UHL2W | 10.83 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | I | 2 | UHL | UHL2W | 14.15 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | ١., | 3 | UHL | 1 11 11 014/ | 18.50 | 24.00 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | <u> </u> | 3 | UHL | UHL2W OCOSL | 18.50 | 31.99 34.29 | 20.02 | 10.05 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | CLEC to CLEC Conversion Charge without outside dispatch | <u> </u> | | UHL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 4-WIF | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | OTIL | OKEWO | | 01.00 | 20.02 | | | | | 20.00 | 10.04 | 10.02 | 10.0 |
| · · · · · · · · · · · · · · · · · · | 4 Wire Unbundled HDSL Loop including manual service inquiry | | T | İ | | | | | | | | | | | | † |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 13.93 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | 1 | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 18.20 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | _ | UHL | UHL4X | 23.80 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| - | and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 23.80 | 34.29 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 1 | OTIL | OCCOL | | 34.23 | | | | | | | | | + |
| | and facility reservation - Zone 1 | l ı | 1 | UHL | UHL4W | 13.93 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | 0.100 | | | | | | | | | 1 |
| | and facility reservation - Zone 2 | - 1 | 2 | UHL | UHL4W | 18.20 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | I | 3 | UHL | UHL4W | 23.80 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL UHL | OCOSL | | 34.29 31.99 | 20.02 | | | | | 20.35 | 10.54 | 40.00 | 13.3 |
| 4-WIE | CLEC to CLEC Conversion Charge without outside dispatch RE DS1 DIGITAL LOOP | I | | UHL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 4-1111 | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 57.73 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 | 11.9 |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 75.40 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 98.59 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 | 11.9 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 34.59 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 130.47 | 40.11 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 4-WIF | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | 1 | LIBI | LIDI 40 | 04.40 | 007.04 | 444.00 | 00.70 | 11.10 | | | 00.05 | 40.54 | 40.00 | 40.0 |
| | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL UDL | UDL19 UDL19 | 31.10 40.61 | 207.01 207.01 | 141.38 141.38 | 90.70 90.70 | 44.18 44.18 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 13.3 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 34.29 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL UDL | UDL64 UDL64 | 40.61 53.11 | 207.01 207.01 | 141.38 141.38 | 90.70 90.70 | 44.18 44.18 | | | 20.35 20.35 | 10.54 10.54 | 13.32 | 13.3 13.3 |
| _ | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UDL | OCOSL | 55.11 | 34.29 | 141.30 | 90.70 | 44.10 | - | | 20.33 | 10.54 | 13.32 | 13.3 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.28 | 49.82 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 2-WIF | RE Unbundled COPPER LOOP | | | | 0.1.2440 | | 102.20 | 70.02 | | | | | 20.00 | 10.04 | 10.02 | 10.0 |
| | 2-Wire Unbundled Copper Loop/Short including manual service | | | | | | | | | | | | | | | 1 |
| | inquiry & facility reservation - Zone 1 | I | 1 | UCL | UCLPB | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Unbundled Copper Loop/Short including manual service | | | | | | | | | | | | 1 | | | |
| | inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled Copper Loop/Short including manual service | ١, | 3 | UCL | UCLPB | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| - | inquiry & facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) | - | 3 | UCL | UCLPB | 22.53 | 31.99 | 36.52 | 10.05 | 1.41 | - | | 20.35 | 10.54 | 13.32 | 13.3 |
| - | 2-Wire Unbundled Copper Loop/Short without manual service | | 1 | | COLIVIO | | 30.32 | 30.32 | | | | | | | † | + |
| | inquiry and facility reservation - Zone 1 | 1 | 1 | UCL | UCLPW | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | - 1 | 2 | UCL | UCLPW | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | <u> </u> | <u> </u> | 20.35 | 10.54 | 13.32 | 13.3 |

| ONBONDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|------------|---|------------------|----------|----------------------------------|---------|-------|--------------|----------------|--|-------|----------|---|---|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Unbundled Copper Loop/Short without manual service | Ι. | _ | | | | | | | | | | | | 40.00 | 40.0 |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 22.53 | 31.99 | 20.02 36.52 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | | UCL | UCLIVIC | | 36.52 | 30.52 | - | | | | | | | |
| | inquiry and facility reservation - Zone 1 | ١., | 1 | UCL | UCL2L | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | - | UCL | UCLZL | 13.19 | 31.99 | 20.02 | 10.05 | 1.41 | | | 20.33 | 10.54 | 13.32 | 10.0 |
| | inquiry and facility reservation - Zone 2 | l i | 2 | UCL | UCL2L | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | i i | H | 002 | 00222 | 20 | 01.00 | 20.02 | 10.00 | | | | 20.00 | 10.01 | 10.02 | |
| | inquiry and facility reservation - Zone 3 | 1 | 3 | UCL | UCL2L | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCL2W | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | - | | | | | | |
| | inquiry and facility reservation - Zone 2 | l | 2 | UCL | UCL2W | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | l | 3 | UCL | UCL2W | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | LIDEWO | | 24.00 | 20.00 | | | | | 20.35 | 10.54 | 13.32 | 40.0 |
| 4 WID | E COPPER LOOP | <u> </u> | | UCL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 4-99161 | 4-Wire Copper Loop/Short - including manual service inquiry | | | | + | | | | | | | | | | | 1 |
| | and facility reservation - Zone 1 | ١, | 1 | UCL | UCL4S | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Copper Loop/Short - including manual service inquiry | <u> </u> | <u> </u> | OOL | OCL40 | 24.70 | 122.70 | 00.01 | 70.55 | 33.10 | | | 20.55 | 10.54 | 10.02 | 10.0 |
| | and facility reservation - Zone 2 | l ı | 2 | UCL | UCL4S | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | l i | 3 | UCL | UCL4S | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | - 1 | 1 | UCL | UCL4W | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | I | 2 | UCL | UCL4W | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | l . | _ | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | l I | 3 | UCL | UCL4W | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | ١., | 1 | UCL | UCL4L | 24.70 | 400.70 | 05.57 | 70.05 | 20.40 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - includes manual svc. | - ' - | + | UCL | UCL4L | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | ∠0.35 | 10.54 | 13.32 | 13.3 |
| | inquiry and facility reservation - Zone 2 | l , | 2 | UCL | UCL4L | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| <u> </u> | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | - '- | | | OOL-7L | 52.25 | 122.70 | 05.57 | 70.55 | 33.10 | | | 20.00 | 10.54 | 10.02 | 13.3 |
| | inquiry and facility reservation - Zone 3 | Li | 3 | UCL | UCL4L | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Unbundled Copper Loops (per loop) | 1 | t - | UCL | UCLMC | | 36.52 | 36.52 | 1 2.00 | 22.10 | | | | 15.01 | 15702 | .0.0 |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 1 | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | l I | 1 | UCL | UCL4O | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| ĺ | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | L | 2 | UCL | UCL4O | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | l | | | | | | | | | | | | |] | |
| | inquiry and facility reservation - Zone 3 | ı | 3 | UCL | UCL4O | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | ļl | | | | | | ļ | |
| | CLEC to CLEC Conversion Charge without outside dispatch | Ι. | | | LIDEVIC | | | | | | | | | | | |
| OOD MODIE | (UCL-Des) | | <u> </u> | UCL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| OOP MODIFI | LATION | | <u> </u> | UAL, UHL, UCL, | + | | | | | | - | | | | | - |
| | | | | UAL, UHL, UCL, UEQ, ULS, UEA, | 1 | | | | j | | | | | | 1 | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | l | | UEANL, UEPSR, | 1 | | | | | | | | | | | |
| | pair less than or equal to 18k ft | 1 | | UEPSB | ULM2L | | 65.40 | 65.40 | j | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire | - '- | t | 021 00 | OLIVIZE | | 05.40 | 05.40 | | | | | 20.35 | 10.34 | 13.32 | 13.3 |
| | greater than 18k ft | Li | | UCL, ULS, UEQ | ULM2G | | 710.71 | 23.77 |] | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | <u> </u> | t | ,, | | | | | † † | | | | | 12.01 | | .0.0 |
| 1 | less than or equal to 18K ft | l ı | | UHL, UCL | ULM4L | | 65.40 | 65.40 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |

Version 4Q02: 12/18/02 Page 362 of 416

| ONBONDLE | D NETWORK ELEMENTS - Tennessee | | | ı | | | | | | | 1. | 1 - | | ment: 2 | | bit: B |
|-----------|---|-------------|------|-----------------------|----------------|--------|-----------------|----------------|--------------|--------|-------|---|--|--|----------------|--------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | ١. | | 1101 | | | 740 74 | 00.77 | | | | | 00.05 | 10.51 | 40.00 | 40.0 |
| | pair greater than 18k ft | | 1 | UCL UAL, UHL, UCL, | ULM4G | | 710.71 | 23.77 | | | - | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | | | UEQ, ULS, UEA, | | | | | | | | | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, | | | UEANL, UEPSR, | | | | | | | | | | | | |
| | per unbundled loop | - 1 | | UEPSB | ULMBT | | 65.44 | 65.44 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-Lo | op Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | | | | | | |
| | Up | | | UEANL | USBSA | | 517.25 | 517.25 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Cub Loop Bor Cross Boy Looption Bor 25 Boir Bonel Cet Lin | Ι. | | UEANL | USBSB | | 42.68 | 42.68 | | | | | 20.25 | 10.54 | 12.22 | 13.3 |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | OLANL | USDSD | | 42.08 | 42.08 | 1 | | 1 | 1 | 20.35 | 10.54 | 13.32 | 13.3 |
| | Facility Set-Up | l , | | UEANL | USBSC | | 313.01 | 313.01 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | | | | 1 | | | | | | | | | | | |
| | Set-Up | - 1 | | UEANL | USBSD | | 108.06 | 108.06 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Statewide | | SW | UEANL | USBN2 | 10.02 | 148.84 | 112.34 | 73.14 | 36.65 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop | | - | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 7.30 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | OLANL | USBIN4 | 7.30 | 147.93 | 75.11 | 99.90 | 10.90 | | | 20.33 | 10.54 | 13.32 | 13.3. |
| | Zone 2 | | 2 | UEANL | USBN4 | 9.54 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | - | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 12.47 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | <u> </u> | | UEANL | USBR2 | 1.35 | 94.56 | 29.35 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 2.26 | 116.14 | 37.10 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Cub 200p 1 11110 Intrabalianing Hothiotic Gabie (1110) | | | 0271112 | OGDIT! | 2.20 | | 01110 | | | | | 20.00 | 10.01 | 10.02 | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | ı | 1 | UEF | UCS2X | 5.16 | 110.71 | 37.89 | 94.41 | 13.09 | | | 20.35 | 10.54 | 13.32 | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS2X | 6.74 | 110.71 | 37.89 | 94.41 | 13.09 | | | 20.35 | 10.54 | 13.32 | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | ı | 3 | UEF | UCS2X | 8.81 | 110.71 | 37.89 | 94.41 | 13.09 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.29 | 34.29 | | | | | | 1 | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | <u> </u> | 1 | UEF | UCS4X | 6.52 | 34.29 117.12 | 34.29 44.30 | 99.96 | 16.98 | 1 | 1 | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4 Wire Copper Unburidled Sub-Loop Distribution - Zone 1 | + | 2 | UEF | UCS4X | 8.52 | 117.12 | 44.30 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | i | | UEF | UCS4X | 11.14 | 117.12 | 44.30 | | 16.98 | | | 20.35 | 10.54 | 13.32 | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | dled Sub-Loop Modification | | | | <u> </u> | | | | | | | | ļ | ļ | | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | uee | LILMOY | | 225.22 | 7.00 | | | | | 20.04 | 1054 | 40.00 | 400 |
| | Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load | | | UEF | ULM2X | | 335.36 | 7.82 | - | | | | 20.34 | 10.54 | 13.32 | 13.3 |
| | Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 335.36 | 7.82 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged | | 1 | <u> </u> | CLIVITA | | 333.30 | 1.02 | | | 1 | | 20.33 | 10.34 | 10.02 | 13.3 |
| | Tap Removal, per PR unloaded | | | UEF | ULM4T | | 528.48 | 9.74 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| Unbund | dled Network Terminating Wire (UNTW) | | | | 1 | | | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.4555 | 2.48 | 2.48 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | k Interface Device (NID) | | | | | | | | | | | | | | | |
| | Network Interface Device (NID) - 1-2 lines | <u> </u> | | UENTW | UND12 | | 89.69 | 54.56 | 0.6391 | 0.6391 | 1 | | 20.35 | 10.54 | 13.32 | |
| | Network Interface Device (NID) - 1-6 lines | | 1 | UENTW | UND16 | | 129.65 | 94.51 | 0.6522 | 0.6522 | 1 | | 20.35 | 10.54 | 13.32 | |
| | Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W | | 1 | UENTW UENTW | UNDC2 UNDC4 | | 11.11 11.11 | 11.11 11.11 | 1 | | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | |
| 1 1 | TVOLVYOR INTERIACE DEVICE CIUSS CUITIECT - 4W | | 1 | OLIVIVV | JINDU4 | | 11.11 | 11.11 | ļ | | 1 | | 20.35 | 10.54 | 13.32 | 13.3 |

| ACTIONAL PRINTS INTO THE LEMENTS INTO THE PRIN | Exhibit: | | | Attachm | | , | | | | | | , | , | | UNDLED NETWORK ELEMENTS - Tennessee |
|--|--|--|--|--|-----------------------|-------------------|------------|--------------|------------|--------------|-------|---------|-----------------|------|--|
| Sub-Land Prefett Sub-Land Pr | narge - Conual Svc Mader vs. Octronic- Ele | Incrementa Charge - Manual Svo Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Submitted Manually | Submitted Elec | | | RATES (\$) | | | USOC | BCS | Zone | EGORY RATE ELEMENTS |
| Section Part April April April April April April April April April April SOUND SOU | | | Rates (\$) | oss | | | Disconnect | Nonrecurring | | Nonrecurring | D | | | | |
| Sill-Feeder, DSS Sill-speed (Consistent Center) Consistent Center Consistent Cen | OMAN S | SOMAN | SOMAN | SOMAN | SOMAN | SOMEC | Add'l | First | Add'l | First | Rec | | | | |
| Destruction Facility serving Destruction Facility serving Destruction Facility serving Destruction Facility serving Destruction Facility serving Destruction Facility serving Destruction Facility serving Destruction Facility serving Destruction Destruction Facility serving Destruction Destruction Facility serving Destruction | | | | | | | | | | | | | | | Sub-Loop Feeder |
| USL Feeder - CSD Set-up per Cross State Location - per 25 paid Loca | | 1 | | | | | | | | | | | UEA, | | USL-Feeder, DS0 Set-up per Cross Box location - CLEC |
| Bestup | 13.32 | 13.32 | 10.54 | 20.35 | | | | | | 517.25 | | USBFW | UDN,UCL,UDL,UDC | | |
| USE-Feeder DES Selvage of DSX Location, per DSM Imministration USEA USEF SSI 104 11.34 | | 1 | | | | | | | | | | | UEA, | | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair |
| Unbunded Sub-Loop Feeder Loop, 2 Vive Gourd-Start, Vood Gouds-Start, Vood Gouds-Start Voo | 13.32 | | | | | | | | | | | | UDN,UCL,UDL,UDC | | 1997.95 |
| Grades Statewide | 13.32 | 13.32 | 10.54 | 20.35 | | | | | 11.34 | 531.04 | | USBFZ | USL | | |
| Order Contention for Specified Convenient Time, per LSR UEA OCOSL 34.29 | | i | | | | | | | | | | | | | |
| Unbundled Sul-Loop Feeder Loop, 2 Web Loop-Start, Vote Order Contribution For Specified Time Contribution For Specified Time Contribution For Specified Co | 13.32 | 13.32 | 10.54 | 20.35 | | | 39.16 | 76.35 | 85.05 | | 12.05 | | | | |
| Griede - Statewards Service Service Service - Service Service - Se | | | | | | | | | | 34.29 | | ocosl | UEA | | |
| Order Coordination for Specified Time Convention, part LSR UEA OCOSL 34.29 Uniteractive Coordination for Specified Convention Time, part LSR UEA OCOSL 34.29 0.05 12.24 95.05 76.35 38.16 20.35 10.54 0.05 0.0 | | | | | | | | | | | | | | | |
| Unturefield Sub-Loop Feeder Loop, 2 Wire Grown Start, Votor UEA USBFC 12.05 12.24 85.05 76.35 38.16 20.35 10.54 | 13.32 | 13.32 | 10.54 | 20.35 | | | 39.16 | /6.35 | 85.05 | | 12.05 | | | SW | |
| Visco Gride Logo - Statewide | + | | ⊢— | | | | | | | 34.29 | | OCOSL | UEA | | |
| Chicar Coordination For Specified Convention Time, per LSR UEA USBFD 21,52 137,31 61,93 118,04 30,13 20,35 10,54 | 13.32 | 10.00 | 10.54 | 20.25 | | | 20.40 | 76.05 | 0E 0E | 122.04 | 12.05 | LICREC | LIEA | | |
| Control of Control o | 13.32 | 13.32 | 10.54 | 20.33 | | | 39.10 | 76.33 | 65.05 | | 12.05 | | | SW | |
| Grade - Zone 1 | | | | | | | | | | 34.29 | | OCOSL | UEA | | |
| Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice 2 UEA | 13.32 | 12.21 | 10.54 | 20.25 | | | 20.12 | 110 04 | 61.02 | 127 21 | 21.52 | LIGBED | LIEA | 4 | |
| Grade - Zone 2 | 10.02 | 10.02 | 10.54 | 20.55 | | | 30.13 | 110.04 | 01.33 | 107.01 | 21.02 | OODI D | OLA | | |
| Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3 UEA | 13.32 | 13.30 | 10.54 | 20.35 | | | 30 13 | 118 04 | 61 93 | 137 31 | 28 11 | LISBED | ΠΕΔ | 2 | |
| Grade - Zone 3 | 10.02 | 10.02 | 10.04 | 20.00 | | | 00.10 | 110.04 | 01.00 | 107.01 | 20.11 | OOD! D | OLIT | _ | |
| Order Coordination For Specialised Conversion Time, Per LSR UEA OCSSL 34.29 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 UEA USBFE 21.52 137.31 61.93 118.04 30.13 20.35 10.54 | 13.32 | 13.30 | 10.54 | 20.35 | | | 30 13 | 118 04 | 61 93 | 137 31 | 36.76 | LISBED | ΠΕΔ | 3 | |
| Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice 1 UEA | 10.02 | 10.02 | 10.04 | 20.00 | | | 00.10 | 110.04 | 01.00 | | 00.70 | | | Ü | |
| Grade - Zone 1 | $\overline{}$ | | | | | | | | | 0 1.120 | | 00002 | 0271 | | |
| Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice 2 UEA | 13.32 | 13.32 | 10.54 | 20.35 | | | 30.13 | 118.04 | 61.93 | 137.31 | 21.52 | USBFE | UEA | 1 | |
| Grade - Zone 2 | | | | | | | | | | | | | - | | |
| Grade - Zone 3 | 13.32 | 13.32 | 10.54 | 20.35 | | | 30.13 | 118.04 | 61.93 | 137.31 | 28.11 | USBFE | UEA | 2 | |
| Order Coordination For Specified Conversion Time, Per LSR | | | | | | | | | | | | | | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice |
| Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 1 UDN USBFF 16.11 142.83 67.45 104.67 18.53 19.99 1 | 13.32 | 13.32 | 10.54 | 20.35 | | | 30.13 | 118.04 | 61.93 | 137.31 | 36.76 | USBFE | UEA | 3 | Grade - Zone 3 |
| Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 2 UDN USBFF 21.04 142.83 67.45 104.67 18.53 19.99 | | | | | | | | | | 34.29 | | OCOSL | UEA | | Order Coordination For Specified Conversion Time, Per LSR |
| Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 3 UDN USBFF 27.51 142.83 67.45 104.64 18.53 19.99 | 19.99 | | | | | | | | | | | | | | |
| Order Coordination For Specified Conversion Time, Per LSR | 19.99 | | | | | | | | | 142.83 | | USBFF | | | |
| Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | 19.99 | 19.99 | 19.99 | 19.99 | | | 18.53 | 104.64 | 67.45 | | 27.51 | | | 3 | |
| Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) 2 UDC USBFS 21.04 142.83 67.45 104.67 18.53 19.99 | | <u> </u> | | | | | | | | | | | | | |
| Unbundled Sub-Loop Feeder (2 Wire UDC (IDSL compatible) 3 UDC USBFS 27.51 142.83 67.45 104.64 18.53 19.99 | 19.99 | | | | | | | | | | | | | | |
| Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | 19.99 | | | | | | | | | | | | | | |
| Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 2 USL USBFG 51.90 116.00 40.62 106.82 18.91 19.99 | 19.99 | | | | | | | | | | | | | | |
| Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 3 USL USBFG 67.86 116.00 40.62 106.82 18.91 19.99 | 19.99 | | | | | | | | | | | | | | |
| Order Coordination For Specified Conversion Time, Per LSR | 19.99 | | | | | | | | | | | | | | |
| Unbundled Sub-Loop Feeder Loop Zone 1 | 19.99 | 19.99 | 19.99 | 19.99 | | | 18.91 | 106.82 | 40.62 | | 67.86 | | | 3 | |
| Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2 UCL USBFH 12.43 114.27 38.89 104.64 18.53 19.99 19.99 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3 UCL USBFH 16.26 114.27 38.89 104.64 18.53 19.99 19.99 19.99 Order Coordination For Specified Conversion Time, per LSR UCL OCOSL Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 1 UCL USBFJ 14.37 123.41 48.03 110.44 22.53 19.99 19.99 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 2 UCL USBFJ 18.76 123.41 48.03 110.44 22.53 19.99 19.99 Order Coordination For Specified Conversion Time, per LSR UCL USBFJ 18.76 123.41 48.03 110.44 22.53 19.99 19.99 19.99 Order Coordination For Specified Conversion Time, per LSR UCL USBFJ 24.53 123.41 48.03 110.44 22.53 19.99 19.99 19.99 19.99 Order Coordination For Specified Conversion Time, per LSR UCL USBFJ 24.53 123.41 48.03 110.44 22.53 19.99 19.99 19.99 19.99 Order Coordination For Specified Conversion Time, per LSR UCL USBFJ 24.53 123.41 48.03 110.44 22.53 19.99 | 40.00 | 40.00 | 10.00 | 10.00 | | | 10.50 | 404.04 | 00.00 | | 0.50 | | | 4 | |
| 2 UCL USBFH 12.43 114.27 38.89 104.64 18.53 19.99 | 19.99 | 19.99 | 19.99 | 19.99 | | | 18.53 | 104.64 | 38.89 | 114.27 | 9.52 | 02RFH | UCL | 1 | |
| Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3 | 19.99 | 10.00 | 10.00 | 10.00 | | | 10.53 | 104.64 | 20.00 | 114.07 | 10.42 | LICDELL | LICI | 2 | Onbundled Sub-Loop Feeder Loop, 2-wire Copper Loop - Zone |
| 3 UCL USBFH 16.26 114.27 38.89 104.64 18.53 19.99 19.99 | 19.99 | 19.98 | 19.99 | 19.99 | | | 10.33 | 104.04 | 30.09 | 114.21 | 12.43 | USBFH | UCL | | Unbundled Sub Loop Fooder Loop 2 Wire Copper Loop 7 and |
| Order Coordination For Specified Conversion Time, per LSR | 19.99 | 10.00 | 10.00 | 10.00 | | | 10.52 | 104.64 | 20 00 | 114 27 | 16.26 | LICDELL | LICI | 2 | 2 2016 |
| Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | 13.33 | 13.33 | 15.55 | 15.55 | | | 10.53 | 104.04 | 30.09 | | 10.20 | | | | Order Coordination For Specified Conversion Time, per LSP |
| Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | 19.99 | 19.90 | 19.99 | 19.99 | | | 22.53 | 110.44 | 48.03 | | 14.37 | | | | |
| Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 3 UCL USBFJ 24.53 123.41 48.03 110.44 22.53 19.99 19.99 | 19.99 | | | | | | | | | | | | | | |
| Order Coordination For Specified Conversion Time, per LSR | 19.99 | | | | | | | | | | | | | | |
| Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop 1 UDL USBFN 26.06 116.00 40.62 106.82 18.91 19.99 19.99 | | | | | | | | | | | | | | | |
| Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop 2 UDL USBFN 34.03 116.00 40.62 106.82 18.91 19.99 | 19.99 | 19.99 | 19.99 | 19.99 | | | 18.91 | 106.82 | 40.62 | | 26.06 | | | | |
| Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - 1 UDL USBFO 26.06 116.00 40.62 106.82 18.91 19.99 19.99 19.99 200 2 UDL USBFO 34.03 116.00 40.62 106.82 18.91 19.99 19.99 | 19.99 | | | | | | | | | | | | | | |
| Zone 1 | 19.99 | | | 19.99 | | | | | | | | | | | |
| Zone 1 | | | | | | | | 1 | | | | | | | |
| Zone 2 2 UDL USBFO 34.03 116.00 40.62 106.82 18.91 19.99 19.99 | 19.99 | 19.99 | 19.99 | 19.99 | | | 18.91 | 106.82 | 40.62 | 116.00 | 26.06 | USBFO | UDL | 1 | |
| | | | 1 | | | | | | | | | | | | |
| Sub Loop Fooder, Dor A Wire F6 Khao Digital Crade Loop | 19.99 | 19.99 | 19.99 | 19.99 | | | 18.91 | 106.82 | 40.62 | 116.00 | 34.03 | USBFO | UDL | 2 | |
| Sub-Loop Fedeer - Per 4-Wire 56 Kops Digital Grade Loop - 3 UDL USBFO 44.50 116.00 40.62 106.82 18.91 19.99 19.99 | 19.99 | | 1 | . 7 | | | | | | | | | | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - |

Version 4Q02: 12/18/02 Page 364 of 416

| <u> </u> | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachr | nent: 2 | Exhi | bit: B |
|-------------------|---|------------------|--|-----------------|-------|----------|--------------|------------|--------------|--------|--|---|--|--|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 34.29 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFP | 26.06 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.9 |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | LIBI | HODED | 0.4.00 | 440.00 | 40.00 | 400.00 | 40.04 | | | 40.00 | 40.00 | 40.00 | 40.0 |
| | Zone 2 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | 2 | UDL | USBFP | 34.03 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.9 |
| | Zone 3 | | 3 | UDL | USBFP | 44.50 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.9 |
| | Order Coordination For Specified Conversion Time, per LSR | | - 3 | | OCOSL | 44.50 | 34.29 | 40.02 | 100.02 | 10.31 | | | 13.33 | 13.33 | 13.33 | 13.3 |
| SUB-LOOPS | Oracle occidentation for opening conversion filling, per 2013 | | | 002 | 00002 | | 01.20 | | | | | | | | | |
| Sub-Lo | op Feeder | | | | | | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Per Mile Per Month | ı | | UE3 | 1L5SL | 14.11 | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | I | | UE3 | USBF1 | 333.26 | 3,406.61 | 407.68 | 165.17 | 501.31 | | | 20.35 | 10.54 | 13.32 | |
| | Sub Loop Feeder – STS-1 – Per Mile Per Month | ı | | UDLSX | 1L5SL | 14.11 | | | | | | | | | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | Ī | | UDLSX | USBF7 | 359.02 | 3,406.61 | 407.68 | 165.17 | 501.31 | | | 20.35 | 10.54 | 13.32 | |
| | Sub Loop Feeder – OC-3 – Per Mile Per Month | ı | | UDLO3 | 1L5SL | 10.71 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | Month | | | UDLO3 | USBF5 | 56.64 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Per Month | | | UDLO3 | USBF2 | 546.31 | 3,406.61 | 407.68 | 165.17 | 501.31 | | | 20.35 | 10.54 | 13.32 | |
| | Sub Loop Feeder - OC-12 - Per Mile Per Month | ı | | UDL12 | 1L5SL | 13.18 | | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month | ı | | UDL12 | USBF6 | 639.98 | | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Per Month | I | | UDL12 | USBF3 | 1,697.00 | 3,406.61 | 407.68 | 165.17 | 501.31 | | | 20.35 | 10.54 | 13.32 | |
| | Sub Loop Feeder - OC-48 - Per Mile Per Month | <u> </u> | | UDL48 | 1L5SL | 43.22 | | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Protection Per | _ | | | | | | | | | | | | | | |
| | Month | - - | | UDL48 | USBF9 | 320.36 | 0.500.04 | 107.00 | 405.47 | 504.04 | | | 00.05 | 40.54 | 40.00 | |
| | Sub Loop Feeder - OC-48 - Facility Termination Per Month Sub Loop Feeder - OC-12 Interface On OC-48 | | | UDL48 | USBF4 | 1,457.00 | 3,592.61 | 407.68 | 165.17 | 501.31 | 1 | | 20.35 20.35 | 10.54 | 13.32 | |
| | OOP CONCENTRATION | | | UDL48 | USBF8 | 361.44 | 806.02 | 407.68 | 165.17 | 501.31 | | | 20.35 | 10.54 | 13.32 | - |
| | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 500.18 | 613.60 | 613.60 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Unbundled Loop Concentration - System B (TR008) | | | | UCT8B | 54.82 | 255.67 | 255.67 | | | | | 20.35 | 10.54 | 13.32 | |
| | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 539.00 | 613.60 | 613.60 | | | | | 20.35 | 10.54 | 13.32 | |
| | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 92.37 | 255.67 | 255.67 | | | | | 20.35 | 10.54 | 13.32 | |
| | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 6.23 | 74.39 | 53.07 | 30.23 | 8.46 | | | 20.35 | 10.54 | 13.32 | |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | | | | | | | | | | | | | | |
| | Card) | | <u> </u> | UDN | ULCC1 | 8.46 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite Card) | | | UDC | ULCCU | 8.46 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | | | | | | | _ | | | | | | |
| | Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | UEA | ULCC2 | 2.32 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | |
| | Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | - | UEA | ULCCR | 12.45 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | (Specials Card) | | 1 | UEA | ULCC4 | 7.53 | 8.69 | 8.65 | 9.71 | 9.65 | | 1 | 20.35 | 10.54 | 13.32 | 13.33 |
| | Unbundled Loop Concentration - TEST CIRCUIT Card | | † | ULC | UCTTC | 35.77 | 8.69 | 8.65 | 9.71 | 9.65 | 1 | | 20.35 | 10.54 | 13.32 | |
| | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | 1 | - | | | 2.23 | 2.20 | | 2.50 | | | | | | 15.0 |
| | Interface | | | UDL | ULCC7 | 11.03 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Unbundled Loop Concentration - Digital 56 Kbps Data Loop | | | | | | | | | | | | | | | |
| | Interface | | <u> </u> | UDL | ULCC5 | 11.03 | 8.69 | 8.65 | 9.71 | 9.65 | <u> </u> | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Unbundled Loop Concentration - Digital 64 Kbps Data Loop | | | UDL | ULCC6 | 11.00 | 9.00 | 0.05 | 0.74 | 0.05 | | | 20.25 | 10.54 | 12.22 | 13.3 |
| \longrightarrow | Interface | | | UDL | ULUUb | 11.03 | 8.69 | 8.65 | 9.71 9.71 | 9.65 | - | - | 20.35 | 10.54 | 13.32 | 13.3 |
| LINE OTHER P | ROVISIONING ONLY - NO RATE | | ! | | 1 | | | | 9.71 | | 1 | | | | | 1 |
| | NID - Dispatch and Service Order for NID installation | | <u> </u> | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | 1 |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | | | | UEANL,UEF,UEQ,U | | 2.00 | 2.00 | | | | | | | | | |
| - | I | | | | | | | | | | | | | | | |

| UNBUNDLI | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|------------|--|--------------|----------|----------------------|--------------|----------------|---------------|-------------|------------------|----------------|--|------------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| 1 | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | UAL,UCL,UDC,UDL, | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | _ |
| | rate | | | UEA,UDN,UCL,UDC | USBEQ | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | 027,1021,1002,020 | 005. Q | 0.00 | 0.00 | | | | | | | | | |
| | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPAC | no rate CITY UNBUNDLED LOCAL LOOP | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | + |
| | : minimum billing period of three months for DS3 and above Lo | ocal Lo | ор | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | ľ | | | | | | | | | | | | | |
| | month | | | UE3 | 1L5ND | 9.19 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | .= | | | | | | |
| - | Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | UE3 | UE3PX | 374.24 | 595.37 | 304.50 | 234.83 | 170.16 | | | 36.84 | 36.84 | 19.01 | 19.01 |
| | month | | | UDLSX | 1L5ND | 9.19 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 389.35 | 595.37 | 304.50 | 215.82 | 151.15 | | | 36.84 | 36.84 | 19.01 | 19.01 |
| | (1): Rates provided in TN for both electronic and manual Loop | Makeu | p are ir | terim and subject to | retro-active | true-up adjust | ments pending | a permanent | rate ruling on t | hese rate elen | nents from t | he Tenness | ee Regulator | / Authority. | | |
| LOOP MAKE- | | | | | | | | | | | | | | | | |
| | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | R | | UMK | UMKLW | | 0.76 | 0.76 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility | - 1 | | OWIIC | OWNER | | 0.70 | 0.70 | | | | | | | | |
| | queried (Manual). | R | | UMK | UMKLP | | 0.76 | 0.76 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Mechanized) | R | | UMK | PSUMK | | 0.76 | 0.76 | | | | | | | | |
| | ENCY SPECTRUM | | | | | | | | | | | | | | | ļ |
| | SHARING ITERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| OI EII | Line Sharing Splitter, per System 96 Line Capacity | | | ULS | ULSDA | 100.00 | 150.00 | 0.00 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Line Sharing Splitter, per System 24 Line Capacity | | | ULS | ULSDB | 25.00 | 150.00 | 0.00 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Line Sharing-DLEC Owned Splitter in CO-CFA activaton- | | | | | | | | | | | | | | | |
| | deactivation (per LSOD) | | | ULS | ULSDG | | 163.06 | 0.00 | 92.71 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| END I | USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY | SPEC | TRUM | | | 0.01 | 40.00 | 21.00 | | | | | | 10.51 | 10.00 | 10.00 |
| | Line Sharing - per Line Activation (BST owned Splitter) Line Sharing - per Subsequent Activity per Line | | | ULS | ULSDC | 0.61 | 40.00 | 21.39 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Rearrangement(BST Owned Splitter) | | | ULS | ULSDS | | 30.00 | 15.00 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Line Sharing - per Subsequent Activity per Line | | | 020 | 02020 | | 00.00 | 10.00 | | | | | 20.00 | .0.01 | 10.02 | .0.02 |
| | Rearrangement(DLEC Owned Splitter) | | | ULS | ULSCS | | 30.00 | 15.00 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Line Sharing - per Line Activation (DLEC owned Splitter) | I | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | SPLITTING USER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| END | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | - |
| | Line Splitting - per line activation BST owned - physical | i | | UEPSR UEPSB | UREBP | 0.61 | 48.96 | 21.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Line Splitting - per line activation BST owned - virtual | i | | UEPSR UEPSB | UREBV | 0.61 | 48.96 | 21.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | OTE SITE HIGH FREQUENCY SPECTRUM | | | | | | | | | | | | | | | |
| SPLIT | ITERS-REMOTE SITE | | | | L | | | | | | | | | | | |
| | Remote Site Line Share BellSouth Owned Splitter, 24 Port | - 1 | <u> </u> | ULS | ULSRB | 38.83 | 115.00 | 0.00 | 85.63 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Remote Site Line Share Cable Pair Activation CLEC Owned at RS and Deactivation | | 1 | ULS | ULSTG | | 95.80 | 0.00 | 68.73 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| END I | USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI | M AKA | REMO | | | | 95.00 | 0.00 | 00.73 | 0.00 | | | 20.33 | 10.34 | 13.32 | 13.32 |
| | Remote Site Line Share Line Activationfor End User Served at | | | , | ĺ | | | | | | | | | | | |
| | RS, BST Splitter | I | | ULS | ULSRC | 0.61 | 40.00 | 31.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | RS Line Share Line Activation for End User served at RS, CLEC | - | | 1116 | LILETC | 0.01 | 40.00 | 24.22 | 25.00 | 40.70 | | | 20.25 | 40.54 | 40.00 | 40.00 |
| | Splitter Remote Site Line Share Subsequent Activity-RS BST Owned | <u> </u> | | ULS | ULSTC | 0.61 | 40.00 | 31.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Splitter | l ı | 1 | ULS | ULSRS | | 49.23 | 17.86 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |

Version 4Q02: 12/18/02 Page 366 of 416

| ONRONDLE | D NETWORK ELEMENTS - Tennessee | | | 1 | 1 | 1 | | | | | 1 - | | | ment: 2 | | bit: B |
|-----------|--|-------------|---------|--------------------|----------------|----------------|------------------|----------------|----------------|--------------|---|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Remote Site Line Share Subsequent Activity-RS CLEC Owned | | | | | | | | | | | | | | | |
| | Splitter | ı | | ULS | ULSTS | | 49.23 | 17.86 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | DEDICATED TRANSPORT | | | | | D00 / | | | | | | | | | | |
| | : INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu | m billin | g perio | od - below DS3=one | month, abov | e DS3=four mo | ontns | | | | | | | | | |
| INTER | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination | | | U1TVX | U1TR2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | - | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV4 | 24.09 | 37.87 | 26.02 | 30.78 | 13.07 | | | 15.08 | 15.08 | 8.66 | 8.66 |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination | | | U1TDX | U1TD5 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination | | | U1TDX | U1TD6 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination | | | U1TD1 | U1TF1 | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TD3 | 1L5XX | 2.34 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 848.99 | 395.29 | 176.56 | 109.04 | 105.91 | | | 36.84 | 36.84 | 19.01 | 19.0 |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 2.34 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination | | | U1TS1 | U1TFS | 849.30 | 395.29 | 176.56 | 109.04 | 105.91 | | | 36.84 | 36.84 | 19.01 | 19.0 |
| | L CHANNEL - DEDICATED TRANSPORT | | | | 1 | | | | | | | | | | | |
| NOTE | : LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin | g perio | | | | | 100.00 | 04.40 | 5401 | 1.00 | | | | | 1 | |
| _ | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 | | 2 | ULDVX ULDVX | ULDV2 ULDV2 | 17.18 22.44 | 199.33 199.33 | 24.16 24.16 | 54.81 54.81 | 4.80 4.80 | | | | | | - |
| - | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 | | 3 | UNDVX | ULDV2 | 29.34 | 199.33 | 24.16 | 54.81 | 4.80 | | | | 1 | 1 | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat Zone 1 | | 1 | ULDVX | ULDR2 | 17.18 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat Zone 2 | | 2 | ULDVX | ULDR2 | 22.44 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat Zone 3 | | 3 | ULDVX | ULDR2 | 29.34 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 | | 1 | ULDVX | ULDV4 | 18.18 | 201.53 | 24.83 | 55.52 | 5.51 | | | | İ | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 | | 2 | ULDVX | ULDV4 | 23.74 | 201.53 | 24.83 | 55.52 | 5.51 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | | 3 | ULDVX | ULDV4 | 31.05 | 201.53 | 24.83 | 55.52 | 5.51 | | | | | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | | 1 | ULDD1 | ULDF1 | 36.24 | 277.35 | 233.26 | 33.18 | 22.30 | | | | | | |
| | Local Channel - Dedicated - DS1 - Zone 2 | | 2 | ULDD1 | ULDF1 | 47.33 | 277.35 | 233.26 | 33.18 | 22.30 | | | | | | |
| _ | Local Channel - Dedicated - DS1 - Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month | | 3 | ULDD1 ULDD3 | ULDF1 1L5NC | 61.89 7.15 | 277.35 | 233.26 | 33.18 | 22.30 | | | | | | |
| | Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3 | ULDF3 | 611.30 | 595.37 | 304.50 | 215.82 | 151.15 | | | 36.84 | 36.84 | 19.01 | 19.0 |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 7.15 | 555.57 | 304.30 | 210.02 | 101.10 | | | 33.04 | 55.04 | 13.01 | 13.0 |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1 | ULDFS | 599.59 | 588.07 | 297.20 | 215.82 | 151.15 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| ARK FIBER | | | | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|--|--|-------------|------|----------|---------|-----------|--|------------|--|------------|--|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svo Order vs. |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Local Channel | | | UDF | 1L5DC | 58.83 | | | | | | | | | | |
| | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 1,121.00 | 153.19 | 580.26 | 357.17 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 28.74 | 4 404 00 | .= | =00.00 | | | | | 04.00 | | 10 = 1 |
| | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 1,121.00 | 153.19 | 580.26 | 357.17 | 1 | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop | | | UDF | 1L5DL | 58.83 | | | | | | | | | | |
| | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | 30.03 | 1,121.00 | 153.19 | 580.26 | 357.17 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 8XX ACCESS | TEN DIGIT SCREENING | | | ODI | ODI ET | | 1,121.00 | 100.10 | 000.20 | 007.17 | | | 20.00 | 21.00 | 5.00 | 10.04 |
| 1 | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0005192 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | | | | | 1 | | | | | | | | | 1 |
| | Number Reserved | | | OHD | N8R1X | | 5.21 | 0.76 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | | | | | | | | | | | | | | |
| | POTS Translations | | | OHD | | | 11.47 | 1.46 | 7.34 | 0.7602 | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With | | | | | | | | | | | | | | | |
| | POTS Translations | | | OHD | N8FTX | | 11.47 | 1.46 | 7.34 | 0.7602 | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Customized Area of Service | | | | | | | | | | | | | | | |
| | Per 8XX Number | | | OHD | N8FCX | | 4.47 | 2.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | 0.115 | | | = 00 | | | | | | | | 40.00 | |
| | Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 5.23 | 3.00 | | | | | 20.35 | 20.35 | 13.28 | |
| | BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Call Handling and Destination | | | OHD | N8FAX | | 5.97 | 0.76 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | Features | | | OHD | N8FDX | | 4.47 | | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| I INE INEORMA | ATION DATA BASE ACCESS (LIDB) | | | OHD | INOI DX | | 4.47 | | | | 1 | | 20.33 | 20.55 | 13.20 | 13.20 |
| LINE IN OKIMA | LIDB Common Transport Per Query | | | OQT | | 0.0000354 | | | | | | | | | | |
| | LIDB Validation Per Query | | | OQU | | 0.0117403 | | | | | | | | | | |
| | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 49.03 | | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| SIGNALING (C | | | | | | | | | | | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 138.41 | | | | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | UDB | | 0.0000916 | | | | | | | | | | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Connection, Per link (B link) (also known as D | | | | | | | | | | | | | | | |
| | link) | | | UDB | TPP++ | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Usage, Per ISUP Message | | | UDB | 071150 | 0.0000373 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA Signaling Point Code, per Originating Point Code Establishment | | | UDB | STU56 | 352.30 | | | 1 | | | | 1 | | 1 | |
| | or Change, per STP | | | UDB | CCAPO | | 121.77 | 121.77 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| CALLING NAM | IE (CNAM) SERVICE | | | 000 | COAFO | | 121.77 | 121.77 | | | 1 | | 20.33 | 20.33 | 13.32 | 13.32 |
| - III | CNAM for DB Owners, Per Query | | | OQV | 1 | 0.0010541 | | | 1 | | 1 | 1 | 1 | † | 1 | † |
| | CNAM for Non DB Owners, Per Query | | | OQV | | 0.0010541 | 1 | | | | | | | 1 | | 1 |
| | CNAM (Non-Databs Owner), NRC, applies when using the | | | | | | | | | | | | | | | 1 |
| | Character Based User Interface (CHUI) | L | | OQV | CDDCH | | 595.00 | 595.00 | <u> </u> | | <u></u> | <u> </u> | 20.35 | 20.35 | 13.28 | 13.28 |
| OPERATOR CA | ALL PROCESSING | | | | | | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | | | | - | | | | | | | | |
| | LIDB | | | | | 1.08 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using | | | | | | | | | | | | | 1 | | |
| | Foreign LIDB | | | | | 1.13 | | | | | | | | - | | ↓ |
| | Oper. Call Processing - Fully Automated, per Call - Using BST | | | | | 0.4040050 | | | | | | | | I | | |
| | LIDB Oper. Call Processing - Fully Automated, per Call - Using | - | | | + | 0.1010353 | 1 | | 1 | | 1 | | 1 | | 1 | |
| | Foreign LIDB | | | | | 0.122818 | | | | | | | | 1 | | |
| INWARD OPER | RATOR SERVICES | | | | 1 | 0.122010 | | | 1 | | | | 1 | t | 1 | |
| | Inward Operator Services - Verification, Per Minute | | | | + | 1.03 | | | + | | | | <u> </u> | † | <u> </u> | |
| | Inward Operator Services - Verification and Emergency Interrupt | | | | | | | | | | | | | 1 | | 1 |
| 1 | - Per Minute | | | | | 1.03 | | | | | | | | I | | |
| | PERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| Facility | y based CLEC | | | | | | | | | | | | | | | 1 |
| | Recording of Custom Branded OA Announcement | | | | CBAOS | | 1,555.00 | 1,553.00 | 7.03 | 7.03 | | | 19.99 | 19.99 | 19.99 | 19.99 |

| UNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachi | nent: 2 | Exhi | ibit: B |
|-------------|---|-------------|--|--------------|--------|-----------|--------------|------------|--------------|-------|-------|-------|--|------------|-------|-------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | | Incremental Charge - |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | Lea Francis Control Develop 100 A Assessment and Lett/NIAV | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Loading of Custom Branded OA Announcement per shelf/NAV per OCN | | | | CBAOL | | 240.71 | 240.71 | | | | | 19.99 | 19.99 | | |
| UNE | PCLEC | | | | CBACL | | 240.71 | 240.71 | | | | | 15.55 | 19.99 | | + |
| | Recording of Custom Branded OA Announcement | | | | | | 1,555.00 | 1,555.00 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Loading of Custom Branded OA Announcement per shelf/NAV per OCN | | | | | | 240.71 | 240.71 | | | | | 19.99 | 19.99 | | |
| Unbr | anding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | 19.99 | 19.99 | | 1 |
| | ASSISTANCE SERVICES | | | | | | | | | | | | | | | |
| DIRE | CTORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| DIDE | Directory Assistance Access Service Calls, Charge Per Call CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I | DVCC) | | | + | 0.2286787 | | | | | | | | | | + |
| DIRE | Directory Assistance Call Completion Access Service (IACC), Per Call Attempt | DACC) | | | | 0.0364771 | | | | | | | | | | |
| NUM | BER SERVICES INTERCEPT ACCESS SERVICE | | | | | | | | | | | | | | | + |
| | Number Services Intercept Per Query | | | | | 0.017793 | | | | | | | | | | 1 |
| DIRE | CTORY TRANSPORT (DT) | | | | | | | | | | | | | | | |
| | DT-Local Channel DS1 | | | | TEFHG | 40.99 | 277.35 | 233.26 | 33.18 | 22.30 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | DT-DS1 Level Interoffice per mile | | | | 1L5NL | 0.3562 | 110.10 | | 40.55 | | | | | 10.51 | 10.00 | |
| | DT-DS1 Level Interoffice per facility termination SWA Common Transport per Directory Assistance Access | | | | | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Service Per Call | | | | | 0.000271 | | | | | | | | | | |
| | SWA Common Transport per Directory Assistance Access Service Per Call Per Mile | | | | | 0.000271 | | | | | | | | | | |
| | Access Tandem Switching Per Directory Assistance Access Service Per Call | | | | | 0.0001875 | | | | | | | | | | |
| | DT- Directory Assistance Interconnection Per Directory Assistance Service Call | | | | | 0.00 | | | | | | | | | | |
| | DT-Installation NRC, Per Trunk or Signaling Connection | | | | TPP++ | 0.00 | 204.62 | 4.43 | 136.09 | 4.43 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | ASSISTANCE SERVICES | | | | | | | | | | | | | | | |
| DIRE | CTORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | |
| | Directory Assistance Data Base Service Charge Per Listing | | | | | 0.0485 | | | | | | | | | | |
| | Directory Assistance Data Base Service, per month | | | | DBSOF | 104.13 | | | | | | | | | | |
| | DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| Facili | ty Based CLEC Recording and Provisioning of DA Custom Branded | | | | | | | | | | | | | | | + |
| | Announcement | | | AMT | CBADA | | 1,555.00 | 1,553.00 | 7.03 | 7.03 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| LINE | Loading of Custom Branded Announcement per Switch per OCN | | | AMT | CBADC | | 240.71 | 240.71 | | | | | 20.35 | 10.54 | | |
| UNE | P CLEC Recording of DA Custom Branded Announcement | 1 | | | 1 | | 1,555.00 | 1,553.00 | 7.03 | 7.03 | 1 | 1 | 20.35 | 10.54 | 13.32 | 1.40 |
| | Loading of DA Custom Branded Announcement per Switch per OCN | | | | | | 240.71 | 240.71 | 7.03 | 7.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| Unbr | anding via OLNS for UNEP CLEC | 1 | 1 | | | | 240.71 | 240.71 | | | | | 20.33 | 10.54 | | + |
| | Loading of DA per OCN (1 OCN per Order) | 1 | † | | 1 | 1 | 420.00 | 420.00 | | | | | 20.35 | 10.54 | | 1 |
| | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | 20.35 | 10.54 | | 1 |
| SELECTIVE I | | | | | | | | | | | | | | | | |
| | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | USRCR | | 179.60 | 179.60 | | | | | 20.35 | 20.35 | | |
| VIRTUAL CO | | | | | | | | | | | | | | | | 1 |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR, UEPSB | VE1LS | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| PHYSICAL C | OLLOCATION | | | | ļ | | | | | | | | | | | 1 |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR, UEPSB | PE1LS | 0.0318 | 11.94 | 11.46 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| AIN SELECT | VE CARRIER ROUTING | | | ULFOR, UEPOB | LE ILO | 0.0318 | 11.94 | 11.46 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| OZZZZOII | Regional Service Establishment | | † | SRC | SRCEC | | 190,638.00 | | | | | | 20.35 | | | + |
| | End Office Establishment | 1 | | SRC | SRCEO | | 317.55 | 317.55 | 3.19 | 3.19 | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | Query NRC, per query | | | SRC | | 0.0206047 | | | | | | | | | | I |

| UNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | • | | | nent: 2 | | bit: B |
|-------------|--|-------------|----------|--------------------|-----------------|-----------------|------------------|----------------|----------------|-------------|---|---|--|----------------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Dee | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| AIN - BELLS | OUTH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | |
| | AIN SMS Access Service - Service Establishment, Per State, | | | | | | | | | | | | | | | |
| | Initial Setup | | | A1N | CAMSE | | 135.56 | 135.56 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN CMC Assess Comics - Book Commention - Dist/Ohannel Assess | | | A1N | CAMDP | | 41.75 | 41.75 | | | | | 20.35 | 20.25 | 40.00 | 13.28 |
| | AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 41.75 | 41.75 | | | | | 20.35 | 20.35 20.35 | 13.28 13.28 | 13.28 |
| | AIN SMS Access Service - User Identification Codes - Per User | | | 7111 | O7 WITT | | 41.70 | 41.70 | | | | | 20.00 | 20.00 | 10.20 | 10.20 |
| | ID Code | | | A1N | CAMAU | | 96.63 | 96.63 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN SMS Access Service - Security Card, Per User ID Code, | | | | | | | | | | | | | | | |
| | Initial or Replacement | | | A1N | CAMRC | | 113.67 | 113.67 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | ļ | | 0.0024 | | | | | | | | | ļ | ļ |
| | AIN SMS Access Service - Session, Per Minute | <u> </u> | ļ | | - | 0.0820123 | | | | | | | | | | |
| | AIN SMS Access Service - Company Performed Session, Per Minute | 1 | 1 | 1 | 1 | 2.27 | | | | | | | | | 1 | 1 |
| AIN - RELIS | OUTH AIN TOOLKIT SERVICE | | | | + | 2.21 | | | | | | | | | | |
| ANT - DEELG | AIN Toolkit Service - Service Establishment Charge, Per State, | | | | - | | | | | | | | | | | |
| | Initial Setup | | | CAM | BAPSC | | 132.04 | 132.04 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 7,915.00 | 7,915.00 | | | | | 20.35 | 20.35 | | 13.28 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, Term. Attempt | | | | BAPTT | | 31.21 | 31.21 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | 40.00 | 40.00 |
| | DN, Off-Hook Delay | - | | | BAPTD | | 31.21 | 31.21 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate | | | | BAPTM | | 31.21 | 31.21 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DAI IIVI | | J1.21 | 31.21 | | | | | 20.55 | 20.55 | 13.20 | 13.20 |
| | DN, 10-Digit PODP | | | | BAPTO | | 85.24 | 85.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, CDP | | | | BAPTC | | 85.24 | 85.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, Feature Code | | | | BAPTF | | 85.24 | 85.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Query Charge, Per Query | - | | | | 0.0211882 | | | | | | | | | | |
| | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query | | | | | 0.0054774 | | | | | | | | | | |
| | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | | | + | 0.0034774 | | | | | | | | | | |
| | Account, Per 100 Kilobytes | | | | | 1.50 | | | | | | | | | | |
| | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | Subscription | | | CAM | BAPMS | 17.43 | 33.52 | 33.52 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | Subscription | <u> </u> | <u> </u> | CAM | BAPLS | 0.1321116 | 36.23 | 36.23 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | | 1 | CAM | BABBS | 47.05 | 22.50 | 22.52 | | | | | 20.25 | 00.05 | 40.00 | 40.00 |
| | Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | - | 1 | CAM | BAPDS | 17.35 | 33.52 | 33.52 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | Service Subscription | | | CAM | BAPES | 0.0511435 | 36.23 | 36.23 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| ENHANCED | EXTENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | E: The monthly recurring and non-recurring charges below will | apply a | nd the | Switch-As-Is Charg | ge will not app | oly for EELs pr | ovisioned as ' (| Ordinarily Con | nbined' Networ | k Elements. | | | | | | |
| NOT | E: The monthly recurring and the Switch-As-Is Charge and not t | he non | recurr | ing charges below | | | | | | | | | | | | |
| | E: Minimum billing is one month for DS1 and below and three n | | | | . | | ļ | | | | | | | | ļ | ļ |
| 2-WI | RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | + | | | | | | | | | | | |
| | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 | | 4 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | 1 | + | UNCVA | UEALZ | 10.00 | 100.76 | 35.47 | 12.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Transport Combination - Zone 2 | 1 | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | 1 | | 1 | 1 | | 1 | | 1.2.31 | | | | | 00 | 2.30 | 13.31 |
| | Transport Combination - Zone 3 | <u>L</u> | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | 1 | | | | | | | | | | | | |
| 1 | per month | 1 | <u> </u> | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | | | | 1 | | | 1 | | 1 | | | | | | I | 1 |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | _ | 1 | 1 | | | | | | 1_ | | | ment: 2 | | bit: B |
|----------|--|-------------|----------|-----------------|--------|--------|--------------|------------|--------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | • | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | <u> </u> | OI COVX | OLYKLE | 10.00 | 100.70 | 00.41 | 72.54 | 10.00 | | | 20.00 | 21.00 | 0.00 | 10.0 |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | Ť | | | | | | 72.01 | 10.00 | | | 20.00 | 21100 | 0.00 | 10.0 |
| | per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-WIR | E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | 0.4.70 | 400 =0 | | | 40.00 | | | | | | 40.5 |
| | Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCVA | UEAL4 | 42.10 | 100.70 | 33.47 | 72.94 | 10.00 | | | 20.33 | 21.09 | 9.00 | 10.54 |
| | Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Channelization - Channel System DS1 to DS0 combination Per | | | 0.10.77 | | | | | | 00.00 | | | 20.00 | 21100 | 0.00 | 10.0 |
| | Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1 | | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| 4 WID | Is Charge E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTER | EEICE | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-99151 | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | INTERC | JEFICE | TRANSPORT (EEL) | ' | | | | 1 | | | | | | 1 | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | UNCDA | UDLS6 | 40.61 | 100.76 | 33.47 | 72.94 | 10.66 | | | 20.33 | 21.09 | 9.00 | 10.54 |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility | | | UNCIX | ILJAA | 0.3302 | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | 2.01 | | | | | | | |
| | month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | <u> </u> | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 |] |] | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | - | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| l l | OCU-DP COCI (data) - DS1 to DS0 Channel System - | | | | | | | | | | | | | | | |

Version 4Q02: 12/18/02 Page 371 of 416

| UNDUNDLE | D NETWORK ELEMENTS - Tennessee | | | • | | | | | | | • | | | ment: 2 | | bit: B |
|--------------------|--|-------------|--------|-----------------|---------|---------------------------------------|--------------|---------------------------------------|--------------|---------------------------------------|-------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | ==== | | | | | | | | | |
| 4 14/15 | Is Charge E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | NITED | SECIOE | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| 4-WIR | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | INTERC | JFFICE | TRANSPORT (EEL, |) | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | ONODA | ODLO | 31.10 | 100.70 | 33.47 | 72.34 | 10.00 | | | 20.55 | 21.03 | 9.00 | 10.5 |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | = | | 4=4.04 | | | | | | | | | |
| -+ | Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | UNCIX | IVIQ1 | 00.77 | 105.76 | 14.40 | 3.04 | 2.14 | | | 20.35 | 21.09 | 9.60 | 10.54 |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | 0.105/1 | .5.55 | 0.01 | 0.70 | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | LINIOAV | 1111000 | | 50.70 | 24.62 | 0.40 | 0.40 | | | 20.35 | 21.09 | 9.80 | 40.5 |
| 4-WID | IS Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE | DOEEI | CE TD | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-111 | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | KOFFI | L | HINDFORT (EEE) | | | | | | | | | | | 1 | |
| | Transport - Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport - Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 40.5 |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | - | UNCIX | UTIFT | 77.80 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Is Charge | | | LINC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-WIR | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE | ROFFI | CE TR | ANSPORT (EEL) | 011000 | | 02.70 | 24.02 | 0.12 | 0.12 | | | 20.00 | 21.00 | 0.00 | 10.0 |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 1 | | | | | | | | | | | | İ | |
| | 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | | | | | | | | | | | | | |
| | 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | | | | | | | | | | | | | |
| | 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | LINIOOV | 41.5007 | 0.04 | | | | | | | | | | |
| $\!\!\!+\!\!\!\!-$ | Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per | | 1 | UNC3X | 1L5XX | 2.34 | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 854.97 | 482.01 | 153.81 | 64.43 | 35.43 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| - | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.33 | 21.09 | 9.00 | 10.34 |
| -+ | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | 17.12 | 0.77 | | | | 1 | † | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | İ | | 30 | 20 | | | | | | | Ì | 1 | |
| | Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | |] | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | | 1 | | |
| | Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |

Version 4Q02: 12/18/02 Page 372 of 416

| DURONDE | LED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | Exhi | bit: B |
|-----------------------|---|-------------|----------|----------------|---------|--------|--------------|------------|--------------|-------|---|-------|--|---|---|-------------------------------------|
| CATEGORY | r RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge Manual S Order vs Electronic |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As Is Charge | - | | UNC3X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| 2-W | INCOME OF THE PROPERTY OF THE | TEROFE | ICE TE | | UNCCC | | 32.73 | 24.02 | 9.12 | 5.12 | | | 20.33 | 21.09 | 9.00 | 10. |
| - - · · · | 2-WireVG Loop used with 2-wire VG Interoffice Transport | 1 | <u> </u> | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10. |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10. |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10. |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per | | | LINGVA | 41.577 | 0.0174 | | | | | | | | | | |
| | Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade | | <u> </u> | UNCVX | 1L5XX | 0.0174 | | | | | | | | | | - |
| | combination - Facility Termination per month | | | UNCVX | U1TV2 | 21.79 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10. |
| | Nonrecurring Currently Combined Network Elements Switch -As | - | | ONOVA | 011172 | 21.70 | 70.00 | 11.00 | 00.02 | 01.00 | | | 20.00 | 21.00 | 0.00 | 10. |
| | Is Charge | | | UNCVX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10 |
| 4-W | IRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN | TEROFF | ICE TE | RANSPORT (EEL) | | | | | | | | | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10 |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10 |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | 3 | UNCVX | 115414 | 40.40 | 400.70 | 25.47 | 70.04 | 40.00 | | | 20.35 | 24.00 | 0.00 | 40 |
| | Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10. |
| | Mile Per Month | | | UNCVX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade | 1 | | ONOVA | TEOAX | 0.0174 | | | | | | | | | | |
| | combination - Facility Termination per month | | | UNCVX | U1TV4 | 27.30 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10 |
| | Nonrecurring Currently Combined Network Elements Switch -As | - | | | | | | | | | | | | | | |
| | Is Charge | | | UNCVX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10 |
| DS3 | B DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | CE TRA | NSPOR | T (EEL) | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Per | | | | | | | | | | | | | | | |
| | Mile per month | | | UNC3X | 1L5ND | 9.19 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | | | UNC3X | UE3PX | 373.47 | 240.23 | 180.87 | 106.78 | 45.24 | | | 20.35 | 21.09 | 9.80 | 10 |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 2.34 | 240.23 | 100.07 | 100.78 | 45.24 | | | 20.33 | 21.09 | 9.00 | 10 |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | UNUOX | TESAX | 2.04 | | | | | | | | | | |
| | Termination per per month | | | UNC3X | U1TF3 | 854.97 | 482.01 | 153.81 | 64.43 | 35.43 | | | 20.35 | 21.09 | 9.80 | 10 |
| | Nonrecurring Currently Combined Network Elements Switch -As | - | | | | | | | | | | | | | | |
| | Is Charge | | | UNC3X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10 |
| STS | S1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE TF | RANSP | ORT (EEL) | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - Per | | | LINGOV | 41.51/5 | - · · | | | | | | | | | | |
| | Mile per month | <u> </u> | | UNCSX | 1L5ND | 9.19 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - | | | UNCSX | UDLS1 | 394.56 | 240.23 | 180.87 | 106.78 | 45.24 | | | 20.35 | 21.09 | 9.80 | 10 |
| | Facility Termination per month Interoffice Transport - Dedicated - STS1 combination - Per Mile | 1 | | UNCOA | UDLST | 394.56 | 240.23 | 100.07 | 100.76 | 45.24 | | | 20.33 | 21.09 | 9.60 | 10. |
| | per month | | | UNCSX | 1L5XX | 2.34 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | 1 | | | | 2.54 | | | | | | | | | Ì | 1 |
| | Termination per month | | | UNCSX | U1TFS | 849.30 | 482.01 | 153.81 | 64.43 | 35.43 | | | 20.35 | 21.09 | 9.80 | 10 |
| | Nonrecurring Currently Combined Network Elements Switch -As | - | | | | | | | | | | | | | | |
| | Is Charge | | | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10 |
| 2-W | IRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPO | RT (EEL | .) | | | | | | | | | | | | | 1 |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | 1 | | LINIONIY | LIALOV | 20.00 | 400.70 | 25 47 | 70.04 | 40.00 | | | 20.05 | 04.00 | 0.00 | 1. |
| | Transport - Zone 1 | 1 | 1 | UNCNX | U1L2X | 22.22 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10 |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | 1 | 2 | UNCNX | U1L2X | 29.02 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10 |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | + | +- | ONONA | UILZA | 29.02 | 100.76 | 33.47 | 12.94 | 10.00 | | | 20.35 | 21.09 | 9.80 | 10 |
| | Transport - Zone 3 | 1 | 3 | UNCNX | U1L2X | 37.95 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10. |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | 1 | Ť | UNC1X | 1L5XX | 0.3562 | | 55.77 | . 2.04 | .0.50 | | | 20.00 | 250 | 5.50 | 1 |

Version 4Q02: 12/18/02 Page 373 of 416

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachr | nent: 2 | Exhi | bit: B |
|----------|--|-------------|--------|----------------|---------|--------|--------------|------------|--------------|-------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | Interoffice Transport - Dedicated - DS1 combintion - Facility | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Termination per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Channelization - Channel System DS1 to DS0 combination - | | | LINIOAV | 1101 | 00.77 | 105.70 | 44.40 | 0.04 | 0.74 | | | 00.05 | 04.00 | 0.00 | 40.54 |
| | per month 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | combination - per month | | | UNCNX | UC1CA | 3.24 | 5.70 | 4.42 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | 400 =0 | | | 10.00 | | | | 24.00 | | |
| | Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | 1 | UNCNX | U1L2X | 22.22 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 29.02 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | 3 | UNCNX | U1L2X | 37.95 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | combintaion- per month | | | UNCNX | UC1CA | 3.24 | 5.70 | 4.42 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| 4-WID | Is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEDOE | ICE T | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-9918 | First DS1 Loop in STS1 Interoffice Transport Combination - | LEKOF | TICE I | KANSPORT (EEL) | - | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | 24.00 | | |
| | Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination - | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month Interoffice Transport - Dedicated - STS1 combination - Facility | | | UNCSX | 1L5XX | 2.34 | | | | | | | | | | |
| | Termination | | | UNCSX | U1TFS | 849.30 | 482.01 | 153.81 | 64.43 | 35.43 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | UNCIA | USLAA | 75.40 | 220.40 | 101.74 | 19.01 | 24.00 | | | 20.35 | 21.09 | 9.60 | 10.54 |
| | Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-WIR | E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | FFICE T | RANS | | UNCCC | | 52.73 | 24.02 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.60 | 10.54 |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | (===) | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | UNCDA | UDLS6 | 40.61 | 100.76 | 35.47 | 72.94 | 10.00 | | | 20.33 | 21.09 | 9.00 | 10.54 |
| | Combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | LINODY | 41.5007 | | | | | | | | | | | |
| | Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Facility Termination | | | UNCDX | U1TD5 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| 4 14/15 | Is Charge | | DANG | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-WIR | E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | rrice T | KANS | PUKI (EEL) | 1 | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | T . | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |

Version 4Q02: 12/18/02 Page 374 of 416

| UNBUN | υLΕ | D NETWORK ELEMENTS - Tennessee | | | ı | 1 | T | | | | | | _ | | ment: 2 | | bit: B |
|----------|----------|--|-------------|----------|-----------------------|----------------|------------------|------------------|------------------|--|--------|---|---|--|--|---|--|
| CATEGOI | RY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | | Per Mile | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | UNCDX | U1TD6 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDA | 01106 | 21.19 | 79.03 | 44.00 | 09.32 | 31.00 | | | 20.33 | 21.09 | 9.60 | 10.54 |
| | | Is Charge | | | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| ADDITION | NAL N | IETWORK ELEMENTS | | 1 | ONOBA | 011000 | | 02.70 | 24.02 | 0.12 | 0.12 | | | 20.00 | 21.00 | 0.00 | 10.0 |
| | | used as a part of a currently combined facility, the non-recurr | ng chai | rges de | not apply, but a Sv | vitch As Is c | harge does ap | ply. | | | | | | | | 1 | 1 |
| | | used as ordinarily combined network elements in All States, th | | | | | | | | | | | | | | | |
| | | curring Currently Combined Network Elements "Switch As Is" | | | | | | | | | | | | | | | 1 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | _ | | |
| | | Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | _ | Nonrecurring Currently Combined Network Elements Switch -As- | | | | |] | | | 1 7 | | |] | | | | |
| | | ls Charge - 56/64 kbps | | | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | LINGAY | LINGGO | | 50.70 | 04.00 | 0.40 | 0.40 | | | 00.6= | 04.00 | 0.00 | 10- |
| - | | Is Charge - DS1 Nonrecurring Currently Combined Network Elements Switch -As- | | 1 | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | | Is Charge - DS3 | | | UNC3X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNUSA | UNCCC | | 32.73 | 24.02 | 9.12 | 9.12 | | | 20.33 | 21.09 | 9.00 | 10.5 |
| | | Is Charge - STS1 | | | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| N | OTF: | Local Channel - Dedicated Transport - minimum billing period | l - Belo | w DS3 | | | r months | 02.70 | 24.02 | 0.12 | 0.12 | | | 20.00 | 21.00 | 0.00 | 10.0 |
| | <u> </u> | Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 | | | UNCVX | ULDV2 | 17.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Zone 2 | | 2 | UNCVX | ULDV2 | 22.44 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Zone 3 | | 3 | UNCVX | ULDV2 | 29.34 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | | Local Channel - Dedicated - 4-Wire Voice Grade Zone 1 | | 1 | UNCVX | ULDV4 | 18.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | | Local Channel - Dedicated - 4-Wire Voice Grade Zone 2 | | 2 | UNCVX | ULDV4 | 23.74 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade Zone 3 | | 3 | UNCVX | ULDV4 | 31.05 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | |
| | | Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNC1X | ULDF1 | 36.24 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | | |
| | | Local Channel - Dedicated -DS1 Per Month Zone 2 | | 2 | UNC1X | ULDF1 | 47.33 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | | Local Channel - Dedicated - DS1- Per Month Zone 3 | | 3 | UNC1X | ULDF1 1L5NC | 61.89 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | | Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination | | | UNC3X UNC3X | ULDF3 | 7.15 611.30 | 595.37 | 304.50 | 215.82 | 151.15 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | | Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 7.15 | 595.57 | 304.50 | 215.02 | 151.15 | | | 20.33 | 21.09 | 9.60 | 10.5 |
| | | Local Channel - Dedicated - STS-1 - Fer Mile per month Local Channel - Dedicated - STS-1 - Facility Termination | | | UNCSX | ULDFS | 599.59 | 588.07 | 297.20 | 215.82 | 151.15 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| м | UI TII | PLEXERS | | 1 | ONCOX | OLDI O | 000.00 | 000.07 | 201.20 | 210.02 | 101.10 | | | 20.00 | 21.00 | 0.00 | 10.0 |
| | | minimum billing period is one month for DS1 to DS0 Channel | Systen | n and i | nterfaces | | | | | | | | | | | | |
| | | minimum billing period is three months for DS3 to DS1 and al | | | | es | | | | | | | | | | | 1 |
| | | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 80.77 | 141.67 | 77.11 | 14.51 | 13.46 | | | 20.35 | 9.80 | 11.49 | 1.1 |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | | month (2.4-64kbs) | | | UDL | 1D1DD | 1.82 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.1 |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | | month | | | UDN | UC1CA | 3.10 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.1 |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month DS3 to DS1 Channel System per month | | | UEA UXTD3 | 1D1VG MQ3 | 0.91 | 6.07 | 4.66 | 44.47 | 42.62 | | | 20.35 | 9.80 | 11.49 | |
| | | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 222.98 222.98 | 308.03 308.03 | 108.47 108.47 | 44.47 44.47 | 42.62 | | | 20.35 20.35 | 9.80 21.09 | 11.49 9.80 | |
| | | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 17.58 | 6.07 | 4.66 | 44.47 | 42.02 | | | 20.35 | 9.80 | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | 002 | COIDI | 17.00 | 0.07 | 4.00 | | | | | 20.00 | 5.00 | 11.40 | |
| | | month | | | ULDD1 | UC1D1 | | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.1 |
| Si | ub-Lo | oop Feeder | | | - | | | | | | | | | | | | 1 |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | | sw | UNC1X | USBFG | <u> </u> | | | | | | | İ | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | UNC1X | USBFG | 39.74 | 116.00 | 40.62 | 106.82 | 18.91 | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | UNC1X | USBFG | 51.90 | 116.00 | 40.62 | 106.82 | 18.91 | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | UNC1X | USBFG | 67.86 | 116.00 | 40.62 | 106.82 | 18.91 | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4 | | 4 | UNC1X | USBFG | | ļ | | ļ | | | | | | | |
| | | OCAL EXCHANGE SWITCHING(PORTS) | | <u> </u> | | | 1 | | | | | | | | 1 | 1 | |
| | | nge Ports Although the Port Rate includes all available features in GA, F | (V I A | 9 TNI 4 | ha desired feetures : | vill nood to ! | o ordored | na rotail LISCO | | | | | | - | | | |
| | | EVOICE GRADE LINE PORT RATES (RES) | ∖ĭ, LA ∈ | ox IIN,t | ne desired reatures \ | viii need to t | Je oraerea USI | ng retail 050Cs | • | | | | | | | - | |
| 2- | | Exchange Ports - 2-Wire Analog Line Port- Res. | | 1 | UEPSR | UEPRL | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | 1 | 20.35 | 10.54 | 13.32 | 1.4 |

Version 4Q02: 12/18/02 Page 375 of 416

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | Ι - | T - | | ment: 2 | | bit: B |
|----------|---|-------------|------|----------------|--------|--------------|--------------|--------------|-------|------------|-------|---|---|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | | Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAQ | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus with Caller ID - Res (AC7) | | | UEPSR | UEPAH | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (F2R) | | | UEPSR | UEPAK | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACER) | | | UEPSR | UEPAL | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACSR) | | | UEPSR | UEPAM | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (1MF2X) | | | UEPSR | UEPAN | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR) | | | UEPSR | UEPAO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | UEPSR | UEPAP | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan without Caller ID | | | UEPSR | UEPWN | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Port - 2-Wire VG Tennessee Residence Area Plus without Caller ID | | | UEPSR | UEPRR | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability | | | UEPSR | UEPRT | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | 0.00 | 2.02 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| FEAT | JRES All Available Vertical Features | | | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| 2-WIR | E VOICE GRADE LINE PORT RATES (BUS) | | | OLI OIX | OLI VI | 0.00 | 0.00 | 0.00 | | | | | 20.55 | 10.54 | 10.02 | 1.4 |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAV | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1) | | | UEPSB | UEPAC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2) | | | UEPSB | UEPAD | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port - Bus (B2F) | | | UEPSB | UEPAE | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville | | | | | | | | | | | | | | | |
| | & Memphis Local Calling Port Exchange Ports - 2-W VG unbundled TN, Business Line Inward, | | | UEPSB | UEPB2 | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Collierville & Memphis Local Calling Plan Exchange Ports - 2-Wire Voice Tennessee Business Dialing | | | UEPSB | UEPB3 | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Plan without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID | | | UEPSB | UEPWO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Capability Subsequent Activity | | - | UEPSB UEPSB | UEPBE | 1.89 0.00 | 9.93 0.00 | 9.19 0.00 | 3.66 | 2.92 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 1.40 |
| FEAT | URES | | | | | | | | | | | | | | | |
| EXCH | All Available Vertical Features ANGE PORT RATES (DID & PBX) | | | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| EXOI1 | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |

Version 4Q02: 12/18/02 Page 376 of 416

| ONRONDLE | D NETWORK ELEMENTS - Tennessee | | | | | 1 | | | | | 1 - | | | ment: 2 | | bit: B |
|----------|--|---------------|---------|-------------------|------------------|----------------|-----------------|---------------|-------------------|----------------|---|---|--|-------------------------------------|-------------------------------------|-----------------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Charge - Manual St Order vs |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic Disc Add |
| | | | | | | _ | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus | | | UEPSP | UEPT2 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire TN Outward Calling Plan PBX Trunk - Bus | | | UEPSP | UEPTO | 1.79 | | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port | | | UEPSP | UEPT2 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | | | | | | | | | | | | | | | |
| | Calling Port | | | UEPSP | UEPTO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPSP | UEPXE | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPSP | UEPXL | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Room Calling Port | | | UEPSP | UEPXM | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port TN Calling Port | | | UEPSP | UEPXN | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | Discount Room Calling Port | | | UEPSP | UEPXO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Unbundled Exchange Ports, PBX Trunk Combination, | | | | | | | | | | | | | | | |
| | Collierville and Memphis Local Calling Plan | | | UEPSP | UEPA6 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Unbundled Exchange Ports, PBX Trunk Combination, first trunk, | | | | | | | | | | | | | | | |
| | Collierville and Memphis Local Calling Plan | | | UEPSP | UEPA7 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling | | | | l | | | | | | | | | | | |
| | Port | | | UEPSP | UEPXU | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ | | | | | | | | | | | | | | | |
| | Calling Port | | | UEPSP | UEPXV | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| FEATU | | | | | | | 0.00 | | | | | | | | 40.00 | |
| | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| EXCH | ANGE PORT RATES (COIN) | | | | | 0.44 | 0.00 | 0.10 | 0.00 | 2 92 | | | 00.05 | 10.51 | 40.00 | 1.40 |
| NOTE | Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit sw | .:4 - | | !!! = == === += = | inacció accidado | 2.11 | 9.93 | 9.19 | 3.66 | 2.02 | -4 | ina ICDN n | 20.35 | 10.54 | 13.32 | 1.40 |
| | | | | | | | | | | | | | | - Danwart Dro | | |
| | Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS) | avanai | oie oni | y through BFR/New | Business Re | quest Process. | . Rates for the | раскет сараві | lities will be de | termined via t | ne Bona Fic | ie Request/ | New Busines | s Request Pro | cess. | |
| | ANGE PORT RATES | | | | | | | | | | | | | | | |
| EXCH | | | | UEPEX | UEPP2 | 9.07 | 47.75 | 47.01 | 9.21 | 0.47 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8.97 | 47.75 | 47.01 | 9.21 | 8.47 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | | | UEPDD | UEPDD | 35.74 | 75.93 | 38.15 | 8.77 | 8.04 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | capability | | | | U1PMA | 35.74 16.26 | 75.93 | 29.49 | 4.10 | 4.10 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| NOTE | Exchange Ports - 2-Wire ISDN Port (See Notes below.) Transmission/usage charges associated with POTS circuit sw | .:4 a la a al | | UEPTX UEPSX | | | | | | | | ina ICDNI n | | 10.54 | 13.32 | 1.40 |
| | Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | o Boguest Bra | | |
| NOTE: | Exchange Ports - 2-Wire ISDN Port Channel Profiles | avaiiai | Jie Oni | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | littes will be de | termined via t | lie Bolla Fic | ie Requesi/ | New Dusines | s Request Fit | l ess. | |
| | Exchange Ports - 2-Wire ISDN Port Charmer Profiles Exchange Ports - 4-Wire ISDN DS1 Port | | 1 | UEPEX | UEPEX | 75.04 | 148.66 | 147.18 | 38.46 | 36.98 | - | - | 20.35 | 10.54 | 13.32 | 1.40 |
| HIMDIII | NDLED PORT with REMOTE CALL FORWARDING CAPABILITY | | | OLPEA | UEPEA | 75.04 | 140.00 | 147.18 | 30.40 | 30.98 | 1 | | 20.35 | 10.54 | 13.32 | 1.40 |
| | NDLED REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | - | | 1 | | | | | | 1 | | | 1 | 1 | 1 |
| ONBU | Unbundled Remote Call Forwarding Service - Residence Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | 1 | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Chounted Nemote Can i orwarding Service, Area Cailing, Res | | | OLI VIX | JLIMO | 1.09 | 3.33 | 5.19 | 3.00 | 2.32 | 1 | | 20.35 | 10.34 | 13.32 | 1.40 |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | 1 | 20.35 | 10.54 | 13.32 | 1.40 |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERTE | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| ı | | | | | | | | 5.19 | 3.00 | | | | | | 10.02 | 1.40 |
| | Unbundled Remote Call Forwarding Service, IntelEATA - Res | | | UEPVR | UERTR | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |

Version 4Q02: 12/18/02 Page 377 of 416

| UNBUNDLED | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachi | nent: 2 | Exhi | bit: B |
|-----------|--|-------------|--------|---------------------|-------------|----------------|-----------------|------------|----------------|----------------|--------|---|--|------------|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | nbundled Remote Call Forwarding Service - Conversion - | | | | | | | | | | | | | | | |
| | witch-as-is | | | UEPVR | USAC2 | | 1.03 | 0.29 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Inbundled Remote Call Forwarding Service - Conversion with | | | UEPVR | USACC | | 1.03 | 0.29 | | | | | | | | |
| | llowed change (PIC and LPIC) LED REMOTE CALL FORWARDING - Bus | | | UEFVK | USACC | - | 1.03 | 0.29 | | | | | | | - | - |
| ONBOND | ELD KLINOTE CALL I OKWAKDING - Dus | | | | | | | | | | | | | | | |
| l lu | Inbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 3 · · · · · · · · · · · · · · · · · · · | | | | | | | | | - | | | | | | - |
| | nbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | nbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | nbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Inbundled Remote Call Forwarding Service Expanded and | | | LIEDVD | HED) () | | | | | | 1 | | | | | |
| | xception Local Calling | | | UEPVB | UERVJ | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| Non-Recu | Inbundled Remote Call Forwarding Service - Conversion - | <u> </u> | | - | + | - | - | | | | | | | | - | - |
| | witch-as-is | | | UEPVB | USAC2 | | 1.03 | 0.29 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | nbundled Remote Call Forwarding Service - Conversion with | | | OLI VD | UUAUZ | | 1.03 | 0.23 | | | | | 20.55 | 10.54 | 13.32 | 1.40 |
| | llowed change (PIC and LPIC) | | | UEPVB | USACC | | 1.03 | 0.29 | | | | | | | | |
| | CAL SWITCHING, PORT USAGE | | | 02. 15 | 00,100 | | 1.00 | 0.20 | | | | | | | | |
| End Offic | e Switching (Port Usage) | | | | | | | | | | | | | | | |
| | nd Office Switching Function, Per MOU | | | | | 0.0008041 | | | | | | | | | | |
| | Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | |
| | andem Switching Function Per MOU | | | | | 0.0009778 | | | | | | | | | | |
| | Transport | | | | | | | | | | | | | | | |
| | fommon Transport - Per Mile, Per MOU | | | | | 0.0000064 | | | | | | | | | | |
| | common Transport - Facilities Termination Per MOU | | | | | 0.0003871 | | | | | | | | | | |
| | RT/LOOP COMBINATIONS - COST BASED RATES ed Rates are applied where BellSouth is required by FCC ar | dor St | ato Co | mmission rulo to nr | ovido Unbun | dlad Lacal Swi | tohing or Swite | h Dorte | | | | | | | | |
| | shall apply to the Unbundled Port/Loop Combination - Cos | | | | | | | | d Port section | of this Rate F | yhihit | | | | | |
| | e and Tandem Switching Usage and Common Transport Us | | | | | | | | | | | n Port/Loon | Combination | is. | | |
| | and additional Port nonrecurring charges apply to Not Curr | | | | | | | | | | | | | | 1 | |
| | OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | J | | | • | | | | | |
| | /Loop Combination Rates | | | | | | | | | | | | | | | |
| | -Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.18 | | | | | | | | | | |
| | -Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.01 | | | | | | | | | | |
| | -Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 23.02 | | | | | | | | | | |
| UNE Loo | P Kates -Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 12.48 | | | | | | | | | - | |
| | -Wire Voice Grade Loop (SL1) - Zone 1 -Wire Voice Grade Loop (SL1) - Zone 2 | - | 2 | UEPRX | UEPLX | 12.48 | | | | | | | | | + | |
| | -Wire Voice Grade Loop (SL1) - Zone 2 | | 3 | UEPRX | UEPLX | 21.32 | | | | | | | | | | |
| | pice Grade Line Port Rates (Res) | | Ŭ | OLI TOX | OLI LX | 21.02 | | | | | | | | | | |
| | -Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | 1 | |
| 2- | -Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| 2- | -Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | -Wire voice Grade unbundled Tennessee extended local | | | | | | | | | | | | | | | |
| | ialing parity port with Caller ID - res | | | UEPRX | UEPAQ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | -Wire voice unbundled Tennessee Area Plus with Caller ID - | | | HEDDA | HEDALL | | 00.4. | 15.05 | 0.4- | 0.01 | 1 | 45.00 | | | | |
| | es (AC7) -Wire voice unbundled Tennessee Area Calling port with Caller | | | UEPRX | UEPAH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | - | |
| | 2 - vire voice unbundled Tennessee Area Calling port with Caller 2 - res (F2R) | l | | UEPRX | UEPAK | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | 1 | |
| | -Wire voice unbundled Tennessee Area Calling port with Caller | | | OLI NA | OLFAR | 1.70 | 22.14 | 13.23 | 0.45 | 3.91 | | 13.09 | | | | 1 |
| |) - res (TACER) | l | | UEPRX | UEPAL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | 1 | |
| | -Wire voice unbundled Tennessee Area Calling port with Caller | | | | | 0 | | .0.20 | 50 | 3.31 | | .0.00 | | | 1 | t |
| | O - res (TACSR) | | | UEPRX | UEPAM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 15.69 | | | | |
| 2. | -Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | | • | | 1 | • | • | | 4= 0= | | 3.91 | Ī | 15.69 | | ı | 1 | 1 |
| IC |) - res (1MF2X) | | | UEPRX | UEPAN | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| IE | O - res (1MF2X) -Wire voice unbundled Tennessee Area Calling port with Caller O - res (2MR) | | | UEPRX | UEPAO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |

Version 4Q02: 12/18/02 Page 378 of 416

| ONRONDL | LED NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | | | | nent: 2 | | bit: B |
|----------|--|-------------|--|--------------|---------|-------|--|------------|--|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| | (LUM) | | | UEPRX | UEPAP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled Tennessee Residence Dialing Plan without Caller ID | | | UEPRX | UEPWN | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Plus Port without | | | 02.101 | 02 | | | 10.20 | 0.10 | 0.01 | | 10.00 | | | | |
| | Caller ID Capability | | | UEPRX | UEPRR | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability | | | UEPRX | UEPRT | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| EEV. | TURES | | | UEPRX | UEPRI | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| FLA | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| LOC | CAL NUMBER PORTABILITY | | | OLITOR | OLI VI | 0.00 | 0.00 | 0.00 | | | | 10.00 | | | | |
| -30 | Local Number Portability (1 per port) | | t | UEPRX | LNPCX | 0.35 | | | † † | | | | | | 1 | |
| NON | NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | J/. | 0.00 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | 1 | | + | | | | | | | | | | - | |
| | Switch-as-is | | | UEPRX | USAC2 | | 1.03 | 0.29 | 1 | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | 02.101 | 00/102 | | | 0.20 | | | | 10.00 | | | | |
| | Switch with change | | | UEPRX | USACC | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 0.76 | | | | | 15.69 | | | | |
| ADD | DITIONAL NRCs | | | | - | | 0.76 | | - | | | 13.09 | | | - | - |
| ADD | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | + | | | | | | | | | | | |
| | Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| 2-WI | IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | ULFRA | U3A32 | 0.00 | 0.00 | 0.00 | | | | 13.09 | | | | |
| | E Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| - OILL | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.18 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.01 | 1 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 23.02 | | | | | | | | | | |
| UNF | E Loop Rates | | Ŭ | | + | 20.02 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 12.48 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 21.32 | | | | | | | | | | |
| 2-Wi | ire Voice Grade Line Port (Bus) | | | 02. 27. | 02. 2. | 21.02 | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice Grade unbundled Tennessee extended local | | | 02. BX | 02. 20 | | | 10.20 | 0.10 | 0.01 | | 10.00 | | | | |
| | dialing parity port with Caller ID - bus | | | UEPBX | UEPAV | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | | | | | | | | | | | | | | | |
| | Port Economy Option (TACC1) | | | UEPBX | UEPAC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | | | | | | | | | | | | | | | |
| | Port Standard Option (TACC2) | | | UEPBX | UEPAD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and | | | | | | | | | | | | | | | |
| | Memphis Local Calling Port (B2F) | | | UEPBX | UEPAE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled Tennessee Business Dialing Plan | | | l | I | | | | ı | | | | | | _ | |
| | without Caller ID | | <u> </u> | UEPBX | UEPWO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | Tennessee Inward Collierville and Memphis Local Calling Plan | | 1 | LIEDDY | LIEDES | | 00.4 | 15.55 | | 0.01 | | 45.00 | | | | |
| | (BUS) | | <u> </u> | UEPBX | UEPB2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | ! | |
| | Tennessee 2-Way Collierville and Memphis Local Calling Plan | | 1 | LIEDBY | LIEDDO | 4 70 | 00.44 | 45.05 | 0.45 | 2.04 | | 45.00 | | | | |
| | (BUS) 2-Wire voice unbundled Incoming Only Port without Caller ID | - | | UEPBX | UEPB3 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | Capability | | | UEPBX | UEPBE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | I | |
| LOC | CAL NUMBER PORTABILITY | - | | OLFDA | OLFBE | 1.70 | 22.14 | 15.25 | 0.40 | 3.91 | | 15.69 | | | | |
| 100 | Local Number Portability (1 per port) | | ! | UEPBX | LNPCX | 0.35 | | | 1 | | | | | | t | |
| EEV. | TURES | | † | 021 0/1 | 2111 5/ | 0.33 | | | | | | | | | t | |
| FEA | All Features Offered | | † | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | t | |
| NON | NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | † | OLI DA | OLI VI | 0.00 | 0.00 | 0.00 | | | | 13.08 | | | t | |
| - NON | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | † | | + - | | | | | | | | | | t | |
| 1 | Switch-as-is | | | UEPBX | USAC2 | | 1.03 | 0.29 | | | | 15.69 | | | | |

| ONRONDE | ED NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | T - | 1 - | | ment: 2 | | bit: B |
|---------------|--|--------------|--|-------|--------|-------|--|------------|--|------------|--|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Dee | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion | - | | | | | | | | | | | | | | 1 |
| | Switch with change | | | UEPBX | USACC | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion | - | | | | | | | | | | | | | | |
| | Subsequent Database Update | | | | | | 0.76 | | | | | 15.69 | | | | |
| ADD | ITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| 0.140 | Activity Report (REG. REY) | | | UEPBX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | 1 | 1 | | | 14.18 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | 1 | 2 | | | 18.01 | | | | | 1 | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | + | 3 | | + | 23.02 | 1 | | | | | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | + | 1 | UEPRG | UEPLX | 12.48 | 1 | | | | | | | | + | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | 1 | 2 | UEPRG | UEPLX | 16.31 | | | † | | | | | - | | † |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 21.32 | | | | | | | | 1 | | |
| 2-Wi | re Voice Grade Line Port Rates (RES - PBX) | 1 | Ť | | 32. 2. | 202 | | | | | | | | 1 | | † |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | | |
| | Res | | | UEPRG | UEPRD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | |
| FEA | TURES | | | | | | | | | | | | | | | 1 |
| | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch with Change | | | UEPRG | USACC | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion | - | | | | | | | | | | | | | | |
| | Subsequent Database Update | 1 | | | | | 0.76 | | | | | 15.69 | | | | |
| ADD | ITIONAL NRCs | 1 | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 45.00 | | | | |
| | Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt | 1 | | UEPRG | USA52 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Group | | | | | | 14.64 | 14.64 | | | | 15.69 | | | | |
| 2-WI | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | 1 | | | | | 14.04 | 17.07 | | | 1 | 13.03 | | | | 1 |
| | Port/Loop Combination Rates | | | | | | | | | | | | | | | + |
| OITE | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.18 | | | | | | | | | | 1 |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.01 | | | | | | | | | | 1 |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 23.02 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 16.31 | | | | | | | | | | ĺ |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 21.32 | | | | | | | | | | |
| 2-Wi | re Voice Grade Line Port Rates (BUS - PBX) | | | | | | | <u> </u> | | | | | | | | |
| | | | | | | · | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | ļ | <u> </u> | UEPPX | UEPPC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | ļ | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | ļ | <u> </u> | UEPPX | UEPPO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | ļ | 15.69 | | | ļ | <u> </u> |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | ļ | <u> </u> | UEPPX | UEPP1 | 1.70 | | 15.25 | 8.45 | 3.91 | | 15.69 | | 1 | 1 | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | <u> </u> | UEPPX | UEPLD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 15.69 | | 1 | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port | | | UEPPX | UEPT2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | 1 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | | | UEFFA | UEFIZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | } | 15.09 | | + | | |
| | Calling Port | | | UEPPX | UEPTO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | 1 | | |
| - H | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | 1 | | UEPPX | UEPXA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | 1 | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | + | | UEPPX | UEPXB | 1.70 | | 15.25 | | 3.91 | | 15.69 | | t | 1 | - |
| -+ | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | 1 | | UEPPX | UEPXC | 1.70 | | 15.25 | 8.45 | 3.91 | | 15.69 | | - | 1 | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | 1 | <u> </u> | UEPPX | UEPXD | 1.70 | | 15.25 | 8.45 | 3.91 | | 15.69 | | 1 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | 1 | t | | | 0 | | .0.20 | 5. 70 | 5.51 | | .0.00 | | t | | t |
| | Capable Port | 1 | | UEPPX | UEPXE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | I | 15.69 | | 1 | | |

Version 4Q02: 12/18/02 Page 380 of 416

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | T | <u> </u> | | | | | | Ι- | T - | | ment: 2 | | bit: B |
|----------|---|--|----------|---------|----------------|-------|--|------------|--|-------|--|-----------|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port | | | UEPPX | UEPXN | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | OLITA | OLI XIV | 1.70 | 22.14 | 10.20 | 0.40 | 3.91 | | 10.00 | | | | |
| | Discount Room Calling Port | | | UEPPX | UEPXO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling | | | | | | | | | | | | | | | |
| | Port | | | UEPPX | UEPXU | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Callling Port | | | UEPPX | UEPXV | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | Tennessee PBX 2-Way Combo Each Additional Trunk Collierville and Memphis Local Calling Plan | | | UEPPX | UEPA6 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | 1 |
| | Tennessee PBX 2-Way Combo First Trunk Collierville and Memphis Local Calling Plan | | | UEPPX | UEPA7 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| LOCAI | NUMBER PORTABILITY | | | OLI I A | JLI AI | 1.70 | 22.14 | 10.20 | 0.40 | 3.91 | | 15.09 | | | | |
| 200712 | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | |
| FEATU | | | | | | | | | İ | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch with Change | | | UEPPX | USACC | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | 4= 00 | | | | |
| ADDIT | Subsequent Database Update | | | | + | | 0.76 | | 1 | | | 15.69 | | | | |
| ADDITI | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | <u> </u> | | + | | | | | | | | | | | |
| | Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | OLITA | 00/102 | 0.00 | 0.00 | 0.00 | | | | 10.03 | | | | |
| | Group | | | | | | 14.64 | 14.64 | | | | 15.69 | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 14.18 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 18.01 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 23.02 | | | | | | | | | | |
| UNE L | oop Rates | ļ | <u> </u> | LIEDOO | LIEDLY | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | ! | 1 | UEPCO | UEPLX | 12.48 | | | _ | | | | | ļ | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX UEPLX | 16.31 | | | | | | | ļ | | ļ | |
| 2-14/: | 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Ports (COIN) | | 3 | UEPCO | UEPLX | 21.32 | | | | - | - | | - | - | - | |
| Z-wile | 2-Wire Coin 2-Way without Operator Screening and without | 1 | - | | + + | | | | | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Blocking (TN) | | | UEPCO | UEPTB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN) | | | UEPCO | UEPRP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | 1 |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | 1 | | | | | | | | | | | | | |
| | (TN) 2-Wire Coin 2-Way with Operator Screening: 900 Blocking: | | | UEPCO | UEPTA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | <u> </u> |
| | 900/976, 1+DDD, 011+, and Local (NC, TN) 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | UEPCO | UEPCA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | (TN) | | | UEPCO | UEPTC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (TN) | | | UEPCO | UEPOT | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | 1 |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.88 | | | | | | 15.69 | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCR | 1.88 | | | | | | 15.69 | | | | 1 |
| ADDIT | IONAL UNE COIN PORT/LOOP (RC) | 1 | | | | 50 | | | <u> </u> | | | | 1 | | 1 | |
| · | UNE Coin Port/Loop Combo Usage (Flat Rate) | 1 | <u> </u> | UEPCO | URECU | 3.45 | 0.00 | 0.00 | 0.00 | 0.00 | l | 15.69 | 1 | | 1 | |

| NRONDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | T - | | ment: 2 | | bit: B |
|---------|--|--|-------|----------|----------|--------|--|------------|--|------------|---|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | 1 | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPCO | USAC2 | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch with change | | | UEPCO | USACC | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | <u> </u> | | UEPCO | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | ORI (| RES) | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 18.45 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 2 | | | 23.52 | | | | | 1 | | | | | 1 |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | <u> </u> | + | 30.17 | | | | | | | | | + | |
| UNF | Loop Rates | 1 | | <u> </u> | + | 30.17 | | | | | | | | | <u> </u> | 1 |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | 1 | 1 | UEPFR | UECF2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 21.63 | i i | | i i | | | | İ | İ | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 28.28 | | | | | | | <u> </u> | | <u> </u> | |
| 2-Wi | re Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - res | | | UEPFR | UEPAQ | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Plus with Caller ID - | | | | | | | | | | | | | | | |
| | res (AC7) | | | UEPFR | UEPAH | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) | | | UEPFR | UEPAK | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | ID - res (TACER) | | | UEPFR | UEPAL | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | ID - res (TACSR) | | | UEPFR | UEPAM | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X) | | | UEPFR | UEPAN | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | ID - res (2MR) | | | UEPFR | UEPAO | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPFR | UEPAP | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled Tennessee Residence Dialing Plan | 1 | | | 02.74 | 1.00 | 04.00 | 07.00 | 02.00 | 20.00 | | 10.00 | | | 1 | |
| | without Caller ID | 1 | | UEPFR | UEPWN | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | İ |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFR | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | 1 | | I | 1 | | | | | | | | | | | |
| | or Fraction Mile | ļ | | UEPFR | 1L5XX | 0.0174 | | | | | | | | | | |
| FEAT | TURES | ļ | | HEDED | LIED) (E | 2.00 | 0.00 | 2.00 | | | | 45.00 | | | 1 | |
| 1.00 | All Features Offered AL NUMBER PORTABILITY | | | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | - | 15.69 | | | 1 | 1 |
| LUC | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | - | - | 1 | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | S=111X | LITION | 0.33 | | | | | | | | | 1 | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | l | | UEPFR | USAC2 | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-With-Change | L | | UEPFR | USACC | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE F | ORT (| BUS) | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | ļ | 1 | | | 18.45 | | | | | | | | | | ļ |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | <u> </u> | 2 | | | 23.52 | | | | | | | ļ | | ļ | <u> </u> |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | ! | 3 | | 1 | 30.17 | | | | | | | ļ | | ļ | |
| UNE | Loop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 16.56 | | | | | <u> </u> | | | | ļ | <u> </u> |

Version 4Q02: 12/18/02 Page 382 of 416

| ONBONDLI | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|--|--|--|----------------|---------|--------------|------------------|----------------|----------------|----------------|----------|----------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | - | | Nonrecurring | | Nonrecurring | Disconnect | | l . | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 21.63 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 28.28 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | ĺ |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice Grade unbundled Tennessee extended local | | | | | | | | | | | | | | | |
| | dialing parity port with Caller ID - bus | | | UEPFB | UEPAV | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | | | | | | | | | | | | | | | |
| | Port Economy Option (TACC1) | | | UEPFB | UEPAC | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | | | | | | | | | | | | | | | |
| | Port Standard Option (TACC2) | | | UEPFB | UEPAD | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and | | | | | | | | | | | 4= 00 | | | | |
| | Memphis Local Calling Port (B2F) | | | UEPFB | UEPAE | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | 4 |
| | 2-Wire Voice Unbundled Tennessee Business Dialing Plan | | | LIEDED | LIEDWO | 4.00 | 04.00 | F7.00 | 00.00 | 00.50 | | 45.00 | | | | |
| | without Caller ID | | | UEPFB | UEPWO | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | Tennessee Inward Collierville and Memphis Local Calling Plan (BUS) | | | UEPFB | UEPB2 | 1.89 | 04.00 | F7 00 | 22.20 | 20.50 | | 45.00 | | | | |
| | | | | UEPFB | UEPB2 | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | Tennessee 2-Way Collierville and Memphis Local Calling Plan (BUS) | | | LIEDED | UEPB3 | 1.89 | 84.99 | E7 20 | 32.36 | 20.56 | | 15.60 | | | | |
| 1.004 | AL NUMBER PORTABILITY | | | UEPFB | UEPB3 | 1.89 | 84.99 | 57.39 | 32.30 | 20.56 | | 15.69 | | | | |
| LUCA | Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | | | | | | | | |
| INTE | ROFFICE TRANSPORT | | | OLITB | LIVI OX | 0.00 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | 1 | | + | | | | | | | | | | | + |
| | Termination | | | UEPFB | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| - | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | OLI I B | OTTVE | 10.00 | 00.00 | 17.07 | 27.00 | 0.01 | | | | | | 1 |
| | or Fraction Mile | | | UEPFB | 1L5XX | 0.0174 | | | | | | | | | | |
| FFAT | URES | | | 02.15 | 120/01 | 0.0171 | | | | | | | | - | | + |
| | All Features Offered | | | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| NONE | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change | | | UEPFB | USACC | | 16.94 | 3.72 | | | | 15.69 | | | | |
| 2-WIF | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | 1 |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 18.45 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 23.52 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 30.17 | | | | | | | | | | |
| UNE I | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 28.28 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | 1 | 1 | | | | | | 40 | | | | | I | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | ļ | | UEPFP | UEPPC | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | ļ | <u> </u> |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | ! | | UEPFP | UEPPO | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | - | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | ! | | UEPFP | UEPP1 | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | - | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | 1 | - | UEPFP | UEPLD | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | 1 | | ├ |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee | 1 | | LIEDED | LIEDTO | 4 70 | 400.40 | 00.00 | 40.07 | 10.51 | | 45.00 | | 1 | | |
| | Calling Port | ! | ļ | UEPFP | UEPT2 | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | - | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | 1 | | LIEDED | UEPTO | 4 70 | 400 40 | 00.00 | 40.07 | 40.54 | | 45.00 | | 1 | | |
| | Calling Port | | 1 | UEPFP UEPFP | UEPXA | 1.79 1.79 | 106.40 106.40 | 63.08 63.08 | 42.67 42.67 | 18.54 18.54 | | 15.69 15.69 | | | | ├ |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXA | 1.79 | 106.40 | 63.08 | 42.67 42.67 | 18.54 18.54 | | 15.69 15.69 | | | 1 | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXB | 1.79 | 106.40 | 63.08 | 42.67 42.67 | 18.54 | | 15.69 | | | 1 | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | 1 | 1 | UEPFP | UEPXC | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | - | | |

| <u> </u> | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachi | ment: 2 | Exhi | ibit: B |
|----------|---|-------------|------|----------------|------------|--------|--------------|------------|--------------|------------|-------|---|--|------------|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - |
| | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | | | Rates (\$) | Disc 1st | Disc Add I |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | 101 | ,,,,,, | | 7144 | | | 00 | | | |
| | Capable Port | | | UEPFP | UEPXE | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPFP | UEPXL | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPFP | UEPXM | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy | | | UEPFP | UEPAIVI | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | + |
| | Administrative Calling Port TN Calling Port | | | UEPFP | UEPXN | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | 1 |
| | Discount Room Calling Port | | | UEPFP | UEPXO | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | 1 |
| | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling | | | | | | | | | | | 4= 6- | | | | |
| | Port Port | | | UEPFP | UEPXU | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Callling Port | | | UEPFP | UEPXV | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| LOCA | L NUMBER PORTABILITY | | | UEFFF | UEPAV | 1.79 | 106.40 | 63.06 | 42.07 | 10.04 | | 15.09 | | | | + |
| LOUA | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | + |
| INTER | ROFFICE TRANSPORT | | | | | | | | | | | | | | | + |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | 1 |
| | Termination | | | UEPFP | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFP | 1L5XX | 0.0174 | | | | | | | | | | |
| FEAT | All Features Offered | | | UEPFP | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | + |
| NONE | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | UEFFF | UEFVF | 0.00 | 0.00 | 0.00 | | | | 15.09 | | | | + |
| 1101111 | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | 1 |
| | Combination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | 1 |
| | Combination - Conversion - Switch with change | | | UEPFP | USACC | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates | PORT | | | | | | | | | | | | | | + |
| UNE F | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 18.38 | | | | | | | | | | + |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 19.87 | | | | | | | | | | + |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | 24.78 | | | | | | | | | | † |
| UNE L | oop Rates | | | | | | | | | | | | | | | 1 |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 9.60 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 11.09 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 16.00 | | | | | | | | | | |
| UNE | Port Rate Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 8.78 | 45.44 | 29.94 | 8,45 | 3.91 | | | 30.89 | 7.03 | | + |
| NONR | RECURRING CHARGES - CURRENTLY COMBINED | | | OLFFX | OLFDI | 0.76 | 43.44 | 29.94 | 0.43 | 3.91 | | | 30.09 | 7.03 | | + |
| 110 | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | | | | | | | | | | | 1 |
| | Switch-as-is | | | UEPPX | USAC1 | | 8.76 | 5.75 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | |
| | with BellSouth Allowable Changes | | | UEPPX | USA1C | | 8.76 | 5.75 | | | | | 30.89 | 7.03 | | |
| Telep | hone Number/Trunk Group Establisment Charges | | | LIEBBY | LID.T | | 2.22 | | | | | | | | | |
| _ | DID Trunk Termination (One Per Port) Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX UEPPX | NDT ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | - | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | İ | İ | † |
| LOCA | L NUMBER PORTABILITY | | | - | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | - | | | | | | |
| | E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII | NE SIDE | PORT | Γ | | | | | | | | | | ļ | ļ | |
| UNE F | Port/Loop Combination Rates 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | - | 1 | 1 | | | | | | | | | 1 | 1 | + |
| | | | 1 | | | | | | 1 | i e | | | | • | | |

Version 4Q02: 12/18/02 Page 384 of 416

| UNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|--|----------|--------|----------|--------|--------------|------------|--|------------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | В | cs | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment: Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 34.78 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 44.32 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 16.20 | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 18.71 | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 28.25 | | | | | | | | | | |
| UNE | Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 16.07 | 141.75 | 118.37 | 49.20 | 43.26 | | | 19.99 | 19.99 | | |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | | <u> </u> | ļ | | 1 | | | | ļ | | ļ | | | | ļ | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | LIEDDE | HEDDE | LICACD | 0.00 | 447.00 | 447.00 | | | | | 40.00 | 40.00 | 1 | |
| 455 | Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 117.23 | 117.23 | | | | | 19.99 | 19.99 | 1 | |
| ADDI | TIONAL NRCs 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Activy | | | | | | | | | | | | | | | | |
| | Non Feature/Add Trunk | Ì | | UEPPB | UEPPR | USASB | | 212.88 | | | | | | 19.99 | 19.99 | 1 | |
| I OC | AL NUMBER PORTABILITY | | 1 | OLPPD | ULPPK | UUAUD | 1 | 212.08 | | + | | - | | 19.99 | 19.99 | | |
| 1.00 | Local Number Portability (1 per port) | | \vdash | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | + | | | | | 1 | t | |
| В-СН | ANNEL USER PROFILE ACCESS: | | | 52.10 | 521110 | | 0.00 | 0.00 | 0.00 | † | | | | | 1 | † | 1 |
| 2 011 | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | 1 | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | † | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| B-CH | ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC | C,MS, & | TN) | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | ļ | ļ | |
| | CSD | | <u> </u> | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | ļ | | | | | | ļ | |
| USEF | R TERMINAL PROFILE | | | LIEDDD | HEDDD | 11411540 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VEDI | User Terminal Profile (EWSD only) | | 1 | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | + | | | | | | | |
| VERI | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | + | | - | | | - | | - |
| | Interoffice Channel mileage each, including first mile and | | \vdash | OLPPD | ULPPK | OLF VF | 0.00 | 0.00 | 0.00 | + | | | | | 1 | t | - |
| | facilities termination | | 1 | UEPPB | UEPPR | M1GNC | 17.91 | 53.99 | 17.37 | | | | | 19.99 | 19.99 | | |
| | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.173 | 0.00 | 0.00 | † | | | | .0.00 | .0.55 | 1 | |
| 4-WIF | RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | | | | | | | | | | | | | | |
| | Port/Loop Combination Rates | | | | | | | <u> </u> | | | | | | | İ | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | | 132.58 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | - | | | | | | | | | _ | _ | | |
| | Zone 2 | | 2 | UEPPP | | | 150.25 | | | | | | | | | 1 | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | | 173.44 | | | | | | | | | | <u> </u> |
| UNE | Loop Rates | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 57.73 | | | ļ | | | | | ļ | ļ | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 75.40 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 98.59 | | | 1 | | | | | | 1 | 1 |
| UNE | Port Rate Exchange Ports - 4-Wire ISDN DS1 Port | | 1 | UEPPP | | UEPPP | 74.85 | 415.53 | 366.90 | 89.28 | 77.43 | | | 19.99 | 19.99 | | 1 |
| NONI | RECURRING CHARGES - CURRENTLY COMBINED | | 1 | OLPFF | | ULFFF | 74.65 | 410.03 | 300.90 | 09.28 | 11.43 | | | 19.99 | 19.99 | | 1 |
| I I I | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | 1 | - | | † | | | | | | | | | | t | |
| | Combination - Conversion -Switch-as-is | | | UEPPP | | USACP | 0.00 | 328.53 | 328.53 | | | | | 19.99 | 19.99 | 1 | |
| ADDI | TIONAL NRCs | | | 1 | | | 5.50 | 320.00 | 320.00 | 1 | | | | .0.00 | .0.50 | 1 | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | 1 | Ì | | | 1 | | | | | Ì | 1 | |
| | Inward/two way Tel Nos. (except NC) | | 1 | UEPPP | | PR7TF | | 0.94 | | | | 1 | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 22.36 | 22.36 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | | |
| | Subsequent Inward Tel Numbers | | | UEPPP | | PR7ZT | | 44.71 | 44.70 | | | | | 19.99 | 19.99 | | |
| LOCA | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |

Version 4Q02: 12/18/02 Page 385 of 416

| ONROND | LED NETWORK ELEMENTS | - Tennessee | | _ | | | | | | | , | | | ment: 2 | | bit: B |
|--|---|---------------------------------|--------------|--------|---------|---------|--|------------|--|------------|---|---|--|--|---|---|
| CATEGORY | r RATE E | IEMENIS | teri m Zo | ne BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Monroourring | | Nonroquerina | Disconnect | | | 220 | Rates (\$) | | |
| | | | | | | Rec | Nonrecurring | Add'l | Nonrecurring | | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Number Portability (1 per | nort\ | | UEPPP | LNPCN | 1.75 | First | Addi | First | Add'l | SOMEC | SOWAN | SOWAN | SUMAN | SUMAN | SOWAN |
| INIT | ERFACE (Provsioning Only) | port) | | UEPPP | LINPCIN | 1./5 | | | | | | | | | | |
| INI | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Nov | Inward Data v or Additional "B" Channel | | | UEPPP | PR/TE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| ivev | New or Additional - Voice/Data | P. Channal | | UEPPP | PR7BV | 0.00 | 28.39 | | | | | | 19.99 | 19.99 | - | - |
| | New or Additional - Voice/Data | | | UEPPP | PR7BF | 0.00 | 29.11 | | | | | | 19.99 | 19.99 | | |
| | New or Additional Inward Data | | | UEPPP | PR7BD | 0.00 | 29.39 | | | | | | 19.99 | 19.99 | | |
| CAL | LL TYPES | B Chainlei | | ULFFF | FRIBD | 0.00 | 29.39 | | | | | | 15.55 | 19.99 | - | - |
| CAL | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | 1 | | | | | 1 |
| | Outward | | -+ | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | 1 | 1 | | 1 | | |
| | Two-way | | -+ | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | 1 | 1 | | | 1 | 1 |
| Into | eroffice Channel Mileage | | | ULFFF | FRICO | 0.00 | 0.00 | 0.00 | | | | | | | - | - |
| inte | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 76.1825 | 145.98 | 109.85 | 19.55 | | 1 | 1 | 19.99 | 19.99 | | |
| | Each Airline-Fractional Addition | | | UEPPP | 1LN1B | 0.3525 | 143.30 | 109.03 | 19.55 | | | | 15.55 | 19.99 | | |
| 4.10 | /IRE DS1 DIGITAL LOOP WITH 4-V | | | ULFFF | ILINID | 0.3323 | | | | | | | | | | |
| LINE | E Port/Loop Combination Rates | WIKE DDITS TRONK FORT | | | | | | | | | 1 | | | | | |
| OIVE | 4W DS1 Digital Loop/4W DDITS | S Trunk Port - LINE Zone 1 | 1 | UEPDC | | 93.28 | | | | | | | 19.99 | 19.99 | | |
| | 4W DS1 Digital Loop/4W DDITS | | 2 | | | 110.95 | | | | | | | 19.99 | 19.99 | | |
| | 4W DS1 Digital Loop/4W DDITS | | 3 | | | 134.14 | | | | | | | 19.99 | 19.99 | | |
| LINI | E Loop Rates | 3 Hullk Folt - ONE Zolle 3 | | ULFDC | | 134.14 | | | | | | | 15.55 | 19.99 | | |
| ON | 4-Wire DS1 Digital Loop - UNE | Zono 1 | 1 | UEPDC | USLDC | 57.53 | | | | | | | | | - | - |
| | 4-Wire DS1 Digital Loop - UNE | | 2 | | USLDC | 75.40 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE | | 3 | | USLDC | 98.59 | | | | | | | | | | |
| LINI | E Port Rate | Zorie 3 | - 3 | UEPDC | USLDC | 90.39 | | | | | 1 | | | | | 1 |
| ON | 4-Wire DDITS Digital Trunk Por | + | | UEPDC | UDD1T | 35.55 | 342.80 | 257.87 | 61.41 | 48.49 | | | 19.99 | 19.99 | | |
| NO | NRECURRING CHARGES - CURRE | | | ULFDC | ODDII | 33.33 | 342.00 | 231.01 | 01.41 | 40.43 | | | 15.55 | 19.99 | - | - |
| NO | | re DDITS Trunk Port Combination | | | | | | | | | | | | | | |
| | - Switch-as-is | e DDITS TITLIK FOR COMBINATION | | UEPDC | USAC4 | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | |
| | | re DDITS Trunk Port Combination | | UEPDC | USAC4 | | 312.91 | 312.91 | | | 1 | | 19.99 | 19.99 | | |
| | - Conversion with DS1 Changes | | | UEPDC | USAWA | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | |
| | | re DDITS Trunk Port Combination | | UEPDC | USAWA | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | |
| | - Conversion with Change - Tru | | | UEPDC | USAWB | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | |
| ADI | DITIONAL NRCs | IIK | | UEPDC | USAWB | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | |
| ADI | 4-Wire DS1 Loop / 4-Wire DDIT | C Trunk Dort Cubacquent | | | | | | | | | | | | | - | - |
| | Service Activity Per Service Ord | | | UEPDC | USAS4 | | 94.88 | 94.88 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDIT | | | UEPDC | USAS4 | | 94.00 | 94.00 | | | | | | | | |
| | Subsequent Channel Activation | | | UEPDC | UDTTA | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | I | |
| \vdash | 4-Wire DS1 Loop / 4-Wire DDIT | | | OLI DO | ODITA | | 100.07 | 100.07 | | | 1 | 1 | 15.55 | 19.99 | | |
| | Channel Activation/Chan - 1-Wa | | | UEPDC | UDTTB | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | 1 | |
| \vdash | | S Trunk Port - Subsqnt Channel | | OLI DO | 00110 | | 100.07 | 100.07 | | | 1 | | 15.55 | 19.99 | | |
| | Activation/Chan Inward Trunk | | | UEPDC | UDTTC | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | I | |
| | 4-Wire DS1 Loop / 4-Wire DDIT | | | 021 00 | 00110 | | 100.07 | 100.07 | | | | | 13.33 | 13.33 | | |
| | Activation Per Chan - Inward Tr | | | UEPDC | UDTTD | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | I | |
| \vdash | 4-Wire DS1 Loop / 4-Wire DDIT | | _ | OLI DO | טווטט | | 100.07 | 100.07 | | | 1 | | 15.55 | 19.99 | | |
| | Activation / Chan - 2-Way DID v | | | UEPDC | UDTTE | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | 1 | |
| RID | OLAR 8 ZERO SUBSTITUTION | 555. 114115 | | 02.100 | ODITE | | 100.07 | 100.07 | | | 1 | | 13.33 | 13.35 | | |
| | B8ZS -Superframe Format | | _ | UEPDC | CCOSF | | 0.00 | 590.00 | | | 1 | | 19.99 | 19.99 | | |
| | B8ZS - Extended Superframe F | ormat | -+ | UEPDC | CCOEF | | 0.00 | 590.00 | + + | | | | 19.99 | 19.99 | - | |
| ΔI÷c | ernate Mark Inversion | | -+ | 02.100 | JOOLI | | 0.00 | 330.00 | + + | | 1 | | 13.33 | 13.35 | | |
| Alte | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | + + | | 1 | | | | | |
| | AMI - Extended SuperFrame Fo | ormat | -+ | UEPDC | MCOPO | | 0.00 | 0.00 | + + | | | | | | - | |
| Tele | ephone Number/Trunk Group Esta | | -+ | 02.20 | | | 0.00 | 0.00 | + + | | 1 | | | | | |
| 1.010 | Telephone Number for 2-Way T | Frunk Group | | UEPDC | UDTGX | 0.00 | t | | + + | | 1 | | 19.99 | 19.99 | | |
| | Telephone Number for 1-Way 0 | | -+ | UEPDC | UDTGY | 0.00 | | | + + | | 1 | | 19.99 | 19.99 | | |
| | | nward Trunk Group Without DID | -+ | UEPDC | UDTGZ | 0.00 | | | | | 1 | | 19.99 | 19.99 | I | |
| \vdash | DID Numbers for each Group of | | | UEPDC | ND4 | 0.00 | | | | | 1 | | 19.99 | 19.99 | | |
| \vdash | | e DID Numbers , Per Number | | UEPDC | ND5 | 0.00 | 1 | | 1 | | 1 | 1 | 19.99 | 19.99 | 1 | 1 |

Version 4Q02: 12/18/02 Page 386 of 416

| NRONDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|---------|---|-------------|---------|--------------------|-------------------|------------------|--------------|------------|--------------|------------|-------|-----------|--|----------------------|--|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. | Charge - | Incremental Charge - Manual Svc Order vs. | Incremen Charge Manual S Order vs |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electroni Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Dedica | ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | l Digital | Loop | with 4-Wire DDITS | Trunk Port | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO1 | 75.83 | 145.98 | 109.85 | 19.66 | 14.99 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.3525 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | 1 | | LIEDDO | 41 NGS | 0.050- | 0.00 | 0.00 | | | 1 | | | | 1 | |
| _ | miles | 1 | | UEPDC | 1LNOB | 0.3525 | 0.00 | 0.00 | | | ļ | | - | 1 | 1 | ├ |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | l | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| _ | Termination) | <u> </u> | | UEPDC | ILINU3 | 0.00 | 0.00 | 0.00 | | | | | - | - | | ├ |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.3525 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | - | | | | | | | + |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | 0.00 | 0.00 | - | | | | | | | + |
| 4 WID | E DS1 LOOP WITH CHANNELIZATION WITH PORT | | | UEPDC | CIG | 0.00 | | | | | | | | | | |
| | n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | voti o no | | | | | | | | | | | | | | + |
| | System can have up to 24 combinations of rates depending on | | | | | | | | | | | | | | | + |
| | System can have up to 24 combinations of rates depending on IS1 Loop | type ar | ia nun | iber of ports used | | | | | | | | | | | | ┼── |
| ONE L | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 57.73 | 0.00 | 0.00 | | | | | | | | + |
| | | | 2 | UEPMG | USLDC | 75.40 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 | | | UEPMG | USLDC | 98.59 | 0.00 | 0.00 | | | | | | | | |
| LIME | SO Channelization Capacities (D4 Channel Bank Configuration | 201 | 3 | ULFIVIG | USLDC | 90.39 | 0.00 | 0.00 | - | | | | | | | + |
| UNE L | 24 DSO Channel Capacity - 1 per DS1 | 15) | | UEPMG | VUM24 | 131.87 | 0.00 | 0.00 | - | | | | 19.99 | 19.99 | | + |
| _ | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 263.74 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | + |
| _ | 96 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM96 | 527.48 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| - | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 791.42 | 0.00 | 0.00 | - | | | | 19.99 | 19.99 | | + |
| - | 192 DS0 Channel Capacity - 1 per 8 DS1s | | | UEPMG | VUM19 | 827.76 | 0.00 | 0.00 | - | | | | 19.99 | 19.99 | | + |
| - | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,318.70 | 0.00 | 0.00 | - | | | | 19.99 | 19.99 | | + |
| - | 288 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM28 | 1,582.44 | 0.00 | 0.00 | - | | | | 19.99 | 19.99 | | + |
| _ | 384 DS0 Channel Capacity - 1 per 12 DS1s | | - | UEPMG | VUM38 | 2,109.92 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | + |
| | 480 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM40 | 2,109.92 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | ┼── |
| - | 576 DS0 Channel Capacity - 1 per 24 DS1s | | | UEPMG | VUM57 | 3.164.88 | 0.00 | 0.00 | - | | | | 19.99 | 19.99 | | ┼── |
| - | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,692.36 | 0.00 | 0.00 | - | | | | 19.99 | 19.99 | | ┼── |
| Non D | ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with | Chanr | alistia | | | | | 0.00 | - | | | | 19.99 | 19.99 | | + |
| | mum System configuration is One (1) DS1, One (1) D4 Channel | | | | | | Stem | | | | | | | | | ┼── |
| | les of this configuration functioning as one are considered Ad | | | | | | | | | | | | | | | + |
| mann | NRC - Conversion (Currently Combined) with or without | I | | l | Inguiution is | Counted. | | | | | | | | | | † |
| | BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 303.61 | 15.74 | | | | | 19.99 | 19.99 | | |
| System | n Additions at End User Locations Where 4-Wire DS1 Loop wit | h Chan | nelizat | | ination Curre | | | 10.14 | | | | | 10.00 | 10.00 | | - |
| | Not Currently Combined) in all states, except in Density Zone 1 | | | | I Control Control | Intry Exists und | | | | | | | | | | + |
| | 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port | <u> </u> | 00, | Ī | + | | | | | | | | | | | |
| | and Assoc Fea Activation | | | UEPMG | VUMD4 | 0.00 | 704.68 | 441.48 | 138.36 | 16.41 | | | 19.99 | | | |
| Bipola | r 8 Zero Substitution | | | | | 0.00 | | | | | | | | | | † |
| | Clear Channel Capability Format, superframe - Subsequent | | | | 1 | | | | | | | | | | İ | † |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 590.00 | | | | | | | | |
| 1 | Clear Channel Capability Format - Extended Superframe - | | | İ | 1 | | | | | | | | İ | | İ | 1 |
| | Subsequent Activity Only | 1 | | UEPMG | CCOEF | 0.00 | 0.00 | 590.00 | | | 1 | | | | Ì | |
| Altern | ate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| 1 | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | İ | | İ | 1 |
| Excha | nge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| | nge Ports | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | 1 | 1 | UEPPX | UEPCX | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | I | 30.89 | 7.03 | Ì | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | i | | 30.89 | 7.03 | | 1 |

| UNBU | JNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachi | ment: 2 | Exhil | oit: B |
|----------|----------|---|----------|----------|-----------------------|----------------|-------------------|------------------|----------------|-----------------|----------------|-------------|--------------|-----------------|---------------|----------------|----------------|
| | | | | | | | | | | | | | | Incremental | | | Incremental |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| CATE | COBY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | Elec | Manually | | Manual Svc | Manual Svc | Manual Svc |
| CATE | JUKI | RATE ELEMENTS | m | Zone | ьсэ | 0300 | | | KATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | i l |
| | 1 | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 8.97 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | | Unbundled Exchange Ports, 2-Wire Channelized – Outdial – | | | OLITA | OLI DIVI | 0.07 | 0.00 | 0.00 | 0.00 | 0.00 | | | 00.00 | 7.00 | | |
| | | (AL, KY, LA, MS, & TN)(Conversion from Network Access | | | | | | | | | | | | | | | i l |
| | | Service) | | | UEPPX | UEPCY | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | | Unbundled Exchange Ports, 2-Wire Channelized – Combination | | | | | | | | | | | | | | | i l |
| | | (AL, KY, LA, MS, & TN) (Conversion from Network Access | | | UEPPX | UEPCT | 4.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.00 | | i l |
| | - | Service) Unbundled Exchange Ports, 2-Wire Channelized – Outdial – | | | UEPPX | UEPCI | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | | Tennessee Only – Calling Plan - Regionserv | | | UEPPX | UEPCZ | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | i |
| | | Unbundled Exchange Ports, 2-Wire Channelized – Two Way - | | | 02.17 | 02. 02 | | 0.00 | 0.00 | 0.00 | 0.00 | | | 00.00 | 1.00 | | |
| | <u> </u> | Tennessee Only – Calling Plan - Regionserv | | | UEPPX | UEPXV | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | _I |
| | Featur | e Activations - Unbundled Loop Concentration | | | • | | | | • | | | | | | | | |
| | 1 | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | ₁] |
| | <u> </u> | Bank (includes Q.1.4, P50.1, P.50.498) | | | UEPPX | 1PQWM | 2.02 | 23.94 | 12.64 | 3.82 | 3.80 | | | 30.89 | 7.03 | | |
| | | Feature (Service) Activation for each Trunk Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) | | | UEPPX | 1PQWU | 2.02 | 73.67 | 17.37 | 54.09 | 10.57 | | | 30.89 | 7.03 | | 1 |
| | Teleph | one Number/ Group Establishment Charges for DID Service | | | OLFFX | IFQWU | 2.02 | 73.07 | 17.37 | 34.09 | 10.57 | | | 30.09 | 7.03 | | |
| | . с.ор | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ļ | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Local | Number Portability Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | FEATL | IRES - Vertical and Optional | | | OLITA | LIVI OI | 3.13 | 0.00 | 0.00 | | | | | | | | |
| | | Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | i |
| | | All Features Available | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| UNBU | | PORT LOOP COMBINATIONS - MARKET RATES | | | | | L | | | | | | | | | | |
| | | Rates shall apply where BellSouth is not required to provide cludes: | unbund | dled loc | al switching or swit | tch ports per | FCC and/or St | tate Commissio | n rules. | | | | | | | | —— |
| | | dled port/loop combinations that are Currently Combined or N | lot Cur | rently (| ombined in Zone 1 | of the Ton 8 | MSAS in Balls | South's region | or and usars | with 4 or more | NSO equivalen | t lines | | | | | |
| | | pp 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda | | | | | | | | | | | e). | | | | ſ |
| | | uth currently is developing the billing capability to mechanica | | | | | | | | | | | | . In the interi | m where Bell | South cannot | bill Market |
| | | BellSouth shall bill the rates in the Cost-Based section precede | | | the Market Rates and | d reserves th | e right to true- | up the billing o | difference. | | | | | | | | |
| | | arket Rate for unbundled ports includes all available features i | | | | | | | | | | | | | | | |
| | | ffice and Tandem Switching Usage and Common Transport Us | sage rat | es in th | e Port section of the | is rate exhibi | it shall apply to | all combination | ons of loop/po | rt network eler | nents except | for UNE Coi | n Port/Loop | o Combination | ns which have | a flat rate us | age charge |
| | | : URECU). t Currently Combined scenarios the Nonrecurring charges are | liotod | in the E | irot and Additional | NDC salumn | o for each Bort | LICOC For C | urrantly Camb | inad aganarias | the Neurosur | ring shares | o are listed | in the NDC (| Currently Com | bined section | |
| | | on Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. | iistea | in the r | irst and Additional | NKC column | is for each Pon | USUC. FOR CI | irrently Comb | ined scenarios | , the Nonrecur | ring charge | s are listed | in the NRC - C | Currently Con | ibinea sectioi | 1. |
| - | | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | 1 | 1 | | | 1 | | | | | | | 1 | 1 | | |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 26.48 | | | | | | | | | | <u> </u> |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 30.31 | | | | _ | | | | | | |
| | 1 | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 35.32 | | | | | 1 | | | | | |
| <u> </u> | UNE L | poop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 12.48 | | | | | 1 | | | | | |
| - | + | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 16.31 | | | | | | | | | | |
| | 1 | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 21.32 | | | | | 1 | | | | | |
| | 2-Wire | Voice Grade Line Port (Res) | | Ė | | | | | | | | | | | | | <u> </u> |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | ļ |
| <u> </u> | 1 | 2-Wire voice unbundled port outgoing only - res | | - | UEPRX | UEPRO | 14.00 | 90.00 | 90.00 | | | 1 | | 30.89 | 7.03 | | |
| | 1 | 2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - res | | | UEPRX | UEPAQ | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 1 | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | 021100 | JL1 / 104 | 14.00 | 30.00 | 30.00 | | | | | 50.09 | 7.03 | | |
| | | ID - res (F2R) | | | UEPRX | UEPAK | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | 1 |
| | | | | | | | | | | | | | | | | | |

Version 4Q02: 12/18/02 Page 388 of 416

| <u>JNBU</u> NDLE | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|------------------|--|--|----------------|----------------|----------------|----------------|--------------|----------------|-------|--------------|----------|-----------|--|--|-------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | Increments Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrecurring | | | g Disconnect | | 1 | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) | | | UEPRX | UEPAL | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | OLI TOC | OLI AL | 14.00 | 50.00 | 30.00 | | | | | 00.00 | 7.00 | | |
| | ID - res (TACSR) | | | UEPRX | UEPAM | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | ID - res (1MF2X) 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | UEPRX | UEPAN | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | ID - res (2MR) | | | UEPRX | UEPAO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | OLI TOX | OLI 710 | 14.00 | 30.00 | 50.00 | | | | | 00.00 | 7.00 | | |
| | (LUM) | | | UEPRX | UEPAP | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | | | | | |
| | Capability | | | UEPRX | UEPRT | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled Tennessee Residence Dialing Plan without Caller ID | | | UEPRX | UEPWN | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled Tennessee Area Plus Port without | | | UEPKA | UEPWIN | 14.00 | 90.00 | 90.00 | | | | | 30.69 | 7.03 | | |
| | Caller ID Capability | | | UEPRX | UEPRR | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| FEAT | URES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| NONR | RECURRING CHARGES - CURRENTLY COMBINED | | | | + | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPRX | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | OLI IXX | UUAUZ | | 41.50 | 41.50 | | | | | 30.03 | 7.03 | | |
| | change | | | UEPRX | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| ADDIT | TIONAL NRCs | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | | | | | |
| | Subsequent | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| UNE F | Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 26.48 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 30.31 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 35.32 | | | | | | | | | | |
| UNE L | _oop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 21.32 | | | | | | | | | | |
| 2-Wire | e Voice Grade Line Port (Bus) | | | LIEDDY | LIEDDI | 44.00 | 00.00 | 00.00 | | | | | 00.00 | 7.00 | | |
| | 2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus | - | | UEPBX | UEPBL UEPBC | 14.00 14.00 | 90.00 | 90.00 90.00 | | | | | 30.89 30.89 | 7.03 7.03 | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus | | | UEPBX UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice Grade unbundled Tennessee extended local | | | OLI BX | OLI BO | 14.00 | 30.00 | 30.00 | | | | | 30.03 | 7.03 | | |
| | dialing parity port with Caller ID - bus | | | UEPBX | UEPAV | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | | | | | | | | | | | | | | | |
| | Port Economy Option (TACC1) | | | UEPBX | UEPAC | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | | | | | | | | | | | | | | | |
| | Port Standard Option (TACC2) 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and | - | | UEPBX | UEPAD | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | Memphis Local Calling Port (B2F) | | | UEPBX | UEPAE | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | 021 07 | OLI AL | 14.00 | 30.00 | 30.00 | | | 1 | | 30.03 | 7.03 | | |
| | Capability | | 1 | UEPBX | UEPBE | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled Tennessee Business Dialing Plan | | | | | | | | | | | | | | | |
| | without Caller ID | | | UEPBX | UEPWO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| LOCA | L NUMBER PORTABILITY | ļ | <u> </u> | LIEBBY | Lung | | | | | | | | | | | |
| FEAT | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| FEAT | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | - | |
| | RECURRING CHARGES - CURRENTLY COMBINED | | | OLFDA | OLF VF | 0.00 | 0.00 | 0.00 | | | <u> </u> | | 30.69 | 1.03 | | |

| ONROND | <u>LE</u> | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|-----------|--|--|----------|----------------|----------------|----------------|----------------|------------|--------------|--------------|--------------|---|--|--|-------|---|
| CATEGOR | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | | Rec | Nonrecurring | | | g Disconnect | | 1 | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| - | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBA | USACZ | | 41.50 | 41.50 | | | | | 30.69 | 7.03 | | |
| | | change | | | UEPBX | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| ADI | | ONAL NRCs | | | | | | | | | | | | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | | | | | |
| | | Subsequent | | | UEPBX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| UNI | | rt/Loop Combination Rates | | 1 | - | | 26.48 | | | | | 1 | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | 1 | 2 | - | + | 30.31 | | | | + | 1 | | | | | |
| <u> </u> | | 2-Wire VG Loop/Port Combo - Zone 3 | 1 | 3 | | + | 35.32 | | | | † | <u> </u> | | | | | |
| UNI | | op Rates | | | | | 00.02 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 12.48 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 16.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 21.32 | | | | | | | | | | |
| 2-W | | /oice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| 1.00 | | NUMBER PORTABILITY | | | UEFRG | UEPKD | 14.00 | 90.00 | 90.00 | | 1 | + | | 30.69 | 7.03 | | |
| LO | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FE/ | ATU | | | | OLI IKO | LIVI OI | 0.10 | 0.00 | 0.00 | | | | | | | | |
| | | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| NO | NRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPRG | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | LIEDDO | 110400 | | 44.50 | 44.50 | | | | | 20.00 | 7.00 | | |
| AD | | Change DNAL NRCs | | <u> </u> | UEPRG | USACC | | 41.50 | 41.50 | | | - | | 30.89 | 7.03 | | |
| ADI | | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | | | | |
| | | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | | Group | | | | | | 14.64 | 14.64 | | | | | 30.89 | 7.03 | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| UNI | | rt/Loop Combination Rates | | | | | 00.10 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 26.48 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 2 | | _ | 30.31 35.32 | | | | | | | | | | |
| UN | | op Rates | | 3 | | | 33.32 | | | | | 1 | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 12.48 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPPX | UEPLX | 16.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 21.32 | | | | | | | | | | |
| 2-W | Vire \ | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | | | | | | | | |] | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | <u> </u> | UEPPX UEPPX | UEPPC UEPPO | 14.00 | 90.00 | 90.00 | 1 | - | | | 30.89 30.89 | 7.03 | - | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus | - | - | UEPPX | UEPPO UEPP1 | 14.00 14.00 | 90.00 90.00 | 90.00 | - | + | | | 30.89 | 7.03 7.03 | - | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | 1 | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | 1 | <u> </u> | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee | | | 52 X | 02.20 | 1 1.00 | 00.00 | 00.00 | | | | | 00.00 | 7.00 | | |
| | | Calling Port | l | | UEPPX | UEPT2 | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | | | | | | | | | | | | | | | |
| | | Calling Port | | | UEPPX | UEPTO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | <u> </u> | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | ļ | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | 1 | 1 | | 30.89 30.89 | 7.03 7.03 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | - | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | + | - | | 30.89 | 7.03 | - | |
| | | Capable Port | 1 | 1 | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|---|--|----------|--------|----------|--------|--------------|------------|--------------|--------------|----------|---|-------------------------|------------|---------|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | | | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | g Disconnect | | | oss | Rates (\$) | l | <u> </u> |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | = | | |
| | Room Calling Port 2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | Administrative Calling Port TN | | | UEPPX | UEPXN | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | ULFFX | OLFAIN | 14.00 | 90.00 | 90.00 | | | | | 30.09 | 7.03 | | |
| | Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling | | | 02.17 | 02.7.0 | 1 1.00 | 00.00 | 00.00 | | | | | 00.00 | 7.00 | | |
| | Port | 1 | | UEPPX | UEPXU | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ | | | | | | | 22.30 | | İ | | | 22.30 | 1.50 | İ | |
| | Callling Port | 1 | | UEPPX | UEPXV | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | Tennessee PBX 2-Way Combo Each Additional Trunk | | | | | | | | | | | | | | | |
| | Collierville and Memphis Local Calling Plan | <u> </u> | | UEPPX | UEPA6 | 14.00 | 90.00 | 90.00 | | <u> </u> | <u> </u> | | 30.89 | 7.03 | <u></u> | |
| | Tennessee PBX 2-Way Combo First Trunk Collierville and | | | | | | | | | | | | | | | |
| | Memphis Local Calling Plan | | | UEPPX | UEPA7 | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEATU | | | | | <u> </u> | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | UEPPX | USACZ | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | Change | | | UEPPX | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| ADDIT | TIONAL NRCs | | | UEPPA | USACC | | 41.50 | 41.50 | | | | | 30.69 | 7.03 | | |
| ADDIT | TOTAL INCO | | | | + | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | | | | |
| | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | Group | | | | | | 14.64 | 14.64 | | | | | 30.89 | 7.03 | | |
| | E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP | ₹T | | | | | | | | | | | | | | |
| UNE P | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 26.48 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 30.31 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | ļ | 3 | | | 35.32 | | | | ļ | | | | | | |
| UNE L | oop Rates | <u> </u> | . | LIEBOO | LIEDLY | | | | | ļ | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 12.48 | | | | | | | | 1 | 1 | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | ! | 2 | UEPCO | UEPLX | 16.31 | | | | | | | | | | |
| 2 M: | 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Coin) | ! | 3 | UEPCO | UEPLX | 21.32 | | | | | | | | | | |
| 2-wire | 2-Wire Coin 2-Way without Operator Screening and without | | | | + | | | | | | 1 | | | - | - | 1 |
| | Blocking (TN) | 1 | | UEPCO | UEPTB | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | OLFOO | ULFID | 14.00 | 90.00 | 90.00 | | 1 | 1 | | 30.69 | 7.03 | 1 | |
| | 900/976, 1+DDD (NC, TN) | 1 | | UEPCO | UEPRP | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | 1 | | | | 00 | 55.56 | 55.50 | | 1 | | | 55.55 | | | |
| | (TN) | l | | UEPCO | UEPTA | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | 900/976, 1+DDD, 011+, and Local (NC, TN) | L | | UEPCO | UEPCA | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (TN) | | | UEPCO | UEPTC | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | 1 | | | | | | | |] | | | | | | |
| | 900/976, 1+DDD, 011+, and Local (TN) | ļ | | UEPCO | UEPOT | 14.00 | 90.00 | 90.00 | | ļ | | | 30.89 | 7.03 | | |
| LOCA | L NUMBER PORTABILITY | ļ | | LIEBOO | Luncii | | | | | | | | | | | |
| | Local Number Portability (1 per port) | 1 | 1 | UEPCO | LNPCX | 0.35 | | | | | 1 | | | 1 | ı | 1 |

| NRONDLE | D NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | 1 - | | | ment: 2 | | bit: B |
|---------|--|-------------|----------|----------------|----------------|----------------|--|------------|--|------------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | = 00 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | - | |
| | Change | | | UEPCO | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| ADDIT | TIONAL NRCs | | | 02. 00 | 00,100 | | 11.00 | | | | | | 00.00 | 7.00 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPCO | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE P | ORT (| RES) | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 30.56 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 35.63 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 42.28 | | | | | | | | | | |
| UNE L | oop Rates | | L . | HEDED | LIECEO | 10.50 | | | | | | | | ļ | - | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFR | UECF2 | 16.56 | | | | | | | | | 1 | |
| - | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR UEPFR | UECF2 UECF2 | 21.63 28.28 | | | | | | | | | | 1 |
| 2 14/: | 2-Wire Voice Grade Loop (SL2) - Zone 3 e Voice Grade Line Port Rates (Res) | | 3 | UEPFK | UECF2 | 28.28 | | | | | | | | - | | - |
| 2-Wire | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| - | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice dribundled port outgoing only 1 res 2-Wire voice Grade unbundled Tennessee extended local | | | OLFIK | OLFRO | 14.00 | 113.00 | 75.00 | 40.00 | 30.00 | | 13.09 | | | | |
| | dialing parity port with Caller ID - res | | | UEPFR | UEPAQ | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Plus with Caller ID - | | | OLITIK | OLI 71Q | 14.00 | 110.00 | 70.00 | 40.00 | 00.00 | | 10.00 | | | | |
| | res (AC7) | | | UEPFR | UEPAH | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | ID - res (F2R) | | | UEPFR | UEPAK | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | ID - res (TACER) | | | UEPFR | UEPAL | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | ID - res (TACSR) | | | UEPFR | UEPAM | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | ID - res (1MF2X) | | | UEPFR | UEPAN | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | ID - res (2MR) | | | UEPFR | UEPAO | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | l | l | | | | | | | | | | | 1 | |
| | (LUM) | | <u> </u> | UEPFR | UEPAP | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | ļ |
| | 2-Wire Voice Unbundled Tennessee Residence Dialing Plan | | l | LIEDED | LIED. | | | | | | | 4-00 | | | 1 | |
| INTER | without Caller ID | | | UEPFR | UEPWN | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | 1 | 1 | |
| INTER | ROFFICE TRANSPORT | | | | + | | | | | | | | | | | 1 |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | 1 | UEPFR | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | 1 | I | |
| -+- | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | ULFFR | UTIVZ | 18.38 | 55.39 | 17.37 | 27.96 | 3.51 | | | | 1 | | |
| | or Fraction Mile | | l | UEPFR | 1L5XX | 0.0174 | | | | | | | | | 1 | |
| FEAT | | | | JEI I K | 120// | 0.0174 | | | | | | | | | | <u> </u> |
| | All Features Offered | | | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | 1 | † | 1 |
| LOCA | L NUMBER PORTABILITY | | | | | 3.30 | 3.50 | 3.30 | 1 | | | .0.00 | | İ | 1 | |
| | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE P | PORT (| BUS) | | | | | | | | | | | | |
| UNE P | Port/Loop Combination Rates | | | | | | | | | | | | | ļ | ļ | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 30.56 | | | | | | | | | | ļ |
| - | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 35.63 | | | | | | | | | ! | |
| I INTE | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 42.28 | | | | | | | | | ! | |
| IUNE L | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | | UEPFB | UECF2 | 16.56 | | | | | | l | | | ļ | |

Version 4Q02: 12/18/02 Page 392 of 416

| <u>UNBUND</u> LE | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|------------------|--|--|--|----------------|----------------|----------------|------------------|----------------|----------------|----------------|----------|----------------|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Increment Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | 0.000 0.000 0.000 0.000 0.000 0.000 | | | LIEDED | LIEGEO | 04.00 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 2 | UEPFB UEPFB | UECF2 | 21.63 28.28 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port (Bus) | | 3 | UEFFB | UECFZ | 20.20 | | | | | | | | | | |
| 2-99110 | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | + |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | + |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | t |
| | 2-Wire voice Grade unbundled Tennessee extended local | | | 02.13 | 02. 20 | 1 1100 | 110.00 | 7 0.00 | 10.00 | 00.00 | | 10.00 | | | | |
| | dialing parity port with Caller ID - bus | | | UEPFB | UEPAV | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | | | | | | | | | | | | | | | |
| | Port Economy Option (TACC1) | | | UEPFB | UEPAC | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | | | | | | | | | | | | | | | |
| | Port Standard Option (TACC2) | | | UEPFB | UEPAD | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and | | | | | | | | | | | | | | | ĺ |
| | Memphis Local Calling Port (B2F) | | | UEPFB | UEPAE | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled Tennessee Business Dialing Plan | | | | | | | | | | | | | | | |
| | without Caller ID | | | UEPFB | UEPWO | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | Tennessee Inward Collierville and Memphis Local Calling Plan | | | | | | | | | | | | | | | |
| | (BUS) | | | UEPFB | UEPB2 | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | Tennessee 2-Way Collierville and Memphis Local Calling Plan | | | | | | | | | | | | | | | |
| | (BUS) | | | UEPFB | UEPB3 | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | | | | | | | | |
| INTER | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | UEPFB | U1TV2 | 10.50 | 55.00 | 17.37 | 27.96 | 0.54 | | | | | | |
| | Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | UEPFB | 01172 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | or Fraction Mile | | | UEPFB | 1L5XX | 0.0174 | | | | | | | | | | |
| EEAT | URES | | | UEFFB | ILSAA | 0.0174 | | | | | | | | | | |
| I LAI | All Features Offered | | 1 | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | + |
| NONE | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | OLITO | OLI VI | 0.00 | 0.00 | 0.00 | | | | 13.03 | | | | + |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change | | | UEPFB | USACC | | 16.94 | 3.72 | | | | 15.69 | | | | |
| 2-WIR | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | 1 |
| | Port/Loop Combination Rates | | | | | | | | | | | | | | | 1 |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 30.56 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 35.63 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 42.28 | | | | | | | | | | |
| UNE L | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 16.56 | | | | | | | | | | ļ |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | <u> </u> | 2 | UEPFP | UECF2 | 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | ļ | 3 | UEPFP | UECF2 | 28.28 | | | | | | | | ļ | | ļ |
| 2-Wire | e Voice Grade Line Port Rates (BUS - PBX) | ļ | | | | | | | | | | | | | ļ | |
| 1 | | 1 | 1 | | | | | | | 40 = : | 1 | 4= 6- | | I | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | <u> </u> | | UEPFP | UEPPC | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | - | ļ | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus | | - | UEPFP UEPFP | UEPPO UEPP1 | 14.00 14.00 | 106.40 106.40 | 63.08 63.08 | 42.67 42.67 | 18.54 18.54 | | 15.69 15.69 | | 1 | | ├ |
| | | | 1 | UEPFP | UEPLD | 14.00 | 106.40 | 63.08 | 42.67 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee | ├ | | UEPFP | UEPLD | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | 1 | |
| | Calling Port | | | UEPFP | UEPT2 | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | 1 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | ├ | | OLFFF | UEFIZ | 14.00 | 106.40 | 63.08 | 42.07 | 18.54 | | 15.09 | | | 1 | |
| | Calling Port | 1 | 1 | UEPFP | UEPTO | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | 1 | 15.69 | | 1 | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | - | UEPFP | UEPXA | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | + | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | 1 | - | UEPFP | UEPXA | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | 1 | 1 | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | 1 | | UEPFP | UEPXC | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | 1 | |
| | 12-11116 10106 OHDUHUIGU FDA LD DDD TEHHIIAIS FOIL | 1 | 1 | UEPFP | UEPXD | 14.00 | 100.40 | 03.06 | 42.67 | 10.54 | | 15.09 | | 1 | 1 | 1 |

| ONBONDE | ED NETWORK ELEMENTS - Tennessee | | | • | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|--|--|----------------|------------|--------|--------------|------------|--------------|-------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPFP | UEPXE | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPFP | UEPXL | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPFP | UEPXM | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy | | | UEPFP | UEPXIVI | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | - | 15.69 | | | - | + |
| | Administrative Calling Port TN Calling Port | | | UEPFP | UEPXN | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | OLFIF | OLFAIN | 14.00 | 100.40 | 03.00 | 42.07 | 10.54 | | 15.05 | | | | + |
| | Discount Room Calling Port | | | UEPFP | UEPXO | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | 1 | + |
| | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling | | | | | | | | | | | | | | | |
| | Port | ĺ | | UEPFP | UEPXU | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | 1 | |
| | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ | | | | | | l i | | | | | | | | | |
| | Callling Port | | | UEPFP | UEPXV | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | 40.50 | | | | 0.54 | | | | | | |
| | Termination | | | UEPFP | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | - |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFP | 1L5XX | 0.0174 | | | | | | | | | | |
| EE A | TURES | | | UEPFP | ILSXX | 0.0174 | | | | | | | | | | |
| FLA | All Features Offered | | | UEPFP | UEPVF | 0.00 | 0.00 | 0.00 | | | 1 | 15.69 | | | | + |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | OLITI | OLI VI | 0.00 | 0.00 | 0.00 | | | | 15.05 | | | | + |
| , itoli | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | † |
| | Combination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change | | | UEPFP | USACC | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | D PORT/LOOP COMBINATIONS - MARKET BASED RATES | | | | | | | | | | | | | | | |
| | RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 49.60 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 51.09 | | | | | | | | | | |
| LINE | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 Loop Rates | | 3 | | | 56.00 | | | | | | | | | | + |
| UNE | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 9.60 | | | | | - | | | | - | + |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | | UEPPX | UECD1 | 11.09 | | | | | 1 | | | | | + |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 16.00 | | | + | | | | | | t | |
| | Exchange Ports - 2-Wire DID Port | | Ť | UEPPX | UEPD1 | 40.00 | 600.00 | 45.00 | 8.45 | 3.91 | | | 30.89 | 7.03 | 1 | |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | | | | | .5.00 | 222.00 | .5.00 | 27.10 | 3.01 | | | 22.00 | | | † |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | 1 | | | | | | | | | | | | | † |
| | Switch-As-Is Top 8 MSAs only | <u> </u> | L | UEPPX | USAC1 | | 100.00 | 42.50 | | | <u> </u> | | 30.89 | 7.03 | <u> </u> | <u> </u> |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | - | | | | | | | | |
| | with BellSouth Allowable Changes Top 8 MSAs only | | | UEPPX | USA1C | | 100.00 | 42.50 | | | | | 30.89 | 7.03 | | |
| Tele | phone Number/Trunk Group Establisment Charges | | | ļ | <u> </u> | | | | | | | | | ļ | ļ | |
| | DID Trunk Termination (One Per Port) | ļ | <u> </u> | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | ļ | ļ | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | ļ | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | - | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers | | <u> </u> | UEPPX UEPPX | ND5 ND6 | 0.00 | 0.00 | 0.00 | 1 | | 1 | | | | 1 | |
| | Reserve Non-Consecutive DID numbers Reserve DID Numbers | | | UEPPX | ND6 NDV | 0.00 | 0.00 | 0.00 | - | | | | | - | | + |
| IOC | AL NUMBER PORTABILITY | | ! | OLFFA | אטאי | 0.00 | 0.00 | 0.00 | 1 | | | | | 1 | t | + |
| LUC | Local Number Portability (1 per port) | | ! | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | 1 | | | | | 1 | t | + |
| 2-WI | RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | NE SIDI | E PORT | | _141 01 | 5.15 | 0.00 | 0.00 | + | | | | | | t | |
| | Port/Loop Combination Rates | | 1 | | | | 1 | | | | | | | 1 | 1 | <u> </u> |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | i – | | | | | | | | | | | İ | 1 | 1 |
| | UNE Zone 1 | l | 1 | UEPPB UEPPF | ₹ | 32.27 |] | | | | | | | 1 | I | 1 |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | 1 | | | | j | | | | | | | | | 1 |
| 1 | UNE Zone 2 | l | 2 | UEPPB UEPPR | : [| 34.78 |] | | | | | | | Ì | I | I |

Version 4Q02: 12/18/02 Page 394 of 416

| UNBL | JNULE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | | ment: 2 | | bit: B |
|-------|----------|--|-------------|------|----------|-------|-------|----------|--------------|------------|--------------|------------|---|---|--|------------|---|-------------|
| CATEG | GORY | RATE ELEMENTS | Interi m | Zone | E | scs | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | | Dee | Nonrecurring | | Nonrecurring | Disconnect | | • | oss | Rates (\$) | • | |
| | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | 1 |
| | | UNE Zone 3 | | 3 | UEPPB | UEPPR | | 44.32 | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 16.20 | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | | 1 |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 18.71 | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 28.25 | | | | | | | | | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 80.00 | 525.00 | 400.00 | 75.00 | 70.00 | | | 30.89 | 7.03 | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | | | | | | | | | | | | | | |
| | | Combination - Conversion - Top 8 MSAs only | | | UEPPB | UEPPR | USACB | 0.00 | 225.00 | 225.00 | | | | | 30.89 | 7.03 | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy | | | | | | | | | | | | | | | | |
| | | Non Feature/Add Trunk | | | UEPPB | UEPPR | USASB | | 212.88 | | | | | | 30.89 | 7.03 | | |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| | B-CHA | NNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | B-CHA | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, & | TN) | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | USER T | TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | VERTIC | CAL FEATURES | | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel mileage each, including first mile and | | | | | | | | | | | | | | | | |
| | | facilities termination | | | UEPPB | UEPPR | M1GNC | 17.91 | 53.99 | 17.37 | | | | | | | | |
| | | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.173 | 0.00 | 0.00 | | | | | | | | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | | | | | | | | | | | | | | |
| | UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | | Zone 1 | | 1 | UEPPP | | | 982.73 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | | Zone 2 | | 2 | UEPPP | | | 1,000.40 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | | Zone 3 | | 3 | UEPPP | | | 1,023.59 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 57.73 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 75.40 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 98.59 | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 925.00 | 950.00 | 950.00 | 130.00 | 100.00 | | | 30.89 | 7.03 | | |
| | NONRE | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | | |
| | | Combination - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | | USACP | 0.00 | 925.00 | 925.00 | | | | | 30.89 | 7.03 | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | | |
| | 1 | Inward/two way Telephone Numbers (except NC) | | | UEPPP | | PR7TF | | 0.94 | | | | | | | | | 1 |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | 1 | | 1 | | | |] | |] | | | | | | | 1 |
| | <u> </u> | Outward Tel Numbers (All States except NC) | ļ | | UEPPP | | PR7TO | | 22.36 | 22.36 | | | | | | | | 1 |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | 1 | | 1 | | | |] | |] | | | | | | | 1 |
| | | Subsequent Inward Telephone Numbers | | | UEPPP | | PR7ZT | | 44.71 | 44.70 | | | | | | | | 1 |
| | LOCAL | NUMBER PORTABILITY | ļ | | <u> </u> | | 1 | | | | ļ | | | | | | | |
| | <u> </u> | Local Number Portability (1 per port) | ļ | | UEPPP | | LNPCN | 1.75 | | | ļ | | | | | | | |
| | INTER | FACE (Provsioning Only) | ļ | | ļ | | 1 | | | | | | | | | | | |
| | <u> </u> | Voice/Data | ļ | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | ļ | | | | | | | |
| | 1 | Digital Data | | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | 1 | Inward Data | | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | 1 | | | | | <u> </u> |
| . – | New or | Additional "B" Channel | 1 | L | L | | | | | | | | | | | | <u> </u> | |

Version 4Q02: 12/18/02 Page 395 of 416

| UNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|--|----------------|--------|---------|--------------|------------|--------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Dee | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 28.39 | | | | | | | | | |
| | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 29.11 | | | | | | | | | |
| | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 29.39 | | | | | | | | | |
| CAL | L TYPES | | | | | | | | | | | | | | | |
| | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | - | | UEPPP UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | - | |
| Into | Two-way office Channel Mileage | 1 | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| inter | Fixed Each Including First Mile | - | | UEPPP | 1LN1A | 76.1825 | 145.98 | 109.85 | 19.55 | | | | | | - | + |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.3525 | 145.50 | 109.05 | 19.55 | | | | | | | |
| 4-WI | RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | OLITI | ILIVID | 0.3323 | | | | | | | | | | † |
| | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | 1 | 1 | UEPDC | | 93.28 | | | | | | | | 1 | 1 | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | 1 | 110.95 | 1 | | i i | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | 1 | 3 | UEPDC | | 134.14 | | | i i | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 57.53 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | | UEPDC | USLDC | 75.40 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 98.59 | | | | | | | | | | |
| UNE | Port Rate | | | | | | | | | | | | | | | |
| ļ | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 750.00 | 982.57 | 450.10 | 196.09 | 19.23 | | | 30.89 | 7.03 | | |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Switch-As-Is Top 8 MSAs only | 1 | | UEPDC | USAC4 | | 312.91 | 312.91 | | | | | 30.89 | 7.03 | | |
| | 4 Mire DC4 Digital Lagra / 4 Mire DDITC Trusts Dort Combination | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes Top 8 MSAs only | | | UEPDC | USAWA | | 312.91 | 312.91 | | | | | 30.89 | 7.03 | | |
| - | - Conversion with DST Changes Top 6 MSAs only | <u> </u> | | UEPDC | USAWA | | 312.91 | 312.91 | | | | | 30.69 | 7.03 | | . |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Conversion with Change - Trunk Top 8 MSAs only | | | UEPDC | USAWB | | 312.91 | 312.91 | | | | | 30.89 | 7.03 | | |
| ADD | ITIONAL NRCs | 1 | | OLI DO | OO/WD | | 012.01 | 012.01 | | | | | 00.00 | 7.00 | | 1 |
| ,,,,,,, | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | 1 | |
| | Service Activity Per Service Order | | | UEPDC | USAS4 | | 94.88 | 94.88 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 108.67 | 108.67 | | | | | 30.89 | 7.03 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 108.67 | 108.67 | | | | | 30.89 | 7.03 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 108.67 | 108.67 | | | | | 30.89 | 7.03 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | l | | | | | | | | | | | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 108.67 | 108.67 | | | | | 30.89 | 7.03 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | UEPDC | UDTTE | | 108.67 | 108.67 | | | | | 20.00 | 7.03 | | |
| DID/ | Activation / Chan - 2-Way DID w User Trans DLAR 8 ZERO SUBSTITUTION | - | | UEPDC | UDITE | | 108.67 | 108.67 | | | | | 30.89 | 7.03 | - | |
| ыго | B8ZS -Superframe Format | - | | UEPDC | CCOSF | | 0.00 | 590.00 | | | | | | | - | - |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 590.00 | | | | | | | | |
| Alte | rnate Mark Inversion | - | | OLFDC | CCOLI | | 0.00 | 390.00 | | | | | | | | |
| Aito | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | † |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | 1 | |
| Tele | phone Number/Trunk Group Establisment Charges | | | | | | | | i i | | | | | | | |
| 1 | Telephone Number for 2-Way Trunk Group | | 1 | UEPDC | UDTGX | 0.00 | | | İ | | | | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | ĺ | | | | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | Ī | | ĺ | | | | | | | |
| | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | | | | | <u> </u> |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| 1 | Reserve DID Numbers | 1 | <u> </u> | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |

Version 4Q02: 12/18/02 Page 396 of 416

| ONBONDLI | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|-------------|--|-------------|---------|----------|-------|----------|--------------|------------|--------------|------------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | D | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | l . | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Dedic | cated DS1 (Interoffice Channel Mileage) - | | | | | | | | | | | | | | | |
| FX/FC | CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | ĺ |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | 1 |
| | Termination) | | | UEPDC | 1LNO1 | 75.83 | 145.98 | 109.85 | 19.66 | 14.99 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.3525 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | |
| | miles | | | UEPDC | 1LNOB | 0.3525 | 0.00 | 0.00 | | | | | | | - | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.3525 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | 1 |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | 0.00 | 0.00 | 1 | | | | | | | |
| 4-WIE | RE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | OLI DO | 010 | 0.00 | | | | | | | | | | - |
| | em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | vations | | | | | | | 1 | | | | | | | 1 |
| | tem can have various rate combinations based on type and nu | | | lised | _ | | | | | | | | | | | - |
| | DS1 Loop | 11001 01 | porto | I | _ | | | | | | | | | | | - |
| OIAL I | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 57.73 | 0.00 | 0.00 | | | | | | | | - |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 75.40 | 0.00 | 0.00 | | | | | | | | + |
| | 4-Wire DS1 Loop - UNE Zone 3 | | | UEPMG | USLDC | 98.59 | 0.00 | 0.00 | 1 | | | | | | | |
| UNE | DSO Channelization Capacities (D4 Channel Bank Configuration | 16) | | OLI WO | OOLDO | 30.33 | 0.00 | 0.00 | 1 | | | | | | | + |
| ONE. | 24 DSO Channel Capacity - 1 per DS1 | , | | UEPMG | VUM24 | 131.87 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | + |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 263.74 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | + |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 527.48 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 791.42 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | - |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 827.76 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1.318.70 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | + |
| + | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,582,44 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 2,109,92 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,637.40 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | <u> </u> |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 3,164.88 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | <u> </u> |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,692,36 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | <u> </u> |
| Non-F | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with | Chan | eliztio | | | | | 0.00 | | | | | 00.00 | 7.00 | | |
| | nimum System configuration is One (1) DS1, One (1) D4 Channe | | | | | | otom. | | | | | | | | | |
| | ples of this configuration functioning as one are considered Ac | | | | | | | | | | | | | | | 1 |
| | NRC - Conversion (Currently Combined) with or without | | | | J | | | | 1 | | | | | 1 | 1 | † |
| | BellSouth Allowed Changes - Top 8 MSAs Only | | | UEPMG | USAC4 | 0.00 | 303.61 | 15.74 | | | | | 30.89 | 7.03 | 1 | |
| Svste | m Additions Where Currently Combined and New (Not Currentl | v Comb | ined) | | | | | | | | | | | | | |
| | nsity Zone 1 Top 8 MSAs | | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | | | | | | |
| | Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 704.68 | 441.48 | 138.36 | 16.41 | | | 30.89 | 7.03 | | |
| Bipol | ar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | 1 |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 590.00 | | | | | | | | |
| ĺ | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 590.00 | | | | | | | | <u> </u> |
| Altern | nate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ange Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | - | | - | | | | | | |
| Excha | ange Ports | | | | | | | - | | - | | | | | | |
| | | | | <u> </u> | 1 | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | <u> </u> |
| | | | | <u> </u> | 1 | | | | | | | | | | | |
| 1 | Line Side Inward Only Channelized PBX Trunk Port without DID | l | l | UEPPX | UEP1X | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | | 30.89 | 7.03 | | 1 |

Version 4Q02: 12/18/02 Page 397 of 416

| UNBUNDLED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|--|-------------|---------|---------------------|----------------|-------------------|---|---------------|-----------------|-----------------|------------------------|--|--|--|--|--|
| | | | | | | | | | | Svc Order Submitted | Svc Order Submitted | Incremental Charge - | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| CATEGORY RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- | Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | Rec | Nonrecurring | | Nonrecurring | | 001150 | 001441 | | Rates (\$) | 001441 | 0011411 |
| 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | - | | UEPPX | UEPDM | 40.00 | First 0.00 | Add'I 0.00 | First 0.00 | Add'l 0.00 | | SOMAN | SOMAN 30.89 | SOMAN 7.03 | SOMAN | SOMAN |
| Unbundled Exchange Ports, 2-Wire Channelized – Outdial – | | | OLITA | OLI DIVI | 40.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.09 | 7.03 | | |
| (AL, KY, LA, MS, & TN) | | | UEPPX | UEPCY | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| Unbundled Exchange Ports, 2-Wire Channelized – Combination | 1 | | LIEDDY | LIEDOT | 44.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 00.00 | 7.00 | | |
| (AL, KY, LA, MS, & TN Unbundled Exchange Ports, 2-Wire Channelized – Outdial – | | | UEPPX | UEPCT | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| Tennessee Only – Calling Plan - Regionserv | | | UEPPX | UEPCZ | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| Unbundled Exchange Ports, 2-Wire Channelized – Two Way - | | | | | | | | | | | | | | | |
| Tennessee Only – Calling Plan - Regionserv | | | UEPPX | UEPXV | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| Feature Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| Bank (includes Q.1.4, P.50.1, & P.50.498) | | | UEPPX | 1PQWM | 2.02 | 40.00 | 20.00 | 6.00 | 5.00 | | | | | | |
| Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| D4 Bank (includes Q.1.4, P.50.1, & P.50.498) | | | UEPPX | 1PQWU | 2.02 | 110.00 | 30.00 | 75.00 | 15.00 | | | | | | |
| Telephone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | <u> </u> |
| DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Local Number Portability | | | | 1 | | | | | | | | | | | |
| Local Number Portability - 1 per port FEATURES - Vertical and Optional | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | _ |
| Local Switching Features Offered with Line Side Ports Only | | | | | | 1 | | | | | | | | | 1 |
| All Features Available | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE | | | | | | | | | | | | | | | |
| Cost Based Rates are applied where BellSouth is required by FC | | | | | | | | | | <u> </u> | | | | | |
| Features shall apply to the Unbundled Port/Loop Combination - 3. End Office and Tandem Switching Usage and Common Transpor | | | | | | | | | | | `oin Bort/Lo | on Combinat | tions | | <u> </u> |
| 4. The first and additional Port nonrecurring charges apply to Not 0 | | | | | | | | | | | | | | Additional NE | Ce may |
| apply also and are categorized accordingly. | unentry | COIIID | illed Collibos. Tol | Currently CO | ilibilied Collib | os, the nomect | innig charges | s snan be those | identified in t | ne Nomecu | illing - Cull | entry Combin | eu sections. | Additional Ni | .os may |
| 5. Market Rates for Unbundled Centrex Port/Loop Combination wil | be neg | otiated | on an Individual Ca | se Basis, un | til further notic | e. | | | | | | | | | |
| UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN onl | y) | | | | | | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | - | | | - | | | | | | | | | | | - |
| Non-Design | 1 | 1 | UEP91 | | 14.18 | | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | - | | | | | | | | | | | | | | |
| Non-Design | | 2 | UEP91 | | 18.01 | | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | 1 | 3 | UEP91 | | 00.00 | | | | | | | | | | |
| Non-Design UNE Port/Loop Combination Rates (Design) | - | 3 | UEP91 | - | 23.02 | | | | | | | | | | - |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | + | 1 | | + | † | | | | | <u> </u> | - | | | | |
| Design | | 1 | UEP91 | | 18.26 | <u> </u> | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | | | | | | | | | | | | | | | |
| Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | 1 | 2 | UEP91 | 1 | 23.33 | | | 1 | | ļ | ļ | | | | |
| Design | 1 | 3 | UEP91 | | 29.98 | | | | | | | | | | |
| UNE Loop Rate | 1 | Ť | | | 20.30 | † † | | | | | † | | | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 12.48 | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 16.31 | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 3 | 1 | 3 | UEP91 UEP91 | UECS1 | 21.32 | | | 1 | | ļ | ļ | | | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | + | 2 | UEP91 | UECS2 UECS2 | 16.56 21.63 | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 2 | 1 | 3 | UEP91 | UECS2 | 28.28 | | | <u> </u> | | 1 | | | - | | |
| UNE Ports | 1 | Ť | - " - " | 1 | 20.20 | | | | | | | | | | |
| All States (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |

Version 4Q02: 12/18/02 Page 398 of 416

| ONRONDF | ED NETWORK ELEMENTS - Tennessee | , | | , | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|----------|--------|---------|--------|--------------|------------|--------------|-------|-------|---|---|---|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | O Wise Vaine Crede Dark (Contrast 900 terrain stins) Danie Land | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP91 | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | OLF91 | OLFIB | 1.70 | 22.14 | 13.23 | 0.45 | 3.91 | | 30.03 | 7.03 | | 1 | |
| | Area | | | UEP91 | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP91 | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP91 | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | OLF91 | OLF19 | 1.70 | 22.14 | 13.23 | 0.43 | 3.91 | | 30.03 | 7.03 | | | |
| | Basic Local Area | | | UEP91 | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| AL, K | Y, LA, MS, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP91 | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP91 | UEPQIVI | 1.70 | 22.14 | 15.25 | 0.40 | 3.91 | | 30.69 | 7.03 | | - | - |
| | Term | | | UEP91 | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | 02. 01 | 02. 42 | | | 10.20 | 0.10 | 0.01 | | 00.00 | 7.00 | | İ | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.6381 | | | | | | | | | | |
| Local | Number Portability Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | - | |
| Featu | | | | UEF91 | LINFCC | 0.35 | | | | | | | | | | |
| i cata | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | İ | |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | | | | | | 30.89 | 7.03 | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| Micco | Unbundled Network Access Register - Outdial ellaneous Terminations | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | e Trunk Side | | | | + | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| Interd | office Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.0174 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 Cr | nannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.66 | | | | | | | | | - | |
| | readure Activation on 5-4 Channel Bank Centrex Loop Slot | | | OLF91 | IFQW3 | 0.00 | | | | | | | | | 1 | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | 2.30 | | | | | | | 1 | | | |
| | Slot | | | UEP91 | 1PQW7 | 0.66 | | | | | | | <u> </u> | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | · | | | | | | | | | | |
| | Different Wire Center | | <u> </u> | UEP91 | 1PQWP | 0.66 | | | | | | | | | ļ | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | 1 | UEP91 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Trivate Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | - | OLFSI | IFUVVV | 0.06 | | | | | | | | | - | - |
| | Slot | | | UEP91 | 1PQWQ | 0.66 | | | | | | | | | 1 | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.66 | | | 1 | | | | | | | |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | Conversion - Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP91 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| ı | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | <u> </u> |

| ONBONDL | ED NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | | _ | | ment: 2 | | bit: B |
|---------|--|-------------|----------|--|--------|--------|--|------------|--|---------|---|---|--|--|--|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Charge - |
| | | | | | | | N = | | l Name and a committee or | Diagona | | | | Detec (f) | l | 1 |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | 001150 | 001111 | | Rates (\$) | 0011411 | 001111 |
| | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | First 658.60 | Add'l | First | Add'l | SOMEC | 30.89 | SOMAN 7.03 | SOMAN | SOMAN | SOMAN |
| | | | - | UEP91 | M2CC1 | 0.00 | | | | | | 30.89 | 7.03 | | | + |
| | Secondary Block, per Block | | - | UEP91 | URECA | 0.00 | 73.55 | | | | | 30.89 | 7.03 | | | |
| LINE | NAR Establishment Charge, Per Occasion P CENTREX - 5ESS (Valid in All States) | | - | UEF91 | UKECA | | 68.57 | | | | | 30.69 | 7.03 | | | |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | - | | | | | | | | | | - | + |
| | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | + |
| ONL | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | + |
| | Non-Design | | 1 | UEP95 | | 14.18 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | <u>'</u> | OLI 33 | | 14.10 | | | | | | | | | | |
| | Non-Design | | 2 | UEP95 | | 18.01 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLF 93 | | 10.01 | | | | | | | | | | + |
| | Non-Design | | 3 | UEP95 | | 23.02 |] | | | | 1 | 1 | Ì | l | I | |
| UNF | Port/Loop Combination Rates (Design) | | , | 02.100 | + | 20.02 | | | | | | | | | | + |
| 0.12 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | 1 | | | | † | | 1 | | | | I | |
| | Design | | 1 | UEP95 | | 18.26 |] | | | | 1 | 1 | Ì | l | I | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | <u> </u> | | | 10.20 | | | | | | | 1 | 1 | 1 | † |
| | Design | | 2 | UEP95 | | 23.33 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | 1 |
| | Design | | 3 | UEP95 | | 29.98 | | | | | | | | | | |
| UNE | Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 12.48 | | | | | | | | | | _ |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 16.31 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 21.32 | | | | | | | | | | _ |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 16.56 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 21.63 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 28.28 | | | | | | | | | | 1 |
| UNE | Port Rate | | | | | | | | | | | | | | | 1 |
| All St | ates | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP95 | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | · | | | | | | | | | 1 | |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | ļ | | 1 |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | l | | | | | | | | 1 | 1 | <u> </u> | _ | |
| | - Basic Local Area | | | UEP95 | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | l | | |] | | | | | 1 | 1 | 1 | I | |
| | Basic Local Area | | | UEP95 | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | . | <u> </u> |
| AL, K | Y, LA, MS, SC, & TN Only | | | LIEBAE | | | | 4= | | | | 00.57 | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | LIEBOE | LIEBOM | 4 === | | 45.00 | | 0.01 | 1 | 00.00 | 7.00 | l | I | |
| | Center)2 | | | UEP95 | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | - |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | OME William One to Book towards in the control of t | | | LIEBOE | LIEDGS | | | .= | | | | 60.0- | | | 1 | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | 1 | | + |
| F1 0 | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | GA Only | | | | | | | | | | | ļ | 1 | 1 | | |
| Local | Switching Control Intercom Funtionality, per part | | | LIEDOS | URECS | 0.6381 | | | | | | | | | | + |
| l acal | Centrex Intercom Funtionality, per port Number Portability | | - | UEP95 | OKECO | 0.0381 | | | | | - | | - | - | | + |
| Local | | | | UEP95 | LNPCC | 0.35 | | | | | | | - | - | - | + |
| Featu | Local Number Portability (1 per port) | | | ULF90 | LINFUL | 0.35 | | | + | | | | - | - | | + |
| reatu | All Standard Features Offered, per port | | - | UEP95 | UEPVF | 0.00 | | | | | - | 30.89 | 7.03 | - | | + |
| | All Select Features Offered, per port | | - | UEP95 | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | - | + |

| ONR | UNDLE | D NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | 1 - | T - | | ment: 2 | | bit: B |
|-----|--------|---|-------------|------|--------|------------|--------|-----------------------|------------|-----------------------|---------|---|---|--|--|---|--|
| ATE | GORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | | INIa mana a comina m | | Nananaan mina | Diagona | | | | | 2.00 .01 | 2.007.444 |
| | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Add'l | COMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | Add I | FIRST | Addi | SOMEC | 30.89 | 7.03 | SUMAN | SOWAN | SOWAN |
| | NARS | All Certifiex Control Features Offered, per port | | | OLF 93 | OLFVC | 0.00 | | | | | 1 | 30.09 | 7.03 | | | + |
| | IVANO | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | 1 | 30.89 | 7.03 | | | + |
| | | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | 1 | 30.89 | 7.03 | | | + |
| | | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | + |
| | | aneous Terminations | | | 021 00 | O/ II (O/) | 0.00 | 0.00 | 0.00 | | | | 00.00 | 7.00 | | | |
| | | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.78 | 47.75 | 47.01 | 9.21 | 8.47 | | 30.89 | 7.03 | | | _ |
| | | Digital (1.544 Megabits) | | | | | | | | | - | | | | | | _ |
| | | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | Ì | 30.89 | 7.03 | 1 | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0174 | | | | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | :e | | | | | | | | | | | | | | |
| | | nnel Bank Feature Activations | <u></u> | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.66 | | | | | | | | | | |
| | Non-Re | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP95 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 68.57 | | | | | 30.89 | 7.03 | | | |
| | | CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | | 14.18 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 18.01 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | | 23.02 | | | | | | | | | | |
| | | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9D | | 18.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 23.33 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 29.98 | | | | | | | | | | |
| | UNE Lo | pop Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 12.48 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 16.31 | | | | | Ì | | | 1 | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 21.32 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 16.56 | | | | | Ì | | | 1 | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 21.63 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 28.28 | | | | | Ì | | | 1 | | |
| | | ort Rate | | | | | | | | | | İ | | | | | 1 |
| _ | ALL ST | | | | İ | | | | | | | İ | i | i | | İ | 1 |

| UNDUNDLE | D NETWORK ELEMENTS - Tennessee | | | ı | | | | | | | T - | | | ment: 2 | | bit: B |
|-----------------|---|-------------|------|----------------|----------------|--------------|----------------|----------------|---------------|---------------|-------|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.70 | First 22.14 | Add'l 15.25 | First 8.45 | Add'I 3.91 | SOMEC | 30.89 | SOMAN 7.03 | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | UEF9D | UEFTA | 1.70 | 22.14 | 15.25 | 0.45 | 3.91 | | 30.09 | 7.03 | | | + |
| | Area | | | UEP9D | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | | | | | | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | UEP9D | UEPYC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | + |
| | Area | | | UEP9D | UEPYD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | | 1 | | | | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | UEP9D | UEPYE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Area | | | UEP9D | UEPYF | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | | | | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | UEP9D | UEPYG | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Area | | | UEP9D | UEPYT | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYU | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | 021 02 | OLI IV | 1.70 | 22.14 | 10.20 | 0.40 | 0.01 | | 00.00 | 7.00 | | | - |
| | Area | | | UEP9D | UEPY3 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | OLF 9D | OLFIII | 1.70 | 22.14 | 13.23 | 0.45 | 3.91 | | 30.03 | 7.03 | | | + |
| | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | LIEDAD | LIEDY I | 4.70 | 00.44 | 45.05 | 0.45 | 0.04 | | 00.00 | 7.00 | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | UEP9D | UEPYJ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2 Basic Local Area | | | UEP9D | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPYO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | - |
| | Basic Local Area | | | UEP9D | UEPYP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPYQ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Basic Local Area | | | UEP9D | UEPYR | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPYS | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Basic Local Area | | | UEP9D | UEPY4 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY5 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | 02.1 90 | JLI IU | 1.70 | 22.14 | 10.20 | 0.43 | 5.51 | | 30.03 | 7.03 | | t | |
| | Basic Local Area | | | UEP9D | UEPY7 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | <u> </u> |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | OLIBO | ULF 12 | 1.70 | 22.14 | 13.23 | 0.45 | 3.91 | | 30.09 | 1.03 | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | LIEDOD | LIEDVO | 4 70 | 00.44 | 45.05 | 0.45 | 2.01 | | 20.00 | 7.00 | | | |
| AL. KY | Local Area Y, LA, MS, SC, & TN Only | | | UEP9D | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | - | + |
| , . <u></u> , K | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| I | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D UEP9D | UEPQD UEPQE | 1.70 1.70 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | 30.89 30.89 | 7.03 7.03 | | | <u> </u> |

| NURUNDLE | D NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | | | | ment: 2 | | bit: B |
|----------------|---|-------------|--|----------------|----------------|--------|--------------|------------|--|------------|-------|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | | | Rates (\$) | 2.00 .01 | 2.007.444 |
| | | | | | - | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 0020 | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | | |
| | Indication)3 | | | UEP9D | UEPQW | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2 | L | | UEP9D | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | <u> </u> | <u> </u> | <u></u> |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9D | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.6381 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| Featur | | | <u> </u> | LIEDOD | LIEDVE | 0.00 | | | | | | 00.00 | 7.00 | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | 400.70 | | | | | 30.89 | 7.03 | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | |
| NABO | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | | | | | | 30.89 | 7.03 | | | |
| NARS | | | | LIEDOD | LIABOY | 0.00 | 0.00 | 0.00 | | | | 00.00 | 7.00 | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Inward | | <u> </u> | UEP9D UEP9D | UAR1X UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 30.89 | 7.03 7.03 | | | 1 |
| 84: | Unbundled Network Access Register - Outdial | | 1 | UEP9D | UARUX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Ilaneous Terminations Trunk Side | | | | + | | | | | | | | | | | |
| ∠-vvire | Trunk Side Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| 4-Wiro | Digital (1.544 Megabits) | | | OLFBD | CLINDO | 0.18 | 22.14 | 15.25 | 0.40 | 3.91 | | 30.09 | 7.03 | | | |
| 4-44116 | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | t | t | |
| - | DS0 Channels Activiated per Channel | | 1 | UEP9D | M1HDO | 0.00 | 108.67 | 50.15 | | | | 30.89 | 7.03 | - | - | |
| Interof | ifice Channel Mileage - 2-Wire | | - | 02.1 00 | 10111100 | 0.00 | 100.07 | | | | | 30.03 | 7.03 | - | | |
| intero | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| - | Interoffice Channel mileage, per mile or fraction of mile | - | | UEP9D | MIGBM | 0.0174 | 22.17 | 10.20 | 0.40 | 5.31 | | 30.03 | 7.03 | t | | |
| Featur | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | 1 | 02. 00 | | 0.0174 | | | | | | | | - | - | |
| | annel Bank Feature Activations | <u> </u> | | | + + | | | | | | | | | t | | |
| D-7 C116 | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | 1 | UEP9D | 1PQWS | 0.66 | | | + | | | | | - | - | |
| - | - Salaro , Saradon on D 4 Originior Bank Control E009 Oldt | | - | 02.00 | | 0.00 | | | | | 1 | | | | | |
| | 1 | | 1 | UEP9D | 1PQW6 | 0.66 | | | 1 | | ĺ | i | 1 | 1 | 1 | 1 |

| ONROND | LED | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | T - | | ment: 2 | | bit: B |
|--------|--------|--|--|----------|----------|---------|----------------|--|------------|---|-------|--|---|--|--|---|---|
| ATEGOR | Y | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | | | | | | | | | | DISC 1SI | DISC Add I |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | T |
| | | Color Adiada - D. 4 Olor - I Bart EV Tarak O'lakara | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP9D | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | UEP9D | IPQW7 | 0.00 | | | | | | | | | | |
| | | Different Wire Center | | | UEP9D | 1PQWP | 0.66 | | | | | | | | | | |
| | - 10 | billerent while Center | | | OLF3D | IFQWF | 0.00 | | | | | | | | | | 1 |
| | F | eature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | 02. 02 | | 0.00 | | | | | | | | | | |
| | | Slot | | | UEP9D | 1PQWQ | 0.66 | | | | | | | | | | |
| | F | eature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.66 | | | | | | | | | | |
| Nor | n-Reci | urring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | 1 |
| | N | IRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| 1 | | hanges, per port | <u></u> | | UEP9D | USAC2 | | 1.03 | 0.29 | <u> </u> | | <u></u> | 30.89 | 7.03 | <u> </u> | <u> </u> | <u> </u> |
| | N | lew Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | | IAR Establishment Charge, Per Occasion | | | UEP9D | URECA | ` | 68.57 | | | | | 30.89 | 7.03 | | | |
| | | ENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | <u> </u> | | | | | | | | | | | | |
| | | G Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNI | | t/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2- | -Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | lon-Design | | 1 | UEP9E | | 14.18 | | | | | | | | | | |
| | | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | lon-Design | | 2 | UEP9E | | 18.01 | | | | | | | | | | |
| | | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | lon-Design | | 3 | UEP9E | | 23.02 | | | | | | | | | | 1 |
| UN | | t/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | -Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | | | | | | | | | | | | | | |
| | | Design | | 1 | UEP9E | | 18.26 | | | | | | | | | | |
| | | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | LIEBAE | | | | | | | | | | | | |
| | | Design | | 2 | UEP9E | | 23.33 | | | | | | | | | | |
| | | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | | | | | | | | | | | | | |
| | | Design | | 3 | UEP9E | | 29.98 | | | | | | | | | | |
| UNI | | p Rate | | . | LIEDOE | LIEGO | 40.40 | | | | | | | | | | |
| | | -Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 12.48 | | | | | | | | | | 4 |
| | | -Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 16.31 | | | | | | | | | | |
| | | -Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 21.32 | | | | | | | | | | |
| | | P-Wire Voice Grade Loop (SL 2) - Zone 1 | | | UEP9E | UECS2 | 16.56 21.63 | | | | | | | | | | |
| | | -Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | | | | | | | | | | | - |
| LIAII | | t-Wire Voice Grade Loop (SL 2) - Zone 3 t Rate | | 3 | UEP9E | UECS2 | 28.28 | | | | | 1 | | | | | |
| | | t Kate (Y, LA, MS, & TN only | 1 | | + | + | | 1 | | 1 | | | | | + | + | |
| AL, | | t-Wire Voice Grade Port (Centrex) Basic Local Area | 1 | | UEP9E | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | 1 | 1 | |
| | | !-Wire Voice Grade Port (Centrex) Basic Local Area !-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | OLFBL | ULFIA | 1.70 | 22.14 | 15.25 | 0.45 | 3.91 | | 30.09 | 1.03 | t | t | \vdash |
| | | rea | 1 | | UEP9E | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | I | I | |
| | | !-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | OLI OL | OLI ID | 1.70 | 22.14 | 10.20 | 0.40 | 3.91 | | 30.09 | 1.03 | t | t | \vdash |
| | | Area | l | | UEP9E | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | 1 | 1 | |
| | | !-Wire Voice Grade Port (Centrex from diff Serving Wire | 1 | - | OLI OL | JLI III | 1.70 | 22.14 | 10.20 | 0.40 | 3.91 | | 30.03 | 7.03 | - | - | |
| | | Center)2 Basic Local Area | l | | UEP9E | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | 1 | 1 | |
| | | -Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | 1 | | | 32 | 0 | | .0.20 | 5.40 | 3.51 | 1 | 55.50 | | <u> </u> | <u> </u> | |
| | | Ferm - Basic Local Area | 1 | | UEP9E | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | I | I | |
| | | -Wire Voice Grade Port terminated in on Megalink or equivalent | | | | 1 | | | | | 2.51 | | | 50 | 1 | 1 | |
| | | Basic Local Area | l | | UEP9E | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | 1 | 1 | |
| | | -Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | | Basic Local Area | 1 | | UEP9E | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | I | I | |
| AL. | | LA, MS, & TN Only | | | | 1 | | | | | | | | | İ | İ | |
| | | P-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | İ | İ | 1 |
| | | t-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | 1 | 1 |
| | | -Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 1.70 | | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | -Wire Voice Grade Port (Centrex from diff Serving Wire | | | 1 | 1 | | | | | | | | | İ | İ | 1 |
| | | Center)2 | | | UEP9E | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |

| ONRONDEED V | IETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|-------------|--|-------------|--|----------------|----------------|--------|--------------|------------|--------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | | OSS | Rates (\$) | | <u> </u> |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-V | Vire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | 11100 | Addi | 11130 | Auu | COME | COMPAN | COMPAR | COMPAR | COMPAR | COMPAN |
| Ter | | | | UEP9E | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | - | | | | | | | | | | |
| | Vire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Vire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| Local Swit | | | | | | | | | | | | | | | | |
| | ntrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.6381 | | | | | | | | | | |
| | nber Portability | | | | | | | | | | | | | | | |
| | cal Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| Features | Out of the Land Court of the Co | | | LIEDOE | LIEDVE | 0.00 | | | | | | 00.00 | 7.00 | | | |
| | Standard Features Offered, per port | | | UEP9E UEP9E | UEPVF UEPVS | 0.00 | 400.70 | | | | | 30.89 30.89 | 7.03 7.03 | | | |
| | Select Features Offered, per port Centrex Control Features Offered, per port | | <u> </u> | UEP9E | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | |
| NARS | Control Control Legities Chered, her horr | 1 | 1 | OLFBL | ULF VC | 0.00 | | | | | | 30.09 | 1.03 | 1 | + | |
| | bundled Network Access Register - Combination | | 1 | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | 1 | | | 30.89 | 7.03 | | | |
| | bundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | + |
| | bundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | eous Terminations | | | 02. 02 | 0, 110,11 | 0.00 | 0.00 | 0.00 | | | | 00.00 | 7.00 | | | |
| 2-Wire Tru | | | | | | | | | | | | | | | | |
| Tru | unk Side Terminations, each | | | UEP9E | CEND6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | ital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | 1 Circuit Terminations, each | | | UEP9E | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | |
| DS | 0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | 1 |
| | Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | eroffice Channel Facilities Termination | | | UEP9E | MIGBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | eroffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.0174 | | | | | | | | | | |
| | ctivations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| | el Bank Feature Activations | | | | | | | | | | | | | | | |
| Fea | ature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.66 | | | | | | | | | | |
| | at an Authorities and D. A. Ohannad D. al. EVIII and Ohannad Ohan | | | LIEDOE | 400000 | 0.00 | | | | | | | | | | |
| | ature Activation on D-4 Channel Bank FX line Side Loop Slot ature Activation on D-4 Channel Bank FX Trunk Side Loop | | <u> </u> | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| Sic | | | | UEP9E | 1PQW7 | 0.66 | | | | | | | | | | |
| 0.0 | ature Activation on D-4 Channel Bank Centrex Loop Slot - | | 1 | OLF 9L | IFQW/ | 0.00 | | | | | 1 | | | | | - |
| | ferent Wire Center | | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | |
| Dill | Telefit Wile Celiter | | | OLF 9L | IFQWF | 0.00 | | | | | | | | | | |
| Fe | ature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| Fea | ature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| Sic | ot . | l | | UEP9E | 1PQWQ | 0.66 | | | | | | | | | 1 | |
| Fea | ature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.66 | | | | | | | | | | 1 |
| Non-Recur | rring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | C Conversion Currently Combined Switch-As-Is with allowed | | | 1 | | | | | | - | | | | | | |
| | anges, per port | | | UEP9E | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | ļ |
| | w Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | <u> </u> |
| | w Centrex Customized Common Block | ļ | | UEP9E | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | ļ | ļ | |
| | R Establishment Charge, Per Occasion | ļ | 1 | UEP9E | URECA | 0.00 | 68.57 | | | | | 30.89 | 7.03 | | - | Ļ |
| | NTREX - DCO - Valid in AL, KY, LA, MS, & TN) Loop/2-Wire Voice Grade Port (Centrex) Combo | | | ļ | + | | | | | | | | | | 1 | ↓ |
| | Loop/2-wire voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | Nire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | 1 | - | + | | | | | | | | | - | + | |
| | n-Design | l | 1 | UEP93 | | 14.18 | | | | | | | | | I | |
| | Nire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | - | + | OL1 30 | + | 14.10 | | | | | | | | | t | - |
| | n-Design | l | 2 | UEP93 | | 18.01 | | | | | | | | | 1 | |
| | Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | ┢ | | | 10.01 | | | | | | | | | 1 | |
| | n-Design | l | 3 | UEP93 | | 23.02 | | | | | | | | | 1 | |
| | Loop Combination Rates (Design) | | Ť | | | | | | i | | | | | İ | 1 | 1 |
| | Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | 1 |
| | sign | l | 1 | UEP93 | | 18.26 | | | | | | | |] | 1 | |

| ONRONDFF | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | 1 - | 1 - | | ment: 2 | | bit: B |
|----------|---|--|----------|--------|---------|--------|--|------------|--------------|-------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 2 | UEP93 | | 23.33 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | | | | | | | | | | | | | |
| | Design | | 3 | UEP93 | | 29.98 | | | | | | | | | | |
| UNE I | Loop Rate | | <u> </u> | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 | UECS1 | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 21.63 | | | | | | | | | | 1 |
| I INIT P | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 28.28 | | | | | 1 | | | | | 1 |
| | Port Rate Y, LA, MS, & TN only | 1 | - | 1 | | | ļ | | | | 1 | ļ | - | | | 1 |
| AL, K | | | 1 | LIEDOS | I IEDVA | 1.70 | 00.44 | 15.05 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | | | 1 |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | ļ |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | 1 | | UEP93 | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | I | I | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | UEP93 | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | 1 |
| | | | | UEP93 | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | <u> </u> | UEF93 | UEPTH | 1.70 | 22.14 | 15.25 | 0.40 | 3.91 | | 30.69 | 7.03 | | | - |
| | | | | UEP93 | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | <u> </u> | UEP93 | UEPYW | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | - |
| | | | | UEP93 | UEPYZ | 1.70 | 20.44 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | 1 |
| | - Basic Local Area | | | UEP93 | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | UEF93 | UEFT9 | 1.70 | 22.14 | 15.25 | 0.40 | 3.91 | | 30.69 | 7.03 | | | 1 |
| | Basic Local Area | | | UEP93 | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex) | | 1 | UEP93 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | - | - | |
| | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | 1 |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | 1 | UEP93 | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | - | - | |
| - | 2-Wire Voice Grade Port (Centrex with Caller 15)1 | | 1 | OLF 93 | ULFQII | 1.70 | 22.14 | 13.23 | 0.40 | 3.91 | | 30.09 | 7.03 | | | 1 |
| | Center)2 | | | UEP93 | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | 1 | ULF 93 | ULFQIVI | 1.70 | 22.14 | 13.23 | 0.45 | 3.91 | | 30.09 | 7.03 | | | <u> </u> |
| | Term | | | UEP93 | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Term | | | OLI 33 | OLI QZ | 1.70 | 22.14 | 10.20 | 0.40 | 5.51 | | 30.03 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated in 611 Meganin of equivalent | | | UEP93 | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| I ocal | Switching | | | OLI 33 | OLI QZ | 1.70 | 22.17 | 10.20 | 0.40 | 5.51 | | 30.03 | 7.03 | | | |
| Local | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.6381 | | | | | | | | | | |
| Local | Number Portability | | | 02. 00 | 0.1200 | 0.0001 | + | | | | | | | - | | |
| | Local Number Portability (1 per port) | | | UEP93 | LNCCC | 0.35 | | | | | | | | | | |
| Featu | | | | OL1 50 | LINOOO | 0.00 | + | | | | | | | - | | |
| 1 Cutu | All Standard Features Offered, per port | | | UEP93 | UEPVF | 0.00 | | | | | | | | | | |
| | All Centrex Control Features Offered, per port | 1 | | UEP93 | UEPVC | 0.00 | | | | | 1 | | | I | I | 1 |
| NARS | | 1 | t | | | 0.00 | <u> </u> | | 1 | | | | 1 | t | t | † |
| | Unbundled Network Access Register - Combination | | † | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | 1 | 1 | |
| | Unbundled Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | İ | İ | |
| Misce | Ilaneous Terminations | | | 1 | | | 1 | | i i | | | | 1 | 1 | İ | |
| | e Trunk Side | | | | 1 | | İ | | i i | | | | İ | | 1 | |
| | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| 4-Wire | e Digital (1.544 Megabits) | | | | | | | | | • | | - | | | | |
| | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | |
| | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 108.67 | | i i | | | 30.89 | 7.03 | | | |
| Intero | ffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | <u></u> | | UEP93 | MIGBM | 0.0174 | | | | | | | | | | <u></u> |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e e | | | | | | | | | | | | | | |
| D4 Ch | nannel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.66 | | | ĺ | | | | | | | |

| CHECHEL | ED NETWORK ELEMENTS - Tennessee | | _ | 1 | | | | | | | 1_ | | | nent: 2 | | oit: B |
|---|--|-------------------|---|---|---|---|--|---------------|----------------|-----------------|-------|---------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | | Rates (\$) | | • |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP93 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Slot | | | UEP93 | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | 1 | OL1 95 | II QWI | 0.00 | | | | | | | | | | |
| | Different Wire Center | | | UEP93 | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | | | | 450140 | | | | | | | | | | | |
| | Slot Feature Activation on D-4 Channel Bank WATS Loop Slot | 1 | | UEP93 UEP93 | 1PQWQ 1PQWA | 0.66 | | | | | | | | | | |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | UEF93 | IFQWA | 0.06 | | | 1 | | | | | | | |
| 14011- | NRC Conversion Currently Combined Switch-As-Is with allowed | 1 | | + | | | | | | | | | | | | |
| | changes, per port | | | UEP93 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 658.60 | - | | - | | 30.89 | 7.03 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | |
| | 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | 2 - Requires Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | 3 - Requires Specific Customer Premises Equipment CENTREX PORT/LOOP COMBINATIONS - MARKET RATES | | | | | | - | | | | | | | | | |
| | rket Rates are applied where BellSouth is not required by FCC | and/or | State C | ommission rule to | provide Unbu | ndled Local Sv | vitching or Swi | tch Ports. | | | | | | | | |
| 1. 1410 | | | | | | naica Eccai oi | ritoining or our | ton i onto. | l I | | | | | | | |
| 2. Re | curring Charges for all Standard Centrex and Centrex Conrol Fe | eatures | are Inc | luded in the Mark | et Rate | | | | | | | | | | | |
| 3. En 4. Th | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co | Usage | rates ir | the Port section | of this rate exh | | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE- | d Office and Tandem Switching Usage and Common Transport | Usage urrently | rates ir | the Port section | of this rate exh | | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE- 2-Wir | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co r also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only | Usage urrently | rates ir | the Port section | of this rate exh | | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE- 2-Wir | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co / also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only ev VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | Usage urrently | Comb | n the Port section ined Combos. Fo | of this rate exh | mbined Combo | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE- 2-Wir | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr y also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only te VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design | Usage urrently | rates ir | the Port section | of this rate exh | | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE- 2-Wir | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co valso and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only te VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design | Usage urrently | Comb | n the Port section ined Combos. Fo | of this rate exh | mbined Combo | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE- 2-Wir | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr / also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | Usage urrently | rates in Comb | n the Port section ined Combos. Fo | of this rate exh | 26.48 30.31 | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE- 2-Wir UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci r also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only te VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design | Usage urrently | Comb | the Port section ined Combos. Fo | of this rate exh | mbined Combo | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE- 2-Wir UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr / also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | Usage urrently | rates in Comb | n the Port section ined Combos. Fo | of this rate exh | 26.48 30.31 | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE- 2-Wir UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co r also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only te VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) | Usage urrently | rates in Comb | n the Port section ined Combos. Fo | of this rate exh | 26.48 30.31 | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE- 2-Wir UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only te VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | Usage urrently | 1 2 3 | UEP91 UEP91 UEP91 | of this rate exh | 26.48 30.31 35.32 | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE- 2-Wir UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr / also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design | Usage urrently | 1 2 3 | uEP91 UEP91 | of this rate exh | 26.48 30.31 35.32 | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE- 2-Wir UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr / also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only the VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | Usage urrently | 1 2 3 1 2 | UEP91 UEP91 UEP91 UEP91 | of this rate exh | 26.48 30.31 35.32 30.56 35.63 | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE 2-Wir UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci y also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only to VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design | Usage urrently | 1 2 3 | UEP91 UEP91 UEP91 | of this rate exh | 26.48 30.31 35.32 | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE 2-Wir UNE UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci r also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only te VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design | Usage urrently | 1 2 3 1 2 3 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | of this rate exh | 26.48 30.31 35.32 30.56 35.63 42.28 | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE 2-Wir UNE UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr / also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only the VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | Usage urrently | 1 2 3 1 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | of this rate exhibit currently Cou | 26.48 30.31 35.32 30.56 35.63 42.28 | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE 2-Wir UNE UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci r also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only te VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design | Usage urrently | 1 2 3 1 2 3 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | of this rate exh | 26.48 30.31 35.32 30.56 35.63 42.28 | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE 2-Wir UNE UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr y also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only to VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | Usage urrently | 1 2 3 1 2 3 1 2 2 3 1 2 2 2 1 2 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 | 26.48 30.31 35.32 30.56 35.63 42.28 12.48 16.31 | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE 2-Wir UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr y also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only to VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 | Usage urrently | 1 | UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 | 26.48 30.31 35.32 30.56 35.63 42.28 16.31 21.32 16.56 21.63 | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE 2-Wir UNE UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr y also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only to VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 | Usage urrently | 1 | UEP91 | UECS1 UECS1 UECS2 | 26.48 30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32 16.56 | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE 2-Wir UNE UNE UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr / also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only the VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports | Usage urrently | 1 | UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 | 26.48 30.31 35.32 30.56 35.63 42.28 16.31 21.32 16.56 21.63 | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE 2-Wir UNE UNE UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr / also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only the VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports Lates (Except North Carolina and Sout Carolina) | Usage urrently | 1 | UEP91 UEP91 | UECS1 UECS1 UECS2 UECS2 UECS2 | 26.48 30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32 21.65 21.63 28.28 | os, the nonrecu | rring charges | shall be those | identified in t | | rring - Curre | ently Combine | | Additional NR | Cs may |
| 3. En 4. Th apply UNE 2-Wir UNE UNE UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr y also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only to VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports tates (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area | Usage urrently | 1 | UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 | 26.48 30.31 35.32 30.56 35.63 42.28 16.31 21.32 16.56 21.63 | | | | | | | | | Additional NR | Cs may |
| 3. En 4. Th apply UNE 2-Wir UNE UNE UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr / also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only te VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports Lates (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local | Usage urrently | 1 | UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 | 26.48 30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32 16.56 21.63 28.28 | ps, the nonrecu | 45.00 | shall be those | 10.00 | | 30.89 | 7.03 | | Additional NR | Cs may |
| 3. En 4. Th apply UNE 2-Wir UNE UNE UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr y also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only to VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports tates (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area | Usage urrently | 1 | UEP91 UEP91 | UECS1 UECS1 UECS2 UECS2 UECS2 | 26.48 30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32 21.65 21.63 28.28 | os, the nonrecu | rring charges | shall be those | identified in t | | rring - Curre | ently Combine | | Additional NR | Cs may |
| 3. En 4. Th apply UNE 2-Wir UNE UNE UNE | d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr / also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area | Usage urrently | 1 | UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 | 26.48 30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32 16.56 21.63 28.28 | ps, the nonrecu | 45.00 | shall be those | 10.00 | | 30.89 | 7.03 | | Additional NR | Cs may |

Version 4Q02: 12/18/02 Page 407 of 416

| ONRONDE | ED NETWORK ELEMENTS - Tennessee | | | ı | | | | | | | 1 - | _ | | ment: 2 | | bit: B |
|----------|--|-------------|----------|---------|----------|--------|--------------|------------|--------------|-------|----------|---|---|---|----------|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Charge - |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | _ |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | = | | | |
| | Term - Basic Local Area | | <u> </u> | UEP91 | UEPYZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP91 | UEPY9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | UEF91 | UEFT9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.69 | 7.03 | | | + |
| | Basic Local Area | | | UEP91 | UEPY2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| ΔI K | Y, LA, MS, & TN Only | | | OLI 31 | OLI 12 | 14.00 | 30.00 | 45.00 | 20.00 | 10.00 | | 30.03 | 7.03 | | | + |
| AL, 1 | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | + |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | + |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | 1 | UEP91 | UEPQH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | 1 |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | 02. 0. | <u> </u> | 1 1.00 | 00.00 | 10.00 | 20.00 | 10.00 | | 00.00 | 7.00 | | 1 | 1 |
| 1 | Center)2 | | | UEP91 | UEPQM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | 1 | |
| l | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | 1 | - | | | | | | | | | | |
| | Term | | | UEP91 | UEPQZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | <u> </u> | 30.89 | 7.03 | <u> </u> | <u> </u> | <u> </u> |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.6381 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| Featu | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | | | | | | 30.89 | 7.03 | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | ellaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wir | e Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.78 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| Interd | office Channel Mileage - 2-Wire | | | LIEBA (| 111000 | 10.50 | 20.00 | 4= 00 | 20.00 | 10.00 | | | = | | | |
| | Interoffice Channel Facilities Termination - Voice Grade | | <u> </u> | UEP91 | M1GBC | 18.58 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | <u> </u> | UEP91 | M1GBM | 0.0174 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | - | | | | | | | | | | | - |
| D4 Ci | nannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.00 | | | | | | | | | | - |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | IPQWS | 0.66 | | | | | | | | | | + |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.66 | | | | | | | | | | |
| + | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | 1 | OLF91 | IFQW | 0.00 | 1 | | | | | | | | | + |
| | Slot | | | UEP91 | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | OLI OI | 11 0000 | 0.00 | | | 1 | | | | | | | + |
| | Different Wire Center | | | UEP91 | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP91 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.66 | | | | | | | | | | |
| Non-l | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | Conversion - Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| [| changes, per port | | L | UEP91 | USAC2 | | 1.03 | 0.29 | | | <u> </u> | 30.89 | 7.03 | <u> </u> | <u> </u> | 1 |
| | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 73.55 | | | | | 30.89 | 7.03 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | |
| | P CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| LINE | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |

| DURONDE | ED NETWORK ELEMENTS - Tennessee | | | 1 | , , | | | | | | 1 - | T - | | ment: 2 | | bit: B |
|---------|--|--|--|----------------|----------------|--------|--|------------|--------------|------------|--|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge Manual S Order vs Electroni |
| 1 | | | | | + | | Nonrecurring | | Nonrecurring | Disconnect | | | 088 | Rates (\$) | | |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | 1 1130 | Auu | 11130 | Addi | COMILO | COMPAR | COMPAR | COMPAR | COMPAR | COMPAN |
| | Non-Design | | 1 | UEP95 | | 26.48 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | <u> </u> | 02. 00 | + | 20.10 | | | | | | | | | | + |
| | Non-Design | | 2 | UEP95 | | 30.31 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP95 | | 35.32 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | 1 |
| | Design | | 1 | UEP95 | | 30.56 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 2 | UEP95 | | 35.63 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP95 | | 42.28 | | | | | | | | | | |
| UNE | Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 28.28 | | | | | | | | | | |
| UNE | Port Rate | | | | | | | | | | | | | | | |
| All St | ates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP95 | UEPYH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP95 | UEPY9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP95 | UEPY2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| AL, K | Y, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | l | | | | | | | | | | | | | | |
| | Center)2 | | <u> </u> | UEP95 | UEPQM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | ļ |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | 1 | 1 | l | 1 | |] | | | | | | l _ | | | |
| | Term | | <u> </u> | UEP95 | UEPQZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | ļ |
| | [| 1 | 1 | | luene - | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | <u> </u> | UEP95 | UEPQ9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | ļ |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | <u> </u> | UEP95 | UEPQ2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.89 | 7.03 | | ļ | <u> </u> |
| | GA Only | <u> </u> | <u> </u> | - | 1 | | | | | | | | 1 | 1 | | |
| Loca | Switching | <u> </u> | <u> </u> | LIEDOE | LIDECO | 0.0001 | | | | | | | | | | |
| 1 | Centrex Intercom Funtionality, per port | <u> </u> | <u> </u> | UEP95 | URECS | 0.6381 | | | | | | | 1 | 1 | | |
| Loca | Number Portability | 1 | _ | LIEDOE | LNDCC | 0.05 | | | ļ | | } | | - | - | 1 | |
| Fast | Local Number Portability (1 per port) | | 1 | UEP95 | LNPCC | 0.35 | | | | | 1 | | | | - | |
| Featu | | | 1 | LIEDOE | LIEDVE | 0.00 | | | - | | 1 | 30.89 | 7.00 | | - | |
| | All Standard Features Offered, per port | 1 | _ | UEP95 UEP95 | UEPVF | 0.00 | 433.78 | | ļ | | 1 | 30.89 | 7.03 | - | 1 | |
| | All Select Features Offered, per port All Centrex Control Features Offered, per port | 1 | _ | UEP95 UEP95 | UEPVS | 0.00 | 433.78 | | ļ | | 1 | | 7.03 | - | 1 | |
| NARS | | | | OLF90 | UEFVC | 0.00 | | | | | | 30.89 | 7.03 | - | 1 | |
| NARS | | - | - | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | 1 | | | 30.89 | 7.03 | - | | |
| | Unbundled Network Access Register - Combination | | | | | | | | | | | | | - | 1 | |
| | Unbundled Network Access Register - Indial | 1 | _ | UEP95 UEP95 | UAR1X UAROX | 0.00 | 0.00 | 0.00 | ļ | | 1 | 30.89 | 7.03 | - | 1 | |
| 1 | Unbundled Network Access Register - Outdial ellaneous Terminations | L | <u> </u> | UEP95 | UAKUX | 0.00 | 0.00 | 0.00 | ļ | | 1 | 30.89 | 7.03 | | ļ | 4 |

| _ | | | | | | | | | | | | | | | | bit: B |
|---------|--|-------------|------|----------------|----------------|---------------|-----------------|------------|--|-------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Trunk Side | | | | 051150 | | | | | | | | = 00 | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.78 | 47.75 | 47.01 | 9.21 | 8.47 | | 30.89 | 7.03 | | | |
| | Digital (1.544 Megabits) | | | LIEBOE | MALIDA | 05.55 | 75.00 | 00.45 | | | | 00.00 | 7.00 | | | |
| | DS1 Circuit Terminations, each DS0 Channels Activated, each | | | UEP95 UEP95 | M1HD1 M1HDO | 35.55 0.00 | 75.93 108.67 | 38.15 | | | | 30.89 30.89 | 7.03 | | | |
| | ice Channel Mileage - 2-Wire | | | UEP95 | MIHDO | 0.00 | 108.67 | | 1 | | | 30.89 | 7.03 | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 18.58 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | 1 |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0174 | 90.00 | 43.00 | 20.00 | 10.00 | | 30.09 | 7.03 | | | |
| | Activations (DS0) Centrex Loops on Channelized DS1 Service | Α | | OLF 95 | IVIIGDIVI | 0.0174 | | | | | | | | | | |
| | nnel Bank Feature Activations | | | | + | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | | | | | | | | | |
| | 1 Catalo / Cityation on B 4 Chamber Bank Centrex Ecop Glot | | | OL: 50 | 11 0000 | 0.00 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | 02. 00 | 4.1.5 | 0.00 | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | | | | | | |
| 1 | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.66 | | | 1 | | | | | | | |
| | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| l l | changes, per port | | | UEP95 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| 1 | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 68.57 | | | | | 30.89 | 7.03 | | | |
| | CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | | 26.48 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design | | 2 | UEP9D | | 30.31 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP9D | | 35.32 | | | | | | | | | | |
| | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP9D | | 30.56 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 35.63 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | <u> </u> | | | | | |
| | Design | | 3 | UEP9D | | 42.28 | | | | | | | | | | |
| | op Rate | | | | 1 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 12.48 | | | | | | | | | ļ | ļ |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 16.31 | | | | | | | | | ļ | ļ |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 21.32 | | | ļ | | | | | | ļ | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 16.56 | | | ļ . | | | | | 1 | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 21.63 | | | ļ . | | | | | 1 | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 28.28 | | | | | | | | | | ļ |
| UNE Po | | | | | | | | | | | | | | | | ! |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | - | - | UEP9D | UEPYA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | - | 1 | - |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | OFLAD | JEPTA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 1.03 | - | - | - |
| | z-vviie voice Grade Fort (Centrex 800 termination)Basic Local | 1 | 1 | | | | l | 4= 00 | 00.00 | | 1 | | | l | 1 | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | UEP9D | UEPYB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |

| ONRONDLE | D NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | 1 - | | | ment: 2 | | bit: B |
|----------|--|-------------|------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | T |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Area | | | UEP9D | UEPYD | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYE | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | ļ |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | UEP9D | UEPYF | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | OLI 3D | OLI II | 14.00 | 30.00 | 43.00 | 20.00 | 10.00 | | 30.03 | 7.03 | | | |
| | Area | | | UEP9D | UEPYG | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | LIEDOD | LIED/T | 44.00 | 00.00 | 45.00 | 20.00 | 10.00 | | 00.00 | 7.03 | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | UEP9D | UEPYT | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | Area | | | UEP9D | UEPYU | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | | | | | | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | UEP9D | UEPYV | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | - | |
| | Area | | | UEP9D | UEPY3 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | OLI 3D | OLI IW | 14.00 | 30.00 | 43.00 | 20.00 | 10.00 | | 30.03 | 7.03 | | | |
| | Basic Local Area | | | UEP9D | UEPYJ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | LIEDAD | LIEDVA4 | 44.00 | 00.00 | 45.00 | 00.00 | 40.00 | | 00.00 | 7.00 | | | |
| | 2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPYM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | Basic Local Area | | | UEP9D | UEPYO | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYP | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | OLI OD | OLI TQ | 14.00 | 50.00 | 40.00 | 20.00 | 10.00 | | 00.00 | 7.00 | | | 1 |
| | Basic Local Area | | | UEP9D | UEPYR | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPTS | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.09 | 7.03 | | 1 | |
| | Basic Local Area | | | UEP9D | UEPY4 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPY5 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | - |
| | Basic Local Area | | | UEP9D | UEPY6 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY7 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | 021 02 | OLI IZ | 14.00 | 50.00 | 40.00 | 20.00 | 10.00 | | 00.00 | 7.00 | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| AL. K | Y, LA, MS, SC, & TN Only | | | OEP9D | UEPTZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.09 | 7.03 | | | - |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | - | UEP9D UEP9D | UEPQC UEPQD | 14.00 14.00 | 90.00 90.00 | 45.00 45.00 | 20.00 20.00 | 10.00 10.00 | | 30.89 30.89 | 7.03 7.03 | | - | - |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQD | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| - | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | - | |
| 1 | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | 1 | † |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | Ì | 1 | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | 1 | İ |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | 1 |

Version 4Q02: 12/18/02 Page 411 of 416

| <u>NRO</u> NDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|-----------------|---|-------------|--|----------------|----------------|----------------|--|----------------|--|----------------|----------|---|-------------------------|--|--|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - | | Incremental Charge - | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | B | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | | |
| | Indication)3 | | | UEP9D | UEPQW | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2 | | | UEP9D | UEPQM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | <u> </u> | UEP9D | UEPQO | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 0 M/2 - 1/2 - 0 - 1 - Dest (O - 1 - 1/2 / 1/2 - 0 M/2 / ED0 M/2 (O - 1 - 1/2 / 1/2 - 0 M/2 / ED0 M/2 (O - 1 - 1/2 / 1/2 | | | LIEDOD | LIEDOD | 44.00 | 00.00 | 45.00 | 00.00 | 40.00 | | 00.00 | 7.00 | | | |
| _ | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | 1 | UEP9D UEP9D | UEPQP UEPQQ | 14.00 14.00 | 90.00 90.00 | 45.00 45.00 | 20.00 20.00 | 10.00 10.00 | | 30.89 30.89 | 7.03 7.03 | | | |
| | 2-Wile Voice Grade Port (Centrex diller SWC /EBS-5209)2, 3 | | | UEP9D | UEFQQ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.69 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wile Voice Glade Fort (Centrex differ SWG / EBG-NOT12)2, 3 | | 1 | OLI 3D | OLI QIX | 14.00 | 30.00 | 43.00 | 20.00 | 10.00 | | 30.03 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2 Wile Voice Glade For (Centrewaller GWG/EBG Mico 12)2, 0 | | | OLI OD | OLI QU | 14.00 | 50.00 | 40.00 | 20.00 | 10.00 | | 00.00 | 7.00 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | , , | | | | | | 1 | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | , | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9D | UEPQZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| Local | Switching | | | LIEBAB | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.6381 | | | | | | | | | | |
| Local | Number Portability Local Number Portability (1 per port) | | 1 | UEP9D | LNPCC | 0.35 | | | | | | | | | | - |
| Featur | | | | UEP9D | LINFCC | 0.33 | 1 | | | | | | | | | |
| reatur | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | 1 | 30.89 | 7.03 | | | |
| _ | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | 400.70 | | | | | 30.89 | 7.03 | | | |
| NARS | | | | 02. 02 | 02. 70 | 0.00 | | | | | | 00.00 | 7.00 | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| Miscel | laneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.78 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | |
| | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | |
| Interof | fice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | <u> </u> | | UEP9D | MIGBC | 18.58 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | - | - | <u> </u> |
| F4 | Interoffice Channel mileage, per mile or fraction of mile | | - | UEP9D | MIGBM | 0.0174 | | | | | | | | | | - |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations | e I | | | + | | | | 1 | | | | - | | | |
| D4 Ch | Feature Activation on D-4 Channel Bank Centrex Loop Slot | 1 | - | UEP9D | 1PQWS | 0.66 | + | | | | | | 1 | | | } |
| - | 1 Galuic Activation on 5-4 Chainlet Bank Centrex Loop Stot | 1 | - | OLI 3D | IF QVVO | 0.00 | + | | | | 1 | 1 | | 1 | 1 | 1 |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | l | 1 | UEP9D | 1PQW6 | 0.66 | | | | | | | 1 | 1 | I | |
| - | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | 1 | <u> </u> | | | 0.00 | | | | | <u> </u> | | | I | I | 1 |
| | Slot | l | 1 | UEP9D | 1PQW7 | 0.66 | | | | | | | 1 | 1 | I | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | 2.00 | † † | | 1 | | | İ | İ | 1 | 1 | |
| 1 | Different Wire Center | I | 1 | UEP9D | 1PQWP | 0.66 | 1 | | | | 1 | | I | 1 | 1 | 1 |

Version 4Q02: 12/18/02 Page 412 of 416

| UNDUNDL | ED NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | 1 | | | ment: 2 | | bit: B |
|----------|--|-------------|------|--------|---------|-------|--------------|------------|--------------|------------|--|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| | | | | | + | | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.66 | | | 1 | | | | | | | + |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | OLI 3D | II QWA | 0.00 | | | | | | | | | | + |
| 14011 | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | 1 | | | | | | | | | | | 1 |
| | changes, per port | | | UEP9D | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | 1 |
| | -P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| | re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | - | | - | | - | | | | | | |
| | Non-Design | | 1 | UEP9E | | 26.48 | | | | | | | | | | ļ |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | · | | · | | · | | | | | 1 | |
| | Non-Design | | 2 | UEP9E | | 30.31 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP9E | | 35.32 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | ١., | | | | | | | | | | | | | |
| | Design | | 1 | UEP9E | | 30.56 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | LIEDOE | | 05.00 | | | | | | | | | | |
| | Design | | 2 | UEP9E | + | 35.63 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9E | | 42.28 | | | | | | | | | | |
| LINE | Loop Rate | | 3 | UEF9E | + | 42.20 | | | | | | | | | - | |
| ONE | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 12.48 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 21.63 | | | | | | | | | | t |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 28.28 | | | | | | | | | | |
| UNE | Port Rate | | | | | | | | | | | | | | | |
| | FL, KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | 1 |
| İ | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9E | UEPYB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | <u> </u> | <u></u> | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | 1 | | | | | | | | | | | |
| | Area | | | UEP9E | UEPYH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | <u> </u> | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | l | 1 1 | | | | | | | | _ | | 1 | |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | ļ | ļ | ļ |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | 1 | | | | | | | | | 1 | I | |
| | Term - Basic Local Area | | | UEP9E | UEPYZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | LIEDOE | LIEDVO | 44.00 | 00.00 | 45.00 | 20.00 | 40.00 | | 20.00 | 7.00 | | 1 | |
| - | - Basic Local Area | | | UEP9E | UEPY9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | } | 30.89 | 7.03 | | ! | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP9E | UEPY2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | 1 | |
| AI L | KY, LA, MS, & TN Only | | | OLYSE | UEF12 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 1.03 | - | - | |
| AL, P | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.89 | 7.03 | | 1 | |
| | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| - | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.89 | 7.03 | | | + |
| + | 2-Wire Voice Grade Port (Centrex with Carler ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | 0_1 0_ | 0L1 Q11 | 14.00 | 30.00 | 45.00 | 20.00 | 10.00 | | 30.03 | 7.03 | | t | + |
| | Center)2 | | | UEP9E | UEPQM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | 1 | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | 1 | 1 | 50 | 23.50 | .0.50 | 20.00 | | | 30.00 | 1.50 | İ | 1 | |
| | Term | | | UEP9E | UEPQZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| 1 | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | 1 | UEP9E | UEPQ9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.89 | 7.03 | 1 | 1 | |

Version 4Q02: 12/18/02 Page 413 of 416

| UNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|---------|--|--|--|--------|---------|------------|--------------|-------|--|-------|--------------|---|----------|--|--|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | RATES (\$) | | | | | | Svc Order Submitted Manually per LSR | Charge - | Charge - | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | 1 | 1 |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| Loca | l Switching | | | LIEDOE | LIDEOO | 0.0004 | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | 1 | | UEP9E | URECS | 0.6381 | | | | | | | | | | |
| Loca | I Number Portability Local Number Portability (1 per port) | 1 | | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| Feat | | 1 | | UEP9E | LINFCC | 0.33 | | | | | | | | | | 1 |
| геа | All Standard Features Offered, per port | | | UEP9E | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | All Select Features Offered, per port | 1 | | UEP9E | UEPVS | 0.00 | 433.78 | | 1 | | | 30.89 | 7.03 | | | |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 0.00 | 400.70 | | | | | 30.89 | 7.03 | | | |
| NAR | | 1 | | 02. 02 | 02. 10 | 0.00 | | | | | | 00.00 | 7.00 | | | |
| | Unbundled Network Access Register - Combination | 1 | 1 | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | 1 | |
| | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | † † | | | 30.89 | 7.03 | | 1 | |
| | Unbundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | † | | | 30.89 | 7.03 | | | |
| Misc | ellaneous Terminations | 1 | | | | - | | | | | | | | | | |
| | re Trunk Side | | | _ | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.78 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| 4-Wi | re Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | |
| | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | |
| Inter | office Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 18.58 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.0174 | | | | | | | | | | |
| | ure Activations (DS0) Centrex Loops on Channelized DS1 Servi | ce | | | | | | | | | | | | | | |
| D4 C | hannel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.66 | | | | | | | | | | |
| | Foot on Anti-office on B. 4 Observed Book EV Foot Oile Leave Old | | | LIEDOE | 400140 | 0.00 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | 1 | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9E | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | - | | UEP9E | IPQW/ | 0.00 | | | | | | | | | - | |
| | Different Wire Center | | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | |
| | Different Wife Center | - | | ULFBL | IFQWF | 0.00 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | OLI OL | 11 QVVV | 0.00 | | | | | | | | | | |
| | Slot | | | UEP9E | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.66 | | | | | | | | | | |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | <u> </u> | | UEP9E | USAC2 | | 1.03 | 0.29 | <u> </u> | | <u> </u> | 30.89 | 7.03 | | <u> </u> | |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 68.57 | | | | | 30.89 | 7.03 | | | |
| | P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | |
| | re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | 1 | | | \bot | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) | ļ | <u> </u> | | 1 | | | | ļ | | | | | ļ | ļ | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | 1 | l . | | | | | | | | | | | | 1 | |
| | Non-Design | | 1 | UEP93 | | 26.48 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | 2 | LIEDOS | | 20.04 | | | | | | | | | 1 | |
| | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | 2 | UEP93 | + + | 30.31 | | | | | | | | | | |
| | 2-wire vG Loop/2-wire voice Grade Port (Centrex)Port Combo - Non-Design | 1 | 3 | UEP93 | | 35.32 | | | | | | | | | 1 | |
| LINE | Port/Loop Combination Rates (Design) | 1 | 3 | UEP93 | + + | 35.32 | | | + | | | | | | + | 1 |
| UNE | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | | | | + + | | | | + | | | | | 1 | | |
| | Design | | 1 | UEP93 | | 30.56 | | |] | | | | | 1 | I | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | .+ | +- | 021 00 | + + | 30.30 | + | | + + | | | | | | t | |
| | Design | | 2 | UEP93 | | 35.63 | | | | | | | | | 1 | |
| - | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | 021 00 | + + | 55.65 | | | | | | | | | I | |
| | Design | | 3 | UEP93 | | 42.28 | | | | | | | | | 1 | |
| LINE | Loop Rate | 1 | ا ٽ | | + + | 72.20 | - | | | | | | | | 1 | 1 |

Version 4Q02: 12/18/02 Page 414 of 416

| JNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|---|-------------|------|--------|-------|------------|-----------------------|-------|--|-------|---|---|---|--|--------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | RATES (\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | + | Rec | Nonrecurring First | Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 12.48 | Tillot | Auu i | 11130 | Addi | JONIEC | JONAN | JOWAN | JONAN | JOMAN | JONAN |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 | UECS1 | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 28.28 | | | | | | | | | | |
| | ort Rate | | | | | | | | | | | | | | | |
| AL, KY | , LA, MS, & TN only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP93 | UEPYB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP93 | UEPYH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP93 | UEPYM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP93 | UEPYZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP93 | UEPY9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP93 | UEPY2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex) | | - | UEP93 | UEPQA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex vith Caller ID)1 | | | UEP93 | UEPQH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP93 | UEPQM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP93 | UEPQZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| Local S | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.6381 | | | | | | | | | | |
| Local N | Number Portability | | | | | | | | | | | | | | | |
| Feature | Local Number Portability (1 per port) | | | UEP93 | LNCCC | 0.35 | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP93 | UEPVF | 0.00 | | | | | | | | | | |
| NARS | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 0.00 | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | aneous Terminations | | | | 1 | | | | ļ <u> </u> | | | | | ļ | | |
| | Trunk Side | | | LIEBOO | OENE? | | 22.25 | | 22.2- | | | 60.0- | | | | <u> </u> |
| | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.78 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | - | 1 | |
| | Digital (1.544 Megabits) DS1 Circuit Terminations, each | - | | UEP93 | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | 1 | | } |
| | DS0 Channels Activated, Per Channel | | | UEP93 | M1HD0 | 0.00 | 108.67 | 30.13 | | | | 30.89 | 7.03 | 1 | 1 | 1 |
| | fice Channel Mileage - 2-Wire | | | | | 0.00 | 100.07 | | | | | 30.00 | 7.00 | | 1 | 1 |
| | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 18.58 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | İ | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.0174 | | | | | | | | | | |
| | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | 1 | | | | 1 | | | | | | | |
| | nnel Bank Feature Activations | | | | | | İ | | 1 | | | | | 1 | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP93 | 1PQW6 | 0.66 | | | | | | | | | | |
| | i eature Activation on D-4 Channel Dank FA Trunk Side Loop | 1 | 1 | UEP93 | 1PQW7 | 0.66 | | | 1 | | | 1 | | l | 1 | 1 |

Version 4Q02: 12/18/02 Page 415 of 416

| IBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachr | nent: 2 | Exhi | bit: B |
|---------|---|--------|------|-------|-------|------|--------------|------------|-------------------------|-------|-----------|-----------|----------------|-------------|-------------|------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Increment |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | . | | | | | | | | Elec | | | | Manual Svc | Manual Sv |
| TEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | | | | | | | | 151 | Auu i | Disc 1st | DISC Auu |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | | OSS Rates (\$) | | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP93 | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP93 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.66 | | | | | | | | | | |
| Non-Re | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP93 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | |
| Note 1 | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| Note 2 | - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| Note 3 | - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |

Attachment 3

Network Interconnection

TABLE OF CONTENTS

| 1. | GENERAL | 3 |
|-----|---|-----------|
| 2. | DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT) | 3 |
| 3. | NETWORK INTERCONNECTION | 4 |
| 4. | INTERCONNECTION TRUNK GROUP ARCHITECTURES | 6 |
| 5. | NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION | ON13 |
| 6. | LOCAL DIALING PARITY | 17 |
| 7. | INTERCONNECTION COMPENSATION | 17 |
| 8. | FRAME RELAY SERVICE INTERCONNECTION | 23 |
| 9. | ORDERING CHARGES | 26 |
| Rat | tes | Exhibit A |
| Bas | sic Architecture | Exhibit B |
| On | e Way Architecture | Exhibit C |
| Tw | o Way Architecture | Exhibit D |
| Sur | pergroup Architecture | Exhibit E |

NETWORK INTERCONNECTION

1. GENERAL

- 1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
- 2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)
- 2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:
- 2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- 2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide ("LERG").
- 2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
- 2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
- 2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
- 2.1.8 **Final Trunk Group** is defined as the trunk group that does not carry overflow traffic.
- 2.1.9 **Interconnection Point ("IP")** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and Southern Telcom.

- 2.1.10 **IntraLATA Toll Traffic** is as defined in Section 7 of this Attachment.
- 2.1.11 **ISP-bound Traffic** is as defined in Section 7 of this Attachment.
- 2.1.12 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center.
- 2.1.13 **Local Traffic** is as defined in Section 7 of this Attachment.
- 2.1.14 **Reciprocal Trunk Group** is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by Southern Telcom
- 2.1.15 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
- 2.1.16 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
- 2.1.17 **Transit Traffic** is traffic originating on Southern Telcom's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to Southern Telcom's network.

3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where Southern Telcom owns, leases from a third party or otherwise provides its own switch(es).
- 3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request ("BFR/NBR") process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic.
- Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will

not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.

3.2.3 When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

3.3 Interconnection via Dedicated Facilities

- 3.3.1 Local Channel Facilities. As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request ("ASR") process.

3.4 Fiber Meet

- 3.4.1 Notwithstanding Section 3.2.1, 3.2.2, and 3.2.3 above, if Southern Telcom elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, Southern Telcom and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, Southern Telcom's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- 3.4.2 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Southern Telcom Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification ("CLLI") code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.4 Upon verbal request by Southern Telcom, BellSouth shall allow Southern Telcom access to the fusion splice point for the Fiber Meet point for maintenance purposes on Southern Telcom's side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. Southern Telcom shall be billed for a mixed use of the Local Channel using the actual traffic Southern Telcom elects to transmit over the facility and the rates from this Agreement and the appropriate tariff(s). Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

4.1 BellSouth and Southern Telcom shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.

- 4.2 Southern Telcom shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of Southern Telcom's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent Southern Telcom desires to deliver Local Traffic, ISP-bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which Southern Telcom has established interconnection trunk groups, Southern Telcom shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.
- 4.2.1 Notwithstanding the forgoing, Southern Telcom shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Southern Telcom has homed (i.e. assigned) its NPA/NXXs. Southern Telcom shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Southern Telcom shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on Southern Telcom's NXX access tandem homing arrangement as specified by Southern Telcom in the LERG.
- Any Southern Telcom interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Southern Telcom from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require Southern Telcom to submit a BFR/NBR via the BFR/NBR Process as set forth in this Agreement.
- 4.5 Recurring and non-recurring rates associated with interconnecting trunk groups between BellSouth and Southern Telcom are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. Southern Telcom shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.

- 4.8 In cases where Southern Telcom is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center ("CISC") Project Management Group and Southern Telcom's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic. Southern Telcom shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party.

4.10.1 **BellSouth Access Tandem Interconnection**

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem ("Intratandem Access"). Access tandem interconnection is available for any of the following access tandem architectures

4.10.1.1 **Basic Architecture**

In the basic architecture, Southern Telcom's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Southern Telcom and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Southern Telcom and Independent

Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Southern Telcom desires to exchange traffic. This trunk group also carries Southern Telcom originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Southern Telcom. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

4.10.1.2 One-Way Trunk Group Architecture

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for Southern Telcom-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for BellSouth end-users. A second one-way trunk group carries BellSouth-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for Southern Telcom end-users. A two-way trunk group provides Intratandem Access for Southern Telcom's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Southern Telcom and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Southern Telcom desires to exchange traffic. This trunk group also carries Southern Telcom originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Southern Telcom. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

4.10.1.3 **Two-Way Trunk Group Architecture**

The two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between Southern Telcom and BellSouth. In addition, a separate two-way transit trunk group must be established for Southern Telcom's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Southern Telcom and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Southern Telcom desires to exchange traffic. This trunk group also carries Southern Telcom originated Transit

Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Southern Telcom. However, where Southern Telcom is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-bound Traffic and IntraLATA Toll Traffic. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.1.4 **Supergroup Architecture**

In the supergroup architecture, the Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and Southern Telcom's Transit Traffic are exchanged on a single two-way trunk group between Southern Telcom and BellSouth to provide Intratandem Access to Southern Telcom. This trunk group carries Transit Traffic between Southern Telcom and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Southern Telcom desires to exchange traffic. This trunk group also carries Southern Telcom originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Southern Telcom. However, where Southern Telcom is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

4.10.1.5 **Multiple Tandem Access Interconnection**

4.10.1.5.1 Where Southern Telcom does not choose access tandem interconnection at every BellSouth access tandem within a LATA, Southern Telcom may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA Southern Telcom must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route Southern Telcom's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. Southern Telcom must also establish an interconnection trunk group(s) at all BellSouth access tandems where Southern Telcom NXXs are homed as described in Section 4.2.1 above. If Southern Telcom does not have

NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, Southern Telcom can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Southern Telcom's Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to end-users served through those BellSouth access tandems where Southern Telcom does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.

- 4.10.1.5.2 Southern Telcom may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to Southern Telcom will be delivered to and from IXCs based on Southern Telcom's NXX access tandem homing arrangement as specified by Southern Telcom in the LERG.
- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent Southern Telcom does not purchase MTA in a LATA served by multiple access tandems, Southern Telcom must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent Southern Telcom routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, Southern Telcom shall pay BellSouth the associated MTA charges.

4.10.2 Local Tandem Interconnection

- 4.10.2.1 Local Tandem Interconnection arrangement allows Southern Telcom to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Southern Telcom-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.2.2 When a specified local calling area is served by more than one BellSouth local tandem, Southern Telcom must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Southern Telcom may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Southern Telcom may deliver Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Southern Telcom

does not choose to establish an interconnection trunk group(s). It is Southern Telcom's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Southern Telcom's codes. Likewise, Southern Telcom shall obtain its routing information from the LERG.

- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Southern Telcom must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which Southern Telcom has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).
- 4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that Southern Telcom has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.
- 4.10.3 **Direct End Office-to-End Office Interconnection**
- 4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:
- 4.10.3.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Southern Telcom and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between Southern Telcom's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking,

additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

4.10.3.2.3 Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

4.10.4 Transit Traffic Trunk Group

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by Southern Telcom to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

4.10.4.1 **Toll Free Traffic**

- 4.10.4.1.1 If Southern Telcom chooses BellSouth to perform the Service Switching Point ("SSP") Function (i.e., handle Toll Free database queries) from BellSouth's switches, all Southern Telcom originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.2 Southern Telcom may choose to perform its own Toll Free database queries from its switch. In such cases, Southern Telcom will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, Southern Telcom will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Southern Telcom will route the postquery local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and Southern Telcom shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, Southern Telcom will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Southern Telcom's network but that are connected to BellSouth's access tandem.
- 4.10.5 All post-query Toll Free calls for which Southern Telcom performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- 5.1 <u>Network Management and Changes</u>. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where Southern Telcom chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling ("SS7"), SS7 connectivity is required between the Southern Telcom switch and the BellSouth Signaling Transfer Point ("STP"). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification ("ANI"), originating line information ("OLI") calling company category and charge number. All privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.
- 5.6 <u>Signaling Call Information</u>. BellSouth and Southern Telcom will send and receive 10 digits for Local Traffic. Additionally, BellSouth and Southern Telcom will exchange the proper call information, i.e. originated call company number and

destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

5.7 Forecasting for Trunk Provisioning

- 5.7.1 Within six (6) months after execution of this Agreement, Southern Telcom shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of Southern Telcom's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Southern Telcom-to-BellSouth one-way trunks ("Southern Telcom Trunks"), BellSouth-to-Southern Telcom one-way trunks ("Reciprocal Trunk Groups") and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop Reciprocal Trunk Groups and/or two-way interconnection trunk forecast quantities.
- 5.7.1.2 All forecasts shall include, at a minimum, Access Carrier Terminal Location ("ACTL"), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Southern Telcom location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 5.7.2 Once initial interconnection trunk forecasts have been developed, Southern Telcom shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. Southern Telcom shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.
- 5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

5.8 Trunk Utilization

- 5.8.1 For the Reciprocal Trunk Groups that are Final Trunk Groups ("Reciprocal Final Trunk Groups"), BellSouth and Southern Telcom shall monitor traffic on each interconnection Reciprocal Final Trunk Group that is ordered and installed. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at 60 percent (60%) of the time consistent busy hour utilization level within 90 days of installation. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within 180 days of installation. Any Reciprocal Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized Reciprocal Final Trunk Groups and Southern Telcom shall refund to BellSouth the associated non-recurring and recurring trunk and facility charges paid by BellSouth, if any.
- 5.8.1.1 BellSouth's CISC will notify Southern Telcom of any under-utilized Reciprocal Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Southern Telcom interface. Southern Telcom will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Southern Telcom expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Southern Telcom to determine if agreement can be reached on the number of Reciprocal Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Southern Telcom. The due date of these orders will be four weeks after Southern Telcom was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- For the two-way trunk groups, BellSouth and Southern Telcom shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 90 days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth will request the disconnection of any Under-utilized two-way

trunk(s) and Southern Telcom shall refund to BellSouth the associated non-recurring and recurring trunk and facility charges paid by BellSouth, if any.

- 5.8.3.1 BellSouth's LISC will notify Southern Telcom of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Southern Telcom interface. Southern Telcom will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Southern Telcom expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Southern Telcom to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, Southern Telcom will issue disconnect orders to BellSouth. The due date of these orders will be four weeks after Southern Telcom was first notified in writing of the underutilization of the trunk groups.
- 5.8.3.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

6. LOCAL DIALING PARITY

6.1 BellSouth and Southern Telcom shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

7. INTERCONNECTION COMPENSATION

- 7.1 Compensation for Call Transportation and Termination for Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic
- 7.1.1 For the purposes of this Attachment and for reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service Tariff.
- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.

- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or a corresponding Extended Area Service ("EAS") exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service tariff. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 ("ISP Order on Remand"), BellSouth and Southern Telcom agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Southern Telcom that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Southern Telcom further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Southern Telcom that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 7.1.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.
- 7.1.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.
- 7.1.6 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.7 IntraLATA Toll Traffic is defined as all traffic that originates and terminates within a single LATA that is not Local or ISP-bound traffic under this Attachment.
- 7.1.7.1 For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Access Services Tariffs as filed and in effect with the FCC or Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one Party is the other Party's end user's presubscribed interexchange carrier or if one Party's end user uses the other Party as an interexchange carrier on a 101XXXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate Commission.

- 7.1.8 If Southern Telcom assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Southern Telcom end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Southern Telcom customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Southern Telcom agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Southern Telcom at BellSouth's switched access tariff rates.
- 7.2 If Southern Telcom does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Southern Telcom NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Southern Telcom can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-bound Traffic.

7.3 **Jurisdictional Reporting**

- 7.3.1 Percent Local Use. Each Party shall report to the other a Percent Local Usage ("PLU") factor. The application of the PLU will determine the amount of local or ISP-bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local and ISP-bound usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.3.2 Percent Local Facility. Each Party shall report to the other a Percent Local Facility ("PLF") factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- Percent Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage ("PIU") factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Southern Telcom. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the

PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use for the past three months ending the last day of December, March, June and September.

- Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.
- Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Southern Telcom shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

7.4 Compensation for 8XX Traffic

- 7.4.1 Compensation for 8XX Traffic. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. Southern Telcom will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.
- 7.4.2 <u>Records for 8XX Billing</u>. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.

7.4.3 8XX Access Screening. BellSouth's provision of 8XX Toll Free Dialing ("TFD") to Southern Telcom requires interconnection from Southern Telcom to BellSouth's 8XX Signal Channel Point ("SCP"). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. Southern Telcom shall establish SS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that Southern Telcom desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

7.5 Mutual Provision of Switched Access Service

- 7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.
- 7.5.2 If the BellSouth end user chooses Southern Telcom as their presubscribed interexchange carrier, or if the BellSouth end user uses Southern Telcom as an interexchange carrier on a 101XXXX basis, BellSouth will charge Southern Telcom the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.
- 7.5.4 When Southern Telcom's end office switch provides an access service connection to or from an interexchange carrier ("IXC") by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by Southern Telcom as the Party providing the end office function. Each party will use the Multiple Exchange

Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.

- 7.5.4.1 When Southern Telcom's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to Southern Telcom, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 7.5.9 Southern Telcom agrees not to deliver switched access traffic to BellSouth for termination except over Southern Telcom ordered switched access trunks and facilities.

7.6 **Transit Traffic**

7.6.1 BellSouth shall provide tandem switching and transport services for Southern Telcom's Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched

Version 4Q02: 12/18/02

Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Southern Telcom and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Southern Telcom and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.

7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Southern Telcom is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Southern Telcom. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, Southern Telcom shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

8. FRAME RELAY SERVICE INTERCONNECTION

- 8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and Southern Telcom's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which Southern Telcom is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between Southern Telcom and BellSouth Frame Relay Switches in the same LATA.
- 8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection ("IP(s)") within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.
- 8.3 Upon the request of either Party, such interconnection will be established where BellSouth and Southern Telcom have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.

- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").
- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA ("InterLATA VC").
- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, Southern Telcom may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies Southern Telcom that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and Southern Telcom will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Southern Telcom will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of Southern Telcom's PLCU.
- The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and Southern Telcom will pay, the total non-recurring and recurring charges for the NNI port. Southern Telcom will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by Southern Telcom's PLCU.

- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 8.8 For the PVC segment between the Southern Telcom and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If Southern Telcom orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the Southern Telcom Frame Relay switch, BellSouth will invoice, and Southern Telcom will pay, the total non-recurring and recurring PVC charges for the PVC segment between the BellSouth and Southern Telcom Frame Relay switches. If the VC is a Local VC, Southern Telcom will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to Southern Telcom for the PVC segment.
- 8.9.2 If BellSouth orders a Local VC connection between a Southern Telcom subscriber's PVC segment and a PVC segment from the Southern Telcom Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and Southern Telcom will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and Southern Telcom Frame Relay switches. If the VC is a Local VC, Southern Telcom will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to Southern Telcom for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If Southern Telcom requests a change, BellSouth will invoice and Southern Telcom will pay a Feature Change charge for each affected PVC segment.
- 8.9.4.1 If BellSouth requests a change to a Local VC, Southern Telcom will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.


- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.10 Southern Telcom will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

9. ORDERING CHARGES

9.1 The terms, conditions and rates for Ordering Charges are as set forth in FCC Tariff for Access Service Records.


Basic Architecture

Exhibit B




One-Way Architecture

Exhibit C




Two-Way Architecture

Exhibit D



Supergroup Architecture

Exhibit E



ATTACHMENT 3 PAGE 31

| LOCAL INTI | ERCONNECTION - Alabama | | | | | | | | | | | | Attach | ment: 3 | Exhi | ibit: A |
|-------------|---|-------------|---------|-----------------------|---------------|-------------------|-------------------|----------------|--------------|-------|-------|-----------|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | 1 | Rec | Nonre | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCAL INTER | CONNECTION (CALL TRANSPORT AND TERMINATION) | | | | 1 | | | | | | | | | | | |
| | "bk" beside a rate indicates that the Parties have agreed to bi | ll and k | oon fo | r that alament nursu | ant to the to | me and conditi | one in Attach | nont 2 | | | | | | | | |
| | EM SWITCHING | II allu k | eep ioi | Tilat element pursu | T to the ter | ins and conditi | Olis III Attacili | ileiit 3. | | | | | | | | 1 |
| IAND | Tandem Switching Function Per MOU | | | OHD | 1 | 0.000498bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | OTID | | 0.000430DK | | | | | | | | | | |
| | only) | | | OHD | | 0.000498 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | 1 | 0.0015 | | | | | | | | | | |
| * This | charge is applicable only to transit traffic and is applied in ad | dition to | appli | cable switching and | or interconi | nection charges | i. | | | | | | | | | |
| TRUN | (CHARGE | | | | | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 333.69 | 56.91 | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | 1 |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| | rate element is recovered on a per MOU basis and is included | in the | End O | ffice Switching and | Tandem Swi | tching, per MOI | J rate element | S | | | | | | | | |
| COMM | ON TRANSPORT (Shared) | | | OUD | | 0.00000001.1 | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000023bk | | | | | | | | | | |
| LOCAL INTER | COMMON Transport - Facilities Termination Per MOU | | | OHD | 1 | 0.0003224bk | | | | | | | | | | - |
| | CONNECTION (DEDICATED TRANSPORT) OFFICE CHANNEL - DEDICATED TRANSPORT | | - | | - | | | | | | | | | | | |
| INTER | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | + | | | | | | - | | | | | |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.008838 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | OHL, OHM | 1L5NF | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.008838 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.008838 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | OH1, OH1MS | 1L5NL | 0.18 | | | | | | | | | | |
| | Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | OH1, OH1MS | 1L5NL | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | |
| | month Interoffice Channel - Dedicated Transport - DS3 - Facility | | | OH3, OH3MS | 1L5NM | 4.09 | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 703.52 | 278.75 | 162.76 | 60.20 | 58.46 | | | | | | |
| LOCAL | CHANNEL - DEDICATED TRANSPORT | | | OHL, OHM | TEFV2 | 13.97 | 193.10 | 33.17 | 36.64 | 3.20 | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 13.97 | 193.10 | 33.17 | 35.54 | 3.20 | | | | | | |
| | Local Channel - Dedicated - 4-Wire voice Grade per month | | | OHL, OHM | TEFHG | 35.76 | 177.47 | 153.72 | 22.19 | 15.26 | | | | 1 | 1 | |
| | 200ai Onaimei - Dedicated - DOT per month | | | 0.11 | ILITIO | 33.16 | 177.47 | 100.72 | 22.19 | 13.20 | | | | | 1 | - |
| LOCAL | Local Channel - Dedicated - DS3 Facility Termination per month | | | ОНЗ | TEFHJ | 416.54 | 451.52 | 263.94 | 119.49 | 83.58 | ļ | | | | ļ | |
| | If Access service ride Mid-Span Meet, one-half the tariffed se | vice I o | cal Ch | annel rate is annlica | ble. | | | | | | | | | 1 | 1 | |
| INOTE. | Local Channel - Dedicated - DS1 per month | | Jui OII | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | 1 | - |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | 1 | |
| MULTI | PLEXERS | | | | | 2.00 | 2.00 | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | 1 | | OH1, OH1MS | SATN1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | | | 1 | 1 | |
| | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 166.13 | 178.14 | 93.97 | 33.26 | 31.63 | | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 12.70 | 6.58 | 4.72 | | | | | | | | 1 |
| Neter | If no rate is identified in the contract, the rates, terms, and co | ndition | e for t | he specific service o | r function w | ill he as set for | h in annliach | o BollCouth to | -iff | | | | | | | |

Version 4Q02: 12/18/02 Page 1 of 9

| LOCAL | INTERC | CONNECTION - Florida | | | | | | | | | | | | Attach | ment: 3 | Exhi | ibit: A |
|--------|------------------|---|-------------|----------|------------------------|---------------------------------------|-----------------|----------------|------------|--------------|-------|-------|-----------|--|---|---|---|
| CATEGO | DRY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | II. | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | ļ | Rec | | curring | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCALI | NTERCON | NNECTION (CALL TRANSPORT AND TERMINATION) | | | | - | | | | | | | | | | | |
| | | c" beside a rate indicates that the Parties have agreed to bit | ll and k | een fo | r that element nursu | ant to the ter | me and conditi | one in Attachi | nent 3 | | | | | | | | |
| | | SWITCHING | l and R | l cop io | Tanat ciciniciti parsa | I I I I I I I I I I I I I I I I I I I | Ins and conditi | ono in Attaoni | liciti o. | | | | | | | | |
| | | ndem Switching Function Per MOU | | | OHD | 1 | 0.0006019bk | | | | | | | | | | |
| | | Iltiple Tandem Switching, per MOU (applies to intial tandem | | | OTID | | 0.00000 TODK | | | | | | | | | | |
| | onl | | | | OHD | | 0.0006019 | | | | | | | | | | |
| | | ndem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| * | | rge is applicable only to transit traffic and is applied in add | dition to | appli | | or interconr | | | | | | | | | | | |
| | RUNK CH | | | | | | Ū | | | | | | | | | | |
| | Ins | stallation Trunk Side Service - per DS0 | <u></u> | | OHD | TPP++ | | 336.43 | 57.38 | | | | | | | | |
| | | dicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | İ | | | | | | | |
| | De | dicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | | edicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | | edicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| | | e element is recovered on a per MOU basis and is included | l in the | End O | ffice Switching and | Tandem Swit | tching, per MOl | J rate element | s | | | | | | | | |
| C | | TRANSPORT (Shared) | | | | | | | | | | | | | | | |
| | | ommon Transport - Per Mile, Per MOU | | | OHD | | 0.0000035bk | | | | | | | | | | |
| | | mmon Transport - Facilities Termination Per MOU | | | OHD | | 0.0004372bk | | | | | | | | | | |
| | | NNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| li li | | FICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Pe | eroffice Channel - Dedicated Transport - 2-Wire Voice Grade - er Mile per month | | | OHL, OHM | 1L5NF | 0.0091 | | | | | | | | | | |
| | Fa | eroffice Channel - Dedicated Transport- 2- Wire Voice Grade - cility Termination per month | | | OHL, OHM | 1L5NF | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | pe | eroffice Channel - Dedicated Transport - 56 kbps - per mile r month | | | OHL, OHM | 1L5NK | 0.0091 | | | | | | | | | | |
| 1 | | eroffice Channel - Dedicated Transport - 56 kbps - Facility rmination per month | | | OHL, OHM | 1L5NK | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | | eroffice Channel - Dedicated Transport - 64 kbps - per mile r month | | | OHL, OHM | 1L5NK | 0.0091 | | | | | | | | | | |
| | | eroffice Channel - Dedicated Transport - 64 kbps - Facility rmination per month | | | OHL, OHM | 1L5NK | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | | eroffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | Inte | onth eroffice Channel - Dedicated Tranport - DS1 - Facility | | | OH1, OH1MS | 1L5NL | 0.1856 | | | | | | | | | | |
| | | rmination per month eroffice Channel - Dedicated Transport - DS3 - Per Mile per | | | OH1, OH1MS | 1L5NL | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | | | | | |
| | | onth eroffice Channel - Dedicated Transport - DS3 - Facility | | | OH3, OH3MS | 1L5NM | 3.87 | | | | | | | | | | |
| L | | rmination per month | | | OH3, OH3MS | 1L5NM | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | | | | | |
| | | cal Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 19.66 | 265.84 | 46.97 | 37.63 | 4.00 | | | | | | |
| | | cal Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 20.45 | 266.54 | 47.67 | 44.22 | 5.33 | | | | | | |
| | | cal Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 36.49 | 216.65 | 183.54 | 24.30 | 16.95 | | | | | | |
| | | cal Channel - Dedicated - DS3 Facility Termination per month | | | ОНЗ | TEFHJ | 531.91 | 556.37 | 343.01 | 139.13 | 96.84 | | | | | | |
| | | TERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | |
| N | | Access service ride Mid-Span Meet, one-half the tariffed ser | vice Lo | cal Ch | annel rate is applica | | | | | | | | | | | | |
| | | cal Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | |
| | | cal Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | |
| N | //ULTIPLE | | | | | | | | | | | | | | | | |
| l T | | nannelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | | | | | |
| | IDC | 33 to DS1 Channel System per month | | l | OH3, OH3MS | SATNS | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | | | | | |
| | | S3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 13.76 | 10.07 | 7.08 | | | | | | | | |

Version 4Q02: 12/18/02

| LOCAL IN | TERCONNECTION - Georgia | | | | | | | | | | | | Attach | ment: 3 | Exhi | ibit: A |
|-----------|---|-------------|---------|-----------------------|----------------|----------------|-----------------|------------------|--------------|---------------------|----------|-----------|---------------------------------|---|---|---|
| CATEGORY | | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring | Disconnect Add'l | COMEC | SOMAN | OSS SOMAN | Rates(\$) | SOMAN | SOMAN |
| | | | | | | | First | Addi | First | Addi | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCAL INT | ERCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | E: "bk" beside a rate indicates that the Parties have agreed to b | ill and k | eep fo | that element pursu | ant to the ter | ms and conditi | ons in Attachi | nent 3. | | | | | | | | |
| TAN | DEM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0011009bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | only) | | | OHD | | 0.0011009 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | L | OHD | <u> </u> | 0.0015 | | | | | | | | | | |
| | is charge is applicable only to transit traffic and is applied in ad | dition to | appli | cable switching and | or interconi | ection charges | S | | | | | | | | | |
| IRU | NK CHARGE Installation Trunk Side Service - per DS0 | | | OUD | TPP++ | | 333.28 | 50.04 | - | | - | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | 1 | | OHD OHD | TDE0P | 0.00 | 333.28 | 56.84 | | | 1 | | | 1 | | |
| | Dedicated End Office Trunk Port Service-per DS0* Dedicated End Office Trunk Port Service-per DS1** | 1 | | 0H1 OH1MS | TDE0P | 0.00 | | | + | | | | | | + | |
| | Dedicated End Office Hank Fort Service-per DS1* | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| ** TI | nis rate element is recovered on a per MOU basis and is included | in the | Fnd O | | | | I rate element | | | | | | | | | 1 |
| | IMON TRANSPORT (Shared) | 1 | | l and an incoming and | | , por me | | | | | | | | | | |
| 1 | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000080bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | OHD | 1 | 0.0004152bk | | | İ | | | | | | 1 | |
| LOCAL INT | ERCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | OHL, OHM | 1L5NF | 0.0222 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | OHL, OHM | 1L5NF | 17.07 | 79.61 | 36.08 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.0222 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 16.45 | 79.61 | 36.08 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.0222 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 16.45 | 79.61 | 36.08 | | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | OH1, OH1MS | 1L5NL | 0.4523 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | OH1, OH1MS | 1L5NL | 78.47 | 147.07 | 111.75 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | OH3, OH3MS | 1L5NM | 2.72 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | 788.00 | 511.10 | 330.77 | | | | | | | | |
| LOC | AL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | 1 | | | | | ļ |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | ļ | | OHL, OHM | TEFV2 | 13.91 | 382.95 | 62.40 | ļ | | | | | ļ | ļ | ļ |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | ļ | | OHL, OHM | TEFV4 | 14.99 | 368.44 | 64.05 | | | | | | | | <u> </u> |
| | Local Channel - Dedicated - DS1 per month | ! | | OH1 | TEFHG | 38.36 | 356.15 | 312.89 | ! | | 1 | | | 1 | ! | |
| 100 | Local Channel - Dedicated - DS3 Facility Termination per month | | | ОН3 | TEFHJ | 515.91 | 639.50 | 426.31 | | | | | | | | |
| | AL INTERCONNECTION MID-SPAN MEET E: If Access service ride Mid-Span Meet, one-half the tariffed se | rvice ! a | cal Cr | annel rate is annlica | hla | <u> </u> | | | - | | - | | | | - | |
| NOI | Local Channel - Dedicated - DS1 per month | VICE LO | cai ch | OH1MS | TEFHG | 0.00 | 0.00 | | + | | | | | | + | |
| | Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month | 1 | | OH3MS | TEFHJ | 0.00 | 0.00 | | 1 | | + | | | | 1 | |
| МІІІ | TIPLEXERS | 1 | | OT IOIVIO | 121110 | 0.00 | 0.00 | | - | | | | | | - | † |
| 1,7101 | Channelization - DS1 to DS0 Channel System | 1 | | OH1, OH1MS | SATN1 | 126.22 | 198.22 | 123.59 | - | | | | | | - | † |
| | DS3 to DS1 Channel System per month | 1 | | OH3, OH3MS | SATNS | 182.04 | 280.66 | 195.33 | t | | | | | 1 | 1 | |
| | DS3 Interface Unit (DS1 COCI) per month | 1 | | OH1, OH1MS | SATCO | 11.02 | 12.02 | 8.66 | 1 | | 1 | | | İ | 1 | |
| | es: If no rate is identified in the contract, the rates, terms, and c | 1:4: | 0 for 1 | | | | | | -: : : : : | | + | | | | t | |

Version 4Q02: 12/18/02 Page 3 of 9

| LOCAL IN | NTERCONNECTION - Kentucky | | | | | | | | | | | | Attach | ment: 3 | Exhi | ibit: A |
|-----------|---|-------------|--|------------------------|---------------|-----------------|------------------|------------|----------------|----------------|----------|-----------|--|---|---|-------------|
| CATEGORY | · | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | | curring | Nonrecurring | | | | | Rates(\$) | | T |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCAL INT | ERCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | - | | | | | | - | | | | | + |
| | TE: "bk" beside a rate indicates that the Parties have agreed to b | ill and k | een fo | r that element nursu | ant to the te | rms and conditi | ions in Attachi | nent 3. | | | | | | | | + |
| | NDEM SWITCHING | | | linar oromoni paroa | 1 | | | | | | | | | | | + |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0006772bk | | | | | | | | | | † |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | 1 |
| | only) | | | OHD | | 0.0006772 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| * Th | nis charge is applicable only to transit traffic and is applied in ac | dition to | appli | cable switching and | l/or intercon | nection charges | s. | | | | | | | | | 1 |
| TRU | JNK CHARGE | | | | | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 334.09 | 57.12 | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | <u> </u> | <u> </u> | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| | his rate element is recovered on a per MOU basis and is include | d in the | End O | ffice Switching and | Tandem Swi | tching, per MOI | J rate element | 5 | | | | | | | | |
| COI | MMON TRANSPORT (Shared) | | <u> </u> | OUD | | 0.00000001.1 | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000030bk | | | | | | | | | | - |
| LOCALINIT | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0007466bk | | | | | | | | | | + |
| | ERCONNECTION (DEDICATED TRANSPORT) EROFFICE CHANNEL - DEDICATED TRANSPORT | - | | | | | | | | | | | | | | + |
| INI | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade | - | | | | | | | | | | | | | | + |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.01 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade Facility Termination per month | | | OHL, OHM | 1L5NF | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.0115 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.0115 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.23 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | OH1, OH1MS | 1L5NL | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | OH3, OH3MS | 1L5NM | 4.97 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | 1,175.15 | 335.40 | 219.24 | 89.57 | 87.75 | | | | | | |
| LOC | CAL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 18.57 | 265.78 | 46.96 | 46.79 | 4.98 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 19.86 | 266.48 | 47.65 | 47.54 | 5.73 | | | | | | |
| | Local Channel - Dedicated - DS1 per month | 1 | <u> </u> | OH1 | TEFHG | 40.46 | 209.60 | 176.51 | 30.21 | 21.07 | | | | | ļ | 1 |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | | ОН3 | TEFHJ | 576.05 | 551.38 | 338.08 | 173.00 | 120.42 | | | | | | |
| | CAL INTERCONNECTION MID-SPAN MEET | <u> </u> | L | <u> </u> | 1 | | | | | | | | | ļ | | |
| NO | TE: If Access service ride Mid-Span Meet, one-half the tariffed se | rvice Lo | cal Ch | | | | | | | | | | | | ļ | 1 |
| | Local Channel - Dedicated - DS1 per month | 1 | <u> </u> | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | ļ | ļ | |
| | Local Channel - Dedicated - DS3 per month | 1 | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | 1 | |
| MU | LTIPLEXERS Channel System DC4 to DC0 Channel System | 1 | | OH1, OH1MS | SATN1 | 113.33 | 101.40 | 71.60 | 12.70 | 12.04 | | | | | ļ. | + |
| | Channelization - DS1 to DS0 Channel System DS3 to DS1 Channel System per month | 1 | <u> </u> | OH3, OH3MS | SATNS | 113.33 | 101.40 199.23 | 118.62 | 13.79 50.16 | 13.04 48.59 | | | | | - | + |
| | DS3 Interface Unit (DS1 COCI) per month | ! | | OH1, OH1MS | SATCO | 11.80 | 199.23 | 7.08 | 30.16 | 40.39 | | | | - | 1 | + |
| 1 1 | | 1 | | he specific service of | | | | | L | | | | | | l | 4 |

Version 2Q02: 12/18/02

| LOCAL IN | NTERCONNECTION - Louisiana | | | | | | | | | | | | Attach | ment: 3 | Exhi | ibit: A |
|-----------|--|-------------|--|---------------------|----------------|-----------------|----------------|------------|--------------|-------|-------|-----------|--|---|---|---|
| CATEGORY | Y RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | - | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCAL INT | ERCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | + | | | | | | | | | | | - |
| | TE: "bk" beside a rate indicates that the Parties have agreed to b | ill and k | eep fo | that element pursu | ant to the ter | ms and conditi | ons in Attachi | nent 3. | | | | | | | | |
| TAN | NDEM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0005507bk | | | | | | | | | | 1 |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | only) | | | OHD | | 0.0005507 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| | nis charge is applicable only to transit traffic and is applied in ad | dition to | o appli | cable switching and | l/or interconi | nection charges | | | | | | | | | | |
| TRU | JNK CHARGE | | | | | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | 1 | <u> </u> | OHD | TPP++ | | 334.94 | 56.98 | | | 1 | | | | | <u> </u> |
| | Dedicated End Office Trunk Port Service-per DS0** | 1 | <u> </u> | OHD | TDE0P | 0.00 | | | | | 1 | | | | | <u> </u> |
| | Dedicated End Office Trunk Port Service-per DS1** | | <u> </u> | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| ** T | Dedicated Tandem Trunk Port Service-per DS1** | -l ! 4l | F= 4 0 | OH1 OH1MS | TDW1P | 0.00 | l nata alamant | | | | | | | | | |
| | his rate element is recovered on a per MOU basis and is include MMON TRANSPORT (Shared) | a in the | Ena O | Tice Switching and | randem Swi | cning, per wo | J rate element | 5 | | | - | | | | | |
| COI | Common Transport - Per Mile, Per MOU | | - | OHD | | 0.0000032bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | OHD | - | 0.0003748bk | | | | | | | | | | |
| LOCAL INT | ERCONNECTION (DEDICATED TRANSPORT) | 1 | 1 | OLID | | 0.0003740DK | | | | | | | | | | - |
| | EROFFICE CHANNEL - DEDICATED TRANSPORT | | 1 | | | | | | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | + | | | | | | + | | | | | + |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHL, OHM | 1L5NF | 22.60 | 39.36 | 26.62 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | ĺ |
| | per month | | | OHL, OHM | 1L5NK | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 15.61 | 39.37 | 26.62 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | , | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 15.61 | 39.37 | 26.62 | | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | OTIL, OTIVI | ILOIVIC | 13.01 | 33.31 | 20.02 | | | | | | | | + |
| | month | | | OH1, OH1MS | 1L5NL | 0.2652 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | 0111, 0111110 | 120.12 | 0.2002 | | | | | | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 70.47 | 86.69 | 79.44 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | OH3, OH3MS | 1L5NM | 6.04 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 850.45 | 270.69 | 158.05 | | | | | | | | |
| LOC | CAL CHANNEL - DEDICATED TRANSPORT | | | · | | | | | | | | | | | | 1 |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 18.32 | 187.51 | 32.21 | | | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 19.41 | 187.94 | 32.63 | | | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 39.18 | 172.34 | 149.27 | | | | | | | | |
| | | | 1 | L | L | | | | | | | | | 1 | 1 | |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | <u> </u> | OH3 | TEFHJ | 469.44 | 438.46 | 256.30 | | | ļ | | | | | <u> </u> |
| | CAL INTERCONNECTION MID-SPAN MEET | ndes ! : | and O' | | l blo | | | | | | 1 | | | | | |
| NO | TE: If Access service ride Mid-Span Meet, one-half the tariffed se | rvice Lo | cai Ch | | | 0.00 | 0.00 | | | | | | | | | |
| | Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month | 1 | | OH1MS OH3MS | TEFHG TEFHJ | 0.00 | 0.00 | | | | 1 | | | - | - | |
| MIII | LTIPLEXERS | | | OI ISIVIS | IEFFU | 0.00 | 0.00 | | | | | | | 1 | 1 | |
| WIOI | Channelization - DS1 to DS0 Channel System | 1 | 1 | OH1, OH1MS | SATN1 | 105.09 | 88.41 | 60.76 | | | 1 | | | | | |
| | DS3 to DS1 Channel System per month | 1 | | OH3, OH3MS | SATNS | 201.48 | 172.99 | 91.25 | | | + | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | 1 | | OH1, OH1MS | SATCO | 11.78 | 6.39 | 4.58 | | | 1 | | | | | † |
| | es: If no rate is identified in the contract, the rates, terms, and c | | | | | | | | .: | | 1 | | | — | 1 | + |

Version 4Q02: 12/18/02

| LOCA | LINIE | RCONNECTION - Mississippi | | | | | | | | | | | | | ment: 3 | | ibit: A |
|----------|----------|---|-----------|----------|-----------------------|----------------|-------------------|-----------------|-----------------|--------------|-------|----------|---|--------------------|--|--|--|
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Charge - |
| | | | m | | | | | | ., | | | por Lore | per Lore | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | |
| | | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| LOCAL | | CONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | | "bk" beside a rate indicates that the Parties have agreed to bi M SWITCHING | ii and k | eep to | r tnat element pursu | ant to the ter | ms and conditi | ions in Attachr | nent 3. | | | | | | | - | |
| | | Tandem Switching Function Per MOU | | | OHD | - | 0.0005379bk | | | | | | | | | | + |
| | | Multiple Tandem Switching, per MOU (applies to intial tandem | | | OHD | | 0.0005379bk | | | | | | | | | | + |
| | | only) | | | OHD | | 0.0005379 | | | | | | | | | | |
| | | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | + |
| | | harge is applicable only to transit traffic and is applied in ad | dition to | o appli | | l/or interconn | | S. | | | | | | | | | |
| | | CHARGE | | | 1 | | | | | | | | | | | | |
| | | Installation Trunk Side Service - per DS0 | 1 | 1 | OHD | TPP++ | | 334.11 | 56.98 | | | | | | 1 | | 1 |
| | | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| | | rate element is recovered on a per MOU basis and is included | in the | End O | ffice Switching and | Tandem Swit | ching, per MOI | U rate elements | S | | | | | | | | |
| | COMM | ON TRANSPORT (Shared) | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000026bk | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0004541bk | | | | | | | | | | |
| LOCAL | | CONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| | INTERC | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | + |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | OHL, OHM | 1L5NF | 0.0098 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | Onl, Onivi | ILSINF | 0.0096 | | | | | | | | | | + |
| | | Facility Termination per month | | | OHL, OHM | 1L5NF | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | OHL, OHIVI | ILSINF | 22.52 | 40.77 | 21.51 | 17.20 | 7.11 | | | | | | + |
| | | per month | | | OHL, OHM | 1L5NK | 0.0098 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | OTIL, OTIIVI | TESTAIC | 0.0030 | | | | | | | | | | + |
| | | Termination per month | | | OHL, OHM | 1L5NK | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | 1 | 1 |
| | | per month | | | OHL, OHM | 1L5NK | 0.0098 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | OHL, OHM | 1L5NK | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | OH1, OH1MS | 1L5NL | 0.201 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | OH1, OH1MS | 1L5NL | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| 1 | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | 0110 0110:20 | 41.5512. | | | | | | | | | | 1 | |
| | | month | | <u> </u> | OH3, OH3MS | 1L5NM | 4.76 | | | | | ļ | | | 1 | ! | + |
| İ | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | |
| | | CHANNEL - DEDICATED TRANSPORT | | | OH3, OH3IVIS | ILDINIVI | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | + |
| | LUCAL | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | | | | | | + |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 15.99 | 194.66 | 33.80 | 38.27 | 3.78 | | | | | | + |
| | | Local Channel - Dedicated - 4-Wire voice Grade per month | | | OH1 | TEFHG | 36.83 | 178.50 | 154.61 | 22.89 | 15.74 | 1 | | | | | + |
| | † | 2004. S. A. Mor Douloulou Do I per Month | † | ! | 0.11 | 12.110 | 30.03 | 170.50 | 154.01 | 22.03 | 15.74 | | | | | I | |
| 1 | | Local Channel - Dedicated - DS3 Facility Termination per month | 1 | | ОНЗ | TEFHJ | 413.87 | 454.13 | 264.47 | 123.23 | 86.19 | | | | 1 | I | 1 |
| | LOCAL | INTERCONNECTION MID-SPAN MEET | | 1 | 1 | 1 | | | | :=5:20 | 22.10 | | | | | 1 | 1 |
| | | If Access service ride Mid-Span Meet, one-half the tariffed ser | rvice Lo | cal Ch | annel rate is applica | able. | | | | | | | | | İ | 1 | † |
| | | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | 1 |
| | | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | |
| | MULTII | PLEXERS | | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | | | | | |
| | | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 12.96 | 6.62 | 4.74 | | | | | | | | |
| | | If no rate is identified in the contract, the rates, terms, and co | andition | s for t | he specific service o | or function w | ill he as set for | th in annlicabl | e BellSouth tai | iff. | | | | | | | |

Version 4Q02: 12/18/02 Page 6 of 9

| LOCAL | . INTE | RCONNECTION - North Carolina | | | | | | | | | | | | | ment: 3 | | ibit: A |
|---|---------------|--|-----------|--|-----------------------|----------------|-----------------|-----------------|------------|----------|--------------|-----------|-----------|-------------|--|--|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | | Manual Svc | | |
| CATEGO | DRY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | l l | | | | | |
| CAILOC | 2 10 1 | KATE ELEMENTO | m | Lone | B00 | 0000 | | | KATES (Ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | L |
| | | | | | | | Rec | | curring | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| LOCAL | NTFR | CONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | | "bk" beside a rate indicates that the Parties have agreed to bi | ll and k | oon for | that element nursu | ant to the te | rme and conditi | ione in Attachi | ment 3 | | | | | | | | + |
| | | M SWITCHING | II allu k | l eep ioi | liat element parsu | ant to the ter | ins and conditi | I Attacin | nent 5. | | - | | | | | | + |
| | ANDE | | | | O. I.B. | | 0.004000011 | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | OHD | | 0.0012000bk | | | | | | | | | | |
| | | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | | only) | | | OHD | | 0.0012 | | | | | | | | | | |
| | | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| * | This | charge is applicable only to transit traffic and is applied in ad | dition to | appli | cable switching and | l/or interconi | nection charges | 5. | | | | | | | | | 1 |
| | | CHARGE | | | | | | | | | | | | | | | 1 |
| ' | | Installation Trunk Side Service - per DS0 | | l – | OHD | TPP++ | | 333.54 | 56.88 | | 1 | - | | | 1 | | + |
| - | | | - | 1 | OHD | TDE0P | 0.00 | 333.34 | 50.00 | - | + | + | | | | - | + |
| $\vdash \!$ | | Dedicated End Office Trunk Port Service-per DS0** | | <u> </u> | | | | ļ | ļ | ļ | 1 | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | 1 | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | <u> </u> | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS1** | | \Box | OH1 OH1MS | TDW1P | 0.00 | | | | 1 | | | | | | |
| * | * This | rate element is recovered on a per MOU basis and is included | in the | End Of | fice Switching and | Tandem Swi | tching, per MO | U rate element | s | | | | | | | | |
| | | ON TRANSPORT (Shared) | | | | | J, 1 | | | | | | | | | | |
| H-F | | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000100bk | | | | | | | | | | + |
| | | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0003400bk | | | | - | | | | | | + |
| | | | | | OUD | | 0.0003400DK | | | | | | | | | | |
| | | CONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| II | | DEFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | | Per Mile per month | | | OHL, OHM | 1L5NF | 0.0282 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | , | | | | | | | | | | | | |
| | | Facility Termination per month | | | OHL, OHM | 1L5NF | 18.00 | 137.48 | 52.58 | | | | | | | | |
| - | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | OFIE, OF IIVI | TESIVI | 10.00 | 137.40 | 32.30 | | | | | | | | |
| | | | | | 0111 01114 | 41.55.07 | 0.0000 | | | | | | | | | | |
| L | | per month | | | OHL, OHM | 1L5NK | 0.0282 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | OHL, OHM | 1L5NK | 17.40 | 137.48 | 52.58 | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | | per month | | | OHL, OHM | 1L5NK | 0.0282 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | 0.0000 | | | | | | | | | | 1 |
| | | Termination per month | | | OHL, OHM | 1L5NK | 17.40 | 137.48 | 52.58 | | | | | | | | |
| \vdash | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | OFIL, OF IIVI | ILJINK | 17.40 | 137.40 | 32.30 | | | | | | | | - |
| | | | | | | | | | | | | | | | | | |
| | | month | | | OH1, OH1MS | 1L5NL | 0.5753 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | l | | | | | | | 1 | | | | | 1 | 1 |
| | | Termination per month | <u></u> | L | OH1, OH1MS | 1L5NL | 71.29 | 217.17 | 163.75 | <u></u> | 1 | | | | <u> </u> | <u> </u> | 1 |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | l | OH3, OH3MS | 1L5NM | 12.98 | | | | 1 | | | | | 1 | 1 |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | -, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | |
| | | Termination per month | | ĺ | OH3, OH3MS | 1L5NM | 720.38 | 794.94 | 579.55 | | 1 | | | | | | 1 |
| | 004: | | - | | UI 13, UN3IVIS | IVINICAL | 120.38 | 794.94 | 579.55 | | + | + | | | - | - | + |
| └ | LUCAL | CHANNEL - DEDICATED TRANSPORT | | <u> </u> | 0111 01111 | TEE) ** | | ==0.0 | | ļ | 1 | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 11.24 | 553.80 | 89.69 | | 1 | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 12.03 | 562.23 | 92.67 | | | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | L | OH1 | TEFHG | 27.05 | 534.48 | 462.69 | L | 1 | | L | | | | 1 |
| | | | | | | | | | | | | | | - | | | |
| | | Local Channel - Dedicated - DS3 Facility Termination per month | | ĺ | OH3 | TEFHJ | 298.92 | 438.46 | 256.30 | | 1 | | | | | | 1 |
| | OCAI | INTERCONNECTION MID-SPAN MEET | | | | | | | | | 1 | | | | | | |
| | | If Access service ride Mid-Span Meet, one-half the tariffed se | vice I o | cal Ch | annel rate is annlica | ble. | | | | | 1 | + | | | | | + |
| | | Local Channel - Dedicated - DS1 per month | TICE LU | Car Off | | | 0.00 | 0.00 | - | - | + | + | | | | - | + |
| ├ | | | | ! | OH1MS | TEFHG | 0.00 | 0.00 | - | 1 | + | - | | | 1 | 1 | + |
| L . | | Local Channel - Dedicated - DS3 per month | | I | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | |
| N | <u>MULTII</u> | PLEXERS | | | | 1 | | | | | <u> </u> | | | | | | <u> </u> |
| oxdot | | Channelization - DS1 to DS0 Channel System | | \Box | OH1, OH1MS | SATN1 | 146.69 | 197.78 | 140.06 | | 1 | | | | | | 1 |
| | | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 233.10 | 403.97 | 234.40 | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 16.07 | 13.09 | 9.38 | Ì | 1 | İ | | | | | † |
| | | If no rate is identified in the contract, the rates, terms, and co | | | | | | | | .: | + | 1 | l | | | | + |

Version 4Q02: 12/18/02

| LOCAL INT | ERCONNECTION - South Carolina | | | , | | , | | | | | | | | ment: 3 | | ibit: A |
|--|---|--|-----------|---------------------|----------------|------------------|-------------------|------------|--------------|--------------|--|---|--|--|---|-------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Nonre | curring | Nonrecurring | n Disconnect | | | | Rates(\$) | D130 130 | Disc Add I |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCAL INTE | RCONNECTION (CALL TRANSPORT AND TERMINATION) | <u> </u> | | | | | | | | | | | | | | |
| | : "bk" beside a rate indicates that the Parties have agreed to bi | ll and k | een for | that element nursu | ant to the ter | rms and conditi | ons in Attachi | ment 3 | | | | | | - | - | + |
| | DEM SWITCHING | III aliu k | l cep ioi | Tinat element pursu | T The ter | lins and conditi | Olis III Attacili | nent 3. | | | 1 | | | | | + |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0007360bk | | | | | | | | | | + |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | 0.15 | 1 | 0.000.0000. | | | | | | | | | 1 | 1 |
| | only) | | | OHD | | 0.000736 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | 1 |
| * This | charge is applicable only to transit traffic and is applied in ad | dition to | appli | cable switching and | or interconi | nection charges | i. | | | | | | | | | |
| TRUN | IK CHARGE | | | | | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 335.14 | 57.16 | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | <u> </u> | <u> </u> | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| | s rate element is recovered on a per MOU basis and is included | in the | End O | fice Switching and | l andem Swi | tching, per MOI | J rate element | S I | | | | | | | - | + |
| COMI | MON TRANSPORT (Shared) Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000045bk | | | | | | | | | | - |
| | Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU | | | OHD | + | 0.0000045bk | | | | | | | | | | + |
| LOCAL INTE | RCONNECTION (DEDICATED TRANSPORT) | | | OND | | 0.0004095DK | | | | | | | | | | + |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | 1 | | | + | | | | | | 1 | | | - | - | + |
| INTE | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | 1 | | | | | | | | | | | | | | + |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | OHL, OHM | 1L5NF | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | 40.00 | 27.47 | 10.77 | 0.01 | | | | | | 1 |
| | per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | OHL, OHM | 1L5NK | 0.0167 | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | OHL, OHM | 1L5NK | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | OTIL, OTIVI | TESINIC | 10.70 | 40.03 | 21.41 | 10.77 | 0.31 | | | | | | + |
| | month | | | OH1, OH1MS | 1L5NL | 0.3415 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | OH1, OH1MS | 1L5NL | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | OH3, OH3MS | 1L5NM | 8.02 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | 880.65 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | |
| 1.00/ | AL CHANNEL - DEDICATED TRANSPORT | 1 | | Una, Unaivia | ILSINIVI | 000.00 | 219.31 | 103.12 | 60.33 | 36.39 | | | | | | + |
| LOCA | Local Channel - Dedicated - 2-Wire Voice Grade per month | 1 | | OHL, OHM | TEFV2 | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | | | | | | + |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 16.54 | 193.97 | 33.68 | 37.19 | 3.68 | | | | | | + |
| | Local Channel - Dedicated - DS1 per month | † | | OH1 | TEFHG | 42.62 | 177.87 | 154.06 | 22.24 | 15.30 | | | | 1 | 1 | † |
| | · | | | | | | | | | | | | | | | |
| H | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 446.00 | 452.52 | 264.53 | 119.75 | 83.77 | 1 | | | - | - | |
| | AL INTERCONNECTION MID-SPAN MEET | l mriaa I - | ool Ct | onnol roto io or!i | hla | 1 | | | | | ļ | | | ! | ! | + |
| NOTE | : If Access service ride Mid-Span Meet, one-half the tariffed se | rvice Lo | cai Ch | | | 0.00 | 0.00 | | | | ļ | | | ! | ! | + |
| | Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month | | | OH1MS OH3MS | TEFHG TEFHJ | 0.00 | 0.00 | | | | | | | | | + |
| MIII | Local Channel - Dedicated - DS3 per month | 1 | | OI TOIVIO | IEFFIJ | 0.00 | 0.00 | | | | | | | | | + |
| IVIUL | Channelization - DS1 to DS0 Channel System | 1 | | OH1, OH1MS | SATN1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | + | + | + |
| | DS3 to DS1 Channel System per month | - | | OH3, OH3MS | SATNS | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | + |
| | DS3 Interface Unit (DS1 COCI) per month | | - | OH1, OH1MS | SATCO | 8.64 | 6.59 | 4.73 | 55.55 | 31.30 | | | | t | t | + |
| | s: If no rate is identified in the contract, the rates, terms, and co | <u> </u> | Щ. | | | | | | | | 1 | | | 1 | 1 | - |

Version 4Q02: 12/18/02
Page 8 of 9

| LOCAL | . INTE | RCONNECTION - Tennessee | | | | | | | | | | | | | ment: 3 | | ibit: A |
|--|--------|---|-------------|----------|------------------------|----------------|----------------------------|----------------|------------|--------------|------------|--|---|--|--|--|--|
| CATEGO | DRY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Order vs. Electronic- | Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | | | Rates(\$) | Disc 1st | Disc Add'l |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 1.0041 | NITEDO | ONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | | bk" beside a rate indicates that the Parties have agreed to bi | II and k | oon for | that alament nursu | ant to the to | me and condit | ione in Attach | nont 2 | | | | | | | | |
| | | M SWITCHING | li aliu k | eep ioi | liiat eleilleilt pursu | T to the te | liis and condit | I | ileiit 3. | | | | | | | | + |
| <u> </u> | | Tandem Switching Function Per MOU | | | OHD | + | 0.0009778bk | | | | | | | | | | + |
| | | Multiple Tandem Switching, per MOU (applies to intial tandem | | | OTID | | 0.0000770DK | | | | | | | | | | † |
| | | only) | | | OHD | | 0.0009778 | | | | | | | | | | |
| | | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | 1 |
| * | | harge is applicable only to transit traffic and is applied in ad- | dition to | appli | cable switching and | l/or interconi | nection charges | s. | | | | | | | | | 1 |
| 1 | | CHARGE | | | | | | | | | | | | | | | |
| | | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 334.29 | 57.01 | | - | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| L . | | Dedicated Tandem Trunk Port Service-per DS1** | | <u> </u> | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | <u> </u> |
| | | ate element is recovered on a per MOU basis and is included | in the | End O | fice Switching and | Tandem Swi | tching, per MO | U rate element | 5 | | | | | | | | |
| - (| | ON TRANSPORT (Shared) | | | OUD | | 0.00000041.1 | | | | | | | | | | |
| - | | Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU | | | OHD OHD | | 0.0000064bk 0.0003871bk | | | | | | | | | | |
| LOCALI | | | | | ОНО | | 0.0003871DK | | | | | | | | | | + |
| | | ONNECTION (DEDICATED TRANSPORT) FFICE CHANNEL - DEDICATED TRANSPORT | | | | - | | | | | | | | | | | + |
| - ' | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | + | | | | | | | | | | | + |
| | | Per Mile per month | | | OHL, OHM | 1L5NF | 0.0174 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | OHL, OHM | 1L5NF | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | 00.00 | 17.07 | 21.00 | 0.01 | | | | | | |
| | | per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | OHL, OHM | 1L5NK | 0.0174 | | | | | | | | | | |
| | | Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | OHL, OHM | 1L5NK | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | <u> </u> |
| | | per month | | | OHL, OHM | 1L5NK | 0.0174 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | , | | | | | | | | | | | | 1 |
| | | month Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | OH1, OH1MS | 1L5NL | 0.3562 | | | | | | | | | | |
| | - | Termination per month | | | OH1, OH1MS | 1L5NL | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | OH3, OH3MS | 1L5NM | 2.34 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | 848.99 | 395.29 | 176.56 | 109.04 | 105.91 | | | | | | |
| ١ | | CHANNEL - DEDICATED TRANSPORT | | | OI IO, OI IOIVIO | ILOINIVI | 040.99 | 393.29 | 170.00 | 109.04 | 105.91 | | | | t | t | + |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | - | | OHL, OHM | TEFV2 | 19.43 | 199.33 | 24.16 | 54.81 | 4.80 | | | | t | t | + |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 20.56 | 201.53 | 24.83 | 55.52 | 5.51 | | | | 1 | 1 | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 40.99 | 277.35 | 233.26 | 33.18 | 22.30 | | | | | | |
| | | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 611.30 | 595.37 | 304.50 | 215.82 | 151.15 | | | | | | |
| - 1 | | INTERCONNECTION MID-SPAN MEET | | | 0110 | 12110 | 011.30 | 333.31 | 304.30 | 210.02 | 101.10 | 1 | | | | | + |
| | | f Access service ride Mid-Span Meet, one-half the tariffed ser | vice Lo | cal Ch | annel rate is applica | ible. | | | | | | | | | - | - | + |
| l l | | Local Channel - Dedicated - DS1 per month | 127-0 | 011 | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | 1 | 1 | |
| | | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | † |
| ı | | LEXERS | | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 80.77 | 141.87 | 77.11 | 44.47 | 42.62 | | | | | | |
| | | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 222.98 | 308.03 | 108.47 | 6.34 | 4.23 | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 17.58 | 6.07 | 4.66 | | | | | | | | |

Version 4Q02: 12/18/02 Page 9 of 9

Attachment 4

Physical Collocation

BELLSOUTH

PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Southern Telcom is physically collocated as a sole occupant or as a Host within a Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment.
- Right to Occupy. BellSouth shall offer to Southern Telcom collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow Southern Telcom to occupy that certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by Southern Telcom and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for BellSouth locations other than BellSouth Premises shall be negotiated upon request for collocation at such location(s).
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth below.
- 1.2.1.1 In all states other than Florida, the size specified by Southern Telcom may contemplate a request for space sufficient to accommodate Southern Telcom's growth within a two-year period.
- 1.2.1.2 In the state of Florida, the size specified by Southern Telcom may contemplate a request for space sufficient to accommodate Southern Telcom's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate Southern Telcom's requested preferences if any. In allocating Collocation Space, BellSouth shall not materially increase Southern Telcom's cost or materially delay Southern Telcom's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service Southern Telcom wishes to offer, reduce unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to

occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or by another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of BellSouth's Premises. BellSouth may segregate Collocation Space and require separate entrances in accordance with FCC Rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Premises, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Premises. Southern Telcom will be responsible for any justification of unutilized space within its space, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. Southern Telcom shall use the Collocation Space for the purposes of installing, maintaining and operating Southern Telcom's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. Southern Telcom agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

- 2.1 Space Availability Report. Upon request from Southern Telcom, BellSouth will provide a written report ("Space Availability Report") describing in detail the space that is available for collocation and specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises.
- 2.1.1 The request from Southern Telcom for a Space Availability Report must be written and must include the Premises street address, as identified in the Local Exchange Routing Guide ("LERG"), and Common Language Location Identification ("CLLI") code of the Premises. CLLI code information is located in the National Exchange Carrier Association ("NECA") Tariff FCC No. 4.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Southern Telcom and inform Southern Telcom of the time frame under which it can respond.

3. <u>Collocation Options</u>

- 3.1 <u>Cageless.</u> BellSouth shall allow Southern Telcom to collocate Southern Telcom's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Southern Telcom to have direct access to Southern Telcom's equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where Southern Telcom's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Southern Telcom must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At Southern Telcom's expense, Southern Telcom may arrange with a Supplier certified by BellSouth ("BellSouth Certified Supplier") to construct a collocation arrangement enclosure in accordance with BellSouth's Technical References (TR) ("Specifications") prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, Southern Telcom and Southern Telcom's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Southern Telcom's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Southern Telcom and provide, at Southern Telcom's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Southern Telcom's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Southern Telcom's BellSouth Certified Supplier shall bill Southern Telcom directly for all work performed for Southern Telcom pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Southern Telcom's BellSouth Certified Supplier. Southern Telcom must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Southern Telcom's locked enclosure prior to notifying Southern Telcom at least forty-eight (48) hours or two (2) business days,

- whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for Southern Telcom.
- 3.2.1 BellSouth may elect to review Southern Telcom's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications. Notification to Southern Telcom indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if Southern Telcom has indicated its desire to construct its own enclosure. If Southern Telcom's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Southern Telcom's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Southern Telcom. BellSouth shall require Southern Telcom to remove or correct within seven (7) calendar days at Southern Telcom's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.
- Shared Caged Collocation. Southern Telcom may allow other telecommunications carriers to share Southern Telcom's caged collocation arrangement pursuant to terms and conditions agreed to by Southern Telcom ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. Southern Telcom shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Southern Telcom that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Southern Telcom.
- 3.3.1 Southern Telcom, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide Southern Telcom with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the foregoing, Southern Telcom shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name

abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response ("Application Response").

- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Southern Telcom shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Southern Telcom's Guests in the Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent collocation arrangements ("Adjacent Arrangement") on the Premises' property when space within the Premises is legitimately exhausted, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property. The Adjacent Arrangement shall be constructed or procured by Southern Telcom and in conformance with BellSouth's design and construction Specifications. Further, Southern Telcom shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 Should Southern Telcom elect Adjacent Collocation, Southern Telcom must arrange with a BellSouth Certified Supplier to construct an Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Southern Telcom and Southern Telcom's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Southern Telcom's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Southern Telcom's BellSouth Certified Supplier shall bill Southern Telcom directly for all work performed for Southern Telcom pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Southern Telcom's BellSouth Certified Supplier. Southern Telcom must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth will not access Southern Telcom's locked enclosure prior to notifying Southern Telcom at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.
- 3.4.2 Southern Telcom must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Southern Telcom's plans and specifications prior to

construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications. BellSouth may inspect the Adjacent Arrangement during and after construction to confirm it is constructed according to the submitted plans and specifications. If BellSouth decides to inspect, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Southern Telcom. BellSouth shall require Southern Telcom to remove or correct within seven (7) calendar days at Southern Telcom's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.4.3 Southern Telcom shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Southern Telcom's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. Southern Telcom's BellSouth Certified Supplier shall be responsible, at Southern Telcom's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 Co-Carrier Cross Connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit Southern Telcom to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Premises. Both Southern Telcom's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall Southern Telcom use the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Southern Telcom must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Southern Telcom. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Southern Telcom's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Southern Telcom will have the option of using Southern Telcom's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. Southern Telcom shall deploy such optical or electrical connections directly between its own facilities and the facilities of other

collocated telecommunications carriers without being routed through BellSouth equipment. Southern Telcom shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Southern Telcom is responsible for ensuring the integrity of the signal.

- 3.5.2 Southern Telcom shall be responsible for providing a letter of authorization ("LOA") to BellSouth from the other collocated telecommunications carrier simultaneously with submitting the application. Southern Telcom-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Southern Telcom will have the option of using Southern Telcom's own technicians to construct its own dedicated support structure.
- 3.5.3 To order CCXCs, Southern Telcom must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications in addition to the placement of CCXCs are requested, the Initial Application or Subsequent Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

4. Occupancy

4.1 Occupancy. BellSouth will notify Southern Telcom in writing that the Collocation Space is ready for occupancy ("Space Ready Date"). Southern Telcom will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Southern Telcom that the Collocation Space is ready for occupancy. BellSouth will correct any deviations to Southern Telcom's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If Southern Telcom has met the fifteen (15) calendar day interval(s), billing will begin upon the date of Southern Telcom's acceptance of the Collocation Space ("Space Acceptance Date"). In the event that Southern Telcom fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by Southern Telcom on the Space Ready Date and billing will commence from that date. If Southern Telcom decides to occupy the space prior to the Space Ready Date, the date Southern Telcom occupies the space becomes the new Space Acceptance Date and billing begins from that date. Southern Telcom must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Southern Telcom's

- telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provisioning.
- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Agreement, Southern Telcom may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy; such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date Southern Telcom and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Southern Telcom signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and Southern Telcom jointly conduct an inspection which confirms that Southern Telcom has corrected the discrepancies. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate Southern Telcom's right to occupy the Collocation Space in the event Southern Telcom fails to comply with any provision of this Agreement including the payment of applicable fees.
- 4.2.1 Upon termination of occupancy, Southern Telcom at its expense shall remove its equipment and other property from the Collocation Space. Southern Telcom shall have thirty (30) calendar days from the Bona Fide Firm Order ("BFFO") Subsequent Application date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of Southern Telcom's Guest(s), unless Southern Telcom's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. Southern Telcom shall continue payment of monthly fees to BellSouth until such date as Southern Telcom, and if applicable Southern Telcom's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. Should Southern Telcom or Southern Telcom's Guest(s) fail to vacate the Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Southern Telcom or Southern Telcom's Guest(s), in any manner that BellSouth deems fit, at Southern Telcom's expense and with no liability whatsoever for Southern Telcom's property or Southern Telcom's Guest(s)'s property. Upon termination of Southern Telcom's right to occupy Collocation Space, the Collocation Space will revert back to BellSouth, and Southern Telcom shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by Southern Telcom except for ordinary wear and tear, unless otherwise agreed to by the Parties. Southern Telcom's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including, but not limited to, Central Office Record Drawings and ERMA Records. Southern Telcom shall be responsible for the cost of removing any Southern Telcom constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Collocation Space

- Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Southern Telcom's failure to comply with this Section.
- 5.1.3 Southern Telcom shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that Southern Telcom submits an application for terminations that exceed the total capacity of the collocated equipment, Southern Telcom will be informed of the discrepancy and will be required to submit a revision to the application.
- 5.2 Southern Telcom shall identify to BellSouth whenever Southern Telcom submits a Method of Procedure ("MOP") adding equipment to Southern Telcom's Collocation Space, all UCC-1 lien holders or other entities that have a financial interest, secured and otherwise, in the equipment in Southern Telcom's Collocation Space. Southern

- Telcom shall submit a copy of the list of any lien holders or other entities that have a financial interest to Southern Telcom's ATCC Representative.
- 5.3 Southern Telcom shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- 5.4 Southern Telcom shall place a plaque or other identification affixed to Southern Telcom's equipment necessary to identify Southern Telcom's equipment, including a list of emergency contacts with telephone numbers.
- 5.5 Entrance Facilities. Southern Telcom may elect to place Southern Telcom-owned or Southern Telcom-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault, which are physically accessible by both Parties. Southern Telcom will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Southern Telcom will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth, which will extend from the splice location to Southern Telcom's equipment in the Collocation Space. In the event Southern Telcom utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Southern Telcom must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. Southern Telcom is responsible for maintenance of the entrance facilities. At Southern Telcom's option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point.
- Dual Entrance. BellSouth will provide at least two interconnection points at each Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide Southern Telcom with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Southern Telcom's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.
- 5.5.2 <u>Shared Use</u>. Southern Telcom may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Southern Telcom's collocation arrangement within the same BellSouth Premises. BellSouth shall allow the splice, provided that the fiber is non-working fiber. Southern Telcom must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures,

RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the Southern Telcom provided riser cable to the spare capacity on the entrance facility. If Southern Telcom desires to allow another telecommunications carrier to use its entrance facilities that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Southern Telcom for BellSouth to splice that telecommunications carrier's provided riser cable to the spare capacity on Southern Telcom's entrance facility.

- 5.6 Demarcation Point. BellSouth will designate the point(s) of demarcation between Southern Telcom's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). Southern Telcom shall be responsible for providing, and Southern Telcom's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and necessary cabling pursuant to Section 7. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. Southern Telcom or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests.
- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between Southern Telcom's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a Southern Telcom-provided Point of Termination Bay (POT Bay) in a common area within the Premises. Southern Telcom shall be responsible for providing, and Southern Telcom's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the POT Bay as well as installing the necessary cabling between Southern Telcom's Collocation Space and the demarcation point. Southern Telcom or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee in the event that Southern Telcom desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.
- 5.7 Southern Telcom's Equipment and Facilities. Southern Telcom, or if required by this Attachment, Southern Telcom's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Southern Telcom which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Southern Telcom and its selected BellSouth

- Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.8 <u>BellSouth's Access to Collocation Space</u>. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to Southern Telcom at least forty-eight (48) hours before access to the Collocation Space is required. Southern Telcom may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Southern Telcom will not bear any of the expense associated with this work.
- 5.9 Access. Pursuant to Section 12, Southern Telcom shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. Southern Telcom agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agent of Southern Telcom or Southern Telcom's Guests to be provided with access keys or cards ("Access Keys") prior to the issuance of said Access Keys using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation Acknowledgement Sheet" for access cards and "Key Acknowledgement Form" for keys, must be signed by Southern Telcom and returned to BellSouth Access Management within fifteen (15) calendar days of Southern Telcom's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Southern Telcom agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Southern Telcom's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with Southern Telcom or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.
- 5.9.1 BellSouth will permit one accompanied site visit to Southern Telcom's designated collocation arrangement location after receipt of the BFFO without charge to Southern Telcom. Southern Telcom must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of thirty (30) calendar days prior to the date Southern Telcom desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Southern Telcom may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event Southern Telcom desires access to the Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Southern Telcom to access the Collocation Space accompanied by a security escort at Southern Telcom's expense. Southern Telcom must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.10<u>Lost or Stolen Access Keys</u>. Southern Telcom shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to

re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Southern Telcom shall pay for all reasonable costs associated with the re-keying or deactivating the card.

- 5.11Interference or Impairment. Notwithstanding any other provisions of this Attachment, Southern Telcom shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Southern Telcom violates the provisions of this paragraph, BellSouth shall give written notice to Southern Telcom, which notice shall direct Southern Telcom to cure the violation within forty-eight (48) hours of Southern Telcom's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Southern Telcom fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Southern Telcom's equipment. BellSouth will endeavor, but is not required, to provide notice to Southern Telcom prior to taking such action and shall have no liability to Southern Telcom for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.2 For purposes of this Section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Southern Telcom fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Southern Telcom or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Southern Telcom shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the

newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

- 5.12<u>Personalty and its Removal</u>. Facilities and equipment placed by Southern Telcom in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Southern Telcom at any time. Any damage caused to the Collocation Space by Southern Telcom's employees, agents or representatives during the removal of such property shall be promptly repaired by Southern Telcom at its expense.
- 5.12.1 If Southern Telcom decides to remove equipment from its Collocation Space and the removal requires no physical changes, BellSouth will bill Southern Telcom an Administrative Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.
- 5.13<u>Alterations</u>. In no case shall Southern Telcom or any person acting on behalf of Southern Telcom make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by Southern Telcom. Any such material rearrangement, modification, improvement, addition, or other alteration shall require a Subsequent Application and Subsequent Application Fee, which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 5.14<u>Janitorial Service</u>. Southern Telcom shall be responsible for the general upkeep of the Collocation Space. Southern Telcom shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis upon request.

6. Ordering and Preparation of Collocation Space

- 6.1 Should any state or federal regulatory agency impose procedures or intervals applicable to Southern Telcom and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.
- 6.2 <u>Initial Application</u>. For Southern Telcom or Southern Telcom's Guest(s) initial equipment placement, Southern Telcom shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Initial Application"). The Initial Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.

- 6.3 <u>Subsequent Application.</u> In the event Southern Telcom or Southern Telcom's Guest(s) desires to modify the use of the Collocation Space after a BFFO, Southern Telcom shall complete an application detailing all information regarding the modification to the Collocation Space ("Subsequent Application"). The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Subsequent Application are completed with the appropriate type of information. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Southern Telcom in the application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.3.1 <u>Subsequent Application Fee.</u> The application fee paid by Southern Telcom for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. The fee for a Subsequent Application where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. If the modification requires capital expenditure, an Initial Application Fee shall apply. This nonrecurring fee will be billed on the date that BellSouth makes an Application Response.
- 6.4 <u>Space Preferences</u>. If Southern Telcom has previously requested and received a Space Availability Report for the Premises, Southern Telcom may submit up to three (3) space preferences on its application identifying specific space identification numbers as referenced on the Space Availability Report. In the event that BellSouth cannot accommodate the Southern Telcom's preference(s), Southern Telcom may elect to accept the space allocated by BellSouth or may cancel its application and submit another application requesting additional preferences, which will be treated as a new application and an application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.

6.5 Space Availability Notification.

- 6.5.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Southern Telcom of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by Southern Telcom or differently configured no application fee shall apply. If Southern Telcom decides to accept the available space, Southern Telcom must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.
- 6.5.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the

items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an application fee will be billed by BellSouth on the date that BellSouth makes an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Southern Telcom or differently configured, if Southern Telcom decides to accept the available space, Southern Telcom must amend its application to reflect the actual space available prior to submitting a BFFO.

- 6.5.3 BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Southern Telcom of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by Southern Telcom or differently configured no application fee shall apply. If Southern Telcom decides to accept the available space, Southern Telcom must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide.
- 6.6 <u>Denial of Application</u>. If BellSouth notifies Southern Telcom that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Southern Telcom that BellSouth has no available space in the requested Premises, BellSouth will allow Southern Telcom, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.7 Filing of Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Southern Telcom to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- 6.8 Waiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.

- 6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.8.2 When space becomes available, Southern Telcom must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If Southern Telcom has originally requested caged Collocation Space and cageless Collocation Space becomes available, Southern Telcom may refuse such space and notify BellSouth in writing within that time that Southern Telcom wants to maintain its place on the waiting list without accepting such space. Southern Telcom may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Southern Telcom does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove Southern Telcom from the waiting list. Upon request, BellSouth will advise Southern Telcom as to its position on the list.
- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Premises that are without available space. BellSouth shall update such document within ten (10) calendar days of the date BellSouth becomes aware that there is insufficient space to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Premises previously on the space exhaust list.

6.10 Application Response.

- 6.10.1 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- 6.10.2 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide

an Application Response including sufficient information to enable Southern Telcom to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Southern Telcom submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.

6.10.3 In Louisiana, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.11 Application Modifications.

6.11.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Southern Telcom or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth may charge Southern Telcom an additional application fee. The fee for an application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require Southern Telcom to submit the application with an Initial Application Fee. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

6.12 Bona Fide Firm Order.

- 6.12.1 Southern Telcom shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Southern Telcom's Bona Fide application or the application will expire.
- 6.12.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of Southern Telcom's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

7. <u>Construction and Provisioning</u>

- 7.1 <u>Construction and Provisioning Intervals.</u>
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to the Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Southern Telcom cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, and Tennessee, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days for caged and sixty (60) calendar days for cageless from receipt of a BFFO for an initial request, and within sixty (60) calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within one hundred twenty (120) calendar days for caged and ninety (90) calendar days for cageless from the receipt of a BFFO. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The

Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- In South Carolina, BellSouth will complete construction for caged collocation 7.1.4 arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of the BFFO and within a maximum of ninety (90) calendar days from receipt of the BFFO under extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include, but not limited to, a major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Public Service Commission of South Carolina.
- 7.2 <u>Joint Planning</u>. Joint planning between BellSouth and Southern Telcom will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Collocation Space completion time period will be provided to Southern Telcom during joint planning.
- 7.3 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walkthrough. Southern Telcom will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Southern Telcom that the Collocation Space is ready for occupancy. In the event that Southern Telcom fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Southern Telcom on the Space Ready Date. BellSouth will correct any deviations to Southern Telcom's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to Southern Telcom prior to the applicable provisioning interval set forth herein ("Provisioning Interval") for those Premises in which Southern Telcom has a physical collocation arrangement with no POT bay or with a POT bay provided by BellSouth. BellSouth cannot provide CFAs to Southern Telcom prior to the Provisioning Interval for those Premises in which Southern Telcom has a physical

- collocation arrangement with a POT bay provided by Southern Telcom or a virtual collocation arrangement until Southern Telcom provides BellSouth with the following information:
- 7.5.1 For Southern Telcom-provided POT bay a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.
- 7.5.2 For virtual a complete layout of Southern Telcom's equipment (equipment inventory update (EIU) form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Southern Telcom's BellSouth Certified Supplier
- 7.5.3 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from Southern Telcom. If the EIU form is provided ten (10) calendar days prior to the Provisioning Interval, then CFAs will be made available by the Provisioning Interval. If this EIU is not received ten (10) calendar days prior to the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.4 BellSouth will bill Southern Telcom a nonrecurring charge, as set forth in Exhibit B, each time Southern Telcom requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs.
- 7.6 Use of BellSouth Certified Supplier. Southern Telcom shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Southern Telcom and Southern Telcom's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Southern Telcom must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Southern Telcom with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Southern Telcom's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Southern Telcom upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Southern Telcom directly for all work performed for Southern Telcom pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Southern Telcom or any supplier proposed by Southern Telcom and will not unreasonably withhold certification. All work performed by or for Southern Telcom shall conform to generally accepted industry standards.
- 7.7 <u>Alarm and Monitoring</u>. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Southern Telcom shall be responsible for placement, monitoring and removal of environmental and equipment

alarms used to service Southern Telcom's Collocation Space. Upon request, BellSouth will provide Southern Telcom with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Southern Telcom. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.

- 7.8 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations, and physical Collocation Space has subsequently become available, Southern Telcom may relocate its virtual collocation arrangements to physical collocation arrangements and pay the appropriate fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by Southern Telcom, such information will be provided to Southern Telcom in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to Southern Telcom within one hundred eighty (180) calendar days of BellSouth's written denial of Southern Telcom's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Southern Telcom was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then Southern Telcom may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Southern Telcom must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to cageless physical collocation within thirty (30) calendar days and from virtual collocation to caged physical collocation within ninety (90) calendar days.
- 7.9 Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Southern Telcom an Administrative Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, Southern Telcom cancels its order for the Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun. In Georgia, if Southern Telcom cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Southern Telcom for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> Southern Telcom, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Application Fee.</u> BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.1.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Southern Telcom. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.2 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of Southern Telcom's BFFO.
- 8.3 Recurring Charges. If Southern Telcom has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Southern Telcom fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If Southern Telcom occupies the space prior to the Space Ready Date, the date Southern Telcom occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.

- Space Preparation. Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications assessed per arrangement, per square foot and common systems modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. Southern Telcom shall remit payment of the nonrecurring firm order processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Southern Telcom opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Southern Telcom as prescribed in this Section.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Southern Telcom shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Southern Telcom shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and)spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Southern Telcom's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Southern Telcom shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.6 Power. BellSouth shall make available –48 Volt (-48V) Direct Current ("DC") power for Southern Telcom's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Southern Telcom's option within the Premises. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Southern Telcom's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Southern Telcom certifying the completion of the power reduction, including the removal of the power cabling by Southern Telcom's BellSouth Certified Supplier.
- When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Southern Telcom's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by Southern Telcom's BellSouth Certified Supplier. Southern Telcom is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or BellSouth power board to Southern Telcom's equipment. The determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Southern

Telcom must provide BellSouth with a copy of the engineering power specifications prior to the day on which Southern Telcom's equipment becomes operational ("Commencement Date"). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or BellSouth power board and Southern Telcom's arrangement area. Southern Telcom shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Southern Telcom's arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. Southern Telcom shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling, installation, and maintenance.

- 8.6.2 If Southern Telcom elects to install its own DC Power Plant, BellSouth shall provide Alternating Current ("AC") power to feed Southern Telcom's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Southern Telcom's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Southern Telcom's BellSouth Certified Supplier must also provide a copy of the engineering power specifications prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Southern Telcom's option, Southern Telcom may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable racks to Southern Telcom's equipment or space enclosure. Southern Telcom shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Southern Telcom's arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, nonrecurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and Southern Telcom's arrangement area.
- In Alabama and Louisiana, Southern Telcom has the option to purchase power directly from an electric utility company. Under such an option, Southern Telcom is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Southern Telcom. Southern Telcom's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this

power arrangement. If Southern Telcom previously had power supplied by BellSouth, Southern Telcom may request to change its arrangement to obtain power from an electric utility company by submitting a subsequent application. BellSouth will waive any application fee for this subsequent application if no other change was requested therein. Any floor space, cable racking, etc. utilized by Southern Telcom in provisioning said power will be billed on an ICB basis.

- 8.6.5 In South Carolina, Southern Telcom has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested BellSouth Premises. Under such an option, Southern Telcom is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Southern Telcom. Southern Telcom's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in installing this power arrangement, just as BellSouth is required to comply with these codes. Southern Telcom must submit an application to BellSouth for the appropriate amount of collocation space that Southern Telcom requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of Southern Telcom's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. Southern Telcom shall be responsible for the recurring charges associated with the central office space needed for collocation of this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office, BellSouth may seek a waiver of these requirements from the Public Service Commission of South Carolina for the central office requested. Southern Telcom would still have the option to order its power needs directly from BellSouth.
- 8.6.6 If Southern Telcom requests a reduction in the amount of power that BellSouth is currently providing, Southern Telcom must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit B will apply. If modifications are requested in addition to the reduction of power, the Subsequent Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

- 8.6.7 In Alabama and Louisiana, if Southern Telcom is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, Southern Telcom must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply.
- 8.7 <u>Security Escort.</u> A security escort will be required whenever Southern Telcom or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Southern Telcom shall pay for such half-hour charges in the event Southern Telcom fails to show up.
- 8.8 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. These nonrecurring fees will be billed upon receipt of Southern Telcom's BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

- 9.1 Southern Telcom shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Southern Telcom shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Southern Telcom's real and personal property situated on or within BellSouth's Central Office location(s).

- 9.2.4 Southern Telcom may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Southern Telcom to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Southern Telcom shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all Southern Telcom's property has been removed from BellSouth's Premises, whichever period is longer. If Southern Telcom fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Southern Telcom.
- 9.5 Southern Telcom shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Southern Telcom shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Southern Telcom's insurance company. Southern Telcom shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Southern Telcom must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Southern Telcom's net worth exceeds five hundred million dollars (\$500,000,000), Southern Telcom may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Southern Telcom shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Southern Telcom in the event that self-insurance status is not granted to Southern Telcom. If BellSouth approves Southern Telcom for self-insurance, Southern Telcom shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Southern Telcom's corporate officers. The ability to self-insure shall continue so long as the Southern Telcom meets all of the requirements of this Section. If Southern

Telcom subsequently no longer satisfies this Section, Southern Telcom is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.

- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Southern Telcom to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Southern Telcom), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

BellSouth may conduct an inspection of Southern Telcom's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Southern Telcom's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Southern Telcom adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Southern Telcom with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. <u>Security and Safety Requirements</u>

Unless otherwise specified, Southern Telcom will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Southern Telcom employee hired in the past five years being considered for work on the BellSouth Premises, for the states/counties where the Southern Telcom employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable.

Southern Telcom shall not be required to perform this investigation if an affiliated company of Southern Telcom has performed an investigation of the Southern Telcom employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Southern Telcom has performed a pre-employment statewide investigation of criminal history records of the Southern Telcom employee for the states/counties where the Southern Telcom employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- 12.2 Southern Telcom will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Southern Telcom shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Southern Telcom's name. BellSouth reserves the right to remove from its Premises any employee of Southern Telcom not possessing identification issued by Southern Telcom or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Southern Telcom shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. Southern Telcom shall be solely responsible for ensuring that any Guest(s) of Southern Telcom is in compliance with all subsections of this Section.
- 12.4 Southern Telcom shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Southern Telcom shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Southern Telcom personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Southern Telcom chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Southern Telcom may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Southern Telcom shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Southern Telcom shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.

- 12.5 For each Southern Telcom employee or agent hired by Southern Telcom within five years of being considered for work on the BellSouth Premises, who requires access to a BellSouth Premises pursuant to this Attachment, Southern Telcom shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Southern Telcom will disclose the nature of the convictions to BellSouth at that time. In the alternative, Southern Telcom may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Southern Telcom employees requiring access to a BellSouth Premises pursuant to this Attachment, Southern Telcom shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Southern Telcom shall promptly remove from BellSouth's Premises any employee of Southern Telcom BellSouth does not wish to grant access to its Premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Southern Telcom is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview Southern Telcom's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Southern Telcom's Security representative of such interview. Southern Telcom and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Southern Telcom's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Southern Telcom for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Southern Telcom's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Southern Telcom for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Southern Telcom's employees, agents, or suppliers and where Southern Telcom agrees, in good faith, with the results of such investigation. Southern Telcom shall notify BellSouth in writing immediately in the event that Southern Telcom discovers one of its employees already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section.

- Southern Telcom shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- Accountability. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. <u>Destruction of Collocation Space</u>

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Southern Telcom's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Southern Telcom's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Southern Telcom, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Southern Telcom may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Southern Telcom's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Southern Telcom. Where allowed and where practical, Southern Telcom may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Southern Telcom shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Southern Telcom's permitted use, until such Collocation Space is fully repaired and restored and Southern Telcom's equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored).

Where Southern Telcom has placed an Adjacent Arrangement pursuant to Section 3.4, Southern Telcom shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Southern Telcom shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. <u>Nonexclusivity</u>

Southern Telcom understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Southern Telcom agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Southern Telcom shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Southern Telcom should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Southern Telcom to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Southern Telcom will require its suppliers, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Southern Telcom when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Southern Telcom space with proper notification. BellSouth reserves the right to stop any Southern Telcom work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by Southern Telcom are owned by Southern Telcom. Southern Telcom will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Southern Telcom or different hazardous materials used by Southern Telcom at BellSouth Premises. Southern Telcom must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Premises.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Southern Telcom to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and Southern Telcom will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Southern Telcom will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Southern Telcom must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Southern Telcom shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Premises.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, Southern Telcom agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Southern Telcom further agrees to cooperate with BellSouth to ensure that Southern Telcom's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Southern Telcom, its employees, agents and/or suppliers.
- 2.2 The most current version of the reference documentation must be requested from Southern Telcom's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

| ENVIRONMENTAL CATEGORIES | ENVIRONMENTAL ISSUES | ADDRESSED BY THE FOLLOWING DOCUMENTATION |
|---|---|---|
| Disposal of hazardous material or other regulated material | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 Fact Sheet Series 17000 |
| (e.g., batteries, fluorescent tubes, solvents & cleaning materials) | Pollution liability insurance EVET approval of supplier | Std T&C 660-3 Approved Environmental Vendor List (Contact ATCC |

| | | Representative) |
|--|---|--|
| Emergency response | Hazmat/waste release/spill fire safety emergency | Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Premises) |
| Contract labor/outsourcing for services with environmental implications | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 |
| to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; | Performance of services in accordance with BST's environmental M&Ps | Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.) |
| maintenance of storage tanks) | Insurance | Std T&C 660 |
| Transportation of hazardous material | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 Fact Sheet Series 17000 |
| | Pollution liability insurance | Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental Vendor List (Contact ATCC Representative) |
| Maintenance/operations work which may produce a waste | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 |
| Other maintenance work | Protection of BST employees and equipment | 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard) |
| Janitorial services | All waste removal and disposal must conform to all applicable federal, state and local regulations | Procurement Manager (CRES Related Matters)-BST Supply Chain Services |
| | All Hazardous Material and Waste | Fact Sheet Series 17000 |
| | Asbestos notification and protection of employees and equipment | GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom) |

| Manhole cleaning | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 |
|---|---|--|
| | Pollution liability insurance EVET approval of supplier | Approved Environmental |
| | | Vendor List (Contact ATCC Representative) |
| Removing or disturbing building materials that may contain asbestos | Asbestos work practices | GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740 |

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

ATCC - Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S - Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

 $\underline{Std}\,\, \underline{T\&C}$ - Standard Terms & Conditions 5.7

| COLLOCA | TION - Alabama | | | | | | | | | | | | Δttach | ment: 4 | Fyhi | bit: B |
|-------------|--|----------|----------|-------------------------------------|----------------|----------------|----------------------|----------------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|--|
| COLLOCA | 110N - Alabama | | | | | | | | | | Svc Order | Svc Order | Incremental | | | |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | - | - | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | 1 | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| PHYSICAL C | OLLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | 55.50 | | 40.00 | | | | | | | | | ĺ |
| | Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | UEPSR | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | Wire Line Side PBX Trunk - Bus | | | UEPSP | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | ĺ |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | OLI OI | LIKE | 0.00 | 12.00 | 11.00 | 0.00 | 0.44 | | 10.00 | | | | |
| | Wire Voice Grade PBX Trunk - Res | | | UEPSE | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | ĺ |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Analog - Bus | | | UEPSB | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| 1 1 | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | LIEDOV | DE1D2 | 0.02 | 12.20 | 11.00 | 6.00 | E 44 | | 15.00 | | | | İ |
| \vdash | Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | - | 1 | UEPSX | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | - | - | | \vdash |
| 1 1 | Wire ISDN | | | UEPTX | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | 1 |
| | Physical Collocation 4-Wire Cross Connect, Exchange Port 4- | | | | | 2.00 | 00 | | 2.00 | 3 | | 12.00 | | | | |
| | Wire ISDN DS1 | <u> </u> | | UEPEX | PE1R4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | 15.66 | | | | <u> </u> |
| PHYSICAL C | OLLOCATION | | | | | | | | | | | | | | | |
| \vdash | Physical Collocation - Application Fee - Initial | | | CLO | PE1BA | | 1,879.48 | 1,879.48 | | | | | | | | |
| | Physical Collocation - Application Fee - Subsequent Physical Collocation - Cageless - Application Fee | | | CLO CLO | PE1CA PE1CH | | 1,566.60 1,205.26 | 1,566.60 1,205.26 | | | | | | | | |
| | Physical Collocation - Cageless - Application Fee Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 742.15 | 1,205.26 | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order | | | OLO | LIBE | | 7-12.10 | | | | | | | | | |
| | Processing | | | CLO | PE1SJ | | 600.71 | 600.71 | | | | | | | | i |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | | | | | | | | | | | | | i |
| | square ft. | | | CLO | PE1SK | 1.96 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless | | | CLO | PE1SL | 2.62 | | | | | | | | | | ĺ |
| - | Physical Collocation - Space Preparation - Common Systems | 1 | | CLO | PEISL | 2.02 | | | | | | | | | | |
| | Modification per Cage | | | CLO | PE1SM | 88.86 | | | | | | | | | | ĺ |
| | Physical Collocation - Cable Installation | | | CLO | PE1BD | | 859.71 | 859.71 | 22.49 | 22.49 | | | | | | |
| | Physical Collocation - Floor Space per Sq. Ft. | | | CLO | PE1PJ | 3.22 | | | | | | | | | | |
| | Physical Collocation - Cable Support Structure, Per Entrance | | | 0.0 | | | | | | | | | | | | i |
| | Cable Physical Collocation - Cageless - Cable Support Structure | | | CLO CLO | PE1PM PE1CJ | 17.11 14.97 | | | | | | | | | | |
| - | Physical Collocation - Cageless - Cable Support Structure Physical Collocation - Power -48V DC Power, per Fused Amp | 1 | | CLO | PE1PL | 7.83 | | | | | | | | | | 1 |
| | Physical Collocation - Power Reduction, Application Fee | | | CLO | PE1PR | 7.05 | 399.51 | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Physical Collocation - 120V, Single Phase Standby Power Rate | | | CLO | PE1FB | 4.91 | | | | | | | | | | |
| | | | | | L | | | | | | | | | | | i |
| \vdash | Physical Collocation - 240V, Single Phase Standby Power Rate | <u> </u> | - | CLO | PE1FD | 9.84 | | | 1 | | - | | | | | |
| | Physical Collocation - 120V, Three Phase Standby Power Rate | | | CLO | PE1FE | 14.74 | | | | | | | | | | İ |
| | 1 Hysical Collocation - 120V, Three I hase Standby I ower Nate | | | OLO | | 14.74 | | | | | | | | | | |
| | Physical Collocation - 277V, Three Phase Standby Power Rate | | | CLO | PE1FG | 34.06 | | | | | | | | | | İ |
| | | | | | | | | | | | | | | | | |
| 1 1 | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | İ |
| 1 1 | | | | DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, | | | | | | | | | | | | 1 |
| 1 1 | Physical Collocation - 2-Wire Cross-Connects | | | UNLDX, UNCNX | PE1P2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | 1 |
| | 72.72 | t | | CLO, UAL, UDL, | T | 5.55 | .2.50 | 50 | 0.30 | 5.17 | | | | | | |
| 1 1 | | | | UDN, UEA, UHL, | | | | | | | | | | | | İ |
| 1 1 | | | | UNCVX, UNCDX, | | | | | | | | | | | | İ |
| \vdash | Physical Collocation - 4-Wire Cross-Connects | | | UCL | PE1P4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| | | | | CLO,UEANL,UEQ,W DS1L,WDS1S, USL, | | | | | | | | | | | | İ |
| | | | | U1TD1, UXTD1, | | | | | | | | | | | | İ |
| | | | | UNC1X, ULDD1, | | | | | | | | | | | | 1 ' |
| 1 1 | | | | USLEL, UNLD1, | | | | | | | | | | | | İ |
| | Physical Collocation - DS1 Cross-Connects | | | UDL | PE1P1 | 1.11 | 22.03 | 15.93 | 6.40 | 5.79 | | | | | | <u> </u> |

| COLLOC | CATION - Ala | ahama | | | | | | | | | | | | Attach | ment: 4 | Exhi | hit: B |
|----------|--------------|--|---------|-------|-------------------|-------|--------|----------|------------|-------------|--|-----------|-----------|-------------|-------------|-------------|-------------|
| COLLOC | JATION - AR | apania | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | | | | | |
| CATEGOR | ov | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGOR | \ 1 | RATE ELEMENTS | m | ZOITE | B03 | 0300 | | | KAILS (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonrec | | Managarania | g Disconnect | | | 000 | Rates (\$) | | |
| | | | | | | | Rec | | | | | 001450 | 001111 | | | 0011411 | 001111 |
| | | | | | CLO, UE3,U1TD3, | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCSX, | | | | | | | | | | | | |
| | | | | | ULDD3, | | | | | | | | | | | | |
| | | | | | U1TS1,ULDS1, | | | | | | | | | | | | |
| | Physical | Collocation - DS3 Cross-Connects | | | UNLD3, UDL | PE1P3 | 14.16 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | | | | | CLO, ULDO3, | | | | | | | | | | | | |
| | | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | | | | | U1TO3, U1T12, | | | | | | | | | | | | |
| | | | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | Physical | Collocation - 2-Fiber Cross-Connect | | | UDL12, UDF | PE1F2 | 2.81 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | | | | | CLO, ULDO3, | | | | | | | | | | | | |
| | | | | | ULD12, ULD48, | | | | | | | | | | I | | |
| 1 1 | | | | | U1TO3, U1T12, | | | | | | Ì | I | l | | | | |
| | | | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | Physical | Collocation - Cageless - 2 Fiber Cross Connect | | | UDL12, UDF | PE1CK | 2.84 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | | 3 | | | CLO, ULDO3, | | | | | | | | | | | | |
| | | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | | | | | U1TO3, U1T12, | | | | | | | | | | | | |
| | | | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | Physical | Collocation - 4-Fiber Cross-Connect | | | UDL12. UDF | PE1F4 | 4.99 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| - | i ilyolodi | Constituti 4 i isci cicas comicat | | | CLO, ULDO3, | | 4.00 | 20.00 | 10.00 | 0.71 | 0.20 | | | | | | |
| | | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | | | | | U1TO3, U1T12, | | | | | | | | | | | | |
| | | | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | Dhyniaal | Collocation - Cageless - 4-Fiber Cross-Connect | | | UDL12, UDF | PE1CL | 5.69 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| | | Collocation - Velded Wire Cage - First 100 Sq. Ft. | | | CLO | PE1BW | 156.33 | 25.55 | 19.00 | 5.71 | 0.23 | | | | | | |
| - | | Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. | | | CLO | PE1CW | 15.34 | | | | | | | | - | | |
| - | | Collocation - Security Access System - Security System | | | CLO | FLICW | 13.34 | | | | | | | | - | | |
| | | ral Office | | | CLO | PE1AX | 45.70 | | | | | | | | | | |
| | | | | 1 | CLU | PETAX | 45.70 | | | | | | | | | | |
| | | Collocation - Security Access System - New Access | | | 0.0 | | | | | | | | | | | | |
| | Card Acti | ivation, per Card | | | CLO | PE1A1 | 0.05 | 27.79 | 27.79 | | | | | | | | |
| | | Outline of the Country Assessed Court on Admit 1997 | | | | | | | | | Ì | I | l | | | | |
| 1 1 | | Collocation-Security Access System-Administrative | | | 0.0 | | | | | | | | | | | | |
| | | existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.79 | 7.79 | ļ | | ļ | | | | | |
| 1 1 | | Collocation - Security Access System - Replace Lost or | | | 0.0 | DE | | | | | | | | | | | |
| | | ard, per Card | | | CLO | PE1AR | | 22.78 | 22.78 | | | | | | . | | |
| \vdash | | Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | | 13.10 | 13.10 | | | ļ | ļ | | | | |
| | | Collocation - Security Access - Key, Replace Lost or | | | | L | | | | | | | | | I | | |
| \perp | | ey, per Key | | | CLO | PE1AL | | 13.10 | 13.10 | | | ļ | | | 1 | | |
| | Physical | Collocation - Space Availability Report per premises | | | CLO | PE1SR | | 1,075.17 | 1,075.17 | | | | | | 1 | | |
| 1 1 | | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| 1 1 | | | | | DC,UAL,UHL,UCL,U | | | | | | Ì | I | l | | | | |
| 1 1 | | | | | EQ,CLO,UDL, | | | | | | Ì | I | l | | | | |
| 1 1 | | Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | per cross | s-connect | | | UNCNX | PE1PE | 0.08 | | | | | | | | | | |
| | | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| 1 1 | | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | POT Bay | Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, | | | EQ,CLO, USL, | | | | | | | | | | | | |
| | per cross | s-connect | <u></u> | L l | UNCVX, UNCDX | PE1PF | 0.17 | | | | <u> </u> | <u></u> | <u> </u> | <u> </u> | <u> </u> | | |
| | ľ | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| 1 1 | | | | | DC,UAL,UHL,UCL,U | | | | | | Ì | I | l | | | | |
| 1 1 | | | | | EQ,CLO,WDS1L,W | | | | | | Ì | I | l | | | | |
| | | | | | DS1S, USL, U1TD1, | | | | | | | | | | I | | |
| 1 1 | | | | | UXTD1, UNC1X, | | | | | | | | | | | | |
| 1 1 | POT Bay | Arrangements prior to 6/1/99 - DS1 Cross-Connect, | | | ULDD1, USLEL, | | | | | | Ì | I | l | | | | |
| 1 1 | | s-connect | | | UNLD1 | PE1PG | 1.20 | | | | | | | | | | |
| | IPO1 01000 | | | | | 0 | 1.20 | | | 1 | 1 | | 1 | · | 1 | | |

| COLLOCAT | TION - Alabama | | | | | | | | | | | | | ment: 4 | | bit: B |
|--------------|--|-------------|----------|--------------------------------|--------|--------------|--------|------------|--------------|------------|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| 1 | | | | | | | Nonre | curring | Nonrecurring | Disconnect | | | 220 | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | UEANL,UEA,UDN,U | 1 | | 1 1130 | Addi | 1 1130 | Addi | JOINED | COMPAN | COMPAR | COMPAR | COMPAR | COMPAR |
| | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | EQ,CLO,UE3, | | | | | | | | | | | | |
| | | | | U1TD3, UXTD3, | | | | | | | | | | | | |
| | | | | UXTS1, UNC3X, UNCSX, ULDD3, | | | | | | | | | | | | |
| | | | | U1TS1, ULDS1, | | | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, | | | UNLD3, UDL, | | | | | | | | | | | | |
| | per cross-connect | | | UDLSX | PE1PH | 10.67 | | | | | | | | | | |
| | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | EQ,CLO, ULDO3, | | | | | | | | | | | | |
| | | | | ULD12, ULD48, U1TO3, U1T12, | | | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | per cross-connect | | | UDL12, UDF | PE1B2 | 36.40 | | | | | | | | | | |
| | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | EQ,CLO, ULDO3, | | | | | | | | | | | | |
| | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | DOT Day Assessments asiants C/4/00 A Fiber Cores Courset | | | U1TO3, U1T12, U1T48, UDLO3, | | | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect | | | UDL12, UDF | PE1B4 | 49.09 | | | | | | | | | | |
| — | Physical Collocation - Request Resend of CFA Information, per | | | ODL12, ODI | FL1D4 | 45.05 | | | | | | | | | | |
| | CLLI | | | CLO | PE1C9 | | 77.56 | | | | | | | | | |
| | Nonrecurring Collocation Cable Records - per request | | | CLO | PE1CR | | 759.29 | 488.11 | 133.00 | 133.00 | | | | | | |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per | | | | | | | | | | | | | | | |
| | cable record | | | CLO | PE1CD | | 326.92 | 326.92 | 189.12 | 189.12 | | | | | | |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 4.81 | 4.81 | 5.90 | 5.90 | | | | | | |
| | Nonrecurring Collocation Cable Records - DS1, per T1TIE | | | CLO | PE1C0 | | 2.25 | 2.25 | | 2.76 | | | | | | |
| - | Nonrecurring Collocation Cable Records - DS3, per T3TIE | | | CLO | PE1C3 | | 7.88 | 7.88 | | 9.66 | | | | | | |
| | Nonrecurring Collocation Cable Records - Fiber Cable, per 99 | | | | | 1 | | | | | | | | | İ | |
| | fiber records | | | CLO | PE1CB | | 84.49 | 84.49 | 77.13 | 77.13 | | | | | | |
| | Physical Collocation - Security Escort - Basic, per Half Hour | | | CLO,CLORS | PE1BT | | 16.93 | 10.73 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Physical Collocation - Security Escort - Overtime, per Half Hour | | | CLO,CLORS | PE1OT | | 22.05 | 13.86 | | | | | | | | |
| | Physical Collocation - Security Escort - Premium, per Half Hour | | | CLO,CLORS | PE1PT | | 27.17 | 16.98 | | | | | | | | |
| | V to P Conversion, Per Customer Request-DS0 | | 1 | CLO | PE1BO | | 33.00 | 10.30 | | | | | | | | |
| | V to P Conversion, Per Customer Request-DS1 | | | CLO | PE1B1 | 1 | 52.00 | | | | | | | | İ | |
| | V to P Conversion, Per Customer request-DS3 | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per VG Circuit | | | | | | | | | | | | | | | |
| | Reconfigured | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS0 Circuit | | | CLO | PE1BP | | 22.00 | | | | | | | | | |
| | Reconfigured V to P Conversion, Per Customer Request per DS1 Circuit | | 1 | CLO | LE IRL | | 23.00 | | 1 | | } | | | | - | - |
| | Reconfigured | | 1 | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS3 Circuit | | 1 | 1 | | | 33.30 | | 1 | | | | | | | |
| $oxed{oxed}$ | Reconfigured | <u> </u> | <u></u> | CLO | PE1BE | <u> </u> | 37.00 | | | | <u> </u> | <u> </u> | | <u> </u> | <u> </u> | <u> </u> |
| | V to P Conversion, Cable Pairs Assigned to Collo Space per 700 | | | | | | | | | | | | | 1 | | |
| | prs or fraction thereof | | <u> </u> | CLO | PE1B7 | ļ | 592.00 | | ļ | | | | | ļ | 1 | |
| | Physical Collocation - Co-Carrier Cross Connects - Fiber Cable | | 1 | CLOTIDE | DE4E0 | 0.0044 | | | | | | | | | | |
| \vdash | Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax | | <u> </u> | CLO,UDF | PE1ES | 0.0011 | | - | | - | - | | | | | |
| | Cable Support Structure, per cable, per lin. ft. | | | CLO, UE3, USL | PE1DS | 0.0016 | | | | | | | | | 1 | |
| | Physical Collocation - Co-Carrier Cross Connects Only - | | <u> </u> | 020, 020, 002 | . 2100 | 3.3310 | | | | | | | | | 1 | |
| | Application Fee, per application | | 1 | CLO | PE1DT | [| 584.22 | | | | | | | | | |
| ADJACENT C | OLLOCATION | | | | 1 | | | | | | | | | | | |

| CATEORY RATE ELEMENTS Interference Interfer | COLLOCATI | ION - Alabama | | | | | | | - | | - | | | Attach | ment: 4 | Exhi | bit: B |
|--|-------------|--|----------|----------|--|---------------|--|----------------|--------|--------|--------|-------------------|-----------------------|--|--|--|---|
| Adjacent Collocation - Space Chatga per So, Pt. CLOAC PE1A O.14 Per So, Pt. Adjacent Collocation - Space Chatga per So, Pt. CLOAC PE1A O.14 PE1A O.15 PETA O.1 | | | | Zone | BCS | USOC | | | ., | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| Adjacent Colonicions - Spate Challege per Sp. R. Adjacent Colonicions - Spate Challege per Liner Ft. Adjacent Colonicions - Spate Colonicions - Spate Colonicions - Spate Colonicions - Spate Challege per Liner Ft. Adjacent Colonicions - Adjacent Colonicions - Spate C | | | | | | | Rec | | | | | | | | | | |
| Adjacent Collegation - February Floring Colorage per Linear Pt. CLOAC PETIC 5.41 | | | | | 0.010 | 55414 | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Adjacent Collocation - 24Wis Colsectionness CLOAG FETE? CLOZ 12:30 11:80 6:03 5:44 | | | | | | | | | | | | | | | | | |
| Adjacent Collocation - 4-Wire Cross-Connects | | | | | | | | 40.00 | 11.00 | 0.00 | | | | | | | |
| Adjacent Collocation - 1-4/INP Cores Connects CLOAC PETP 1.03 2.220 15.50 6.40 5.79 | | Adjacent Collocation - 2-wire Cross-Connects | | | | PE1P2 | 0.02 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| Adjacent Collocation - DSI Cross-Connects | | Adianast Callacation A Wise Come Comments | | | | DE4D4 | 0.04 | 40.00 | 44.07 | 0.00 | F 70 | | | | | | |
| Adjacent Colicotion - 158 Cross-Connect | | | | | | | | | | | | | | | | | |
| Adjacent Collication - Fiber Cross Connect | - | | | | | | | | | | | | | | | | |
| Adjacent Collocation - 4-PRINC Consect Connects CLOAC PETR4 4.52 25.55 13.86 9.71 8.25 | | | | | | | | | | | | | | | | | |
| Adjacent Collocation - Application Fee CLOAC PE1.18 1.576.89 | | | | | | | | | | | | | | | | | |
| Adjacent Collocation - 120V, Single Phase Standby Power Rate CLOAC PE1FB 4.91 | | | | | | | 4.32 | | 19.00 | 9.71 | 0.25 | | | | | | |
| Per AC Breaker Ange | + | | 1 | 1 | OLONO | 1 - 100 | | 1,370.09 | | | | | | | | | |
| Adjacent Collocation - 24/W, Single Phase Standby Power Rate Park Breaker And Park | | | l | | CLOAC | PF1FR | 4 Q1 | | | | | | | | 1 | | |
| Per AC Breaker Amp | | | - | 1 | 020/10 | | 7.51 | | | | | | | | - | | |
| Aglacent Collocation - 120V, Three Phase Standby Power Rate per Aglacent Collocation - 277V, Three Phase Standby Power Rate per Aglacent Collocation - 277V, Three Phase Standby Power Rate per Aglacent Collocation - 277V, Three Phase Standby Power Rate per Aglacent Collocation - 277V, Three Phase Standby Power Rate per Aglacent Collocation in the Remote Size - Against Standby Power Rate Physical Collocation in the Remote Size - Against Standby Power Rate Physical Collocation in the Remote Size - Against Standby Power Rate Physical Collocation in the Remote Size - Space Availability Rapid per Premise Rate Requested CLORS PEIRB 201.42 CLORS PEIRB 201.4 | | | | | CLOAC | PF1FD | 9 84 | | | | | | | | | | |
| Def AC Breaker Amp | | | | | | | | | | | | | | | İ | | |
| Adjacent Collocation - 277V, Three Phase Standby Power Rate PRISE Adv. PRISE | | | | | CLOAC | PE1FE | 14.74 | | | | | | | | | | |
| Dept AC Breaker Amp PMPSICAL COLLOCATION IN THE REMOTE SITE Commonwealth of the Remote Site - Application Fee CLORS PETRA 307.70 307.70 307.70 188.22 188.22 | | | | | | | | | | | | | | | | | |
| Physical Collocation in the Remote Site - Application Fee CLORS PETRA 201.42 | | | | | CLOAC | PE1FG | 34.06 | | | | | | | | | | |
| Cabinet Space in the Remote Site - Security Access - Key CLORS PE1RB 201.42 | HYSICAL CO | LLOCATION IN THE REMOTE SITE | | | | | | | | | | | | | | | |
| Physical Collocation in the Remote Site - Security Access - Key CLORS PE1RD 13.10 13 | | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 307.70 | 307.70 | 168.22 | 168.22 | | | | | | |
| Physical Collocation in the Remote Site - Space Availability CLORS PE1SR 115.87 115.87 | | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 201.42 | | | | | | | | | | |
| Physical Collocation in the Remote Site - Space Availability CLORS PESR 115.87 115.87 | | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 13.10 | 13.10 | | | | | | | | |
| Physical Collocation in the Remote Site - Remote Site CLU CLORS PETRE 37.56 37.56 | | | | | | | | | | | | | | | | | |
| Code Request, per CLLI Code Requested | | Report per Premises Requested | | | CLORS | PE1SR | | 115.87 | 115.87 | | | | | | | | |
| Remote Site DLEC Date (RRSDD), per Compact Disk, per CO | | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | | | | | | | 37.56 | | | | | | | | |
| Remote Site-Adjacent Collocation - AC Power, per breaker amp | | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.38 | | | | | | | | | |
| Remote Site-Adjacent Collocation - Real Estate, per square foot CLORS PE1RT 0.134 PE1RT 0.134 PE1RT 0.134 PE1RT PE | PHYSICAL CO | LLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | |
| Remote Site-Adjacent Collocation-Application Fee | | Remote Site-Adjacent Collocation - AC Power, per breaker amp | ı | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates. | | Remote Site-Adjacent Collocation - Real Estate, per square foot | 1 | | CLORS | | 0.134 | | | | | | | | | | |
| Virtual Collocation - Application Fee | | | ı | | | | | | | | | | | | | | |
| Virtual Collocation - Application Fee | | | essary 1 | for rem | ote site collocation, | the Parties v | will negotiate ap | propriate rate | s. | | | | | | | | |
| Virtual Collocation - Cable Installation Cost, per cable | IRTUAL COL | | | | | | | | | | | | | | | | |
| Virtual Collocation - Floor Space, per sq. ft. | | | | | | | ļļ | | | | | | | | . | | |
| Virtual Collocation - Power, per fused amp | | | ļ | | | | | 859.71 | 859.71 | 22.49 | 22.49 | | 15.66 | | | | |
| Virtual Collocation - Cable Support Structure, per entrance AMTFS ESPSX 14.97 | | | <u> </u> | <u> </u> | | | | | | | | | | | - | | |
| Cable | | | l | 1 | AMITES | ESPAX | 7.83 | | | | | | | | 1 | - | |
| DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCX, UNCDX, UNCDX, UNCDX UEAC2 | | | | | | ESPSX | 14.97 | | | | | | | | | | |
| UEA, UHL, UCL, UDL, AMTFS, UAL, UDN, UNCVX, UNCDX UEAC4 0.05 12.39 11.87 6.39 5.73 15.66 AMTFS, UDL12, UDL03, U1T48, UDL | | Virtual Collocation - 2-wire Cross Connects (loop) | | | DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, | UEAC2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| AMTFS,UDL12, UDL03, U1T48, | | | | | UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, | | | | | | | | | | | | |
| UDLO3, U1T48, | | Virtual Collocation - 4-wire Cross Connects (loop) | <u> </u> | | | UEAC4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | 15.66 | | - | | |
| U1T12, U1T03, ULD03, ULD12, ULD03, ULD12, ULD048, UDF CNC2F 2.84 20.89 15.20 7.38 5.92 15.66 | | Notes and College States of College Co | | | UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, | CNCCE | 221 | 20.00 | 15.00 | 7.00 | F.00 | | 45.00 | | | | |

| RATE LEMENTS Inter 200 1 | | | khibit: B | | |
|--|---|---|---|--------------------------|---|
| MATERION March M | Charge - anual Svc Order vs. lectronic- Add'l Charge - Manual Sv Order vs. Electronic Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | - Cha vc Manu s. Orde c- Elect | Ch Man Ord Elec | ncreme Charg Manual Order Electro Disc A |
| MAIPS_UDIC | | COMAN | | | COM |
| Visual Collocation - 4-Fleer Cross Connects | SOMAN SOMAN | SOMAN | 501 | 50 | SOMA |
| URL DUTION LUDGE Virtual collocation - Special Access & LINE, cross-connect per Virtual collocation - Special Access & LINE, cross-connect per Virtual collocation - Special Access & LINE, cross-connect per SSS Virtual Collocation - Co-Currer Cross Cornects - Fiser Cable Support Structure, per linear from Connects - Fiser Cable Support Structure, per linear from Connects - Fiser Cable Support Structure, per linear from Connects - CopperCoax Virtual Collocation - Co-Currer Cross Cornects - Sepre Cable Support Structure, per linear from Connects - CopperCoax AMTES VEICB 0.0006 What Collocation - Co-Currer Cross Cornects - Sepre Cable Support Structure, per linear from Connects - CopperCoax AMTES VEICB 0.0006 What Collocation Colle Records - CopperCoax AMTES VEICB 0.0006 AMTES VEICB 0.0006 AMTES VEICB 0.0006 AMTES VEIGB 0.00 | | | | | |
| Support Structure, per larger Support Structure, per capital Support Structure, | | | | | |
| Virtual Collication - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear for | | | | | |
| Virtual Collocation - Co-Carrier Cross Connects - Copper(Coax Cable Support Structure, per linear IT | | | | | |
| Cable Support Structure, per linear ft | | | | | |
| Support Structure.per cable | | | \bot | | |
| Cable Support Structure, per cable | | | | | |
| Virtual Collocation Cable Records - VG/DSO Cable, per cable record AMTFS VE1BA 1,518.57 1,518.57 265.99 265.99 15.66 | | | | | |
| Virtual Collocation Cable Records - ViG/DSO Cable, per cable record AMTFS VE1BB 653.83 653.83 378.24 15.66 | | | +- | | |
| 100 pair | | | | | |
| Virtual Collocation Cable Records - DS1, per T1TIE | | | | | |
| Virtual Collocation Cable Records - DS3, per T3TIE | | | +- | | |
| Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records AMTFS VE1BF 188.97 154.25 154.25 156.66 | | | | | |
| Virtual collocation - Security Escort - Basic, per half hour AMTFS SPTDX 20.05 13.66 15.66 | | | | | |
| Virtual collocation - Security Escort - Overtime, per half hour AMTFS SPTOX 22.05 13.86 15.66 | | | | | |
| Virtual collocation - Security Escort - Premium, per half hour AMTFS SPTPX 27.17 16.98 15.66 | | | | | |
| Virtual collocation - Maintenance in CO - Basic, per half hour AMTFS CTRLX 27.93 10.73 15.66 | | | +- | | |
| Virtual collocation - Maintenance in CO - Overtime, per half hour AMTFS SPTOM 36.47 13.86 15.66 | | | +- | | |
| Virtual collocation - Maintenance in CO - Premium per half hour AMTFS SPTPM 45.02 16.98 15.66 | | | +- | | |
| VIRTUAL COLLOCATION UEPSR VE1R2 0.03 12.30 11.80 6.03 5.44 15.66 Wire Analog - Res Wire Cross Connect, Exchange Port 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus UEPSP VE1R2 0.03 12.30 11.80 6.03 5.44 15.66 Wirtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res UEPSE VE1R2 0.03 12.30 11.80 6.03 5.44 15.66 Wirtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus UEPSE VE1R2 0.03 12.30 11.80 6.03 5.44 15.66 Wirtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN UEPSB VE1R2 0.03 12.30 11.80 6.03 5.44 15.66 WIRD Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN UEPSX VE1R2 0.03 12.30 11.80 6.03 5.44 15.66 | | | _ | | |
| Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res | | | | | |
| Wire Analog - Res | | | | | |
| Wire Line Side PBX Trunk - Bus | | | | | |
| Voice Grade PBX Trunk - Res | | | | | |
| Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire UEPSB VE1R2 0.03 12.30 11.80 6.03 5.44 15.66 | | | | | |
| Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire UEPSX | | | | | |
| Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire UEPTX VE1R2 0.03 12.30 11.80 6.03 5.44 15.66 | | | | | |
| | | | | | |
| Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | | | + | | |

| COLLOCAT | ION - Florida | | | | | | | | | | | | Attach | ment: 4 | Exhi | bit: B |
|-------------|--|-------------|---------|--|----------|--------|----------|------------|--------------|-------|----------|---|---|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | 001150 | 0011411 | | Rates (\$) SOMAN | SOMAN | SOMAN |
| | | | | | | + | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SUMAN | SUMAN | SUMAN |
| PHYSICAL CO | LLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Analog - Res | | | UEPSR | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus | | | UEPSP | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Voice Grade PBX Trunk - Res | | | UEPSE | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | DE / Do | | | | | | | | | | | |
| | Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | UEPSB | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | | | | |
| | Wire ISDN | | | UEPSX | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | OLI OX | I L IIV. | 0.0210 | 0.22 | 7.22 | | | | 11.00 | | | | |
| | Wire ISDN | | | UEPTX | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | | | | |
| | Physical Collocation 4-Wire Cross Connect, Exchange Port 4- | | | | | | | | | | | | | | | |
| | Wire ISDN DS1 | | | UEPEX | PE1R4 | 0.0552 | 8.42 | 7.36 | | | | 11.90 | | | | |
| PHYSICAL CO | | | | 0.0 | 55.15.1 | | 0.505.00 | | | | | | | | | |
| | Physical Collocation - Application Fee - Initial | | | CLO CLO | PE1BA | | 2,597.00 | | | | | | | | | |
| | Physical Collocation - Application Fee - Subsequent | | | | PE1CA | | 2,236.00 | | | | | | | | | |
| - | Physical Collocation Administrative Only - Application Fee Physical Collocation - Space Preparation - Firm Order | | | CLO | PE1BL | | 742.00 | | | | | | | | | |
| | Processing | | | CLO | PE1SJ | | 288.93 | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | OLO | 1 1 100 | | 200.00 | | | | | | | | | |
| | square ft. | | | CLO | PE1SK | 2.38 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | |
| | Modification per Cage | | | CLO | PE1SM | 92.55 | | | | | | | | | | |
| | Physical Collocation - Cable Installation per Cable | | | CLO | PE1BD | | 1,750.00 | | 45.16 | | | | | | | |
| | Physical Collocation - Floor Space per Sq. Ft. | | | CLO | PE1PJ | 7.86 | | | | | | | | | | |
| | Physical Collocation - Cable Support Structure, Per Entrance | | | | | | | | | | | | | | | |
| | Cable | | | CLO | PE1PM | 18.96 | | | | | | | | | | |
| | Physical Collocation - Power, per Fused Amp | | | CLO | PE1PL | 7.80 | 200 40 | | | | | | | | | |
| - | Physical Collocation - Power Reduction, Application Fee | | | CLO | PE1PR | | 399.43 | | | | | | | | | |
| | Physical Collocation - 120V, Single Phase Standby Power Rate | | | CLO | PE1FB | 5.38 | | | | | | | | | | |
| | Thysical Concoalist 1201, Chigie Filado Clariday Fower Hale | | 1 | 020 | | 0.00 | | | | | | | | | | |
| | Physical Collocation - 240V, Single Phase Standby Power Rate | | | CLO | PE1FD | 10.77 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Physical Collocation - 120V, Three Phase Standby Power Rate | | | CLO | PE1FE | 16.15 | | | | | | | | | | |
| | Physical Collocation - 277V, Three Phase Standby Power Rate | | | CLO | PE1FG | 37.30 | | | | | | | | | | |
| | Filysical Collocation - 277 V, Tillee Filase Standby Fower Rate | | 1 | CLO | FLIIG | 37.30 | | | | | | | | | | |
| | Physical Collocation - 2-Wire Cross-Connects | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX | PE1P2 | 0.0276 | 8.22 | 7.22 | 5.74 | 4.58 | | | | | | |
| | | | | CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, | | | | | | | | | | | | |
| | Physical Collocation - 4-Wire Cross-Connects | | | UCL | PE1P4 | 0.0552 | 8.42 | 7.36 | 5.90 | 4.66 | | | | | | |
| | | | | CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, | | | | | | | | | | | | |
| i I | Physical Collocation - DS1 Cross-Connects | <u></u> | <u></u> | UDL | PE1P1 | 1.32 | 27.77 | 15.52 | 5.93 | 4.77 | <u> </u> | | <u> </u> | <u> </u> | <u> </u> | <u> </u> |

| COLLOCAT | ION - Florida | | | | | | | | | | | | Attach | ment: 4 | Fyhi | ibit: B |
|----------|---|-------------|------|--|----------------|--------|----------|------------|-------|------------|---|-----------|--|--|-------------------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | | Disconnect | | | | Rates (\$) | | |
| | | | | 010 1150 11450 | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - DS3 Cross-Connects | | | CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3, ULD12, ULD48, | PE1P3 | 16.81 | 25.48 | 14.05 | 7.77 | 5.01 | | | | | | |
| | | | | U1TO3, U1T12, U1T48, UDLO3, | | | | | | | | | | | | |
| 1 1 | Physical Collocation - 2-Fiber Cross-Connect | | | UDL12, UDF | PE1F2 | 3.34 | 41.94 | 30.52 | 13.91 | 11.16 | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F4 | 5.92 | 51.30 | 39.87 | 18.29 | 15.54 | | | | | | |
| | Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. | | | CLO | PE1BW | 189.45 | 31.30 | 33.01 | 10.23 | 10.04 | | | | | | |
| | Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. | | | CLO | PE1CW | 18.58 | | | | | | | | | | |
| | Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft. | | | CLO | PE1AY | 0.0105 | | | | | | | | | | |
| | Physical Collocation - Security Access System - New Access Card Activation, per Card | | | CLO | PE1A1 | 0.0577 | 55.80 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.65 | | | | | | | | | |
| | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 45.75 | | | | | | | | | |
| | Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | | 26.30 | | | | | | | | | |
| | Physical Collocation - Security Access - Key, Replace Lost or | | | | | | | | | | | | | | | |
| | Stolen Key, per Key | | | CLO | PE1AL | | 26.30 | | | | | | | | | |
| | Physical Collocation - Space Availability Report per premises POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect | I | | CLO UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX | PE1SR PE1PE | 0.00 | 2,159.00 | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect | ı | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX | PE1PF | 0.00 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect | 1 | | UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, | PE1PG | 0.00 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect | 1 | | UNLD3, UDL, UDLSX | PE1PH | 0.00 | | | | | | | | | | |

| COLLOCAT | ION - Florida | | | | | | | | | | | | | ment: 4 | | ibit: B |
|------------|---|-------------|------|--|----------------|--------|----------|------------|--------------|------------|--|---------------------|---|---|--|--|
| | | | | | | | | | | | Svc Order Submitted | Submitted | Incremental Charge - | Incremental Charge - | Incremental Charge - | |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'l | Manual Svc Order vs. Electronic- Disc 1st | Manual Svo Order vs. Electronic- Disc Add'l |
| 1 | | | | | | | Nonrec | urring | Nonrocurring | Disconnect | | | 220 | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | UEANL,UEA,UDN,U | | | FIISL | Auu i | Filat | Auu i | SOWIEC | JOWAN | JOWAN | SOWAN | JOWAN | SOWAN |
| | POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect | - | | DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B2 | 0.00 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect | 1 | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B4 | 0.00 | | | | | | | | | | |
| | Physical Collocation - Request Resend of CFA Information, per | | | | | | | | | | | | | | | |
| \vdash | CLLI | | | CLO | PE1C9 | | 77.54 | **** | 207.0 | | 1 | | | | | |
| | Nonrecurring Collocation Cable Records - per request | | | CLO | PE1CR | | 1,525.00 | 980.22 | 267.08 | | | | | | | |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record | | | CLO | PE1CD | | 656.50 | 656.50 | 379.78 | | | | | | | |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 9.66 | 9.66 | 11.84 | 11.84 | | | | | | |
| | Nonrecurring Collocation Cable Records - DS1, per T1TIE | | | CLO | PE1C0 | | 4.52 | 4.52 | 5.54 | 5.54 | | | | | | |
| | Nonrecurring Collocation Cable Records - DS3, per T3TIE | | | CLO | PE1C3 | | 15.82 | 15.82 | 19.40 | 19.40 | | | | | | |
| | Nonrecurring Collocation Cable Records - Fiber Cable, per 99 | | | | | | | | | | | | | | | |
| | fiber records | | | CLO | PE1CB | | 169.67 | 169.67 | 154.89 | 154.89 | | | | | | |
| | Physical Collocation - Security Escort - Basic, Per Quarter Hour | | | CLO | PE1BQ | | 10.89 | | | | | | | | | |
| | Physical Collocation - Security Escort - Overtime, Per Quarter Hour | | | CLO | PE1OQ | | 13.64 | | | | | | | | | |
| | Physical Collocation - Security Escort - Premium, Per Quarter | | | | | | | | | | | | | | | |
| | Hour | | | CLO | PE1PQ | | 16.40 | | | | | | | | | |
| | Physical Collocation - Security Escort - Basic, per Half Hour | | | CLO,CLORS | PE1BT | | 33.99 | 21.54 | | | | | | | | |
| | Physical Collocation - Security Escort - Overtime, per Half Hour | | | CLO,CLORS | PE1OT | | 44.27 | 27.82 | | | | | | | | |
| | Physical Collocation - Security Escort - Premium, per Half Hour | | | CLO,CLORS | PE1PT | | 54.55 | 34.10 | | | | | | | | |
| | V to P Conversion, Per Customer Request-Voice Grade | | | CLO,CLORS | PE1BV | | 33.00 | 34.10 | | | | | | | - | 1 |
| | V to P Conversion, Per Customer Request-Voice Grade | i | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | V to P Conversion, Per Customer request-DS3 | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per VG Circuit | | | 010 | DE4D5 | | | | | | | | | | | |
| \vdash | Reconfigured V to P Conversion, Per Customer Request per DS0 Circuit | | | CLO | PE1BR | | 23.00 | | | | - | | | | | |
| 1 1 | Reconfigured | 1 | 1 | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured | - | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured | ı | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof | i | | CLO | PE1B7 | | 592.00 | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft. | | | CLO,UDF | PE1ES | 0.001 | 002.00 | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Copper/Coax | | | CLO, UE3, USL | PE1ES PE1DS | 0.001 | | | | | | | | | | |
| | Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects Only - | | 1 | | _ | 0.0014 | | | | | | | | | 1 | |
| | Application Fee, per application | | | CLO | PE1DT | | 584.11 | | | | | | | | | |
| ADJACENT C | OLLOCATION | | | | L | | | | | | | | | | | |
| \vdash | Adjacent Collocation - Space Charge per Sq. Ft. | | 1 | CLOAC | PE1JA | 0.1635 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | 1 | Ì | CLOAC CLOAC | PE1JC | 5.11 | | | 1 | | l | 1 | | i | 1 | 1 |

| COLLOCA | TION - Florida | | | | | | | | | | | | Attach | ment: 4 | Exhi | bit: B |
|------------|--|-------------|---------|---|----------------|------------------|-----------------|----------------|--------------|-------|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | P | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001111 | | Rates (\$) | 0011411 | 001111 |
| | | | | UEA.UHL.UDL.UCL. | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | CLOAC | PE1P4 | 0.0426 | 24.88 | 23.83 | 12.04 | 10.80 | | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects | | | USL,CLOAC | PE1P4 PE1P1 | 1.22 | 44.24 | 23.83 31.98 | 12.04 | 10.80 | | | | | | |
| - | Adjacent Collocation - DS1 Cross-Connects | | | CLOAC | PE1P3 | 16.56 | 41.94 | 30.52 | 13.91 | 11.15 | | | | | | - |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 2.81 | 41.94 | 30.52 | 13.91 | 11.16 | | | | | | |
| - | Adjacent Collocation - 2-1 iber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 5.36 | 51.30 | 39.87 | 18.29 | 15.54 | | | | | | |
| - | Adjacent Collocation - 4-1 iber Cross-Connect Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | 5.50 | 2,785.00 | 39.01 | 10.29 | 13.34 | | | | | | |
| + | Adjacent Collocation - Application ree Adjacent Collocation - 120V, Single Phase Standby Power Rate | | | CLOAC | FLIJB | | 2,703.00 | | | | | | | | | |
| | per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate | | | CLOAC | PE1FB | 5.38 | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FD | 10.77 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate | | | 0.0.0 | 55455 | | | | | | | | | | | |
| - | per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate | | - | CLOAC | PE1FE | 16.15 | | | - | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FG | 37.30 | | | | | | | | | | |
| | Adjacent Collocation - Cable Support Structure per Entrance Cable | - 1 | | CLOAC | PE1PM | 18.96 | | | | | | | | | | |
| PHYSICAL C | OLLOCATION IN THE REMOTE SITE | | | 0.000 | 55151 | | 0.17.01 | | 000.01 | | | | | | | |
| | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | 212.12 | 617.91 | | 328.81 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 219.49 | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 26.30 | | | | | | | | | |
| - | Physical Collocation in the Remote Site - Space Availability | | | 020.10 | | | 20.00 | | | | | | | | | |
| | Report per Premises Requested | | | CLORS | PE1SR | | 232.69 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 75.41 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.51 | | | | | | | | | |
| PHYSICAL C | OLLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | : If Security Escort and/or Add'l Engineering Fees become nec | essary 1 | for rem | ote site collocation, | the Parties | vill negotiate a | opropriate rate | s. | | | | | | | | |
| VIRTUAL CO | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Application Fee/Planning Fee Initial Request | | | AMTFS | EAF | | 4,122.00 | | | | | 11.90 | | | | |
| | Virtual Collocation - Application Fee/Planning Fee Additional | | | , | -, | | 1,122.00 | | | | | | | | | |
| | Entrance Cable Request | | | AMTFS | EAF | | 1,249.00 | | | | | 11.90 | | | | |
| | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | 12.45 | 965.00 | | | | | 11.90 | | | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 4.25 | | | | | | | | | | |
| | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 6.95 | | | | | | | | | | |
| | Virtual Collocation - Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 13.35 | | | | | | | | | | |
| | | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connects (loop) | | ļ | UNCNX | UEAC2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | Virtual Collocation - 4-wire Cross Connects (loop) | | | UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX | UEAC4 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC2F | 6.71 | 2,431.00 | | | | | 11.90 | | | | |

| COLLO | CATIC | DN - Florida | | | | | | | | | | | | Attach | ment: 4 | Exhi | bit: B |
|--|-------|---|---------|------|-------------------|----------------|----------|-----------------|-----------------|--|---------------------|--|----------------|--|--|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | Manual Svc |
| CATEGOR | RY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | por zon | po. 2011 | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | וסט וסנ | Diac Muu I |
| - | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| - | | | | | AMTFS,UDL12, | | | FIRSt | Addi | FIRSt | Addi | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | UDLO3, U1T48. | | | | | | | | | | | | |
| | | | | | U1T12, U1T03, | | | | | | | | | | | | |
| | | | | | ULDO3, ULD12, | | | | | | | | | | | | |
| | ١, | Virtual Collocation - 4-Fiber Cross Connects | | | ULD48, UDF | CNC4F | 6.71 | 2,431.00 | | | | | 11.90 | | | | |
| | | Virtual Collocation - 4-1 iber Cross Conflects | | | USL,ULC,AMTFS, | CIVOTI | 0.71 | 2,431.00 | | | | | 11.30 | | | | |
| | | | | | ULR, UXTD1, | | | | | | | | | | | | |
| | | | | | UNC1X, ULDD1, | | | | | | | | | | | | |
| | , | Virtual collocation - Special Access & UNE, cross-connect per | | | U1TD1, USLEL, | | | | | | | | | | | | |
| | | DS1 | | | UNLD1 | CNC1X | 7.50 | 155.00 | 14.00 | | | | 11.90 | | | | |
| | | 201 | | | USL,ULC,AMTFS,U | ONOTA | 7.00 | 100.00 | 14.00 | | | | 11.50 | | | | |
| | | | | | E3, U1TD3, UXTS1, | | | | | | | | | | | | |
| | | | | | UXTD3, UNC3X, | | | | | | | | | | | | |
| | | | | | UNCSX, ULDD3, | | | | | | | | | | | | |
| | , | Virtual collocation - Special Access & UNE, cross-connect per | | | U1TS1, ULDS1, | | | | | | | | | | | | |
| | | DS3 | | | UDLSX, UNLD3 | CND3X | 56.25 | 151.90 | 11.83 | | | | 11.90 | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | 02207, 0.1220 | 0.120/1 | 00.20 | 101.00 | 11.00 | | | | 11.00 | | | | |
| | | Support Structure, per linear foot | | | AMTFS,CLO | VE1CB | 0.0028 | | | | | | | | | | |
| | , | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | |
| | (| Cable Support Structure, per linear ft | | | AMTFS, CLO | VE1CD | 0.0041 | | | | | | | | | | |
| | , | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | | | | | | | | | | | | |
| | ; | Support Structure,per cable | | | AMTFS | VE1CC | | 535.54 | | | | | 11.90 | | | | |
| | , | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | |
| | | Cable Support Structure, per cable | | | AMTFS | VE1CE | | 535.54 | | | | | 11.90 | | | | |
| | | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 1,525.00 | 1,525.00 | 267.08 | 267.08 | | | | | | |
| | , | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | | | | | | | | | | | | | |
| | | record | | | AMTFS | VE1BB | | 656.50 | 656.50 | 379.78 | 379.78 | | | | | | |
| | , | Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | | | | | | | | | | | | | |
| | | 100 pair | | | AMTFS | VE1BC | | 9.66 | 9.66 | 11.84 | 11.84 | | | | | | |
| | | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 4.52 | 4.52 | 5.54 | 5.54 | | | | | | |
| | | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 15.82 | 15.82 | 19.40 | 19.40 | | | | | | |
| | | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | | | | | | | | | | | | | | |
| | | records | | | AMTFS | VE1BF | | 169.67 | 169.67 | 154.89 | 154.89 | | | | | | |
| | | Virtual collocation - Security Escort - Basic, per quarter hour | | | AMTFS | SPTBQ | | 10.89 | | | | | 11.90 | | | | |
| | I. | War of collection Occasion Francis Occasion and the | | | ANTEO | ODTOO | | 40.01 | | | | | 44.00 | | | | |
| | | Virtual collocation - Security Escort - Overtime, per quarter hour | | | AMTFS | SPTOQ | | 13.64 | | | | 1 | 11.90 | - | - | | |
| | I, | Virtual collegation Congrity Facort Dramium non-sus-to- hour | | | AMTEC | SPTPQ | | 16.40 | | | | | 11.00 | | | | |
| \vdash | | Virtual collocation - Security Escort - Premium, per quarter hour Virtual Collocation - 2-wire Cross Connects (loop), per ckts | | | AMTFS AMTFS | VE1R2 | 0.05 | 16.40 11.57 | | | | 1 | 11.90 11.90 | | | | |
| + | | Virtual Collocation - 2-wire Cross Connects (loop), per ckts Virtual Collocation - 4-wire Cross Connects (loop), per ckts | - | | AMTES | VE1R2 VE1R4 | 0.05 | 11.57 | | <u> </u> | | | 11.90 | - | - | | |
| | | Virtual Collocation - 4-wire Cross Connects (loop), per ckts Virtual Collocation - DS-1/DCS Cross Connects, PER CKTS | - | | AMTFS | VE1R4 VE11S | 8.09 | 69.64 | | - | | } | 11.90 | 1 | 1 | 1 | |
| \vdash | | Virtual Collocation - DS-1/DCS Cross Connects, PER CKTS Virtual Collocation - DS-1.DSX Cross Connects, PER CKTS | - | | AMTFS | VE11S VE11X | 0.41 | 69.64 | | - | | } | 11.90 | 1 | 1 | 1 | |
| \vdash | | Virtual Collocation - DS-1.DSX Cross Connects, PER CKTS Virtual Collocation - DS-3/DCS Cross Connects, PER CKT | - | | AMTFS | VE11X VE13S | 59.67 | 528.00 | | - | | } | 11.90 | 1 | 1 | 1 | |
| | | Virtual Collocation - DS-3/DCS Cross Connects, PER CKT | | | AMTFS | VE133 | 10.06 | 528.00 | | | | 1 | 11.90 | | | | |
| | | VIII CONCOUNT - DO-0/DOO 01033 CONNECTS, FER ON | | | 7 11 11 11 0 | VE IOA | 10.00 | 320.00 | | | | | 11.50 | | | | |
| | , | Virtual collocation - Maintenance in CO - Basic, per quarter hour | | | AMTFS | SPTRE | | 10.89 | | | | | 11.90 | | | | |
| | | Virtual collocation - Maintenance in CO - Overtime, per quarter | | | | -· ···_ | | 10.03 | | | | | 11.50 | 1 | 1 | 1 | |
| | | hour | | | AMTFS | SPTOE | | 13.64 | | | | | 11.90 | Ì | Ì | | |
| | | Virtual collocation - Maintenance in CO - Premium per quarter | | | | | | 10.04 | | | | | | 1 | 1 | | |
| | | hour | | | AMTFS | SPTPE | | 16.40 | | | | | 11.90 | 1 | 1 | | |
| VIRTUAL | | | | | - | | | | | | | | | | | l | |
| | | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- | | | | | | | | | | Ì | | | | | |
| | | Wire Analog - Res | | | UEPSR | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | Ì | Ì | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | İ | | | 2.2 | | | | | | | l | |
| | 1 | Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | 1 | 1 | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | | | | | |
| | | Voice Grade PBX Trunk - Res | <u></u> | | UEPSE | VE1R2 | 0.0502 | 11.57 | 11.57 | <u> </u> | | <u></u> | 11.90 | <u></u> | <u> </u> | <u> </u> | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | | | | | |
| | | Analog Bus | <u></u> | | UEPSB | VE1R2 | 0.0502 | 11.57 | 11.57 | <u> </u> | | <u> </u> | 11.90 | <u> </u> | <u> </u> | | |

| COL | OCATIO | ON - Florida | | | | | | | | | | | | Attach | nent: 4 | Exhil | bit: B | |
|----------|---------|--|-------------|----------|------------------------|--------------|------------------|--------|--------|--------------------------------|---------|-----------|----------------|-------------|-------------|-------------|-------------|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental | |
| | | | | Zone | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - | |
| CATEGORY | | | Interi m | | | | RATES (\$) | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc | | |
| | | RATE ELEMENTS | | | BCS | USOC | | | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. | | |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | |
| | | | | | | | Rec | Nonrec | urring | urring Nonrecurring Disconnect | | | OSS Rates (\$) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire | | | | | | | | | | | | | | | | |
| | | ISDN | | | UEPSX | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | | | | | | |
| | | ISDN | | | UEPTX | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | | | | | | | | | | | | | | | | |
| | | ISDN DS1 | | | | VE1R4 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | | |
| | Note: F | tates displaying an "R" in Interim column are interim and sub | ject to ı | rate tru | e-up as set forth in (| General Term | ns and Condition | ons. | | | | | | | | | | |

| COLL | OCATI | ON - Georgia | | | | | | | | | | | | Attach | ment: 4 | Exhi | bit: B |
|----------|--------|--|------------------|------|---|--------|------------|----------|----------|--------------|------------|----------|---|-------------------------|------------|-------------------------|---|
| CATEGORY | | RATE ELEMENTS | Interi m | Zone | e BCS | usoc | RATES (\$) | | | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | ı | Nonrec | urrina | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| - | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | 1 | | | | | THOL | Auu i | 11130 | Auu i | JOHILO | JONAN | JOINAIN | JONAN | JONIAN | JOHAN |
| PHYSIC | CAL CO | LLOCATION | | | | | | | | | | | | | 1 | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res | | | UEPSR | PE1R2 | 0.30 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus | | | UEPSP | PE1R2 | 0.30 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | UEPSP | PEIKZ | 0.30 | 12.00 | 12.00 | | | | | 10.94 | 0.42 | | |
| | | Wire Voice Grade PBX Trunk - Res | | | UEPSE | PE1R2 | 0.30 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus | | | UEPSB | PE1R2 | 0.30 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPSX | PE1R2 | 0.30 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN | | | UEPTX | PE1R2 | 0.30 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| | | Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1 | | | UEPEX | PE1R4 | 0.50 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| PHYSIC | CAL CO | LLOCATION | Ì | | | | | | | | | | | | | | |
| | | Physical Collocation - Application Fee - Initial | | | CLO | PE1BA | | 3,850.00 | | | | | | | | | |
| | | Physical Collocation - Application Fee - Subsequent | | | CLO | PE1CA | | 3,130.00 | 3,130.00 | | | | | | | | |
| | | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 740.83 | | | | | | | | | |
| | | Physical Collocation - Space Preparation Fee Per Square Ft. | | | CLO | PE1SS | | 100.00 | 100.00 | | | | | | | | |
| | | Physical Collocation - Space Preparation - Firm Order Processing | 1 | | CLO | PE1SJ | | 1,187.00 | | | | | | | | | |
| | | Physical Collocation - Space Preparation - C.O. Modification per square ft. | ı | | CLO | PE1SK | 2.02 | | | | | | | | | | |
| | | Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless | 1 | | CLO | PE1SL | 2.80 | | | | | | | | | | |
| | | Physical Collocation - Space Preparation - Common Systems Modification per Cage | | | CLO | PE1SM | 95.23 | | | | | | | | | | |
| | | Physical Collocation - Cable Installation | - ' - | | CLO | PE1BD | 90.23 | 2,750.00 | 2,750.00 | | | | | | | | |
| | | Physical Collocation - Floor Space per Sq. Ft. | | | CLO | PE1PJ | 7.50 | 2,730.00 | 2,730.00 | | | | | | | | |
| | | Physical Collocation - Floor Space - Zone B per Sq. Ft. | | | CLO | PE1PK | 6.75 | | | | | | | | | | |
| | | Physical Collocation - Cable Support Structure, Per Entrance | | | 020 | | 0.70 | | | | | | | | | | |
| | | Cable | | | CLO | PE1PM | 13.35 | | | | | | | | | | |
| | | Physical Collocation - Power -48V DC Power, per Fused Amp | - 1 | | CLO | PE1PL | 8.06 | | | | | | | | | | |
| | | Physical Collocation - Power Reduction, Application Fee | I | | CLO | PE1PR | | 398.80 | | | | | | | | | |
| | | Physical Collocation - 120V, Single Phase Standby Power Rate | I | | CLO | PE1FB | 5.52 | | | | | | | | | | |
| | | · · | | | | | | | | | | | | | | | |
| - | | Physical Collocation - 240V, Single Phase Standby Power Rate | I | | CLO | PE1FD | 11.05 | | | | | - | | | | | |
| | | Physical Collocation - 120V, Three Phase Standby Power Rate | I | | CLO | PE1FE | 16.58 | | | | | | | | | | |
| <u> </u> | | Physical Collocation - 277V, Three Phase Standby Power Rate | - 1 | | CLO | PE1FG | 38.27 | | | | | | | | | | |
| | | | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, | DE 4DC | | | 10.5- | | | | | | | | |
| <u> </u> | | Physical Collocation - 2-Wire Cross-Connects | <u> </u> | | UNLDX, UNCNX | PE1P2 | 0.30 | 12.60 | 12.60 | ļ | | <u> </u> | | | - | | |
| | | Physical Collocation - 4-Wire Cross-Connects | | | CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, UCL | PE1P4 | 0.50 | 12.60 | 12.60 | | | | | | | | |
| | | Physical Collocation - DS1 Cross-Connects | | | CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL | PE1P1 | 8.00 | 155.00 | 27.00 | | | | | | | | |

| COLLOCA | FION - Georgia | | | | | | | | | | | | Attach | ment: 4 | Exhi | nit. D |
|----------|--|----------|------|-------------------------------------|---------|--------|----------|------------|----------|--------------|------------|------------|-------------|-------------|-------------|-------------|
| COLLOCA | Georgia | 1 | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | 1 | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc | | | |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | *** | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | DISC 1St | Disc Add'i |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | CLO, UE3,U1TD3, | | | | | | | | | | | | |
| | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | UNC3X, UNCSX, | | | | | | | | | | | | |
| | | | | ULDD3, | | | | | | | | | | | | |
| | 51 1 10 II II BOOO . | | | U1TS1,ULDS1, | DE 100 | ===== | | | | | | | | | | |
| - | Physical Collocation - DS3 Cross-Connects | | | UNLD3, UDL CLO, ULDO3, | PE1P3 | 72.00 | 155.00 | 27.00 | | | 1 | | | | | |
| | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | | | | U1TO3, U1T12, | | | | | | | | | | | | |
| | | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | Physical Collocation - 2-Fiber Cross-Connect | | | UDL12. UDF | PE1F2 | 2.86 | 52.14 | 38.72 | | | | | | | | |
| | Friysical Collocation - 2-1 iber Cross-Connect | | | CLO, ULDO3, | FLIIZ | 2.00 | 32.14 | 30.72 | | | | | | | | |
| | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | | 1 | | U1TO3, U1T12, | | | | | | | | | | 1 | | |
| | | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect | | | UDL12, UDF | PE1F4 | 5.08 | 64.74 | 51.31 | | | | | | | | |
| | Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. | 1 | | CLO | PE1BW | 161.27 | | | | | | | | | | |
| | Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. | - 1 | | CLO | PE1CW | 15.82 | | | | | | | | | | |
| | Physical Collocation - Security System Per Central Office Per | | | | | | | | | | | | | | | |
| | Assignable Sq. Ft. | | | CLO | PE1AY | 0.0172 | | | | | | | | | | |
| | Physical Collocation - Security Access System - New Access | | | | | | | | | | | | | | | |
| | Card Activation, per Card | | | CLO | PE1A1 | 0.0607 | 46.20 | 46.20 | | | | | | | | |
| | Physical Collocation - Security Access System - New Access | | | | | | | | | | | | | | | |
| | Card Deactivation, per Card | | | CLO | PE1A4 | | 8.72 | 8.72 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative | | | 0.0 | | | | | | | | | | | | |
| - | Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.40 | 15.40 | | | | | | | | |
| | Physical Collocation - Security Access System- Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 45.02 | 45.02 | | | | | | | | |
| | Physical Collocation - Security Access - Initial Key, per Key | 1 | | CLO | PE1AK | | 26.16 | 26.16 | | | 1 | | | | | |
| | Physical Collocation - Security Access - Key, Replace Lost or | | | OLO | LIAK | | 20.10 | 20.10 | | | | | | | | |
| | Stolen Key, per Key | | | CLO | PE1AL | | 26.16 | 26.16 | | | | | | | | |
| | Physical Collocation - Space Availability Report per premises | <u> </u> | | CLO | PE1SR | | 2,148.00 | 2.148.00 | | | | | | | | |
| | Thysical Concountry Opace / trainability (toport per promises | <u> </u> | | UEANL,UEA,UDN,U | . 2.0.0 | | 2,110.00 | 2,110.00 | | | | | | | | |
| | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | EQ,CLO,UDL, | | | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | per cross-connect | <u></u> | | UNCNX | PE1PE | 0.40 | | | <u> </u> | | | | <u> </u> | L | | |
| | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | 1 | | DC,UAL,UHL,UCL,U | | | | | | | | | | 1 | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, | | | EQ,CLO, USL, | | | | | | | | | | | | |
| | per cross-connect | | | UNCVX, UNCDX | PE1PF | 1.20 | | | | | | | | | | |
| | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | EQ,CLO,WDS1L,W DS1S, USL, U1TD1, | | | | | | | | | | | | |
| | | | | UXTD1, UNC1X, | | | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, | | | ULDD1, USLEL, | | | | | | | | | | | | |
| | per cross-connect | | | UNLD1 | PE1PG | 1.20 | | | | | | | | | | |
| | | 1 | | UEANL,UEA,UDN,U | 0 | 20 | | | | 1 | | | | 1 | | |
| | | 1 | | DC,UAL,UHL,UCL,U | | | | | | | | | | 1 | | |
| | | | | EQ,CLO,UE3, | | | | | | | | | | | | |
| | | | | U1TD3, UXTD3, | | | | | | | | | | | | |
| | | 1 | | UXTS1, UNC3X, | | | | | | | | | | 1 | | |
| | | 1 | | UNCSX, ULDD3, | | | | | | | | | | 1 | | |
| | | 1 | | U1TS1, ULDS1, | | | | | | | | | | 1 | | |
| 1 1 | POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, | 1 | | UNLD3, UDL, | DE 40:: | | | | | | | | | 1 | | |
| | per cross-connect | l | | UDLSX | PE1PH | 8.00 | | | | | | | | Ì | | |

| COLLOCAT | ΓΙΟΝ - Georgia | | | | | | | | | | | | | ment: 4 | | ibit: B |
|--|---|--|--|------------------|------------------|--------|----------|------------|--------------|------------|-----------|--------------|-------------|--------------|--------------|--------------|
| | | | | | | | | | | | Svc Order | | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | | | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| 0711200111 | | m | | | 0000 | | | == (+) | | | per LSR | per LSR | | | | |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrocurring | Disconnect | 1 | 1 | 088 | | | |
| + | | | | | | Rec | First | Add'l | First | Add'l | COMEC | SOMAN | SOMAN | Rates (\$) | SOMAN | SOMAN |
| | | | - | UEANL,UEA,UDN,U | | | FIISL | Auu i | FIISL | Addi | SOMEC | SUMAN | SUMAN | SOWAN | SOWAN | SUMAIN |
| | | | | | | | | | | | | | | | | |
| | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | EQ,CLO, ULDO3, | | | | | | | | | | | | |
| | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | | | | U1TO3, U1T12, | | | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | per cross-connect | | | UDL12, UDF | PE1B2 | 38.79 | | | | | | | | | | |
| | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | EQ,CLO, ULDO3, | | | | | | | | | | | | |
| | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | | | | U1TO3, U1T12, | | | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | per cross-connect | | | UDL12, UDF | PE1B4 | 52.31 | | | | | | | | | | |
| | Physical Collocation - Request Resend of CFA Information, per | | - | ODL12, ODI | FL ID4 | 32.31 | | | | | 1 | | | | | |
| | CLLI | | | 01.0 | DE 400 | | 77.40 | | | | | | | | | |
| | | | | CLO | PE1C9 | | 77.42 | | | | | | | | | |
| | Nonrecurring Collocation Cable Records - per request | | | CLO | PE1CR | | 1,706.00 | | | | | | | | | |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per | | | | | | | | | | | | | | | |
| | cable record | | | CLO | PE1CD | | 922.38 | | | | | | | | | |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per | | | | | | | | | | | | | | | |
| | each 100 pair | | | CLO | PE1CO | | 18.00 | 18.00 | | | | | | | | |
| | Nonrecurring Collocation Cable Records - DS1, per T1TIE | | | CLO | PE1C1 | | 8.43 | 8.43 | | | | | | | | |
| | Nonrecurring Collocation Cable Records - DS3, per T3TIE | | | CLO | PE1C3 | | 29.49 | 29.49 | | | | | | | | |
| | Nonrecurring Collocation Cable Records - Fiber Cable, per 99 | | | | | | | | | | | | | | | |
| | fiber records | | | CLO | PE1CB | | 278.61 | 278.61 | | | | | | | | |
| | Physical Collocation - Security Escort - Basic, per Half Hour | | | CLO.CLORS | PE1BT | | 41.00 | 25.00 | | | | | | | | |
| | 1 Hysical Collocation - Security Escort - Basic, per Hair Hour | | | CLO, CLORG | LLIDI | | 41.00 | 25.00 | | | 1 | | | | | |
| | Physical Collocation - Security Escort - Overtime, per Half Hour | | | CLO,CLORS | PE1OT | | 48.00 | 30.00 | | | | | | | | |
| | Priysical Collocation - Security Escort - Overtime, per Hair Hour | | | CLO,CLORS | PEIOI | | 40.00 | 30.00 | | | ļ | | | | | |
| | | | | | | | | | | | | | | | | |
| | Physical Collocation - Security Escort - Premium, per Half Hour | | | CLO,CLORS | PE1PT | | 55.00 | 35.00 | | | | | | | | |
| | V to P Conversion, Per Customer Request-Voice Grade | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request-DS1 | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | V to P Conversion, Per Customer request-DS3 | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per VG Circuit | | | | | | | | | | | | | | | |
| | Reconfigured | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS0 Circuit | | | | | | | | | | | | | | | |
| | Reconfigured | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS1 Circuit | | | | | | | | | | | | | | | |
| | Reconfigured | l | 1 | CLO | PE1BS | | 33.00 | | | | | I | | | | |
| | V to P Conversion, Per Customer Request per DS3 Circuit | 1 | 1 | † · · · | | | 33.30 | | 1 | | 1 | | | 1 | 1 | 1 |
| | Reconfigured | l | 1 | CLO | PE1BE | | 37.00 | | | | | I | | | | |
| | V to P Conversion, Cable Pairs Assigned to Collo Space per 700 | | | CLO | FLIBL | | 37.00 | | | | 1 | | | | | |
| | | | | CI O | DEADZ | | 500.00 | | | | | | | | | |
| \vdash | prs or fraction thereof | | 1 | CLO | PE1B7 | | 592.00 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Physical Collocation - Co-Carrier Cross Connects - Fiber Cable | l | 1 | 0.0 | | | | | | | | I | | | | |
| | Support Structure, per cable, per linear ft. | | 1 | CLO,UDF | PE1ES | 0.001 | | | ļ | | ļ | ļ | | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Copper/Coax | l | 1 | l | l | | | | | | | I | | | | |
| | Cable Support Structure, per cable, per lin. ft. | <u> </u> | <u> </u> | CLO, UE3, USL | PE1DS | 0.0015 | | | | | Į | <u> </u> | | | | |
| | Physical Collocation - Co-Carrier Cross Connects Only - | 1 | 1 | <u> </u> | i | | | | | | | i | | | | |
| | Application Fee, per application | <u> </u> | <u> </u> | CLO | PE1DT | | 583.18 | | <u> </u> | <u></u> | <u> </u> | <u></u> | <u></u> | | | <u> </u> |
| ADJACENT C | OLLOCATION | | | | | | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.2542 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.44 | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | 1 | t | CLOAC | PE1P2 | 0.598 | 24.95 | 23.97 | 11.80 | 10.67 | l | i | | Ì | Ì | Ì |
| | ., | 1 | 1 | UEA,UHL,UDL,UCL, | - : | 3.550 | 250 | 20.01 | 50 | .5.57 | 1 | | | 1 | 1 | 1 |
| | Adjacent Collocation - 4-Wire Cross-Connects | l | 1 | CLOAC | PE1P4 | 0.1196 | 25.14 | 24.11 | 12.15 | 10.93 | | I | | | | |
| H H | Adjacent Collocation - 4-Wife Cross-Connects Adjacent Collocation - DS1 Cross-Connects | 1 | | USL,CLOAC | PE1P1 | 1.04 | 44.19 | 32.13 | 11.93 | 10.93 | 1 | 1 | | 1 | † | 1 |
| \vdash | | | | | | | | | | | | - | | | | |
| \vdash | Adjacent Collocation - DS3 Cross-Connects | <u> </u> | <u> </u> | CLOAC | PE1P3 | 14.12 | 41.93 | 30.69 | 13.71 | 11.04 | | | | | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | ļ | CLOAC | PE1F2 | 2.39 | 41.93 | 30.69 | 13.71 | 11.05 | | | | | | |
| 1 1 | Adjacent Collocation - 4-Fiber Cross-Connect | <u> </u> | <u>L_</u> | CLOAC | PE1F4 | 4.57 | 51.14 | 39.90 | 17.96 | 15.29 | L | L | L | <u> </u> | <u> </u> | <u></u> |

| COLLOCA: | TION - Georgia | | | | | | | | | | | | Attach | ment: 4 | Exhi | hit: B |
|---------------|--|--|--|------------------|----------------|--|----------------|------------|--------------|--------|--|--|--|--|-------------|-------------|
| JOLLOCA | 11011 - Georgia | 1 | | 1 | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | 1 | | | | I | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | | | |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | | | Manual Svc | Manual Svc | Manual Svc |
| CATEGORI | KATE ELEMENTS | m | Zone | BC3 | 0300 | | | KAILS (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 1,555.00 | | | | | | | | | |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate | | | | | | | | | | | | | | | ŀ |
| | per AC Breaker Amp | | | CLOAC | PE1FB | 5.39 | | | | | | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FD | 10.79 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FE | 16.18 | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | I | 1 | CLOAC | PE1FG | 38.27 | | | | | 1 | l | Ì | l | | |
| | Adjacent Collocation - 240V, Three Phase Standby Power Rate | 1 | 1 | | - · · · · | 55.27 | | | | | I | | † | | | |
| | per AC Breaker Amp | l | 1 | CLOAC | PEIJD | 37.37 | | | | | 1 | l | Ì | l | | |
| DHASICVI C | OLLOCATION IN THE REMOTE SITE | | 1 | OLONO | LIOD | 31.31 | | | 1 | | 1 | 1 | 1 | 1 | | |
| - TITISICAL C | Physical Collocation in the Remote Site - Application Fee | 1 | + | CLORS | PE1RA | | 608.18 | 608.17 | 323.63 | 323.63 | | - | | | | |
| | | 1 | 1 | | | 204.00 | 008.18 | 608.17 | 323.03 | 323.03 | 1 | | | | | |
| \vdash | Cabinet Space in the Remote Site per Bay/ Rack | ! | - | CLORS | PE1RB | 224.82 | | | 1 | 1 | - | 1 | | 1 | | |
| | | l | 1 | | DE 4 D - | | | | | | | l | Ì | İ | | |
| | Physical Collocation in the Remote Site - Security Access - Key | ļ | ļ | CLORS | PE1RD | | 25.88 | 25.88 | | | | ļ | | | | |
| 1 1 | Physical Collocation in the Remote Site - Space Availability | | | | | | | | | | | 1 | | | | |
| | Report per Premises Requested | | | CLORS | PE1SR | | 229.02 | 229.02 | | | | | | | | |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 74.22 | 74.22 | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 232.88 | | | | | | | | | |
| PHYSICAL C | OLLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | ,, | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | + | CLORS | PE1RU | 0.104 | 755.62 | 755.62 | | | | | | | | |
| NOTE | : If Security Escort and/or Add'l Engineering Fees become nec | occary. | for rom | | | vill pogotiato ar | | | | | | | | | | |
| VIRTUAL CO | | essai y | ioi ieili | l | lile Failles v | wiii negotiate ap | propriate rate | 3. | | | | | | | | |
| VIKTUAL CO | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 2.848.30 | 2.848.30 | | | | | 19.99 | 19.99 | | |
| | | | 1 | | | | | | | | | | | | | |
| | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 2,750.00 | 2,750.00 | | | | | 19.99 | 19.99 | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.20 | | | | | | | | | | |
| | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 3.48 | | | | | | | | | | |
| | Virtual Collocation - Cable Support Structure, per entrance | | | | | | | | | | | | | | | |
| | cable | | | AMTFS | ESPSX | 13.35 | | | | | | | | | | |
| | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | EQ, AMTFS, UDL, | | | | | | | | | | | | |
| | | 1 | 1 | UNCVX, UNCDX, | | | | | | 1 | | I | 1 | 1 | | |
| | Virtual Collocation - 2-wire Cross Connects (loop) | l | 1 | UNCNX | UEAC2 | 0.0283 | 24.56 | 23.56 | 9.20 | 8.30 | 1 | İ | 19.99 | 19.99 | 19.99 | 19.99 |
| | | | | | 1 | | | | | | | İ | | | | |
| | | l | 1 | UEA,UHL,UCL,UDL, | | | | | | | 1 | İ | Ì | İ | | |
| | | l | 1 | AMTFS, UAL, UDN, | | | | | | | 1 | İ | Ì | İ | | |
| | Virtual Collocation - 4-wire Cross Connects (Ioop) | | | UNCVX, UNCDX | UEAC4 | 0.0566 | 24.75 | 23.70 | 9.03 | 8.10 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | virtual Conocation - 4-wire Cross Connects (100p) | 1 | | AMTFS,UDL12, | OLAG | 0.0000 | 24.73 | 25.70 | 3.03 | 0.10 | 1 | | 10.55 | 13.33 | 13.33 | 13.33 |
| | | | | | | | | | | | | | | | | |
| | | l | 1 | UDLO3, U1T48, | | | | | | | 1 | l | Ì | İ | | |
| | | l | 1 | U1T12, U1T03, | | | | | | | | l | Ì | İ | | |
| | Martinet College (Control of Cont | l | 1 | ULDO3, ULD12, | ONIOCE | | | | | | | l | | | | |
| \vdash | Virtual Collocation - 2-Fiber Cross Connects | ļ | <u> </u> | ULD48, UDF | CNC2F | 2.88 | 41.72 | 30.36 | 10.43 | 8.36 | | | 2.20 | 2.20 | | |
| | | l | 1 | AMTFS,UDL12, | | | | | | | | l | Ì | İ | | |
| | | l | 1 | UDLO3, U1T48, | | | | | | | | l | Ì | İ | | |
| | | l | 1 | U1T12, U1T03, | | | | | | | | l | Ì | İ | | |
| 1 1 | | l | 1 | ULDO3, ULD12, | | | | | | | | l | Ì | İ | | |
| L l | Virtual Collocation - 4-Fiber Cross Connects | <u>L_</u> | <u></u> | ULD48, UDF | CNC4F | 5.76 | 51.03 | 39.67 | 13.71 | 11.65 | <u> </u> | <u> </u> | 2.20 | 2.20 | | |
| | | | | USL,ULC,AMTFS, | | | | | | | | | | | | |
| 1 1 | | | | ULR, UXTD1, | | | | | | | | | | | | |
| 1 1 | | | | UNC1X, ULDD1, | | | | | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per | l | 1 | U1TD1, USLEL, | | | | | | | 1 | l | Ì | l | | |
| | DS1 | | | UNLD1 | CNC1X | 7.50 | 155.00 | 14.00 | | | | | 19.99 | 19.99 | | |
| | 1 - | 1 | | , | 1 | | .00.00 | 00 | 1 | | | | | | | |

| | ION - Georgia | | | | | | | | | | | | | ment: 4 | | bit: B |
|--------------|---|--------|----------|-------------------------------|-------------|--------|-----------|------------|-------------|--------------|---------|-----------|-------------|-------------|-------------|--------------|
| | | | | | | | | | | | | | | Incremental | | Incrementa |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | "" | | | | | | | | | | - | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonrec | rrina | Monroourrin | g Disconnect | | | 220 | Rates (\$) | | |
| -+- | | | | | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | USL,ULC,AMTFS,U | | | FIISL | Auu i | FIISL | Add I | SOIVIEC | SOWAN | SUMAN | SOWAN | SOWAN | SUMAN |
| | | | | E3, U1TD3, UXTS1, | | | | | | | | | | | | |
| | | | | UXTD3, UNC3X. | | | | | | | | | | | | |
| | | | | UNCSX, ULDD3, | | | | | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per | | | U1TS1, ULDS1, | | | | | | | | | | | | |
| | DS3 | | | UDLSX, UNLD3 | CND3X | 56.25 | 151.90 | 11.83 | | | | | 19.99 | 19.99 | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | ODEOX, ONEDO | CINDOX | 00.20 | 101.00 | 11.00 | | | | | 10.00 | 10.00 | | |
| | Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0023 | l | | | | | | | | | |
| -+ | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | 1 | | | 3.0020 | <u> </u> | | 1 | 1 | | | | 1 | 1 | |
| | Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0034 | l | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | 0 | | 0.0004 | İ | | | 1 | | | | | | 1 |
| | Support Structure, per cable | | | AMTFS | VE1CC | | 553.43 | | | | | | 19.99 | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | 222.10 | | | 1 | | | | | | 1 |
| | Cable Support Structure, per cable | | | AMTFS | VE1CE | | 553.43 | | | | | | 19.99 | | | |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 1,706.00 | 1,706.00 | | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | , | 12.27 | | 1,7 00.00 | 1,7 00.00 | | | | | | | | |
| | record | | | AMTFS | VE1BB | | 922.38 | 922.38 | | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | , | 12.55 | | 022.00 | 022.00 | | | | | | | | |
| | 100 pair | | | AMTFS | VE1BC | | 18.00 | 18.00 | | | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 8.43 | 8.43 | | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 29.49 | 29.49 | | | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | | | | | | | | | | | | | | |
| | records | | | AMTFS | VE1BF | | 278.61 | 278.61 | | | | | | | | |
| | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 41.00 | 25.00 | | | | | 19.99 | 19.99 | | |
| | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 48.00 | 30.00 | | | | | 19.99 | 19.99 | | |
| | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 55.00 | 35.00 | | | | | 19.99 | 19.99 | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 30.64 | 30.64 | | | | | 19.99 | 19.99 | | |
| | | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.77 | 35.77 | | | | | 19.99 | 19.99 | | |
| | 7/1 | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 40.90 | 40.90 | | | | | 19.99 | 19.99 | | |
| VIRTUAL COLI | LOCATION | | | | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Analog - Res | | | UEPSR | VE1R2 | 0.30 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | Ì | | | | | | | | | |
| | Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.30 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | | | | | |
| | Voice Grade PBX Trunk - Res | | <u></u> | UEPSE | VE1R2 | 0.30 | 12.60 | 12.60 | | L | | | 18.94 | 8.42 | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | | | | | |
| | Analog Bus | | | UEPSB | VE1R2 | 0.30 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire | | | | | | | | | | | | <u> </u> | | | |
| | ISDN | | <u> </u> | UEPSX | VE1R2 | 0.30 | 12.60 | 12.60 | | <u> </u> | | | 18.94 | 8.42 | <u> </u> | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | | | | | |
| | ISDN | | | UEPTX | VE1R2 | 0.30 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | | | | | | | | | | | | <u> </u> | | | |
| | ISDN DS1 | | | UEPEX e-up as set forth in | VE1R4 | 0.50 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |

| COLL | OCATI | ON - Kentucky | | | | | | | | | | | | Attach | ment: 4 | Evhi | bit: B |
|-------|----------|--|--|----------|--------------------------------|----------|--------|----------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| COLL | OCAII | l Rentucky | 1 | | | | 1 | | | | | Svc Order | Svc Order | Incremental | | Incremental | |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | , | | | | |
| OA.L | | KATE EEEMENTO | m | 20110 | 500 | 0000 | | | ππι ΔΟ (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | 1 | l | oss | Rates (\$) | l | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | 7144. | 101 | 7.44 | | | | | | |
| PHYSI | CAL CO | LLOCATION | | | | | | | | | | | | | | | |
| | 1 | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | | Wire Analog - Res | | | UEPSR | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | | Wire Line Side PBX Trunk - Bus | | | UEPSP | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | | Wire Voice Grade PBX Trunk - Res | | | UEPSE | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | ' |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | | Wire Analog - Bus | | | UEPSB | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | 1 |
| L | <u></u> | Wire ISDN | <u> </u> | <u> </u> | UEPSX | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | <u></u> | 7.86 | | | | 1 |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | | Wire ISDN | <u> </u> | | UEPTX | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | <u> </u> |
| | | Physical Collocation 4-Wire Cross Connect, Exchange Port 4- | 1 | | | | | | | | | | | | | | 1 |
| | | Wire ISDN DS1 | ļ | | UEPEX | PE1R4 | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | 7.86 | | | | |
| PHYSI | CAL CO | LLOCATION | | | | | | | | | | | | | | | |
| | | Physical Collocation - Application Fee - Initial | | | CLO | PE1BA | | 3,773.54 | 3,773.54 | | | | | | | | |
| | | Physical Collocation - Application Fee - Subsequent | | | CLO | PE1CA | | 3,145.35 | 3,145.35 | | | | | | | | |
| | | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 742.12 | | | | | | | | | |
| | | Physical Collocation - Space Preparation - Firm Order | | | | _ | | | | | | | | | | | |
| | | Processing | | | CLO | PE1SJ | | 1,206.07 | 1,206.07 | | | | | | | | |
| | | Physical Collocation - Space Preparation - C.O. Modification per | | | | | | | | | | | | | | | |
| | | square ft. | | | CLO | PE1SK | 2.32 | | | | | | | | | | |
| | | Physical Collocation - Space Preparation - Common Systems | | | 0.0 | 55.00 | | | | | | | | | | | |
| - | | Modification per square ft Cageless | | | CLO | PE1SL | 3.26 | | | | | | | | | | |
| | | Physical Collocation - Space Preparation - Common Systems | | | CLO | PE1SM | 110.57 | | | | | | | | | | |
| - | | Modification per Cage Physical Collocation - Cable Installation | | <u> </u> | CLO | PE1BD | 110.57 | 1,729.11 | | 45.16 | | | | | | | \vdash |
| - | | Physical Collocation - Cable Installation Physical Collocation - Floor Space per Sq. Ft. | | | CLO | PE1PJ | 7.99 | 1,729.11 | | 45.10 | | | | | | | |
| - | | Physical Collocation - Floor Space per Sq. Ft. Physical Collocation - Cable Support Structure, Per Entrance | | | CLO | PEIPJ | 7.99 | | | | | - | | | | | |
| | | Cable | | | CLO | PE1PM | 19.86 | | | | | | | | | | |
| - | | Physical Collocation - Power -48V DC Power, per Fused Amp | | | CLO | PE1PL | 8.06 | | | | | 1 | | | | | |
| | | Physical Collocation - Power Reduction, Application Fee | | | CLO | PE1PR | 0.00 | 399.50 | | | | | | | | | |
| | | Triyologi Collocation Tower Readotton, Application Tec | - | | OLO | LIII | | 000.00 | | | | | | | | | |
| | | Physical Collocation - 120V, Single Phase Standby Power Rate | | | CLO | PE1FB | 5.44 | | | | | | | | | | l |
| | | 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1 | 1 | | 0_0 | | 0.44 | | | | | | | | | | † |
| | | Physical Collocation - 240V, Single Phase Standby Power Rate | | | CLO | PE1FD | 10.88 | | | | | | | | | | 1 |
| | | , | † | | - | | 12120 | | | Ì | | | | | | | |
| | | Physical Collocation - 120V, Three Phase Standby Power Rate | 1 | | CLO | PE1FE | 16.32 | | | | | | 1 | | | | 1 |
| | | | | | | | | | | | | | | | | | ļ |
| | | Physical Collocation - 277V, Three Phase Standby Power Rate | 1 | | CLO | PE1FG | 37.68 | | | | | | | | | | 1 ' |
| | | · | | | | | | | | | | | | | | | |
| 1 | | | 1 | | UEANL,UEA,UDN,U | | | | | | | | | | | | 1 ' |
| | | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | | EQ, UDL, UNCVX, | | | | | | | | | | | | |
| | | Physical Collocation - 2-Wire Cross-Connects | | | UNLDX, UNCNX | PE1P2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | | | | | CLO, UAL, UDL, | | | | · | | | | | | | | 1 |
| | | | 1 | 1 | UDN, UEA, UHL, | l | | | | Ì | | | 1 | | | | 1 ' |
| | | | 1 | | UNCVX, UNCDX, | | | | | | | | | | | | 1 |
| | <u> </u> | Physical Collocation - 4-Wire Cross-Connects | <u> </u> | | UCL | PE1P4 | 0.0665 | 24.88 | 23.82 | 12.77 | 11.46 | | | | ļ | ļ | |
| | | | 1 | | CLO,UEANL,UEQ,W | | | | | | | | 1 | | | | 1 |
| | | | 1 | | DS1L,WDS1S, USL, | | | | | | | | | | | | 1 |
| | | | 1 | 1 | U1TD1, UXTD1, UNC1X, ULDD1, | l | | | | Ì | | | 1 | | | | 1 |
| | | | 1 | 1 | USLEL, UNLD1, | l | | | | Ì | | | 1 | | | | 1 |
| | | Physical Collocation - DS1 Cross-Connects | 1 | 1 | UDL | PE1P1 | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | 1 | | | | 1 |
| L | 1 | p. 11,010th Donototion Don Oroto-Officetto | 1 | | | <u> </u> | 1.70 | 77.23 | 31.30 | 12.01 | 11.57 | ı | L | | · | L | <u> </u> |

| COLLOCAT | ION - Kentucky | | | | | | | | | | | | Attach | ment: 4 | Fyhi | bit: B |
|----------|---|-------------|------|--|----------------|--------|----------|------------|--------------|------------|---|-----------|--|------------|-------------------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - DS3 Cross-Connects | | | CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3, ULD12, ULD48, | PE1P3 | 18.89 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | |
| | | | | U1TO3, U1T12, U1T48, UDLO3, | | | | | | | | | | | | |
| | Physical Collocation - 2-Fiber Cross-Connect | | | UDL12, UDF | PE1F2 | 3.75 | 41.93 | 30.51 | 14.76 | 11.84 | | | | | | ĺ |
| | Physical Collocation - 4-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F4 | 6.65 | 51,29 | 39.87 | 19.41 | 16.49 | | | | | | |
| | Physical Collocation - 4-1 iber Cross-connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. | | | CLO | PE1BW | 184.97 | 31.29 | 39.07 | 15.41 | 10.45 | | | | | | |
| | Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. | | | CLO | PE1CW | 18.14 | | | | | | | | | | |
| | Physical Collocation - Security Access System - Security System per Central Office | | | CLO | PE1AX | 76.10 | | | | | | | | | | |
| | Physical Collocation - Security Access System - New Access Card Activation, per Card | | | CLO | PE1A1 | 0.058 | 55.79 | 55.79 | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.64 | 15.64 | | | | | | | | |
| | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 45.74 | 45.74 | | | | | | | | |
| | Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | | 26.29 | 26.29 | | | | | | | | |
| | Physical Collocation - Security Access - Key, Replace Lost or | | | | | | | | | | | | | | | |
| | Stolen Key, per Key | | | CLO | PE1AL | | 26.29 | 26.29 | | | | | | | | |
| | Physical Collocation - Space Availability Report per premises POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect | | | CLO UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX | PE1SR PE1PE | 0.113 | 2,158.67 | 2,158.67 | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX | PE1PF | 0.23 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect | | | UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, | PE1PG | 1.60 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect | | | UNLD3, UDL, UDLSX | PE1PH | 14.23 | | | | | | | | | | <u> </u> |

| 1 | | | | | | | | | | | | | | ment: 4 | | bit: B |
|--|---|-------------|------|--|----------------|--------|-------------------|----------------|---|----------------|---|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Б | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B2 | 48.57 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B4 | 65.50 | | | | | | | | | | |
| | Physical Collocation - Request Resend of CFA Information, per | | | | | | | | | | | | | | | |
| | CLLI Nonrecurring Collocation Cable Records - per request | | | CLO CLO | PE1C9 PE1CR | | 77.55 1,524.45 | 980.01 | 267.02 | | - | | | - | | - |
| | Nonrecurring Collocation Cable Records - per request Nonrecurring Collocation Cable Records - VG/DS0 Cable, per | | | CLO | PETCR | | 1,524.45 | 980.01 | 267.02 | | | | | - | | |
| | cable record | | | CLO | PE1CD | | 656.37 | 656.37 | 379.70 | | | | | | | |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per | | | | | | | | | | | | | | | |
| | each 100 pair | | | CLO | PE1CO | | 9.65 | 9.65 | 11.84 | 11.84 | | | | | | |
| | Nonrecurring Collocation Cable Records - DS1, per T1TIE | | | CLO | PE1C1 PE1C3 | | 4.52 | 4.52 15.81 | 5.54 19.39 | 5.54 19.39 | | | | | | |
| | Nonrecurring Collocation Cable Records - DS3, per T3TIE Nonrecurring Collocation Cable Records - Fiber Cable, per 99 | | | CLO | PE1C3 | | 15.81 | 15.81 | 19.39 | 19.39 | | | | | | - |
| 1 | fiber records | | | CLO | PE1CB | | 169.63 | 169.63 | 154.85 | 154.85 | | | | | | |
| | Physical Collocation - Security Escort - Basic, per Half Hour | | | CLO,CLORS | PE1BT | | 33.98 | 21.53 | 104.00 | 104.00 | | | | | | |
| | Physical Collocation - Security Escort - Overtime, per Half Hour | | | CLO,CLORS | PE1OT | | 44.26 | 27.81 | | | | | | | | |
| ı | Physical Collocation - Security Escort - Premium, per Half Hour | | | CLO,CLORS | PE1PT | | 54.54 | 34.09 | | | | | | | | |
| | V to P Conversion, Per Customer Request-Voice Grade | | | CLO | PE1BV | | 33.00 | 34.03 | | | | | | | | |
| | V to P Conversion, Per Customer Request-DS0 | | | CLO | PE1BO | | 33.00 | | † | | | | | 1 | | |
| | V to P Conversion, Per Customer Request-DS1 | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | V to P Conversion, Per Customer request-DS3 | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS1 Circuit | | | | | | | | | | | | | | | |
| | Reconfigured V to P Conversion, Per Customer Request per DS3 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | Reconfigured | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof | | | CLO | PE1B7 | | 592.00 | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft. | | | CLO,UDF | PE1ES | 0.0012 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Copper/Coax | | | CLO LIES LIST | DE4D0 | 0.0040 | | | | | | | | | | |
| $\overline{}$ | Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects Only - | | | CLO, UE3, USL | PE1DS | 0.0018 | | | | | 1 | | | - | | - |
| <u>. </u> | Application Fee, per application | | | CLO | PE1DT | | 584.20 | | <u> </u> | | <u></u> | | | <u> </u> | | <u> </u> |
| ADJACENT C | | | | | | | | - | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0173 | | | | | | | | | | |
| | Adjacent Collection - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.35 | 04.60 | 22.60 | 10.14 | 10.05 | | | | | | |
| $\overline{}$ | Adjacent Collocation - 2-Wire Cross-Connects | | | CLOAC UEA.UHL.UDL.UCL. | PE1P2 | 0.0258 | 24.68 | 23.68 | 12.14 | 10.95 | - | | | - | | - |
| ı I | Adjacent Collocation - 4-Wire Cross-Connects | | | CLOAC | PE1P4 | 0.0515 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL,CLOAC | PE1P1 | 1.37 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | |
| | Adjacent Collocation - DS3 Cross-Connects | | | CLOAC | PE1P3 | 18.61 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | l | | CLOAC | PE1F2 PE1F4 | 3.15 | 41.93 | 30.51 39.87 | 14.76 19.41 | 11.84 16.49 | | | | | | |
| 1 | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | | 6.02 | 51.29 | | | | | | | | | |

| COLLOCAT | ION - Kentucky | | | | | | | | | | | | | ment: 4 | | bit: B |
|--------------|--|-------------|--------|--|---------------|-------------------|-----------------|------------|--------------|-------|--------------------------------|------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| | | Inter: | | | | | | | | | Svc Order Submitted Elec | Svc Order Submitted Manually | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FB | 5.44 | | | | | | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FD | 10.88 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FE | 16.32 | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FG | 37.68 | | | | | | | | | | |
| PHYSICAL CO | DLLOCATION IN THE REMOTE SITE | | | 020710 | | 07.00 | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 617.78 | | 338.89 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 219.67 | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 26.29 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 232.64 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 75.40 | | | | | | | | | |
| BHASICVI CC | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO DLLOCATION IN THE REMOTE SITE - ADJACENT | | | CLORS | PE1RR | | 233.42 | | | | | | | | | |
| FITTSICAL CC | LECCATION IN THE REMOTE SITE - ADJACENT | | | | | 1 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | <u> </u> | 755.62 | 755.62 | | | | | | | | |
| | If Security Escort and/or Add'l Engineering Fees become nec | essary 1 | or rem | ote site collocation, | the Parties v | will negotiate ap | opropriate rate | S | | | | | | | | |
| VIRTUAL COL | Virtual Collocation - Application Fee | | | AMTFS | EAF | + | 2,419.86 | 2,419.86 | 1.01 | 1.01 | | 7.86 | | | | |
| | Virtual Collocation - Application Fee Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | + | 1,729.11 | 1,729.11 | 45.16 | 45.16 | | 7.86 | | | | |
| | Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 7.99 | 1,720.11 | 1,723.11 | 45.10 | 43.10 | | 7.00 | | | | |
| | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 8.06 | | | | | | | | | | |
| | Virtual Collocation - Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 17.38 | | | | | | | | | | |
| | Cable | | | UEANL,UEA,UDN,U | LOI OX | 17.30 | | | | | | | | | | |
| | | | | DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connects (Ioop) | | | UNCVX, UNCDX, UNCNX | UEAC2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | |
| | ` ., | | | UEA,UHL,UCL,UDL, | | | | | | | | | | | | |
| | | | | AMTFS, UAL, UDN, | | | | | | | | | | | | |
| | Virtual Collocation - 4-wire Cross Connects (loop) | ļ | | UNCVX, UNCDX | UEAC4 | 0.0619 | 24.88 | 23.82 | 12.77 | 11.46 | | 7.86 | | | | |
| | | | | AMTFS,UDL12, UDLO3, U1T48, | | | | | | | | | | | | |
| | | | | U1T12, U1T03, ULDO3, ULD12, | | | | | | | | | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | ULD48, UDF | CNC2F | 3.80 | 41.94 | 30.51 | 14.76 | 11.84 | | 7.86 | | | | |
| | | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, | | | | | | | | | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | ULDO3, ULD12, ULD48, UDF | CNC4F | 7.59 | 51.29 | 39.87 | 19.41 | 16.49 | | 7.86 | | | | |
| + | virtual Collocation - 4-Fiber Cross Connects | 1 | | USL,ULC,AMTFS, | CINC4F | 7.59 | 51.29 | 39.87 | 19.41 | 16.49 | 1 | 7.86 | | 1 | 1 | |
| | | | | ULR, UXTD1, | | | | | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per | | | UNC1X, ULDD1, U1TD1, USLEL, | | | | | | | | | | | | |
| ı | DS1 | <u> </u> | | UNLD1 | CNC1X | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | l | | | l | | |

| COLLOCAT | ION - Kentucky | | | | | | | | | | 1 - | - | | ment: 4 | | bit: B |
|-------------|---|---------|----------|------------------------|--------------|------------------|----------|------------|--------------|------------|---------|-----------|-------------|-------------|-------------|-------------|
| | | 1 | | | | | | | | | | | | Incremental | | Incrementa |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | - | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | 1 | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | USL,ULC,AMTFS,U | | | 11130 | Addi | 11130 | Addi | COMILO | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR |
| | | | | E3, U1TD3, UXTS1, | | | | | | | | | | | | |
| | | | | UXTD3, UNC3X. | | | | | | | | | | | | |
| | | | | UNCSX, ULDD3, | | | | | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per | | | U1TS1, ULDS1, | | | | | | | | | | | | |
| | DS3 | | | UDLSX, UNLD3 | CND3X | 18.89 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | | | | | | | | | | | | |
| | Support Structure, per linear foot | | | AMTFS | VE1CB | 0.003 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | |
| | Cable Support Structure, per linear ft | l | 1 | AMTFS | VE1CD | 0.0045 | | |] | | | | | | 1 | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | 1 | - | | , | | | † | | | | | İ | İ | 1 |
| | Support Structure,per cable | l | | AMTFS | VE1CC | | 535.55 | | | | | | | | 1 | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | - | | İ | | | | | | | | İ | İ | İ |
| | Cable Support Structure, per cable | | | AMTFS | VE1CE | | 535.55 | | | | | | | | | |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 1,524.45 | 980.01 | 267.02 | 267.02 | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | | | | .,,== | | | | | | | | | |
| | record | | | AMTFS | VE1BB | | 656.37 | 656.37 | 379.70 | 379.70 | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | | | | | | | | | | | | | |
| | 100 pair | | | AMTFS | VE1BC | | 9.65 | 9.65 | 11.84 | 11.84 | | | | | | |
| | Virtual Collocation Cable Records -DS1, per T1TIE | | | AMTFS | VE1BD | | 4.52 | 4.52 | 5.54 | 5.54 | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 15.81 | 15.81 | 19.39 | 19.39 | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | | | | | | | | | | | | | | |
| | records | | | AMTFS | VE1BF | | 169.63 | 169.63 | 154.85 | 154.85 | | | | | | |
| | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 33.98 | 21.53 | | | | | | | | |
| | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 44.26 | 27.81 | | | | | | | | |
| | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 54.54 | 34.09 | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 56.07 | 21.53 | | | | | | | | |
| | | | | | | | | | 1 | | | | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 73.23 | 27.81 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 90.39 | 34.09 | | | | | | | | |
| VIRTUAL COL | LOCATION | | | | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Analog - Res | | | UEPSR | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | | | | | |
| | Voice Grade PBX Trunk - Res | l | | UEPSE | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | 1 | 1 |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | | | | | |
| | Analog Bus | l | | UEPSB | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | 1 | |
| | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire | | | | | | | | 1 | | | | | | | |
| | ISDN | l | 1 | UEPSX | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | 1 | 1 |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | | | | | |
| | ISDN | l | | UEPTX | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | 1 | |
| j | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | | | | | ĺ | | | İ | | | | | | | |
| 1 | ISDN DS1 | 1 | 1 | UEPEX | VE1R4 | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | 7.86 | | l | I | I |
| Note: | Rates displaying an "R" in Interim column are interim and sub | iect to | rate tru | e-up as set forth in (| General Tern | ns and Condition | | | 1 | | | | | İ | | |

| COLL | OCATI | ON - Louisiana | | | | | | | | | | | | Attach | ment: 4 | Evhi | bit: B |
|--------|----------|--|----------|----------|------------------|----------------|--------|----------|------------|-------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| COLL | OCAII | ON - Louisiana | 1 | | | | 1 | | | | | Svc Order | Svc Order | Incremental | | Incremental | |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | | | | | |
| OAILO | | TATE ELEMENTO | m | 20110 | 500 | 0000 | | | πατ ΣΟ (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonrec | urring | Nonrecurrin | g Disconnect | | l . | oss | Rates (\$) | <u> </u> | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | ,,,,,, | | 7.00 | | 00 | | 00 | | 00 |
| PHYSIC | CAL CO | LLOCATION | | | | | | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | - | | | | | | |
| | | Wire Analog - Res | | | UEPSR | PE1R2 | 0.0318 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | 0.00.0 | | | | | | | | | | |
| | | Wire Line Side PBX Trunk - Bus | | | UEPSP | PE1R2 | 0.0318 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | <u> </u> | | 0.00.0 | | | | | | | | | | |
| | | Wire Voice Grade PBX Trunk - Res | | | UEPSE | PE1R2 | 0.0318 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | | Wire Analog - Bus | | | UEPSB | PE1R2 | 0.0318 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | - | | | | | | | | | | | | |
| | | Wire ISDN | 1 | | UEPSX | PE1R2 | 0.0318 | 11.94 | 11.46 | | 1 | | 15.20 | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | | Wire ISDN | 1 | | UEPTX | PE1R2 | 0.0318 | 11.94 | 11.46 | | 1 | | 15.20 | | | | |
| | | Physical Collocation 4-Wire Cross Connect, Exchange Port 4- | | | | | | | | | | | | | | | |
| | | Wire ISDN DS1 | | | UEPEX | PE1R4 | 0.0636 | 12.04 | 11.53 | | | | 15.20 | | | | |
| PHYSIC | CAL CO | LLOCATION | | | | | | | | | | | | | | | |
| | | Physical Collocation - Application Fee - Initial | | | CLO | PE1BA | | 1,837.24 | | | | | | | | | |
| | | Physical Collocation - Application Fee - Subsequent | | | CLO | PE1CA | | 1,533.41 | | | | | | | | | |
| | | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 741.97 | | | | | | | | | |
| | | Physical Collocation - Space Preparation - Firm Order | | | | | | | | | | | | | | | |
| | | Processing | | | CLO | PE1SJ | | 583.33 | | | | | | | | | |
| | | Physical Collocation - Space Preparation - C.O. Modification per | | | | | | | | | | | | | | | |
| | | square ft. | | | CLO | PE1SK | 2.31 | | | | | | | | | | |
| | | Physical Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | |
| | | Modification per square ft Cageless | | | CLO | PE1SL | 2.70 | | | | | | | | | | |
| | | Physical Collocation - Space Preparation - Common Systems | | | 0.0 | 55.01 | | | | | | | | | | | |
| | | Modification per Cage | | <u> </u> | CLO | PE1SM | 91.60 | 044.54 | 044.54 | | | | | | | | |
| - | | Physical Collocation - Cable Installation | | | CLO | PE1BD | 5.00 | 841.54 | 841.54 | | | | | | | | |
| | | Physical Collocation - Floor Space per Sq. Ft. | | | CLO | PE1PJ | 5.30 | | | | | 1 | | | | | |
| | | Physical Collocation - Cable Support Structure, Per Entrance Cable | | | CLO | PE1PM | 18.31 | | | | | | | | | | |
| | | Physical Collocation - Power -48V DC Power, per Fused Amp | | | CLO | PE1PM PE1PL | 8.32 | | | | | 1 | | | | | |
| | | Physical Collocation - Power Reduction, Application Fee | - | | CLO | PE1PR | 0.32 | 398.88 | | | | | | | | | |
| | | Friysical Collocation - Fower Reduction, Application ree | | | CLO | FLIFK | | 390.00 | | | | 1 | | | | | |
| | | Physical Collocation - 120V, Single Phase Standby Power Rate | | | CLO | PE1FB | 5.45 | | | | | | | | | | |
| | † | 1207, Onigio i riade dianaby i owel Nate | 1 | | 0_0 | | 5.45 | | | | t | 1 | | | | | |
| | | Physical Collocation - 240V, Single Phase Standby Power Rate | 1 | | CLO | PE1FD | 10.92 | | | | 1 | | | | | | |
| | | , | 1 | | | | .0.02 | | | | 1 | | | | | | |
| | | Physical Collocation - 120V, Three Phase Standby Power Rate | 1 | | CLO | PE1FE | 16.37 | | | | 1 | | | | | | |
| | | ,, | | | | | | | | | | | | | | | |
| | | Physical Collocation - 277V, Three Phase Standby Power Rate | | | CLO | PE1FG | 37.80 | | | | 1 | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | | EQ, UDL, UNCVX, | | | | | | | | | | | | |
| | | Physical Collocation - 2-Wire Cross-Connects | | | UNLDX, UNCNX | PE1P2 | 0.0318 | 11.94 | 11.46 | | | | | | | | |
| | | | | | CLO, UAL, UDL, | | | _ | | | | | | | | | |
| | | | 1 | | UDN, UEA, UHL, | | | | | | 1 | | | | | | |
| | | | 1 | | UNCVX, UNCDX, | | | | | | 1 | | | | | | |
| | | Physical Collocation - 4-Wire Cross-Connects | ļ | | UCL | PE1P4 | 0.0636 | 12.04 | 11.53 | | 1 | | | | | | |
| | | | 1 | | CLO,UEANL,UEQ,W | | | | | | 1 | | | | | | |
| | | | 1 | | DS1L,WDS1S, USL, | | | | | | 1 | | | | | | |
| | | | 1 | | U1TD1, UXTD1, | | | | | | 1 | | | | | | |
| | | | 1 | 1 | UNC1X, ULDD1, | l | | | | | 1 | | | | | | |
| | | Dhusiaal Callagaties DC4 Casa County | 1 | | USLEL, UNLD1, | חביים | | 04.00 | 45.4- | | 1 | | | | | | |
| | | Physical Collocation - DS1 Cross-Connects | <u> </u> | <u> </u> | UDL | PE1P1 | 1.04 | 21.39 | 15.47 | l | 1 | <u> </u> | | l | | | |

| COLLOCAT | ION - Louisiana | | | | | | | | | | | | Attach | ment: 4 | Fyhi | bit: B |
|----------|---|-------------|------|---|----------------|--------|----------|------------|-------------|--------------|---|-----------|--|------------|-------------------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurrin | g Disconnect | | l | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - DS3 Cross-Connects | | | CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3, ULD12, ULD48, | PE1P3 | 13.21 | 20.28 | 14.76 | | | | | | | | |
| | | | | U1TO3, U1T12, U1T48, UDLO3, | | | | | | | | | | | | |
| 1 1 | Physical Collocation - 2-Fiber Cross-Connect | | | UDL12, UDF | PE1F2 | 2.62 | 20.28 | 14.76 | | | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F4 | 4.65 | 24.81 | 19.29 | | | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. | | | CLO | PE1BW | 184.50 | 24.01 | 19.29 | | | | | | | | |
| | Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. | | | CLO | PE1CW | 18.10 | | | | | | | | | | |
| | Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft. | | | CLO | PE1AY | 0.0224 | | | | | | | | | | |
| | Physical Collocation - Security Access System - New Access Card Activation, per Card | | | CLO | PE1A1 | 0.0579 | 27.50 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.74 | 7.74 | | | | | | | | |
| | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.64 | 22.64 | | | | | | | | |
| | Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | | 13.01 | 13.01 | | | | | | | | |
| | Physical Collocation - Security Access - Key, Replace Lost or | | | | | | | | | | | | | | | |
| - | Stolen Key, per Key | | | CLO | PE1AL | | 13.01 | 13.01 | | | | | | | | |
| | Physical Collocation - Space Availability Report per premises POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect | | | CLO UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX | PE1SR PE1PE | 0.079 | 1,044.07 | 1,044.07 | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX | PE1PF | 0.158 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, | | | UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, | PE1PG | 1.12 | | | | | | | | | | |
| | per cross-connect | | | UDLSX | PE1PH | 9.95 | | | | | | | | | | |

| COLLOCAT | TION - Louisiana | | | | | | | | | | | | | ment: 4 | | ibit: B |
|---|--|-------------|------|--|----------------|------------------|----------------|----------------|--------------|------------|--|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonred | | | Disconnect | | | | Rates (\$) | | |
| | | | | UEANL,UEA,UDN,U | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect | | | DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B2 | 33.96 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B4 | 45.80 | | | | | | | | | | |
| | Physical Collocation - Request Resend of CFA Information, per | | | | | | | | | | | | | | | |
| <u> </u> | CLLI Recurring Collocation Cable Records - per request | | | CLO CLO | PE1C9 PE1CU | 10.97 | 77.43 | | | | | | | | | |
| + | Recurring Collocation Cable Records - per request Recurring Collocation Cable Records - VG/DS0 Cable, per cable | | | CLO | PETCU | 10.97 | | | | | | | | | | |
| | record | | | CLO | PE1CE | 5.29 | | | | | | | | | | |
| | Recurring Collocation Cable Records - VG/DS0 Cable, per each | | | | | | | | | | | | | | | |
| - | 100 pair Recurring Collocation Cable Records - DS1, per T1TIE | | | CLO CLO | PE1CT PE1C2 | 0.08 0.04 | | | | | | | | - | - | |
| - | Recurring Collocation Cable Records - DS1, per TTTE Recurring Collocation Cable Records - DS3, per T3TIE | | | CLO | PE1C2 PE1C4 | 0.04 | | | | | | | | - | - | |
| | Recurring Collocation Cable Records - Fiber Cable, per 99 fiber | | | 020 | 1 2104 | 0.10 | | | | | | | | | | |
| | records | | | CLO | PE1CG | 1.37 | | | | | | | | | | |
| | Physical Collocation - Security Escort - Basic, per Half Hour | | | CLO,CLORS | PE1BT | | 16.44 | 10.42 | | | | | | | | |
| | Physical Collocation - Security Escort - Overtime, per Half Hour | | | CLO,CLORS | PE1OT | | 21.41 | 13.45 | | | | | | | | |
| | Physical Collocation - Security Escort - Premium, per Half Hour | | | CLO,CLORS | PE1PT | | 26.38 | 16.49 | | | | | | | | |
| | V to P Conversion, Per Customer Request-Voice Grade | | | CLO | PE1BV | | 33.00 | 10.10 | | | | | | | 1 | |
| | V to P Conversion, Per Customer Request-DS0 | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request-DS1 | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | V to P Conversion, Per Customer request-DS3 | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS3 Circuit | | | | | | | | | | | | | | | |
| - | Reconfigured | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof | | | CLO | PE1B7 | | 592.00 | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft. | | | CLO,UDF | PE1ES | 0.001 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft. | | | CLO, UE3, USL | PE1DS | 0.0015 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects Only - | | | 5LO, 5L3, 53L | 1 1 100 | 0.0015 | | | | | | | | † | | |
| | Application Fee, per application | | | CLO | PE1DT | | 583.30 | | | | | | | | | |
| ADJACENT C | OLLOCATION | | | 01.0.1.0 | DE / 1: | | | | | | | | | | | |
| \vdash | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0552 | | | 1 | | | | | | | 1 |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects | | | CLOAC CLOAC | PE1JC PE1P2 | 5.61 0.0245 | 11.94 | 11.46 | 1 | | | | | | | |
| | , | | | UEA,UHL,UDL,UCL, | | | | | | | | | | | | |
| \vdash | Adjacent Collocation - 4-Wire Cross-Connects | | | CLOAC USL,CLOAC | PE1P4 PE1P1 | 0.0491 0.9605 | 12.04 21.39 | 11.53 15.47 | | - | <u> </u> | | | | | |
| | Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects | | - | CLOAC | PE1P1 PE1P3 | 13.01 | 21.39 | 15.47 14.76 | | | | | | - | - | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 2.20 | 20.28 | 14.76 | | | | | | † | † | 1 |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 4.21 | 24.81 | 19.29 | | | | | | 1 | 1 | |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 1,543.20 | | | | | | | | 1 | |

| COLLOCAT | TION - Louisiana | | | | | | | | | | | | | ment: 4 | | bit: B |
|---------------------------------------|--|--|----------|------------------------------|----------------|------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|-----------|-----------|-------------|-------------|-------------|-------------|
| · · · · · · · · · · · · · · · · · · · | | | | | | | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | 14 | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (17 | | | per Lon | per LSK | | Electronic- | | |
| | | | | | | | | | | | | | Electronic- | | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | B | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates (\$) | L | l. |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FB | 5.45 | | | | | | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FD | 10.92 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FE | 16.37 | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FG | 37.80 | | | | | | | | | | |
| PHYSICAL CO | OLLOCATION IN THE REMOTE SITE | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 298.80 | 298.80 | | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 225.39 | | | 1 | 1 | İ | İ | | | | |
| | The state of the s | | | | | | | | 1 | 1 | İ | İ | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key | 1 | | CLORS | PE1RD | | 13.01 | 13.01 | I | I | | | | | | |
| | Physical Collocation in the Remote Site - Space Availability | | 1 | 020.10 | | | 10.01 | 10.01 | | | | | | | | |
| | Report per Premises Requested | | | CLORS | PE1SR | | 112.52 | 112.52 | 1 | 1 | | | | | | |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | 1 | OLOITO | LION | | 112.02 | 112.02 | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 36.47 | 36.47 | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | _ | CLORS | PE1RR | | 233.21 | 00.47 | | | <u> </u> | | | | | |
| DHASICVI CO | DLLOCATION IN THE REMOTE SITE - ADJACENT | | 1 | OLONO | LIKK | | 255.21 | | | | | | | | | |
| TITIOICAL C | SECONTION IN THE REMISTE SHE - ADSAGENT | | 1 | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| - | Remote Site-Adjacent Conocation - AC Power, per breaker amp | | | CLORS | PEIRO | 0.27 | | | - | - | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square root Remote Site-Adjacent Collocation-Application Fee | 1 | | CLORS | PE1RU | 0.134 | 755.62 | 755.62 | | | | | | | | |
| NOTE | : If Security Escort and/or Add'l Engineering Fees become nec | | · | | | .:!! | | | | | | | | | | |
| VIRTUAL CO | | essary | ior reii | Tote site conocation, | the Farties v | viii negotiate a | opropriate rate | 5. | - | - | | | | | | |
| VIRTUAL CO | Virtual Collocation - Application Fee | 1 | | AMTFS | EAF | | 1,770.40 | | | | | 15.20 | | | | |
| | | - | 1 | AMTES | | | | | | | | | | | | |
| | Virtual Collocation - Cable Installation Cost, per cable | | 1 | AMTFS | ESPCX ESPVX | 3.20 | 841.54 | | | | ļ | 15.20 | | | | |
| | Virtual Collocation - Floor Space, per sq. ft. | - | 1 | | | | | | | | | | | | | |
| | Virtual Collocation - Power, per fused amp | - | 1 | AMTFS | ESPAX | 8.32 | | | | | | | | | | |
| | Virtual Collocation - Cable Support Structure, per entrance | | | | 50501 | 40.00 | | | | | | | | | | |
| | cable | | | AMTFS | ESPSX | 16.02 | | | | | | | | | | |
| | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | EQ, AMTFS, UDL, | | | | | | | | | | | | |
| | | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connects (loop) | | | UNCNX | UEAC2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | UEA,UHL,UCL,UDL, | | | | | | | | | | | | |
| | | | | AMTFS, UAL, UDN, | | | | | | | | | | | | |
| | Virtual Collocation - 4-wire Cross Connects (loop) | | | UNCVX, UNCDX | UEAC4 | 0.0591 | 12.04 | 11.53 | | | | 15.20 | | | | |
| | | | | AMTFS,UDL12, | | | | | | | | | | | | |
| | | | | UDLO3, U1T48, | | | | | | | | | | | | |
| | | | | U1T12, U1T03, | | | | | | | | | | | | |
| | | | | ULDO3, ULD12, | | | | | | | | | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | ULD48, UDF | CNC2F | 2.65 | 20.29 | 14.76 | | | | 15.20 | | | | |
| | | | | AMTFS,UDL12, | | | | | | | | | | | | |
| | | | | UDLO3, U1T48, | | | | | | | | | | | | |
| | | 1 | 1 | U1T12, U1T03, | | | | | 1 | 1 | I | I | | I | | 1 |
| | | | | ULDO3, ULD12, | | | | | | | | | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | ULD48, UDF | CNC4F | 5.31 | 24.81 | 19.29 | | | | 15.20 | | | | |
| | | | 1 | USL,ULC,AMTFS, | 1 | 1 | | | | | 1 | | | l | | |
| | | | | | | | | | | | | | | | | |
| | | | | ULR, UXTD1, | | | | | | | | | | | | |
| | | | | ULR, UXTD1, UNC1X, ULDD1, | | | | | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, | CNC1X | 1.04 | 21.39 | 15.47 | | | | 15.20 | | | | |

| COLLOCAT | ON - Louisiana | | | | | | | | | | | | | ment: 4 | | ibit: B |
|-------------|---|--------|------|--------------------------------|-------|--------|--------|------------|-------------|---------------|---------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | | | Incremental | | Incrementa |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | l_ | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svo |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | 1 | | | | Nonrec | urring | Nonrecurrin | ng Disconnect | | | oss | Rates (\$) | l | |
| | | | _ | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | USL,ULC,AMTFS,U | | | 11130 | Auu i | 11130 | Addi | JOHILO | JONAN | JOINAIN | JOHAN | JOHIAN | JOHAN |
| | | | | E3, U1TD3, UXTS1, | | | | | | | | | | | | |
| | | | | UXTD3, UNC3X. | | | | | | | | | | | | |
| | | | | UNCSX, ULDD3, | | | | | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per | | | U1TS1, ULDS1, | | | | | | | | | | | | |
| | DS3 | | | UDLSX, UNLD3 | CND3X | 13.21 | 20.28 | 14.76 | | | | 15.20 | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | | | | | | | | | | | | |
| | Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0024 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | |
| | Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0036 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | | | | | | | | | | | | |
| | Support Structure,per cable | | | AMTFS | VE1CC | | 534.79 | | | | | 15.20 | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | |
| | Cable Support Structure, per cable | | | AMTFS | VE1CE | | 534.79 | | | | | 15.20 | | | | |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | 10.97 | | | | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | | | | | | | | | | | | | |
| | record | | | AMTFS | VE1BB | 5.29 | | | | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | | | | | | | | | | | | | |
| | 100 pair | | | AMTFS | VE1BC | 0.08 | | | | | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | 0.04 | | | | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | 0.13 | | | | | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | | | | | | | | | | | | | | |
| | records | | | AMTFS | VE1BF | 1.37 | | | | | | | | | | |
| | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 16.44 | 10.42 | | | | 15.20 | | | | |
| | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 21.41 | 13.45 | | | | 15.20 | | | | |
| | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 26.38 | 16.49 | | | | 15.20 | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 27.12 | 10.42 | | | | 15.20 | | | | |
| | | | | | | | Ī | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.42 | 13.45 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 43.72 | 16.49 | | | | 15.20 | | | | |
| VIRTUAL COL | | | | | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | 1 | |
| | Wire Analog - Res | | | UEPSR | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | 1 | |
| | Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | l | | | | | | | | 1 | |
| | Voice Grade PBX Trunk - Res | | 1 | UEPSE | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | 1 | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | 1 | l | l | | l | | | | | | | l | I | |
| | Analog Bus | | ļ | UEPSB | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | 1 | |
| | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire | | | l | l | | | | | | | | | | 1 | |
| | ISDN | | ļ | UEPSX | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | ļ | . | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | 1 | | | | | | | | | | | l | I | |
| | ISDN | | | UEPTX | VE1R2 | 0.0296 | 11.94 | 11.46 | | - | | 15.20 | | | | ļ |
| | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | | | | | | 40.5 | | | | | | | | 1 | |
| | ISDN DS1 | | | UEPEX le-up as set forth in | VE1R4 | 0.0591 | 12.04 | 11.53 | | | ļ | 15.20 | | | | |

| COLLOCAT | ION - Mississippi | | | | | | | | | | | | | ment: 4 | Exhi | ibit: B |
|---------------|--|----------------|----------|---|-------|--------|----------|------------|--------------|-------|--|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001441 | | Rates (\$) | 0011411 | 0011411 |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL CO | I I OCATION | | | | | | | | | | | | | | | |
| T TITOICAL CO | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | 1 | | | | | | | | | | | | | |
| | Wire Analog - Res | | | UEPSR | PE1R2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Line Side PBX Trunk - Bus | | | UEPSP | PE1R2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Voice Grade PBX Trunk - Res | | | UEPSE | PE1R2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | 55.50 | | | | | | | | | | | |
| | Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | UEPSB | PE1R2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | Wire ISDN | | | UEPSX | PE1R2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | l | † | 021 07 | | 0.0200 | 12.37 | 11.07 | 0.04 | 3.43 | | 10.10 | | | † | |
| | Wire ISDN | | | UEPTX | PE1R2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | Physical Collocation 4-Wire Cross Connect, Exchange Port 4- | | | | | | | | | | | | | | | |
| | Wire ISDN DS1 | | | UEPEX | PE1R4 | 0.0576 | 12.47 | 11.94 | 6.59 | 5.91 | | 15.75 | | | | |
| PHYSICAL CO | | | | | | | | | | | | | | | | |
| | Physical Collocation - Application Fee - Initial | | | CLO | PE1BA | | 1,890.38 | | | | | | | | | |
| | Physical Collocation - Application Fee - Subsequent | | | CLO | PE1CA | | 1,575.69 | | | | | | | | | |
| - | Physical Collocation Administrative Only - Application Fee Physical Collocation - Space Preparation - Firm Order | | 1 | CLO | PE1BL | | 740.76 | | | | | | | | | <u> </u> |
| | Processing | ١., | | CLO | PE1SJ | | 604.19 | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | <u>'</u> | | CLO | FLISS | | 004.19 | | | | | | | | | |
| | square ft. | Li | | CLO | PE1SK | 2.30 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | |
| | Modification per square ft Cageless | - 1 | | CLO | PE1SL | 2.52 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | |
| | Modification per Cage | - 1 | | CLO | PE1SM | 85.67 | | | | | | | | | | |
| | Physical Collocation - Cable Installation | | | CLO | PE1BD | | 926.27 | 926.27 | 22.62 | | | | | | | |
| | Physical Collocation - Floor Space per Sq. Ft. | | | CLO | PE1PJ | 5.74 | | | | | | | | | | |
| | Physical Collocation - Cable Support Structure, Per Entrance Cable | | | CLO | PE1PM | 17.42 | | | | | | | | | | |
| - | Physical Collocation - Power -48V DC Power, per Fused Amp | | 1 | CLO | PE1PL | 7.33 | | | | | - | | | | 1 | |
| | Physical Collocation - Power Reduction, Application Fee | l i | | CLO | PE1PR | 7.55 | 398.76 | | | | | | | | | |
| | , | | | | | | | | | | | | | | | |
| | Physical Collocation - 120V, Single Phase Standby Power Rate | - 1 | | CLO | PE1FB | 5.29 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Physical Collocation - 240V, Single Phase Standby Power Rate | | | CLO | PE1FD | 10.58 | | | | | | | | | | |
| | Division Colleges 400V The St. Co. II D. T. | ١. | | 01.0 | DE4E5 | | | | | | | | | | | |
| | Physical Collocation - 120V, Three Phase Standby Power Rate | | | CLO | PE1FE | 15.87 | | | | | | | | | | |
| | Physical Collocation - 277V, Three Phase Standby Power Rate | ١, | | CLO | PE1FG | 36.65 | | | | | | | | | | |
| | Filysical Collocation - 211 V, Tillee Filase Standby Fower Rate | <u>'</u> | | CLO | FLIIG | 30.03 | | | | | | | | | | |
| | Physical Collocation - 2-Wire Cross-Connects | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL, | PE1P2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | Physical Collocation - 4-Wire Cross-Connects | | | UDN, UEA, UHL, UNCVX, UNCDX, UCL | PE1P4 | 0.0576 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | |
| | Physical Collocation - DS1 Cross-Connects | | | CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL | PE1P1 | 1.14 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | | |

| COLLOCAT | TON - Mississippi | | | | | | | | | | | | Attach | ment: 4 | Exhi | bit: B |
|----------|---|-------------|------|--|----------------|--------|-----------------|-----------------|-----------------------|---------------------|---|-----------|---|---|-------------------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | | | | CLO, UE3,U1TD3, | | | FIRST | Add I | FIRST | Addi | SUMEC | SUMAN | SOWAN | SUMAN | SUWAN | SOWAN |
| | Physical Collocation - DS3 Cross-Connects | | | UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3, | PE1P3 | 14.49 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | | | | ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, | | | | | | | | | | | | |
| | Physical Collocation - 2-Fiber Cross-Connect | | | UDL12, UDF | PE1F2 | 2.87 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F4 | 5.10 | 25.70 | 19.97 | 10.01 | 8.50 | | | | | | |
| | Physical Collocation - 4-1 iber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. | | | CLO | PE1BW | 183.20 | 23.70 | 19.97 | 10.01 | 8.30 | | | | | | |
| | Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. | | | CLO | PE1CW | 17.97 | | | | | | | | | | |
| | Physical Collocation - Security Access System - Security System per Central Office | ı | | CLO | PE1AX | 75.23 | | | | | | | | | | |
| | Physical Collocation - Security Access System - New Access Card Activation, per Card | ı | | CLO | PE1A1 | 0.0576 | 27.95 | 27.95 | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | 1 | | CLO | PE1AA | | 7.84 | 7.84 | | | | | | | | |
| | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.91 | 22.91 | | | | | | | | |
| — | Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | | 13.17 | 13.17 | | | | | | | | |
| | Physical Collocation - Security Access - Key, Replace Lost or | | | | | | | | | | | | | | | |
| | Stolen Key, per Key | | | CLO | PE1AL | | 13.17 | 13.17 | | | | | | | | |
| | Physical Collocation - Space Availability Report per premises POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect | I | | CLO UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX | PE1SR PE1PE | 0.0867 | 1,081.40 | 1,081.40 | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX | PE1PF | 0.1734 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect | | | UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, | PE1PG | 1.22 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect | | | UNLD3, UDL, UDLSX | PE1PH | 10.91 | | | | | | | | | | |

| COLLOCAT | ION - Mississippi | | | | | | | | | | | | | ment: 4 | | bit: B |
|-------------|---|-------------|------|--|----------------|--------|----------------|------------|--------------|------------|---|---|--------------------|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | | | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svo Order vs. |
| | | "" | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | | Nonre | curring | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B2 | 37.26 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B4 | 50.24 | | | | | | | | | | |
| | Physical Collocation - Request Resend of CFA Information, per | | | | | | | | | | | | | | | |
| | CLLI | | | CLO | PE1C9 | | 77.41 | 100.5 | 100 =- | | | | | | | |
| | Nonrecurring Collocation Cable Records - per request | | | CLO | PE1CR | | 763.69 | 490.94 | 133.77 | | | | | | | |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record | | | CLO | PE1CD | | 328.81 | | 190.22 | | | | | | | |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 4.84 | 4.84 | 5.93 | 5.93 | | | | | | |
| | Nonrecurring Collocation Cable Records - DS1, per T1TIE | | | CLO | PE1C0 | | 2.27 | 2.27 | 2.78 | 2.78 | | | | | | |
| | Nonrecurring Collocation Cable Records - DS3, per T3TIE | | | CLO | PE1C3 | | 7.92 | 7.92 | 9.72 | 9.72 | | | | | | |
| | Nonrecurring Collocation Cable Records - Fiber Cable, per 99 | | | | | | | | **** | | | | | 1 | İ | |
| | fiber records | | | CLO | PE1CB | | 84.98 | 84.98 | 77.58 | 77.58 | | | | | | |
| | Physical Collocation - Security Escort - Basic, per Half Hour | | | CLO,CLORS | PE1BT | | 17.02 | 10.79 | | | | | | | | |
| | Physical Collocation - Security Escort - Overtime, per Half Hour | | | CLO,CLORS | PE1OT | | 22.17 | 13.94 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Physical Collocation - Security Escort - Premium, per Half Hour V to P Conversion, Per Customer Request-Voice Grade | | | CLO,CLORS | PE1PT PE1BV | | 27.32 | 17.08 | | | | | | | | |
| | V to P Conversion, Per Customer Request-Voice Grade V to P Conversion, Per Customer Request-DS0 | | | CLO CLO | PE1B0 | | 33.00 33.00 | | | | | | | - | - | - |
| | V to P Conversion, Per Customer Request-DS0 V to P Conversion, Per Customer Request-DS1 | | | CLO | PE1B0 | | 52.00 | | | | | | | | | |
| | V to P Conversion, Per Customer request-DS3 | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS1 Circuit | | | CLO | PE1BS | | | | | | | | | | | |
| | Reconfigured V to P Conversion, Per Customer Request per DS3 Circuit | | | CLO | PE IBS | | 33.00 | | | | | | | | | |
| | Reconfigured | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof | | | CLO | PE1B7 | | 592.00 | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft. | | | CLO,UDF | PE1ES | 0.001 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft. | | | CLO, UE3, USL | PE1DS | 0.0015 | · | | | | | | | | | 1 |
| | Physical Collocation - Co-Carrier Cross Connects Only - | | | | | 5.55.0 | 500.10 | | | | | | | 1 | İ | 1 |
| ADJACENT CO | Application Fee, per application | | | CLO | PE1DT | | 583.13 | | 1 | | ļ | | | | 1 | 1 |
| ADJACENT CO | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0678 | | | 1 | | | | | + | + | + |
| <u> </u> | Adjacent Collocation - Space Charge per Sq. 11. Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 4.68 | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | CLOAC | PE1P2 | 0.0223 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL, CLOAC | PE1P4 | 0.0446 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL,CLOAC | PE1P1 | 1.05 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | | |
| | Adjacent Collocation - DS3 Cross-Connects | | | CLOAC | PE1P3 | 14.27 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 2.42 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 4.62 | 25.70 | 19.97 | 10.01 | 8.50 | | | | ļ | ļ | ļ |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 1,585.83 | | | | | | | | | |

| COLLOCA | TION - Mississippi | | | | | | | | | | | | Attach | ment: 4 | Exhi | ibit: B |
|------------|---|-------------|---------|---|---------------|-------------------|-----------------|------------|--------------|-------|-------|---|---|---|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'I | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FB | 5.29 | | | | | | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FD | 10.58 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FE | 15.87 | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FG | 36.65 | | | | | | | | | | |
| PHYSICAL C | OLLOCATION IN THE REMOTE SITE | | 1 | OLOAO | 1110 | 30.03 | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 309.48 | | 168.63 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 210.05 | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 13.17 | 13.17 | | | | | | | | |
| | Physical Collocation in the Remote Site - Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 116.54 | 116.54 | | | | | | | | |
| | Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 37.77 | 37.77 | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.14 | | | | | | | | | |
| PHYSICAL C | OLLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | L | | CLORS | PE1RU | <u> </u> | 755.62 | 755.62 | | | | | | | | |
| VIRTUAL CO | :: If Security Escort and/or Add'l Engineering Fees become nec | essary 1 | for rem | tote site collocation, | the Parties V | viii negotiate ap | opropriate rate | s. | | | | | | | | - |
| VIKTUAL CO | Virtual Collocation - Application Fee | | 1 | AMTFS | EAF | | 1,212.25 | | 0.51 | | | 15.75 | | | | |
| | Virtual Collocation - Application Fee Virtual Collocation - Cable Installation Cost, per cable | | 1 | AMTFS | ESPCX | | 926.27 | | 22.62 | | | 15.75 | | | | - |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 5.74 | 020.21 | | 22.02 | | | 10.70 | | | | + |
| | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 7.33 | | | | | | | | | | • |
| | Virtual Collocation - Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 15.24 | | | | | | | | | | |
| | | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connects (loop) | | | UNCNX | UEAC2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | Virtual Collocation - 4-wire Cross Connects (loop) | | | UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX | UEAC4 | 0.0536 | 12.47 | 11.94 | 6.59 | 5.91 | | 15.75 | | | | |
| | Wilder Consecution - 4 wire Cross Connecte (1994) | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, | 02704 | 0.0000 | 12.77 | 11.04 | 0.00 | 0.01 | | 10.70 | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | ULD48, UDF | CNC2F | 2.91 | 21.01 | 15.29 | 7.61 | 6.10 | | 15.75 | | | | <u> </u> |
| | | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, | | | | | | | | | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | ULD48, UDF | CNC4F | 5.82 | 25.70 | 19.97 | 10.01 | 8.50 | | 15.75 | | | | |
| | Virtual Collocation - Special Access & UNE, cross-connect per | | | USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, | | | | | | | | | | | | |
| | DS1 | | | UNLD1 | CNC1X | 1.14 | 22.16 | 16.02 | 6.60 | 5.97 | | 15.75 | | | | |

| ATEGORY | | | | | | | | | | | | | | | | |
|---------------|--|-------------|------|---|--------|--------|--------|------------|--------------|------------|---|-----------|--|--|---|--|
| | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual So Order vs Electronic Disc Add |
| $\overline{}$ | | | | | | _ 1 | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | Rates (\$) | l | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual collocation - Special Access & UNE, cross-connect per DS3 | | | USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 14.49 | 21.01 | 15.29 | 7.61 | 6.10 | | 15.75 | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0025 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | |
| | Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0037 | | | | | | | | | | <u> </u> |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | | | | | | | | | | | | |
| | Support Structure,per cable | | | AMTFS | VE1CC | | 534.65 | | | | | 15.75 | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | |
| | Cable Support Structure, per cable | | | AMTFS | VE1CE | | 534.65 | 100.01 | | | | 15.75 | | | | |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 763.69 | 490.94 | 133.77 | 133.77 | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | AMTFS | \/E4DD | | 000.04 | 000.04 | 400.00 | 400.00 | | | | | | |
| | record Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | AMIFS | VE1BB | | 328.81 | 328.81 | 190.22 | 190.22 | | | | | | ļ |
| | 100 pair | | | AMTFS | VE1BC | | 4.84 | 4.84 | 5.93 | 5.93 | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 2.27 | 2.27 | 2.78 | 2.78 | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | 1 | 7.92 | 7.92 | 9.72 | 9.72 | | | | | | — |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | | AWITO | VETDE | | 1.52 | 1.32 | 5.12 | 3.12 | | | | | | |
| | records | | | AMTFS | VE1BF | | 84.98 | 84.98 | 77.58 | 77.58 | | | | | | |
| | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 17.02 | 10.79 | | | | 15.75 | | | | |
| | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 22.17 | 13.94 | | | | 15.75 | | | | |
| | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 27.32 | 17.08 | 1 | | | 15.75 | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 28.09 | 10.79 | | | | 15.75 | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 36.69 | 13.94 | | | | 15.75 | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 45.28 | 17.08 | | | | 15.75 | | | | |
| RTUAL COLL | | | | | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res | | | UEPSR | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | | | UEPSX | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1 | | | UEPEX | VE1R4 | 0.0536 | 12.47 | 11.94 | 6.59 | 5.91 | | 15.75 | | | | |

| COLLOCAT | ION - North Carolina | | | | | | | | | | | | Attach | ment: 4 | Exhi | bit: B |
|--|--|-----------------|----------|-------------------------------------|----------------|----------------|----------|---------------------------------------|--|--------------|-----------|-----------|--|--|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | | | Incremental |
| | | l | | | 1 | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | Manually | | Manual Svc | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | 1 | | | | | | | , | Electronic- | Electronic- | Electronic- | Electronic- |
| | | l | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| ļ | | | | | | | | | T N1 | - B' | | <u> </u> | | | | |
| | | | <u> </u> | | | Rec | Nonred | | | g Disconnect | 201120 | COLLAN | | Rates (\$) | CONTANT | 001111 |
| | | | <u> </u> | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL CO | I I OCATION | | | | | | | | | | | | | | | |
| TITIOICAL CC | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Analog - Res | | | UEPSR | PE1R2 | 0.32 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | _ | | | | | | | - | | |
| | Wire Line Side PBX Trunk - Bus | | | UEPSP | PE1R2 | 0.32 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Voice Grade PBX Trunk - Res |] | | UEPSE | PE1R2 | 0.32 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Analog - Bus | | <u> </u> | UEPSB | PE1R2 | 0.32 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | 1 | | LIEDOV | DE4D0 | 0.00 | 44 70 | 00.00 | I | | | | 20.01 | 10.70 | | |
| | Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | 1 | - | UEPSX | PE1R2 | 0.32 | 41.78 | 39.23 | | 1 | | | 26.94 | 12.76 | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN | 1 | | UEPTX | PE1R2 | 0.32 | 41.78 | 39.23 | I | | | | 26.94 | 12.76 | | |
| | Physical Collocation 4-Wire Cross Connect, Exchange Port 4- | 1 | - | OLFIA | I LINZ | 0.32 | 41.78 | 38.23 | | 1 | 1 | 1 | 20.94 | 12.70 | 1 | |
| | Wire ISDN DS1 | l | | UEPEX | PE1R4 | 0.64 | 41.91 | 39.25 | 1 | | | | 26.94 | 12.76 | | |
| PHYSICAL CO | | | | OLI LX | 1 2 1104 | 0.04 | 41.01 | 00.20 | | | | | 20.04 | 12.70 | | |
| | Physical Collocation - Application Fee - Initial | | | CLO | PE1BA | | 3,850.00 | 3,850.00 | | | | | | | | |
| | Physical Collocation - Application Fee - Subsequent | | | CLO | PE1CA | | 3,119.00 | 3,119.00 | | | | | | | | |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 741.44 | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | | | | | | | | | | | | | |
| | square ft. | - 1 | | CLO | PE1SK | 1.57 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | |
| | Modification per square ft Cageless | l | | CLO | PE1SL | 3.26 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | ١. | | 01.0 | DE4014 | 440.70 | | | | | | | | | | |
| | Modification per Cage Space Preparation Fees - Power Per Nominal -48V Dc Amp | H | <u> </u> | CLO CLO | PE1SM PE1FH | 110.79 5.76 | | | | | | | | | | |
| - | Physical Collocation - Cable Installation | H | | CLO | PE1BD | 5.76 | 2,305.00 | 2,305.00 | - | | | | | | | |
| | Physical Collocation - Floor Space per Sq. Ft. | l i | | CLO | PE1PJ | 3.45 | 2,303.00 | 2,303.00 | | | | | | | | |
| | Physical Collocation - Cable Support Structure, Per Entrance | i i | | 020 | | 0.10 | | | | | | | | | | |
| | Cable | 1 | | CLO | PE1PM | 21.33 | | | | | | | | | | |
| | Physical Collocation - Power -48V DC Power, per Fused Amp | - 1 | | CLO | PE1PL | 8.50 | | | | | | | | | | |
| | Physical Collocation - Power Reduction, Application Fee | ı | | CLO | PE1PR | | 399.13 | | | | | | | | | |
| | | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | 1 | 1 | | |
| | Physical Collocation - 120V, Single Phase Standby Power Rate | | | CLO | PE1FB | 5.50 | | | | | ļ | | ļ | ļ | | |
| | | l . | | | | | | | 1 | | | | | | | |
| | Physical Collocation - 240V, Single Phase Standby Power Rate | | | CLO | PE1FD | 11.01 | | | | ļ | | | | | | |
| | Physical Collection 120V Three Phase Standby Power Date | | | CLO | PE1FE | 16.51 | | | 1 | | | | | | | |
| \vdash | Physical Collocation - 120V, Three Phase Standby Power Rate | - '- | - | OLO | FEIFE | 16.01 | | | | 1 | - | | - | - | 1 | 1 |
| | Physical Collocation - 277V, Three Phase Standby Power Rate | l , | | CLO | PE1FG | 38.12 | | | 1 | | | | | | | |
| | 1. 175.55. Solitocation 2777, Timee I flase Standby I Owel Nate | <u> </u> | | | 0 | 30.12 | | | † | 1 | 1 | | 1 | 1 | 1 | |
| | | 1 | | UEANL,UEA,UDN,U | | | | | I | | | | 1 | 1 | | |
| | | l | | DC,UAL,UHL,UCL,U | 1 | | | | 1 | | | | | | | |
| | | l | | EQ, UDL, UNCVX, | 1 | | | | 1 | | | | | | | |
| | Physical Collocation - 2-Wire Cross-Connects | I | | UNLDX, UNCNX | PE1P2 | 0.32 | 41.78 | 39.23 | | | | | | | | |
| | | | | CLO, UAL, UDL, | | | | | | | | | | | | |
| | | 1 | | UDN, UEA, UHL, | I | | | | I | | | | 1 | 1 | | |
| | District College (Control of AME) | Ι. | | UNCVX, UNCDX, | DE4D4 | 0.01 | 44.54 | 00.05 | I | | | | 1 | 1 | | |
| | Physical Collocation - 4-Wire Cross-Connects | | - | UCL | PE1P4 | 0.64 | 41.91 | 39.25 | | | 1 | | | | | |
| | | 1 | | CLO,UEANL,UEQ,W DS1L,WDS1S, USL, | | | | | I | | | | 1 | 1 | | |
| | | l | | U1TD1, UXTD1, | 1 | | | | 1 | | | | | | | |
| | | l | | UNC1X, ULDD1, | 1 | | | | 1 | | | | | | | |
| | | l | | USLEL, UNLD1, | 1 | | | | 1 | | | | | | | |
| | Physical Collocation - DS1 Cross-Connects | 1 | | UDL | PE1P1 | 2.34 | 71.02 | 51.08 | 1 | | | | | | | |
| | | • | | • | | | | . ,- | | | | | | | | |

| COLLOCAT | ION - North Carolina | | | | | | | | | | | | Attach | ment: 4 | Fxhi | bit: B |
|----------|---|-------------|--|--|----------------|----------------|----------|------------|-------|--------------|---|-----------|-------------------------|----------------------|-------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - | | Incremental Charge - | Incremental Charge - Manual Svc Order vs. |
| | | m | | | | | | | | | per zerk | per zert | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | CLO, UE3,U1TD3, | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - DS3 Cross-Connects | ı | | UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL | PE1P3 | 42.84 | 69.84 | 49.43 | | | | | | | | |
| | | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, | | | | | | | | | | | | |
| | Physical Collocation - 2-Fiber Cross-Connect | - 1 | | UDL12, UDF | PE1F2 | 2.94 | 51.97 | 38.59 | | | | | | | | |
| | | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, | | | | | | | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. | | | UDL12, UDF CLO | PE1F4 PE1BW | 5.62 102.76 | 64.53 | 51.15 | | | | | | | | |
| | Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. | | | CLO | PE1BW PE1CW | 102.76 | | | | | | | | - | | |
| | Physical Collocation - Security Access System - Security System per Central Office | i | | CLO | PE1AX | 41.03 | | | | | | | | | | |
| | Physical Collocation - Security Access System - New Access Card Activation, per Card | ı | | CLO | PE1A1 | 0.062 | 55.30 | 55.30 | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.51 | 15.51 | | | | | | | | |
| | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 45.34 | 45.34 | | | | | | | | |
| | Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | | 26.18 | 26.18 | | | | | | | | |
| | Physical Collocation - Security Access - Key, Replace Lost or | | | | | | | | | | | | | | | |
| | Stolen Key, per Key | <u> </u> | | CLO | PE1AL | | 26.18 | 26.18 | | | | | | | | |
| | Physical Collocation - Space Availability Report per premises POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect | I | | CLO UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX | PE1SR PE1PE | 0.10 | 2,140.00 | 2,140.00 | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX | PE1PF | 0.19 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect | | | UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, UXTD3, UXTD3, UXTS1, UNC3X, | PE1PG | 0.79 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect | | | UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX | PE1PH | 4.85 | | | | | | | | | | |

| COLLOCAT | TION - North Carolina | | | | | | | | | | | | | ment: 4 | | ibit: B |
|--|--|--------|------|--|----------------|--------|----------------|------------|--------------|------------|--|---|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svo Order vs. |
| | | m | | | | | | , | | | per Loix | per Loix | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | B | Nonre | curring | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | 1 | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B2 | 45.30 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect | | | UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B4 | 61.09 | | | | | | | | | | |
| | Physical Collocation - Request Resend of CFA Information, per | | | | | | | | | | | | | | | |
| \vdash | CLLI | | | CLO | PE1C9 | | 77.48 | | | | | | | | | |
| | Nonrecurring Collocation Cable Records - per request | | | CLO | PE1CR | | 1,707.00 | | | | ļ | | | | | <u> </u> |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record | | | CLO | PE1CD | | 923.08 | | | | | | | | | |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 18.02 | 18.02 | | | | | | | | |
| — | Nonrecurring Collocation Cable Records - DS1, per T1TIE | | | CLO | PE1C0 | | 8.43 | 8.43 | | | 1 | | | - | - | |
| | Nonrecurring Collocation Cable Records - DS3, per T3TIE | | | CLO | PE1C3 | | 29.51 | 29.51 | | | | | | | | |
| | Nonrecurring Collocation Cable Records - Fiber Cable, per 99 | | | 020 | . 2.00 | | 20.01 | 20.01 | | | | | | | | |
| | fiber records | | | CLO | PE1CB | | 278.82 | 278.82 | | | | | | | | |
| | Physical Collocation - Security Escort - Basic, per Half Hour | | | CLO,CLORS | PE1BT | | 42.92 | 25.56 | | | | | | | | |
| | Physical Collocation - Security Escort - Overtime, per Half Hour | | | CLO,CLORS | PE1OT | | 54.51 | 32.44 | | | | | | | | |
| | District College's Court Found Board on a Half Hand | | | 01 0 01 0 00 | PE1PT | | 00.40 | 00.00 | | | | | | | | |
| | Physical Collocation - Security Escort - Premium, per Half Hour V to P Conversion, Per Customer Request-Voice Grade | | | CLO,CLORS CLO | PE1PT PE1BV | | 66.10 33.00 | 39.32 | | | | | | | | |
| | V to P Conversion, Per Customer Request-Voice Grade V to P Conversion, Per Customer Request-DS0 | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request-DS1 | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | V to P Conversion, Per Customer request-DS3 | | | CLO | PE1B3 | | 52.00 | | | | | | | 1 | İ | |
| | V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof | | | CLO | PE1B7 | | 592.00 | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft. | | | CLO,UDF | PE1ES | 0.0018 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft. | | | CLO, UE3, USL | PE1DS | 0.0027 | | | | | | | | | | |
| AD IACENT C | Physical Collocation - Co-Carrier Cross Connects Only - Application Fee, per application | | | CLO | PE1DT | | 583.66 | | | | | | | | | <u> </u> |
| ADJACENT C | OLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.179 | | | 1 | | | | | | 1 | 1 |
| | Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JA PE1JC | 5.96 | | | 1 | 1 | 1 | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects | | | CLOAC | PE1JC PE1P2 | 0.32 | 41.78 | 39.23 | + | | | | | | | - |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL, CLOAC | PE1P4 | 0.64 | 41.91 | 39.25 | | | | | | | | |
| | Adjacent Collocation - 4-Wife Closs-Connects | | | USL,CLOAC | PE1P1 | 2.34 | 71.02 | 51.08 | + | | | | | † | † | 1 |
| | Adjacent Collocation - DS3 Cross-Connects | | | CLOAC | PE1P3 | 42.84 | 69.84 | 49.43 | | | | | | İ | 1 | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 2.94 | 51.97 | 38.59 | | | | | | | | |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 5.62 | 64.53 | 51.15 | | | | | | | | |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 3,153.00 | | | | | | | | | |

| COLLOCAT | ΓΙΟΝ - North Carolina | | | | | | | | | | | | | ment: 4 | | bit: B |
|-------------|---|--------|---------|------------------|-------|-------------------|-----------------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | _ | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per LSK | per LSK | | Electronic- | | |
| | | | | | | | | | | | | | Electronic- | | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate | | | | | | | | | | | | | | | |
| , | per AC Breaker Amp | | | CLOAC | PE1FB | 5.50 | | | | | | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FD | 11.01 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FE | 16.51 | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FG | 38.12 | | | | | | | | | | |
| PHYSICAL CO | OLLOCATION IN THE REMOTE SITE | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 865.34 | 865.34 | | | | | | | | |
| T I | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 254.02 | | | | | | | | | | |
| | 11 1 17 17 | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 26.06 | 26.06 | | | | | | 1 | | |
| <u> </u> | Physical Collocation in the Remote Site - Space Availability | | | İ | İ | | | | İ | | | | | İ | İ | İ |
| | Report per Premises Requested | | | CLORS | PE1SR | | 230.60 | 230.60 | | | | | | 1 | | |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 74.74 | 74.74 | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 232.94 | | | | | | | | | |
| PHYSICAL CO | OLLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| NOTE | : If Security Escort and/or Add'l Engineering Fees become nec | essarv | for rem | | | vill negotiate ar | opropriate rate | | | | | | | | | |
| VIRTUAL CO | LLOCATION | | | · | | | | | | | | | | | | |
| | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 2,848.30 | 2,848.30 | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 2,750.00 | 2,750.00 | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.20 | | | | | | | | | | |
| | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 3.48 | | | | | | | | | | |
| | Virtual Collocation - Cable Support Structure, per entrance | | | | | | | | | | | | | | | |
| | cable | | | AMTFS | ESPSX | 13.35 | | | | | | | | | | |
| | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | EQ, AMTFS, UDL, | | | | | | | | | | | | |
| | | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connects (loop) | | | UNCNX | UEAC2 | 0.09 | 41.78 | 39.23 | 4.75 | 4.75 | | | 26.94 | 12.76 | | |
| | | | | | | | | | | | | | | | | |
| | | | | UEA,UHL,UCL,UDL, | | | | | | | | | | | | |
| | | | | AMTFS, UAL, UDN, | | | | | | | | | | | | |
| | Virtual Collocation - 4-wire Cross Connects (loop) | | | UNCVX, UNCDX | UEAC4 | 0.18 | 41.91 | 39.25 | 4.73 | 4.73 | | | 26.94 | 12.76 | | |
| | | | | AMTFS,UDL12, | | | | | | | | | | | | |
| | | | | UDLO3, U1T48, | | | | | | | | | | | | |
| | | | | U1T12, U1T03, | | | | | | | | | | | | |
| | | | | ULDO3, ULD12, | | | | | | | | | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | ULD48, UDF | CNC2F | 15.99 | 67.34 | 48.55 | | | | | 26.94 | 12.76 | | |
| | | | | AMTFS,UDL12, | | | | | | | | | | | | |
| | | | | UDLO3, U1T48, | | | | | | | | | | I | I | |
| | | | | U1T12, U1T03, | | | | | | | | | | 1 | | |
| | | | | ULDO3, ULD12, | | | | | | | | | | 1 | 1 | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | ULD48, UDF | CNC4F | 28.74 | 82.35 | 63.56 | | | | | 26.94 | 12.76 | | |
| | | | | USL,ULC,AMTFS, | | | | | | | | | | | | |
| | | | | | | | | | | | 1 | 1 | | 1 | | l |
| | | | | ULR, UXTD1, | | | | | | | | | | | | |
| | | | | UNC1X, ULDD1, | | | | | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per DS1 | | | | CNC1X | 0.97 | 71.02 | 51.08 | | | | | 26.94 | 12.76 | | |

| COLLOCAL | ION - North Carolina | | | • | • | | | | | | | | | ment: 4 | | bit: B |
|-------------|---|----------|--|-------------------|----------|--------|----------|------------|-------------|--|---------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | | | Incremental | | Incrementa |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | Elec | | Manual Svc | Manual Svc | | Manual Svo |
| CATEGORT | RATE ELEMENTS | m | Zone | ВСЗ | 0300 | | | KAIES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ | Nonrec | urrina | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | l | l |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | USL,ULC,AMTFS,U | | | | | | | | | | | | |
| | | | | E3, U1TD3, UXTS1, | | | | | | | | | | | | |
| | | | | UXTD3, UNC3X, | | | | | | | | | | | | |
| | | | | UNCSX, ULDD3, | | | | | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per | | | U1TS1, ULDS1, | | | | | | | | | | | | |
| | DS3 | | | UDLSX, UNLD3 | CND3X | 56.25 | 151.90 | 11.83 | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | | | | | | | | | | | | |
| | Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0028 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | l | | | | | | | | 1 | | | | | | |
| | Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0041 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | | | | | | | | | | | | |
| | Support Structure,per cable | ļ | | AMTFS | VE1CC | | 532.72 | | | _ | | | 26.94 | 12.76 | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | 40.00 | | |
| | Cable Support Structure, per cable | | <u> </u> | AMTFS | VE1CE | | 532.72 | | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 1,707.00 | | | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | AMTFS | VE1BB | | 923.08 | | | | | | | | | |
| | record Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | AIVIIFS | VETBB | | 923.08 | | | | | | | | | |
| | 100 pair | | | AMTFS | VE1BC | | 18.02 | 18.02 | | | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 8.43 | 8.43 | | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | 1 | AMTFS | VE1BE | | 29.51 | 29.51 | | | | | | | | |
| | Virtual Collocation Cable Records - Bos, per 15112 Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | | AWITO | VETBE | | 23.51 | 20.01 | | | | | | | | |
| | records | | | AMTFS | VE1BF | | 278.82 | 278.82 | | | | | | | | |
| | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 41.00 | 25.00 | | | | | 26.94 | 12.76 | | |
| | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 48.00 | 30.00 | | | | | 26.94 | 12.76 | | |
| | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 55.00 | 35.00 | | | | | 26.94 | 12.76 | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 30.64 | 30.64 | | | | | 26.94 | 12.76 | | |
| | ., | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.77 | 35.77 | | | | | 26.94 | 12.76 | | |
| | | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 40.90 | 40.90 | | | | | 26.94 | 12.76 | | |
| VIRTUAL COL | | | | | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Analog - Res | | | UEPSR | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | l | 1 | | | | | | | 1 | | | | | | |
| | Voice Grade PBX Trunk - Res | ļ | ļ | UEPSE | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | 1 | | LIEDOD | \/E4D0 | | =- | |] | 1 | | | | | | |
| | Analog Bus Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire | | 1 | UEPSB | VE1R2 | 0.09 | 41.78 | 39.23 | - | + | 1 | | 26.94 | 12.76 | | - |
| | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | 1 | 1 | UEPSX | VE1R2 | 0.09 | 41.78 | 39.23 |] | 1 | | | 26.94 | 12.76 | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | <u> </u> | | UEFOX | VE IKZ | 0.09 | 41.78 | 39.23 | | | | | ∠6.94 | 12.76 | | |
| | ISDN | l | 1 | UEPTX | VE1R2 | 0.09 | 41.78 | 39.23 | | 1 | | | 26.94 | 12.76 | | |
| | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | 1 | 1 | OLI IX | V L IINZ | 0.09 | 41.70 | 39.23 | | + | 1 | | 20.94 | 12.70 | | 1 |
| | ISDN DS1 | l | 1 | UEPEX | VE1R4 | 0.18 | 41.91 | 39.25 | | 1 | | | 26.94 | 12.76 | | |
| Notes | Rates displaying an "R" in Interim column are interim and sub | inct to | rata tr | | | | | 33.23 | | | 1 | | 20.34 | 12.70 | | |

| | 1 | | | | | | | | | | | | | ment: 4 | | bit: B |
|--------------|--|-------------|---------|---|----------|--------|----------|---------------------------------------|--------------|---------------------------------------|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 001450 | 001441 | | Rates (\$) | 0011411 | 001441 |
| - | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL CO | I LOCATION | | | | | | | | | | - | | | | 1 | |
| FITTSICAL CC | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Analog - Res | | | UEPSR | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | 02. 0.1 | | 0.0011 | 12.02 | 11.00 | 0.01 | 0.10 | | 10.00 | | | | |
| | Wire Line Side PBX Trunk - Bus | | | UEPSP | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | 9.0. | | | | | | | |
| | Wire Voice Grade PBX Trunk - Res | | | UEPSE | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Analog - Bus | | | UEPSB | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | l | | | | | | | | | | | | <u> </u> | |] |
| | Wire ISDN | | | UEPSX | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | l | | | DE 4 D - | | | | | _ | | | | | | |
| | Wire ISDN | | | UEPTX | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | Physical Collocation 4-Wire Cross Connect, Exchange Port 4- | | | LIEDEV | DE 4 D 4 | 4.40 | 00.00 | 45.00 | 0.40 | 5.00 | | 45.00 | | | | |
| PHYSICAL CO | Wire ISDN DS1 | | | UEPEX | PE1R4 | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | 15.69 | | | | |
| PHISICAL CC | Physical Collocation - Application Fee - Initial | | | CLO | PE1BA | | 1,883.67 | 1,883.67 | | | | | | | | |
| | Physical Collocation - Application Fee - Initial Physical Collocation - Application Fee - Subsequent | | | CLO | PE1CA | | 1,570.10 | 1,570.10 | | | 1 | | | | | |
| | Physical Collocation - Application - ee - Subsequent Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 743.66 | 1,570.10 | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order | | | 020 | LIDE | | 7-10.00 | | | | | | | | | |
| | Processing | | | CLO | PE1SJ | | 602.05 | 602.05 | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | | | | | | | | | | | | | |
| | square ft. | | | CLO | PE1SK | 2.75 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | |
| | Modification per square ft Cageless | | | CLO | PE1SL | 3.24 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | |
| | Modification per Cage | | | CLO | PE1SM | 110.16 | | | | | | | | | | |
| | Physical Collocation - Cable Installation | | | CLO | PE1BD | | 794.22 | 794.22 | 22.54 | 22.54 | | | | | | |
| | Physical Collocation - Floor Space per Sq. Ft. | | | CLO | PE1PJ | 3.95 | | | | | | | | | | |
| | Physical Collocation - Cable Support Structure, Per Entrance Cable | | | CLO | PE1PM | 21.33 | | | | | | | | | | |
| | Physical Collocation - Power -48V DC Power, per Fused Amp | | | CLO | PE1PL | 9.19 | | | | | | | | | | |
| | Physical Collocation - Power Reduction, Application Fee | | | CLO | PE1PR | 5.15 | 400.33 | | | | | | | | | |
| | Thysical conceation Tower reduction, Application Tec | <u> </u> | | OLO | LIII | | 400.00 | | | | | | | | | |
| | Physical Collocation - 120V, Single Phase Standby Power Rate | | | CLO | PE1FB | 5.67 | | | | | | | | | | |
| | | | | | | | | | | | | | | | 1 | 1 |
| | Physical Collocation - 240V, Single Phase Standby Power Rate | <u></u> | <u></u> | CLO | PE1FD | 11.36 | | | | | <u> </u> | | <u> </u> | | | <u> </u> |
| | | | | | | | _ | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | | | | 1 |
| | Physical Collocation - 120V, Three Phase Standby Power Rate | | | CLO | PE1FE | 17.03 | | | | | | | | | | |
| | | | | 0.0 | 55.50 | | | | | | | | | | | |
| | Physical Collocation - 277V, Three Phase Standby Power Rate | | | CLO | PE1FG | 39.33 | | | | | | | | | | |
| | Physical Collocation - 2-Wire Cross-Connects | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL, | PE1P2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| | Physical Collocation - 4-Wire Cross-Connects | | | UDN, UEA, UHL, UNCVX, UNCDX, UCL | PE1P4 | 0.0682 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | |
| | Physical Collocation - DS1 Cross-Connects | | | CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL | PE1P1 | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | |

| COLLOCAT | ION - South Carolina | | | | | | | | | | | | Attach | ment: 4 | Fxhi | bit: B |
|----------|---|-------------|------|--|-------|--------|----------|------------|-------|------------|---|-----------|--|--|-------------------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | | Disconnect | | | | Rates (\$) | | |
| - | | | | CLO, UE3,U1TD3, | | - | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - DS3 Cross-Connects | | | UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3, ULD12, ULD48, | PE1P3 | 14.21 | 20.94 | 15.23 | 7.39 | 5.93 | | | | | | |
| | | | | U1TO3, U1T12, U1T48, UDLO3, | | | | | | | | | | | | |
| | Physical Collocation - 2-Fiber Cross-Connect | | | UDL12, UDF | PE1F2 | 2.82 | 20.94 | 15.23 | 7.40 | 5.93 | | | | | | 1 |
| | Physical Collocation - 4-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F4 | 5.01 | 25.61 | 19.90 | 9.73 | 8.26 | | | | | | |
| | Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. | | | CLO | PE1BW | 219.19 | | | | 55 | | | | | | |
| | Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. | | | CLO | PE1CW | 21.50 | | | | | | | | | | |
| | Physical Collocation - Security Access System - Security System per Central Office | | | CLO | PE1AX | 74.72 | | | | | | | | | | |
| | Physical Collocation - Security Access System - New Access Card Activation, per Card | | | CLO | PE1A1 | 0.0601 | 27.85 | 27.85 | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.81 | 7.81 | | | | | | | | |
| | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.83 | 22.83 | | | | | | | | Ĭ |
| | Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | | 13.13 | 13.13 | | | | | | | | |
| | Physical Collocation - Security Access - Key, Replace Lost or | | | | | | | | | | | | | | | |
| | Stolen Key, per Key | | | CLO | PE1AL | | 13.13 | 13.13 | | | | | | | | |
| | Physical Collocation - Space Availability Report per premises | | | CLO | PE1SR | | 1,077.57 | 1,077.57 | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX | PE1PE | 0.085 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX | PE1PF | 0.1701 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect | | | UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, | PE1PG | 1.20 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect | | | UNLD3, UDL, UDLSX | PE1PH | 10.71 | | | | | | | | | | <u> </u> |

| CATEGORY RATE ELEMENTS Interi m | LLOCATION | - South Carolina | | | | | | | | | | | Attach | ment: 4 | Exhi | bit: B |
|--|-----------|--|------|---|--------|--------|--------|--------|--------------|--|-------------------|-----------------------|--|--|---|--|
| POT Bay Arrangements prior to 61/89 - 2-Fiber Cross Cornect, per cross-cornect services and control of the co | | | Zone | BCS | USOC | | | | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| Print Add Print Add Print Add Print Add Solida | | | | | | Rec | | | | | | | | | | |
| POT Bay Arrangements prior to 6190 - 2-Rear Cross-Contect. POT Bay Arrangements prior to 6190 - 2-Rear Cross-Contect. POT Bay Arrangements prior to 6190 - 2-Rear Cross-Contect. POT Bay Arrangements prior to 6190 - 4-Rear Cross-Contect. POT Ba | | | | | | 1130 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DC_UAL_URL_UCCU EQ.CLU_UDCO.3 ULDOS UL | | | | DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B2 | 36.55 | | | | | | | | | | |
| OLJ Norrecurring Collocation Cable Records - VGISSO Cable, per OLO PETCR 77.71 Norrecurring Collocation Cable Records - VGISSO Cable, per OLO PETCR 77.71 Norrecurring Collocation Cable Records - VGISSO Cable, per OLO PETCR Norrecurring Collocation Cable Records - VGISSO Cable, per OLO PETCR Norrecurring Collocation Cable Records - VGISSO Cable, per OLO PETCR Norrecurring Collocation Cable Records - USISS per TITIE OLO PETCR | per | cross-connect | | DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, | PE1B4 | 49.29 | | | | | | | | | | |
| Nonrecurring Collocation Cable Records - per request CLO PETCD 327.85 327.65 189.64 189.54 189. | | | | 0.0 | DE 400 | | | | | | | | | | | |
| Nonrecurring Collocation Cable Records - VCIDSO Cable, per CLO | | | | | | | | 400.00 | 122.00 | 122.00 | 1 | | | | | |
| Color PETCO 377.65 189.54 189 | | | | CLO | PETCR | | 760.98 | 489.20 | 133.29 | 133.29 | | | | | | |
| Seach 100 pair CLO PETCO 4.82 4.82 5.91 5.91 Nonnecuring Collocation Cable Records - DS1, per T1TIE CLO PETC1 2.26 2.26 2.27 2.27 2.77 | cab | ole record | | CLO | PE1CD | | 327.65 | 327.65 | 189.54 | 189.54 | | | | | | |
| Nonrecuring Collocation Cable Records - DS1, per T1TE | | | | CLO | PE1CO | | 4 82 | 4 82 | 5 91 | 5 91 | | | | | | |
| Nonrecurring Collocation Cable Records - Fiber Cabible, per 99 CLO PETG3 7.90 7.90 9.68 9.68 Nonrecurring Collocation - Cable Records - Fiber Cabible, per 99 CLO PETGB 84.68 84.68 77.30 77.30 77.30 Private Callocation - Security Escort - Basic, per Half Hour CLO,CLORS PETGT 16.96 10.75 Physical Collocation - Security Escort - Overtime, per Half Hour CLO,CLORS PETGT 16.96 10.75 Physical Collocation - Security Escort - Overtime, per Half Hour CLO,CLORS PETGT 22.10 13.89 Physical Collocation - Security Escort - Overtime, per Half Hour CLO,CLORS PETGT 22.10 13.89 Physical Collocation - Security Escort - Overtime, per Half Hour CLO,CLORS PETGT 27.23 17.02 PETGT 27.20 PETGT 2 | | | | | | | | | | | | | | | | |
| The records | | | | | | | | | | | | | | | | |
| Physical Collocation - Security Escort - Basic, per Half Hour CLO, CLORS PE18T 16,96 10,75 | | | | | | | | | | | | | | | | |
| Physical Collocation - Security Escort - Overtime, per Half Hour CLO, CLORS PE10T 22.10 13.89 | | | | | | | | | 77.30 | 77.30 | | | | | | |
| Physical Collocation - Security Escort - Premium, per Half Hour CLO,CLORS PE1PT 27.23 17.02 | Phy | ysical Collocation - Security Escort - Basic, per Half Hour | | CLO,CLORS | PE1BT | | 16.96 | 10.75 | | | | | | | | |
| Vi to P Conversion, Per Customer Request-Voice Grade CLO PE1BV 33.00 | Phy | ysical Collocation - Security Escort - Overtime, per Half Hour | | CLO,CLORS | PE1OT | | 22.10 | 13.89 | | | | | | | | |
| Vi to P Conversion, Per Customer Request-Voice Grade CLO PE1BV 33.00 | Phy | veical Collocation - Security Escort - Premium, per Half Hour | | CLOCLORS | DF1DT | | 27 23 | 17.02 | | | | | | | | |
| Vit D Conversion, Per Customer Request-DS1 | | | | | | | | 17.02 | | | | | | | | |
| Vit o P Conversion, Per Customer Request-DS3 | | | | | | | | | | | | | | | | |
| V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured CLO PE1BP 23.00 | | | | | | | | | | | | | | | | |
| Reconfigured | | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| Vi D P Conversion, Per Customer Request per DS1 Circuit Reconfigured CLO PE1BS 33.00 | | | | | | | | | | | | | | | | |
| Reconfigured | | | | CLO | PE1BP | | 23.00 | | - | - | | | | | | |
| V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured CLO PE1BE 37.00 | | | | CLO | DE1D0 | | 22.00 | | | | | | | | | |
| Reconfigured CLO PE1BE 37.00 | | | | CLO | FLIDO | | 33.00 | | | | | 1 | | | | |
| Vt D P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof prs or fracti | | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| prs or fraction thereof | | | | | | | 000 | | 1 | İ | | | | | | |
| Support Structure, per cable, per linear ft. | prs | or fraction thereof | | CLO | PE1B7 | | 592.00 | | <u> </u> | <u> </u> | | <u> </u> | <u> </u> | <u> </u> | <u> </u> | <u></u> |
| Cable Support Structure, per cable, per lin. ft. | Sup | oport Structure, per cable, per linear ft. | | CLO,UDF | PE1ES | 0.001 | | | | | | | | | | |
| Physical Collocation - Co-Carrier Cross Connects Only - Application Fee, per application CLO PE1DT 584.42 S84.42 S84.42 S84.42 S84.42 S84.42 S84.42 S84.42 S84.42 S84.42 S84.42 S84.42 S84.42 S84.42 S84.42 S84.42 S84.42 S84.42 | | | | | | | | | | | | | | | | |
| Application Fee, per application | | | | CLO, UE3, USL | PE1DS | 0.0015 | | | | | | | | | | |
| Adjacent Collocation - Space Charge per Sq. Ft. CLOAC PE1JA 0.0939 CLOAC PE1JA 0.0939 CLOAC PE1JA 0.0939 CLOAC PE1JA 0.0939 CLOAC PE1JA 0.0939 CLOAC PE1JC 6.40 CLOAC PE1JC 6.40 CLOAC PE1JC | | | | CLO | DE1DT | | E04 40 | | 1 | | | | | | | |
| Adjacent Collocation - Space Charge per Sq. Ft. CLOAC PE1JA 0.0939 | | | | OLU | FEIVI | | 384.42 | | + | 1 | } | | | | | |
| Adjacent Collocation - Electrical Facility Charge per Linear Ft. CLOAC PE1JC 6.40 | | | | CLOAC | PE1JA | 0.0939 | | | - | | 1 | | | | | |
| Adjacent Collocation - 2-Wire Cross-Connects CLOAC PE1P2 0.0264 12.32 11.83 6.04 5.45 | | | | | | | | | | | | | 1 | | | |
| Adjacent Collocation - 4-Wire Cross-Connects CLOAC PE1P4 0.0527 12.42 11.90 6.40 5.74 | | | | CLOAC | | | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| Adjacent Collocation - DS1 Cross-Connects USL,CLOAC PE1P1 1.03 22.08 15.96 6.42 5.80 | | | | CLOAC | | | | | | | | | | | | |
| Adjacent Collocation - 2-Fiber Cross-Connect CLOAC PE1F2 2.37 20.94 15.23 7.40 5.93 | Adja | acent Collocation - DS1 Cross-Connects | | USL,CLOAC | PE1P1 | 1.03 | 22.08 | 15.96 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| Adjacent Collocation - 4-Fiber Cross-Connect CLOAC PE1F4 4.53 25.61 19.90 9.73 8.26 | | | | | | | | | | | | | | ļ | ļ | |
| Adjacent Collocation - Application Fee CLOAC PE1JB 1,580.20 | | | | | | 4.53 | | 19.90 | 9.73 | 8.26 | | | | | | |

| COLLOC | ATI | ON - South Carolina | | | | | | | | | | | | Attach | ment: 4 | Exhi | bit: B |
|--|------|---|----------|----------|-----------------------|---------------|-------------------|----------------|------------|--------------|----------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | | | Manual Svc | Manual Svc |
| CATEGOR | v | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | | | | | |
| CATEGOR | • | KATE ELEMENTO | m | 20116 | B00 | 0000 | | | IXATEO (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonrec | | Nonrecurring | Diagrams | | | 000 | Rates (\$) | | |
| <u> </u> | | | | | | | Rec | | | | | 001150 | 001111 | | | 0011411 | 0011411 |
| | | A l'accest Ocilianos's a 4000 / O'colo Diagon Oceania De con Data | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Adjacent Collocation - 120V, Single Phase Standby Power Rate | | | 0.010 | 55.55 | | | | | | | | | | | |
| | | per AC Breaker Amp | | | CLOAC | PE1FB | 5.67 | | | | | | | | | | |
| | | Adjacent Collocation - 240V, Single Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | | per AC Breaker Amp | | | CLOAC | PE1FD | 11.36 | | | | | | | | | | |
| | | Adjacent Collocation - 120V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | | per AC Breaker Amp | | | CLOAC | PE1FE | 17.03 | | | | | | | | | | |
| | | Adjacent Collocation - 277V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | | per AC Breaker Amp | | | CLOAC | PE1FG | 39.33 | | | | | | | | | | |
| PHYSICAL | COL | LOCATION IN THE REMOTE SITE | | | | | | | | | | | | | | | |
| | | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 308.38 | 308.38 | 168.60 | 168.60 | | | | | | |
| | | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 246.44 | | | | | | | | | | |
| | | <u> </u> | | | | | İ | | | | | | | | | | |
| | | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 13.13 | 13.13 | | | | | | | | |
| | | Physical Collocation in the Remote Site - Space Availability | | i – | İ | 1 | † † | | | | | İ | İ | İ | 1 | | |
| | | Report per Premises Requested | | | CLORS | PE1SR | | 116.13 | 116.13 | | | | | | | | |
| | | Physical Collocation in the Remote Site - Remote Site CLLI | | 1 | CLOIKO | LION | | 110.10 | 110.10 | | | | | | | | |
| | | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 37.64 | 37.64 | | | | | | | | |
| | | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 234.50 | 37.04 | | | | | | - | | |
| BHASICVI | COL | LOCATION IN THE REMOTE SITE - ADJACENT | | | CLORG | FLIKK | - | 234.30 | | | | | | | - | | |
| PHISICAL | COL | LOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | |
| | | D | | | 01.000 | DE 4 D O | 0.07 | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | If Security Escort and/or Add'I Engineering Fees become nec | essary 1 | for rem | ote site collocation, | the Parties v | will negotiate ap | propriate rate | s. | | | | | | | | |
| VIRTUAL (| COLL | | | | | | | | | | | | | | | | |
| | | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 1,207.95 | 1,207.95 | 0.51 | 0.51 | | 15.69 | | | | |
| | | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 794.22 | 794.22 | 22.54 | 22.54 | | 15.69 | | | | |
| | | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.95 | | | | | | | | | | |
| | | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 9.19 | | | | | | | | | | |
| | | Virtual Collocation - Cable Support Structure, per entrance | | | | | | | | | | | | | | | |
| | | cable | | | AMTFS | ESPSX | 18.66 | | | | | | | | | | |
| | | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | | EQ, AMTFS, UDL, | | | | | | | İ | İ | Ì | | | |
| 1 1 | | | | | UNCVX. UNCDX. | | 1 | | | | | | | | | | |
| 1 1 | | Virtual Collocation - 2-wire Cross Connects (loop) | | | UNCNX | UEAC2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | İ | 15.69 | Ì | | | |
| | | Tital Concession E wile Group Controlle (100p) | | ! | 5517/ | 02/102 | 0.0017 | 12.02 | 11.00 | 5.04 | 0.40 | | 10.00 | | | | |
| | | | | | UEA,UHL,UCL,UDL, | | | | | | | 1 | 1 | | | | |
| 1 1 | | | | | AMTFS, UAL, UDN, | | 1 | | | | | | | | | | |
| | | Virtual Collegation A wire Cross Connects (Icon) | | | UNCVX, UNCDX | UEAC4 | 0.0634 | 12.42 | 11.90 | 6.40 | 5.74 | l | 15.69 | Ì | | | |
| \vdash | | Virtual Collocation - 4-wire Cross Connects (loop) | | 1 | | UEAU4 | 0.0634 | 12.42 | 11.90 | 0.40 | 5.74 | | 15.69 | | - | | |
| 1 1 | | | | | AMTFS,UDL12, | | | | | | | 1 | 1 | | | | |
| 1 1 | | | | | UDLO3, U1T48, | | 1 | | | | | I | I | 1 | 1 | | |
| | | | | | U1T12, U1T03, | | | | | | | 1 | 1 | | | | |
| | | | | | ULDO3, ULD12, | | | | | | | 1 | 1 | | | | |
| | | Virtual Collocation - 2-Fiber Cross Connects | | | ULD48, UDF | CNC2F | 2.86 | 20.94 | 15.23 | 7.40 | 5.93 | ļ | 15.69 | | | | |
| | | | | | AMTFS,UDL12, | | | | | | | İ | İ | Ì | | | |
| 1 1 | | | | | UDLO3, U1T48, | | | | | | | İ | İ | Ì | | | |
| 1 1 | | | | | U1T12, U1T03, | | 1 | | | | | | | | | | |
| 1 1 | | | | | ULDO3, ULD12, | | 1 | | | | | | | | | | |
| 1 1 | | Virtual Collocation - 4-Fiber Cross Connects | | | ULD48, UDF | CNC4F | 5.71 | 25.61 | 19.90 | 9.73 | 8.26 | İ | 15.69 | Ì | | | |
| | | | | | USL,ULC,AMTFS, | | 1 | | | | | | | | | | |
| 1 1 | | | | | ULR, UXTD1, | | | | | | | İ | İ | Ì | | | |
| | | | | | UNC1X, ULDD1, | | 1 | | | | | | | | | | |
| 1 1 | | Virtual collocation - Special Access & UNE,cross-connect per | | | U1TD1, USLEL, | | | | | | | İ | İ | Ì | | | |
| | | DS1 | | | UNLD1 | CNC1X | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | İ | 15.69 | Ì | | | |
| | | PO. | | | 10.1201 | U.1017 | 1.12 | 22.00 | 10.00 | 0.72 | 0.00 | l . | 10.00 | ı | 1 | | |

| COLLOCAT | ION - South Carolina | | | | | | | | | | | | | ment: 4 | Exhi | bit: B |
|-----------|---|-------------|------|---|-------|--------|--------|------------|--------------|------------|---|-----------|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual So Order vs Electronic Disc Add |
| | | | | | | _ 1 | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | ı | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual collocation - Special Access & UNE, cross-connect per DS3 | | | USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 14.21 | 20.94 | 15.23 | 7.39 | 5.93 | | 15.69 | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0022 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | |
| | Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0033 | | | | | | | | | | 1 |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | | | | | | | | | | | | |
| | Support Structure,per cable | | | AMTFS | VE1CC | | 536.56 | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | |
| | Cable Support Structure, per cable | | | AMTFS | VE1CE | | 536.56 | | | | | | | | | |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 760.98 | 489.20 | 133.29 | 133.29 | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | | | | | | | | | | | | | |
| | record | | | AMTFS | VE1BB | | 327.65 | 327.65 | 189.54 | 189.54 | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 4.82 | 4.82 | 5.91 | 5.91 | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 2.26 | 2.26 | 2.77 | 2.77 | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 7.90 | 7.90 | 9.68 | 9.68 | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | | | | | | | | | | | | | | |
| | records | | | AMTFS | VE1BF | | 84.68 | 84.68 | 77.30 | 77.30 | | | | | | |
| | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 16.96 | 10.75 | | | | 15.69 | | | | |
| | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 22.10 | 13.89 | | | | 15.69 | | | | |
| | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 27.23 | 17.02 | | | | 15.69 | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 27.99 | 10.75 | | | | 15.69 | | | | <u> </u> |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 36.56 | 13.89 | | | | 15.69 | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 45.12 | 17.02 | | | | 15.69 | | | | |
| RTUAL COL | | | | | | | | | | | | | | | | <u></u> |
| | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res | | | UEPSR | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | | | UEPSX | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1 | | | UEPEX | VE1R4 | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | 15.69 | | | | |
| | Rates displaying an "R" in Interim column are interim and sub | ioot to | | | | | | .0.00 | U.72 | 5.00 | | .0.00 | | 1 | 1 | |

| COLL | OCATI | ON - Tennessee | | | | | | | | | | | | Attach | ment: 4 | Exhi | bit: B |
|-------|--------|---|-------------|----------|---|----------------|--------|-----------------------|------------|-----------------------|---------------------|---|---|-------------------------|-------------------------|--|---|
| CATEC | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | <u> </u> | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates (\$) | SOMAN | SOMAN |
| | | | | | | | | FIRST | Add I | FIRST | Addi | SOWIEC | SUMAN | SUMAN | SOMAN | SUMAN | SUMAN |
| PHYSI | CAL CO | LLOCATION | | | | | | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res | | | UEPSR | PE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus | | | UEPSP | PE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res | | | UEPSE | PE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus | | | UEPSB | PE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPSX | PE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Port 4- | | | UEPTX | PE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Wire ISDN DS1 | | | UEPEX | PE1R4 | 0.50 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| PHYSI | CAL CO | LLOCATION | | | | | | | | | | | | | | | |
| | | Physical Collocation - Cageless - Application Fee | L | | CLO | PE1CH | | 2,633.00 | 2,633.00 | | | | | | | | |
| | | Physical Collocation Administrative Only - Application Fee Physical Collocation - Space Preparation - C.O. Modification per | | | CLO | PE1BL | 2.74 | 743.25 | | | | | | | | | |
| | | square ft. Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless | <u> </u> | | CLO | PE1SK PE1SL | 2.74 | | | | | | | | | | |
| | | Physical Collocation - Space Preparation - Common Systems Modification per Cage | | | CLO | PE1SM | 100.14 | | | | | | | | | | |
| | | Physical Collocation - Cageless - Cable Installation Cost, per cable | | | CLO | PE1ZA | 100.14 | 1,749.00 | 1,749.00 | | | | | | | | |
| | | Physical Collocation - Cageless - Floor Space, per sq. ft. | | | CLO | PE1ZB | 3.91 | 1,7 10.00 | 1,1 10.00 | | | | | | | | |
| | | Physical Collocation - Floor Space per Sq. Ft. | I | | CLO | PE1PJ | 5.94 | | | | | | | | | | |
| | | Physical Collocation - Cageless - Cable Support Structure | | | CLO | PE1CJ | 17.87 | | | | | | | | | | |
| | | Physical Collocation - Cable Support Structure, Per Entrance Cable | I | | CLO | PE1PM | 19.80 | | | | | | | | | | |
| | | Physical Collocation - Cageless - Floor Space Power, per Fused Amp | | | CLO | PE1ZC | 6.79 | | | | | | | | | | |
| | | Physical Collocation - Power -48V DC Power, per Fused Amp | | | CLO | PE1PL | 8.87 | 1 | | | | | | 1 | | | |
| | | Physical Collocation - Power Reduction, Application Fee | i | | CLO | PE1PR | 5.07 | 400.10 | | | | | | | | | |
| | | Physical Collocation - 120V, Single Phase Standby Power Rate | Į | | CLO | PE1FB | 5.60 | | | | | | | | | | |
| | | Physical Collocation - 240V, Single Phase Standby Power Rate | ı | | CLO | PE1FD | 11.22 | | | | | | | | | | |
| | | Physical Collocation - 120V, Three Phase Standby Power Rate | ı | | CLO | PE1FE | 16.82 | | | | | | | | | | |
| | | Physical Collocation - 277V, Three Phase Standby Power Rate | I | | CLO | PE1FG | 38.84 | | | | | | | | | | |
| | | | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, | | | | | | | | | | | | |
| | | Physical Collocation - 2-Wire Cross-Connects | I | | UNLDX, UNCNX CLO, UAL, UDL, | PE1P2 | 0.033 | 33.82 | 31.92 | | | | | | | | |
| | | Physical Collocation - 4-Wire Cross-Connects | | | UDN, UEA, UHL, UNCVX, UNCDX, UCL | PE1P4 | 0.066 | 33.94 | 31.95 | | | | | | | | |
| | | Physical Collocation - DS1 Cross-Connects | 1 | | CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL | | 1.51 | 53.27 | 40.16 | | | | | | | | |

| COLI | OCATI | ON - Tennessee | | | | | | | | | | | | Attach | ment: 4 | Exhi | hit: D |
|----------|--------|---|-----------------|----------|------------------------------|----------|--------|--------------|------------|--------------|------------|--|-----------|-------------|-------------|-------------|-------------|
| COLI | LOCATI | l Telliessee | 1 | 1 1 | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | Elec | | | | | |
| OA.L | | KATE EEEMENTO | m | 20.10 | 200 | 0000 | | | π. Ευ (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ 1 | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | (| CLO, UE3,U1TD3, | | | | | | | | | | | | |
| | | | | l l | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | l | UNC3X, UNCSX, | | | | | | | | | | | | |
| | | | | l | ULDD3, | | | | | | | | | | | | |
| | | | | | U1TS1,ULDS1, | | | | | | | | | | | | |
| | | Physical Collocation - DS3 Cross-Connects | - 1 | | UNLD3, UDL | PE1P3 | 19.26 | 52.37 | 38.89 | | | | | | | | |
| | | | | | CLO, ULDO3, | | | | | | | | | | | | |
| | | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | | | | | U1TO3, U1T12, | | | | | | | | | | | | |
| | | | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | | Physical Collocation - 2-Fiber Cross-Connect | ı | | UDL12, UDF | PE1F2 | 15.64 | 41.56 | 29.82 | 12.96 | 10.34 | | | 2.69 | 2.69 | 1.56 | 1.56 |
| 1 | | | l | | CLO, ULDO3, | | | | | | | | | | 1 | | |
| 1 | | | l | | ULD12, ULD48, | | | | | | | | | | | | |
| | | | | | U1TO3, U1T12, | | | | | | | | | | | | |
| | | | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | | Physical Collocation - Cageless - 2-Fiber Cross-Connect | | | UDL12, UDF | PE1CK | 3.03 | 41.56 | 29.82 | 12.96 | 10.34 | | | | | | |
| | | | | | CLO, ULDO3, | | | | | | | | | | | | |
| | | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | | | | | U1TO3, U1T12, | | | | | | | | | | | | |
| | | District College in A Files Course | ١. | | U1T48, UDLO3, | DE4E4 | 00.44 | 50.50 | 00.70 | 40.07 | 44.05 | | | 0.00 | 0.00 | 4.50 | 4.50 |
| | | Physical Collocation - 4-Fiber Cross-Connect | | | UDL12, UDF | PE1F4 | 28.11 | 50.53 | 38.78 | 16.97 | 14.35 | ļ | | 2.69 | 2.69 | 1.56 | 1.56 |
| | | | | | CLO, ULDO3, ULD12, ULD48, | | | | | | | | | | | | |
| | | | | | U1TO3, U1T12, | | | | | | | | | | | | |
| | | | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | | Physical Collocation - Cageless - 4-Fiber Cross-Connect | | | UDL12, UDF | PE1CL | 6.06 | 50.53 | 38.78 | 16.97 | 14.35 | | | | | | |
| | | Physical Collocation - Velded Wire Cage - First 100 Sq. Ft. | | | CLO | PE1BW | 218.53 | 30.33 | 30.70 | 10.37 | 14.55 | | | | | | |
| | | Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. | i i | | CLO | PE1CW | 21.44 | | | | | | | | | | |
| | | Physical Collocation - Security Access System - Security System | | 1 | 020 | | | | | | | | | | | | |
| | | per Central Office | l i | | CLO | PE1AX | 55.99 | | | | | | | | | | |
| | | Physical Collocation - Security Access System - New Access | | | | | | | | | | | | | | | |
| | | Card Activation, per Card | 1 | | CLO | PE1A1 | 0.059 | 55.67 | 55.67 | | | | | | | | |
| | | Physical Collocation - Space Availability Report per premises | | (| CLO | PE1SR | | 2,027.00 | 2,154.00 | | | | | | | | |
| | | | | l | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | | l | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | | EQ,CLO,UDL, | | | | | | | | | | | | |
| | | POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | | per cross-connect | - 1 | | UNCNX | PE1PE | 0.40 | | | | | | | |] | | |
| 1 | | | l | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | | l | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, | | | EQ,CLO, USL, | | | | | | | | | | | | |
| | | per cross-connect | | | UNCVX, UNCDX | PE1PF | 1.20 | | | | | | | | | | |
| | | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | | EQ,CLO,WDS1L,W | | | | | | | | | | | | |
| | | | | | DS1S, USL, U1TD1, | | | | | | | | | | | | |
| | | DOT D. A | | | UXTD1, UNC1X, | | | | | | | | | | | | |
| | | POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, | ١., | | ULDD1, USLEL, UNLD1 | PE1PG | 1.20 | | | | | | | | | | |
| - | + | per cross-connect | - '- | | UEANL,UEA,UDN,U | FEIFG | 1.20 | | | | | | | | - | | |
| 1 | | | l | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| 1 | | | l | | EQ,CLO,UE3, | | | | | | | | | | Ì | | |
| 1 | | | l | | EQ,CLO,UE3, U1TD3, UXTD3, | | | | | | | | | | Ì | | |
| 1 | | | l | | UXTS1, UNC3X, | | | | | | | | | | Ì | | |
| 1 | | | l | | UNCSX, ULDD3, | | | | | | | | | | Ì | | |
| 1 | | | l | | U1TS1, ULDS1, | | | | | | | | | | | | |
| 1 | | POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, | l | | UNLD3, UDL, | | | | | | | | | | 1 | | |
| 1 | | per cross-connect | l , | | UDLSX | PE1PH | 8.00 | | | | | | | | Ì | | |
| | 1 | Por oroso connoci | | <u> </u> | 0220A | p = 0 11 | 0.00 | | | l . | l | 1 | 1 | l | | | |

| COLLOCAT | ION - Tennessee | | | | | | | | | | | | Attachi | ment: 4 | Exhi | bit: B |
|----------|---|-------------|------|--|----------------|----------|----------------|------------|--------------|-------|-------|-----------------------|---|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted Manually | Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, Per Cross-Connect | | | | PE1B2 | 38.79 | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect | | | UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B4 | 52.31 | | | | | | | | | | |
| | Physical Collocation - Request Resend of CFA Information, per CLLI | | | CLO | PE1C9 | | 77.67 | | | | | | | | | |
| | Nonrecurring Collocation Cable Records - per request | | | | PE1C9 PE1CR | | 1,711.00 | | | | | | | | | |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record | I | | CLO | PE1CD | | 925.06 | | | | | | | | | |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 18.05 | 18.05 | | | | | | | | |
| | Nonrecurring Collocation Cable Records - DS1, per T1TIE | i | | CLO | PE1C1 | | 8.45 | 8.45 | | | | | | | | |
| | Nonrecurring Collocation Cable Records - DS3, per T3TIE | | | CLO | PE1C3 | | 29.57 | 29.57 | | | | | | | | |
| | Nonrecurring Collocation Cable Records - Fiber Cable, per 99 fiber records Physcial Collocation - Cageless - Security Escort - Basic, per | ı | | CLO | PE1CB | | 279.42 | 279.42 | | | | | | | | |
| | Half Hour Physical Collocation - Cageless - Security Escort - Dasic, per Physical Collocation - Cageless - Security Escort - Overtime, per | | | CLO | PE1ZM | | 33.15 | 20.44 | | | | | | | | |
| | Physical Collocation - Cageless - Security Escort - Overame, per Physical Collocation - Cageless - Security Escort - Premium, per | | | CLO | PE1ZN | | 41.50 | 25.61 | | | | | | | | |
| | Half Hour | | | CLO | PE1ZO | | 49.86 | 30.79 | | | | | | | | |
| | V to P Conversion, Per Customer Request-Voice Grade | - | | | PE1BV | | 33.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request-DS0 | | | | PE1BO | | 33.00 | | | | | | | | | |
| - | V to P Conversion, Per Customer Request-DS1 V to P Conversion, Per Customer request-DS3 | | | | PE1B1 PE1B3 | <u> </u> | 52.00 52.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per VG Circuit | - | | | I LIDS | | 32.00 | | | | | | | | | |
| | Reconfigured V to P Conversion, Per Customer Request per DS0 Circuit | I | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Reconfigured | 1 | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured | ı | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured | ı | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof | ı | | CLO | PE1B7 | | 592.00 | | | | | | | | | |
| | Physical Caged Collocation-App Cost(initial & sub)-Planning, per request | | | CLO | PE1AC | 16.16 | 2,903.66 | 2,903.66 | | | | | | | | |
| | Physical Caged Collocation-Space Prep-Grounding, per location | | | CLO | PE1BB | 4.32 | | | | | | | | | | |
| | Physical Caged Collocation-Space Prep-Power Delivery, per 40 amp Feed | | | CLO | PE1SN | | 142.40 | | | | | | | | | |
| | Physical Caged Collocation-Space Prep-Power Delivery, per 100 amp Feed | | | CLO | PE1SO | | 185.72 | | | | | | | | | |
| | Physical Caged Collocation-Space Prep-Power Delivery, per 200 amp Feed | | | CLO | PE1SP | | 242.05 | | | | | | | | | |
| | Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq. ft. | | | CLO | PE1S1 | 110.97 | | | | | | | | | | |
| | Phycical Caged Collocation-Space Enclosure-Cage Preparation2, per add'l 50 sq. ft. | | | CLO | PE1S5 | 55.49 | | | | | | | | | | |

| COLLOCAT | ION - Tennessee | | | | | | | | | | | | Attach | ment: 4 | Exhi | bit: B |
|--|---|-------------|------|---------------------------|-------|--------------|--------------|------------|-------|--------------|---|-----------------------|--------------|-------------------------|-------------------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted Manually | Incremental | Incremental Charge - | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | | g Disconnect | | 1 | | Rates (\$) | I | I |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct per ft. | | | CLO | PE1CP | 0.0156 | | | | | | | | | | |
| | Phycical Caged Collocation-Cable Installation-Entrance Fiber, | | | CLO | PEICP | 0.0156 | | | | | 1 | | | | | |
| | per cable | | | CLO | PE1CQ | 2.56 | 944.27 | | | | | | | | | |
| | Physical Caged Collocation-Floor Space-Land & Buildings, per sq. ft. | | | CLO | PE1FS | 5.94 | | | | | | | | | | |
| | Physical Caged Collocation-Cable Support Structure-Cable | | | CLO | PE1CS | 21.47 | | | | | | | | | | |
| | Racking, per entrance cable Physical Caged Collocation-Power-Power Construction, per amp | | | CLO | PETCS | 21.47 | | | | | | | - | | | |
| | DC plant | | | CLO | PE1PN | 3.55 | | | | | | | | | | |
| | Physical Caged Collocation-Power-Power Consumption,per amp AC usage | | | CLO | PE1PO | 2.03 | | | | | | | | | | |
| | Physical Caged Collocation-2-wire Cross Connects-Voice Grade ckts, per ckt. | | | CLO | PE12C | 0.0475 | 7.68 | | | | | | | | | |
| | Physical Caged Collocation-4-wire Cross Connects-Voice Grade Ckts, per ckt. | | | CLO | PE14C | 0.0475 | 7.68 | | | | | | | | | |
| | Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt. | | | CLO | PE11S | 7.68 | 41.65 | | | | | | | | | |
| | Physical Caged Collocation-DS1 Cross Connects-Connection to | | | | | | 41.03 | | | | | | | | | |
| | DSX, per ckt. Physical Caged Collocation-DS3 Cross Connects-Connection to | | | CLO | PE11X | 0.38 | 41.65 | | | | | - | | | | |
| | DCS, per ckt. Physical Caged Collocation-DS3 Cross Connects-Connection to | | | CLO | PE13S | 53.96 | 298.03 | | | | | | | | | |
| | DSX, per ckt. | | | CLO | PE13X | 9.32 | 298.03 | | | | | | | | | |
| | Physical Caged Collocation-Security Access-Access Cards, per 5 Cards | | | CLO | PE1A2 | | 76.10 | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft. | | | CLO,UDF | PE1ES | 0.0013 | | | | | | | | | | |
| | Physical Collocation - Cageless - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft. | | | CLO | PE1ZH | 0.0031 | | | | | | | | | | |
| | Physical Collocation - Cageless - Co-Carrier Cross Connects- | | | CLO | PE1ZK | 0.0001 | 555.00 | | | | | | | | | |
| | Fiber Cable Support Structure, per cable Physical Collocation - Co-Carrier Cross Connects - Copper/Coax | | | CLO | PEIZK | | 555.03 | | | | | | | | | |
| | Cable Support Structure, per cable, per lin. ft. | | | CLO | PE1DS | 0.0019 | | | | | | | | | | |
| | Physical Collocation - Cageless - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft. | | | CLO | PE1ZJ | 0.0045 | | | | | | | | | | |
| | Physical Collocation - Cageless - Co-Carrier Cross Connects - | | | CLO | | | EEE 00 | | | | | | | | | |
| | Copper/Coax Cable Support Structure, per cable Physical Collocation - Co-Carrier Cross Connects Only - | | | CLU | PE1ZL | | 555.03 | | 1 | | | - | | | | |
| | Application Fee, per application | | | CLO | PE1DT | | 585.09 | | | | <u> </u> | | | | | |
| ADJACENT CO | DLLOCATION | | | _ | | | _ | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0656 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.53 0.34 | 11.40 | 10.40 | 11.00 | 10.00 | 1 | ļ | 1.77 | 1.77 | 1.12 | 1.40 |
| \vdash | Adjacent Collocation - 2-Wire Cross-Connects | | | CLOAC UEA,UHL,UDL,UCL, | PE1P2 | 0.34 | 11.12 | 10.18 | 11.33 | 10.23 | - | - | 1.// | 1.// | 1.12 | 1.12 |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | CLOAC | PE1P4 | 0.33 | 11.30 | 10.31 | 11.62 | 10.44 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL,CLOAC | PE1P1 | 1.70 | 28.39 | 16.88 | 11.65 | 10.54 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | Adjacent Collocation - DS3 Cross-Connects | | | CLOAC | PE1P3 | 19.03 | 26.23 | 15.51 | 13.40 | 10.77 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 3.49 | 26.23 | 15.51 | 13.41 | 10.78 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 6.50 | 29.75 | 19.02 | 17.60 | 14.97 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 2,973.00 | | | | | | | | | |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FB | 5.81 | | | | | | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate | | | CLOAC | PE1FD | 11.64 | | | | | | - | - | | | |
| | per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate | | | CLOAC | PE1FE | 17.45 | | | | | | | 1 | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FG | 40.30 | | | | | | | | | | |

| COLI | OCAT | ION - Tennessee | | | | | | | | | | | | Attach | ment: 4 | Exhi | bit: B |
|----------|--|---|--|--|----------------------------------|------------------|------------------|-------------------|--|---------------|---------------------|-----------|-----------|-------------|--|-------------|-------------|
| - | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Names accoming as | | Name a coming | . Dianamant | | | 220 | Datas (ft) | | |
| | | | | | | | Rec | Nonrecurring | | | Disconnect Add'l | 201150 | SOMAN | | Rates (\$) | 001441 | SOMAN |
| DUVE | CAL CO | LLOCATION IN THE REMOTE SITE | | 1 | | | | First | Add'l | First | Addi | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| гптэ | T CAL CO | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 580.20 | | 312.76 | | | | | | | |
| | | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 220.41 | 300.20 | | 312.70 | | | | | | | |
| | 1 | Cabinet Opase in the Nemote cité per Bay, Nacion | | | OLOITO | LIND | 220.41 | | | | | | | | | | |
| | | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 24.69 | | | | | | | | | |
| | | Physical Collocation in the Remote Site - Space Availability | | | | | | | | | | | | | | | |
| | | Report per Premises Requested | | | CLORS | PE1SR | | 218.49 | | | | | | | | | |
| | | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| | | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 70.81 | | | | | | | | | |
| | | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 234.15 | | | | | | | | | |
| PHYS | CAL CO | LLOCATION IN THE REMOTE SITE - ADJACENT | ļ | <u> </u> | | | ļ | | | ļ | | | | | | | |
| 1 | 1 | Remote Cite Adjacent Collegation AC Remote and Inc. | 1 | | CLORS | DE4D0 | 0.07 | | | | | | | | 1 | | |
| 1 | 1 | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | 1 | | 1 | | | | | |
| | 1 | Pomoto Sito Adjacent Collegation - Bool Fetate - per according | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | 1 | Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation-Application Fee | | 1 | CLORS | PE1RU | 0.134 | 755.62 | 755.62 | | | - | | 1 | 1 | 1 | |
| | NOTE: | If Security Escort and/or Add'l Engineering Fees become nec | essary | or rem | | | will negotiate a | | | | | | | | | | |
| VIRTU | | LOCATION | Cooury | | ote site concounton, | life i ditties i | l licgotiate a | ppropriate rate | <u>. </u> | | | | | | | | |
| | 1 | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 2,633.00 | 2,633.00 | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 1,749.00 | 1,749.00 | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.91 | | · | | | | | | | | |
| | | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 6.79 | | | | | | | | | | |
| | | Virtual Collocation - Cable Support Structure, per entrance | | | | | | | | | | | | | | | |
| | | cable | | | AMTFS | ESPSX | 17.87 | | | | | | | | | | |
| | | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | | EQ, AMTFS, UDL, UNCVX, UNCDX, | | | | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connects (loop) | | | UNCVX, UNCDX, UNCNX | UEAC2 | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | 1 | Virtual Collocation - 2-wire Closs Conflects (100p) | | | UNCINX | ULACZ | 0.57 | 11.02 | 9.90 | 10.36 | 8.00 | | | 2.07 | 2.01 | 0.07 | 1.41 |
| | | | | | UEA,UHL,UCL,UDL, | | | | | | | | | | | | |
| | | | | | AMTFS, UAL, UDN, | | | | | | | | | | | | |
| | | Virtual Collocation - 4-wire Cross Connects (loop) | | | UNCVX, UNCDX | UEAC4 | 0.57 | 11.81 | 10.04 | 10.44 | 8.67 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | ` ', | | | AMTFS,UDL12, | | | | | | | | | | | | |
| | | | | | UDLO3, U1T48, | | | | | | | | | | | | |
| | | | | | U1T12, U1T03, | | | | | | | | | | | | |
| | | | | | ULDO3, ULD12, | | | | | | | | | | | | |
| | <u> </u> | Virtual Collocation - 2-Fiber Cross Connects | <u> </u> | | ULD48, UDF | CNC2F | 3.03 | 41.56 | 29.82 | 12.96 | 10.34 | | | 2.69 | 2.69 | 1.56 | 1.56 |
| 1 | 1 | | 1 | | AMTFS,UDL12, | | | | | | | | | | 1 | | |
| | 1 | | 1 | | UDLO3, U1T48, | | | | | | | | | | 1 | | |
| | 1 | | 1 | | U1T12, U1T03, ULDO3, ULD12, | | | | | | | | | | 1 | | |
| | 1 | Virtual Collocation - 4-Fiber Cross Connects | 1 | | ULD48, UDF | CNC4F | 6.06 | 50.53 | 38.78 | 16.97 | 14.35 | | | 2.69 | 2.69 | 1.56 | 1.56 |
| - | | VIII CONCOUNT - T-1 IDEI CIOSS CONTIECTS | | | USL,ULC,AMTFS, | CINOTI | 0.00 | 50.55 | 30.76 | 10.97 | 14.33 | | | 2.09 | 2.09 | 1.30 | 1.50 |
| | 1 | | | | ULR, UXTD1, | | | | | | | | | | | | |
| | 1 | | 1 | | UNC1X, ULDD1, | | | | | | | | | | 1 | | |
| 1 | 1 | Virtual collocation - Special Access & UNE, cross-connect per | 1 | | U1TD1, USLEL, | | | | | | | | | | 1 | | |
| <u></u> | 1 | DS1 | <u> </u> | <u> </u> | UNLD1 | CNC1X | 1.32 | 32.22 | 17.76 | 10.46 | 8.75 | <u> </u> | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | | | | USL,ULC,AMTFS,U | | | | - | | | | | |] | | |
| 1 | 1 | | 1 | | E3, U1TD3, UXTS1, | | | | | | | | | | 1 | | |
| 1 | 1 | | 1 | | UXTD3, UNC3X, | | | | | | | | | | 1 | | |
| 1 | 1 | Vistoria collection Consist Acces 9 LINE | 1 | | UNCSX, ULDD3, | | | | | | | | | | 1 | | |
| 1 | 1 | Virtual collocation - Special Acess & UNE, cross-connect per DS3 | 1 | | U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 12.32 | 29.97 | 16.30 | 12.03 | 8.99 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| - | 1 | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | UDLOA, UNLUS | CIND3X | 12.32 | 29.97 | 16.30 | 12.03 | 8.99 | - | | 2.07 | ∠.81 | 0.67 | 1.41 |
| 1 | 1 | Support Structure, per linear foot | 1 | | AMTFS | VE1CB | 0.0031 | | | | | | | | 1 | | |
| | 1 | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | 1 | | | | 0.0031 | | | 1 | | 1 | | 1 | 1 | 1 | |
| 1 | 1 | Cable Support Structure, per linear ft | 1 | | AMTFS | VE1CD | 0.0045 | | | | | | | | 1 | | |
| | | | | • | _ | | | | | | | | | | | | |

| COLLOCAT | ION - Tennessee | | | | | | | | | | | | Attach | | | bit: B |
|------------|---|-------------|----------|-------------------|-----------------|----------------|--------------|------------|--------------|------------|-------|-----------------------|--------|------------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | 1 | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 555.03 | | | | | | 2.07 | 2.81 | 0.67 | 1.4 |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 555.03 | | | | | | 2.07 | 2.81 | 0.67 | 1.4 |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 1,711.00 | | | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 925.06 | | | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 18.05 | 18.05 | | | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 8.45 | 8.45 | | | | | | | | <u> </u> |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 29.57 | 29.57 | | | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 279.42 | 279.42 | | | | | | | | |
| | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 33.15 | 20.44 | | | | | 2.07 | 2.81 | 0.67 | 1.4 |
| | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 41.50 | 25.61 | | | | | 2.07 | 2.81 | 0.67 | 1.4 |
| | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 49.86 | 30.79 | | | | | 2.07 | 2.81 | 0.67 | 1.4 |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 30.64 | 30.64 | | | | | 2.07 | 2.81 | 0.67 | 1.4 |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.77 | 35.77 | | | | | 2.07 | 2.81 | 0.67 | 1.4 |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 40.90 | 40.90 | | | | | 2.07 | 2.81 | 0.67 | 1.4 |
| IRTUAL COL | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Analog - Res Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- | | | UEPSR | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | | | UEPSX | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1 | | | UEPEX | VE1R4 | 0.50 | | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| Note: | Rates displaying an "R" in Interim column are interim and sub | ject to | rate tru | e-up as set forth | in General Tern | ns and Conditi | ons. | | | | | | | | | |

Attachment 5

Access to Numbers and Number Portability

TABLE OF CONTENTS

- 1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERSERROR! BOOKMARK NOT I
- 2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY PERMANENT SOLUTION (LNP)...... ERROR! BOOKMARK NOT DEFINED.
- 3. OPERATIONAL SUPPORT SYSTEM (OSS) RATESERROR! BOOKMARK NOT DEFINED.

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- During the term of this Agreement, where Southern Telcom is utilizing its own switch, Southern Telcom shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, Southern Telcom will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- Where BellSouth provides local switching or resold services to Southern Telcom, BellSouth will provide Southern Telcom with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Southern Telcom acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Southern Telcom acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that Southern Telcom return unused intermediate numbers to BellSouth. Southern Telcom shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 1.3 BellSouth will allow Southern Telcom to designate up to 100 intermediate telephone numbers per rate center for Southern Telcom's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Southern Telcom acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)

- 2.1 The Parties will offer Number Portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>End User Line Charge</u>. Where Southern Telcom subscribes to BellSouth's local switching, BellSouth shall bill and Southern Telcom shall pay the end user line

charge associated with implementing LNP as set forth in BellSouth's FCC Tariff No. 1. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.

- To limit service outage, BellSouth and Southern Telcom will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and Southern Telcom.
- 2.4 The Parties will set Location Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- 2.7 BellSouth and Southern Telcom will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.

3. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

3.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

| 1. | QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIRERROR! BOOK |
|----|--|
| 2. | ACCESS TO OPERATIONS SUPPORT SYSTEMS ERROR! BOOKMARK NOT DEFINED. |
| 3. | MISCELLANEOUS ERROR! BOOKMARK NOT DEFINED. |

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide pre-ordering, ordering, provisioning, and maintenance and repair services to Southern Telcom that are equivalent to the pre-ordering, ordering, provisioning, and maintenance and repair services BellSouth provides to itself or any other CLEC where technically feasible. The guidelines for pre-ordering, ordering, provisioning, and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules are found at http://www.interconnection.bellsouth.com and are incorporated herein by reference.
- 1.2 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday – 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated,
coordinated orders and order
coordinated-time specific)
Saturday - 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated orders)

- 1.2.1 The above hours represent the hours, either Eastern or Central Time, of the location where the physical work is being performed.
- 1.2.2 To the extent Southern Telcom requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or Project Manager to work outside of regular working hours, overtime billing charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or Project Manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Southern Telcom, BellSouth will not assess Southern Telcom additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

2.1 BellSouth shall provide Southern Telcom access to operations support systems ("OSS") functions for pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole

responsibility of Southern Telcom to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Southern Telcom's access and use of BellSouth's electronic interfaces are set forth at www.interconnection.bellsouth.com and are incorporated herein by reference.

- 2.1.1 Pre-Ordering. In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer record information includes customer specific information in CRIS and RSAG. Southern Telcom shall provide to BellSouth access to customer record information including circuit numbers associated with each telephone number where applicable. Southern Telcom shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Southern Telcom shall provide to BellSouth paper copies of customer record information including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.
- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Southern Telcom will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Southern Telcom's access to customer record information. If a BellSouth audit of Southern Telcom's access to customer record information reveals that Southern Telcom is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Southern Telcom may take corrective action, including but not limited to suspending or terminating Southern Telcom's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Service Ordering. BellSouth will make available the Electronic Data Interchange (EDI) interface and the TAG ordering interface for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Southern Telcom may integrate the EDI interface or the TAG ordering interface with the TAG pre-ordering interface. In addition, BellSouth will provide integrated pre-ordering and ordering capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.

- 2.1.4 Maintenance and Repair. Southern Telcom may report and monitor service troubles and obtain repair services from BellSouth via electronic interfaces. BellSouth provides several options for electronic trouble reporting. For exchange services. BellSouth will offer Southern Telcom non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth will offer an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth will provide non-discriminatory trouble reporting via the ECTA Gateway. BellSouth will provide Southern Telcom an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. Requests for trouble repair will be billed in accordance with the provisions of this Attachment. BellSouth and Southern Telcom agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.2 <u>Change Management</u>. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.3 <u>BellSouth's Versioning Policy for Electronic Interfaces.</u> BellSouth's Versioning Policy is part of the Change Control Process (CCP). Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to Southern Telcom, is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.4 <u>Rates.</u> Charges for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement and are incorporated herein by reference.

3. MISCELLANEOUS

- 3.1 <u>Pending Orders</u>. Orders placed in the hold or pending status by Southern Telcom will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, Southern Telcom shall be required to submit a new service request. Incorrect or invalid requests returned to Southern Telcom for correction or clarification will be held for thirty (30) days. If Southern Telcom does not return a corrected request within thirty (30) days, BellSouth will cancel the request.
- 3.2 <u>Single Point of Contact</u>. Southern Telcom will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Southern Telcom to provide services to its end users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with

authorization of the affected end user. Southern Telcom and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of end-user authorization will not be necessary with every request. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes, including Un-PIC. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Southern Telcom to provide service to that end user and may reuse such network elements or facilities to enable such other carrier to provide service to the end user. BellSouth will notify Southern Telcom that such a request has been processed but will not be required to notify Southern Telcom in advance of such processing.

- 3.2.1 Neither BellSouth nor Southern Telcom shall prevent or delay an end-user from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall provide access to customer service records (CSRs), Firm Order Confirmations (FOCs) and Local Service Request rejects within the intervals set forth in Attachment 9 of this Agreement.
- 3.2.3 Southern Telcom shall return a FOC to BellSouth within thirty-six (36) hours after Southern Telcom's receipt from BellSouth of a valid LSR.
- 3.2.4 Southern Telcom shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Southern Telcom elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Southern Telcom by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Southern Telcom that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier ("IXC") (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected IXCs

with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.

- 3.6 Cancellation Charges. If Southern Telcom cancels a request for network elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Southern Telcom places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements or services requested in accordance with the transmission characteristics of the network elements or services requested, cancellation charges described in this Section shall not apply. Where Southern Telcom places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Southern Telcom may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Southern Telcom elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Southern Telcom, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

Attachment 7

Billing

TABLE OF CONTENTS

| 1. | PAYMENT AND BILLING ARRANGEMENTSERROR! BOOKMARK NOT DEFINED. |
|----|---|
| 2. | BILLING DISPUTES ERROR! BOOKMARK NOT DEFINED. |
| 3. | RAO HOSTING ERROR! BOOKMARK NOT DEFINED. |
| 4. | OPTIONAL DAILY USAGE FILE ERROR! BOOKMARK NOT DEFINED. |
| 5. | ACCESS DAILY USAGE FILE ERROR! BOOKMARK NOT DEFINED. |
| 6. | ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)ERROR! BOOKMARK NOT DEFINED |
| Da | Evhibit A |

BILLING

1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- 1.1 <u>Billing</u>. BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information System (CRIS) depending on the particular service(s) provided to Southern Telcom under this Agreement. BellSouth will format all bills in Carrier Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.
- 1.1.1 For any service(s) BellSouth receives from Southern Telcom, Southern Telcom shall bill BellSouth in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month for lines on established bill days for each of Southern Telcom's accounts. If either Party requests multiple billing media or additional copies of the bills, the Billing Party will provide these at a reasonable cost.
- 1.1.4 BellSouth will bill Southern Telcom in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 For resold services, charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Southern Telcom, and Southern Telcom will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for Southern Telcom as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 1.1.6 In the event that this Agreement or an amendment to this Agreement effects a rate change to recurring rate elements that are billed in advance, Bellsouth will make an adjustment to such recurring rates billed in advance and at the previously effective

rate. The adjustment shall reflect billing at the new rates from the Effective Date of the Agreement or amendment.

- 1.2 Establishing Accounts. After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate regulatory agency, Southern Telcom will provide the appropriate BellSouth advisory team/local contract manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services, Collocation and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) for each state as assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Access Customer Name and Abbreviation (ACNA), Blanket Letter of Authorization ("LOA"), Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, Southern Telcom may not order services under a new account established in accordance with this Section 1.2 until 30 days after all information specified in this Section 1.2 is received from Southern Telcom.
- 1.2.1 OCN. If Southern Telcom needs to change its OCN(s) under which it operates when Southern Telcom has already been conducting business utilizing those OCN(s), Southern Telcom shall bear all costs incurred by BellSouth to convert Southern Telcom to the new OCN(s). OCN conversion charges include all time required to make system updates to all of Southern Telcom's end user customer records and will be handled by the BFR/NBR process.
- 1.2.2 Payment Responsibility. Payment of all charges will be the responsibility of Southern Telcom. Southern Telcom shall make payment to BellSouth for all services billed. Payments made by Southern Telcom to BellSouth as payment on account will be credited to Southern Telcom's accounts receivable master account. BellSouth will not become involved in billing disputes that may arise between Southern Telcom and Southern Telcom's customer.
- 1.3 <u>Payment Due.</u> Payment for services provided will be due on or before the next bill date and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 1.4 If the payment due date falls on a Sunday or on a Holiday that is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section **Error! Reference source not found.**, below, shall apply.

- 1.5 <u>Tax Exemption</u>. Upon BellSouth's receipt of tax exemption certificate, the total amount billed to Southern Telcom will not include those taxes or fees from which Southern Telcom is exempt. Southern Telcom will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of Southern Telcom.
- Late Payment. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, Southern Telcom may be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.
- 1.7 <u>Discontinuing Service to Southern Telcom</u>. The procedures for discontinuing service to Southern Telcom are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by Southern Telcom of the rules and regulations of BellSouth's tariffs.
- 1.7.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section Error! Reference source not found., is not received by the bill date in the month after the original bill date, BellSouth will provide written notice to Southern Telcom that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment of such amounts, and all other amounts not in dispute that become past due before refusal, incompletion or suspension, is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, provide written notice to the person designated by Southern Telcom to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to Southern Telcom if payment of such amounts, and all other amounts not in dispute that become past due before discontinuance, is not received by the thirtieth day following the date of the initial notice.
- 1.7.3 In the case of discontinuance of services, all billed charges, as well as applicable termination charges, shall become due.

- 1.7.4 Upon discontinuance of service on Southern Telcom's account, service to Southern Telcom's end users will be denied. BellSouth will reestablish service for Southern Telcom upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application procedures. Southern Telcom is solely responsible for notifying the end user of the proposed disconnection of the service. If within fifteen (15) days after Southern Telcom has been denied and no arrangements to reestablish service have been made consistent with this subsection, Southern Telcom's service will be discontinued.
- 1.8 Deposit Policy. Southern Telcom shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. Any such security deposit shall in no way release Southern Telcom from its obligation to make complete and timely payments of its bill. Southern Telcom shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in Southern Telcom's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event Southern Telcom fails to remit to BellSouth any deposit requested pursuant to this Section, service to Southern Telcom may be terminated in accordance with the terms of Section Error! Reference source not found. of this Attachment, and any security deposits will be applied to Southern Telcom's account(s). In the event Southern Telcom defaults on its account, service to Southern Telcom will be terminated and any security deposits will be applied to Southern Telcom's account.
- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from Southern Telcom, shall be forwarded to the individual and/or address provided by Southern Telcom in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Southern Telcom as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notice from Southern Telcom to BellSouth's billing organization, a final notice of disconnection of services purchased by Southern Telcom under this Agreement shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions

of this Agreement at least 30 days before BellSouth takes any action to terminate such services.

1.10 Rates. Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), Enhanced Optional Daily Usage File (EODUF) and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. BILLING DISPUTES

- 2.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. Southern Telcom shall report all billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 2.2 For purposes of this Section Error! Reference source not found., a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.
- If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge and interest, where applicable, shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date multiplied by the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports

and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for designed network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

3. RAO HOSTING

- RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Southern Telcom by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 Southern Telcom shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Charges or credits, as applicable, will be applied by BellSouth to Southern Telcom on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 3.4 Southern Telcom must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, Southern Telcom must request that BellSouth establish a unique hosted RAO code for Southern Telcom. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.5 BellSouth will receive messages from Southern Telcom that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region. Southern Telcom shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Southern Telcom.
- 3.7 All data received from Southern Telcom that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.8 All data received from Southern Telcom that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in

accordance with the agreement(s) in effect between BellSouth and its connecting contractor.

- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Southern Telcom and will forward them to Southern Telcom on a daily basis for processing.
- 3.10 Transmission of message data between BellSouth and Southern Telcom will be via CONNECT:Direct or CONNECT:Enterprise Client utilizing secure File Transfer Protocol (FTP).
- 3.10.1 Data circuits (private line or dial-up) will be required between BellSouth and Southern Telcom for the purpose of data transmission when utilizing CONNECT: Direct. Where a dedicated line is required, Southern Telcom will be responsible for ordering the circuit and coordinating the installation with BellSouth. Southern Telcom is responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Southern Telcom. Additionally, all message toll charges associated with the use of the dial circuit by Southern Telcom will be the responsibility of Southern Telcom. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the Southern Telcom end for the purpose of data transmission will be the responsibility of Southern Telcom.
- 3.10.2 If Southern Telcom utilizes CONNECT:Enterprise Client for data file transmission, purchase of the CONNECT:Enterprise Client software will be the responsibility of Southern Telcom.
- 3.11 All messages and related data exchanged between BellSouth and Southern Telcom will be formatted for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.12 Southern Telcom will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for Southern Telcom to send data to BellSouth more than sixty (60) days past the message date(s), Southern Telcom will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or Southern Telcom, where necessary, to notify all affected LECs.

- In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data. If the data cannot be retrieved, the Party responsible for losing or destroying the data will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the resolution of the amount owed, or as mutually agreed upon by the Parties.
- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from Southern Telcom, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Southern Telcom of the error. Southern Telcom will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Southern Telcom will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.16 In association with message distribution service, BellSouth will provide Southern Telcom with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.18 Intercompany Settlements Messages
- 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by Southern Telcom as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Southern Telcom and the involved company(ies), unless that company is participating in NICS.
- 3.18.2 Both traffic that originates outside the BellSouth region by Southern Telcom and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Southern Telcom, is covered by CATS. Also covered is traffic that either is originated by or billed by Southern Telcom, involves a company other than Southern Telcom, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).

- 3.18.3 Once Southern Telcom is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.
- 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of Southern Telcom. BellSouth will distribute copies of these reports to Southern Telcom on a monthly basis.
- 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of Southern Telcom. BellSouth will distribute copies of these reports to Southern Telcom on a monthly basis.
- 3.18.6 BellSouth will collect the revenue earned by Southern Telcom from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of Southern Telcom. BellSouth will remit the revenue billed by Southern Telcom to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Southern Telcom. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Southern Telcom via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 3.18.7 BellSouth will collect the revenue earned by Southern Telcom within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Southern Telcom. BellSouth will remit the revenue billed by Southern Telcom within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Southern Telcom via a monthly CABS miscellaneous bill.
- 3.18.8 BellSouth and Southern Telcom agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from Southern Telcom, BellSouth will provide the Optional Daily Usage File (ODUF) service to Southern Telcom pursuant to the terms and conditions set forth in this section.
- 4.2 Southern Telcom shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Southern Telcom customer.

4.4 Charges for the ODUF will appear on Southern Telcoms' monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. Southern Telcom will be billed at the ODUF rates that are in effect at the end of the previous month. 4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format. 4.6 Messages that error in the billing system of Southern Telcom will be the responsibility of Southern Telcom. If, however, Southern Telcom should encounter significant volumes of errored messages that prevent processing by Southern Telcom within its systems, BellSouth will work with Southern Telcom to determine the source of the errors and the appropriate resolution. 4.7 The following specifications shall apply to the ODUF feed. 4.7.1 ODUF Messages to be Transmitted 4.7.1.1 The following messages recorded by BellSouth will be transmitted to Southern Telcom: 4.7.1.1.1 Message recording for per use/per activation type services (examples: Three -Way Calling, Verify, Interrupt, Call Return, etc.) 4.7.1.1.2 Measured billable Local 4.7.1.1.3 Directory Assistance messages 4.7.1.1.4 IntraLATA Toll 4.7.1.1.5 WATS and 800 Service 4.7.1.1.6 N11 4.7.1.1.7 **Information Service Provider Messages** 4.7.1.1.8 **Operator Services Messages** 4.7.1.1.9 Operator Services Message Attempted Calls (Network Element only) 4.7.1.1.10 Credit/Cancel Records 4.7.1.1.11 Usage for Voice Mail Message Service 4.7.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) can also be on ODUF. Rated Incollects will be intermingled with

- BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF.

 Any duplicate messages detected will be deleted and not sent to Southern Telcom.
- 4.7.1.4 In the event that Southern Telcom detects a duplicate on ODUF they receive from BellSouth, Southern Telcom will drop the duplicate message and will not return the duplicate to BellSouth.
- 4.7.2 ODUF Physical File Characteristics
- 4.7.2.1 ODUF will be distributed to Southern Telcom via CONNECT:Direct, CONNECT:Enterprise Client or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a noncompacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and Southern Telcom for the purpose of data transmission as set forth in Section **Error! Reference source not found.** above.
- 4.7.2.3 If Southern Telcom utilizes CONNECT:Enterprise Client for data file transmission, purchase of the CONNECT:Enterprise Client software will be the responsibility of Southern Telcom.
- 4.7.3 ODUF Packing Specifications
- 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Southern Telcom which BellSouth RAO that is sending the message. BellSouth and Southern Telcom will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Southern Telcom and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 4.7.4 ODUF Pack Rejection
- 4.7.4.1 Southern Telcom will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data

populated). Standard ATIS EMI error codes will be used. Southern Telcom will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Southern Telcom by BellSouth.

4.7.5 ODUF Control Data

4.7.5.1 Southern Telcom will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Southern Telcom's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Southern Telcom for reasons stated in the above section.

4.7.6 ODUF Testing

4.7.6.1 Upon request from Southern Telcom, BellSouth shall send ODUF test files to Southern Telcom. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that Southern Telcom set up a production (live) file. The live test may consist of Southern Telcom's employees making test calls for the types of services Southern Telcom requests on ODUF. These test calls are logged by Southern Telcom, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

5. ACCESS DAILY USAGE FILE

- 5.1 Upon written request from Southern Telcom, BellSouth will provide the Access Daily Usage File (ADUF) service to Southern Telcom pursuant to the terms and conditions set forth in this section.
- 5.2 Southern Telcom shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that Southern Telcom has purchased from BellSouth
- Charges for ADUF will appear on Southern Telcom's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. Southern Telcom will be billed at the ADUF rates that are in effect at the end of the previous month.
- Messages that error in the billing system of Southern Telcom will be the responsibility of Southern Telcom. If, however, Southern Telcom should encounter significant volumes of errored messages that prevent processing by Southern Telcom within its systems, BellSouth will work with Southern Telcom to determine the source of the errors and the appropriate resolution.

5.6 ADUF Messages To Be Transmitted 5.6.1 The following messages recorded by BellSouth will be transmitted to Southern Telcom: 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port. 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port. 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to Southern Telcom. 5.6.3 In the event that Southern Telcom detects a duplicate on ADUF they receive from BellSouth, Southern Telcom will drop the duplicate message and will not return the duplicate to BellSouth. 5.6.4 **ADUF Physical File Characteristics** 5.6.4.1 ADUF will be distributed to Southern Telcom via CONNECT:Direct. CONNECT: Enterprise Client or another mutually agreed medium. The ADUF feed will be a fixed block format. The data on the ADUF feed will be in a noncompacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN. 5.6.4.2 Data circuits (private line or dial-up) will be required between BellSouth and Southern Telcom for the purpose of data transmission as set forth in Section Error! Reference source not found. above. 5.6.4.3 If Southern Telcom utilizes CONNECT: Enterprise Client for data file transmission, purchase of the CONNECT: Enterprise Client software will be the responsibility of Southern Telcom. 5.6.5 **ADUF Packing Specifications** 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack. 5.6.5.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Southern Telcom which BellSouth RAO

is sending the message. BellSouth and Southern Telcom will use the invoice

sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Southern Telcom and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 5.6.6 ADUF Pack Rejection
- 5.6.6.1 Southern Telcom will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Southern Telcom will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Southern Telcom by BellSouth.
- 5.6.7 ADUF Control Data
- 5.6.7.1 Southern Telcom will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Southern Telcom's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Southern Telcom for reasons stated in the above section.
- 5.6.8 ADUF Testing
- 5.6.8.1 Upon request from Southern Telcom, BellSouth shall send a test file of generic data to Southern Telcom via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

6. ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)

- Upon written request from Southern Telcom, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Southern Telcom pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 6.2 Southern Telcom shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 6.3 The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- Charges for delivery of the Enhanced Optional Daily Usage File will appear on Southern Telcom's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. Southern Telcom will be billed at the EODUF rates that are in effect at the end of the previous month.

6.5 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format. 6.6 Messages that error in the billing system of Southern Telcom will be the responsibility of Southern Telcom. If, however, Southern Telcom should encounter significant volumes of errored messages that prevent processing by Southern Telcom within its systems, BellSouth will work with Southern Telcom to determine the source of the errors and the appropriate resolution. 6.7 The following specifications shall apply to the EODUF feed. 6.7.1 Usage To Be Transmitted 6.7.1.1 The following messages recorded by BellSouth will be transmitted to Southern Telcom: 6.7.1.1.1 Customer usage data for flat rated local call originating from Southern Telcom's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include: Date of Call 6.7.1.1.2 6.7.1.1.3 From Number 6.7.1.1.4 To Number 6.7.1.1.5 Connect Time 6.7.1.1.6 Conversation Time 6.7.1.1.7 Method of Recording 6.7.1.1.8 From RAO 6.7.1.1.9 Rate Class 6.7.1.1.10 Message Type 6.7.1.1.11 **Billing Indicators** 6.7.1.1.12 Bill to Number 6.7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Southern Telcom.

- 6.7.1.3 In the event that Southern Telcom detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, Southern Telcom will drop the duplicate message (Southern Telcom will not return the duplicate to BellSouth).
- 6.7.2 Physical File Characteristics
- 6.7.2.1 The EODUF feed will be distributed to Southern Telcom over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Southern Telcom's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 6.7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Southern Telcom for the purpose of data transmission. Where a dedicated line is required, Southern Telcom will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Southern Telcom will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Southern Telcom. Additionally, all message toll charges associated with the use of the dial circuit by Southern Telcom will be the responsibility of Southern Telcom. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Southern Telcom's end for the purpose of data transmission will be the responsibility of Southern Telcom.
- 6.7.3 Packing Specifications
- 6.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Southern Telcom which BellSouth RAO is sending the message. BellSouth and Southern Telcom will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Southern Telcom and resend the data as appropriate.
- 6.7.3.3 The data will be packed using ATIS EMI records.

| ODUF/ADUF | F/EODUF/CMDS - Alabama | | | | | | | | | | | | Attach | ment: 7 | Exhi | ibit: A |
|-------------|---|-------------|----------|----------------------|---------------|------------------|------------------|-----------------|----------------|----------------|-------------|-----------------------|----------|------------|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | II. | Submitted Manually | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | 1 | | | | Nonre | curring | Nonrecurrin | a Disconnect | | 1 | oss | Rates (\$) | I. | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| ODUF/ADUF/C | EDUE/CMDS | | | | | | | | | | | | | | | |
| | SS DAILY USAGE FILE (ADUF) | | | | | | | | | | | | | | | 1 |
| 7.002 | ADUF: Message Processing, per message | | | | N/A | 0.007037 | | | | | | | | | | |
| | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.000113 | | | | | | | | | | |
| OPTIO | NAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | ODUF: Recording, per message | | | | N/A | 0.000011 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | | | N/A | 0.004101 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | N/A | 42.67 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.000094 | | | | | | | | | | |
| CENTE | RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | CMDS: Message Processing, per message | | | | N/A | 0.004 | | | | | | | | | | |
| ENHA | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.001 | | | | | | | | | | |
| | EODUF: Message Processing, per message | | | | N/A | 0.22 | | | | | İ | | | | | |
| | If no rate is identified in the contract, the rate for the specific | service | e or fur | ction will be as set | forth in appl | icable BellSoutl | n tariff or as i | negotiated by t | he Parties upo | n request by e | ther Party. | | | | | |

Version 4Q02: 12/18/02 Page 1 of 9

| ODUF/ADU | F/EODUF/CMDS - Florida | | | | | | | | | | | | Attach | ment: 7 | Exhi | ibit: A |
|-------------|---|---------|----------|----------------------|----------------|-----------------|------------------|----------------|----------------|----------------|-------------|------------------------|-------------|-------------------------|-------------------------|-------------------------|
| | | | | | | | | | | | | Svc Order Submitted | | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| | | Interi | | | | | | | | | Elec | | | | | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | - | T. | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonre | curring | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| ODUE/ADUE/ | DEDUCIONEDO | | | | | | | | 1 | | | | | | | |
| ODUF/ADUF/O | | | | | | | | | | | | | | | | |
| ACCE | SS DAILY USAGE FILE (ADUF) | | | | N/A | 0.001656 | | | | - | ļ | | | | | |
| | ADUF: Message Processing, per message | - | - | | IN/A | 0.001036 | | | | | | | | | | |
| | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.0001245 | | | | | | | | | | |
| OPTIC | NAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | ODUF: Recording, per message | | | | N/A | 0.0000071 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | | | N/A | 0.002146 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | N/A | 35.91 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.00010375 | | | | | | | | | | |
| CENT | RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | CMDS: Message Processing, per message | | | | N/A | 0.004 | | | | | | | | | | |
| | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.001 | | | | | | | | | | |
| ENHA | NCED OPTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | | | | | | | | |
| | EODUF: Message Processing, per message | | | | N/A | 0.080698 | | | | | | | | | | |
| Notes | : If no rate is identified in the contract, the rate for the specific | service | e or fur | ction will be as set | forth in appli | icable BellSout | h tariff or as r | egotiated by t | he Parties upo | n request by e | ther Party. | | | | | |

| ODUF/ADUF | F/EODUF/CMDS - Georgia | | | | | | | | | | | | Attach | ment: 7 | Exhi | ibit: A |
|-----------------|---|--------|----------|-----|------|-----------|-------|------------|--------------|--------------|---------|------------------------|-------------|-------------------------|-------------------------|-------------------------|
| | | | | | | | | | | | | Svc Order Submitted | | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| ł | | Interi | | | | | | | | | Elec | | | | Manual Svc | |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| i | | "" | | | | | | | | | l - | T. | Electronic- | Electronic- | Electronic- | Electronic- |
| ł | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonre | curring | Nonrecurring | g Disconnect | | l . | | Rates (\$) | l | <u>.</u> |
| - | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| ODLIE (A DLIE (| EDUE ON DO | | <u> </u> | | | | | | | | | | | | | ↓ |
| ODUF/ADUF/O | | | 1 | | | | | | | | | | | | | _ |
| ACCES | SS DAILY USAGE FILE (ADUF) | | | | N/A | 0.0136327 | | | | | | | | | | |
| | ADUF: Message Processing, per message | | | | IN/A | 0.0136327 | | | | | | | | | | |
| | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.0000434 | | | | | | | | | | |
| OPTIO | NAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| 1 | ODUF: Recording, per message | | | | N/A | 0.0001275 | | | | | | | | | | |
| 1 | ODUF: Message Processing, per message | | | | N/A | 0.0082548 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | N/A | 28.85 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.0000434 | | | | | | | | | | |
| CENT | RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | CMDS: Message Processing, per message | | | | N/A | 0.004 | | | | | | | | | | |
| | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.001 | | | | | | | | | | |
| ENHA | NCED OPTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | | | | | | | | |
| ı 1 — | EODUF: Message Processing, per message | | | | N/A | 0.0034555 | | 1 | | | 1 | | | | | |

Version 4Q02: 12/18/02 Page 3 of 9

| ODUF/ADUF/ | EODUF/CMDS - Kentucky | | | | | | | | | | | | Attach | ment: 7 | Exhi | ibit: A |
|--------------|---|---------|----------|----------------------|----------------|-----------------|------------------|----------------|-----------------|----------------|-------------|-----------|-------------|-------------|-------------|-------------|
| | · | | | | | | | | | | | | | | Incremental | |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | Interi | _ | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ 1 | Nonre | curring | Nonrecurring | Disconnect | | | OSS | Rates (\$) | | <u>.</u> |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| ODUF/ADUF/OE | | | | | | | | | | | | | | | | |
| | S DAILY USAGE FILE (ADUF) | | | | | | | | | | | | | | | |
| | ADUF: Message Processing, per message | | | | N/A | 0.001857 | | | | | | | | | | |
| | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.0001245 | | | | | | | | | | |
| OPTION | AL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | ODUF: Recording, per message | | | | N/A | 0.0000136 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | | | N/A | 0.002506 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | N/A | 35.90 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.00010372 | | | | | | | | | | |
| CENTRA | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | CMDS: Message Processing, per message | | | | N/A | 0.004 | | | | | | | | | | |
| | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.001 | | | | | | | | | | |
| | CED OPTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | | | | | | | | |
| | EODUF: Message Processing, per message | | | | N/A | 0.235889 | | | | | | | | | | |
| Notes: | If no rate is identified in the contract, the rate for the specific | service | e or fun | ction will be as set | forth in appli | icable BellSout | h tariff or as r | egotiated by t | he Parties upor | n request by e | ther Party. | | | | | <u> </u> |

| ODUF/ADUF | F/EODUF/CMDS - Louisiana | | | | | | | | | | | | Attach | ment: 7 | Exhi | ibit: A |
|-------------|---|--------|------|-----|------|------------|-------|------------|--------------|-------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| ı | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| ı | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| ı | | | | | | | | | | | - | T. | Electronic- | Electronic- | Electronic- | Electronic- |
| ı | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | 1 | | | | | | | | | | |
| | | | | | | Rec | | curring | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| ODUF/ADUF/O | DEDUIE/CMDC | | - | | - | | | | - | | | | | | | |
| | SS DAILY USAGE FILE (ADUF) | | | | | | | | | | 1 | | | | | |
| ACCE | ADUF: Message Processing, per message | | 1 | | N/A | 0.007983 | | | - | - | | - | | | | |
| | ADDI: Nessage i rocessing, per message | | - | | IN/A | 0.007303 | | | | | 1 | | | | | |
| 1 | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.00012681 | | | | | | | | | | |
| OPTIO | NAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | ODUF: Recording, per message | | | | N/A | 0.0000117 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | | | N/A | 0.004641 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | N/A | 48.45 | | | | | | | | | | |
| İ | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.00010568 | | | | | | | | | | |
| CENTI | RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | CMDS: Message Processing, per message | | | | N/A | 0.004 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.001 | | | | | | | | | | |
| ENHA | NCED OPTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | | | | | | | | |
| 1 | EODUF: Message Processing, per message | 1 | | | N/A | 0.250015 | | | | | 1 | | | | | |

| ODUF/ADU | F/EODUF/CMDS - Mississippi | | | | | | | | | | | | Attach | ment: 7 | Exhi | bit: A |
|-------------|---|--------|----------|-----|------|------------|-------|------------|--------------|-------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | - | T. | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | 1 | | | | | | | | | | |
| | | | <u> </u> | | | Rec | | curring | Nonrecurring | | | | | Rates (\$) | | |
| | | | 1 | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| ODUF/ADUF/0 | DEDUIE/CMDC | | + | | - | | | | - | | | | | | | |
| | SS DAILY USAGE FILE (ADUF) | | 1 | | | | | | | | 1 | | | | | |
| ACCL | ADUF: Message Processing, per message | | + | | N/A | 0.008087 | | - | - | - | | - | | | - | - |
| - | ADDI: Wessage Frocessing, per message | | + | | IN/A | 0.000007 | | | | | 1 | | | | | |
| | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.00012803 | | | | | | | | | | |
| OPTIC | NAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | ODUF: Recording, per message | | | | N/A | 0.0000063 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | | | N/A | 0.004707 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | N/A | 49.04 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.00010669 | | | | | | | | | | |
| CENT | RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | CMDS: Message Processing, per message | | | | N/A | 0.004 | | | | | | | | | | |
| | | | | | | | • | | | | | | | | | |
| | CMDS: Data Transmission (CONNECT:DIRECT), per message | | 1 | | N/A | 0.001 | | | _ | | | | | | | |
| ENHA | NCED OPTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | | | | | | | | |
| | EODUF: Message Processing, per message | 1 | | l | N/A | 0.250424 | | | | | | | | | | |

| ODUF/ | ADUF. | /EODUF/CMDS - North Carolina | | | | | | | | | | | | Attach | ment: 7 | Exhi | ibit: A |
|---------------|-------|---|-------------|------|-----|------|-----------|-------|------------|-------------|--------------|--------------|-----------|----------|------------|---|----------|
| CATEGO | DRY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | | Nonre | curring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | 1 | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | EDUF/CMDS | | | | | | | | | | | | | | | |
| - 1 | | S DAILY USAGE FILE (ADUF) | | | | | | | | | | | | | | | |
| | | ADUF: Message Processing, per message | | | | N/A | 0.01435 | | | | | | | | | | |
| | | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.0001277 | | | | | | | | | | |
| (| | IAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | | ODUF: Recording, per message | | | | N/A | 0.0003 | | | | | | | | | | |
| | | ODUF: Message Processing, per message | | | | N/A | 0.0032 | | | | | | | | | | |
| | | ODUF: Message Processing, per Magnetic Tape provisioned | | | | N/A | 54.61 | | | | | | | | | | |
| | | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.00004 | | | | | | | | | | |
| (| ENTR | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | N/A | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message CED OPTIONAL DAILY USAGE FILE (EODUF) | | | | N/A | 0.001 | | | | | | | | | | |
| - | | EODUF: Message Processing, per message | | + | | N/A | 0.2285406 | | | + | 1 | | | | | | + |
| | | If no rate is identified in the contract, the rate for the specific | | 6 | | | | | | La Dantiaaa | <u> </u> | ili Bt | | | | | + |

| ODUF/ADUF/EODUF/CMDS - South Carolina | | | | | | | | | | | | Attach | ment: 7 | Exhi | bit: A |
|---|------------------|----------|-----------------------|-----------------|-----------------|------------------|----------------|----------------|----------------|-------------|-----------------------|----------|------------|---|---|
| CATEGORY RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | B | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | |
| ODUF/ADUF/OEDUF/CMDS | | | | | | | | | | | | | | | |
| ACCESS DAILY USAGE FILE (ADUF) | | | | | | | | | | | | | | | |
| ADUF: Message Processing, per message | | | | N/A | 0.008061 | | | | | | | | | | |
| ADUF: Data Transmission (CONNECT:DIRECT), per me | essage | | | N/A | 0.00013036 | | | | | | | | | | |
| OPTIONAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| ODUF: Recording, per message | | | | N/A | 0.0000216 | | | | | | | | | | |
| ODUF: Message Processing, per message | | | | N/A | 0.004704 | | | | | | | | | | |
| ODUF: Message Processing, per Magnetic Tape provision | ioned | | | N/A | 48.87 | | | | | | | | | | |
| ODUF: Data Transmission (CONNECT:DIRECT), per me | essage | | | N/A | 0.00010863 | | | | | | | | | | |
| CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| CMDS: Message Processing, per message | | | | N/A | 0.004 | | | | | | | | | | |
| CMDS: Data Transmission (CONNECT:DIRECT), per me | essage | | | N/A | 0.001 | | | | | | | | | | |
| EODUF: Message Processing, per message | | | | N/A | 0.258301 | | | 1 | | | | | | | |
| Notes: If no rate is identified in the contract, the rate for the | enocific convic | or fur | etion will be as set | | | h tariff or as n | ogotisted by t | ho Partice uno | roquest by o | ther Party | | | | | \vdash |
| notes. Il no rate is identined in the contract, the rate for the | apecinic service | o or rul | iction will be as set | ioiai iii appii | ivable beli30ut | tariii 01 d5 I | egotiated by t | ne rances upon | i request by e | uiei Faity. | | | l | l | |

| ODUF/ADUF | /EODUF/CMDS - Tennessee | | | | | | | | | | | | Attach | ment: 7 | Exhi | ibit: A |
|-------------|---|-------------|----------|-----------------------|----------------|----------------|-------------------|----------------|-----------------|----------------|-----------------|-----------------------|----------|------------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | g Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| ODUF/ADUF/O | | | | | | | | | | | | | | | | |
| | S DAILY USAGE FILE (ADUF) | | | | | | | | | | | | | | | |
| | ADUF: Message Processing, per message | | | | N/A | 0.004 | | | | | | | | | | |
| | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.001 | | | | | | | | | | |
| | NAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | ODUF: Recording, per message | | | | N/A | 0.0000044 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | | | N/A | 0.0027366 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | N/A | 52.75 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.0000339 | | | | | | | | | | |
| | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | CMDS: Message Processing, per message | | | | N/A | 0.004 | | | | | | | | | | |
| | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.001 | | | | | | | | | | |
| | ICED OPTIONAL DAILY USAGE FILE (EODUF) | | <u> </u> | | N1/A | 0.004 | | | ļ | | ļ | | | | | |
| | EODUF: Message Processing, per message | L | <u> </u> | | N/A | 0.004 | | | <u> </u> | | l Ober Berei | | | | | ļI |
| Notes: | If no rate is identified in the contract, the rate for the specific | service | or tur | iction will be as set | tortn in appli | cable BellSout | n tariff or as ne | egotiated by t | ne Parties upoi | n request by e | tner Party. | | | | | |

Version 4Q02: 12/18/02 Page 9 of 9

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

Version 4Q02: 12/18/02



PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at https://pmap.bellsouth.com. At the request of the Tennessee Regulatory Authority (TRA), the following Regional Service Quality Measurements (SQM) plan is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues an Order pertaining to Performance Measurements, such Performance Measurements shall supersede the Regional SQM contained in the Agreement.

BellSouth Service Quality Measurement Plan (SQM)

Region Performance Metrics

Measurement Descriptions Version 0.06

Issue Date: June 4, 2002

Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)¹ and its Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Mississippi, and North Carolina have and continue to influence the SQM.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3rd Party audit requirements and Commission requirements.

This document is intended for use by someone with knowledge of telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: https://pmap.bellsouth.com in the Documentation Downloads folder.

Report Publication Dates

Each month, preliminary SQM reports will be posted to BellSouth's SQM web site (https://www.pmap.bellsouth.com) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. Final validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. SEEM reports will posted on the 15th of the following month. Payments due will also be paid on the 15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the last day of June. Final validated SEEM reports will be posted and payments mailed on July 15th. In the event the 15th falls on a weekend or holiday, reports and payments will be posted/made the next business day.

725 of 887

Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.

Report Delivery Methods

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. Commissions will be given access to the web site. In addition, a copy of the Monthly State Summary reports will be filed with the appropriate Commissions as soon as possible after the last day of each month.

Document Number: RGN-V005-122101

Contents

| Section 1: Operations Support Systems (OSS) | |
|---|--|
| OSS-2: Interface Availability (Pre-Ordering/Ordering) | Error! Bookmark not defined. Error! Bookmark not defined. |
| PO-1: Loop Makeup - Response Time – Manual PO-2: Loop Make Up - Response Time - Electronic | |
| Section 2: Ordering | Error! Bookmark not defined. |
| O-1: Acknowledgement Message Timeliness | |
| O-2: Acknowledgement Message Completeness | |
| O-3: Percent Flow-Through Service Requests (Summary) | |
| O-4: Percent Flow-Through Service Requests (Detail) | |
| O-5: Flow-Through Error Analysis | |
| O-6: CLEC LSR Information | |
| LSR Flow Through Matrix | |
| O-7: Percent Rejected Service Requests | |
| O-8: Reject Interval | |
| O-9: Firm Order Confirmation Timeliness | |
| O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) | |
| Bookmark not defined. | 1 |
| O-11: Firm Order Confirmation and Reject Response Completence | essError! Bookmark not |
| defined. | |
| O-12: Speed of Answer in Ordering Center | Error! Bookmark not defined. |
| O-13: LNP-Percent Rejected Service Requests | Error! Bookmark not defined. |
| O-14: LNP-Reject Interval Distribution & Average Reject Interva | alError! Bookmark not defined. |
| O-15: LNP-Firm Order Confirmation Timeliness Interval Distribu | tion & Firm Order Confirmation |
| Average Interval | Error! Bookmark not defined. |
| Section 3: Provisioning | |
| P-1: Mean Held Order Interval & Distribution Intervals | |
| P-2: Average Jeopardy Notice Interval & Percentage of Orders G | |
| Bookmark not defined. | 1 2 |
| P-3: Percent Missed Installation Appointments | Error! Bookmark not defined. |
| P-4: Average Completion Interval (OCI) & Order Completion Int | |
| Bookmark not defined. | |
| P-5: Average Completion Notice Interval | Error! Bookmark not defined. |
| P-6: % Completions/Attempts without Notice or < 24 hours Notice | |
| P-7: Coordinated Customer Conversions Interval | |
| P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% | |
| Interval | |
| P-7B: Coordinated Customer Conversions – Average Recovery T | |
| defined. | |
| P-7C: Hot Cut Conversions - % Provisioning Troubles Received | Within 7 days of a completed |
| Service Order | |

| P-8: Cooperative Acceptance Testing - % of xDSL Loops Tester P-9: % Provisioning Troubles within 30 days of Service Order | |
|---|-------------------------------------|
| defined. | CompletionError: Bookmark not |
| | Error! Rookmark not defined |
| P-10: Total Service Order Cycle Time (TSOCT) | |
| P-11: Service Order Accuracy | |
| P-12: LNP-Percent Missed Installation Appointments | |
| P-13: LNP-Average Disconnect Timeliness Interval & Disconne | |
| | |
| P-14: LNP-Total Service Order Cycle Time (TSOCT) | |
| Section 4: Section 4: Maintenance & Repair | |
| M&R-1: Missed Repair Appointments | |
| M&R-2: Customer Trouble Report Rate | |
| M&R-3: Maintenance Average Duration | Error! Bookmark not defined. |
| M&R-4: Percent Repeat Troubles within 30 Days | Error! Bookmark not defined. |
| M&R-5: Out of Service (OOS) > 24 Hours | Error! Bookmark not defined. |
| M&R-6: Average Answer Time – Repair Centers | Error! Bookmark not defined. |
| M&R-7: Mean Time To Notify CLEC of Network Outages | |
| Section 5: Billing | Error! Bookmark not defined. |
| B-1: Invoice Accuracy | Error! Bookmark not defined. |
| B2: Mean Time to Deliver Invoices | |
| B3: Usage Data Delivery Accuracy | |
| B4: Usage Data Delivery Completeness | |
| B5: Usage Data Delivery Timeliness | |
| B6: Mean Time to Deliver Usage | |
| B7: Recurring Charge Completeness | |
| B8: Non-Recurring Charge Completeness | |
| | |
| Section 6: Operator Services And Directory Assistance | |
| OS-1: Speed to Answer Performance/Average Speed to Answer | r - Toll Error! Bookmark not |
| defined. | |
| OS-2: Speed to Answer Performance/Percent Answered with "2 | X" Seconds - Toll Error! Bookmark |
| not defined. | D' |
| DA-1: Speed to Answer Performance/Average Speed to Answe | |
| | |
| DA-2: Speed to Answer Performance/Percent Answered within | • |
| (DA) | Error! Bookmark not defined. |
| Section 7: Database Update Information | Error! Bookmark not defined. |
| D-1: Average Database Update Interval | Error! Bookmark not defined. |
| D-2: Percent Database Update Accuracy | |
| D-3: Percent NXXs and LRNs Loaded by the LERG Effective | |
| Section 8: E911 | Error! Bookmark not defined. |
| E-1: Timeliness. | |
| E-2: Accuracy | |
| E-3: Mean Interval | |
| Section 9: Trunk Group Performance | |
| ~~~~~ / II was Group I citoriumcommunimmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm | Doorman not defined. |

| TGP-1: Trunk Group Performance-AggregateTGP-2: Trunk Group Performance-CLEC Specific | |
|--|--|
| Section 10: Collocation C-1: Collocation Average Response Time C-2: Collocation Average Arrangement Time C-3: Collocation Percent of Due Dates Missed | Error! Bookmark not defined. Error! Bookmark not defined. |
| Section 11: Change Management | Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not defined. |
| Section 12: Bona Fide / New Business Request Process | usiness Days Error! Bookmark Requests Processed Within X |
| Appendix A: Reporting Scope | Error! Bookmark not defined. |
| Appendix C: RollSouth Audit Policy | |
| Appendix C: BellSouth Audit Policy | Error! Bookmark not defined. |

Section 1: Operations Support Systems (OSS)

OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)

Definition

Average response time and response intervals are the average times and number of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service & feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

Exclusions

None

Business Rules

The average response time for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The response interval starts when the client application (LENS or TAG for CLECs and RNS or ROS for BellSouth) submits a request to the legacy system and ends when the appropriate response is returned to the client application. The number of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the number of accesses which take more than 6 seconds, and the number which are less than or equal to 6.3 seconds are also captured.

Calculation

Response Time = (a - b)

- a = Date & Time of Legacy Response
- b = Date & Time of Legacy Request

Average Response Time = c / d

- c = Sum of Response Times
- d = Number of Legacy Requests During the Reporting Period

Report Structure

- · Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|---|
| • Report Month | Report Month |
| • Legacy Contract (per reporting dimension) | • Legacy Contract (per reporting dimension) |
| Response Interval | Response Interval |
| Regional Scope | Regional Scope |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|----------------------|
| • RSAG – Address (Regional Street Address Guide- | |
| Address) – stores street address information used to | |
| validate customer addresses. CLECs and BellSouth query | |
| this legacy system. | |
| • RSAG – TN (Regional Street Address Guide-Telephone | |
| number) – contains information about facilities available | |
| and telephone numbers working at a given address. | |

- CLECs and BellSouth query this legacy system.
- ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system.
- **COFFI** (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- DSAP (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.
- P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems)
 Information on feature and rate availability. BellSouth queries this legacy system.

Table 1: Legacy System Access Times For RNS

| System | Contract | Data | < 2.3 sec. | > 6 sec. | <= 6.3 sec. | Avg. Sec. | # of Calls |
|--------|-----------|-----------------|------------|----------|-------------|-----------|------------|
| RSAG | RSAG-TN | Address | X | X | X | X | X |
| RSAG | RSAG-ADDR | Address | X | X | X | X | X |
| ATLAS | ATLAS-TN | TN | X | X | X | X | X |
| DSAP | DSAP | Schedule | X | X | X | X | X |
| CRIS | CRSACCTS | CSR | X | X | X | X | X |
| OASIS | OASISCAR | Feature/Service | X | X | X | X | X |
| OASIS | OASISLPC | Feature/Service | Х | X | X | X | X |
| OASIS | OASISMTN | Feature/Service | X | X | X | X | X |
| OASIS | OASISBIG | Feature/Service | Х | X | X | X | Х |

Table 2: Legacy System Access Times For R0S

| System | Contract | Data | < 2.3 sec. | > 6 sec. | <= 6.3 sec. | Avg. sec. | # of Calls |
|--------|-----------|-----------------|------------|----------|-------------|-----------|------------|
| RSAG | RSAG-TN | Address | X | X | X | X | X |
| RSAG | RSAG-ADDR | Address | X | X | X | X | X |
| ATLAS | ATLAS-TN | TN | X | X | X | X | X |
| DSAP | DSAP | Schedule | X | X | X | X | X |
| CRIS | CRSOCSR | CSR | X | X | X | Х | X |
| OASIS | OASISBIG | Feature/Service | X | X | X | X | X |

Table 3: Legacy System Access Times For LENS

| System | Contract | Data | < 2.3 sec. | > 6 sec. | <6.3 sec. | Avg. sec. | # of Calls |
|--------|------------|-----------------|------------|----------|-----------|-----------|------------|
| RSAG | RSAG-TN | Address | X | X | X | X | X |
| RSAG | RSAG-ADDR | Address | X | X | X | X | X |
| ATLAS | ATLAS-TN | TN | X | X | X | X | X |
| DSAP | DSAP | Schedule | X | X | X | X | X |
| HAL | HAL/CRIS | CSR | X | X | X | X | X |
| COFFI | COFFI/USOC | Feature/Service | X | X | X | X | X |
| P/SIMS | PSIMS/ORB | Feature/Service | X | X | X | X | X |

Table 4: Legacy System Access Times For TAG

| System | Contract | Data | < 2.3 sec. | > 6 sec. | <6.3 sec. | Avg. sec. | # of Calls |
|--------|-----------|----------|------------|----------|-----------|-----------|------------|
| RSAG | RSAG-TN | Address | X | X | X | X | X |
| RSAG | RSAG-ADDR | Address | X | X | X | X | X |
| ATLAS | ATLAS-TN | TN | X | X | X | X | X |
| ATLAS | ATLAS-MLH | TN | X | X | X | X | X |
| ATLAS | ATLAS-DID | TN | Х | X | X | X | Х |
| DSAP | DSAP | Schedule | X | X | X | X | X |
| CRIS | CRSECSRL | CSR | X | X | X | X | Х |
| CRIS | CRSECSR | CSR | X | X | X | X | X |

SEEM Measure

| SEEM Measure | | | | | | |
|--------------|-----------|--|--|--|--|--|
| Yes | Tier I | | | | | |
| | Tier II X | | | | | |

Note: CLEC specific data is not available in this measure. Queries of this sort do not have company specific signatures.

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--|---|
| • RSAG – Address (Regional Street Address Guide- | • Percent Response Received within 6.3 seconds: > 95% |
| Address) – stores street address information used to | • Parity + 2 seconds |
| validate customer addresses. CLECs and BellSouth query | |
| this legacy system. | |
| • RSAG – TN (Regional Street Address Guide-Telephone | |
| number) – contains information about facilities available | |
| and telephone numbers working at a given address. | |
| CLECs and BellSouth query this legacy system. | |
| • ATLAS (Application for Telephone Number Load | |
| Administration and Selection) – acts as a warehouse for | |
| storing telephone numbers that are available for | |
| assignment by the system. It enables CLECs and | |
| BellSouth service reps to select and reserve telephone | |
| numbers. CLECs and BellSouth query this legacy system. | |
| • COFFI (Central Office Feature File Interface) – stores | |
| information about product and service offerings and | |
| availability. CLECs query this legacy system. | |
| • DSAP (DOE Support Application) – provides due date | |
| information. CLECs and BellSouth query this legacy | |
| system. | |
| • HAL/CRIS (Hands-Off Assignment Logic/Customer | |
| Record Information System) – a system used to access the | |

Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.

- **P/SIMS** (Product/Services Inventory Management system) provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems)

 Information on feature and rate availability. BellSouth queries this legacy system.

SEEM OSS Legacy Systems

| System | BellSouth | CLEC | | | | | |
|--------------------------|-----------------------|-----------|--|--|--|--|--|
| Telephone Number/Address | | | | | | | |
| RSAG-ADDR | RNS, ROS | TAG, LENS | | | | | |
| RSAG-TN | RNS, ROS | TAG, LENS | | | | | |
| ATLAS | RNS,ROS | TAG. LENS | | | | | |
| | Appointment Sched | uling | | | | | |
| DSAP | RNS, ROS | TAG, LENS | | | | | |
| | CSR Data | | | | | | |
| CRSACCTS | RNS | | | | | | |
| CRSOCSR | ROS | | | | | | |
| HAL/CRIS | | LENS | | | | | |
| CRSECSRL | | TAG | | | | | |
| CRSECSR | | TAG | | | | | |
| | Service/Feature Avail | ability | | | | | |
| OASISBIG | RNS, ROS | | | | | | |
| PSIMS/ORB | | LENS | | | | | |

OSS-2: Interface Availability (Pre-Ordering/Ordering)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for pre-ordering and ordering. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss_hour.html)

Exclusions

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of pre-ordering and ordering systems.

Calculation

Interface Availability (Pre-Ordering/Ordering) = (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- · Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|--|
| • Report Month | Report Month |
| • Legacy Contract Type (per reporting dimension) | Legacy Contract Type (per reporting dimension) |
| Regional Scope | Regional Scope |
| Hours of Downtime | Hours of Downtime |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| Regional Level | • >= 99.5% |

OSS Interface Availability

| Application | Applicable to | % Availability |
|-------------|----------------|-------------------|
| EDI | CLEC | X |
| TAG | CLEC | X |
| LENS | CLEC | X |
| LEO | CLEC | X |
| LESOG | CLEC | X |
| LNP Gateway | CLEC | X |
| COG | CLEC | Under Development |
| SOG | CLEC | Under Development |
| DOM | CLEC | Under Development |
| DOE | CLEC/BellSouth | X |
| SONGS | CLEC/BellSouth | X |
| ATLAS/COFFI | CLEC/BellSouth | X |
| BOCRIS | CLEC/BellSouth | X |
| DSAP | CLEC/BellSouth | X |
| RSAG | CLEC/BellSouth | X |
| SOCS | CLEC/BellSouth | X |
| CRIS | CLEC/BellSouth | X |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Regional Level | • >= 99.5% |

SEEM OSS Interface Availability

| Application | Applicable to | % Availability |
|---------------|---------------|----------------|
| EDI | CLEC | X |
| HAL | CLEC | X |
| LENS | CLEC | X |
| LEO Mainframe | CLEC | X |
| LESOG | CLEC | X |
| PSIMS | CLEC | X |
| TAG | CLEC | X |

OSS-3: Interface Availability (Maintenance & Repair)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for maintenance and repair. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss_hour.html)

Exclusions

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of maintenance and repair systems.

Calculation

OSS Interface Availability (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|---|
| Availability of CLEC TAFI | Availability of BellSouth TAFI |
| Availability of LMOS HOST, MARCH, SOCS, CRI | IS, • Availability of LMOS HOST, MARCH, SOCS, CRIS, |
| PREDICTOR, LNP and OSPCM | PREDICTOR, LNP and OSPCM |
| • ECTA | |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| Regional Level | • >= 99.5% |

OSS Interface Availability (M&R)

| OSS Interface | % Availability |
|------------------|----------------|
| BST TAFI | X |
| CLEC TAFI | X |
| CLEC ECTA | X |
| BellSouth & CLEC | X |
| CRIS | X |
| LMOS HOST | X |
| LNP | X |
| MARCH | X |
| OSPCM | X |
| PREDICTOR | X |
| SOCS | X |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Regional Level | • >= 99.5% |

OSS Interface Availability (M&R)

| OSS Interface | % Availability |
|---------------|----------------|
| CLEC TAFI | X |
| CLEC ECTA | X |

OSS-4: Response Interval (Maintenance & Repair)

Definition

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

Exclusions

None

Business Rules

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface_and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

Calculation

OSS Response Interval = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

Percent Response Interval (per category) = $(c / d) \times 100$

- c = Number of Response Intervals in category "X"
- d = Number of Queries Submitted in the Reporting Period

where, "X" is ≤ 4 , ≥ 4 , ≤ 10 , ≤ 10 , ≥ 10 , or ≥ 30 seconds.

Report Structure

- Not CLEC Specific
- Not product/service specific
- · Regional Level

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|---|
| CLEC Transaction Intervals | BellSouth Business and Residential Transactions |
| | Intervals |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| Regional Level | • Parity |

Legacy System Access Times for M&R

| System | BellSouth & CLEC | Count | | | | |
|-----------|------------------|-------|-----------|-------|------|------|
| | | <= 4 | > 4 <= 10 | <= 10 | > 10 | > 30 |
| CRIS | X | X | X | X | X | X |
| DLETH | X | X | X | X | X | X |
| DLR | X | X | X | X | X | X |
| LMOS | X | X | X | X | X | X |
| LMOSupd | X | X | X | X | X | X |
| LNP | X | X | X | X | X | X |
| MARCH | X | X | X | X | X | X |
| OSPCM | X | Х | X | X | X | X |
| Predictor | X | X | X | X | X | X |
| SOCS | X | Х | X | X | X | X |
| NIW | X | Х | X | X | X | X |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

PO-1: Loop Makeup - Response Time - Manual

Definition

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- Inquiries, which are submitted electronically.
- Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation.
- · Canceled Inquiries.

Business Rules

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via mail or FAX to BellSouth's Complex Resale Support Group (CRSG).

This measurement combines three intervals:

- 1. From receipt of the Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Look-up."
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

Note: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC.

Calculation

Response Interval = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e / f) X 100

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for manual LMUs:
 - $0 \le 1 \text{ day}$
 - >1 <= 2 days
 - >2 <= 3 days
 - 0 <= 3 days
- >3 <= 6 days
- >6 <= 10 days
- > 10 days
- Average Interval in days

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|-----------------------------------|
| Report Month | Not Applicable |
| Total Number of Inquiries | |
| SI Intervals | |
| State and Region | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|--------------------------|
| • Loops | Benchmark |
| • | • 95% <= 3 Business Days |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|--------------------------|
| • Loops | Benchmark |
| | • 95% <= 3 Business Days |

PO-2: Loop Make Up - Response Time - Electronic

Definition

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- Manually submitted inquiries.
- · Designated Holidays are excluded from the interval calculation.
- · Canceled Requests.
- · Scheduled OSS Maintenance.

Business Rules

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, LENS, TAG or RoboTAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via LENS, TAG or RoboTAG Interfaces.

Note: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

Calculation

Response Interval = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e / f) X 100

- e = Total LMUSIs received within the interval
- $\bullet \ f = Total \ Number \ of \ LMUSIs \ processed \ within the reporting period$

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for electronic LMUs:
 - $0 \le 1$ minute
 - >1 <= 5 minutes
 - $0 \le 5$ minutes
- $> 5 \le 8$ minutes
- > 8 <= 15 minutes
- > 15 minutes
- · Average Interval in minutes

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|-----------------------------------|
| Report Month | Not Applicable |

| Legacy Contract | |
|-------------------|--|
| Response Interval | |
| • Regional Scope | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggrega | tion SQM Analog/Benchmark |
|-------------------------|-------------------------------|
| • Loops | Benchmark |
| | • 90% <= 5 Minutes (05/01/01) |
| | • 95% <= 1 Minute (08/01/01) |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-------------------------------|
| • Loop | • 90% <= 5 Minutes (05/01/01) |
| | • 95% <= 1 Minute (08/01/01) |

Section 2: Ordering

O-1: Acknowledgement Message Timeliness

Definition

This measurement provides the response interval from the time an LSR or transmission (may contain multiple LSRs from one or more CLECs in multiple states) is electronically submitted via EDI or TAG respectively until an acknowledgement notice is sent by the system.

Exclusions

· Scheduled OSS Maintenance

Business Rules

The process includes EDI & TAG system functional acknowledgements for all messages/Local Service Requests (LSRs) which are electronically submitted by the CLEC. Users of EDI may package many LSRs into one transmission which will receive the acknowledgement message. EDI users may place multiple LSRs in one "envelope" requesting service in one or more states which will mask the identity of the state and CLEC. The start time is the receipt time of the message at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). If more than one CLEC uses the same ordering center (aggregator), an Acknowledgement Message will be returned to the "Aggregator". However, BellSouth will not be able to determine which specific CLEC or state this message represented.

Calculation

Response Interval = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time messages/LSRs electronically submitted by the CLEC via EDI or TAG respectively

Average Response Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total number of electronically submitted messages/LSRs received, from CLECs via EDI or TAG respectively, in the Reporting Period.

Reporting Structure

- CLEC Aggregate
- CLEC Specific/Aggregator
- Geographic Scope
 - Region
- · Electronically Submitted LSRs

 $0 - \le 10$ minutes

>10 - <= 20 minutes

>20 - <= 30 minutes

 $0 - \le 30$ minutes

>30 - <= 45 minutes

>45 -<= 60 minutes

>60 - <= 120 minutes

>120 minutes

· Average interval for electronically submitted messages/LSRs in minutes

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|-----------------------------------|
| Report Month | Not Applicable |
| Record of Functional Acknowledgements | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|--------------------------------|
| • EDI | • EDI |
| | - 90% <= 30 minutes (05/01/01) |
| | - 95% <= 30 minutes (08/01/01) |
| • TAG | • TAG – 95% <= 30 minutes |
| | |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|--------------------------------|
| • EDI | • EDI |
| | - 90% <= 30 minutes (05/01/01) |
| | - 95% <= 30 minutes (08/01/01) |
| • TAG | • TAG – 95% <= 30 minutes |

O-2: Acknowledgement Message Completeness

Definition

This measurement provides the percent of transmissions/LSRs received via EDI or TAG respectively, which are acknowledged electronically.

Exclusions

- · Manually submitted LSRs
- · Scheduled OSS Maintenance

Business Rules

EDI and TAG send Functional Acknowledgements for all transmissions/LSRs, which are electronically submitted by a CLEC. Users of EDI may package many LSRs from multiple states in one transmission. If more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the transmission/LSR will be partially mechanized or fully mechanized.

Calculation

Acknowledgement Completeness = (a / b) X 100

- a = Total number of Functional Acknowledgements returned in the reporting period for transmissions/LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted transmissions/LSRs received in the reporting period by EDI or TAG respectively

Report Structure

- CLEC Aggregate
- · CLEC Specific/Aggregator
- · Geographic Scope
 - Region

Note: The Order calls for Mechanized, Partially Mechanized, and Totally Mechanized, however, the Acknowledgement message is generated before the system recognizes whether this electronic transmission will be partially or fully mechanized.

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---------------------------------------|-----------------------------------|
| Report Month | Not Applicable |
| Record of Functional Acknowledgements | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • EDI | • Benchmark: 100% |
| • TAG | |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|---|--|
| Yes | Tier I | X | |
| | Tier II | X | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • EDI | • Benchmark: 100% |
| • TAG | |

O-3: Percent Flow-Through Service Requests (Summary)

Definition

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

Exclusions

- Fatal Rejects
- · Auto Clarification
- · Manual Fallout
- · CLEC System Fallout
- · Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- 2. Special pricing plans
- 3. Some Partial migrations
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in CRIS
- 8. Denials-restore and conversion, or disconnect and conver sion orders
- Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

- 7. Expedites (requested by the CLEC)
- *See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

Percent Achieved Flow Through = $a / [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

Report Structure

- · CLEC Aggregate
 - Region

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|-----------------------------------|
| Report Month | Report Month |
| • Total Number of LSRs Received, by Interface, by CLEC | Total Number of Errors By Type |
| - TAG | - Bellsouth System Error |
| - EDI | |
| - LENS | |
| • Total Number of Errors by Type, by CLEC | |
| - Fatal Rejects | |
| - Auto Clarification | |
| - CLEC Caused System Fallout | |
| Total Number of Errors by Error Code | |
| Total Fallout for Manual Processing | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark ² |
|-----------------------------|-----------------------------------|
| Residence | • Benchmark: 95% |
| Business | Benchmark: 90% |
| • UNE | • Benchmark: 85% |
| • LNP | Benchmark: 85% |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark ³ |
|---------------------|------------------------------------|
| Residence | • Benchmark: 95% |
| • Business | • Benchmark: 90% |
| • UNE | Benchmark: 85% |
| • LNP | Benchmark: 85% |

Benchmarks do not apply to the "Percent Achieved Flow Through."

³ Benchmarks do not apply to the "Percent Achieved Flow Through."

O-4: Percent Flow-Through Service Requests (Detail)

Definition

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

Exclusions

- · Fatal Rejects
- Auto Clarification
- · Manual Fallout
- · CLEC System Fallout
- · Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and three types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- 2. Special pricing plans
- 3. Some Partial migrations
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in
- 8. Denials-restore and conversion, or disconnect and conver sion orders
- Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

7. Expedites (requested by the CLEC)

*See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

Percent Achieved Flow Through = $a / [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

Report Structure

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- Number of fatal rejects
- · Mechanized interface used
- · Total mechanized LSRs
- · Total manual fallout
- Number of auto clarifications returned to CLEC
- · Number of validated LSRs
- · Number of BellSouth caused fallout
- · Number of CLEC caused fallout
- · Number of Service Orders Issued
- · Base calculation
- · CLEC error excluded calculation

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|-----------------------------------|
| Report Month | Report Month |
| • Total Number of LSRs Received, by Interface, by CLEC | Total Number of Errors by Type |
| - TAG | - Bellsouth System Error |
| - EDI | |
| - LENS | |
| Total Number of Errors by Type, by CLEC | |
| - Fatal Rejects | |
| - Auto Clarification | |
| - CLEC Errors | |
| Total Number of Errors by Error Code | |
| Total Fallout for Manual Processing | |

| SQM Level of Disaggregation | SQM Analog/Benchmark⁴ |
|-----------------------------|-----------------------|
| Residence | Benchmark: 95% |
| • Business | Benchmark: 90% |
| • UNE | Benchmark: 85% |
| • LNP | Benchmark: 85% |

⁴ Benchmarks do not apply to the "Percent Achieved Flow Through."

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark⁵ |
|---------------------|------------------------|
| Residence | • Benchmark: 95% |
| • Business | • Benchmark: 90% |
| • UNE | Benchmark: 85% |
| • LNP | Benchmark: 85% |

⁵ Benchmarks do not apply to the "Percent Achieved Flow Through."

O-5: Flow-Through Error Analysis

Definition

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

Exclusions

Each Error Analysis is error code specific, therefore exclusions are not applicable.

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Total for each error type.

Report Structure

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

- Error Type (by error code)
- Count of each error type
- · Percent of each error type
- · Cumulative percent
- Error Description
- · CLEC Caused Count of each error code
- · Percent of aggregate by CLEC caused count
- · Percent of CLEC caused count
- BellSouth Caused Count of each error code
- · Percent of aggregate by BellSouth caused count
- Percent of BellSouth by BellSouth caused count

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|--|
| Report Month | Report Month |
| Total Number of LSRs Received | Total Number of Errors by Type (by error code) |
| • Total Number of Errors by Type (by error code) | - BellSouth System Error |
| - CLEC Caused Error | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| Not Applicable | Not Applicable |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

O-6: CLEC LSR Information

Definition

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

Exclusions

- Fatal Rejects
- · LSRs submitted manually

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Not Applicable

Report Structure

Provides a list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period with an explanation of the of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR.

- CC
- PON
- Ver
- Timestamp
- Type
- Err #
- Note or Error Description

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|-----------------------------------|
| Report Month | Not Applicable |
| Record of LSRs Received by CC, PON and Ver | |
| • Record of Timestamp, Type, Err # and Note or Error | |
| Description for each LSR by CC, PON and Ver | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| Not Applicable | Not Applicable |

SEEM Measure

| SEEM Measure | | | | | | | | |
|--------------|---------|--|--|--|--|--|--|--|
| No | Tier I | | | | | | | |
| | Tier II | | | | | | | |

| SEEM Disaggregation | SEEM Analog/Benchmark | | | | | |
|---------------------|-----------------------|--|--|--|--|--|
| Not Applicable | Not Applicable | | | | | |

LSR Flow Through Matrix

| Product | Product Type | Reqtype | ACT Type | F/T ³ | Comple x Service | plex | Fallout For | | TAG ² | LEN S ⁴ |
|-------------------------------------|-----------------|-------------------|---------------------------|------------------|------------------------|------|-------------|---|---------------------|-----------------------|
| 2 wire analog DID trunk port | U,C | A | N,T | No | UNE | Yes | NA | N | N | N |
| 2 wire analog port | U | A | N,T | No | UNE | No | Yes | Y | Y | N |
| 2 wire ISDN digital line | U,C | A | N,T | No | UNE | Yes | NA | N | N | N |
| 2 wire ISDN digital loop | U,C | A | N,T | Yes | UNE | Yes | No | Y | Y | N |
| 3 Way Calling | R,B | E,M | N,C,T,V,W | Yes | No | No | No | Y | Y | Y |
| 4 wire analog voice grade loop | U,C | A | N,T | Yes | UNE | Yes | No | Y | Y | N |
| 4 wire DSO & PRI digital loop | U,C | A | N,T | No | UNE | Yes | NA | N | N | N |
| 4 wire DS1 & PRI digital loop | U,C | A | N,T | No | UNE | Yes | NA | N | N | N |
| 4 wire ISDN DSI digital trunk ports | U,C | A | N,T | No | UNE | Yes | NA | N | N | N |
| Accupulse | С | Е | N,C,T,V,W | No | Yes | Yes | NA | N | N | N |
| ADSL | R,B,C | Е | V,W | No | UNE | No | No | Y | Y | N |
| Area Plus | R,B | E,M | N,C,T,V,W | Yes | No | No | No | Y | Y | Y |
| Basic Rate ISDN | U,C | A | N,T | No | Yes | Yes | Yes | Y | Y | N |
| Basic Rate ISDN 2 Wire | С | Е | C, D,T,V,W | No | Yes | Yes | Yes | Y | Y | N |
| Basic Rate ISDN 2 Wire | С | Е | N,T | No | Yes | Yes | N/A | N | N | N |
| Basic Rate ISDN 2 Wire UNE P | С | M | N,C,D,V | No | YES | Yes | N/A | N | N | N |
| Analog Data/Private Line | С | Е | N, C, T, V, W, D, P, Q | No | Yes | Yes | N/A | N | N | N |
| Call Block | R,B | E,B,M | N,C,T,V,W | Yes | No | No | No | Y | Y | Y |
| Call Forwarding | R,B | E,B,M | N,C,T,V,W | Yes | No | No | No | Y | Y | Y |
| Call Return | R,B | E,B,M | N,C,T,V,W | Yes | No | No | No | Y | Y | Y |
| Call Selector | R,B | E,B,M | N,C,T,V,W | Yes | No | No | No | Y | Y | Y |
| Call Tracing | R,B | E,B,M | N,C,T,V,W | Yes | No | No | No | Y | Y | Y |
| Call Waiting | R,B | E,B,M | N,C,T,V,W | Yes | No | No | No | Y | Y | Y |
| Call Waiting Deluxe | R,B | E,B,M | N,C,T,V,W | Yes | No | No | No | Y | Y | Y |
| Caller ID | R,B | E,B,M | N,C,T,V,W | Yes | No | No | No | Y | Y | Y |
| CENTREX | C | P | V,P | No | Yes | Yes | NA | N | N | N |
| DID ACT W | C | N | W | No | Yes | Yes | Yes | Y | Y | Y |
| Digital Data Transport | U | Е | N,C,T,V,W | No | UNE | Yes | NA | N | N | N |
| Directory Listing Indentions | B,U | B,C,E,F, J,M,N | N,C,T,R,V,W,P,Q | No | No | No | Yes | Y | Y | Y |
| Directory Listings Captions | R,B,U | B,C,E,F, J,M,N | N,C,T,R,V,W,P,Q | No | No | Yes | Yes | Y | Y | Y |
| Directory Listings (simple) | R,B,U | B,C,E,F, J,M,N | N,C,T,R,V,W,P,Q | Yes | No | No | No | Y | Y | Y |
| DS3 | U | A,M | N,C,V | No | UNE | Yes | NA | N | N | N |
| DS1Loop | U | A,M | N,C,V | Yes | UNE | Yes | No | Y | Y | N |
| DSO Loop | U | A, B | N,C,D,T,V | Yes | UNE | Yes | No | Y | Y | N |
| Enhanced Caller ID | R,B | E,M | C,D,N,T,V,W | Yes | No | No | No | Y | Y | Y |
| ESSX | С | P | C,D,T,V,S,B,W,L ,P,Q | No | Yes | Yes | NA | N | N | N |
| Flat Rate/Business | В | E, M | C,D,N,T,V,W | Yes | No | No | No | Y | Y | Y |
| Flat Rate/Residence | R | E, M | C,D,N,T,V,W | Yes | No | No | No | Y | Y | Y |
| FLEXSERV | С | Е | N,C,D,T,V,W,P,Q | No | Yes | Yes | NA | N | N | N |
| Frame Relay | С | Е | N,C,D,V,W | No | Yes | Yes | NA | N | N | N |
| FX | С | Е | N,C,D,T,V,W,P,Q | No | Yes | Yes | NA | N | N | N |
| Ga. Community Calling | R,B | E, M | C,D,N,T,V,W | Yes | No | No | No | Y | Y | Y |
| HDSL | U | A | N,C,D | Yes | UNE | No | No | Y | Y | N |
| Hunting MLH | R,B | E, M | C,D,N,T,V,W | No | C/S4 | C/S | Yes | Y | Y | N |
| Hunting Series Completion | R,B | E, M | C,D,N,T,V,W | Yes | C/S | C/S | No | Y | Y | Y |
| INP to LNP Conversion | U | C | C | No | UNE | Yes | Yes | Y | Y | N |

| Product | Product | Reqtype | ACT Type | F/T ³ | Comple | Com | Planned | EDI | TAG | LEN |
|--|---------|---------|---------------------------|-------------------------|---------|-------|-----------------------|-----|-----|----------------|
| 1100001 | Туре | | 7.01.1760 | | X | | Fallout For | | 2 | S ⁴ |
| | | | | | Service | Order | | | | |
| | | | | | | | Handling ¹ | | | |
| LightGate | С | Е | N,C,D,T,V,W,P,Q | No | Yes | Yes | NA | N | N | N |
| Line Sharing | U | A | C,D | Yes | UNE | No | No | Y | Y | Y |
| Local Number Portability | U | C | C,D,P,V,Q | Yes | UNE | Yes | No | Y | Y | N |
| LNP With Complex Listing | С | С | P,V,Q,W | No | UNE | Yes | Yes | Y | Y | N |
| LNP with Partial Migration | U | С | D,P,V,Q | No | UNE | Yes | Yes | Y | Y | N |
| LNP with Complex Services | С | C | P,V,Q,W | No | UNE | Yes | Yes | Y | Y | N |
| Loop+INP | U | В | D,P,V,Q | Yes | UNE | No | No | Y | Y | N |
| Loop+LNP | U | В | C,D,N,V | Yes | UNE | No | No | Y | Y | N |
| Measured Rate/Bus | R,B | E,M | C,D,T,N,V,W | Yes | No | No | No | Y | Y | Y |
| Measured Rate/Res | R,B | E,M | C,D,T,N,V,W | Yes | No | No | No | Y | Y | Y |
| Megalink | С | Е | N,V,W,T,D,C,P,Q | No | Yes | Yes | NA | N | N | N |
| Megalink-T1 | C | E,M | N,V,W,T,D,C,P,Q | No | Yes | Yes | NA | N | N | N |
| Memory Call | R,B | E, M | C,D,N,T,V,W | Yes | No | No | No | Y | Y | Y |
| Memory Call Ans. Svc. | R,B | E, M | C,D,N,T,V,W | Yes | No | No | No | Y | Y | Y |
| Multiserv | С | P | N,C,D,T,V,S,B, W,L,P,Q | No | Yes | Yes | NA | N | N | N |
| Native Mode LAN Interconnection (NMLI) | С | Е | N,C,D,V,W | No | Yes | Yes | NA | N | N | N |
| Off-Prem Stations | С | Е | N,C,D,V,W,T,P,Q | No | Yes | Yes | NA | N | N | N |
| Optional Calling Plan | R,B | E, M | N | Yes | No | No | No | Y | Y | Y |
| Package/Complete Choice and Area Plus | R,B | E, M | N,T,C,V,W | Yes | No | No | No | Y | Y | Y |
| Pathlink Primary Rate ISDN | С | Е | N,C,D,T,V,W,P,Q | No | Yes | Yes | NA | N | N | N |
| Pay Phone Provider | В | E | C,D,T,N,V,W | No | No | No | NA | N | N | N |
| PBX Standalone Port | C | F | N,C,D | No | Yes | Yes | Yes | Y | Y | N |
| PBX Trunks | R,B | E | N,C,D,V,W,T,P,Q | No | Yes | Yes | Yes | Y | Y | N |
| Port/Loop PBX | U | M | A,C,D,V | No | No | No | Yes | Y | Y | N |
| Port/Loop Simple | U | M | A,C,D,V | Yes | No | No | Yes | Y | Y | Y |
| Preferred Call Forward | R,B,U | E | C,D,T,N,V,W | Yes | No | No | No | Y | Y | Y |
| RCF Basic | R,B | E | N,D,W,T,F | Yes | No | No | No | Y | Y | Y |
| Remote Access to CF | R,B | E,M | C,D,T,N,V,W | Yes | No | No | No | Y | Y | Y |
| Repeat Dialing | R,B | E,M | C,D,T,N,V,W | Yes | No | No | No | Y | Y | Y |
| Ringmaster | R,B | E,M | C,D,T,N,V,W | Yes | No | No | No | Y | Y | Y |
| Smartpath | R,B | E | C,D,T,N,V,W | No | Yes | Yes | NA | N | N | N |
| SmartRING | Ć | Е | N,D,C,V,W | No | Yes | Yes | NA | N | N | N |
| Speed Calling | R,B | E | C,D,T,N,V,W | Yes | No | No | No | Y | Y | Y |
| Synchronet | C | E | N | Yes | Yes | Yes | Yes | Y | Y | N |
| Tie Lines | C | Е | N,C,D,V,W,T,P,Q | No | Yes | Yes | NA | N | N | N |
| Touchtone | R,B | Е | C,D,T,N,V,W | Yes | No | No | No | Y | Y | Y |
| Unbundled Loop-Analog 2W, SL1, | Ú | A,B | C,D,T,N,V,W | Yes | UNE | No | No | Y | Y | Y |
| SL2 | | ,- | -,-,-,-,,., | | | | - 1, 0 | | | |
| WATS | R,B | Е | W,D | No | Yes | Yes | NA | N | N | N |
| XDSL | C,U | A,B | N,T,C,V,D | Yes | UNE | No | No | Y | Y | N |
| XDSL Extended LOOP | C,U | A,B | N,T,C,V,D | No | UNE | Yes | NA | N | N | N |
| Collect Call Block | R,B | Е | N,T,C,V,W,D | Yes | No | No | No | Y | Y | Y |
| 900 Call Block | R,B | Е | N,T,C,V,W,D | Yes | No | No | No | Y | Y | Y |
| 3rd Party Call Block | R,B | Е | N,T,C,V,W,D | Yes | No | No | No | Y | Y | Y |
| Three Way Call Block | R,B | Е | N,T,C,V,W,D | Yes | No | No | No | Y | Y | Y |
| PIC/LPIC Change | R,B | Е | T,C,V, | Yes | No | No | No | Y | Y | Y |
| PIC/LPIC Freeze | R,B | Е | N,T,C,V | Yes | No | No | No | Y | Y | Y |

Note¹: Planned Fallout for Manual Handling denotes those services that are electronically submitted and are not intended to flow through due to the complexity of the service.

Note²: The TAG column includes those LSRs submitted via Robo TAG.

Note³: For all services that indicate 'No' for flow-through, the following reasons, in addition to errors or complex services, also prompt manual handling: Expedites from CLECs, special pricing plans, denials restore and conversion or disconnect and conversion both required, partial migrations (although conversions-as-is flow through for issue 9), class of service invalid in certain states with some TOS e.g. government, or cannot be changed when changing main TN on C activity, low volume e.g. activity type T=move, pending order review required, more than 25 business lines, CSR inaccuracies such as invalid or missing CSR data in CRIS, Directory listings – Indentions, Directory listings – Captions, transfer of calls option for CLEC end user – new TN not yet posted to BOCRIS. Many are unique to the CLEC environment.

Note⁴: Services with C/S in the Complex Service and/or the Complex Order columns can be either complex or simple.

Note⁵: EELs are manually ordered.

Note⁶: LSRs submitted for Resale Products and Services for which there is a temporary promotion or discount plan will be processed identically to those LSRs ordering the same Products or Services without a promotion or discount plan.

O-7: Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) received which are rejected due to error or omission. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by the CLEC prior to being rejected/clarified.
- · Scheduled OSS Maintenance

Business Rules

Fully Mechanized: An LSR is considered "rejected" when it is submitted electronically but does not pass LEO edit checks in the ordering systems (EDI, LENS, TAG, LEO, LESOG) and is returned to the CLEC without manual intervention. There are two types of "Rejects" in the Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. Fatal rejects are excluded from the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** occurs when a valid LSR is electronically submitted but rejected from LESOG because it does not pass further edit checks for order accuracy.

Partially Mechanized: A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and "falls out" for manual handling. It is then put into "clarification" and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs electronically submitted by the CLEC.

Non-Mechanized: LSRs which are faxed or mailed to the LCSC for processing and "clarified" (rejected) back to the CLEC by the BellSouth service representative.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Interconnection Purchasing Center (IPC). Trunk data is reported separately.

Calculation

Percent Rejected Service Requests = (a / b) X 100

- a = Total Number of Rejected Service Requests in the Reporting Period
- b = Total Number of Service Requests Received in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- · CLEC Aggregate
- Geographic Scope
 - State
 - Region
- Product Specific Percent Rejected
- Total Percent Rejected

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|-----------------------------------|
| Report Month | Not Applicable |
| Total Number of LSRs | |
| Total Number of Rejects | |
| State and Region | |
| • Total Number of ASRs (Trunks) | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|----------------------|
| Mechanized, Partially Mechanized and Non-Mechanized | Diagnostic |
| Resale - Residence | |
| Resale - Business | |
| • Resale – Design (Special) | |
| Resale PBX | |
| Resale Centrex | |
| Resale ISDN | |
| • LNP (Standalone) | |
| • INP (Standalone) | |
| 2W Analog Loop Design | |
| 2W Analog Loop Non-Design | |
| • 2W Analog Loop With INP Design | |
| • 2W Analog Loop With INP Non-Design | |
| • 2W Analog Loop With LNP Design | |
| • 2W Analog Loop With LNP Non-Design | |
| • UNE Loop + Port Combinations | |
| Switch Ports | |
| UNE Combination Other | |
| • UNE xDSL (ADSL, HDSL, UCL) | |
| Line Sharing | |
| UNE ISDN Loop | |
| UNE Other Design | |
| • UNE Other Non-Design | |
| Local Interoffice Transport | |
| Local Interconnection Trunks | |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

O-8: Reject Interval

Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by CLEC prior to being rejected/clarified
- · Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is rejected (date and time stamp or reject in EDI, TAG or LENS). Auto Clarifications are considered in the Fully Mechanized category.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via LENS, EDI, or TAG.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.

Non-Mechanized: The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately. All interconnection trunks are counted in the non-mechanized category.

Calculation

Reject Interval = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- · Geographic Scope

- State
- Region
- Mechanized:
 - $0 \le 4$ minutes
 - >4 <= 8 minutes
 - >8 <= 12 minutes
 - >12 <= 60 minutes
 - $0 \le 1$ hour
 - >1 <= 4 hours
 - >4 <= 8 hours
 - >8 <= 12 hours
 - >12 <= 16 hours
 - >16 <= 20 hours
 - >20 <= 24 hours
- >24 hours
- Partially Mechanized:
 - $0 \le 1 \text{ hour}$
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 10 hours
- $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- >24 hours
- Non-mechanized:
- $0 \le 1 \text{ hour}$
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours >16 - <= 20 hours
- >20 <= 24 hours
- $0 \le 24 \text{ hours}$ > 24 hours
- Trunks:
 - <= 4 days
 - >4 <= 8 days
 - >8 <= 12 days
 - >12 <= 14 days
 - >14 <= 20 days>20 days

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|-----------------------------------|
| Report Month | Not Applicable |
| Reject Interval | |
| Total Number of LSRs | |
| Total Number of Rejects | |
| State and Region | |
| • Total Number of ASRs (Trunks) | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|------------------------------|
| Resale - Residence | • Mechanized: |
| Resale - Business | - 97% <= I Hour |
| • Resale - Design (Special) | Partially Mechanized: |
| • Resale PBX | - 85% <= 24 hours |
| Resale Centrex | - 85% <= 18 Hours (05/01/01) |

760 of 887

| Resale ISDN | - 85% <= 10 Hours (08/01/01) |
|--|-------------------------------------|
| • LNP (Standalone) | • Non-Mechanized: - 85% <= 24 hours |
| • INP (Standalone) | |
| 2W Analog Loop Design | |
| 2W Analog Loop Non-Design | |
| 2W Analog Loop With INP Design | |
| 2W Analog Loop With INP Non-Design | |
| 2W Analog Loop With LNP Design | |
| 2W Analog Loop With LNP Non-Design | |
| UNE Loop + Port Combinations | |
| • Switch Ports | |
| • UNE Combination Other | |
| • UNE xDSL (ADSL, HDSL, UCL) | |
| • Line Sharing | |
| UNE ISDN Loops | |
| • UNE Other Non-Design | |
| Local Interoffice Transport | |
| • UNE Other Design | |
| Local Interconnection Trunks | • Trunks: - 85% <= 4 Days |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|----------------------|------------------------------|
| Fully Mechanized | • 97% <= 1 Hour |
| Partially Mechanized | • 85% <= 24 Hours |
| | • 85% <= 18 Hours (05/01/01) |
| | • 85% <= 10 Hours (08/01/01) |
| Non-Mechanized | • 85% <= 24 Hours |

O-9: Firm Order Confirmation Timeliness

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR to distribution of a Firm Order Confirmation.

Exclusions

- · Rejected LSRs
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI, LENS or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.
- Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately.

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution (for each interval) = (e / f) X 100

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
 - CLEC Specific
 - CLEC Aggregate
- Geographic Scope
 - State
- Region
- Fully Mechanized:
- $0 \le 15 \text{ minutes}$
- >15 <= 30 minutes
- >30 <= 45 minutes
- >45 <= 60 minutes
- >60 <= 90 minutes
- >90 <= 120 minutes
- >120 <= 180 minutes
- $0 \le 3$ hours
- >3 <= 6 hours
- >6 <= 12 hours
- >12 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Partially Mechanized:
- $0 \le 4$ hours
- >4 <= 8 hours
- > 8 < = 10 hours
- $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- 0 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Non-Mechanized:
- $0 \le 4$ hours
- >4 <=8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours >24 - <= 36 hours
- $0 \le 36 \text{ hours}$
- 0 <= 50 Hours
- >36 <= 48 hours >48 hours
- Trunks:
- $0 \le 5 \text{ days}$
- >5 <= 10 days
- $0 \le 10 \text{ days}$
- >10 <= 15 days
- >15 <= 20 days
- >20 days

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---------------------------------|-----------------------------------|
| Report Month | Not Applicable |
| • Interval for FOC | |
| Total Number of LSRs | |
| State and Region | |
| • Total Number of ASRs (Trunks) | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|--------------------------------------|-------------------------------------|
| Resale – Residence | • Mechanized: - 95% <= 3 Hours |
| • Resale – Business | Partially Mechanized: |
| • Resale – Design (Special) | - 85% <= 24 Hours |
| • Resale PBX | - 85% <= 18 Hours (05/01/01) |
| Resale Centrex | - 85% <= 10 Hours (08/01/01) |
| Resale ISDN | • Non-mechanized: - 85% <= 36 Hours |
| • LNP (Standalone) | |
| • INP(Standalone) | |
| 2W Analog Loop Design | |
| 2W Analog Loop Non-Design | |
| • 2W Analog Loop With INP Design | |
| • 2W Analog Loop With INP Non-Design | |
| • 2W Analog Loop With LNP Design | |
| • 2W Analog Loop With LNP Non-Design | |
| • UNE Loop + Port Combinations | |
| Switch Ports | |
| UNE Combination Other | |
| • UNE xDSL (ADSL, HDSL, UCL) | |
| • Line Sharing | |
| UNE ISDN Loops | |
| UNE Other Design | |
| UNE Other Non-Design | |
| Local Interoffice Transport | |
| Local Interconnection Trunks | • Trunks: - 95% <= 10 Days |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|----------------------|------------------------------|
| Fully Mechanized | • 95% <= 3 Hours |
| Partially Mechanized | • 85% <= 24 Hours |
| | • 85% <= 18 Hours (05/01/01) |
| | • 85% <= 10 Hours (08/01/01) |
| Non-Mechanized | • 85% <= 36 Hours |
| IC Trunks | • 95% <= 10 Days |

O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual⁶

Definition

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

Exclusions

- · Designated Holidays are excluded from the interval calculation
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry
- · Canceled Requests
- Electronically Submitted Requests
- · Scheduled OSS Maintenance

Business Rules

This measurement combines four intervals:

- 1. From receipt of Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
- 2. From SAC start date to SAC complete date.
- From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
- 4. From receipt of SI/LSR in the LCSC to Firm Order Confirmation.

Calculation

FOC Timeliness Interval = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSR returned to CLEC
- b = Date and Time SI with LSR received

Average Interval = (c / d)

- c = Sum of all FOC Timeliness Intervals
- d = Total number of SIs with LSRs received in the reporting period

Percent Within Interval = (e / f) X 100

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center (LCSC)
- f = Total number of Service Inquiries with LSRs received in the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- · Geographic Scope
 - State
 - Region
- Intervals

 $0 - \le 3 \text{ days}$

>3 - <= 5 days0 - <= 5 days

>5 - <= 7 days

>7 - <= 10 days

>10 - <= 15 days

>15 days

See O-9 for FOC Timeliness

• Average Interval measured in days

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|-----------------------------------|
| Report Month | Not Applicable |
| Total Number of Requests | |
| • SI Intervals | |
| State and Region | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|-----------------------------------|
| • xDSL (includes UNE unbundled ADSL, HDSL and UNE | • 95% Returned <= 5 Business days |
| Unbundled Copper Loops) | - |
| Unbundled Interoffice Transport | |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

O-11: Firm Order Confirmation and Reject Response Completeness

Definition

A response is expected from BellSouth for every Local Service Request transaction (version). More than one response or differing responses per transaction is not expected. Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

Exclusions

- · Service Requests canceled by the CLEC prior to FOC or Rejected/Clarified
- · Non-Mechanized LSRs
- · Scheduled OSS Maintenance

Business Rules

Mechanized – The number of FOCs or Auto Clarifications sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG).

Partially Mechanized – The number of FOCs or Rejects sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG), which fall out for manual handling by the LCSC personnel.

Total Mechanized - The number of the combination of Fully Mechanized and Partially Mechanized LSRs

Non-Mechanized – The number of FOCs or Rejects sent to the CLEC via FAX Server in response to manually submitted LSRs (date and time stamp in FAX Server).

Note: Manual (Non-Mechanized) LSRs have no version control by the very nature of the manual process, therefore, non-mechanized LSRs are not captured by this report.

For CLEC Results:

Firm Order Confirmation and Reject Response Completeness is determined in two dimensions:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Percent of multiple responses is determined by computing the number of Local Service Request unique versions receiving more than one Firm Order Confirmation, Reject or the combination of the two and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Calculation

Single FOC/Reject Response Expected

Firm Order Confirmation / Reject Response Completeness = (a / b) X 100

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

Multiple or Differing FOC / Reject Responses Not Expected

Response Completeness = $[(a + b) / c] \times 100$

- a = Total Number of Firm Order Confirmations Per LSR Version
- b = Total Number of Reject Responses Per LSR Version
- c = Total Number of Service Requests (All Versions) Received in the Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- · State and Region
- CLEC Specific
- CLEC Aggregate
- BellSouth Specific

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|-----------------------------------|
| Report Month | Not Applicable |
| Reject Interval | |
| Total Number of LSRs | |
| • Total Number of Rejects | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|--|----------------------|
| Resale Residence | • 95% Returned |
| Resale Business | |
| Resale Design | |
| Resale PBX | |
| Resale Centrex | |
| Resale ISDN | |
| • LNP (Standalone) | |
| • INP (Standalone) | |
| 2W Analog Loop Design | |
| • 2W Analog Loop Non - Design | |
| • 2W Analog Loop With INP Design | |
| • 2W Analog Loop With INP Non - Design | |
| • 2W Analog Loop With LNP Design | |
| • 2W Analog Loop With LNP Non - Design | |
| UNE Loop and Port Combinations | |
| • Switch Ports | |
| UNE Combination Other | |
| • UNE xDSL (ADSL, HDSL, UCL) | |
| • Line Sharing | |
| UNE ISDN Loops | |
| UNE Other Design | |
| • UNE Other Non - Design | |
| Local Interoffice Transport | |
| • Local Interconnection Trunks | |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Fully Mechanized | • 95% Returned |

O-12: Speed of Answer in Ordering Center

Definition

Measures the average time a customer is in queue.

Exclusions

None

Business Rules

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

Calculation

Speed of Answer in Ordering Center = (a / b)

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

Report Structure

Aggregate

- CLEC Local Carrier Service Center
- BellSouth
 - Business Service Center
- Residence Service Center

Note: Combination of Residence Service Center and Business Service Center data.

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|---|
| Mechanized tracking through LCSC Automatic Call | Mechanized tracking through BellSouth Retail center |
| Distributor | support system. |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-------------------------------------|----------------------|
| Aggregate | Parity with Retail |
| CLEC – Local Carrier Service Center | |
| BellSouth | |
| - Business Service Center | |
| - Residence Service Center | |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

O-13: LNP-Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) which are rejected due to error or omission. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete, i.e., fatal rejects are never accepted and, therefore, are not included.

Exclusions

- Service Requests canceled by the CLEC
- · Scheduled OSS Maintenance

Business Rules

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR (via EDI or TAG) but required fields are not populated correctly and the request is returned to the CLEC.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which is electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

Calculation

LNP-Percent Rejected Service Requests = (a / b) X 100

- a = Number of Service Requests Rejected in the Reporting Period
- b = Number of Service Requests Received in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- CLEC Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|-----------------------------------|
| Not Applicable | Not Applicable |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • LNP | Diagnostic |
| • UNE Loop With LNP | |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

O-14: LNP-Reject Interval Distribution & Average Reject Interval

Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by the CLEC
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BellSouth receives LSR until that LSR is rejected back to the CLEC. Elapsed time for each LSR is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are not populated correctly and the request is returned to the CLEC.

An **Auto Clarification** is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

Calculation

Reject Interval = (a - b)

- a = Date & Time of Service Request Rejection
- b = Date & Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Total Number of Service Requests Rejected in Reporting Period

Reject Interval Distribution = $(e / f) \times 100$

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State, Region
- Fully Mechanized:
- $0 \le 4$ minutes
- >4 <= 8 minutes
- >8 <= 12 minutes
- >12 <= 60 minutes
- 0 <= 1 hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- > 24 hours
- Partially Mechanized:
 - $0 \le 1 \text{ hour}$
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 10 hours
- $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- > 24 hours
- Non-Mechanized:
 - $0 \le 1$ hour
 - >1 <=4 hours
 - >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- $0 \le 24 \text{ hours}$
- >24 hours
- · Average Interval in Days or Hours

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|-----------------------------------|
| Report Month | Not Applicable |
| Reject Interval | |
| • Total Number of LSRs | |
| Total number of Rejects | |
| State and Region | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|--|
| • LNP | • Mechanized: 97% <= I Hour |
| • UNE Loop with LNP | • Partially Mechanized: 85% <= 24 Hours |
| | • Partially Mechanized: 85% <= 18 Hours (05/01/01) |
| | • Partially Mechanized: 85% <= 10 Hours (08/01/01) |
| | • Non-Mechanized: 85% <= 24 Hours |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirmation Average Interval

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of a valid LSR to distribution of a firm order confirmation.

Exclusions

- · Rejected LSRs
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group - Monday through Saturday 7:00PM until 7:00AM

From 7:00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups - Monday through Friday 6:00PM until 8:00AM

From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI, LENS or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution (for each interval) = (e / f) X 100

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State and Region
- Fully Mechanized:
- 0 <= 15 minutes
- >15 <= 30 minutes
- >30 <= 45 minutes
- >45 <= 60 minutes
- >60 <= 90 minutes
- >90 <= 120 minutes
- >120 <= 180 minutes
- $0 \le 3$ hours
- >3 <= 6 hours
- >6 <= 12 hours
- >12 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Partially Mechanized:
- $0 \le 4$ hours
- >4 <= 8 hours
- > 8 < = 10 hours
- $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- $0 \leftarrow 24 \text{ hours}$
- >24 <= 48 hours
- > 48 hours
- Non-Mechanized:
- $0 \le 4 \text{ hours}$
- >4 <= 8 hours
- >8 <= 12 hours >12 - <= 16 hours
- >12 <= 16 hours >16 - <= 20 hours
- >20 <= 24 hours
- >24 <= 36 hours
- 0 <= 36 hours
- >36 <= 48 hours
- >48 hours

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|-----------------------------------|
| Report Month | Not Applicable |
| Total Number of LSRs | |
| • Total Number of FOCs | |
| State and Region | |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|--|
| • LNP | • Mechanized: 95% <= 3 Hours |
| UNE Loop with LNP | • Partially Mechanized: 85% <= 24 Hours |
| | • Partially Mechanized: 85% <= 18 Hours (05/01/01) |
| | • Partially Mechanized: 85% <= 10 Hours (08/01/01) |
| | • Non-Mechanized: 85% <= 36 hours |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

Section 3: Provisioning

P-1: Mean Held Order Interval & Distribution Intervals

Definition

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BellSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date at the close of the reporting period. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

Exclusions

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D) & From (F) orders
- · Orders with appointment code of 'A' for Rural orders

Business Rules

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

Held Order Distribution Interval: This measure provides data to report total days held and identifies these in categories of >15 days and >90 days. (Orders counted in >90 days are also included in >15 days).

Calculation

Mean Held Order Interval = a / b

- ullet a = Sum of held-over-days for all Past Due Orders Held for the reporting period
- b = Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

Held Order Distribution Interval (for each interval) = (c / d) X 100

- c = # of Orders Held for >= 15 days or # of Orders Held for >= 90 days
- d = Total # of Past Due Orders Held and Pending But Not Completed)

Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Circuit Breakout < 10, >= 10 (except trunks)

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|--|
| Report Month CLEC Order Number and PON (PON) Order Submission Date (TICKET_ID) Committed Due Date (DD) Service Type (CLASS_SVC_DESC) Hold Reason Total Line/circuit Count Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. | Report Month BellSouth Order Number Order Submission Date Committed Due Date Service Type Hold Reason Total Line/circuit Count Geographic Scope |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|---|
| Resale Residence | Retail Residence |
| Resale Business | Retail Business |
| Resale Design | Retail Design |
| Resale PBX | • Retail PBX |
| Resale Centrex | Retail Centrex |
| Resale ISDN | Retail ISDN |
| • LNP (Standalone) | • Retail Residence and Business (POTS) |
| • INP (Standalone) | • Retail Residence and Business (POTS) |
| 2W Analog Loop Design | Retail Residence and Business Dispatch |
| 2W Analog Loop Non-Design | Retail Residence and Business - POTS Excluding Switch- Based Orders |
| 2W Analog Loop With LNP Design | Retail Residence and Business Dispatch |
| 2W Analog Loop With LNP Non-Design 2W Analog Loop With LNP Non-Design | Retail Residence and Business - POTS Excluding Switch- |
| 2W Milliog Loop With EW Non Design | Based Orders |
| • 2W Analog Loop With INP-Design | Retail Residence and Business Dispatch |
| • 2W Analog Loop With INP Non-Design | • Retail Residence and Business - POTS Excluding Switch- |
| | Based Orders |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop >= DS1 | • Retail Digital Loop >= DS1 |
| • UNE Loop + Port Combinations | Retail Residence and Business |
| • UNE Switch Ports | • Retail Residence and Business (POTS) |
| • UNE Combo Other | Retail Residence, Business and Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | ADSL Provided to Retail |
| • UNE ISDN | • Retail ISDN - BRI |
| • UNE Line Sharing | ADSL Provided to Retail |
| • UNE Other Design | Retail Design |
| UNE Other Non-Design | Retail Residence and Business |
| • Local Transport (Unbundled Interoffice Transport) | • Retail DS1/DS3 Interoffice |
| Local Interconnection Trunks | Parity with Retail |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices

Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the commitment date of the order. The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

Exclusions

- · Orders held for CLEC end user reasons
- Disconnect (D) & From (F) orders
- · Non-Dispatch Orders

Business Rules

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

Calculation

Jeopardy Interval = a - b

- a = Date and Time of Jeopardy Notice
- b = Date and Time of Scheduled Due Date on Service Order

Average Jeopardy Interval = c / d

- c = Sum of all jeopardy intervals
- d = Number of Orders Notified of Jeopardy in Reporting Period

Percent of Orders Given Jeopardy Notice = (e / f) X 100

- e = Number of Orders Given Jeopardy Notices in Reporting Period
- f = Number of Orders Confirmed (due) in Reporting Period)

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch Orders
- Mechanized Orders
- · Non-Mechanized Orders

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|--|
| CLEC Order Number and PON Date and Time Jeopardy Notice Sent Committed Due Date Service Type | Report Month BellSouth Order Number Date and Time Jeopardy Notice Sent Committed Due Date Service Type |

SQM Disaggregation - Analog/Benchmark

| Resale Residence Resale Business Resale Design Resale Design Resale PBX Resale PBX Retail PBX Retail Centrex Resale Centrex Resale ISDN Retail Residence and Business (POTS) LNP (Standalone) Retail Residence and Business (POTS) 2W Analog Loop Design Retail Residence and Business Dispatch 2W Analog Loop Non-Design Retail Residence and Business Dispatch 2W Analog Loop With LNP Design Retail Residence and Business Dispatch 2W Analog Loop With LNP Non-Design Retail Residence and Business Dispatch 2W Analog Loop With LNP Non-Design Retail Residence and Business (POTS Excluding Switch- Based Orders) 2W Analog Loop With INP Design Retail Residence and Business (POTS Excluding Switch- Based Orders) 2W Analog Loop With INP Non-Design Retail Residence and Business (POTS Excluding Switch- Based Orders) Whan Design Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Digital Loop > DS1 Retail Digital Loop > DS1 Retail Digital Loop > DS1 Retail Business and Residence Retail Residence and Business (POTS) Retail Residence, Business and Design Dispatch NE Combo Other Retail Residence, Business and Design Dispatch NE Line Sharing ADSL Provided to Retail UNE Other Design Retail Residence and Business Retail Residence and Business | SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|--|---|
| Resale Business Resale Design Resale Design Retail Design Retail Design Retail Design Resale PBX Resale Centrex Resale ISDN Retail ISDN Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business Dispatch 2W Analog Loop Design Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With LNP Design Retail Residence and Business Dispatch 2W Analog Loop With LNP Non-Design Retail Residence and Business Dispatch 2W Analog Loop With INP Design Retail Residence and Business Dispatch 2W Analog Loop With INP Design Retail Residence and Business (POTS Excluding Switch- Based Orders) 2W Analog Loop With INP Non-Design Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Digital Loop > DSI Retail Digital Loop > DSI Retail Digital Loop > DSI Retail Digital Loop > DSI Retail Digital Loop > DSI Retail Business and Residence UNE Loop + Port Combinations Retail Residence and Business (POTS) Retail Residence, Business and Design Dispatch UNE Combo Other Retail Residence, Business and Design Dispatch UNE Line Sharing ADSL Provided to Retail UNE Line Sharing Retail Design Retail Residence and Business | % Orders Given Jeopardy Notice | |
| Resale Design Resale PBX Retail PBX Retail PBX Retail Centrex Resale ISDN LNP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) 2W Analog Loop Design Retail Residence and Business Dispatch 2W Analog Loop Non-Design Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With LNP Design Retail Residence and Business Dispatch 2W Analog Loop With LNP Non-Design Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With INP Design Retail Residence and Business Dispatch 2W Analog Loop With INP Design Retail Residence and Business (POTS Excluding Switch- Based Orders) 2W Analog Loop With INP Non-Design Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Digital Loop < DS1 Retail Digital Loop < DS1 Retail Digital Loop >= DS1 Retail Digital Loop >= DS1 Retail Digital Loop >= DS1 Retail Business and Residence UNE Loop + Port Combinations Retail Residence and Business (POTS) Retail Residence, Business and Design Dispatch UNE Combo Other ADSL Provided to Retail UNE ISDN Retail ISDN BRI ADSL Provided to Retail UNE Line Sharing Retail Design Retail Residence and Business | Resale Residence | Retail Residence |
| Resale PBX Resale Centrex Resale ISDN Retail ISDN Retail ISDN LNP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) 2W Analog Loop Design Retail Residence and Business Dispatch 2W Analog Loop Non-Design Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With LNP Design Retail Residence and Business Dispatch 2W Analog Loop With LNP Non-Design Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With INP Design Retail Residence and Business Dispatch 2W Analog Loop With INP Design Retail Residence and Business (POTS Excluding Switch- Based Orders) 2W Analog Loop With INP Non-Design Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Digital Loop < DS1 Retail Digital Loop > DS1 Retail Digital Loop >= DS1 Retail Digital Loop >= DS1 Retail Digital Loop >= DS1 Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence, Business and Design Dispatch UNE Combo Other ADSL Provided to Retail Netail ISDN BRI ADSL Provided to Retail UNE Line Sharing ADSL Provided to Retail Chort Design Retail Design Retail Residence and Business | Resale Business | Retail Business |
| Resale Centrex Resale ISDN Retail ISDN Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) 2W Analog Loop Design Retail Residence and Business Dispatch 2W Analog Loop Non-Design Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With LNP Design Retail Residence and Business Dispatch 2W Analog Loop With INP Non-Design Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With INP Design Retail Residence and Business Dispatch 2W Analog Loop With INP Non-Design Retail Residence and Business (POTS Excluding Switch- Based Orders) Whan Digital Loop Sull (Pots Excluding Switch- Based Orders) Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Residence and Business (POTS Excluding Switch- Based Orders) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS)<!--</td--><td>Resale Design</td><td>Retail Design</td> | Resale Design | Retail Design |
| Resale ISDN LNP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) 2W Analog Loop Design Retail Residence and Business Dispatch 2W Analog Loop Non-Design Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With LNP Design Retail Residence and Business Dispatch 2W Analog Loop With LNP Non-Design Retail Residence and Business Dispatch 2W Analog Loop With INP Design Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With INP Design Retail Residence and Business Dispatch 2W Analog Loop With INP Non-Design Retail Residence and Business (POTS Excluding Switch- Based Orders) WINE Digital Loop > DS1 Retail Digital Loop > DS1 Retail Digital Loop > DS1 Retail Digital Loop > DS1 Retail Digital Loop > DS1 Retail Business and Residence UNE Loop + Port Combinations Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) UNE Combo Other Retail Residence, Business and Design Dispatch UNE SIDN ADSL Provided to Retail UNE Line Sharing ADSL Provided to Retail UNE Other Design Retail Design Retail Residence and Business | Resale PBX | Retail PBX |
| LNP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) 2W Analog Loop Design Retail Residence and Business Dispatch 2W Analog Loop Non-Design Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With LNP Design Retail Residence and Business Dispatch 2W Analog Loop With LNP Non-Design Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With INP Design Retail Residence and Business Dispatch 2W Analog Loop With INP Non-Design Retail Residence and Business (POTS Excluding Switch-Based Orders) 2W Analog Loop With INP Non-Design Retail Residence and Business (POTS Excluding Switch-Based Orders) 4 Retail Digital Loop < DS1 Retail Digital Loop < DS1 Retail Digital Loop >= DS1 Retail Digital Loop >= DS1 Retail Business and Residence UNE Loop + Port Combinations Retail Residence and Business (POTS) UNE Combo Other Retail Residence, Business and Design Dispatch UNE Lops Line Sharing ADSL Provided to Retail UNE Other Design Retail Design Retail Design Retail Residence and Business | Resale Centrex | Retail Centrex |
| INP (Standalone) 2W Analog Loop Design Retail Residence and Business Dispatch 2W Analog Loop Non-Design Retail Residence and Business Dispatch Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With LNP Design Retail Residence and Business Dispatch 2W Analog Loop With LNP Non-Design Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With INP Design Retail Residence and Business Dispatch 2W Analog Loop With INP Non-Design Retail Residence and Business (POTS Excluding Switch-Based Orders) WINE Digital Loop < DS1 Retail Digital Loop < DS1 Retail Digital Loop >= DS1 Retail Digital Loop >= DS1 Retail Business and Residence UNE Loop + Port Combinations Retail Residence and Business (POTS) UNE Combo Other Retail Residence, Business and Design Dispatch UNE Line Sharing ADSL Provided to Retail UNE Other Design Retail Design Retail Design Retail Design Retail Residence and Business | Resale ISDN | Retail ISDN |
| 2W Analog Loop Design 2W Analog Loop Non-Design Retail Residence and Business Dispatch Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With LNP Design Retail Residence and Business Dispatch 2W Analog Loop With LNP Non-Design Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With INP Design Retail Residence and Business Dispatch 2W Analog Loop With INP Non-Design Retail Residence and Business (POTS Excluding Switch-Based Orders) Retail Residence and Business (POTS Excluding Switch-Based Orders) Retail Digital Loop < DS1 Retail Digital Loop > DS1 Retail Digital Loop > DS1 Retail Business and Residence UNE Loop + Port Combinations Retail Business and Residence UNE Switch Ports Retail Residence and Business (POTS) Retail Residence, Business and Design Dispatch UNE ADSL (HDSL, ADSL and UCL) ADSL Provided to Retail UNE Line Sharing ADSL Provided to Retail UNE UNE Other Design Retail Design Retail Design Retail Residence and Business | • LNP (Standalone) | Retail Residence and Business (POTS) |
| 2W Analog Loop Non-Design 2W Analog Loop With LNP Design 2W Analog Loop With LNP Non-Design 2W Analog Loop With LNP Non-Design 2W Analog Loop With LNP Non-Design 2W Analog Loop With INP Design Retail Residence and Business - (POTS Excluding Switch-Based Orders) 2W Analog Loop With INP Design Retail Residence and Business Dispatch 2W Analog Loop With INP Non-Design Retail Residence and Business (POTS Excluding Switch-Based Orders) *UNE Digital Loop < DS1 *Retail Digital Loop < DS1 *Retail Digital Loop >= DS1 *Retail Digital Loop >= DS1 *Retail Business and Residence *UNE Switch Ports *Retail Residence and Business (POTS) *Retail Residence and Business (POTS) *Retail Residence and Business (POTS) *Retail Residence and Business (POTS) *Retail Residence and Business (POTS) *Retail Residence and Business (POTS) *Retail Residence and Business (POTS) *Retail Residence and Business (POTS) *Retail Residence and Business (POTS) *Retail Residence and Business (POTS) *Retail Residence and Business (POTS) *Retail Residence and Business (POTS) *Retail Residence and Business (POTS) *Retail Residence and Business (POTS) *Retail Residence and Business (POTS) | • INP (Standalone) | Retail Residence and Business (POTS) |
| Switch- Based Orders) • 2W Analog Loop With LNP Design • 2W Analog Loop With LNP Non-Design • 2W Analog Loop With INP Non-Design • 2W Analog Loop With INP Design • 2W Analog Loop With INP Design • 2W Analog Loop With INP Non-Design • Retail Residence and Business Dispatch • 2W Analog Loop With INP Non-Design • Retail Residence and Business Dispatch • Retail Residence and Business (POTS Excluding Switch-Based Orders) • UNE Digital Loop < DS1 • Retail Digital Loop < DS1 • Retail Digital Loop >= DS1 • Retail Digital Loop >= DS1 • Retail Business and Residence • UNE Loop + Port Combinations • Retail Residence and Business (POTS) • UNE Switch Ports • Retail Residence and Business (POTS) • UNE Combo Other • Retail Residence, Business and Design Dispatch • UNE xDSL (HDSL, ADSL and UCL) • ADSL Provided to Retail • UNE Line Sharing • ADSL Provided to Retail • UNE Other Design • Retail Design • Retail Residence and Business | 2W Analog Loop Design | Retail Residence and Business Dispatch |
| 2W Analog Loop With LNP Design 2W Analog Loop With LNP Non-Design Retail Residence and Business Dispatch Retail Residence and Business - (POTS Excluding Switch-Based Orders) 2W Analog Loop With INP Design Retail Residence and Business Dispatch 2W Analog Loop With INP Non-Design Retail Residence and Business Dispatch Retail Residence and Business (POTS Excluding Switch-Based Orders) Retail Digital Loop < DS1 Retail Digital Loop >= DS1 Retail Digital Loop >= DS1 Retail Business and Residence Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) Retail Residence and Business (POTS) | 2W Analog Loop Non-Design | Retail Residence and Business - (POTS Excluding |
| 2W Analog Loop With LNP Non-Design 2W Analog Loop With INP Design Retail Residence and Business Dispatch 2W Analog Loop With INP Non-Design Retail Residence and Business Dispatch Retail Residence and Business (POTS Excluding Switch-Based Orders) UNE Digital Loop < DS1 Retail Digital Loop < DS1 Retail Digital Loop >= DS1 Retail Business and Residence UNE Loop + Port Combinations Retail Residence and Business (POTS) UNE Switch Ports Retail Residence and Business (POTS) UNE Combo Other Retail Residence, Business and Design Dispatch UNE XDSL (HDSL, ADSL and UCL) ADSL Provided to Retail UNE ISDN Retail ISDN BRI ADSL Provided to Retail UNE Other Design Retail Design Retail Residence and Business | | Switch- Based Orders) |
| Switch- Based Orders) • 2W Analog Loop With INP Design • Retail Residence and Business Dispatch • 2W Analog Loop With INP Non-Design • Retail Residence and Business (POTS Excluding Switch-Based Orders) • UNE Digital Loop < DS1 • Retail Digital Loop < DS1 • Retail Digital Loop >= DS1 • Retail Digital Loop >= DS1 • Retail Business and Residence • UNE Loop + Port Combinations • Retail Residence and Business (POTS) • UNE Switch Ports • Retail Residence, Business and Design Dispatch • UNE Combo Other • Retail Residence, Business and Design Dispatch • UNE XDSL (HDSL, ADSL and UCL) • ADSL Provided to Retail • UNE ISDN • Retail ISDN BRI • UNE Line Sharing • ADSL Provided to Retail • UNE Other Design • Retail Design • Retail Residence and Business | 2W Analog Loop With LNP Design | Retail Residence and Business Dispatch |
| 2W Analog Loop With INP Design 2W Analog Loop With INP Non-Design Retail Residence and Business Dispatch Retail Residence and Business (POTS Excluding Switch-Based Orders) UNE Digital Loop < DS1 Retail Digital Loop >= DS1 Retail Digital Loop >= DS1 Retail Business and Residence UNE Loop + Port Combinations Retail Residence and Business (POTS) UNE Combo Other Retail Residence, Business and Design Dispatch UNE ISDN Retail ISDN BRI UNE Line Sharing ADSL Provided to Retail UNE Other Design Retail Design Retail Residence and Business | 2W Analog Loop With LNP Non-Design | Retail Residence and Business - (POTS Excluding |
| 2W Analog Loop With INP Non-Design Retail Residence and Business (POTS Excluding Switch-Based Orders) UNE Digital Loop < DS1 Retail Digital Loop >= DS1 Retail Digital Loop >= DS1 Retail Digital Loop >= DS1 Retail Business and Residence UNE Loop + Port Combinations Retail Residence and Business (POTS) UNE Combo Other Retail Residence, Business and Design Dispatch UNE XDSL (HDSL, ADSL and UCL) ADSL Provided to Retail UNE ISDN Retail ISDN BRI UNE Line Sharing ADSL Provided to Retail UNE Other Design Retail Design Retail Residence and Business | | Switch- Based Orders) |
| Based Orders) •UNE Digital Loop < DS1 •UNE Digital Loop >= DS1 •UNE Loop + Port Combinations •UNE Switch Ports •UNE Combo Other •UNE Combo Other •UNE xDSL (HDSL, ADSL and UCL) •UNE ISDN •UNE Line Sharing •UNE UNE Other Design •UNE Other Non -Design •Retail Digital Loop < DS1 •Retail Digital Loop >= DS1 •Retail Business and Residence •Retail Residence and Business (POTS) •Retail Residence, Business and Design Dispatch •ADSL Provided to Retail •Retail ISDN BRI •Retail ISDN BRI •Retail Design •Retail Design •Retail Digital Loop < DS1 •Retail Digital Loop >= DS1 •Retail Business and Residence •Retail Residence and Business | • 2W Analog Loop With INP Design | Retail Residence and Business Dispatch |
| •UNE Digital Loop < DS1 • Retail Digital Loop > patch • UNE XDSL (HDSL, ADSL and UCL) • ADSL Provided to Retail • UNE ISDN • Retail ISDN BRI • UNE Line Sharing • ADSL Provided to Retail • ADSL Provided to Retail • ADSL Provided to Retail • ADSL Provided to Retail • ADSL Provided to Retail • Retail Design • Retail Design • Retail Residence and Business | • 2W Analog Loop With INP Non-Design | • Retail Residence and Business (POTS Excluding Switch- |
| •UNE Digital Loop >= DS1 • Retail Digital Loop >= DS1 •UNE Loop + Port Combinations • Retail Business and Residence •UNE Switch Ports • Retail Residence and Business (POTS) •UNE Combo Other • Retail Residence, Business and Design Dispatch •UNE xDSL (HDSL, ADSL and UCL) • ADSL Provided to Retail •UNE ISDN • Retail ISDN BRI •UNE Line Sharing • ADSL Provided to Retail •UNE Other Design • Retail Design •UNE Other Non -Design • Retail Residence and Business | | Based Orders) |
| •UNE Loop + Port Combinations• Retail Business and Residence•UNE Switch Ports• Retail Residence and Business (POTS)•UNE Combo Other• Retail Residence, Business and Design Dispatch•UNE xDSL (HDSL, ADSL and UCL)• ADSL Provided to Retail•UNE ISDN• Retail ISDN BRI•UNE Line Sharing• ADSL Provided to Retail•UNE Other Design• Retail Design•UNE Other Non -Design• Retail Residence and Business | •UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| •UNE Switch Ports • Retail Residence and Business (POTS) •UNE Combo Other • Retail Residence, Business and Design Dispatch •UNE xDSL (HDSL, ADSL and UCL) • ADSL Provided to Retail •UNE ISDN • Retail ISDN BRI •UNE Line Sharing • ADSL Provided to Retail •UNE Other Design • Retail Design • Retail Residence and Business | •UNE Digital Loop >= DS1 | • Retail Digital Loop >= DS1 |
| •UNE Combo Other • Retail Residence, Business and Design Dispatch • UNE xDSL (HDSL, ADSL and UCL) • ADSL Provided to Retail • UNE ISDN • Retail ISDN BRI • UNE Line Sharing • ADSL Provided to Retail • UNE Other Design • Retail Design • Retail Residence and Business | •UNE Loop + Port Combinations | Retail Business and Residence |
| •UNE xDSL (HDSL, ADSL and UCL) • ADSL Provided to Retail •UNE ISDN • Retail ISDN BRI •UNE Line Sharing • ADSL Provided to Retail •UNE Other Design • Retail Design •UNE Other Non -Design • Retail Residence and Business | •UNE Switch Ports | • Retail Residence and Business (POTS) |
| •UNE ISDN • Retail ISDN BRI •UNE Line Sharing • ADSL Provided to Retail •UNE Other Design • Retail Design • Retail Residence and Business | •UNE Combo Other | Retail Residence, Business and Design Dispatch |
| •UNE Line Sharing• ADSL Provided to Retail•UNE Other Design• Retail Design•UNE Other Non -Design• Retail Residence and Business | •UNE xDSL (HDSL, ADSL and UCL) | ADSL Provided to Retail |
| •UNE Other Design •UNE Other Non -Design •Retail Design • Retail Residence and Business | •UNE ISDN | Retail ISDN BRI |
| •UNE Other Non -Design • Retail Residence and Business | •UNE Line Sharing | ADSL Provided to Retail |
| •UNE Other Non -Design • Retail Residence and Business | •UNE Other Design | Retail Design |
| 7 1 1 1 1 7 20 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | •UNE Other Non -Design | |
| •Local Transport (Unbundled Interoffice Transport) • Retail DS1/DS3 Interoffice | •Local Transport (Unbundled Interoffice Transport) | • Retail DS1/DS3 Interoffice |
| •Local Interconnection Trunks • Parity with Retail | •Local Interconnection Trunks | Parity with Retail |
| •Average Jeopardy Notice Interval • 95% >= 48 Hours | Average Jeopardy Notice Interval | • 95% >= 48 Hours |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

P-3: Percent Missed Installation Appointments

Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc.)
- Disconnect (D) & From (F) orders
- End User Misses on Local Interconnection Trunks

Business Rules

Percent Missed Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be included and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

Calculation

Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)
- · Dispatch/No Dispatch

Report Explanation: The difference between End User MA and Total MA is the result of BellSouth caused misses. Here, Total MA is the total percent of orders missed either by BellSouth or CLEC end user. The End User MA represents the percentage of orders missed by the CLEC or their end user.

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|--|
| Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Status Notice Date Standard Order Activity Geographic Scope | Report Month BellSouth Order Number Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Status Notice Date Standard Order Activity Geographic Scope |
| Note: Code in parentheses is the corresponding header found in the raw data file. | |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | SQM Analog/Benchmark |
|---|---|
| Resale Residence | Retail Residence |
| Resale Business | Retail Business |
| Resale Design | Retail Design |
| Resale PBX | • Retail PBX |
| Resale Centrex | Retail Centrex |
| Resale ISDN | Retail ISDN |
| • LNP (Standalone) | Retail Residence and Business (POTS) |
| • INP (Standalone) | Retail Residence and Business (POTS) |
| 2W Analog Loop Design | Retail Residence and Business Dispatch |
| 2W Analog Loop Non-Design | Retail Residence and Business - (POTS Excluding |
| | Switch-Based Orders) |
| - Dispatch | - Dispatch |
| - Non-Dispatch (Dispatch In) | - Non-Dispatch (Dispatch In) |
| 2W Analog Loop With LNP Design | Retail Residence and Business Dispatch |
| 2W Analog Loop With LNP Non-Design | Retail Residence and Business - (POTS Excluding |
| | Switch-Based Orders) |
| - Dispatch | - Dispatch |
| - Non-Dispatch (Dispatch In) | - Non-Dispatch (Dispatch In) |
| 2W Analog Loop With INP Design | Retail Residence and Business Dispatch |
| • 2W Analog Loop With INP Non-Design | • Retail Residence and Business (POTS Excluding Switch- |
| | Based Orders) |
| - Dispatch | - Dispatch |
| - Non-Dispatch (Dispatch In) | - Non-Dispatch (Dispatch In) |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop >= DS1 | • Retail Digital Loop >= DS1 |
| • UNE Loop + Port Combinations | Retail Residence and Business |
| - Dispatch Out | - Dispatch Out |
| - Non-Dispatch | - Non-Dispatch |
| - Dispatch In | - Dispatch In |
| - Switch-Based | - Switch-Based |
| UNE Switch Ports | • Retail Residence and Business (POTS) |
| UNE Combo Other | • Retail Residence, Business and Design Dispatch |
| D: | (Including Dispatch Out and Dispatch In) |
| - Dispatch | - Dispatch |
| - Non-Dispatch (Dispatch In) | - Non-Dispatch (Dispatch In) |
| UNE xDSL (HDSL, ADSL and UCL) | ADSL Provided to Retail |
| • UNE ISDN | Retail ISDN - BRI |
| UNE Line Sharing | ADSL Provided to Retail |
| UNE Other Design | Retail Design |
| • UNE Other Non - Design | Retail Residence and Business |
| Local Transport (Unbundled Interoffice Transport) | Retail DS1/DS3 Interoffice |
| Local Interconnection Trunks | Parity with Retail |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--------------------------------|--|
| Resale POTS | Retail Residence and Business (POTS) |
| Resale Design | Retail Design |
| • UNE Loop + Port Combinations | Retail Residence and Business |
| UNE Loops | Retail Residence and Business Dispatch |
| UNE xDSL | ADSL Provided to Retail |
| UNE Line Sharing | ADSL Provided to Retail |
| Local Interconnection Trunks | Parity with Retail |

P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

Definition

The "average completion interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D&F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)

Business Rules

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's actual order completion date. This includes all delays for BellSouth's CLEC/End Users. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0.5 = 0.4.99, 5.10 = 5.9.99, 10.15 = 10.14.99, 15.20 = 15.19.99, 20.25 = 20.24.99, 25.30 = 25.29.99, 0.25 = 30 and greater.

Calculation

Completion Interval = (a - b)

- a = Completion Date
- b = Order Issue Date

Average Completion Interval = (c / d)

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

Order Completion Interval Distribution (for each interval) = (e / f) X 100

- e = Service Orders Completed in "X" days
- \bullet f = Total Service Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Residence & Business reported in day intervals = 0, 1, 2, 3, 4, 5, 5+
- UNE and Design reported in day intervals = 0-5, 5-10, 10-15, 15-20, 20-25, 25-30,>= 30
- All Levels are reported <10 line/circuits; >= 10 line/circuits (except trunks)
- ISDN Orders included in Non-Design

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|-----------------------------------|
| Report Month | Report Month |
| CLEC Company Name | BellSouth Order Number |
| • Order Number (PON) | • Bensouth Order Number |

| Application Date & Time (TICKET_ID) | Application Date & Time |
|--|------------------------------|
| • Completion Date (CMPLTN_DT) | Order Completion Date & Time |
| • Service Type (CLASS_SVC_DESC) | Service Type |
| Geographic Scope | Geographic Scope |
| Note: Code in parentheses is the corresponding header found in the raw data file. | |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|--|--|
| Resale Residence | Retail Residence |
| • Resale Business | Retail Business |
| • Resale Design | Retail Design |
| • Resale PBX | • Retail PBX |
| Resale Centrex | Retail Centrex |
| • Resale ISDN | Retail ISDN |
| • LNP (Standalone) | Retail Residence and Business (POTS) |
| • INP (Standalone) | Retail Residence and Business (POTS) |
| • 2W Analog Loop Design | Retail Residence and Business Dispatch |
| • 2W Analog Loop Non-Design | • Retail Residence and Business - (POTS Excluding Switch- |
| | Based Orders) |
| - Dispatch | - Dispatch |
| - Non-Dispatch (Dispatch In) | - Non-Dispatch (Dispatch In) |
| • 2W Analog Loop With LNP Design | Retail Residence and Business Dispatch |
| • 2W Analog Loop With LNP Non-Design | • Retail Residence and Business - (POTS Excluding Switch- |
| | Based Orders) |
| - Dispatch | - Dispatch |
| - Non-Dispatch (Dispatch In) | - Non-Dispatch (Dispatch In) |
| 2W Analog Loop With INP Design | Retail Residence and Business Dispatch |
| • 2W Analog Loop With INP Non-Design | • Retail Residence and Business - (POTS Excluding Switch- |
| | Based Orders) |
| - Dispatch | - Dispatch |
| - Non-Dispatch (Dispatch In) | - Non-Dispatch (Dispatch In) |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop >= DS1 | • Retail Digital Loop >= DS1 |
| • UNE Loop + Port Combinations | Retail Residence and Business |
| - Dispatch Out | - Dispatch Out |
| - Non-Dispatch | - Non-Dispatch |
| - Dispatch In | - Dispatch In |
| - Switch-Based | - Switch-Based |
| • UNE Switch Ports | Retail Residence and Business (POTS) Peril Business (POTS) |
| UNE Combo Other | • Retail Residence, Business and Design Dispatch |
| Dispatch | (Including Dispatch Out and Dispatch In) |
| DispatchNon-Dispatch (Dispatch In) | - Dispatch Non Dispatch (Dispatch In) |
| • UNE xDSL (HDSL, ADSL and UCL) without | - Non-Dispatch (Dispatch In) |
| • UNE XDSL (HDSL, ADSL and UCL) without conditioning | • 7 Days |
| UNE xDSL (HDSL, ADSL and UCL) with conditioning | a 14 Days |
| UNE XDSL (HDSL, ADSL and UCL) with conditioning UNE ISDN | 14 Days Retail ISDN BRI |
| UNE Line Sharing | ADSL Provided to Retail |
| | Retail Design |
| UNE Other Design UNE Other Non Design | Retail Design Retail Residence and Business |
| UNE Other Non-Design Local Transport (Unbundled Interoffice Transport) | Retail Residence and Business Retail DS1/DS3 Interoffice |
| Local Transport (Unbundled Interoffice Transport) Local Interconnection Trunks | |
| Local Interconnection Trunks | Parity with Retail |

SEEM Measure

| SEEM Measure | | | |
|--------------|--------|---|--|
| Yes | Tier I | X | |
| Tier II X | | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--------------------------------|--|
| Resale POTS | • Retail Residence and Business (POTS) |
| Resale Design | Retail Design |
| • UNE Loop + Port Combinations | Retail Residence and Business |
| UNE Loops | Retail Residence and Business Dispatch |
| UNE xDSL without conditioning | • 7 Days |
| UNE xDSL with conditioning | • 14 Days |
| UNE Line Sharing | ADSL Provided to Retail |
| Local Interconnection Trunks | • Parity with Retail |

P-5: Average Completion Notice Interval

Definitions

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

Exclusions

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D&F orders (Exception: "D" orders associated with LNP Standalone)

Business Rules

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the 5PM due date stamp; the end time for mechanized orders is the time stamp the notice was transmitted to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders the end timestamp will be timestamp of order update to C-SOTS system.

Calculation

Completion Notice Interval = (a - b)

- a = Date and Time of Notice of Completion
- b = Date and Time of Work Completion

Average Completion Notice Interval = c / d

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Mechanized Orders
- Non-Mechanized Orders
- Reporting intervals in Hours; 0, 1-2, 2-4, 4-8, 8-12, 12-24, >= 24 plus Overall Average Hour Interval (The categories are inclusive of these time intervals: 0-1 = 0.99; 1-2 =1-1.99; 2-4 = 2-3.99, etc.)
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|---|
| Report Month CLEC Order Number (so_nbr) Work Completion Date (cmpltn_dt) Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Geographic Scope | Report Month BellSouth Order Number (so_nbr) Work Completion Date (cmpltn_dt) Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Geographic Scope |
| Note: Code in parentheses is the corresponding header | r found NOTE: Code in parentheses is the corresponding heade |

| in the raw data file. | found in the raw data file. |
|-----------------------|-----------------------------|
|-----------------------|-----------------------------|

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|---|
| Resale Residence | Retail Residence |
| Resale Business | Retail Business |
| Resale Design | Retail Design |
| Resale PBX | • Retail PBX |
| Resale Centrex | Retail Centrex |
| Resale ISDN | Retail ISDN |
| LNP (Standalone) | Retail Residence and Business (POTS) |
| • INP (Standalone) | Retail Residence and Business (POTS) |
| 2W Analog Loop Design | Retail Residence and Business Dispatch |
| 2W Analog Loop Non-Design | Retail Residence and Business - (POTS Excluding Switch- |
| | Based Orders) |
| - Dispatch | - Dispatch |
| - Non-Dispatch (Dispatch In) | - Non-Dispatch (Dispatch In) |
| • 2W Analog Loop With LNP Design | Retail Residence and Business Dispatch |
| • 2W Analog Loop With LNP Non-Design | • Retail Residence and Business - (POTS Excluding Switch- |
| | Based Orders) |
| - Dispatch | - Dispatch |
| - Non-Dispatch (Dispatch In) | - Non-Dispatch (Dispatch In) |
| 2W Analog Loop With INP Design | Retail Residence and Business Dispatch |
| • 2W Analog Loop With INP Non-Design | Retail Residence and Business (POTS Excluding Switch- |
| | Based Orders) |
| - Dispatch | - Dispatch |
| - Non-Dispatch (Dispatch In) | - Non-Dispatch (Dispatch In) |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop >= DS1 | • Retail Digital Loop >= DS1 |
| • UNE Loop + Port Combinations | Retail Residence and Business |
| - Dispatch Out | - Dispatch Out |
| - Non-Dispatch | - Non-Dispatch |
| - Dispatch In | - Dispatch In |
| - Switch-Based | - Switch-Based |
| UNE Switch Ports | Retail Residence and Business (POTS) |
| UNE Combo Other | • Retail Residence, Business and Design Dispatch (Including |
| D: 41 | Dispatch Out and Dispatch In) |
| - Dispatch | - Dispatch |
| - Non-Dispatch (Dispatch In) | - Non-Dispatch (Dispatch In) |
| UNE xDSL (HDSL, ADSL and UCL) | ADSL Provided to Retail |
| • UNE ISDN | Retail ISDN BRI |
| • UNE Line Sharing | ADSL Provided to Retail |
| • UNE Other Design | Retail Design |
| • UNE Other Non-Design | Retail Residence and Business |
| • Local Transport (Unbundled Interoffice Transport) | Retail DS1/DS3 Interoffice |
| Local Interconnection Trunks | Parity with Retail |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

P-6: % Completions/Attempts without Notice or < 24 hours Notice

Definition

This Report measures the interval from the FOC end timestamp on the LSR until 5:00 P.M. on the original committed due date of a service order. The purpose of this measure is to report if BellSouth is returning a FOC to the CLEC in time for the CLEC to notify their customer of the scheduled date.

Exclusions

"0" dated orders or any request where the subscriber requested an earlier due date of < 24 hours prior to the original commitment date, or any LSR received < 24 hours prior to the original commitment date.

Business Rules

For CLEC Results:

Calculation would exclude any successful or unsuccessful service delivery where the CLEC was informed at least 24 hours in advance. BellSouth may also exclude from calculation any LSRs received from the requesting CLEC with less than 24 hour notice prior to the commitment date.

For BellSouth Results:

BellSouth does not provide a FOC to its retail customers.

Calculation

Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice = (a / b) X 100

- a = Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received < 24 Hours of original Committed Due Date
- b = All Completions

Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispatch /Non-Dispatch
- Total Orders FOC < 24 Hours
- Total Completed Service Orders
- % FOC < 24 Hours

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|-----------------------------------|
| Committed Due Date (DD) | Not Applicable |
| FOC End Timestamp | |
| Report Month | |
| CLEC Order Number and PON | |
| Geographic Scope | |
| - State / Region | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|----------------------|
| Resale Residence | Diagnostic |
| Resale Business | |
| Resale Design | |
| • Resale PBX | |
| Resale Centrex | |
| Resale ISDN | |
| • LNP (Standalone) | |
| • INP (Standalone) | |
| 2W Analog Loop Design | |
| 2W Analog Loop Non-Design | |
| • 2W Analog Loop With LNP-Design | |
| • 2W Analog Loop With LNP Non-Design | |
| • 2W Analog Loop With INP-Design | |
| • 2W Analog Loop With INP Non-Design | |
| • UNE Digital Loop < DS1 | |
| • UNE Digital Loop >=DS1 | |
| • UNE Loop + Port Combinations | |
| • UNE Switch ports | |
| UNE Combo Other | |
| • UNE xDSL (HDSL, ADSL and UCL) | |
| • UNE ISDN | |
| UNE Line Sharing | |
| UNE Other Design | |
| UNE Other Non -Design | |
| • Local Transport (Unbundled Interoffice Transport) | |
| • Local Interconnection Trunks | |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

P-7: Coordinated Customer Conversions Interval

Definition

This report measures the average time it takes BellSouth to disconnect an unbundled loop from the BellSouth switch and cross connect it to CLEC equipment. This measurement applies to service orders with INP and with LNP, and where the CLEC has requested BellSouth to provide a coordinated cut over.

Exclusions

- · Any order canceled by the CLEC will be excluded from this measurement
- Delays due to CLEC following disconnection of the unbundled loop
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested

Business Rules

When the service order includes INP, the interval includes the total time for the cut over including the translation time to place the line back in service on the ported line. When the service order includes LNP, the interval only includes the total time for the cut over (the port of the number is controlled by the CLEC). The interval is calculated for the entire cut over time for the service order and then divided by items worked in that time to give the average per-item interval for each service order.

Calculation

Coordinated Customer Conversions Interval = (a - b)

- a = Completion Date and Time for Cross Connection of a Coordinated Unbundled Loop
- b = Disconnection Date and Time of an Coordinated Unbundled Loop

Percent Coordinated Customer Conversions (for each interval) = (c / d) X 100

- c = Total number of Coordinated Customer Conversions for each interval
- d = Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- The interval breakout is 0.5 = 0.4.99, 5.15 = 5.14.99, >=15 = 15 and greater, plus Overall Average Interval.

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|-----------------------------------|
| Report Month | No BellSouth Analog Exists |
| CLEC Order Number | 100 BellSouth Allalog Exists |
| • Committed Due Date (DD) | |
| • Service Type (CLASS_SVC_DESC) | |
| • Cut over Start Time | |
| Cut over Completion Time | |
| • Portability Start and Completion Times (INP orders) | |
| • Total Conversions (Items) | |
| Note: Code in parentheses is the corresponding header found in the raw data file. | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---------------------------------|----------------------|
| Unbundled Loops with INP/LNP | • 95% <= 15 minutes |
| Unbundled Loops without INP/LNP | |

SEEM Measure

| | S | EEM Measure |
|-----|---------|-------------|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Unbundled Loops | • 95% <= 15 minutes |

P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% Within Interval and Average Interval

Definition

This category measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

Exclusions

- · Any order canceled by the CLEC will be excluded from this measurement
- Delays caused by the CLEC
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested
- All unbundled loops on multiple loop orders after the first loop

Business Rules

This report measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cut over start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered "on time" if the first line is cut within the interval. <= 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, <= 30 minutes includes cuts within 15:00 - 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time.

Calculation

% within Interval = (a / b) X 100

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- \bullet b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

Interval = (c - d)

- $\bullet \ c = Scheduled \ Time \ for \ Cross \ Connection \ of \ a \ Coordinated \ Unbundled \ Loop \ Order$
- \bullet d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

Average Interval = (e / f)

- Sum of all Intervals
- Total Number of Coordinated Unbundled Loop Orders for the reporting period.

Report Structure

- CLEC Specific
- · CLEC Aggregate

Reported in intervals of early, on time and late cuts % <=15 minutes; % >15 minutes, <= 30 minutes; % > 30 minutes, plus Overall Average Interval.

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|-----------------------------------|
| Report Month | No BellSouth Analog exists |
| • CLEC Order Number (so_nbr) | 100 BellSouth Allalog Calsts |
| • Committed Due Date (DD) | |
| • Service Type (CLASS_SVC_DESC) | |
| • Cut over Scheduled Start Time | |
| • Cut over Actual Start Time | |
| Total Conversions Orders | |
| Note: Code in parentheses is the corresponding header found in the raw data file. | |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|--|
| Product Reporting Level | • 95% Within + or – 15 minutes of Scheduled Start Time |
| - SL1 Time Specific | |
| - SL1 Non-Time Specific | |
| - SL2 Time Specific | |
| - SL2 Non-Time Specific | |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|--|
| • UNE Loops | • 95% Within + or – 15 minutes of Scheduled Start time |

P-7B: Coordinated Customer Conversions – Average Recovery Time

Definition

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

Exclusions

- Cut overs where service outages are due to CLEC caused reasons
- · Cut overs where service outages are due to end-user caused reasons

Business Rules

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

Calculation

Recovery Time = (a - b)

- a = Date & Time That Trouble is Closed by CLEC
- b = Date & Time Initial Trouble is Opened with BellSouth

Average Recovery Time = (c / d)

- c = Sum of all the Recovery Times
- d = Number of Troubles Referred to the BellSouth

Report Structure

- CLEC Specific
- · CLEC Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|-----------------------------------|
| Report Month | • None |
| CLEC Company Name | None |
| • CLEC Order Number (so_nbr) | |
| • Committed Due Date (DD) | |
| • Service Type (CLASS_SVC_DESC) | |
| • CLEC Acceptance Conflict (CLEC_CONFLICT) | |
| • CLEC Conflict Resolved (CLEC_RESOLVE) | |
| • CLEC Conflict MFC (CLEC_CONFLICT_MFC) | |
| Total Conversion Orders | |
| Note: Code in parentheses is the corresponding header found in the raw data file. | |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---------------------------------|----------------------|
| Unbundled Loops with INP/LNP | Diagnostic |
| Unbundled Loops without INP/LNP | |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a completed Service Order

Definition

Percent Provisioning Troubles received within 7 days of a completed service order associated with a Coordinated and Non-Coordinated Customer Conversion. Measures the quality and accuracy of Hot Cut Conversion Activities.

Exclusions

- · Any order canceled by the CLEC
- · Troubles caused by Customer Provided Equipment

Business Rules

Measures the quality and accuracy of completed service orders associated with Coordinated and Non-Coordinated Hot Cut Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated and Non-Coordinated Hot Cut Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

Calculation

% Provisioning Troubles within 7 days of service order completion = $(a \ / \ b) \ X \ 100$

- a = The sum of all Hot Cut Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of Hot Cut service order circuits completed in the previous report calendar month

Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispatch/Non-Dispatch

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|-----------------------------------|
| Report Month | No BellSouth Analog Exists |
| • CLEC Order Number (so_nbr) | 1 NO Belisouth Allalog Exists |
| • PON | |
| • Order Submission Date (TICKET_ID) | |
| • Order Submission Time (TICKET_ID) | |
| • Status Type | |
| Status Notice Date | |
| Standard Order Activity | |
| Geographic Scope | |
| Total Conversion Circuits | |
| Note: Code in parentheses is the corresponding header found in the raw data file. | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| UNE Loop Design | • <= 5% |
| • UNE Loop Non-Design | |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • UNE Loops | • <= 5% |

P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested

Definition

The loop will be considered cooperatively tested when the BellSouth technician places a call to the CLEC representative to initiate cooperative testing and jointly performs the tests with the CLEC.

Exclusions

- Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)
- xDSL lines with no request for cooperative testing

Business Rules

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short.

Calculation

Cooperative Acceptance Testing - % of xDSL Loops Tested = $(a / b) \times 100$

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- b = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Type of Loop tested

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|-----------------------------------|
| Report Month | No BellSouth Analog Exists |
| CLEC Company Name (OCN) | No Bensouth Analog Exists |
| • CLEC Order Number (so_nbr) and PON (PON) | |
| • Committed Due Date (DD) | |
| • Service Type (CLASS_SVC_DESC) | |
| • Acceptance Testing Completed (ACCEPT_TESTING) | |
| • Acceptance Testing Declined (ACCEPT_TESTING) | |
| Total xDSL Orders | |
| Note : Code in parentheses is the corresponding header found in the raw data file. | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation: | SQM Analog/Benchmark: |
|------------------------------|-----------------------|
| • UNE xDSL | • 95% of Lines Tested |
| - ADSL | |
| - HDSL | |
| - UCL | |
| - OTHER | |

SEEM Measure

| SEEM Measure Yes Tier I X | | |
|---|---------|---|
| | | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • UNE xDSL | • 95% of Lines Tested |

P-9: % Provisioning Troubles within 30 days of Service Order Completion

Definition

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- · D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

Business Rules

Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect.

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

- % Provisioning Troubles within 30 days of Service Order Activity = (a / b) X 100
- a = Trouble reports on all completed orders 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch (except trunks)

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|--|
| Report Month CLEC Order Number and PON Order Submission Date (TICKET_ID) Order Submission Time (TICKET_ID) Status Type Status Notice Date Standard Order Activity Geographic Scope | Report Month BellSouth Order Number Order Submission Date Order Submission Time Status Type Status Notice Date Standard Order Activity Geographic Scope |
| Note: Code in parentheses is the corresponding header found in the raw data file. | 1 |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|---|
| Resale Residence | Retail Residence |
| Resale Business | Retail Business |
| Resale Design | Retail Design |
| Resale PBX | • Retail PBX |
| Resale Centrex | Retail Centrex |
| Resale ISDN | Retail ISDN |
| 2W Analog Loop Design | Retail Residence and Business Dispatch |
| 2W Analog Loop Non-Design | • Retail Residence and Business - (POTS Excluding Switch- |
| | Based Orders) |
| - Dispatch | - Dispatch |
| - Non-Dispatch (Dispatch In) | - Non-Dispatch (Dispatch In) |
| 2W Analog Loop With LNP Design | Retail Residence and Business Dispatch |
| 2W Analog Loop With LNP Non-Design | • Retail Residence and Business - (POTS Excluding Switch- |
| | Based Orders) |
| - Dispatch | - Dispatch |
| - Non-Dispatch (Dispatch In) | - Non-Dispatch (Dispatch In) |
| 2W Analog Loop With INP Design | Retail Residence and Business Dispatch |
| 2W Analog Loop With INP Non-Design | • Retail Residence and Business (POTS - Excluding Switch- |
| | Based Orders) |
| - Dispatch | - Dispatch |
| - Non-Dispatch (Dispatch In) | - Non-Dispatch (Dispatch In) |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop >= DS1 | • Retail Digital Loop >= DS1 |
| • UNE xDSL (HDSL, ADSL and UCL) | ADSL provided to Retail |
| • UNE ISDN | Retail ISDN BRI |
| UNE Line Sharing | ADSL Provided to Retail |
| • INP (Standalone) | Retail Residence and Business (POTS) |
| • LNP (Standalone) | • Retail Residence and Business (POTS) |
| • UNE Loop + Port Combinations | Retail Residence and Business |
| - Dispatch Out | - Dispatch Out |
| - Non-Dispatch | - Non-Dispatch |
| - Dispatch In | - Dispatch In |
| - Switch-Based | - Switch-Based |
| UNE Switch Ports | Retail Residence and Business (POTS) |
| UNE Combo Other | Retail Residence, Business and Design Dispatch |
| · | (Including Dispatch Out and Dispatch In) |
| - Dispatch | - Dispatch |
| - Non-Dispatch (Dispatch In) | - Non-Dispatch (Dispatch In) |
| Local Transport (Unbundled Interoffice Transport) | Retail DS1/DS3 Interoffice |
| UNE Other Non-Design | Retail Residence and Business |
| • UNE Other Design | Retail Design |
| Local Interconnection Trunks | Parity with Retail |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--------------------------------|--|
| Resale POTS | • Retail Residence and Business (POTS) |
| Resale Design | Retail Design |
| • UNE Loop + Port Combinations | Retail Residence and Business |
| UNE Loops | • Retail Residence and Business Dispatch |
| • UNE xDSL | ADSL Provided to Retail |
| UNE Line Sharing | ADSL Provided to Retail |
| Local Interconnection Trunks | • Parity with Retail |

P-10: Total Service Order Cycle Time (TSOCT)

Definition

This report measures the total service order cycle time from receipt of a valid service order request to the return of a completion notice to the CLEC Interface.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D (Disconnect Except "D" orders associated with LNP Standalone.) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new address)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- · Orders with CLEC/Subscriber caused delays or CLEC/Subscriber requested due date changes

Business Rules

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval. For UNE XDSL Loop, this measurement combines Service Inquiry Interval (SI), FOC Timeliness, Average Completion Interval, and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI) and the BellSouth Legacy Systems. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) = (e / f) X 100

- e = Total Number of Service Requests Completed in "X" minutes/hours
- f = Total Number of Service Requests Received in Reporting Period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >=30 Days. The interval breakout is: 0-5=0-4.99, 5-10=5-9.99, 10-15=10-14.99, 15-20=15-19.99, 20-25=20-24.99, 25-30=25-29.99, >=30=30 and greater.

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|---|
| Report MonthInterval for FOC | Report MonthBellSouth Order Number |

| CLEC Company Name (OCN) | Order Submission Date & Time |
|---|------------------------------|
| • Order Number (PON) | Order Completion Date & Time |
| • Submission Date & Time (TICKET_ID) | Service Type |
| Completion Date (CMPLTN_DT) | Geographic Scope |
| Completion Notice Date and Time | |
| • Service Type (CLASS_SVC_DESC) | |
| Geographic Scope | |
| Note: Code in parentheses is the corresponding header found in the raw data file | |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|----------------------|
| Resale Residence | • Diagnostic |
| Resale Business | |
| Resale Design | |
| • Resale PBX | |
| Resale Centrex | |
| Resale ISDN | |
| • LNP (Standalone) | |
| • INP (Standalone) | |
| • 2W Analog Loop Design | |
| • 2W Analog Loop Non-Design | |
| • 2W Analog Loop With LNP Design | |
| • 2W Analog Loop With LNP Non-Design | |
| UNE Switch Ports | |
| • UNE Loop + Port Combinations | |
| UNE Combo Other | |
| • UNE xDSL (HDSL, ADSL and UCL) | |
| • UNE ISDN | |
| UNE Line Sharing | |
| UNE Other Design | |
| • UNE Other Non -Design | |
| • UNE Digital Loops < DS1 | |
| • UNE Digital Loops >= DS1 | |
| • Local Transport (Unbundled Interoffice Transport) | |
| Local Interconnection Trunks | |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

P-11: Service Order Accuracy

Definition

The "service order accuracy" measurement measures the accuracy and completeness of a sample of BellSouth service orders by comparing what was ordered and what was completed.

Exclusions

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders

Business Rules

A statistically valid sample of service orders, completed during a monthly reporting period, is compared to the original account profile and the order that the CLEC sent to BellSouth. An order is "completed without error" if all service attributes and account detail changes (as determined by comparing the original order) completely and accurately reflect the activity specified on the original order and any supplemental CLEC order. For both small and large sample sizes, when a Service Request cannot be matched with a corresponding Service Order, it will not be counted. For small sample sizes an effort will be made to replace the service request.

Calculation

Percent Service Order Accuracy = (a / b) X 100

- a = Orders Completed without Error
- b = Orders Completed in Reporting Period

Report Structure

- · CLEC Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits
- Dispatch / No Dispatch

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|---|
| • Report Month | No BellSouth Analog Exist |
| CLEC Order Number and PON | - |
| • Local Service Request (LSR) | |
| Order Submission Date | |
| Committed Due Date | |
| Service Type | |
| Standard Order Activity | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|------------------------------|----------------------|
| Resale Residence | • 95% Accurate |
| Resale Business | |
| • Resale Design (Specials) | |
| • UNE Specials (Design) | |
| • UNE (Non-Design) | |
| Local Interconnection Trunks | |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

P-12: LNP-Percent Missed Installation Appointments

Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that CLECs can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for total misses and End User Misses.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable

Business Rules

Percent Missed Installation Appointments (PMI) is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates. Missed Appointments caused by end-user reasons will be included and reported in a separate category. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date, which means there cannot be a cutoff time for commitments as certain types of orders are requested to be worked after standard business hours.

Calculation

LNP Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State/Region
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)

Report explanation: Total Missed Appointments is the total percent of orders missed either by BellSouth or the CLEC end user. End User MA represents the percentage of orders missed by the CLEC end user. The difference between End User Missed Appointments and Total Missed Appointments is the result of BellSouth caused misses.

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|-----------------------------------|
| Report Month | Not Applicable |
| CLEC Order Number and PON (PON) | 1 Not Applicable |
| • Committed Due Date (DD) | |
| • Completion Date (CMPLTN DD) | |
| • Status Type | |
| Status Notice Date | |
| Standard Order Activity | |
| Geographic Scope | |
| Note: Code in parentheses is the corresponding header found in the raw data file. | |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|--|
| • LNP | • Retail Residence and Business (POTS) |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|---|--|
| Yes | Tier I | X | |
| | Tier II | X | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|----------------------------------|
| • LNP | • 95% Due Dates Met ^a |

^aDue to data structure issues, BellSouth is using a benchmark comparison for SEEM rather than the Truncated Z as stated in the Order.

P-13: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution

Definition

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable.

Business Rules

The Disconnect Timeliness interval is determined for each telephone number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each telephone number on the service order is disconnected in the Central Office switch. Elapsed time for each ported telephone number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period.

Calculation

Disconnect Timeliness Interval = (a - b)

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date & time

Average Disconnect Timeliness Interval = (c / d)

- c = Sum of all Disconnect Timeliness Intervals
- d = Total Number of disconnected numbers completed in reporting period

Disconnect Timeliness Interval Distribution (for each interval) = (e / f) X 100

- e = Disconnected numbers completed in "X" days
- f = Total disconnect numbers completed in reporting period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- Geographic Scope
 - State, Region

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|-----------------------------------|
| Order Number | Not Applicable |
| • Telephone Number/Circuit Number | |
| Committed Due Date | |
| • Receipt Date/Time (ESI Number Manager) | |
| Date/Time of Recent Change Notice | |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • LNP | • 95% <= 15 Minutes |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| LNP Standalone | • 95% <= 15 Minutes |

P-14: LNP-Total Service Order Cycle Time (TSOCT)

Definition

Total Service Order Cycle Time measures the interval from receipt of a valid service order request to the completion of the final service order associated with that service request.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable
- "L" appointment coded orders (indicating the customer has requested a later than offered interval)
- "S" missed appointment coded orders (indicating subscriber missed appointments), except for "SP" codes (indicating subscriber prior due date requested). This would include "S" codes assigned to subsequent due date changes.

Business Rules

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI). Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day.

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) = (e / f) X 100

- e = Total Number of Service Orders Completed in "X" minutes/hours
- f = Total Number of Service Orders Received in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of < 10 lines/circuits; >= lines/circuits (except trunks)
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >= 30 Days. The interval breakout is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99, 20-25 = 20-24.99, 25-30 = 25-29.99, >= 30 = 30 and greater.

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|-----------------------------------|
| Report Month | Not Applicable |
| • Interval for FOC | • Not Applicable |
| • CLEC Company Name (OCN) | |
| • Order Number (PON) | |
| • Submission Date & Time (TICKET_ID) | |
| • Completion Date (CMPLTN_DT) | |
| Completion Notice Date and Time | |

Service Type (CLASS_SVC_DESC)
 Geographic Scope
 Note: Code in parentheses is the corresponding header found in the raw data file

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • LNP | Diagnostic |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

Section 4: Section 4: Maintenance & Repair

M&R-1: Missed Repair Appointments

Definition

The percent of trouble reports not cleared by the committed date and time.

Exclusions

- Trouble tickets canceled at the CLEC request
- · BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

Note: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

Percentage of Missed Repair Appointments = (a / b) X 100

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Trouble reports closed in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|--|
| Report Month CLEC Company Name Submission Date & Time (TICKET_ID) Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. | Report Month BellSouth Company Code Submission Date & Time Completion Date Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) Geographic Scope |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|--|
| Resale Residence | Retail Residence |
| Resale Business | • Retail business |
| Resale Design | Retail Design |
| Resale PBX | • |
| Resale Centrex | Retail Centrex |
| Resale ISDN | Retail ISDN |
| LNP (Standalone) (Not Available in Maintenance) | Not Applicable |
| 2W Analog Loop Design | Retail Residence & Business Dispatch |
| 2W Analog Loop Non - Design | Retail Residence & Business (POTS) (Exclusion of |
| | Switch-Based Feature Troubles) |
| UNE Loop + Port Combinations | Retail Residence & Business |
| • UNE Switch Ports | • Retail Residence & Business (POTS) |
| UNE Combo Other | Retail Residence, Business and Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | ADSL Provided to Retail |
| • UNE ISDN | • Retail ISDN – BRI |
| UNE Line Sharing | ADSL Provided to Retail |
| UNE Other Design | Retail Design |
| UNE Other Non - Design | Retail Residence & Business |
| Local Interconnection Trunks | Parity with Retail |
| • Local Transport (Unbundled Interoffice Transport) | Retail DS1/DS3 Interoffice |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--------------------------------|---|
| • Resale POTS | • Retail Residence and Business (POTS) |
| Resale Design | Retail Design |
| • UNE Loop + Port Combinations | Retail Residence and Business |
| UNE Loops | Retail Residence and Business Dispatch |
| • UNE xDSL | ADSL Provided to Retail |
| UNE Line Sharing | ADSL Provided to Retail |
| Local Interconnection Trunks | Parity with Retail |

M&R-2: Customer Trouble Report Rate

Definition

Percent of initial and repeated customer direct or referred troubles reported within a calendar month per 100 lines/circuits in service.

Exclusions

- Trouble tickets canceled at the CLEC request
- · BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

Calculation

Customer Trouble Report Rate = $(a / b) \times 100$

- a = Count of Initial and Repeated Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|--|
| Report Month CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) # Service Access Lines in Service at the end of period Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. | Report Month BellSouth Company Code Ticket Submission Date & Time Ticket Completion Date Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) # Service Access Lines in Service at the end of period Geographic Scope |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|--|
| Resale Residence | Retail Residence |
| Resale Business | Retail Business |
| Resale Design | Retail Design |
| Resale PBX | Retail PBX |
| Resale Centrex | Retail Centrex |
| Resale ISDN | Retail ISDN |
| • LNP (Standalone) (Not Available in Maintenance) | Not Applicable |
| • 2W Analog Loop Design | Retail Residence & Business Dispatch |
| • 2W Analog Loop Non - Design | • Retail Residence & Business (POTS) (Exclusion of |
| | Switch-Based Feature Troubles) |
| • UNE Loop + Port Combinations | Retail Residence & Business |
| • UNE Switch Ports | • Retail Residence & Business (POTS) |
| UNE Combo Other | Retail Residence, Business and Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | ADSL Provided to Retail |
| • UNE ISDN | • Retail ISDN – BRI |
| UNE Line Sharing | ADSL Provided to Retail |
| UNE Other Design | Retail Design |
| UNE Other Non - Design | Retail Residence & Business |
| Local Interconnection Trunks | Parity with Retail |
| • Local Transport (Unbundled Interoffice Transport) | Retail DS1/DS3 Interoffice |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--------------------------------|---|
| Resale POTS | • Retail Residence and Business (POTS) |
| Resale Design | Retail Design |
| • UNE Loop + Port Combinations | Retail Residence and Business |
| UNE Loops | Retail Residence and Business Dispatch |
| • UNE xDSL | ADSL Provided to Retail |
| UNE Line Sharing | ADSL Provided to Retail |
| Local Interconnection Trunks | Parity with Retail |

M&R-3: Maintenance Average Duration

Definition

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

Exclusions

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

For Average Duration the clock starts on the date and time of the receipt of a correct repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

Calculation

Maintenance Duration = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Trouble Ticket was Opened

Average Maintenance Duration = (c / d)

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Troubles in the reporting period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|---|
| Report Month Total Tickets (LINE_NBR) CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. | Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission Time Ticket Completion Date Ticket Completion Time Total Duration Time Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) Geographic Scope |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|--|
| Resale Residence | Retail Residence |
| Resale Business | Retail Business |
| Resale Design | Retail Design |
| Resale PBX | • Retail PBX |
| Resale Centrex | Retail Centrex |
| Resale ISDN | Retail ISDN |
| • LNP (Standalone) (Not Available in Maintenance) | Not Applicable |
| 2W Analog Loop Design | Retail Residence & Business Dispatch |
| 2W Analog Loop Non - Design | Retail Residence & Business (POTS) (Exclusion of |
| | Switch-Based Feature Troubles) |
| • UNE Loop + Port Combinations | Retail Residence & Business |
| • UNE Switch Ports | • Retail Residence & Business (POTS) |
| UNE Combo Other | Retail Residence, Business and Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | ADSL Provided to Retail |
| • UNE ISDN | • Retail ISDN – BRI |
| UNE Line Sharing | ADSL Provided to Retail |
| UNE Other Design | Retail Design |
| UNE Other Non - Design | Retail Residence & Business |
| Local Interconnection Trunks | Parity with Retail |
| Local Transport (Unbundled Interoffice Transport) | Retail DS1/DS3 Interoffice |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--------------------------------|---|
| • Resale POTS | • Retail Residence and Business (POTS) |
| Resale Design | Retail Design |
| • UNE Loop + Port Combinations | Retail Residence and Business |
| UNE Loops | Retail Residence and Business Dispatch |
| • UNE xDSL | ADSL Provided to Retail |
| UNE Line Sharing | ADSL Provided to Retail |
| Local Interconnection Trunks | Parity with Retail |

M&R-4: Percent Repeat Troubles within 30 Days

Definition

Closed trouble reports on the same line/circuit as a previous trouble report received within 30 calendar days as a percent of total troubles closed reported

Exclusions

- Trouble tickets canceled at the CLEC request
- · BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

Includes Customer trouble reports received within 30 days of an original Customer trouble report.

Calculation

Percent Repeat Troubles within 30 Days = (a / b) X 100

- a = Count of closed Customer Troubles where more than one trouble report was logged for the same service line within a continuous 30 days
- b = Total Trouble Reports Closed in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|--|
| Total Tickets (LINE_NBR) CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Total and Percent Repeat Trouble Reports within 30 Days (TOT_REPEAT) Service Type Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope | Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission Time Ticket Completion Date Ticket Completion Time Total and Percent Repeat Trouble Reports within 30 Days Service Type |
| Note : Code in parentheses is the corresponding header found in the raw data file. | Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) Geographic Scope |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|--|
| Resale Residence | Retail Residence |
| Resale Business | Retail Business |
| Resale Design | Retail Design |
| Resale PBX | Retail PBX |
| Resale Centrex | Retail Centrex |
| Resale ISDN | Retail ISDN |
| • LNP (Standalone) (Not Available in Maintenance) | Not Applicable |
| 2W Analog Loop Design | Retail Residence & Business Dispatch |
| 2W Analog Loop Non - Design | • Retail Residence & Business (POTS) (Exclusion of |
| | Switch-Based Feature Troubles) |
| • UNE Loop + Port Combinations | Retail Residence & Business |
| • UNE Switch Ports | • Retail Residence and Business (POTS) |
| UNE Combo Other | Retail Residence, Business & Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | ADSL Provided to Retail |
| • UNE ISDN | • Retail ISDN – BRI |
| UNE Line Sharing | ADSL Provided to Retail |
| UNE Other Design | Retail Design |
| UNE Other Non - Design | Retail Residence & Business |
| Local Interconnection Trunks | Parity with Retail |
| Local Transport (Unbundled Interoffice Transport) | Retail DS1/DS3 Interoffice |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--------------------------------|---|
| • Resale POTS | • Retail Residence and Business (POTS) |
| Resale Design | Retail Design |
| • UNE Loop + Port Combinations | Retail Residence and Business |
| UNE Loops | Retail Residence and Business Dispatch |
| • UNE xDSL | ADSL Provided to Retail |
| UNE Line Sharing | ADSL Provided to Retail |
| Local Interconnection Trunks | Parity with Retail |

M&R-5: Out of Service (OOS) > 24 Hours

Definition

For Out of Service Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

Exclusions

- Trouble Reports canceled at the CLEC request
- BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles

Business Rules

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the trouble report is created in LMOS/WFA and the trouble is counted if the elapsed time exceeds 24 hours.

Calculation

Out of Service (OOS) > 24 hours = (a / b) X 100

- a = Total Cleared Troubles OOS > 24 Hours
- b = Total OOS Troubles in Reporting Period

Report Structure

- Dispatch/Non Dispatch
- CLEC Specific
- · BellSouth Aggregate
- CLEC Aggregate

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|---|
| Report Month Total Tickets CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT Percentage of Customer Troubles out of Service > 24 Hours (OOS>24_FLAG) Service type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE-DESC) Geographic Scope Note: Code in parentheses is the corresponding header foun in the raw data file. | Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission time Ticket Completion Date Ticket Completion Time Percent of Customer Troubles out of Service > 24 Hours Service type Disposition and Cause (Non-Design/Non-Special only) |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|--|
| Resale Residence | Retail Residence |
| Resale Business | Retail Business |
| Resale Design | Retail Design |
| Resale PBX | Retail PBX |
| Resale Centrex | Retail Centrex |
| Resale ISDN | Retail ISDN |
| • LNP (Standalone) (Not Available in Maintenance) | Not Applicable |
| 2W Analog Loop Design | Retail Residence & Business Dispatch |
| • 2W Analog Loop Non - Design | • Retail Residence & Business (POTS) (Exclusion of |
| | Switch-Based Feature Troubles) |
| • UNE Loop + Port Combinations | Retail Residence & Business |
| • UNE Switch Ports | Retail Residence & Business (POTS) |
| UNE Combo Other | Retail Residence, Business and Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | ADSL Provided to Retail |
| • UNE ISDN | • Retail ISDN – BRI |
| UNE Line Sharing | ADSL Provided to Retail |
| UNE Other Design | Retail Design |
| UNE Other Non - Design | Retail Residence & Business |
| Local Interconnection Trunks | Parity with Retail |
| Local Transport (Unbundled Interoffice Transport) | Retail DS1/DS3 Interoffice |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| ſ | SEEM Disaggregation | SEEM Analog/Benchmark |
|---|---------------------|-----------------------|
| | Not Applicable | Not Applicable |

M&R-6: Average Answer Time – Repair Centers

Definition

This measures the average time a customer is in queue when calling a BellSouth Repair Center.

Exclusions

None

Business Rules

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call (abandoned calls are not included).

Note: The Total Column is a combined BellSouth Residence and Business number.

Calculation

Answer Time for BellSouth Repair Centers = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

Average Answer Time for BellSouth Repair Centers = (c / d)

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

Report Structure

- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|-----------------------------------|
| CLEC Average Answer Time | BellSouth Average Answer Time |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|--|--|
| • Region. CLEC/BellSouth Service Centers and BellSouth | • For CLEC, Average Answer Times in UNE Center and |
| Repair Centers are regional. | BRMC are comparable to the Average Answer Times in |
| | the BellSouth Repair Centers. |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

M&R-7: Mean Time To Notify CLEC of Network Outages

Definition

This report measures the time it takes for the BellSouth Network Management Center (NMC) to notify the CLEC of major network outages.

Exclusions

None

Business Rules

BellSouth will inform the CLEC of any major network outages (key customer accounts) via a page or email. When the BellSouth NMC becomes aware of a network incident, the CLEC and BellSouth will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

The CLECs will be notified in accordance with the rules outlined in Appendix D of the CLEC "Customer Guide" which is published on the internet at: www.interconnection.bellsouth.com/guides/other_guides/other_guides/html/gopue/indexf.htm.

Calculation

Time to Notify CLEC = (a - b)

- a = Date and Time BellSouth Notified CLEC
- b = Date and Time BellSouth Detected Network Incident

Mean Time to Notify CLEC = (c / d)

- c = Sum of all Times to Notify CLEC
- d = Count of Network Incidents

Report Structure

- BellSouth Aggregate
- CLEC Aggregate
- CLEC Specific

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|---|
| Report Month | Report Month |
| Major Network Events | Major Network Events |
| Date/Time of Incident | • Date/Time of Incident |
| Date/Time of Notification | Date/Time of Notification |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| BellSouth Aggregate | Parity by Design |
| CLEC Aggregate | |
| CLEC Specific | |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

Section 5: Billing

B-1: Invoice Accuracy

Definition

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

Exclusions

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- · Test Accounts

Business Rules

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes.

Calculation

Invoice Accuracy = $[(a - b) / a] \times 100$

- a = Absolute Value of Total Billed Revenues during current month
- b = Absolute Value of Billing Related Adjustments during current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region
 - State

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|---|
| Report Month | • Report Month |
| Invoice Type | Retail Type |
| - UNE | - CRIS |
| - Resale | - CABS |
| - Interconnection | Total Billed Revenue |
| Total Billed Revenue | Billing Related Adjustments |
| Billing Related Adjustments | |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|--|
| Product/Invoice Type | CLEC Invoice Accuracy is comparable to BellSouth |
| - Resale | Invoice Accuracy |
| - UNE | |
| - Interconnection | |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • CLEC State | Parity With Retail |
| BellSouth State | |

B2: Mean Time to Deliver Invoices

Definition

Bill Distribution is calculated as follows: CRIS BILLS-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first work day. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

Exclusions

Any invoices rejected due to formatting or content errors.

Business Rules

This report measures the mean interval for timeliness of billing records delivered to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

Calculation

Invoice Timeliness = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

Mean Time To Deliver Invoices = (c / d)

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Geographic Scope
 - Region
 - State

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--------------------------------|-----------------------------------|
| Report Month | Report Month |
| Invoice Type | Invoice Type |
| - UNE | - CRIS |
| - Resale | - CABS |
| - Interconnection | Invoice Transmission Count |
| Invoice Transmission Count | Date of Scheduled Bill Close |
| • Date of Scheduled Bill Close | |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|--|
| Product/Invoice Type | • CRIS-based invoices will be released for delivery within |
| • Resale | six (6) business days. |
| • UNE | CABS-based invoices will be released for delivery within |
| • Interconnection | eight (8) calendar days. |
| | CLEC Average Delivery Intervals for both CRIS and |
| | CABS Invoices are comparable to BellSouth Average |
| | delivery for both systems. |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| CLEC State | • Parity with Retail |
| - CRIS | |
| - CABS | |
| BellSouth Region | |

B3: Usage Data Delivery Accuracy

Definition

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

Exclusions

None

Business Rules

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

Calculation

Usage Data Delivery Accuracy = $(a - b) / a \times 100$

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
 - Region

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---------------------------------|-----------------------------------|
| Report Month | Report Month |
| Record Type | • Record Type |
| - BellSouth Recorded | |
| - Non-BellSouth Recorded | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|--|
| • Region | CLEC Usage Data Delivery Accuracy is comparable to |
| | BellSouth Usage Data Delivery Accuracy |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| CLEC State | Parity With Retail |
| BellSouth Region | |

B4: Usage Data Delivery Completeness

Definition

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Completeness = $(a / b) \times 100$

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording date
- b = Total number of Recorded usage records delivered during the current month

Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Region

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|-----------------------------------|
| Report Month | Report Month |
| Record Type | Record Type |
| - BellSouth Recorded | |
| - Non-BellSouth Recorded | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|---|
| • Region | • CLEC Usage Data Delivery Completeness is comparable |
| | to BellSouth Usage Data Delivery Completeness |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

B5: Usage Data Delivery Timeliness

Definition

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Timeliness Current month = (a / b) X 100

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- b = Total number of usage records sent

Report Structure

- CLEC Aggregate
- CLEC Specific
- · BellSouth Aggregate
- Region

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|-----------------------------------|
| Report Month | Report Month |
| • Record Type | Record Type |
| - BellSouth Recorded | |
| - Non-BellSouth Recorded | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|--|
| • Region | • CLEC Usage Data Delivery Timeliness is comparable to |
| | BellSouth Usage Data Delivery Timeliness |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

B6: Mean Time to Deliver Usage

Definition

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the average number of days it takes BellSouth to deliver Usage data to the appropriate CLEC. Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

Calculation

Mean Time to Deliver Usage = $(a \ X \ b) \ / \ c$

- a = Volume of Records Delivered
- b = Estimated number of days to deliver
- c = Total Record Volume Delivered

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31.5 days.

Report Structure

- CLEC Aggregate
- · CLEC Specific
- BellSouth Aggregate
- Region

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|-----------------------------------|
| Report Month | Report Month |
| Record Type | Record Type |
| - BellSouth Recorded | |
| - Non-BellSouth Recorded | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|---|
| • Region | Mean Time to Deliver Usage to CLEC is comparable to |
| | Mean Time to Deliver Usage to BellSouth. |

SEEM Measure

| SEEM Measure | | | |
|--------------|--------|--|--|
| No | Tier I | | |
| Tier II | | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

B7: Recurring Charge Completeness

Definition

This measure captures percentage of fractional recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

Calculation

Recurring Charge Completeness = (a / b) X 100

- a = Count of fractional recurring charges that are on the correct bill¹
- b = Total count of fractional recurring charges that are on the correct bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--------------------------------|-----------------------------------|
| Report Month | Report Month |
| Invoice Type | Retail Analog |
| Total Recurring Charges Billed | Total Recurring Charges Billed |
| • Total Billed on Time | Total Billed on Time |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| Product/Invoice Type | |
| Resale | • Parity |
| • UNE | Benchmark 90% |
| Interconnection | Benchmark 90% |

SEEM Measure

| SEEM Measure | | | | |
|--------------|---------|--|--|--|
| No | Tier I | | | |
| | Tier II | | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

¹Correct bill = next available bill

B8: Non-Recurring Charge Completeness

Definition

This measure captures percentage of non-recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

Calculation

Non-Recurring Charge Completeness = $(a / b) \times 100$

- a = Count of non-recurring charges that are on the correct bill¹
- b = Total count of non-recurring charges that are on the correct bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|------------------------------------|------------------------------------|
| Report Month | Report Month |
| Invoice Type | Retail Analog |
| Total Non-recurring Charges Billed | Total Non-recurring Charges Billed |
| Total Billed on Time | Total Billed on Time |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| Product/Invoice Type | |
| Resale | • Parity |
| • UNE | Benchmark 90% |
| Interconnection | Benchmark 90% |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

¹Correct bill = next available bill

Section 6: Operator Services And Directory Assistance

OS-1: Speed to Answer Performance/Average Speed to Answer - Toll

Definition

Measurement of the average time in seconds calls wait before answered by a toll operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer - Toll = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- · Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • None | Parity by Design |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds - Toll

Definition

Measurement of the percent of toll calls that are answered in less than ten seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • None | Parity by Design |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

DA-1: Speed to Answer Performance/Average Speed to Answer - Directory Assistance (DA)

Definition

Measurement of the average time in seconds calls wait before answered by a DA operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- · Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • None | Parity by Design |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Directory Assistance (DA)

Definition

Measurement of the percent of DA calls that are answered in less than twelve seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • None | Parity by Design |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

Section 7: Database Update Information

D-1: Average Database Update Interval

Definition

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB), Directory Assistance and Directory Listings. For E-911, see Section 8.

Exclusions

- · Updates Canceled by the CLEC
- · Initial update when supplemented by CLEC
- · BellSouth updates associated with internal or administrative use of local services

Business Rules

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB). The end time stamp is the date and time of completion of updates to the system.

For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below.

Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

Calculation

Update Interval = (a - b)

- a = Completion Date & Time of Database Update
- b = Submission Date and Time of Database Change

Average Update Interval = (c / d)

- c = Sum of all Update Intervals
- d = Total Number of Updates Completed During Reporting Period

Report Structure

- CLEC Specific (Under development)
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|--|
| Database File Submission Time | Database File Submission Time |
| Database File Update Completion Time | Database File Update Completion Time |
| CLEC Number of Submissions | BellSouth Number of Submissions |
| • Total Number of Updates | • Total Number of Updates |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation: | SQM Analog/Benchmark: |
|------------------------------|-----------------------|
| Database Type | Parity by Design |
| • LIDB | |
| Directory Listings | |
| Directory Assistance | |

SEEM Measure

| SEEM Measure | | | |
|--------------|--------|--|--|
| No | Tier I | | |
| Tier II | | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

D-2: Percent Database Update Accuracy

Definition

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB), Directory Assistance, and Directory Listings using a statistically valid sample of LSRs/Orders in a manual review. This manual review is not conducted on BellSouth Retail Orders.

Exclusions

- · Updates canceled by the CLEC
- Initial update when supplemented by CLEC
- · CLEC orders that had CLEC errors
- · BellSouth updates associated with internal or administrative use of local services

Business Rules

For each update completed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (order) submitted by the CLEC. Each database (LIDB, Directory Assistance, and Directory Listings) should be separately tracked and reported.

A statistically valid sample of CLEC Orders are pulled each month. That sample will be used to test the accuracy of the database update process. This is a manual process.

Calculation

Percent Update Accuracy = (a / b) X 100

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

Report Structure

- CLEC Aggregate
- CLEC Specific (not available in this report)
- BellSouth Aggregate (not available in this report)

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|-----------------------------------|
| Report Month | Not Applicable |
| CLEC Order Number (so_nbr) and PON (PON) | • Not Applicable |
| • Local Service Request (LSR) | |
| Order Submission Date | |
| Number of Orders Reviewed | |
| Note : Code in parentheses is the corresponding header found in the raw data file. | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| Database Type | • 95% Accurate |
| • LIDB | |
| Directory Assistance | |
| Directory Listings | |

SEEM Measure

| I | SEEM Measure | | | |
|---|--------------|---------|--|--|
| | No | Tier I | | |
| | | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date

Definition

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded in end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure, BellSouth will identify whether or not a particular NXX has been flagged as LNP capable (set triggers for dips) by the LERG effective date.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NXX(s), including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, is established based on the information contained in the Translation Work Instructions (TWINs) document.

Exclusions

- · Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date
- · Expedite requests

Business Rules

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration -Dispatch In database.

Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date = (a / b) X 100

- a = Count of NXXs and LRNs loaded by the LERG effective date
- b = Total NXXs and LRNs scheduled to be loaded by the LERG effective date

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth (Not Applicable)

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|-----------------------------------|
| Company Name | Not Applicable |
| Company Code | |
| NPA/NXX | |
| LERG Effective Date | |
| Loaded Date | |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|-------------------------------|
| Geographic Scope | • 100% by LERG Effective Date |
| - Region | |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

Section 8: E911

E-1: Timeliness

Definition

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period.

Exclusions

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Timeliness = (a / b) X 100

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- Report month
- · Aggregate data

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • None | Parity by Design |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

E-2: Accuracy

Definition

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

Exclusions

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Accuracy = (a / b) X 100

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report month
- Aggregate data

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • None | Parity by Design |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

E-3: Mean Interval

Definition

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

Exclusions

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted is 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Interval = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

E911 Mean Interval = (c / d)

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report month
- · Aggregate data

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • None | Parity by Design |

SEEM Measure

| SEEM Measure | | | | |
|--------------|---------|--|--|--|
| No Tier I | | | | |
| | Tier II | | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

Section 9: Trunk Group Performance

TGP-1: Trunk Group Performance-Aggregate

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk groups for which valid data is not available for an entire study period
- Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- Final groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

Point B

CLEC Affecting Categories:

| Category 1: | BellSouth End Office | BellSouth Access Tandem |
|---------------------------------|-------------------------|-------------------------|
| Category 3: | BellSouth End Office | CLEC Switch |
| Category 4: | BellSouth Local Tandem | CLEC Switch |
| Category 5: | BellSouth Access Tandem | CLEC Switch |
| Category 10: | BellSouth End Office | BellSouth Local Tandem |
| Category 16: | BellSouth Tandem | BellSouth Tandem |
| BellSouth Affecting Categories: | | |

Point A

bensouth fifteeting categories.

Point A Point B

Category 9: BellSouth End Office BellSouth End Office

Calculation

Monthly Average Blocking:

• For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.

• The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Aggregate
- BellSouth Aggregate
 - State

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--------------------------------------|---|
| Report Month | • Report Month |
| Total Trunk Groups | Total Trunk Groups |
| Number of Trunk Groups by CLEC | Aggregate Hourly Blocking Per Trunk Group |
| Hourly Blocking Per Trunk Group | Hourly Usage Per Trunk Group |
| Hourly Usage Per Trunk Group | Hourly Call Attempts Per Trunk Group |
| Hourly Call Attempts Per Trunk Group | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|---|
| CLEC aggregate | Any 2 hour period in 24 hours where CLEC blockage |
| BellSouth aggregate | exceeds BellSouth blockage by more than 0.5% using |
| | trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for |
| | BellSouth |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|---|
| CLEC Aggregate | • Any 2 hour period in 24 hours where CLEC blockage |
| BellSouth Aggregate | exceeds BellSouth blockage by more than 0.5% using |
| | trunk groups 1,3,4,5,10,16 for CLECs and 9 for |
| | BellSouth |

TGP-2: Trunk Group Performance-CLEC Specific

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk Groups for which valid data is not available for an entire study period
- Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- · Final groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

Point B

CLEC Affecting Categories:

| Category 1: | BellSouth End Office | BellSouth Access Tandem |
|---------------------------------|-------------------------|-------------------------|
| Category 3: | BellSouth End Office | CLEC Switch |
| Category 4: | BellSouth Local Tandem | CLEC Switch |
| Category 5: | BellSouth Access Tandem | CLEC Switch |
| Category 10: | BellSouth End Office | BellSouth Local Tandem |
| Category 16: | BellSouth Tandem | BellSouth Tandem |
| BellSouth Affecting Categories: | | |

Point A

Point A Point B

Category 9: BellSouth End Office BellSouth End Office

Calculation

Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Specific
 - State

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|---|
| Report Month | • Report Month |
| Total Trunk Groups | Total Trunk Groups |
| Number of Trunk Groups by CLEC | Aggregate Hourly Blocking Per Trunk Group |
| Hourly Blocking Per Trunk Group | Hourly Usage Per Trunk Group |
| Hourly Usage Per Trunk Group | Hourly Call Attempts Per Trunk Group |
| Hourly Call Attempts Per Trunk Group | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|---|
| CLEC Trunk Group | • Any 2 hour period in 24 hours where CLEC blockage |
| - | exceeds BellSouth blockage by more than 0.5% using |
| | trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for |
| | BellSouth |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|-----------------------|---|
| CLEC Trunk Group | • Any 2 hour period in 24 hours where CLEC blockage |
| BellSouth Trunk Group | exceeds BellSouth blockage by more than 0.5% using |
| _ | trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for |
| | BellSouth |

Section 10: Collocation

C-1: Collocation Average Response Time

Definition

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within 10 calendar days after having received a bona fide application for physical collocation, BellSouth must respond as to whether space is available or not.

Exclusions

Any application canceled by the CLEC.

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

Calculation

Response Time = (a - b)

- a = Request Response Date
- b = Request Submission Date

Average Response Time = (c / d)

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period

Report Structure

- Individual CLEC (alias) Aggregate
- Aggregate of all CLECs

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

| Level of Disaggregation | SQM Analog/Benchmark |
|---------------------------|--|
| • State | Virtual - 20 Calendar Days |
| • Virtual-Initial | Physical Caged - 30 Calendar Days |
| Virtual-Augment | Physical Cageless - 30 Calendar Days |
| Physical Caged-Initial | |
| Physical Caged-Augment | |
| Physical-Cageless-Initial | |
| Physical Cageless-Augment | |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

C-2: Collocation Average Arrangement Time

Definition

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC.

Exclusions

- Any Bona Fide firm order canceled by the CLEC
- · Any Bona Fide firm order with a CLEC-negotiated interval longer than the benchmark interval

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC.

Calculation

Arrangement Time = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

Average Arrangement Time = (c / d)

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period

Report Structure

- Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- · Report Period
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|--|
| • State | Virtual - 50 Calendar Days (Ordinary) |
| Virtual-Initial | Virtual - 75 Calendar Days (Extraordinary) |
| Virtual-Augment | Physical Caged - 90 Calendar Days |
| Physical Caged-Initial | Physical Cageless - 60 Calendar Days (Ordinary) |
| Physical Caged-Augment | Physical Cageless - 90 Calendar Days (Extraordinary) |
| Physical Cageless-Initial | |
| Physical Cageless-Augment | |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

C-3: Collocation Percent of Due Dates Missed

Definition

Measures the percent of missed due dates for both virtual and physical collocation arrangements.

Exclusions

Any Bona Fide firm order canceled by the CLEC.

Business Rules

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The clock starts on the date that BellSouth receives a complete and accurate Bona Fide firm order accompanied by the appropriate fee if required. The arrangement is considered a missed due date if it is not completed on or before the committed due date.

Calculation

% of Due Dates Missed = (a / b) X 100

- a = Number of Completed Orders that were not completed within BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

Report Structure

- Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • State | • >= 95% on time |
| • Virtual-Initial | |
| Virtual-Augment | |
| Physical Caged-Initial | |
| Physical Caged-Augment | |
| Physical Cageless-Initial | |
| Physical Cageless-Augment | |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|---|--|
| Yes Tier I X | | | |
| | Tier II | X | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|------------------------------|-----------------------|
| All Collocation Arrangements | • >= 95% on time |

Section 11: Change Management

CM-1: Timeliness of Change Management Notices

Definition

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Timeliness of Change Management Notices = (a / b) X 100

- a = Total number of Change Management Notifications Sent Within Required Timeframes
- b = Total Number of Change Management Notifications Sent

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

| | SQM Level of Disaggregation | SQM Analog/Benchmark |
|----------------------------|-----------------------------|-----------------------------|
| Region | | • 95% >= 30 Days of Release |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------------|
| Region | • 95% >= 30 Days of Release |

CM-2: Change Management Notice Average Delay Days

Definition

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Change Management Notice Delay Days = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days = (c / d)

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • Region | • <= 8 Days |

SEEM Measure

| SEEM Measure | | | | |
|--------------|---------|--|--|--|
| No | Tier I | | | |
| | Tier II | | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|------------------------------------|-----------------------|
| Not Applicable | Not Applicable |

CM-3: Timeliness of Documents Associated with Change

Definition

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and timeframes set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Timeliness of Documents Associated with Change = (a / b) X 100

- a = Change Management Documentation Sent Within Required Timeframes after Notices
- b = Total Number of Change Management Documentation Sent

Report Structure

• BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|---|
| Region | • 95% >= 30 days if new features coding is required |
| | • 95% >= 5 days for documentation defects, corrections or |
| | clarifications |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------------------|
| Region | • $95\% >= 30$ days of the change |

CM-4: Change Management Documentation Average Delay Days

Definition

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change Control Process.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Change Management Documentation Delay Days = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

Change Management Documentation Average Delay Days = (c / d)

- c = Sum of all CM Documentation Delay Days
- d = Total Change Management Documents Sent

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- · Release Date

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| Region | • <= 8 Days |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

CM-5: Notification of CLEC Interface Outages

Definition

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface.

Exclusions

None

Business Rules

This measure is designed to notify the CLEC of interface outages within 15 minutes of BellSouth's verification that an outage has taken place. This metric will be expressed as a percentage.

Calculation

Notification of CLEC Interface Outages = (a / b) X 100

- a = Number of Interface Outages where CLECS are notified within 15 minutes
- b = Total Number of Interface Outages

Report Structure

• CLEC Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|-----------------------------------|
| Number of Interface Outages | Not Applicable |
| • Number of Notifications <= 15 minutes | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|--|----------------------|
| • By interface type for all interfaces accessed by CLECs | • 97% in 15 Minutes |

| Interface | Applicable to |
|-----------|----------------|
| EDI | CLEC |
| CSOTS | CLEC |
| LENS | CLEC |
| TAG | CLEC |
| ECTA | CLEC |
| TAFI | CLEC/BellSouth |

SEEM Measure

| SEEM Measure | | | |
|--------------|---------|--|--|
| No | Tier I | | |
| | Tier II | | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

Section 12: Bona Fide / New Business Request Process

BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days

Definition

Percentage of Bona Fide/New Business Requests processed within 30 business days for the development and purchases of network elements not currently offered.

Exclusions

• Any application cancelled by the CLEC

Business Rules

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth completes application processing for Network Elements that are not operational at the time of the request.

Calculation

Percentage of BFR/NBR Requests Processed Within 30 Business Days = (a / b) X 100

- a = Count of number of requests processed within 30 days
- b = Total number of requests

Report Structure

- Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- · Report Period
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|---------------------------|
| Region | • 90% <= 30 business days |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days

Definition

Percentage of quotes provided in response to Bona Fide/New Business Requests within X (10/30/60) business days for network elements not currently offered.

Exclusions

· Requests that are subject to pending arbitration

Business Rules

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth responds back to the application with a price quote.

Calculation

Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days = (a / b) X 100

- a = Count of number of requests processed within "X" days
- b = Total number of requests where "X" = 10, 30, or 60 days

Report Structure

- New Network Elements that are operational at the time of the request
- New Network Elements that are ordered by the FCC
- New Network Elements that are not operational at the time of the request

Data Retained

- · Report Period
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|--|
| Region | • 90% <= 10/30/60 business days |
| | - Network Elements that are operational at the time of |
| | the request – 10 days |
| | - Network Elements that are Ordered by the FCC – 30 |
| | days |
| | - New Network Elements – 90 days |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

Appendix A: Reporting Scope

A-1: Standard Service Groupings

See individual reports in the body of the SQM.

A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

Service Order Activity Types

- Service Migrations Without Changes
- Service Migrations With Changes
- Move and Change Activities
- Service Disconnects (Unless noted otherwise)
- New Service Installations

Pre-Ordering Query Types

- Address
- Telephone Number
- Appointment Scheduling
- Customer Service Record
- Feature Availability
- Service Inquiry

Maintenance Query Types:

TAFI - TAFI queries the systems below

- CRIS
- March
- Predictor
- LMOS
 - DLR
 - DLETH
 - LMOSupd
- LNP
- NIW
- OSPCM
- SOCS

Report Levels

- CLEC RESH
- CLEC State
- CLEC Region
- · Aggregate CLEC State
- · Aggregate CLEC Region
- BellSouth State
- · BellSouth Region

Glossary of Acronyms and Terms Appendix B:

Symbols used in calculations

A mathematical symbol representing the sum of a series of values following the symbol.

A mathematical operator representing subtraction.

A mathematical operator representing addition.

A mathematical operator representing division.

A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.

A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.

A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.

>=

A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.

Parentheses, used to group mathematical operations which are completed before operations outside the parentheses.

Α

ACD

Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Aggregate

Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.

ALEC

Alternative Local Exchange Company = FL CLEC

Asymmetrical Digital Subscriber Line

Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.

Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

ATLASTN

ATLAS software contract for Telephone Number.

Auto Clarification

The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

В

BFR:

Bona Fide Request

BILLING

The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

BOCRIS

Business Office Customer Record Information System (Front-end to the CRIS database.)

BRI

Basic Rate ISDN

BRC

Business Repair Center - The BellSouth Business Systems trouble receipt center which serves business and CLEC customers.

BellSouth

BellSouth Telecommunications, Inc.

C

CABS

Carrier Access Billing System

CCC

Coordinated Customer Conversions

CCP

Change Control Process

Centrex

A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

CKTID

A unique identifier for elements combined in a service configuration

CLEC

Competitive Local Exchange Carrier

CLP

Competitive Local Provider = NC CLEC

CM

Change Management

CMDS

Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

COFFI

Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI is a part of DOE/ SONGS. It indicates all services available to a customer.

COG

Corporate Gateway - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

CRIS

Customer Record Information System - The BellSouth proprietary corporate database and billing system for non-access customers and services.

CRSACCTS

CRIS software contract for CSR information

CRSG

Complex Resale Support Group

C-SOTS

CLEC Service Order Tracking System

CSR

Customer Service Record

CTTG

Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

CWINS Center

Customer Wholesale Interconnection Network Services Center (formerly the UNE Center).

D

DA

Directory Assistance

Design

Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities.

Disposition & Cause

Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

DLETH

Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

DLR

Detail Line Record - All the basic information maintained on a line record in LMOS, e.g. name, address, facilities, features etc.

DS-0

The worldwide standard speed for one digital voice signal (64000 bps).

DS-1

24 DS-0s (1.544Mb/sec., i.e. carrier systems)

DOE

Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.

DOM

Delivery Order Manager - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

DSAF

DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

DSAPDDI

DSAP software contract for schedule information.

DSL

Digital Subscriber Line

DUI

Database Update Information

Ε

E911

Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

EDI

Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

ESSX

BellSouth Centrex Service

F

Fatal Reject

LSRs electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated.

Flow-Through

In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

FOC

Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

FX

Foreign Exchange

G H

HAL

"Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

HALCRIS

HAL software contract for CSR information

HDSL

High Density Subscriber Loop/Line

IJK

ILEC

Incumbent Local Exchange Company

INP

Interim Number Portability

ISDN

Integrated Services Digital Network

IPC

Interconnection Purchasing Center

L

LAN

Local Area Network

LAUTO

The automatic processor in the LNP Gateway that validates LSRs and issues service orders.

LCSC

Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.

Legacy System

Term used to refer to BellSouth Operations Support Systems (see OSS)

LENS

Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

LEO

Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

LERG

Local Exchange Routing Guide

LESOG

Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

LFACS

Loop Facilities Assessment and Control System

LIDB

Line Information Database

LISC

Local Interconnection Service Center - The center that issues trunk orders.

LMOS

Loop Maintenance Operations System - A BellSouth Operations System that stores the assignment and selected account information for use by downstream OSS and BellSouth personnel during provisioning and maintenance activities.

LMOS HOST

LMOS host computer

LMOSupd

LMOS updates

LMU

Loop Make-up

LMUS

Loop Make-up Service Inquiry

LNP

Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

Loops

Transmission paths from the central office to the customer premises.

LRN

Location Routing Number

LSR

Local Service Request - A request for local resale service or unbundled network elements from a CLEC.

M

Maintenance & Repair

The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

MARCH

BellSouth Operations System which accepts service orders, interprets the coding contained in the service order image, and constructs the specific switching system Recent Change command messages for input into end office switches.

Ν

NBR

New Business Request

NC

"No Circuits" - All circuits busy announcement.

NIW

Network Information Warehouse

NMLI

Native Mode LAN Interconnection

NPA

Numbering Plan Area

NXX

The "exchange" portion of a telephone number.

0

OASIS

Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

OASISBSN

OASIS software contract for feature/service

OASISCAR

OASIS software contract for feature/service

OASISLPC

OASIS software contract for feature/service

OASISMTN

OASIS software contract for feature/service

OASISNET

OASIS software contract for feature/service

OASISOCP

OASIS software contract for feature/service

ORDERING

The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.

OSPCM

Outside Plant Contract Management System - Provides Scheduling Information.

OSS

Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and application which is used to provide the support functions.

Out Of Service

Customer has no dial tone and cannot call out.

P

PMAP

Performance Measurement Analysis Platform

PMOAP

Performance Measurement Quality Assurance Plan

PON

Purchase Order Number

POTS

Plain Old Telephone Service

PREDICTOR

The BellSouth Operations system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups (e.g. RRC & BRC) to Mechanized Loop Testing and switching system I/O ports, and provide certain information regarding the attributes and capabilities of outside plant facilities.

Preordering

The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

PRI

Primary Rate ISDN

Provisioning

The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

PSIMS

Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

PSIMSORB

PSIMS software contract for feature/service.

QR

RNS

Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

ROS

Regional Ordering System

RRC

Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.

RSAG

Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.

RSAGADDR

RSAG software contract for address search.

RSAGTN

RSAG software contract for telephone number search.

S

SAC

Service Advocacy Center

SEEM

Self Effectuating Enforcement Mechanism

SOCS

Service Order Control System - The BellSouth Operations System which routes service order images among BellSouth drop points and BellSouth Operations Systems during the service provisioning process.

SOG

Service Order Generator - Telcordia product designed to generate a service order for xDSL.

SOIR

Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

SONGS

Service Order Negotiation and Generation System.

T

TAFI

Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

TAG

Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

TN

Telephone Number

Total Manual Fallout

The number of LSRs which are entered electronically but require manual entering into a service order generator.

UV

UNE

Unbundled Network Element

UCL

Unbundled Copper Link

USOC

Universal Service Order Code

WXYZ

WATS

Wide Area Telephone Service

WFA

Work Force Administration

WMC

Work Management Center

WTN

Working Telephone Number.

Appendix C: Appendix C: BellSouth Audit Policy

BellSouth currently provides many CLECs with certain audit rights as a part of their individual interconnection agreements. However, it is not reasonable for BellSouth to undergo an audit of the SQM for every CLEC with which it has a contract. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the aggregate level reports for both BellSouth and the CLEC(s) each of the next five (5) years (2001-2005) to be conducted by an independent third party. The results of that audit will be made available to all the parties subject to proper safeguards to protect proprietary information. This aggregate level audit includes the following specifications:

- 1. The cost shall be borne 50% by BellSouth and 50% by the CLEC or CLECs.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLEC(s) shall jointly determine the scope of the audit.

BellSouth reserves the right to make changes to this audit policy as growth and changes in the industry dictate.

Attachment 10

BellSouth Disaster Recovery Plan

| CON | ITENT | <u>S</u> | | PAGE |
|-----|--|------------------------------------|---|------|
| 1.0 | Purpo | se | | 2 |
| 2.0 | Single Point of Contact | | | 2 |
| 3.0 | Identifying the Problem | | | 2 |
| | 3.1 | Site Co | | 3 |
| | 3.2 | Enviro | nmental Concerns | 4 |
| 4.0 | The E | The Emergency Control Center (ECC) | | |
| 5.0 | Recovery Procedures | | | 5 |
| | 5.1 | 5.1 CLEC Outage | | |
| | 5.2 | 2 BellSouth Outage | | 5 |
| | | 5.2.1 | Loss of Central Office | 6 |
| | | 5.2.2 | Loss of a Central Office with Serving Wire Center Functions | 6 |
| | | 5.2.3 | Loss of a Central Office with Tandem Functions | 6 |
| | | 5.2.4 | Loss of a Facility Hub | 6 |
| | 5.3 Combined Outage (CLEC and BellSouth Equipment) | | 7 | |
| 6.0 | T1 Identification Procedures | | | 7 |
| 7.0 | Acronyms | | | 8 |

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

CLEC - Competitive Local Exchange Carrier

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Attachment 11

Bona Fide Request and New Business Requests Process

Version 4Q02: 12/18/02

BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

- The Parties agree that Southern Telcom is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. Southern Telcom also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 11.
- 2.0 Bona Fide Requests ("BFR") are to be used when Southern Telcom makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when Southern Telcom makes a request of BellSouth to provide a new or custom capability or function to meet Southern Telcom's business needs that was not previously included in the Agreement.
- A BFR or a NBR shall be submitted in writing by Southern Telcom and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a Southern Telcom's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to Southern Telcom's Local Contract Manager.
- 4.0 Within thirty (30) business days of its receipt of a BFR or NBR from Southern Telcom, BellSouth shall respond to Southern Telcom by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection or Network Element or is otherwise not required to be provided under the Act. However, if the preliminary analysis is determined to be of such complexity that it causes BellSouth to expend inordinate resources, a fee will be levied upon Southern Telcom and collected prior to the beginning of the preliminary analysis and the thirty (30) business days will begin

upon receipt of the fee. In addition to the preliminary analysis, an explanation of the fee will be provided.

- 5.0 Southern Telcom may cancel a BFR or NBR at any time. If Southern Telcom cancels the request more than three (3) business days after submitting it, Southern Telcom shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If Southern Telcom does not cancel a BFR or NBR, Southern Telcom shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.
- BellSouth shall propose a firm price quote and a detailed implementation plan for BFRs within thirty (30) business days of Southern Telcom's acceptance of the preliminary analysis. BellSouth shall propose a firm price and a detailed implementation plan for NBRs within sixty (60) business days of Southern Telcom's acceptance of the preliminary analysis.
- 7.0 If Southern Telcom accepts the preliminary analysis, BellSouth shall proceed with Southern Telcom's BFR or NBR, and Southern Telcom agrees to pay the non-refundable amount identified in the preliminary analysis for the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR or NBR. These costs will be referred to as "development" costs. The development costs identified in the preliminary analysis are fixed. If Southern Telcom cancels a BFR or NBR after BellSouth has received Southern Telcom's acceptance of the preliminary analysis, Southern Telcom agrees to pay BellSouth the reasonable, demonstrable, and actual costs, if any, directly related to complying with Southern Telcom's BFR or NBR up to the date of cancellation, to the extent such costs were not included in the non-refundable amount set forth above.
- 8.0 If Southern Telcom believes that BellSouth's firm price quote is not consistent with the requirements of the Act, Southern Telcom may seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- 9.0 Unless Southern Telcom agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.
- 10.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith,

or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.

11.0 Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.