BELLSOUTH® / CLEC Agreement

Customer Name: NTBS

National Telecom & Broadband Services, LLC	2
Table of Contents	3
General Terms and Conditions	5
Resale	25
Resale Rates	51
Network Elements	53
Network Element Rates	129
Network Interconnection	481
Network Interconnection Rates	509
Central Office Collocation	518
Remote Site Collocation	557
Collocation Rates	593
Numbers and Number Portability	621
Interim Number Portability Rates	628
Ordering and Provisioning	637
Billing	644
Billing Rates	659
Rights of Way	668
Performance Measurements	670
Disaster Recovery	823
Bona Fide Requests	832

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

By and Between

BellSouth Telecommunications, Inc.

And

National Telecom & Broadband Services, LLC

TABLE OF CONTENTS

General Terms and Conditions

Definitions

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 7. Liability and Indemnification
- 8. Intellectual Property Rights and Indemnification
- 9. Proprietary and Confidential Information
- 10. Resolution of Disputes
- 11. Taxes
- 12. Force Majeure
- 13. Adoption of Agreements
- 14. Modification of Agreement
- 15. Non-waiver of Legal Rights
- 16. Indivisibility
- 17. Waivers
- 18. Governing Law
- 19. Arm's Length Negotiations
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Implementation of Agreement
- 25. Filing of Agreement
- 26. Compliance with Applicable Law
- 27. Necessary Approvals
- 28. Good Faith Performance
- 29. Nonexclusive Dealings
- 30. Rate True-Up
- 31. Survival
- 32. Establishment of Service
- 33. Entire Agreement

TABLE OF CONTENTS (cont'd)

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
- **Attachment 7 Billing**
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- Attachment 11-Bona Fide Request/New Business Request Process

AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and National Telecom & Broadband Services, LLC, ("NTBS") a Florida corporation, and shall be effective as stated in the Definitions. This Agreement may refer to either BellSouth or NTBS or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, NTBS is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, NTBS wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and, solely in connection therewith, may wish to utilize Collocation Space or space available pursuant to Adjacent Arrangement (all as defined in Attachment 4 of this Agreement); and

WHEREAS, the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and NTBS agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each of BellSouth's nine-state region, Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the Effective Date of the Amendment, which shall be the date of the last signature executing the Amendment. Other Charges and Credits will be mechanically created to adjust recurring rates previously billed in advance at the previous rates.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communication Commission.

General Terms and Conditions means this document including all of the terms, provisions and conditions set forth herein.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. CLEC Certification

- 1.1 NTBS agrees to provide BellSouth in writing the certificate number, company number or docket number, for the docket pending certification, for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate commission for approval.
- 1.2 Additionally, NTBS will notify BellSouth in writing when it becomes certified or has a docket pending certification to operate in any other state in the BellSouth region. Upon notification, BellSouth will file this Agreement with the appropriate commission for approval.

2. Term of the Agreement

2.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms

and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.

- The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement").
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- If as of the expiration of this Agreement a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to NTBS pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in Subsequent Agreement.

3. Operational Support Systems

NTBS shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement in Attachment 1 and/or in Attachments 2, 3 and 5, as applicable.

4. Parity

When NTBS purchases, pursuant to Attachment 1 of this Agreement, telecommunications services from BellSouth for the purposes of resale to end users, BellSouth shall provide said services so that the services are equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its affiliates, subsidiaries and end users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to NTBS shall be at least equal in quality to that which BellSouth provides to itself, its affiliates or any other telecommunications carrier. The quality of the interconnection between the networks of BellSouth and the network of NTBS shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's end users and service quality as perceived by NTBS.

5. White Pages Listings

- 5.1 BellSouth shall provide NTBS and their customers access to white pages directory listings under the following terms:
- 5.2 <u>Listings</u>. NTBS shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include NTBS residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories. Directory listings will make no distinction between NTBS and BellSouth subscribers.
- 5.2.1 Rates. So long as NTBS provides subscriber listing information to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to NTBS one (1) primary White Pages listing per NTBS subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.3 Procedures for Submitting NTBS Subscriber Information are found in The BellSouth Business Rules for Local Ordering.
- 5.4 Notwithstanding any provision(s) to the contrary, NTBS shall provide to BellSouth, and BellSouth shall accept, NTBS's Subscriber Listing Information (SLI) relating to NTBS's customers in the geographic area(s) covered by this Interconnection Agreement. NTBS authorizes BellSouth to release all such NTBS SLI provided to BellSouth by NTBS to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), Section A38.2, as the same may be amended from time to time. Such NTBS SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI. Where necessary, BellSouth will use good faith efforts to obtain Commission approval of any necessary modifications to Section A38.2 of its tariff to provide for release of third party directory listings, including modifications regarding listings to be released pursuant to such tariff and BellSouth's liability thereunder. BellSouth's obligation pursuant to this Section shall not arise in any particular state until the Commission of such state has approved modifications to such tariff.
- 5.4.1 No compensation shall be paid to NTBS for BellSouth's receipt of NTBS SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of NTBS's SLI, or costs on an ongoing basis to administer the release of NTBS SLI, NTBS shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of NTBS's SLI, NTBS will be notified. If NTBS does not wish to pay its proportionate share of these reasonable costs, NTBS may instruct BellSouth that it does not wish to release its SLI to independent publishers, and NTBS may amend its interconnection agreement accordingly. Such amendment would become effective at such time that both Parties have signed, and NTBS will be liable for all costs incurred up to that time.

- Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by NTBS under this Agreement. NTBS shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate NTBS listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to NTBS any complaints received by BellSouth relating to the accuracy or quality of NTBS listings.
- 5.4.3 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.5 <u>Unlisted/Non-Published Subscribers</u>. NTBS will be required to provide to BellSouth the names, addresses and telephone numbers of all NTBS customers who wish to be omitted from directories. Unlisted/Non-Published Subscriber listings will be offered at tariff rates as set forth in the GSST.
- Inclusion of NTBS Customers in Directory Assistance Database. BellSouth will include and maintain NTBS subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and NTBS shall provide such Directory Assistance listings at no recurring charge. BellSouth and NTBS will formulate appropriate procedures regarding lead-time, timeliness, format and content of listing information.
- 5.7 <u>Listing Information Confidentiality</u>. BellSouth will accord NTBS's directory listing information the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to NTBS's customer proprietary confidential directory information to those BellSouth employees or agents who are involved in the preparation of listings or directories.
- 5.8 <u>Additional and Designer Listings</u>. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.9 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to NTBS subscribers at no charge or as specified in a separate BAPCO agreement.

6. Court Ordered Requests for Call Detail Records and Other Subscriber Information

6.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for NTBS, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to NTBS end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for NTBS end users for the same length of time it maintains such information for its own end users.

- 6.2 <u>Subpoenas Directed to NTBS</u>. Where BellSouth is providing to NTBS telecommunications services for resale or providing to NTBS the local switching function, then NTBS agrees that in those cases where NTBS receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to NTBS end users, and where NTBS does not have the requested information, NTBS will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 6.1 above.
- In all other instances, where either Party receives a request for information involving the other Party's end user, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

7. Liability and Indemnification

- 7.1 <u>NTBS Liability</u>. In the event that NTBS consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of NTBS under this Agreement.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to NTBS for any act or omission of another telecommunications company providing services to NTBS.

7.3 <u>Limitation of Liability</u>

- 7.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury or liability or expense, including reasonable attorneys' fees relating to or arising out of any negligent act or omission in its performance of this Agreement whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- 7.3.2 <u>Limitations in Tariffs.</u> A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) Consequential Damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.

- 7.3.3 Neither BellSouth nor NTBS shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the Services, or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- 7.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. The Party providing services hereunder, its affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving company's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving company's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing company's services, actions, duties, or obligations arising out of this Agreement.
- 7.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

8. Intellectual Property Rights and Indemnification

- 8.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. NTBS is strictly prohibited from any use, including but not limited to in sales, in marketing or advertising of telecommunications services, of any BellSouth name, service mark or trademark (collectively, the "Marks"). The Marks of BellSouth include those Marks owned directly by BellSouth and those Marks that BellSouth has a legal and valid license to use.
- 8.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 8.3 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 preceding.
- 8.4 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 8.4.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.4.2 obtain a license sufficient to allow such use to continue.
- 8.4.3 In the event Section 8.4.1 or 8.4.2 are commercially unreasonable, then said Party may, terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.

- 8.5 <u>Exception to Obligations</u>. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 8.6 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 8.7 <u>Dispute Resolution.</u> Any claim arising under this Section 8 shall be excluded from the dispute resolution procedures set forth in Section 10 and shall be brought in a court of competent jurisdiction.

9. Proprietary and Confidential Information

- 9.1 Proprietary and Confidential Information. It may be necessary for BellSouth and NTBS, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 9.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 9.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:

- 9.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- 9.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 9.5 Recipient agrees not to publish or use the Information for any advertising, sales promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 9.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, or application that is now or may hereafter be owned by the Discloser.
- 9.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 9 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.
- 9.8 Assignments. Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement or any right, obligation, duty or other interest hereunder to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of NTBS, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations.

10. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

11. Taxes

- 11.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 11.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 11.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- 11.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the

purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.

- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 11.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 11.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- 11.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties.

 Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall

abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.

- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 11.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

12. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference

(and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

13. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to NTBS any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement that was adopted.

14. Modification of Agreement

- 14.1 If NTBS changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of NTBS to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- 14.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of NTBS or BellSouth to perform any material terms of this Agreement, NTBS or BellSouth may, on thirty (30) days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

15. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to

pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

16. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of Collocation Space (or space pursuant to Adjacent Arrangement) under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of Collocation Space (or space pursuant to Adjacent Arrangement) if the covenants and promises of the other Party with respect to the other services provided for under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are intended to be recoupable against other payment obligations under this Agreement.

17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

18. Governing Law

This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of Georgia, without regard to its conflict of laws principles.

19. Arm's Length Negotiations

This Agreement was executed after arm's length negotiations between the undersigned Parties and reflects the conclusion of the undersigned that this Agreement is in the best interests of all Parties.

20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street Birmingham, Alabama 35203

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

National Telecom & Broadband Services, LLC

Mr. Mark Mansour Suite 720 2400 E. Commercial Blvd. Ft. Lauderdale, FL 33308

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 20.3 Notwithstanding the foregoing, BellSouth may provide NTBS notice via Internet posting of price changes, changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will also post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

23. Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

24. Implementation of Agreement

If NTBS is a facilities based provider or a facilities based and resale provider, this section shall apply. Within 60 days of the execution of this Agreement, the Parties may adopt a schedule for the implementation of the Agreement. The schedule shall state with specificity time frames for submission of including but not limited to, network design, interconnection points, collocation arrangement requests, presales testing and full operational time frames for the business and residential markets.

25. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, NTBS shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by NTBS. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as NTBS is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

26. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

27. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

28. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested

hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

29. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to NTBS as a requesting carrier under the Act).

30. Rate True-Up

- 30.1 This section applies to Network Interconnection and/or Unbundled Network Elements and Other Services rates that are expressly subject to true-up under this Agreement.
- The designated true-up rates for Network Elements and Other Services and Network Interconnection shall be subject to true-up according to the following procedures:
- The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 10 of the General Terms and Conditions of this Agreement.
- The Parties may continue to negotiate toward final prices, but in the event that no such Agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 10 of the General Terms and Conditions of this Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.
- An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and NTBS specifically or upon all carriers generally, such as a generic cost proceeding.

31. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

32. Establishment of Service

If BellSouth is informed that an unauthorized change in local service to NTBS has occurred, BellSouth will reestablish service with the appropriate local service provider and will assess NTBS as the CLEC initiating the alleged unauthorized change, the appropriate nonrecurring charges, as set forth in Section A4 of the General Subscriber Service Tariff. In accordance with FCC Slamming Liability Rules, the relevant governmental agency will determine if an unauthorized change has occurred. Resolution of all relevant issues shall be handled directly with the authorized CLEC and NTBS.

33. Entire Agreement

This Agreement means the General Terms and Conditions and the Attachments identified in Section 33.2 below, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement includes Attachments with provisions for the following:

Resale

Network Elements and Other Services

Network Interconnection

Collocation

Access to Numbers and Number Portability

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Billing

Rights-of-Way, Conduits and Pole Attachments

Performance Measurements

BellSouth Disaster Recovery Plan

Bona Fide Request/New Business Request Process

The following services are included as options for purchase by NTBS pursuant to the terms and conditions set forth in this Agreement. NTBS may elect to purchase said services by written request to its Account Manager if applicable:

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)
LNP Data Base Query Service

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

Services, LLC	Bensouth Telecommunications, Inc.	
Signature on File	Signature on File	
Signature	Signature	
Mark A. Mansour	C. W. Boltz	
Name	Name	
President	Managing Director	
Title	Title	
4-24-02	4-29-02	
Date	Date	

Attachment 1

Page 1

Attachment 1

Resale

Version: 1Q02 03/22/02

Table of Contents

1.	Discount Rates	3
2.	Definition of Terms	3
3.	General Provisions	4
4.	BellSouth's Provision of Services to NTBS	8
5.	Maintenance of Services	8
6.	Establishment of Service	9
7.	Discontinuance of Service	9
8.	Operator Services (Operator Call Processing and Directory Assistance).	10
9.	Line Information Database (LIDB)	14
10.	RAO Hosting	14
11.	Optional Daily Usage File (ODUF)	14
12.	Enhanced Optional Daily Usage File (EODUF)	14
Res	ale Restrictions	Exhibit A
Lin	e Information Database (LIDB) Storage Agreemt	Exhibit B
Opt	tional Daily Usage File (ODUF)	Exhibit C
Enł	nanced Option Daily Usage File (EODUF)	Exhibit D
Res	ale Discounts and Rates	Exhibit E

RESALE

1. Discount Rates

- 1.1 The discount rates applied to NTBS purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit E. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.
- 1.2 The telecommunications services available for purchase by NTBS for the purposes of resale to NTBS's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit E to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as NTBS, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

3. General Provisions

- All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to NTBS for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.
- 3.1.1 When NTBS provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if NTBS does not resell Lifeline services to any end users, and if NTBS agrees to order an appropriate Operator Services/Directory Services block as set forth in BellSouth's General Subscriber Services Tariff, the discount shall be 21.56%.
- 3.1.2.1 In the event NTBS resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon NTBS and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service end users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 <customer_name>> must provide written notification to BellSouth within 30 days
 prior to providing its own operator services/directory services or orders the
 appropriate operator services/directory assistance blocking, to qualify for the
 higher discount rate of 21.56%.
- 3.2 NTBS may purchase resale services from BellSouth for their own use in operating their business. The resale discount will apply to those services under the following conditions:
- 3.2.1 NTBS must resell services to other End Users.
- 3.2.2 NTBS cannot be a competitive local exchange telecommunications company for the single purpose of selling to themselves.
- 3.3 NTBS will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from NTBS for said services.
- 3.4 NTBS will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User

except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.

- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of NTBS. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of NTBS. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When a subscriber of NTBS or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the subscriber's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the subscriber's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and NTBS will refrain from contacting subscribers who have placed or whose selected carrier has placed on their behalf an order to change his/her service provider from BellSouth or NTBS to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides local switching or resold services to NTBS, BellSouth will provide NTBS with on line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. NTBS acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. NTBS acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, NTBS shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 3.8 BellSouth will allow NTBS to designate up to 100 intermediate telephone numbers per CLLIC, for NTBS's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. NTBS

acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to NTBS's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If NTBS or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, NTBS has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to NTBS remain the property of BellSouth.
- White page directory listings for NTBS End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 NTBS must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available interactive interfaces by which NTBS may submit LSRs electronically as set forth in Attachment 6 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit E to this Agreement. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit E to this

Agreement. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 3.16.3 <u>Denial/Restoral OSS Charge.</u> In the event NTBS provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 Cancellation OSS Charge. NTBS will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.19 BellSouth shall provide branding for, or shall unbrand, voice mail services for NTBS per the Bona Fide Request/New Business Request process as set forth in Section 11 of the General Terms and Conditions.
- 3.20 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.21 In the event NTBS acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to NTBS that Special Assembly at the wholesale discount at NTBS's option. NTBS shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.22 BellSouth shall provide 911/E911 for NTBS customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate NTBS customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the NTBS customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.
- 3.23 BellSouth shall bill, and NTBS shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.

3.24 Pursuant to 47 CFR Section 51.617, BellSouth will bill to NTBS, and NTBS shall pay, End User common line charges identical to the End User common line charges BellSouth bills its End Users.

4. BellSouth's Provision of Services to NTBS

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by NTBS to establish authenticity of use. Such audit shall not occur more than once in a calendar year. NTBS shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by NTBS for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 NTBS may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.
- 4.4 If NTBS cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.

5. Maintenance of Services

5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.

Version: 1Q02 03/22/02

- 5.2 NTBS or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 NTBS accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 NTBS will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, NTBS shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill NTBS for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact NTBS's End Users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

- After receiving certification as a local exchange company from the appropriate regulatory agency, NTBS will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for NTBS's resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- BellSouth will accept a request directly from the End User for conversion of the End User's service from NTBS to BellSouth or will accept a request from another CLEC for conversion of the End User's service from NTBS to such other CLEC. Upon completion of the conversion BellSouth will notify NTBS that such conversion has been completed.

7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to NTBS's End User on behalf of, and at the request of, NTBS. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of NTBS.
- 7.1.2 At the request of NTBS, BellSouth will disconnect a NTBS End User customer.

- 7.1.3 All requests by NTBS for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 NTBS will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise NTBS when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by NTBS and/or the End User against any claim, loss or damage arising from providing this information to NTBS. It is the responsibility of NTBS to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

8.0 Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Services provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- 8.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 8.2.1 Process 0+ and 0- dialed local calls
- 8.2.2 Process 0+ and 0- intraLATA toll calls.
- 8.2.3 Process calls that are billed to NTBS end user's calling card that can be validated by BellSouth.
- 8.2.4 Process person-to-person calls.
- 8.2.5 Process collect calls.
- 8.2.6 Provide the capability for callers to bill a third party and shall also process such calls.
- 8.2.7 Process station-to-station calls.
- 8.2.8 Process Busy Line Verify and Emergency Line Interrupt requests.
- 8.2.9 Process emergency call trace originated by Public Safety Answering Points.
- 8.2.10 Process operator-assisted directory assistance calls.

8.2.11 Adhere to equal access requirements, providing NTBS local end users the same IXC access that BellSouth provides its own operator service. 8.2.12 Exercise at least the same level of fraud control in providing Operator Service to NTBS that BellSouth provides for its own operator service. 8.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. 8.2.14 Direct customer account and other similar inquiries to the customer service center designated by NTBS. 8.2.15 Provide call records to NTBS in accordance with ODUF standards. 8.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 8.3 **Directory Assistance Service** 8.3.1 Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 8.3.2 Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by NTBS's end user. BellSouth shall provide calleroptional directory assistance call completion service at rates contained in Exhibit E to one of the provided listings. 8.3.3 **Directory Assistance Service Updates** 8.3.3.1 BellSouth shall update end user listings changes daily. These changes include: 8.3.3.1.1 New end user connections 8.3.3.1.2 End user disconnections 8.3.3.1.3 End user address changes 8.3.3.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies. 8.4 Branding for Operator Call Processing and Directory Assistance 8.4.1 BellSouth's branding feature provides a definable announcement to NTBS end users using Directory Assistance (DA)/ Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows NTBS's name on whose behalf

BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in Exhibit E.

- 8.4.2 BellSouth offers three branding offering option to NTBS when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.
- 8.4.3 Upon receipt of the branding order from NTBS, the order is considered firm after ten (10) business days. Should NTBS decide to cancel the order, written notification to NTBS's BellSouth Account Executive is required. If NTBS decides to cancel after ten (10) business days from receipt of the branding order, NTBS shall pay all charges per the order.
- 8.4.4 Selective Call Routing using Line Class Codes (SCR-LCC)
- 8.4.4.1 Where NTBS resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route NTBS's end user calls to that provider through Selective Call Routing.
- 8.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for NTBS to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 8.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.
- 8.4.4.4 Where available, NTBS specific and unique line class codes are programmed in each BellSouth end office switch were NTBS intends to service end users with customized OCP/DA branding. The line class codes specifically identify NTBS's end users so OCP/DA calls can be routed over the appropriate trunk group to the request OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and NTBS intends to provide NTBS-branded OCP/DA to its end users in these multiple rate areas.
- 8.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require NTBS to order dedicated transport and trunking from each BellSouth end office identified by NTBS, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the NTBS Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory

Assistance. Rates for transport and trunks are as set forth in applicable BellSouth Tariffs.

- 8.4.4.6 The rates for SCR-LCC are as set forth in Exhibit E of this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office.
- 8.4.4.7 Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by NTBS to the BellSouth Tops. The calls are routed to "No Announcement."
- 8.4.5 Branding via Originating Line Number Screening (OLNS)
- 8.4.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, NTBS shall not be required to purchase direct trunking.
- 8.4.5.2 For Bellsouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, NTBS must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, NTBS must submit a manual order form which requires, among other things, NTBS's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. NTBS shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon NTBS's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all NTBS end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 8.4.5.3 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in Exhibit E of this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill NTBS applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, NTBS shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in Exhibit E of this Attachment.
- 8.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and

Network Applications Vehicles (NAV) equipment for which NTBS requires service.

- 8.4.5.5 Directory Assistance customized branding uses:
- 8.4.5.5.1 the recording of NTBS
- 8.4.5.5.2 the loading on the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 8.4.5.6 Operator Call Processing customized branding uses:
- 8.4.5.6.1 the recording of NTBS
- 8.4.5.6.2 the loading on the DRAM in the TOPS Switch (North Carolina)
- 8.4.5.6.3 the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.

9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to NTBS's Account Manager stating a requested activation date.

10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

11. Optional Daily Usage File (ODUF)

- 11.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for ODUF are as set forth in Attachment 7 of this Agreement.
- BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date.

12. Enhanced Optional Daily Usage File (EODUF)

The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit E. Rates for EODUF are as set forth in Exhibit E of this Attachment.

BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 5)

Type of Service		AL		FL		GA		KY		LA		MS		NC		SC		TN	
1 9 [pe of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1 Grand	lfathered	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
l I	ces (Note 1)	103	103	103	103	103	103	103	103	103	103	103	103	103	103	103	103	103	103
	otions - > 90 Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 3
	otions - \leq 90 (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
4 Lifelir Service	ne/Link Up ces	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 4	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11 S		Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
	oryCall [®] Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	e Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
l I	al Subscriber Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10 Non-F	RecurCharges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
	Jser Line Chg- per Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Telephone s Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
	Wire Maint ce Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Applicable No																		
1.	Grandfathered	d servic	es can be	resold o	nly to exis	ting sub	scribers o	f the gra	andfathere	d servic	e.								
2.	Where availabl	e for res	ale, prom	otions v	will be ma	de avail	able only t	to End U	Jsers who	would h	nave qualit	fied for	the promo	tion had	l it been p	rovided	by BellSo	uth dire	ctly.
3.	In Tennessee, long-term promotions (offered for more than ninety (90) days) may be obtained at one of the following rates:																		
	(a) the state	d tariff 1	ate, less t	he whol	esale disco	ount;													
	(b) the prom	notional	rate (the p	promotio	onal rate o	ffered b	y BellSou	th will n	ot be disc	ounted 1	further by	the who	lesale disc	count ra	te)				
4.	(b) the promotional rate (the promotional rate offered by BellSouth will not be discounted further by the wholesale discount rate) 4. Lifeline/Link Up services may be offered only to those subscribers who meet the criteria that BellSouth currently applies to subscribers of these services as set forth in Sections A3 and A4 of the BellSouth General Subscriber Services Tariff.																		
5.	 Some of BellSouth's local exchange and toll telecommunications services are not available in certain central offices and areas. 																		

LINE INFORMATION DATA BASE (LIDB)

RESALE STORAGE AGREEMENT

I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by NTBS.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by NTBS.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of NTBS and pursuant to which BellSouth, its LIDB customers and NTBS shall have access to such information. In addition, this Agreement sets forth the terms and conditions for NTBS's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. NTBS understands that BellSouth provides access to information

in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of NTBS, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection/Resale Agreement upon notice to NTBS's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether NTBS has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify NTBS of fraud alerts so that NTBS may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by NTBS pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to NTBS for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection

customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate NTBS's data from BellSouth's data, the following shall apply:

- (1) NTBS will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for NTBS's End User accounts which are resident in LIDB pursuant to this Agreement. NTBS authorizes BellSouth to place such charges on NTBS's bill from BellSouth and shall pay all such charges, including, but are not limited to, collect and third number calls.
- (2) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.
- (3) NTBS shall have the responsibility to render a billing statement to its End Users for these charges, but NTBS shall pay BellSouth for the charges billed regardless of whether NTBS collects from NTBS's End Users.
- (4) BellSouth shall have no obligation to become involved in any disputes between NTBS and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to NTBS. It shall be the responsibility of NTBS and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP ARRANGEMENTS

- BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. NTBS will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of NTBS. BellSouth will not issue line-based calling cards in the name of NTBS's individual End Users. In the event that NTBS wants to include calling card numbers assigned by NTBS in the BellSouth LIDB, a separate agreement is required.

IV. Fees for Service and Taxes

- A. NTBS will not be charged a fee for storage services provided by BellSouth to NTBS, as described in this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by NTBS in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

Optional Daily Usage File

- 1. Upon written request from NTBS, BellSouth will provide the Optional Daily Usage File (ODUF) service to NTBS pursuant to the terms and conditions set forth in this section.
- 2. NTBS shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.
- 3. The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a NTBS customer.
 - Charges for delivery of the Optional Daily Usage File will appear on NTBS's monthly bills. The charges are as set forth in Attachment 7 of this Agreement.
- 4. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 5. Messages that error in NTBS's billing system will be the responsibility of NTBS. If, however, NTBS should encounter significant volumes of errored messages that prevent processing by NTBS within its systems, BellSouth will work with NTBS to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the ODUF feed.
- 6.1 Usage To Be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to NTBS:
 - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
 - Measured billable Local
 - Directory Assistance messages
 - IntraLATA Toll
 - WATS and 800 Service
 - N11

- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (UNE only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to NTBS.
- 6.1.4 In the event that NTBS detects a duplicate on Optional Daily Usage File they receive from BellSouth, NTBS will drop the duplicate message (NTBS will not return the duplicate to BellSouth).
- 6.2 <u>Physical File Characteristics</u>
- 6.2.1 The Optional Daily Usage File will be distributed to NTBS via an agreed medium with CONNECT:Direct being the preferred transport method. The ODUF feed will be a variable block format (2476) with an LRECL of 2472. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 6.2.2 Data circuits (private line or dial-up) will be required between BellSouth and NTBS for the purpose of data transmission. Where a dedicated line is required, NTBS will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. NTBS will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to NTBS. Additionally, all message toll charges associated with the use of the dial circuit by NTBS will be the responsibility of NTBS. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on NTBS end for the purpose of data transmission will be the responsibility of NTBS.

6.3 <u>Packing Specifications</u>

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to NTBS which BellSouth RAO is sending the message. BellSouth and NTBS will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by NTBS and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

6.4 <u>Pack Rejection</u>

NTBS will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. NTBS will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to NTBS by BellSouth.

6.5 <u>Control Data</u>

NTBS will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate NTBS received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by NTBS for reasons stated in the above section.

6.6 <u>Testing</u>

Upon request from NTBS, BellSouth shall send test files to NTBS for the Optional Daily Usage File. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that NTBS set up a production (LIVE) file. The live test may consist of NTBS's employees making test calls for the types of services NTBS requests on the Optional Daily Usage File. These test calls are logged by NTBS, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

Enhanced Optional Daily Usage File

- 1. Upon written request from NTBS, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to NTBS pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. NTBS shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 3. The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of the Enhanced Optional Daily Usage File will appear on NTBS's monthly bills. The charges are as set forth in Exhibit E to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of NTBS will be the responsibility of NTBS. If, however, NTBS should encounter significant volumes of errored messages that prevent processing by NTBS within its systems, BellSouth will work with NTBS to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the ODUF feed.
- 7.1 <u>Usage To Be Transmitted</u>
- 7.1.1 The following messages recorded by BellSouth will be transmitted to NTBS:

Customer usage data for flat rated local call originating from NTBS's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

Conversation Time

Method of Recording

From RAO

Rate Class

Message Type

Billing Indicators

Bill to Number

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to NTBS.
- 7.1.3 In the event that NTBS detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, NTBS will drop the duplicate message (NTBS will not return the duplicate to BellSouth).
- 7.2 Physical File Characteristics
- 7.2.1 The EODUF feed will be distributed to NTBS over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among NTBS's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and NTBS for the purpose of data transmission. Where a dedicated line is required, NTBS will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. NTBS will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to NTBS. Additionally, all message toll charges associated with the use of the dial circuit by NTBS will be the responsibility of NTBS. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on NTBS's end for the purpose of data transmission will be the responsibility of NTBS.

- 7.3 <u>Packing Specifications</u>
- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to NTBS which BellSouth RAO is sending the message. BellSouth and NTBS will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by NTBS and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

RESALE DISCOUNTS AND RATES

					1	1	<u> </u>		I	I
		ALABAMA	FLORIDA	GEORGIA	KENTUCKY	LOUISIANA	MISSISSIPPI	NORTH CAROLINA	SOUTH CAROLINA	TENNESSEE
APPLICABI	LE DISCOU	NTS								
RESIDENCI	Ξ	16.3%	21.83%	20.3%	16.79%	20.72%	15.75%	21.5%	14.8%	16%
BUSINESS		16.3%	16.81%	17.3%	15.54%	20.72%	15.75%	17.6%	14.8%	16%
CSAs*						9.05%			8.98%	
* Unless noted in	n this row, the d	iscount for Busin	ess will be the applicat	ole discount rate for	r CSAs.					
OPERATIO	NAL SUPPO	ORT SYSTE	MS (OSS) RATES	\$						
<u>ELEMENT</u>	<u>USOC</u>									
Electronic LSR	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
Manual LSR	SOMAN	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99
ENHANCE	D OPTION	AL DAILY U	SAGE FILE (EO	DUF) RATES						
EODUF: Messag	ge Processing,									
per message		\$0.004	\$0.229109	\$0.0034555	\$0.235889	\$0.250015	\$0.250424	\$0.004	\$0.258301	\$0.004
OPED A TOT	CEDVICE	C (OPED ATE			DIDECTOR		IOE)			
OPERATOR	K SERVICES	S (OPERATO	OR CALL PROCI	ESSING AND	DIRECTOR	Y ASSISTAN	NCE)			
	ALL ROUTING	G USING LINE	CLASS CODES (SCI	R-LCC)						
ELEMENT	<u>USOC</u>				1	ı	1		T	1
Nonrecurring Ch	-									
Per Unique LCC per Switch	, per Request,	\$230.60	\$84.33	\$180.62	\$229.65	\$82.25	\$227.99	\$229.65	\$226.22	\$179.80
Nonrecurring Di	sconnect	7-0000	70.000	7.00.02	7-27100	7.5-1-0	7=2,000		7	4277300
Charge: Per Unio										
Request, per Sw		NA	\$11.46	NA	NA	NA	NA	NA	NA	NA
CUSTOM B	RANDING A	ANNOUNCE	MENT (CBA)							
DIRECTORY A	ASSISTANCE ((DA) CBA via O	LNS SOFTWARE							
Recording of DA	A CBA	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00
Loading of DA O DRAM Card/Sw		\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00

RESALE DISCOUNTS AND RATES

	ALABAMA	FLORIDA	GEORGIA	KENTUCKY	LOUISIANA	MISSISSIPPI	NORTH CAROLINA	SOUTH CAROLINA	TENNESSEE
CUSTOM BRANDING	ANNOUNCE	EMENT (CBA) CO	ONT'd						
DIRECTORY ASSISTANCE (DIRECTORY ASSISTANCE (DA) UNBRANDING via OLNS SOFTWARE								
Loading of DA per OCN (1 OCN per Order)	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00
Loading of DA per Switch, per OCN	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00
OPERATOR ASSISTANCE (C	OA) CBA via Ol	LNS SOFTWARE							
<u>ELEMENT</u>									
Recording of OA CBA	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00
Loading of OA CBA per shelf/ NAV per OCN	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00
Loading of DA CBA per DRAM Card/Switch per OCN	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00
OPERATOR ASSISTANCE (C	OA) UNBRAND	ING via OLNS SOFT	WARE						
Loading of OA per OCN - Regional	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	4
3	HIGH FREQUENCY SPECTRUM NETWORK ELEMENT	25
4	LOCAL SWITCHING	35
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	41
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	48
7 SCR	BELLSOUTH SWITCHED ACCESS ("SWA") 8XX TOLL FREE DIALING TEN DIGIT REENING SERVICE	53
8	LINE INFORMATION DATABASE (LIDB)	53
9	SIGNALING	56
10	OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE	E). 62
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	68
12	CALLING NAME (CNAM) DATABASE SERVICE	68
13 ADV	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS VANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	BASIC 911 AND E911	70
15	OPERATIONAL SUPPORT SYSTEMS (OSS)	71
LII	OB Storage Agreement Exhib	it A
Rat	tes	oit B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to NTBS in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to NTBS. The price for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require NTBS to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment NTBS used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of NTBS, and to the extent technically feasible, provide to NTBS access to its Network Elements for the provision of NTBS's telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 NTBS may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner NTBS chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by NTBS to the demarcation point associated with NTBS's collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Rates
- 1.6.1 The prices that NTBS shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If NTBS purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.6.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.

- 1.6.3 If NTBS modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by NTBS in accordance with FCC No. 1 Tariff, Section 5.
- 1.6.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

2 Unbundled Loops

- 2.1 General
- 2.1.1 The local loop Network Element ("Loop") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to NTBS's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components, that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested loop type is not available, and cannot be made available through BellSouth's Unbundled Loop Modification process, then NTBS can use the Special Construction process to request that BellSouth place facilities in order to meet NTBS's loop requirements. Standard Loop intervals shall not apply to the Special Construction process.
- 2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.5 The Loop shall be provided to NTBS in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.

- 2.1.6 NTBS may utilize the unbundled Loops to provide any telecommunications service it wishes, so long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where NTBS has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting Loop will be maintained as an unbundled copper Loop (UCL), and NTBS shall pay the recurring and non-recurring charges for a UCL. For non-service specific loops (e.g. UCL, Loops modified by NTBS using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.

2.1.8 <u>Loop Testing/Trouble Reporting</u>

- 2.1.8.1 NTBS will be responsible for testing and isolating troubles on the Loops. NTBS must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Center. At the time of the trouble report, NTBS will be required to provide the results of the NTBS test which indicate a problem on the BellSouth provided loop.
- 2.1.8.2 Once NTBS has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If NTBS reports a trouble on a non-designed loop (e.g., UVL-SL1, UCL-ND, etc.) and no trouble actually exists, BellSouth will charge NTBS for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status. If NTBS reports trouble on a designed loop and no trouble is found, BellSouth will charge NTBS for any dispatch and testing outside the central office.

2.1.9 <u>Order Coordination and Order Coordination-Time Specific</u>

2.1.9.1 "Order Coordination" (OC) allows BellSouth and NTBS to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to NTBS's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.9.2 "Order Coordination - Time Specific" (OC-TS) allows NTBS to order a specific time for OC to take place. BellSouth will make every effort to accommodate NTBS's specific conversion time request. However, BellSouth reserves the right to negotiate with NTBS a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. NTBS may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If NTBS specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.10 CLEC to CLEC Conversions for Unbundled Loops

- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by NTBS when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in NTBS's Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to NTBS pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, NTBS must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that NTBS will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by NTBS. NTBS may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that NTBS may request further testing on UVL-SL1 loops. Loop Testing is available for new and reuse of BellSouth facilities. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to NTBS. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow NTBS to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs:

2.3.2.1 2-wire Unbundled ISDN Digital Loop 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible) 2.3.2.3 2-wire Unbundled ADSL Compatible Loop 2.3.2.4 2-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled HDSL Compatible Loop 2.3.2.6 4-wire Unbundled DS1 Digital Loop 2.3.2.7 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below 2.3.2.8 DS3 Loop 2.3.2.9 STS-1 Loop 2.3.2.10 OC3 Loop 2.3.2.11 OC12 Loop 2.3.2.12 OC48 Loop 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. NTBS will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable loop to support IDSL service. 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600. 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL. 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). The loop is a 2-wire circuit and will come standard with a test point, Order Coordination, and

a DLR.

- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the end-user's location.
- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC3 Loop/OC12 Loop/OC48 Loop. OC3/OC-12/OC-48 Loops are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 155.52 Mbps; OC12 622.08 Mbps; and OC-48 2488 Mbps.

2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by NTBS.
- 2.4.2.5 These loops are not intended to support any particular services and may be utilized by NTBS to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short

2.4.2.6.4 4-Wire UCL-D/long

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For loops less than 18,000 feet and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, NTBS can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 At an additional charge, BellSouth also will make available Loop Testing so that NTBS may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND loops are not intended to support any particular service and may be utilized by NTBS to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.4.3.6 NTBS may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.

2.5 Unbundled Loop Modifications (Line Conditioning)

2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline

telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.

- 2.5.2 BellSouth shall condition Loops, as requested by NTBS, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, NTBS will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that NTBS can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. NTBS will determine the type of service that will be provided over the loop. BellSouth's Unbundled Loop Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.
- 2.5.4 In those cases where NTBS has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 The Unbundled Loop Modifications (ULM) offering provides the following elements: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on loops of any length.
- 2.5.6 NTBS shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that NTBS desires BellSouth to condition.
- 2.5.7 When requesting ULM for a loop that BellSouth has previously provisioned for <customer name>, <customer name> will submit a service inquiry to BellSouth. If a spare loop facility that meets the loop modification specifications requested by <customer name> is available at the location for which the ULM was requested, <customer name> will have the option to change the loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the loop facility in lieu of providing ULM, <customer name> will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

2.6.1 Where NTBS has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to NTBS. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will make alternative arrangements available to NTBS (e.g. hairpinning).

- 2.6.2 BellSouth will select one of the following arrangements:
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.3 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.4 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. NTBS will then have the option of paying the one-time SC rates to place the loop.

2.7 <u>Network Interface Device (NID)</u>

- 2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit NTBS to connect NTBS's Loop facilities the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 NTBS may access the end user's customer-premises wiring by any of the following means and NTBS shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 1) BellSouth shall allow NTBS to connect its loops directly to BellSouth's multiline residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 2) Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer

premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 3) Enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 4) Request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be NTBS's responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with NTBS to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the Distribution Media and/or cross connect to NTBS's NID.

2.7.4.3 Existing BellSouth NIDS will be provided in "as is" condition. NTBS may request BellSouth do additional work to the NID on a time and material basis. When NTBS deploys its own local loops with respect to multiple-line termination devices, NTBS shall specify the quantity of NIDs connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2 Wire or 4 Wire facility. BellSouth will make the following available sub-loop distribution offerings where facilities permit:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation, at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.4 If NTBS requests a UCSL and it is not available, NTBS may request the Sub-Loop facility be modified pursuant to the ULM process request to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.5 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same continuous property which is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation, at the end user's premises.
- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The

cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for NTBS's use on this cross-connect panel. NTBS will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

- 2.8.2.7 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USLD and UCSL, NTBS shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. NTBS's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by NTBS is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet NTBS's request, then BellSouth will perform the site set-up as described in Section 2.8.2.9. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in Section 2.8.2.9) to accommodate NTBS's request for Unbundled Sub-Loops, NTBS may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. NTBS will have the option to proceed under the SC process to modify the BellSouth facilities.
- 2.8.2.9 The site set-up must be completed before NTBS can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice NTBS's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.10 Once the site set-up is complete, NTBS will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when NTBS requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by NTBS for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.
- 2.8.3 **Unbundled Network Terminating Wire (UNTW)**

- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop which in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the end-users premises. Neither Party will provide this element in those locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow the other Party to place its facilities to the end user.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire ("Provisioning Party") will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing Multi-Dwelling Units (MDUs) and/or Multi-Tenant Units (MTUs) in which BellSouth does not own or control wiring (INC/NTW) to the end users premises, NTBS will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate NTBS for each pair activated commensurate to the price specified in NTBS's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using

Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, Requesting Party will be responsible for costs associated with removing Access Terminals and restoring property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.
- 2.8.3.3.9 Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.11.1 If Requesting Party issued a LSR to disconnect an end-user from Provisioning Party in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.11.2 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning

Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 <u>Unbundled Sub-Loop Feeder</u>

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves an end user location.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2W or 4W communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of NTBS's loop distribution elements onto BellSouth's feeder system.

2.8.4.5 Requirements

- 2.8.4.5.1 NTBS will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the requested level of feeder element. In those cases when there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, NTBS may request, through the BellSouth Special Construction process, a determination of costs to provide the sub-loop feeder element to NTBS. NTBS will then have the option of paying the special construction charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder (USLF DS3 and above)
- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) and the Remote Terminal (RT) associated with that SWC that serves an end user location.

- 2.8.4.6.2 The sub-loop feeder is intended to be utilized for voice traffic and digital traffic. It can be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities.
- 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
- 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements
- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a Design Layout Record (DLR) for this network element.
- 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.
- 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

2.8.5 <u>Unbundled Loop Concentration (ULC)</u>

- 2.8.5.1 BellSouth will provide to NTBS Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96
 BellSouth loops to be concentrated onto two or more DS1s. The high-speed
 connection from the concentrator will be at the electrical DS1 level and will
 connect to NTBS at NTBS's collocation site. System B will allow up to 192
 BellSouth loops to be concentrated onto 4 or more DS1s. System A may be
 upgraded to a System B. A minimum of two DS1s is required for each system
 (i.e., System A requires two DS1s and System B would require an additional two
 DS1s or four in total). All DS1 interfaces will terminate to NTBS's collocation
 space. ULC service is offered with concentration (2 DS1s for 96 channels) or
 without concentration (4 DS1s for 96 channels) and with or without protection. A
 Loop Interface element will be required for each loop that is terminated onto the
 ULC system.

2.8.6 <u>Unbundled Sub-Loop Concentration (USLC)</u>

2.8.6.1 Where facilities permit, NTBS may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.

- 2.8.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of NTBS's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of NTBS's sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to NTBS's demarcation point associated with NTBS's collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.
- 2.8.6.3 NTBS is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and shall allow NTBS's sub-loops to be placed on the USLC and transported to NTBS's collocation space at a DS1 level.

2.8.7 **Dark Fiber Loop**

- 2.8.7.1 Dark Fiber Loop is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for NTBS to utilize Dark Fiber Loops.
- 2.8.7.2 A Dark Fiber Loop is a point to point arrangement from an end user's premises connected via a cross connect to the demarcation point associated with NTBS's collocation space in the end user's serving wire center.
- 2.8.7.3 Dark Fiber Loop rates are differentiated between Local Channel, Interoffice Channel and Local Loop.

2.8.7.4 Requirements

2.8.7.4.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period.

BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

- 2.8.7.4.2 If the requested Dark Fiber Loop has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at NTBS's request subject to time and materials charges.
- 2.8.7.4.3 NTBS is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.4.4 BellSouth shall use its commercially reasonable efforts to provide to NTBS information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry ("SI") from NTBS.
- 2.8.7.4.5 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to NTBS within twenty (20) business days after NTBS submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable NTBS to connect or splice NTBS provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 <u>Loop Makeup (LMU)</u>

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to NTBS (LMU) information so that NTBS can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment NTBS intends to install and the services NTBS wishes to provide. This section addresses LMU as a preordering transaction, distinct from NTBS ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering loop makeup are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide NTBS LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to NTBS as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC on facilities is contingent upon either BellSouth or the requesting CLEC owning the loop(s) that serve the service location for which LMU information has been requested by

the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility owned by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI (Loop Makeup Service Inquiry) submitted by the requesting CLEC.

2.9.1.5 NTBS may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop. The determination shall be made solely by NTBS and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee NTBS's ability to provide advanced data services over the ordered loop type. Further, if NTBS orders loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. NTBS is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 NTBS may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if NTBS needs further loop information in order to determine loop service capability, NTBS may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, NTBS may reserve up to ten Loop facilities. For a Manual LMUSI, NTBS may reserve up to three Loop facilities.
- 2.9.3.2 NTBS may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to NTBS. During and prior to NTBS placing an LSR, the reserved facilities are rendered

unavailable to other customers, including BellSouth. If NTBS does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.

2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 <u>Ordering of Other UNE Services</u>

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. NTBS will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, NTBS does not reserve facilities upon an initial LMUSI, NTBS's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- 2.9.4.2 Where NTBS has reserved multiple Loop facilities on a single reservation, NTBS may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to NTBS, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by NTBS. If the ordered Loop type is not available, NTBS may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

3 High Frequency Spectrum Network Element

- 3.1 General
- 3.1.1 BellSouth shall provide NTBS access to the high frequency spectrum of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow NTBS the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. NTBS shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to NTBS on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If NTBS requests that BellSouth modify a Loop longer than 18,000 ft. and such modification significantly degrades the voice services on the Loop, NTBS shall pay for the Loop to be restored to its original state.

3.2 **Provisioning of High Frequency Spectrum and Splitter Space**

- 3.2.1 BellSouth will provide NTBS with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, NTBS must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop.
- 3.2.1.2 NTBS may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of NTBS's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of NTBS in a central office in which NTBS is located, NTBS shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and NTBS shall pay the electronic or manual ordering charges as applicable when NTBS orders High Frequency Spectrum for end-user service.
- 3.2.1.4 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide NTBS access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to NTBS's xDSL equipment in NTBS's collocation space. At least 30 days before making a change in splitter suppliers,

BellSouth will provide NTBS with a carrier notification letter, informing NTBS of change. NTBS shall purchase ports on the splitter in increments of 8 or 24 ports.

- 3.2.1.5 BellSouth will install the splitter in (i) a common area close to NTBS's collocation area, if possible; or (ii) in a BellSouth relay rack as close to NTBS's DS0 termination point as possible. NTBS shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for NTBS on the toll main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified NTBS DS0 at such time that a NTBS end user's service is established.
- 3.2.1.6 NTBS may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. NTBS may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply.
- 3.2.1.7 Any splitters installed by NTBS in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. NTBS may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.2.1.8 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and NTBS desires to continue providing xDSL service on such Loop, NTBS shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give NTBS notice in a reasonable time prior to disconnect, which notice shall give NTBS an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and NTBS purchases the full stand-alone Loop, NTBS may elect the type of loop it will purchase. NTBS will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event NTBS purchases a voice grade Loop, NTBS acknowledges that such Loop may not remain xDSL compatible.
- 3.2.1.9 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.

3.2.2 **Ordering**

- 3.2.2.1 NTBS shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.2.2.2 BellSouth will provide NTBS the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.2.2.2.1 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.2.2.2.2 BellSouth will provide NTBS access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and NTBS shall pay the rates for such services, as described in Exhibit B.
- 3.2.2.2.3 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for NTBS's data.

3.2.3 **Maintenance and Repair**

- 3.2.3.1 NTBS shall have access for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. If NTBS is using a BellSouth owned splitter, NTBS may access the loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If NTBS provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.2.3.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. NTBS will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.2.3.3 NTBS shall inform its end users to direct data problems to NTBS, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.3.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.3.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to NTBS, BellSouth will notify NTBS. NTBS will provide no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, NTBS will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space

fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue NTBS's access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.2.4 <u>Line Splitting</u>.

- 3.2.4.1 General
- 3.2.4.2 Line Splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end users over the same loop. The Voice CLEC and Data LEC may be the same or different carriers. NTBS shall provide BellSouth with a signed Letter of Authorization ("LOA") between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services.
- 3.2.4.3 The splitter may be provided by the Data LEC, Voice CLEC or BellSouth. When NTBS or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog loop from the serving wire center to the network interface device (NID) at the end user's location; a collocation cross connection connecting the loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; and a splitter. The loop and port cannot be a loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog loop from the serving wire center to the network interface device (NID) at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.2.4.4 An unloaded 2-wire copper loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.2.4.5 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by NTBS or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, a UNE port and two collocation cross connects. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, port, and one collocation cross connection.
- 3.2.4.6 When end users using High Frequency Spectrum CO Based line sharing service convert to Line Splitting, BellSouth will discontinue billing for the upper spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of

NTBS or its authorized agent to determine if the loop is compatible for Line Splitting Service. NTBS or its authorized agent may use the existing loop unless it is not compatible with the Data LEC's data service and < customer_name> or its authorized agent submits an LSR to BellSouth to change the loop.

3.2.4.7 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement. Where a UNE-P arrangement does not already exist, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same loop.

3.2.4.8 Ordering

- 3.2.4.9 NTBS shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with Line Splitting.
- 3.2.4.10 BellSouth shall provide NTBS the Local Service Request ("LSR") format to be used when ordering Line Splitting service.
- 3.2.4.11 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.2.4.12 BellSouth will provide NTBS access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and NTBS shall pay the rates for such services as described in Exhibit B.
- 3.2.4.13 BellSouth will provide loop modification to NTBS on an existing loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

 HTTP://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment.

3.2.4.14 **Maintenance**

3.2.4.15 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. NTBS will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

- 3.2.4.16 NTBS shall inform its end users to direct data problems to NTBS, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.4.17 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.4.18 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such loop.
- 3.2.4.19 If NTBS is not the data provider, NTBS shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees which arise out of actions related to the data provider.

3.2.5 Remote Site High Frequency Spectrum

- 3.2.5.1 General
- 3.2.5.1.1 BellSouth shall provide NTBS access to the high frequency spectrum of the local sub-loop as an unbundled network element (UNE) only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.2.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow NTBS the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. NTBS shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.2.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub loop. A unloaded Cooper sub loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.2.8 BellSouth will provide Loop Modification to NTBS on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If NTBS requests modifications on a sub loop longer than 18,000 ft. and requested modifications significantly degrades the voice services on the loop, NTBS shall pay for the loop to be restored to its original state.
- 3.2.9 Provisioning of High Frequency Spectrum and Splitter Space
- 3.2.10 BellSouth will provide NTBS with access to the High Frequency Spectrum as follows:
- 3.2.10.1 To order High Frequency Spectrum on a particular Loop, NTBS must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated at the remote site that serves the end-user of such Loop.
- 3.2.10.2 NTBS may provide its own splitters or may order splitters in a remote site once the NTBS has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of NTBS's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.
- 3.2.10.3 Once a splitter is installed on behalf of NTBS in a remote site in which NTBS is located, NTBS shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and NTBS shall pay applicable for High Frequency Spectrum end-user activation.

3.2.11 **BellSouth Owned Splitter**

3.2.11.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. The NTBS's meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). The NTBS will provide a cable facility to the BellSouth FDI. BellSouth will splice the NTBS's cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect the NTBS's cable facility to the BellSouth splitter. The splitter will route the high frequency portion

of the circuit to the NTBS's xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.

- 3.2.11.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in the NTBS's Remote Terminal (RT) collocation space and routed back to the NTBS's network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide NTBS with a carrier notification letter, informing NTBS of change. NTBS shall purchase ports on the splitter in increments of 24 ports.
- 3.2.11.3 BellSouth will install the splitter in (i) a common area close to NTBS's collocation area, if possible; or (ii) in a BellSouth relay rack as close to NTBS's DS0 termination point as possible. NTBS shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified NTBS DS0 at such time that a NTBS end user's service is established.

3.2.12 **CLEC Owned Splitter**

- 3.2.12.1 NTBS may at its option purchase, install and maintain splitters in its collocation arrangements. NTBS may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. The CLEC will be required to activate cable pairs in no less than 8 (eight) pair increments.
- 3.2.12.2 Any splitters installed by NTBS in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. NTBS may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.2.12.3 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and NTBS desires to continue providing xDSL service on such sub-loop, NTBS shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give NTBS notice in a reasonable time prior to disconnect, which notice shall give NTBS an adequate opportunity to notify BellSouth of its intent to purchase such sub-loop. In those cases where BellSouth no longer provides voice service to the end user

and NTBS purchases the full stand-alone sub-loop, NTBS may elect the type of sub-loop it will purchase. NTBS will pay the appropriate recurring and non-recurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event NTBS purchases a voice grade Loop, NTBS acknowledges that such sub-loop may not remain xDSL compatible.

3.2.12.4 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.

3.2.13 **Ordering**

- 3.2.13.1 NTBS shall use BellSouth's Remote Splitter Ordering Document ("RSOD") to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.
- 3.2.13.2 BellSouth will provide NTBS the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.2.13.2.1 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.2.13.2.2 BellSouth will provide NTBS access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and NTBS shall pay the rates for such services as described in Exhibit B.
- 3.2.13.2.3 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for NTBS's data.

3.2.14 **Maintenance and Repair**

- 3.2.14.1 NTBS shall have access for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. If NTBS is using a BellSouth owned splitter, NTBS may access the loop at the point where the data signal exits. If NTBS provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.2.14.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. NTBS will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.2.14.3 NTBS shall inform its end users to direct data problems to NTBS, unless both voice and data services are impaired, in which event the end users should call BellSouth.

- 3.2.14.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.14.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to NTBS, BellSouth will notify NTBS. NTBS will provide no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, NTBS will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue NTBS's access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to NTBS for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to NTBS for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for NTBS when

NTBS serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.

- 4.2.3 In the event that NTBS orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge NTBS the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to NTBS's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that NTBS purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by an NTBS local end user, or originated by a BellSouth local end user and terminated to an NTBS local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a party other than BellSouth). For such calls, BellSouth will charge NTBS the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and NTBS shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.7 Where NTBS purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from an NTBS end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge NTBS the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and NTBS shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill NTBS the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges, as appropriate.

4.2.9 **Unbundled Port Features**

- 4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.9.4 BellSouth will provide to NTBS selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by NTBS will be made pursuant to the BFR/NBR Process as set forth in Attachment 12.

4.2.10 **Provision for Local Switching**

- 4.2.10.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.10.2 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.10.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.10.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to NTBS all AIN triggers in connection with its SMS/SCE offering.
- 4.2.10.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by NTBS.

4.2.11 Local Switching Interfaces.

- 4.2.11.1 NTBS shall order ports and associated interfaces compatible with the services it wishes to provide, as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.11.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.11.1.2 Coin phone signaling;
- 4.2.11.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.11.1.4 Two-wire analog interface to PBX;
- 4.2.11.1.5 Four-wire analog interface to PBX;
- 4.2.11.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.11.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.11.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.11.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.2 Technical Requirements

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;

4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by NTBS and BellSouth; 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability; 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database; 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers. 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to NTBS. 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner. 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from NTBS's local switch. 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability. 4.3.3 Upon NTBS's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for NTBS's traffic overflowing from direct end office high usage trunk groups. 4.4 AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of NTBS. AIN Selective Carrier Routing will provide NTBS with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations. 4.4.2 NTBS shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established

4.4.3

AIN Selective Carrier Routing is not available in DMS 10 switches.

regionally and then on a per central office, per state basis.

- 4.4.4 Where AIN Selective Carrier Routing is utilized by NTBS, the routing of NTBS's end user calls shall be pursuant to information provided by NTBS and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed' basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering of AIN Selective Carrier Routing Regional Service, NTBS shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit B of this Attachment. For each NTBS end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. NTBS shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN_SCR Central Office Identification Form Form C, AIN_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to NTBS's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to NTBS, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The non-recurring End Office Establishment Charge will be billed to NTBS following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to NTBS following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to NTBS following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed per contracted rates.
- 4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.5.2.2 There are no spare copper loops capable of supporting the xDSL services NTBS seeks to offer;
- 4.5.2.3 BellSouth has not permitted NTBS to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has NTBS obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and
- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

4.6 **Interoffice Transmission Facilities**

4.6.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to NTBS for the provision of a telecommunications service.

5 Unbundled Network Element Combinations

- 5.1 Unbundled Network Element Combinations shall include: 1) Enhanced Extended Links (EELs); 2) Other Network Element Combinations; and 3) UNE Loop/Port Combinations.
- 5.2 For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by NTBS are in fact already combined by BellSouth in the BellSouth network.

5.3 Enhanced Extended Links (EELs)

- Where facilities permit and where necessary to comply with an effective FCC and/or State Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link ("EEL") as defined in Section 5.3.2 below.
- 5.3.2 Subject to Section 5.3.4 below, BellSouth will provide access to the EEL in the combinations set forth in Section 5.3.5 following. This offering is intended to provide connectivity from an end user's location through that end user's SWC to NTBS's POP serving wire center. The circuit must be connected to NTBS's switch for the purpose of provisioning telephone exchange service to NTBS's enduser customers. The EEL will be connected to NTBS's facilities in NTBS's collocation space at the POP SWC, or NTBS may purchase BellSouth's access facilities between NTBS's POP and NTBS's collocation space at the POP SWC.
- 5.3.3 When ordering EEL combinations, NTBS shall provide to BellSouth certification that NTBS will provide a significant amount of local exchange service over the requested combination and shall indicate under what local usage option NTBS seeks to qualify. NTBS shall be deemed to be providing a significant amount of local exchange service if one of the two (2) options set forth in Sections 5.3.6.2 through 5.3.6.3 is met. BellSouth shall have the right to audit NTBS's records to verify that NTBS is meeting the applicable local usage requirements. Such audit shall comply with the terms of Section 5.3.6.6 in this Attachment.
- BellSouth shall provide EEL combinations to NTBS in Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee regardless of whether or not such EELs are Currently Combined. In all other states, BellSouth shall make available to NTBS those EEL combinations described in Section 5.3.5 below only to the extent such combinations are Currently Combined. Furthermore, BellSouth will make available new EEL combinations to NTBS in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999, in the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs. Except as stated above, EELs will be provided to NTBS only to the extent such network elements are Currently Combined.

5.3.5 **EEL Combinations**

- 5.3.5.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 5.3.5.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
- 5.3.5.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 5.3.5.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
- 5.3.5.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop

- 5.3.5.6 DS1 Interoffice Channel + DS1 Local Loop 5.3.5.7 DS3 Interoffice Channel + DS3 Local Loop 5.3.5.8 STS-1 Interoffice Channel + STS-1 Local Loop 5.3.5.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop 5.3.5.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop 5.3.5.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop 5.3.5.12 4wire VG Interoffice Channel + 4-wire VG Local Loop 5.3.5.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop 5.3.5.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop
- 5.3.6 **Special Access Service Conversions**
- 5.3.6.1 NTBS may not convert special access services to combinations of loop and transport network elements, whether or not NTBS self-provides its entrance facilities (or obtains entrance facilities from a third party), unless NTBS uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent NTBS requests to convert any special access services to combinations of loop and transport network elements at UNE prices, NTBS shall provide to BellSouth certification that NTBS is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option NTBS seeks to qualify for conversion of special access circuits. NTBS shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 5.3.6.2 NTBS certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at NTBS's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, NTBS is the end user's only local service provider, and thus, is providing more than a significant amount of local exchange service. NTBS can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- 5.3.6.3 NTBS certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dialtone lines; and for DS1 circuits and above, at least 50 percent of the activated

channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. The loop-transport combination must terminate at NTBS's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or

- 5.3.6.4 NTBS certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dialtone service and at least 50 percent of the traffic on each of these local dialtone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. NTBS does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- 5.3.6.5 In addition, there may be extraordinary circumstances where NTBS is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in Section 5.3.6. In such case, NTBS may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon NTBS's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.6.6 BellSouth may at its sole discretion audit NTBS records in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. The audit shall be conducted by a third party independent auditor, and NTBS shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year, unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, NTBS shall reimburse BellSouth for the cost of the audit. If, based on its audits, BellSouth concludes that NTBS is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in the Interconnection Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from NTBS.
- 5.3.6.7 NTBS may convert special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section and subject to the termination provisions in the applicable special access tariffs, if any.

5.3.7 **Rates**

- 5.3.7.1 Subject to the limitations set forth in Section 5.3.4 above, the rates for EEL combinations are as follows:
- 5.3.7.1.1 The non-recurring and recurring rates for the EEL Combinations of network elements set forth in 5.3.5, whether or not Currently Combined, are as set forth in Exhibit B of this Attachment.
- 5.3.7.1.2 For combinations of loop and transport network elements that are not set forth in Section 5.3.5 but are Currently Combined, the recurring charge shall be the sum of the recurring charges for the individual UNEs that comprise the combination and the nonrecurring charge shall be the conversion charge set forth in Exhibit B of this Attachment.
- 5.3.7.1.3 For combinations of loop and transport network elements that are not set forth in Section 5.3.5, where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination as set forth in Exhibit B of this Attachment.

5.3.8 **Multiplexing**

5.3.8.1 Where multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.

5.4 Other Network Element Combinations

- In the states of Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, BellSouth shall make available to NTBS, in accordance with Section 5.4.25.4.2.1 below: (1) combinations of network elements other than those described in this Section that are Currently Combined; and (2) combinations of network elements other than those described in this Section that are not Currently Combined but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to NTBS, in accordance with Section 5.4.2 below, combinations of network elements other than those described in this Section 5 only to the extent such combinations are Currently Combined.
- 5.4.2 Rates
- 5.4.2.1 Subject to the limitations set forth in Section 5.4.1 above, the rates for network element combinations other than those described in this Section 5 are as follows:
- 5.4.2.1.1 The recurring charge for Currently Combined combinations of network elements other than those described in this Section 5 shall be the sum of the recurring

charges for the individual UNEs that comprise the combination and the nonrecurring charge shall be the conversion charge set forth in Exhibit B of this Attachment.

- 5.4.2.1.2 For network element combinations other than those described in this Section 5 where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements that make up the combination as set forth in Exhibit B of this Attachment.
- 5.4.2.1.3 To the extent that NTBS seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, NTBS, at its option, can request that such rates be determined pursuant to the BFR/NBR process set forth in this Agreement. In addition, to the extent BellSouth has not developed methods and procedures to provide any specific combination of network elements requested by NTBS, whether or not Currently Combined, such methods and procedures shall be established pursuant to the BFR/NBR process.
- 5.5 UNE Port/Loop Combinations
- 5.5.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for interLATA toll service.
- 5.5.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, so long as such combinations are ordinarily combined in BellSouth's network.
- 5.5.3 Except as set forth in section 5.6.3 below, in Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, BellSouth shall provide UNE port/loop combinations that are ordinarily combined in BellSouth's network, regardless of whether such combinations are Currently Combined at the cost-based rates in Exhibit B.
- In Alabama, Florida, and North Carolina, BellSouth shall provide UNE port/loop combinations that are not Currently Combined but that are ordinarily combined in BellSouth's network at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.

- 5.5.5 In Alabama, Florida, and North Carolina, BellSouth shall provide UNE port/loop combinations that are Currently Combined at the cost-based rates in Exhibit B.
- 5.5.6 BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 5.5.6.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to NTBS if NTBS's customer has 4 or more DS0 equivalent lines.
- 5.5.6.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.
- 5.5.7 BellSouth shall make 911 updates in the BellSouth 911 database for NTBS's UNE port/loop combinations. BellSouth will not bill NTBS for 911 surcharges. NTBS is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5.8 Combination Offerings
- 5.5.8.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.4 2-wire CENTREX port, voice grade loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

- 5.5.8.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

6 Transport, Channelization and Dark Fiber

6.1 <u>Transport</u>

- 6.1.1 Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and NTBS.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide NTBS exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;

- Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;

 On the provide all technically feasible NTPS to separate such interesting.
- 6.1.2.3 Permit, to the extent technically feasible, NTBS to connect such interoffice facilities to equipment designated by NTBS, including but not limited to, NTBS's collocated facilities; and
- Permit, to the extent technically feasible, NTBS to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:
- 6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between NTBS's Point of Presence ("POP") and NTBS's collocation space in the BellSouth Serving Wire Center for NTBS's POP, and
- 6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
- 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.3.1 As capacity on a shared UNE facility.
- 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to NTBS.

6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as, line terminating equipment, amplifiers, and regenerators. 6.2.2 **Technical Requirements** 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to NTBS designated traffic. 6.2.2.2 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards. 6.2.2.3 For DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards. 6.2.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport: 6.2.2.4.1 DS0 Equivalent; 6.2.2.4.2 DS1; 6.2.2.4.3 DS3; and 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704. 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. NTBS shall specify the termination points for Dedicated Transport. 6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references. 6.2.2.7 BellSouth Technical References: 6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986. TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, 6.2.2.7.2 June 1995. TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus 6.2.2.7.3 Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- 6.3.1 Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, NTBS may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- 6.3.2.2 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.
- 6.3.3 BellSouth shall make available the following
- 6.3.3.1 Central Office Channel Interfaces (COCI):
- 6.3.3.2 DS1 COCI, which can be activated on a DS3 Channelization System.
- 6.3.3.3 Voice Grade and Digital Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.3.4 Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.3.5 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as options.
- 6.3.4 Technical Requirements
- In order to assure proper operation with BellSouth provided central office multiplexing functionality, NTBS's channelization equipment must adhere strictly to form and protocol standards. NTBS must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.4.2 DS0 to DS1 Channelization
- 6.3.4.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.

- 6.3.4.3 DS1 to DS3 Channelization
- 6.3.4.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- 6.3.4.4 DS1 to STS Channelization
- 6.3.4.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings.

6.4 **Dark Fiber Transport**

- Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for NTBS to utilize Dark Fiber Transport.
- Dark Fiber Transport rates are differentiated between Local Channel, Interoffice Channel and Local Loop.
- 6.4.3 Requirements
- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 If the requested Dark Fiber Transport has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at NTBS's request subject to time and materials charges.
- 6.4.3.3 NTBS is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.

- 6.4.3.4 BellSouth shall use its best efforts to provide to NTBS information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from NTBS. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.5 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to NTBS within twenty (20) business days after NTBS submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable NTBS to connect or splice NTBS provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service

- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database ("8XX SCP Database") is a Signaling control Point ("SCP") that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point ("SSP") or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service ("8XX TFD Service") utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At NTBS's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by NTBS.
- 7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8 Line Information Database (LIDB)

8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, NTBS must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to NTBS any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process NTBS's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to NTBS what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.3 Within two (2) weeks after a request by NTBS, BellSouth shall provide NTBS with a list of the customer data items, which NTBS would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of NTBS data to the LIDB shall be solely at the direction of NTBS. Such direction from NTBS will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for NTBS data upon NTBS's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of NTBS customer records will be missing from LIDB, as measured by NTBS audits. BellSouth will audit NTBS records in LIDB against DBAS to identify record mismatches and provide this data to a designated NTBS contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to NTBS within one business day of audit. Once reconciled records are received back from NTBS, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact NTBS to negotiate a time frame for the updates, not to exceed three business days.

- 8.2.10 BellSouth shall perform backup and recovery of all of NTBS's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide NTBS with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between NTBS and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of NTBS data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by NTBS in writing.
- 8.2.13 BellSouth shall provide NTBS performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by NTBS at least at parity with BellSouth Customer Data. BellSouth shall obtain from NTBS the screening information associated with LIDB Data Screening of NTBS data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to NTBS under the BFR/NBR process as set forth in Attachment 12.
- 8.2.14 BellSouth shall accept queries to LIDB associated with NTBS customer records, and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage ("PCLU") factor. NTBS shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. NTBS shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

9 Signaling

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2 **Signaling Link Transport**

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between NTBS-designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 9.2.2 Technical Requirements
- 9.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 9.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 9.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 9.2.4 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.2.4.1 An A-link layer shall consist of two links.
- 9.2.4.2 A B-link layer shall consist of four links.
- 9.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:

- 9.2.4.4 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.2.4.5 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.2.5 Interface Requirements
- 9.2.5.1 There shall be a DS1 (1.544 Mbps) interface at NTBS's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.3 **Signaling Transfer Points (STPs)**
- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a NTBS local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between NTBS local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a NTBS or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a NTBS database, then NTBS agrees to provide BellSouth with the Destination Point Code for NTBS database.
- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT); and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a NTBS or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.4 SS7 Advanced Intelligent Network (AIN) Access

- 9.4.1 When technically feasible and upon request by NTBS, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with NTBS's SS7 network to exchange TCAP queries and responses with a NTBS SCP.
- 9.4.2 SS7 AIN Access shall provide NTBS SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and NTBS SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the NTBS SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements

- 9.4.3.1 BellSouth shall provide the following STP options to connect NTBS or NTBS-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from NTBS local switching systems; and,
- 9.4.3.1.2 A B-link interface from NTBS local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from NTBS local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the NTBS switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from NTBS local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the NTBS switching system has a valid signaling relationship.
- 9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from NTBS from any signaling point or network interconnected through BellSouth's SS7 network where the NTBS SCP has a valid signaling relationship.

9.5 Service Control Points/Databases

9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service

Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.

- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.6 **Local Number Portability Database**

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.7 **SS7 Network Interconnection**

- 9.7.1 SS7 Network Interconnection is the interconnection of NTBS local signaling transfer point switches or NTBS local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, NTBS local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and NTBS or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a NTBS local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the

NTBS local signaling transfer point switches and BellSouth or other third-party local switch.

- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a NTBS local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of NTBS local STPs, and shall not include SCCP Subsystem Management of the destination.
- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part, as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect NTBS or NTBS-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from NTBS local or tandem switching systems; and
- 9.7.9.1.2 B-link interface from NTBS STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of

interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from NTBS local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the NTBS switching system has a valid signaling relationship.

10 Operator Services (Operator Call Processing and Directory Assistance)

- Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.
- 10.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 10.2.1 Process 0+ and 0- dialed local calls.
- 10.2.2 Process 0+ and 0- intraLATA toll calls.
- 10.2.3 Process calls that are billed to NTBS end user's calling card that can be validated by BellSouth.
- 10.2.4 Process person-to-person calls.
- 10.2.5 Process collect calls.
- 10.2.6 Provide the capability for callers to bill to a third party and shall also process such calls.
- 10.2.7 Process station-to-station calls.
- 10.2.8 Process Busy Line Verify and Emergency Line Interrupt requests.
- 10.2.9 Process emergency call trace originated by Public Safety Answering Points.

10.4	Branding for Operator Call Processing and Directory Assistance
10.3.3.2	These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
10.3.3.1.3	End user address changes
10.3.3.1.2	End user disconnections
10.3.3.1.1	New end user connections
10.3.3.1	BellSouth shall update end user listings changes daily. These changes include:
10.3.3	<u>Directory Assistance Service Updates</u>
10.3.2	Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by NTBS's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.
10.3.1	Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
10.3	<u>Directory Assistance Service</u>
10.2.16	The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
10.2.15	Provide call records to NTBS in accordance with ODUF standards specified in Attachment 7.
10.2.14	Direct customer account and other similar inquiries to the customer service center designated by NTBS.
10.2.13	Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls.
10.2.12	Exercise at least the same level of fraud control in providing Operator Service to NTBS that BellSouth provides for its own operator service.
10.2.11	Adhere to equal access requirements, providing NTBS local end users the same IXC access as provided to BellSouth end users.
10.2.10	Process operator-assisted directory assistance calls.

- 10.4.1 BellSouth's branding feature provides a definable announcement to NTBS end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows NTBS to have its calls custom branded with NTBS's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in this Attachment.
- 10.4.2 BellSouth offers three branding offering options to NTBS when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.
- 10.4.3 Upon receipt of the custom branding order from NTBS, the order is considered firm after ten business days. Should NTBS decide to cancel the order, written notification to <customer_name's> BellSouth Account Executive is required. If NTBS decides to cancel after ten business days from receipt of the custom branding order, NTBS shall pay all charges per the order.

10.4.4 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 10.4.4.1 Where NTBS purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route NTBS's end user calls to that provider through Selective Call Routing.
- 10.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for NTBS to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 10.4.4.4 Where available, NTBS specific and unique line class codes are programmed in each BellSouth end office switch where NTBS intends to serve end users with customized OCP/DA branding. The line class codes specifically identify NTBS's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and NTBS intends to provide NTBS -branded OCP/DA to its end users in these multiple rate areas.
- 10.4.4.5 BellSouth Branding is the default branding offering.

- 10.4.4.6 SCR-LCC supporting Custom Branding and Self Branding require NTBS to order dedicated trunking from each BellSouth end office identified by NTBS, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the NTBS Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.7 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by NTBS to the BellSouth TOPS. These calls are routed to "No Announcement."
- The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.
- 10.4.4.9 UNE Provider Branding via Originating Line Number Screening (OLNS)
- 10.4.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, NTBS shall not be required to purchase dedicated trunking.
- 10.4.5.2 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, NTBS must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, NTBS must submit a manual order form which requires, among other things, NTBS's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. NTBS shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon NTBS's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all NTBS end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.5.3 BellSouth Branding is the default branding offering.

10.4.5.4 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill NTBS applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, NTBS shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in this Attachment. Further, where NTBS is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

10.4.6 Facilities Based Carrier Branding

- 10.4.6.1 All Service Levels require NTBS to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.6.2 Unbranding is the default branding offering.
- 10.4.6.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.
- 10.4.6.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which NTBS requires service.
- 10.4.6.5 Directory Assistance customized branding uses:
- 10.4.6.5.1 the recording of NTBS;
- the loading on the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 10.4.6.6 Operator Call Processing customized branding uses:
- 10.4.6.6.1 the recording of NTBS;
- 10.4.6.6.2 the loading on the DRAM in the TOPS Switch (North Carolina);
- the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.
- 10.5 Directory Assistance Database Service (DADS)

- 10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to NTBS end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). NTBS agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, NTBS agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.
- 10.5.2 BellSouth shall initially provide NTBS with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30- 45 days after receiving an order from NTBS to prepare the Base File.
- 10.5.3 BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since NTBS's previous update. Delivery of updates will commence immediately after NTBS receives the Base File. Updates will be provided via magnetic tape unless BellSouth and NTBS mutually develop CONNECT: Direct TM electronic connectivity. NTBS will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- 10.5.4 NTBS authorizes the inclusion of NTBS Directory Assistance listings in the BellSouth Directory Assistance products, including but not limited to DADS. Any other use is not authorized.

10.6 <u>Direct Access to Directory Assistance Service</u>

10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide NTBS's directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide NTBS with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to NTBS by BellSouth upon subscription to the service. Subscription to DADAS requires that NTBS utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.

10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

11 Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point ("PSAP") to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- 11.2.1 BellSouth shall provide NTBS access to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to NTBS after NTBS provides end user information for input into the ALI/DMS database.
- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless NTBS requests otherwise and shall be updated if NTBS requests, provided NTBS supplies BellSouth with the updates.
- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 11.2.4 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 11.3 Interface Requirements
- 11.3.1 The interface between the E911 Switch or Tandem and the ALI/DMS database for NTBS end users shall meet industry standards.

12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides NTBS the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 12.2 NTBS shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing, no less than

60 days prior to NTBS's access to BellSouth's CNAM Database Services and shall be addressed to NTBS's Account Manager.

- BellSouth's provision of CNAM Database Services to NTBS requires interconnection from NTBS to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, NTBS shall provide its own CNAM SSP. NTBS's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If NTBS elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that NTBS desires to query.
- 12.6 If NTBS queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by NTBS for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by NTBS in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of NTBS to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 NTBS CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM

SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access

- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide NTBS the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to NTBS. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.
- BellSouth SCP shall partition and protect NTBS service logic and data from unauthorized access.
- When NTBS selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable NTBS to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- NTBS access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow NTBS to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Basic 911 and E911

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- 14.2 <u>Basic 911 Service Provisioning.</u> BellSouth will provide to NTBS a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. NTBS will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. NTBS will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, NTBS will be required to begin using E911 procedures.

- 14.3 E911 Service Provisioning. NTBS shall install a minimum of two dedicated trunks originating from the NTBS serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. NTBS will be required to provide BellSouth daily updates to the E911 database. NTBS will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, NTBS will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. NTBS shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on NTBS beyond applicable charges for BellSouth trunking arrangements.
- 14.5 Basic 911 and E911 functions provided to NTBS shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

15 Operational Support Systems (OSS)

BellSouth has developed and made available the following electronic interfaces by which NTBS may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.

- 15.3 Denial/Restoral OSS Charge
- 15.3.1 In the event NTBS provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge
- 15.4.1 NTBS will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.4.3 Network Elements and Other Services Manual Additive
- The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB)

FACILITIES BASED STORAGE AGREEMENT

I. Definitions

- A. Billing number a number that NTBS creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by NTBS.
- C. Special billing number a ten-digit number that identifies a billing account established by NTBS.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by NTBS that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by NTBS.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by NTBS.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of NTBS and pursuant to which BellSouth, its LIDB customers and NTBS shall have access to such information. In addition, this Agreement sets forth the terms and conditions for NTBS's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. NTBS understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of NTBS, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to NTBS's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and

Version 1Q02: 03/22/02

Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether NTBS has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify NTBS of fraud alerts so that NTBS may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by NTBS pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to NTBS for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate NTBS's data from BellSouth's data, the following terms and conditions shall apply:

1. NTBS will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for NTBS's End User accounts which are resident in LIDB pursuant to this Agreement. NTBS authorizes BellSouth to

- place such charges on NTBS's bill from BellSouth and shall pay all such charges including, but not limited to, collect and third number calls.
- 2. Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.
- 3. NTBS shall have the responsibility to render a billing statement to its End Users for these charges, but NTBS shall pay BellSouth for the charges billed regardless of whether NTBS collects from NTBS's End Users.
- 4. BellSouth shall have no obligation to become involved in any disputes between NTBS and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to NTBS. It shall be the responsibility of NTBS and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP Arrangements

- BellSouth will include billing number information associated with exchange lines or SPNP arrangements in its LIDB. NTBS will request any toll billing exceptions via the Local Service Request (LSR) form used to order exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the local exchange lines or the SPNP arrangements. For local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of NTBS. BellSouth will not issue line-based calling cards in the name of NTBS's individual End Users. In the event that NTBS wants to include calling card numbers assigned by NTBS in the BellSouth LIDB, a separate agreement is required.

V. Fees for Service and Taxes

- A. NTBS will not be charged a fee for storage services provided by BellSouth to NTBS, as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by NTBS in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

														Ι -			
UNBU	NDLE	D NETWORK ELEMENTS - Alabama			ı	1	T							Attachment:		Exhibit: B	
													1			Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec			Manual Svc		Manual Svc
CATEG	JRT	RATE ELEMENTS	m	Zone	BUS	USUC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonre	curring	Nonrecurrin	Disconnect			OSS	Rates(\$)	l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	Tho "7	one" shown in the sections for stand-alone loops or loops as	nart of	2 com	hination refers to Go	ographically											
		one shown in the sections for stand-alone loops or loops as ww.interconnection.bellsouth.com/become_a_clec/html/inter				ograpilically	y Deaveraged Or	NE Zones. 10	view Geograp	ilically Deaver	aged ONE ZOIN	Designan	ons by Cent	rai Office, reit	er to internet	website.	
	-		connec	uon.ni						,	,				,		1
OPERA		. SUPPORT SYSTEMS			it					4h a C4a4a Ca							
		(1) Electronic Service Order: CLEC should contact its contract	-		•	•				•					•		is rate
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill															
		elements that cannot be ordered electronically at present per t		,		in this cate	gory reflects the	e charge that v	would be billed	to a CLEC on	ce electronic o	rdering cap	pabilities co	me on-line fo	r that element	. Otherwise,	the manual
	orderin	g charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR t	o BellSouth.												
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
LINIS	N == -	interactive interfaces (Regional)	ļ	<u> </u>		SOMEC		3.50									
		XCHANGE ACCESS LOOP	<u> </u>	<u> </u>						 				ļ	 	ļ	
	z-WIRE	ANALOG VOICE GRADE LOOP	 	<u> </u>	LIFANII	LIEALO	45.01	50.00	40.44	15.01	0.00			07.0-	10.0=	17 77	4
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	 	1	UEANL	UEAL2	15.24	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	 	2	UEANL	UEAL2 UEAL2	24.75 44.85	59.03	43.14 43.14	15.21	3.22		-	27.37 23.97	12.97 12.97	17.77 17.77	17.77 17.77
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL		44.85	59.03		15.21	3.22						
		Loop Testing - Basic 1st Half Hour			UEANL UEANL	URET1 URETA		78.92 23.33	78.92 23.33					27.37 27.37	12.97 12.97	17.77 17.77	17.77 17.77
		Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UKETA	1	23.33	23.33					21.31	12.97	17.77	17.77
		(UVL-SL1)			UEANL	UREWO		15.78	8.94					27.37	12.97	17.77	17.77
-		Engineering Information Document (EI)			UEANL	UKEWU		28.75	28.75					21.31	12.97	17.77	17.77
-		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		51.29	51.29								
-		Order Coordination for Specified Conversion Time for UVL-SL1			OLANE	OLANO	1	31.23	31.23								
		(per LSR)			UEANL	OCOSL		45.99	45.99								
	2-WIRE	Unbundled COPPER LOOP			OL7 (IVL	CCCCL		40.00	40.00								
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	11.01	44.69	22.40	25.65	7.06			27.37	12.97	17.77	17.77
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	Ιί	2	UEQ	UEQ2X	12.67	44.69	22.40	25.65	7.06			27.37	12.97	17.77	17.77
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06			27.37	12.97	17.77	17.77
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		51.29	51.29					27.37	12.97	17.77	17.77
		Engineering Information Document			UEQ			28.75	28.75					27.37	12.97	17.77	17.77
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					27.37	12.97	17.77	17.77
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					27.37	12.97	17.77	17.77
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43					18.84	8.42		
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.	LIEDOD LIEDOS				/ -		10.5-						
		Zone 1	 	1	UEPSR UEPSB	UEALS	18.24	75.62	35.11	46.98	10.59			27.37	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	4	LIEDOD LIEDOD	LIEADO	40.04	75.00	05.44	40.00	40.50	1		07.07	12.97	17.77	17.77
\vdash		Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	 	1	UEPSR UEPSB	UEABS	18.24	75.62	35.11	46.98	10.59		-	27.37	12.97	17.77	17.77
		Zone 2		2	UEPSR UEPSB	UEALS	25.22	75.60	35.11	46.98	10.59			27.37	12.97	17.77	17.77
\vdash		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	 		ULFOR UEFOB	UEALO	25.22	75.62	35.11	46.98	10.59	 		21.31	12.97	17.77	17.77
		Zone 2	1	2	UEPSR UEPSB	UEABS	25.22	75.62	35.11	46.98	10.59	1		27.37	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLF SK OLF SB	ULABS	25.22	75.02	33.11	40.50	10.59			21.31	12.51	17.77	17.77
		Zone 3	1	3	UEPSR UEPSB	UEALS	33.70	75.62	35.11	46.98	10.59	1		23.97	12.97	17.77	17.77
 		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	†			320	33.70	10.02	55.11	70.90	10.09			20.01	12.01		
		Zone 3	1	3	UEPSR UEPSB	UEABS	33.70	75.62	35.11	46.98	10.59	1		23.97	12.97	17.77	17.77
UNBUN	DLED E	XCHANGE ACCESS LOOP		Ť			330	. 5.52	55.11	.5.50				20.07	.2.37	i,	
		ANALOG VOICE GRADE LOOP				1				İ					İ		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1				İ					İ		
		Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	17.95	145.46	108.40	40.31	26.01	1		27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1													
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	29.16	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3	<u> </u>	3	UEA	UEAL2	52.84	145.46	108.40	40.31	26.01		L	27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99									

Version 1Q02: 03/22/2002 PAGE 1 OF 352

ONBONDL	ED NETWORK ELEMENTS - Alabama			•									Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
		-					Nonrec	urring	Nonrecurring	Disconnect	-	l	220	Rates(\$)	1	
-		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1				Nec	FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	SOWAN	JOWAN
	Battery Signaling - Zone 1		1	UEA	UEAR2	17.95	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	+	-	ULA	ULANZ	17.93	143.40	100.40	40.31	20.01	-		21.31	12.51	17.77	17.77
	Battery Signaling - Zone 2		2	UEA	UEAR2	29.16	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		OLA	OLARZ	23.10	145.40	100.40	40.51	20.01			21.51	12.51	17.77	17.77
	Battery Signaling - Zone 3		3	UEA	UEAR2	52.84	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UEA	OCOSL	02.04	45.99	100.40	40.01	20.01			27.07	12.01	17.77	17.77
	CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO		87.72	36.36					27.37	12.97	17.77	17.77
4-WI	RE ANALOG VOICE GRADE LOOP						****							12.01		
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.01	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	39.00	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	70.67	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99									1
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36					27.37	12.97	17.77	17.77
2-WI	RE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	23.23	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	37.74	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	68.38	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.99									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16					27.37	12.97	17.77	17.77
2-WI	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1														
	1	1	1	UDC	UDC2X	16.84	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone)														
	2	- 1	2	UDC	UDC2X	19.45	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1														
	3	- 1	3	UDC	UDC2X	30.92	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.63	44.16					27.37	12.97	17.77	17.77
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMF	PATIBLE	LOOF	•												
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	12.09	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	19.64	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	35.59	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.99									
	2 Wire Unbundled ADSL Loop without manual service inquiry &					40.00			400 =0							
	facility reservaton - Zone 1	1	1	UAL	UAL2W	12.09	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_						400 =0							
	facility reservaton - Zone 2	1	2	UAL	UAL2W	19.64	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_		1141 0141	05.50	004.00	100.00	400.50	45.00			07.07	40.07	47.77	47.77
	facility reservaton - Zone 3	 	3	UAL	UAL2W	35.59	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	1		UAL	OCOSL		45.99	40.40					27.37	12.97	17.77	17.77
0.14/1	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIDLE	1000	UAL	UREWU		86.20	40.40					21.31	12.97	17.77	17.77
2-9911	2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOOF								1					+
	& facility reservation - Zone 1		1	UHL	UHL2X	9.41	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2 Wire Unbundled HDSL Loop including manual service inquiry	1	<u> </u>	OTIL	OTILZX	3.41	314.21	404.50	100.03	30.30			21.51	12.37	17.77	17.77
	& facility reservation - Zone 2		2	UHL	UHL2X	15.29	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2 Wire Unbundled HDSL Loop including manual service inquiry	1			J/	10.23	317.21	404.00	100.00	30.30	<u> </u>	 	27.07	12.57	17	<u> </u>
	& facility reservation - Zone 3		3	UHL	UHL2X	27.70	514.21	464.58	106.65	56.98		1	27.37	12.97	17.77	17.77
1	Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UHL	OCOSL	20	45.99	.000		55.50			257	.2.57		1
1	2 Wire Unbundled HDSL Loop without manual service inquiry	 	t	-	1									1	1	<u> </u>
	and facility reservation - Zone 1		1	UHL	UHL2W	9.41	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77
	2 Wire Unbundled HDSL Loop without manual service inquiry	1		1	1									İ	1	† ·
	and facility reservation - Zone 2		2	UHL	UHL2W	15.29	222.20	146.40	100.52	15.82		1	27.37	12.97	17.77	17.77
	2 Wire Unbundled HDSL Loop without manual service inquiry	1														1
	and facility reservation - Zone 3		3	UHL	UHL2W	27.70	222.20	146.40	100.52	15.82		1	27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)	1		UHL	OCOSL	·	45.99				1	1	1	<u> </u>	<u> </u>	1

ONRONDE	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-			Incrementa Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40					27.37	12.97	17.77	17.77
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	11.52	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	18.71	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop including manual service inquiry		_				=	=-	400.0=	=						
	and facility reservation - Zone 3		3	UHL	UHL4X	33.90	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.99									+
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	11.52	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop without manual service inquiry		-	UNL	UHL4VV	11.52	219.39	203.59	109.99	20.70			21.31	12.97	17.77	17.77
	and facility reservation - Zone 2		2	UHL	UHL4W	18.71	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop without manual service inquiry		_	OTIL	OTILATO	10.71	270.00	200.00	100.00	20.70			21.01	12.57	17.77	17.77
	and facility reservation - Zone 3		3	UHL	UHL4W	33.90	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.99		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							1
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40					27.37	12.97	17.77	17.77
4-WIF	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	51.74	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.77
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	84.05	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.77
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	152.29	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		45.99									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05					27.37	12.97	17.77	17.77
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	27.33	498.05	343.70	129.62	64.25			27.37	12.97		
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL UDL	UDL19 UDL19	44.40 80.45	498.05 498.05	343.70 343.70	129.62 129.62	64.25 64.25			27.37 27.37	12.97 12.97	17.77 17.77	17.77 17.77
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		3	UDL	UDL19 UDL56	27.33	498.05	343.70	129.62	64.25			27.37	12.97		17.77
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	44.40	498.05	343.70	129.62	64.25			27.37	12.97	17.77	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	80.45	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	00.40	45.99	0-10.70	120.02	04.20			21.01	12.01	17.77	17.77
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.33	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	44.40	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	80.45	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.99									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75					27.37	12.97	17.77	17.77
2-WIF	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service	l	١.												1	
	inquiry & facility reservation - Zone 1	<u> </u>	1	UCL	UCLPB	11.90	283.37	163.68	120.15	22.37			18.94	8.42		<u> </u>
	2-Wire Unbundled Copper Loop/Short including manual service	l	2	UCL	LICI DD	13.74	283.37	163.68	120.15	22.37			40.04	0.40	1	
	inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop/Short including manual service	 	- 2	UUL	UCLPB	13.74	283.37	163.68	120.15	22.37	-		18.94	8.42		+
	inquiry & facility reservation - Zone 3	l	3	UCL	UCLPB	21.83	283.37	163.68	120.15	22.37			18.94	8.42	1	
1	Order Coordination for Unbundled Copper Loops (per loop)	 	3	UCL	UCLMC	21.03	36.46	36.46	120.15	22.31			10.94	0.42	t	+
	2-Wire Unbundled Copper Loop/Short without manual service			002	OOLIVIO		00.40	00.40								+
	inquiry and facility reservation - Zone 1	l ı	1	UCL	UCLPW	11.90	104.17	78.10					18.94	8.42		
	2-Wire Unbundled Copper Loop/Short without manual service		Ė			50								1	1	†
	inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	13.74	104.17	78.10					18.94	8.42		
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	21.83	104.17	78.10					18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.	1									1			1	_	1
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	35.43	270.28	150.59	120.15	22.37			18.94	8.42	1	<u> </u>
	2-Wire Unbundled Copper Loop/Long - includes manual svc.	1	_								1				1	1
	inquiry and facility reservation - Zone 2	ļ	2	UCL	UCL2L	40.91	270.28	150.59	120.15	22.37			18.94	8.42	-	
	2-Wire Unbundled Copper Loop/Long - includes manual svc.	1	_	LICI	LICLAI	05.00	070.00	450.50	400.45	20.07	1		40.04	0.40	1	1
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	3	UCL UCL	UCL2L UCLMC	65.02	270.28 36.46	150.59 36.46	120.15	22.37			18.94	8.42	1	+

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1	ı	1	UCL	UCL2W	35.43	104.17	78.10					18.94	8.42		
	2-Wire Unbundled Copper Loop/Long - without manual service	١.		UCL	1101 014	40.04	404.47	70.40					40.04	0.40		
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service		2	UCL	UCL2W	40.91	104.17	78.10	-				18.94	8.42		
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	65.02	104.17	78.10					18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	00.02	36.46	36.46					10.04	0.42		
	CLEC to CLEC Conversion Charge without outside dispatch			002	0020		00.10	00.10								
	(UCL-Des)			UCL	UREWO		97.23	42.48					18.94	8.42		
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry							· · · · · · · · · · · · · · · · · · ·					1			
	and facility reservation - Zone 1		1	UCL	UCL4S	16.65	331.78	212.09	130.69	27.60			27.37	8.42	1	
	4-Wire Copper Loop/Short - including manual service inquiry		_		1101.40		601 =-	0.0.5								1
 	and facility reservation - Zone 2		2	UCL	UCL4S	19.22	331.78	212.09	130.69	27.60			18.94	8.42	-	├
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	30.55	331.78	212.09	130.69	27.60			18.94	8.42	1	1
 	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4S UCLMC	30.55	331.78 36.46	212.09 36.46	130.69	27.60			18.94	8.42		
	4-Wire Copper Loop/Short - without manual service inquiry and			UCL	OCLIVIC		30.40	30.40								—
	facility reservation - Zone 1	1	1	UCL	UCL4W	16.65	104.17	78.10					18.94	8.42		l
	4-Wire Copper Loop/Short - without manual service inquiry and	·	<u> </u>	002	002	10.00		70.10					10.01	0.12		
	facility reservation - Zone 2	1	2	UCL	UCL4W	19.22	104.17	78.10					18.94	8.42		l
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3	- 1	3	UCL	UCL4W	30.55	104.17	78.10					18.94	8.42		l
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															l
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	47.56	318.70	199.00	130.69	27.60			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - includes manual svc.					=	=									l
	inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - includes manual svc.		2	UCL	UCL4L	54.92	318.70	199.00	130.69	27.60			18.94	8.42	-	
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	87.30	318.70	199.00	130.69	27.60			18.94	8.42		l
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	67.30	36.46	36.46	130.09	27.00			10.94	0.42		
	4-Wire Unbundled Copper Loop/Long - without manual svc.			OCL	OCLIVIC		30.40	30.40								
	inquiry and facility reservation - Zone 1	1	1	UCL	UCL4O	47.56	104.17	78.10					18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - without manual svc.						-							_		
	inquiry and facility reservation - Zone 2	I	2	UCL	UCL4O	54.92	104.17	78.10					18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 3	I	3	UCL	UCL4O	87.30	104.17	78.10					18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46							ļ	
LOOP MODE: THE	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48	ļ .				18.94	8.42	-	
LOOP MODIFIC	CATION								 		1		 		1	1
			1	UAL, UHL, UCL, UEQ, ULS, UEA,					j				1			1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,											1	1
	pair less than or equal to 18k ft	1	1	UDN, UDL, USL	ULM2L		67.39	67.39	j				27.37	12.97	17.77	17.77
	Unbundled Loop Modification, Removal of Load Coils - 2 wire			, 552, 552			07.00	07.00					27.57	12.07		
	greater than 18k ft	1	1	UCL, ULS	ULM2G		337.50	337.50]				27.37	12.97	17.77	17.77
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			·		İ							1			
	less than or equal to 18K ft	I		UHL, UCL	ULM4L		67.39	67.39	<u> </u>				27.37	12.97	17.77	17.77
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		1]			
	pair greater than 18k ft	ı		UCL	ULM4G		337.50	337.50	ļ				27.37	12.97	17.77	17.77
				UAL, UHL, UCL, UEQ, UEF, ULS,												1
			1	UEA, UEANL, UDL,]				1		I	1
	Unbundled Loop Modification Removal of Bridged Tap Removal,		1	UDC, UDN, UDL,]				1		I	1
0.15.5.5.5	per unbundled loop		<u> </u>	USL	ULMBT		78.10	78.10	ļ				27.37	12.97	17.77	17.77
SUB-LOOPS	Distribution										1		 		1	1
Sub-Lo	pop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-								 		-		-		 	
i 1	Cab Loop - i di Cioss Box Location - CLLO i edudi i dellity Set-	1	1	UEANL	USBSA		421.08	421.08			1		18.94	8.42	1	1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	O. I. I			1.15 44.11	USBSB		07.40	07.40					40.04	0.40		İ
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	- 1		UEANL	USBSB		67.10	67.10					18.94	8.42		
	Facility Set-Up	1		UEANL	USBSC		394.74	394.74					18.94	8.42		İ
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel								1							
	Set-Up	- 1		UEANL	USBSD		154.57	154.57					18.94	8.42		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															İ
	Statewide		SW	UEANL	USBN2	9.12	207.01	171.32					18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99								l
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OLANE	OODIVIC		40.00	40.00								
	Statewide State St		sw	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		
 	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		UEANL	USBMC		45.99	45.99					10.0			1
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	1.61	137.03	41.59	115.85	19.17			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99								1
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1			USBR4	2.96	176.46	55.11	122.17	19.57			18.94	8.42		
	•															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99								
	2 Wire Copper Unbundled Sub-Loop Distribution - Statewide		SW	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.99	45.99								İ
	4 Wire Copper Unbundled Sub-Loop Distribution - Statewide		SW	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
									-	-						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.99	45.99								
Unbun	dled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		355.71	12.26					18.94	8.42		ĺ
	Unbundled Sub-loop Modification - 4-W Copper Dist Load			OLI	ULIVIZA		333.71	12.20					10.94	0.42		
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		355.71	12.26					18.94	8.42		İ
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged															
ļ	Tap Removal, per PR unloaded			UEF	ULM4T		560.55	14.30					18.94	8.42		
Unbun	dled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
Networ	k Interface Device (NID)			DENTW	UENEE	1.37	2.40	2.40	1.74	1.74			10.94	0.42		
11011101	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86.46	56.75	1				18.94	8.42		
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		127.93	98.21					18.94	8.42		
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11.73	11.73					18.94	8.42		
SUB-LOOPS	Network Interface Device Cross Connect - 4W		<u> </u>	UENTW	UNDC4		11.73	11.73	<u> </u>		ļ		18.94	8.42		-
	l oop Feeder		-						 		}					
JOHD PEC	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												1
	Distribution Facility set-up		<u>L</u>	UDN,UCL,UDL,UDC	USBFW	<u> </u>	421.08		<u> </u>			<u></u>	18.94	8.42	<u> </u>	<u> </u>
İ	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	set-up			UDN,UCL,UDL,UDC			67.10	67.10					18.94	8.42		
	USL Feeder DS1 Set-up at DSX location, per DS1 termination Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice			USL	USBFZ		519.95	11.32					18.94	8.42		├
	Grade- Statewide		sw	UEA	USBFA	8.58	206.44	170.05	119.95	27.04			18.94	8.42		
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL	0.00	45.99	170.00	110.00	21.04			10.04	0.42		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Statewide		SW	UEA	USBFB	8.58	206.44	170.05	119.95	27.04			18.94	8.42		
	Order Coordination for Specified Time Conversion, per LSR		1	UEA	OCOSL		45.99				1					
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide		sw	UEA	USBFC	8.58	206.44	170.05	119.95	27.04			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR		SW		OCOSL	0.30	45.99	170.05	119.95	21.04			10.94	0.42		-
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice						.0.00		1							
	Grade - Statewide		sw	UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.99									1

Version 1Q02: 03/22/2002 PAGE 5 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Charge -
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Statewide		SW	UEA	USBFE	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.99									
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI -			UDN	USBFF	47.70	200.50	00.04	119.68	29.58			40.00	10.00	19.99	40.00
	Statewide Order Coordination For Specified Conversion Time, Per LSR		SW	UDN	OCOSL	17.73	208.50 45.99	62.31	119.68	29.58			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		SW	UDC	USBFS	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	USL	USBFG	79.30	203.69	128.76		34.80			19.99	19.99	19.99	
	Order Coordination For Specified Conversion Time, Per LSR		0	USL	OCOSL	7 0.00	45.99	.20.70	12 1.00	0 1.00			10.00	10.00	10.00	10.00
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop -												1			
	Statewide		sw	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.99									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.99									1
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		SW	UDL	USBFN	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Statewide		SW	UDL	USBFO	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		45.99									ļ
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			UDL	USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Statewide Order Coordination For Specified Conversion Time, per LSR		SW	UDL	OCOSL	24.50	45.99	81.32	134.77	33.93			19.99	19.99	19.99	19.99
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSK			UDL	UCUSL		45.99									
	op Feeder															
Oub Lo	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	13.55										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	332.40	3.384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	13.55	0,000.000								0.00	
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	357.36	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	10.28										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
	Month			UDLO3	USBF5	54.89										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	538.69	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	12.66										ļ
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month			LIDI 40	USBF6	COO 40										
-				UDL12 UDL12	USBF6 USBF3	620.18 1,729.00	3.384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-12 - Facility Termination Per Month Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	41.51	3,364.00	407.00	100.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per			ODLTO	ILUUL	41.01			1		 		t	t	1	
	Month			UDL48	USBF9	310.30							1	1		
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,495.00	3,570.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	350.09	788.09	407.00		90.97			31.31	31.31	3.93	
UNBUNDLED L	OOP CONCENTRATION															
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	441.42	650.81	650.81					19.99	19.99	19.99	
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	52.97	271.17	271.17					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	478.93	650.81	650.81					ļ	ļ		ļ
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89.26	271.17	271.17					19.99	19.99	19.99	
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	126.57	92.14	33.57	9.40			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - UDC Loop Interface (Brite			אועט	OLCCI	6.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Card)			UDC	ULCCU	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
 	Unbundled Loop Concentration2 Wire Voice-Loop Start or			050	01000	0.00	21.07	20.90	10.70	10.71			19.99	19.99	19.99	15.55
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			18.94	8.42		
1	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery					2.55	2	20.00	0	.0.71			.5.54	J. 12		1
	Loop Interface (SPOTS Card)			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			18.94	8.42		
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface															
	(Specials Card)			UEA	ULCC4	7.09	21.07	20.96	10.78	10.71			18.94	8.42		<u> </u>
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			l. <u>.</u>				·					1			
1	Interface			UDL	ULCC7	10.51	21.07	20.96	10.78	10.71		<u>l</u>	19.99	19.99	19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order				Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop															
	Interface			UDL	ULCC5	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop			UDL	000	40.54	04.07	00.00	40.70	40.74			40.00	40.00	40.00	40.00
UNIT OTHER R	Interface PROVISIONING ONLY - NO RATE			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
UNE OTHER, P	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
—	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
—	ONTW Circuit id Establishment, Provisioning Only - No Nate			UEANL,UEF,UEQ,U	OLINGE											
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
LINE OTHER P	PROVISIONING ONLY - NO RATE		1	LIVIVV	ONLON						1					
ONE OTHER, I	ROVISIONING ONET - NO RATE															
				UAL.UCL.UDC.UDL.												
1 1	Unbundled Contact Name, Provisioning Only - no rate		1	UDN,UEA,UHL,ULC	UNECN	0.00	0.00						1	1		
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			,,		3.00	5.00				1					
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no					3.50	5.50						1	İ		
1 1	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate				CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACIT	TY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.16										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	374.52	903.03	527.87	238.97	167.16			31.31	31.31	3.93	3.93
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	10.16										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	387.67	903.03	527.87	238.97	167.16			31.31	31.31	3.93	3.93
LOOP MAKE-U																
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).	ı		UMK	UMKLW		131.22	131.22								
	Loop Makeup - Preordering With Reservation, per spare facility				LINAGE D		400.00	400.00								
	queried (Manual).	- 1		UMK	UMKLP		136.93	136.93								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.9809855	0.9809855								
HIGH EDECITE	NCY SPECTRUM	-		UIVIN	POUVIN		0.9009033	0.9609633								
	TERS-CENTRAL OFFICE BASED															
0. 2111	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	178.25	377.58	0.00	355.96	0.00			27.37	12.97	17.77	17.77
	Line Sharing Splitter, per System 30 Line Capacity Line Sharing Splitter, per System 24 Line Capacity		1	ULS	ULSDB	44.56	377.58	0.00	355.96	0.00			27.37	12.97	17.77	17.77
	Line Sharing Splitter, Per System, 8 Line Capacity	-	<u> </u>		ULSD8	12.73	377.58	0.00	355.96	0.00			27.37	12.97	17.77	17.77
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	<u> </u>				12.75	377.00	0.00	555.56	0.00			27.57	12.01	17.77	17.77
	deactivation (per LSOD)		1	ULS	ULSDG		172.94		99.67				27.37	12.97	17.77	17.77
END US	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM						22.0.				_:	:_:07		
	Line Sharing - per Line Activation (BST Owned splitter)			ULS	ULSDC	0.61	37.01	21.19	20.02	9.83			27.37	12.97	17.77	17.77
	Line Sharing - per Subsequent Activity per Line					5.51				2.50				15,	1	1
	Rearrangement(BST Owned Splitter		1	ULS	ULSDS		32.77	16.37					27.37	12.97	17.77	17.77
	Line Sharing - per Subsequent Activity per Line															
	Rearrangement(DLEC Owned Splitter	<u></u>	L	ULS	ULSCS		32.77	16.37	<u> </u>		<u></u>	<u> </u>	27.37	12.97	17.77	17.77
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31	20.02	9.83			27.37	12.97	17.77	17.77
	Line Splitting - per line activation DLEC owned splitter	ı		UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical	ı			UREBP	0.641	37.01	21.19	20.02	9.83			27.37	12.97	17.77	17.77
	Line Splitting - per line activation BST owned - virtual	ı		UEPSR UEPSB	UREBV	0.639	37.01	21.19	20.02	9.83			27.37	12.97	17.77	17.77
	DEDICATED TRANSPORT															
	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	od - below DS3=one	month, DS3/	STS-1=four mo	nths									
INTERO	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month	1	1	U1TVX	1L5XX	0.0101					1			1	1	Ī

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	24.15	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0101										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	24.15	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0101										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	21.41	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0101										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	17.28	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0101	001	032	55. H	.0.70			331	331	0.50	5.50
	Termination per month			U1TDX	U1TD6	17.28	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.2067	01.07	J 4 .02	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Tranport - DS1 - Facility						470.50	402.01	20.70	20.22			24.24	24.24	2.00	0.00
	Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD1	U1TF1	68.75	178.53	163.61	32.70	28.88			31.31	31.31	3.93	3.93
	month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	4.67										
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	804.02	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93
	month			U1TS1	1L5XX	4.67										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	801.57	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93
	CHANNEL - DEDICATED TRANSPORT			DC2	DC2/CTC 4 6											
NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing Local Channel - Dedicated - 2-Wire Voice Grade Per Month	g perio	a - beic	ULDVX	ULDV2	15.96	386.19	66.33	73.28	6.39			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - 2-Wire Voice Grade Fer Month Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			OLDVX	OLDVZ	13.90	300.19	00.55	73.20	0.39			31.31	31.31	3.93	3.50
	month			ULDVX	ULDR2	15.96	386.19	66.33	73.28	6.39			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	17.06	387.19	67.20	74.22	7.33			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	41.52	354.94	307.43		30.52			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	61.05	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	47.29	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7.91										
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	476.04	903.03	527.87	238.87	167.16			31.31	31.31	3.93	3.93
 	Local Channel - Dedicated - STS-1- Per Mile per month		 	ULDS1	1L5NC	7.91	903.03	321.81	230.87	107.10			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - STS-1 - Facility Termination per		l	02001	120140	7.51			+		1					
MULTIPLEXER	month			ULDS1	ULDFS	466.84	903.03	527.87	238.87	167.16			31.31	31.31	3.93	3.93
MOETH EEXEN	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	122.50	182.08	125.14	21.07	19.58			31.31	31.31	3.93	3.93
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	1.36	13.15	9.43					31.31	31.31	3.93	3.93
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	2.92	13.15	9.43					31.31	31.31	3.93	3.93
	Voice Grade COCI - DS1 to DS0 Channel System - per month		1	UEA	1D1VG	0.64	13.15	9.43					31.31	31.31	3.93	3.93
 	DS3 to DS1 Channel System per month		1	UXTD3	MQ3	201.37	356.28	187.94	66.51	63.65			31.31	31.31	3.93	3.93
	STS1 to DS1 Channel System per month		1	UXTS1	MQ3	201.37	356.28	187.94		63.65			31.31	31.31	3.93	3.93
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	15.39	13.15	9.43					31.31	31.31	3.93	3.93
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	15.39	13.15	9.43					31.31	31.31	3.93	3.93
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month			U1TD1	UC1D1	15.39	13.15	9.43					31.31	31.31	3.93	3.93

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		•		Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	CO 04										
	NRC Dark Fiber - Local Channel			UDF	UDFC4	68.84	1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	UDFC4		1,270.17	2/5./3	034.11	393.32			31.31	31.31	3.93	3.93
	Thereof per month - Interoffice Channel			UDF	1L5DF	25.53										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14	20.00	1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			00.	05		1,270.17	2.00	00	000.02			0	0	0.00	0.00
	Thereof per month - Local Loop			UDF	1L5DL	68.84										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX							-								
	Number Reserved			OHD	N8R1X	ļ	7.13	0.97			ļ		27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			0.15		1	4= 65		40			1				
	POTS Translations			OHD	1		15.88	1.97	10.04	0.97			27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Per 8XX No. Established With			OLID	NOCTY		45.00	4.07	40.04	0.07			07.07	07.07	47.75	47.75
	POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service			OHD	N8FTX		15.88	1.97	10.04	0.97			27.37	27.37	17.75	17.75
	Per 8XX Number			OHD	N8FCX		5.69	2.85					27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OHD	N8FCX		5.69	2.85					21.31	21.31	17.75	17.75
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.66	3.81					27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.10	0.97					27.37	27.37	17.75	17.75
-	8XX Access Ten Digit Screening, Call Handling and Destination			OLID	1401 701	1	0.10	0.51					21.51	21.01	17.75	17.75
	Features			OHD	N8FDX		5.69						27.37	27.37	17.75	17.75
LINE INFORM	ATION DATA BASE ACCESS (LIDB)			OTID	NOI BX		0.00						27.07	27.07	17.70	17.70
	LIDB Common Transport Per Query			OQT		0.00004										
	LIDB Validation Per Query			OQU		0.0142										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		64.36						27.37	27.37	17.75	17.75
SIGNALING (C																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	148.72										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0001										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.79	171.98	171.98	135.70	135.70			25.93	25.93	16.31	16.31
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	18.79	171.98	171.98	135.70	135.70			25.93	25.93	16.31	16.31
	CCS7 Signaling Usage, Per ISUP Message			UDB UDB	STU56	0.00004 376.12										
	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code		1	UDB	51056	3/6.12										-
	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00				1	25.93	25.93	16.31	16.31
	CCS7 Signaling Point Code, per Destination Point Code	 	 	220	00/11 0	+	40.00	70.00			 	 	20.00	20.00	10.31	10.51
	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00				1	25.93	25.93	16.31	16.31
E911 SERVICE					1	İ	3.55	0.00					20.00	20.00	.5.51	
	Local Channel - Dedicated - 2-wr Voice Grade				1	13.91	382.95	62.40					18.94	8.42		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0222										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					17.07	79.61	36.08					18.94	18.94		
	Local Channel - Dedicated - DS1					38.36	356.15	312.89					44.22			1
	Interoffice Transport - Dedicated - DS1 Per Mile					0.4523										<u> </u>
								==				1			1	
CALLING	Interoffice Transport - Dedicated - DS1 Per Facility Termination				1	78.47	147.07	111.75					18.94	18.94		
CALLING NAM	ME (CNAM) SERVICE		1	001/	+	0.01					1			-	 	
	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query			OQV OQV	+	0.01										
	CNAM (Non-Databs Owner), NRC, applies when using the	-	1	OUV	+	0.01					}	 	1	1	1	
	Character Based User Interface (CHUI)			oqv	CDDCH	l	595.00	595.00					27.37	27.37	17.75	17.75
OPERATOR C	ALL PROCESSING			~~·	000011	-	333.00	333.00			1	 	21.31	21.51	17.73	17.73
I	Oper. Call Processing - Oper. Provided, Per Min Using BST				1	İ									1	
	LIDB	l	1		1	1.20					1	I	1	l	I	1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
ONDONDEL			1		1						Svc Order	Svc Order		Incremental		Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
CATECORY	DATE ELEMENTO	Interi	7	DOC	11000			DATEC(®)			Elec	Manually	Manual Svc			
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
														7.00.	2.00 .01	2.007.444.
							Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Oper. Call Processing - Oper. Provided, Per Min Using															
	Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB					0.20										
			-			0.20										
	Oper. Call Processing - Fully Automated, per Call - Using															
	Foreign LIDB					0.20										
INWARD OPER	RATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt															1
	- Per Minute					1.15										
BRANDING - C	PERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
 	Loading of Custom Branded OA Announcement per shelf/NAV	—	 	 	CBAOL	1	500.00	500.00	 		l .	 	19.99	19.99	10.00	10.00
Unbros	nding via OLNS for UNEP CLEC				CDACL		300.00	300.00					13.33	13.33		<u> </u>
Ulipiai			1	 			4 000 00	4 000 00	-		!			-	 	
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
	SSISTANCE SERVICES															<u> </u>
DIREC	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										1
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (ACC)														1
	Directory Assistance Call Completion Access Service (DACC),															
	Per Call Attempt					0.10										
NUMB	ER SERVICES INTERCEPT ACCESS SERVICE		1			0.10										
	SSISTANCE SERVICES															
	TORY ASSISTANCE DATA BASE SERVICE (DADS)															<u> </u>
DIREC			-			0.04										
	Directory Assistance Data Base Service Charge Per Listing				DDOOF	0.04										<u> </u>
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
	IRECTORY ASSISTANCE															
Facility	/ Based CLEC															
	Recording and Provisioning of DA Custom Branded															
	Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM															
	Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNEP							.,	.,								
ONL	Recording of DA Custom Branded Announcement		 				3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per DRAM						3,000.00	3,000.00						-		
							4 470 00	4 470 00								
	Card/Switch per OCN						1,170.00	1,170.00								<u> </u>
Unbrai	nding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE R																
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch				USRCR		230.60	230.60					40.71	9.58		
VIRTUAL COL	LOCATION															
	Virtual Collocation - Application Cost			AMTFS	EAF		2,848.30	2.848.30								
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		2,750.00	2,750.00								
 	Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.		 	AMTFS	ESPVX	3.20	2,730.00	2,730.00	 					1	<u> </u>	
\vdash			 	AMTFS	ESPAX	3.48					 			1	†	
\vdash	Virtual Collocation - Power, per breaker amp		1	AIVIIFO	LOPAX	3.48			1	-	1			1	}	
	Virtual Collocation - Cable Support Structure, per entrance				FOROX											
	cable		<u> </u>	AMTFS	ESPSX	13.35			ļ						ļ	
				UEANL,UEA,UDN,U												
		l	1	DC,UAL,UHL,UCL,U						1	I					
				EQ, AMTFS, UDL,												
1 1		l	1	UNCVX, UNCDX,						1	I					
]]	Virtual Collocation - 2-wire Cross Connects (loop)	l	1	UNCNX	UEAC2	0.28	30.76	29.40	12.75	11.38	1		19.99	19.99	19.99	19.99
	(***)		t	1		55				30				12.30		12.20
				UEA,UHL,UCL,UDL,												
1 1		l	1	AMTFS, UAL, UDN,						1	I					
	Vistoral Callagation Audio Cases Community (1997)				LIEAC4	0.50	00.71	E0 /0	10.00	44.00			10.00	10.00	10.00	10.00
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.56	66.71	50.43	12.82	11.39			19.99	19.99	19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Charge -
							Nonrec			g Disconnect				Rates(\$)		
				AMTFS,UDL12,		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	12.10	55.46	39.18	16.83	13.27			19.99	19.99	19.99	19.99
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
	Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,	CNC4F	21.75	66.71	50.43	21.86	18.31			19.99	19.99	19.99	19.99
	Virtual collocation - DS1 Cross Connects			UNLD1	CNC1X	7.50	155.00	14.00								
	Virtual conocation - DOT Gross Connects			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,		7.50	155.60	14.00								
	Virtual collocation - DS3 Cross Connects Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			UDLSX, UNLD3	CND3X	56.25	151.90	11.83								
	Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CB	0.0026										
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0038										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		535.37									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		535.37									
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		41.00	25.00								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		48.00	30.00								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		55.00	35.00								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77								1
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90								
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.56	66.71	50.43					27.37	12.97	17.77	1.44
VIRTUAL COL																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.0287	24.59	23.59	12.05	10.87			19.99	19.99	19.99	19.99
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		202,197.82		17,181.39				27.37	27.37	27.37	27.37
	End Office Establishment			SRC	SRCEO	0.00044:-	339.75	339.75	3.39	3.39			27.37	27.37	27.37	27.37
1	Query NRC, per query		1	SRC		0.0031412				I	1	I	1			1

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	I.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		197.49	197.49	114.22	114.22			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75
-	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			A1N	CAM1P		64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75
	ID Code			A1N	CAMAU		141.84	141.84	70.05	70.05			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Security Card, Per User ID Code,			AIN	CAIVIAU		141.04	141.04	70.03	70.03			21.31	21.31	17.75	17.73
	Initial or Replacement			A1N	CAMRC		142.13	142.13	35.26	35.26			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0026			33.23							
	AIN SMS Access Service - Session, Per Minute					0.0892										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					2.08										
AIN - BELLS	SOUTH AIN TOOLKIT SERVICE		<u> </u>	1	1										1	-
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		192.69	192.69	114.22	114.22			27.37	27.37	17.75	17.75
-	AIN Toolkit Service - Training Session, Per Customer			CAIVI	BAPVX		8,363.00	8,363.00	114.22	114.22			27.37	27.37		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI VA		0,303.00	0,303.00					21.51	21.51	17.75	17.73
	DN. Term. Attempt				BAPTT		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTO		447.00	447.00	07.00	07.00			07.07	07.07	47.75	47.75
	DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
	DN. CDP				BAPTC		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/11 10		117.00	117.50	07.00	07.00			27.07	27.07	17.70	17.70
	DN, Feature Code				BAPTF		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Query Charge, Per Query					0.024										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.006										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
-	Account, Per 100 Kilobytes					1.63										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	16.00	44.56	44.56	31.84	31.84			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAW	BAFING	10.00	44.30	44.30	31.04	31.04			21.31	21.31	17.75	17.73
	Subscription			CAM	BAPLS	0.10	47.74	47.74	15.90	15.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															1
	Subscription			CAM	BAPDS	15.90	44.56	44.56	31.84	31.84			27.37	27.37	17.75	17.75
1	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription			CAM	BAPES	0.003	47.74	47.74					27.37	27.37	17.75	17.75
	EXTENDED LINK (EELs)	L			1 F1 88'	EL EL L										
NOT	E: New EELs available in GA, TN, KY, LA, MS, & SC and density E: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem	Zone 1	oint N	C Use all rates held	do, FL; Miam	toh As Is Char	rdale, FL;									1
NOT	E: In all states, EEL network elements shown below also apply t	o curre	ntly co	mhined facilities w	nich are conv	erted to UNF ra	tes A Switch	s is Charge a	nnlies to curre	ntly combined	facilities co	onverted to	IINEs (Non-re	curring rates	do not anniv	()
	E: In GA, TN, KY, LA, MS & SC the EEL network elements apply							to to onarge a	pplies to curre	nay combined	luointies oc	Jiivoitou to	01123.(11011110	ourning rates	Тао пос арргу	i i
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT						5,								İ	
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	17.95										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		_	l												
	Transport Combination - Zone 2		2	UNCVX	UEAL2	29.16										ļ
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	52.84										
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	OINCVA	UEAL2	5∠.84					1				 	ł
	per month		1	UNC1X	1L5XX	0.2067										
1																1
	Interoffice Transport - Dedicated - DS1 combination - Facility															

TOUTH LE	D NETWORK ELEMENTS - Alabama			•								,	Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
							Nonred	ina	Nonrecurring	Dissennest			1st	Add'I Rates(\$)	Disc 1st	Disc Add'l
-+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 Channelization System Per Month			UNC1X	MQ1	122.50	FIISL	Auu i	FIISt	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	SOWAN	JOWAN
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.64										
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			ONOVA	IDIVO	0.04										
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17.95										
-+-	Each Additional 2-Wire VG Loop(SL2) in the same DS1		<u> </u>	OTTO VA	O L / LLL											
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	29.16										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	52.84										
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.64										
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	RANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCVX	UEAL4	24.01										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	39.00										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCVX	UEAL4	70.67										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	122.50										
	Voice Grade COCI - DS1 to DS0 Channel System combination -			11110101	4541/0	0.04										
	per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.64										
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.01										
	Additional 4-Wire Analog Voice Grade Loop in same DS1		-	UNCVA	ULAL4	24.01										
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39.00										
- 	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	ULAL4	39.00										
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	70.67										
	Voice Grade COCI - DS1 to DS0 Channel System combination -		Ŭ	OTTO VA	027.21	7 0.01										
	per month			UNCVX	1D1VG	0.64										
	Nonrecurring Currently Combined Network Elements Switch -As-			CITO VIX	15110	0.01										
	Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
4-WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)												
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL56	27.33										
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL56	44.40										
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL56	80.45										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination Per			LINIOAY		100.50										
	Month		 	UNC1X	MQ1	122.50					1					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			LINCDY	10100	4 00										1
	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		 	UNCDX	1D1DD	1.36					1					
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		4	UNCDX	UDL56	27.33										1
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		+-	OINCDA	UDLS6	21.33								-		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	44.40										
	III CONDO I I ANDONI COMBINALION - ZUNE Z	1		OINCDA	UDLUU	44.40			1	l	 			 	1	
_	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															

UNBUNDLE	D NETWORK ELEMENTS - Alabama			1	1	1					_	1_	Attachment:		Exhibit: B	l_
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System -				1											
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.36										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WID	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INITED	EEICE				11.10	11.10	13.90	13.90	-		31.31	31.31	3.93	3.93
4-7711	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSFORT (EEL)	-											
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.33										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	44.40										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	80.45										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility	 	-	UNC1X	1L5XX	0.2067			1		1			 		1
	Termination Per Month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination Per			UNCIX	OTIF	06.73										
	Month			UNC1X	MQ1	122.50										
	OCU-DP COCI (data) - DS1 to DS0 Channel System													1		
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.36										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.33										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	44.40										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		_	LINODY	LIDI 04	00.45										
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	80.45										
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.36										
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	10100	1.00										
	Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CE TR	ANSPORT (EEL)												
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 1		1	UNC1X	USLXX	51.74										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		_													
	Transport - Zone 2		2	UNC1X	USLXX	84.05										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCIA	USLAA	152.29										
	Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 combination - Facility					5.2501								İ		
I	Termination Per Month	L	L	UNC1X	U1TF1	68.75					<u></u>	<u></u>	<u></u>	<u> </u>		<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR	ANSPORT (EEL)	1											
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			LINIOAY	1101.307	54.74										
	1 First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	51.74			1		-			 	1	
1	in this Do TEOOP III Doo interonice Transport Combination - Zone		2	UNC1X	USLXX	84.05								I		
 	First DS1Loop in DS3 Interoffice Transport Combination - Zone			OHOTA	COLAN	04.00								+		+
1	3		3	UNC1X	USLXX	152.29								I		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	4.67										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	804.02								1		
	DS3 to DS1 Channel System combination per month	ļ	ļ	UNC3X	MQ3	201.37									ļ	<u> </u>
	DS3 Interface Unit (DS1 COCI) combination per month	-	-	UNC1X	UC1D1	15.39								 		-
1	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		4	UNC1X	USLXX	51.74								I		
 	Additional DS1Loop in DS3 Interoffice Transport Combination -		+-	014017	JOLAA	31.74			1		-			 	1	
	Zone 2	l	2	UNC1X	USLXX	84.05								1		

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - c Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DS1Loop in DS3 Interoffice Transport Combination -		3	UNC1X	USLXX	152.29										
	Zone 3 DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X	UC1D1	152.29										
-	Nonrecurring Currently Combined Network Elements Switch -As-			ONCIA	OCIDI	10.00										
	Is Charge			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
2-WII	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	TEROF	ICE T	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	17.95										
	2-WireVG Loop used with 2-wire VG Interoffice Transport		_													
	Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport		2	UNCVX	UEAL2	29.16										
	Combination - Zone 3		3	UNCVX	UEAL2	52.84										
	Interoffice Transport - Dedicated - 2-wire VG combination - Per		3	UNCVA	ULALZ	32.04										
	Mile Per Month			UNCVX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV2	24.15										
	Nonrecurring Currently Combined Network Elements Switch -As-	•														
	Is Charge	<u> </u>		UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
4-WII	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROF	ICE TI	RANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		4	UNCVX	UEAL4	24.01										
	4-WireVG Loop used with 4-wire VG Interoffice Transport		-	UNCVA	UEAL4	24.01										
	Combination - Zone 2		2	UNCVX	UEAL4	39.00										
	4-WireVG Loop used with 4-wire VG Interoffice Transport		<u> </u>	0.1017	02/121	00.00										
	Combination - Zone 3		3	UNCVX	UEAL4	70.67										
	Interoffice Transport - Dedicated - 4-wire VG combination - Per															
	Mile Per Month			UNCVX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV4	21.41										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
DS3	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR		UNCCC		11.10	11.10	13.30	13.90			31.31	31.31	3.53	3.9
	High Capacity Unbundled Local Loop - DS3 combination - Per	JE 110A	10.0.	1	+											
	Mile per month			UNC3X	1L5ND	10.16										
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month			UNC3X	UE3PX	374.52										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.67										
	Interoffice Transport - Dedicated - DS3 combination - Facility			LINICOV	U1TF3	004.00										
	Termination per per month Nonrecurring Currently Combined Network Elements Switch -As-	 	1	UNC3X	UIIF3	804.02								-	1	}
	Is Charge			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TI	RANSP				0		.5.50	.0.00			331	001	5.50	0.00
	High Capacity Unbundled Local Loop - STS1 combination - Per															
	Mile per month			UNCSX	1L5ND	10.16										
	High Capacity Unbundled Local Loop - STS1 combination -			l												
	Facility Termination per month	 	ļ	UNCSX	UDLS1	387.67									ļ	
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			LINCSY	1L5XX	4.07										
	per month Interoffice Transport - Dedicated - STS1 combination - Facility	-	<u> </u>	UNCSX	ILDAA	4.67									-	
	Termination per month			UNCSX	U1TFS	801.57										
	Nonrecurring Currently Combined Network Elements Switch -As-	.	<u> </u>	556/	5111.5	551.57										
1	Is Charge			UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
2-WII	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	23.23										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_	LINGNIV	1141.037	07.7										
-+	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	-	2	UNCNX	U1L2X	37.74			1							<u> </u>
	In this 2-value took took in a Do I interoffice Combination	1	3	UNCNX	U1L2X	68.38								l	1	I

ONRONDL	ED NETWORK ELEMENTS - Alabama			1	-	1					1 -		Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.
					+		Nonrec	urring	Nonrecurring	Disconnect		l l	oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.2067		7.00.		71441	0020					
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination -															
	per month			UNC1X	MQ1	122.50										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combination - per month			UNCNX	UC1CA	2.92										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	23.23										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		- '-	ONONA	UTLZX	20.20										
	Combination - Zone 2		2	UNCNX	U1L2X	37.74										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	68.38										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combintaion- per month			UNCNX	UC1CA	2.92										
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	LINICOC		44.40	11.18	42.00	42.00			31.31	31.31	3.93	3.93
4-WIE	Is Charge EDS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROE	FICE T		UNCCC		11.18	11.10	13.96	13.96			31.31	31.31	3.93	3.93
7-1111	First DS1 Loop in STS1 Interoffice Transport Combination -	LINOI	I	I CANOI OKT (LLL)	+											
	Zone 1		1	UNC1X	USLXX	51.74										
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	84.05										
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			LINIOOV	41.500	4.07										
	Per Month Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	4.67									-	
	Termination			UNCSX	U1TFS	801.57										
	STS1 to DS1 Channel System conbination per month		1	UNCSX	MQ3	201.37										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39										
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	51.74										
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	84.05										
	Additional DS1Loop in STS1 Interoffice Transport Combination -		3	LINGAV	LICL VV	450.00										
	Zone 3 DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	USLXX UC1D1	152.29 15.39										
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	OCIDI	13.39									1	
	Is Charge			UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIR	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 1		1	UNCDX	UDL56	27.33										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			LINODY	LIDI 50	44.40										
	Combination - Zone 2		2	UNCDX	UDL56	44.40										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	80.45										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		- 3	ONODA	ODLOG	00.40										
	Per Mile			UNCDX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -														1	
	Facility Termination			UNCDX	U1TD5	17.28										
	Nonrecurring Currently Combined Network Elements Switch -As-			l <u> </u>	I				🗍						I	l
4 16"5	Is Charge	FEIGE 3	L ANO	UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIR	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	rrice 1	KANS	PUKI (EEL)	+				1						-	-
	Combination - Zone 1		1	UNCDX	UDL64	27.33										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		- '-	OHODA	CDLOT	21.33									—	
	Combination - Zone 2		2	UNCDX	UDL64	44.40										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
1	Combination - Zone 3		3	UNCDX	UDL64	80.45									1	

ONBONDL	ED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINODY	41.5307	0.0404										
	Per Mile			UNCDX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	17.28										
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA	OTIDO	17.20									+	1
	Is Charge			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
ADDITIONAL	NETWORK ELEMENTS			0.1027	0.1000				10.00	10.00			0	01.01	0.00	0.0
	used as a part of a currently combined facility, the non-recurr	ng cha	rges de	not apply, but a S	witch As Is c	harge does app	oly.								1	
	used as ordinarilty combined network elements in Georgia, th	e non-r	ecurrir	ng charges apply and	d the Switch	As Is Charge d	oes not.									
	(SynchroNet)															
Nonre	ecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each com	bination)										<u> </u>	1
	Nonrecurring Currently Combined Network Elements Switch -As-			1110101			44.40	44.40	40.00	40.00			04.04	04.04	0.00	
-	Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
	Is Charge - 56/64 kbps			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	011000		11.10	11.10	15.50	13.30			31.31	31.31	3.93	5.5
	Is Charge - DS1			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
	Nonrecurring Currently Combined Network Elements Switch -As-												-		-	-
	Is Charge - DS3			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
	Nonrecurring Currently Combined Network Elements Switch -As-															
	ls Charge - STS1		<u> </u>	UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
	: Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3	one month, DS3 an	d above=fou	r months										
	LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports E: Although the Port Rate includes all available features in GA, l	/V I A	O TAL 4	he desired features	will need to b	a ardarad uain	a rotail HCOC									-
	RE VOICE GRADE LINE PORT RATES (RES)	NI, LA	οι IIVI, L	lie desired realures	T need to i	de ordered usin	ig retail 0300s	•							+	1
2-1111	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
	Exchange Ports - 2-Wire VG unbundled AL extended local			LIEDOD	UEPAR	0.07	04.00	04.00	0.04	0.04			07.07	40.07	47.77	
	dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPAR	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
	with Caller ID (LUM)			UEPSR	UEPAP	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	0.21	0.21			27.37	12.97		1.4
FEAT	URES					0.00										1
	All Available Vertical Features			UEPSR	UEPVF	5.55	0.00	0.00					27.37	12.97	17.77	1.4
2-WIR	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
	Exchange Ports - 2-Wire VG unbundled Line Port with			LIEDOD	UEPBC	2.07	04.00	21.93	0.04	0.04			27.37	12.97	17.77	1.4
	unbundled port with Caller+E484 ID - Bus.		<u> </u>	UEPSB	UEPBC	2.07	21.93	21.93	6.21	6.21			21.31	12.97	17.77	1.4
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
+	Exchange Ports - 2-Wire VG unbundled AL extended local			OLI OD	OLI BO	2.01	21.33	21.95	0.21	0.21			21.51	12.57	17.77	1.4
	dialing parity Port with Caller ID - Bus.		1	UEPSB	UEPAW	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00					27.37	12.97	17.77	1.4
FEAT	URES	<u> </u>	<u> </u>	LIEDOD	Lues:											1
	All Available Vertical Features	<u> </u>	<u> </u>	UEPSB	UEPVF	5.55	0.00	0.00					27.37	12.97	17.77	1.4
EXCH	IANGE PORT RATES (DID & PBX)		<u> </u>	LIEDGE	HEDDD	0.07	04.00	04.00	0.04	0.01			07.07	40.07	47 77	1.4
1	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSE UEPSP	UEPRD UEPPC	2.07 2.07	21.93 21.93	21.93 21.93	6.21 6.21	6.21			27.37 27.37	12.97 12.97		1.4
	12-VVIIG VG LING GIVE UNDUNUICU Z-VVAY FDA HUNK - BUS		├		UEPPO	2.07	21.93	21.93	6.21	6.21			27.37	12.97		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus															1.4
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP UEPSP												
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP UEPSP	UEPP1 UEPLD	2.07 2.07 2.07	21.93 21.93	21.93 21.93	6.21 6.21	6.21 6.21			27.37 27.37	12.97 12.97	17.77	1.4

Version 1Q02: 03/22/2002 PAGE 17 OF 352

OMBONDI	LED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP UEPSP	UEPXC	2.07 2.07	21.93 21.93	21.93 21.93	6.21 6.21	6.21 6.21			27.37 27.37	12.97 12.97	17.77 17.77	1.44 1.44
-	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPSP	UEPAD	2.07	21.93	21.93	0.21	6.21			21.31	12.97	17.77	1.44
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXE	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Room Calling Port			UEPSP	UEPXM	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPSP	UEPXS	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Subsequent Activity	t		UEPSP	USASC	0.00	0.00	0.00	0.21	0.21			27.37	12.97	17.77	1.44
FEA	ATURES				1	5.55	3.50	3.30	†				2	.2.01	1	1
	All Available Vertical Features			UEPSP UEPSE	UEPVF	5.55	0.00	0.00					27.37	12.97	17.77	1.44
EXC	CHANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					2.34	21.93	21.93	5.21	5.21			25.93	12.97	16.33	0.48
	TE: Transmission/usage charges associated with POTS circuit s															
	TE: Access to B Channel or D Channel Packet capabilities will be	e availa	ole onl	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be det	termined via t	he Bona Fid	e Request/	New Business	Request Pro	cess.	
	D LOCAL EXCHANGE SWITCHING(PORTS) CHANGE PORT RATES (DID & PBX)															
LAC	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	9.20	238.61	37.48	119.79				19.99	19.99	19.99	19.99
-	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			OLI LX	OLITZ	3.20	230.01	37.40	113.73				19.55	13.33	13.33	15.55
	capability			UEPDD	UEPDD	68.67	404.04	191.38	145.18	4.92			19.99	19.99	19.99	19.99
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	11.19	145.54	105.97	95.57	21.47			19.99	19.99	19.99	19.99
	All Features Offered			UEPTX UEPSX	UEPVF	5.55	0.00	0.00								
	TE: Transmission/usage charges associated with POTS circuit s															
NOT	TE: Access to B Channel or D Channel Packet capabilities will be	e availa	ole onl						lities will be det	termined via t	ne Bona Fid	e Request/N	New Business	Request Pro	cess.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00							44.50	11.50
LINDUNDLE	Exchange Ports - 4-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE			UEPEX	UEPEX	96.37	407.62	203.11	158.35	40.11			54.75	54.75	11.53	11.53
	I Office Switching (Port Usage)				-	-										
Liiu	End Office Switching Function, Per MOU					0.0040										
	End Office Trunk Port - Shared, Per MOU															
						0.0018										
Tan																
Tan	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU															
	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU					0.0002										
	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU nmon Transport					0.0002 0.00063 0.00033										
	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU nmon Transport Common Transport - Per Mile, Per MOU					0.0002 0.00063 0.00033 0.00001										
Con	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU mmon Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU					0.0002 0.00063 0.00033										
Con	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU nmon Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES	ndles St				0.0002 0.00063 0.00033 0.00001 0.00045	ohing as Suite	sh Davie								
Con UNBUNDLE Cos	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU nmon Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES It Based Rates are applied where BellSouth is required by FCC a					0.0002 0.00063 0.00033 0.00001 0.00045			ad Port section	of this Pata F	vhihit					
Con UNBUNDLE Cos Feat	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU nmon Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES it Based Rates are applied where BellSouth is required by FCC a tures shall apply to the Unbundled Port/Loop Combination - Cost	st Based	Rate	section in the same	manner as th	0.0002 0.00063 0.00033 0.00001 0.00045 dled Local Switely are applied to	o the Stand-A	one Unbundle				n Port/Loop	Combination additional Po	ns.	ng charges a	poly to Not
Con UNBUNDLE Cos Feat End For Curr	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Innon Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ED PORT/LOOP COMBINATIONS - COST BASED RATES It Based Rates are applied where BellSouth is required by FCC a tures shall apply to the Unbundled Port/Loop Combination - Cost Office and Tandem Switching Usage and Common Transport U Georgia, Kentucky, Louisiana, Mississippi, South Carolina and rently Combined Combos for all states. In GA, KY, LA, MS, SC ai	st Based sage rat Tenness nd TN th	Rate ses in the see, the nese no	section in the same ne Port section of the recurring UNE Por onrecurring charges	manner as th his rate exhibit t and Loop cl are commiss	0.0002 0.00063 0.00033 0.00001 0.00045 dled Local Swite ey are applied t t shall apply to targes listed apoinon ordered co	o the Stand-Al all combination oply to Current st based rates	one Unbundle ons of loop/po ly Combined a and in AL, FL	ort network elem and Not Current	ents except ly Combined	or UNE Coil Combos. T					
UNBUNDLE Cos Feat End For Curr For	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Per Mile, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU ED PORT/LOOP COMBINATIONS - COST BASED RATES Ed asad Rates are applied where BellSouth is required by FCC a tures shall apply to the Unbundled Port/Loop Combination - Cost Office and Tandem Switching Usage and Common Transport U Georgia, Kentucky, Louisiana, Mississippi, South Carolina and rently Combined Combos for all states. In GA, KY, LA, MS, SC al Currently Combined Combos in all other states, the nonrecurring the combos in all other states, the nonrecurring the combos in all other states, the nonrecurring the combos in all other states, the nonrecurring the combos in all other states, the nonrecurring the combos in all other states, the nonrecurring the combos in all other states, the nonrecurring the combos in all other states, the nonrecurring the combos in all other states, the nonrecurring the combos in all other states, the nonrecurring the combos in all other states, the nonrecurring the combos in all other states, the nonrecurring the combos in all other states, the nonrecurring the combos in all other states, the nonrecurring the combos in all other states, the nonrecurring the combos in all other states.	st Based sage rat Tenness nd TN th	Rate ses in the see, the nese no	section in the same ne Port section of the recurring UNE Por onrecurring charges	manner as th his rate exhibit t and Loop cl are commiss	0.0002 0.00063 0.00033 0.00001 0.00045 dled Local Swite ey are applied t t shall apply to targes listed apoinon ordered co	o the Stand-Al all combination oply to Current st based rates	one Unbundle ons of loop/po ly Combined a and in AL, FL	ort network elem and Not Current	ents except ly Combined	or UNE Coil Combos. T					
UNBUNDLE Cos Feat End For Curr For 2-W	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a tures shall apply to the Unbundled Port/Loop Combination - Cost Office and Tandem Switching Usage and Common Transport U Georgia, Kentucky, Louisiana, Mississippi, South Carolina and rently Combined Combos for all states. In GA, KY, LA, MS, SC arcurrently Combined Combos in all other states, the nonrecurin IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	st Based sage rat Tenness nd TN th	Rate ses in the see, the nese no	section in the same ne Port section of the recurring UNE Por onrecurring charges	manner as th his rate exhibit t and Loop cl are commiss	0.0002 0.00063 0.00033 0.00001 0.00045 dled Local Swite ey are applied t t shall apply to targes listed apoinon ordered co	o the Stand-Al all combination oply to Current st based rates	one Unbundle ons of loop/po ly Combined a and in AL, FL	ort network elem and Not Current	ents except ly Combined	or UNE Coil Combos. T					
UNBUNDLE Cos Feat End For Curr For 2-W	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Immon Transport Common Transport - Per Mile, Per MOU Description of Per Mou Description of Per Mile, Per MOU Description of Per Mile, Per MOU Description of Per Mile, Per MOU Description of Per Mile, Per MOU Description of Per Mile, Per MOU Description of Per Mou Description of P	st Based sage rat Tenness nd TN th	Rate ses in the see, the see, the ses endes es sha	section in the same ne Port section of the recurring UNE Por onrecurring charges	manner as th his rate exhibit t and Loop cl are commiss	0.0002 0.00063 0.00003 0.00001 0.00045 dled Local Swite yare applied to tshall apply to targes listed applied to targes listed applied to the control of the control o	o the Stand-Al all combination oply to Current st based rates	one Unbundle ons of loop/po ly Combined a and in AL, FL	ort network elem and Not Current	ents except ly Combined	or UNE Coil Combos. T					
UNBUNDLE Cos Feat End For Curr For 2-W	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Transport Common Transport - Per Mile, Per MOU Domnon Transport - Facilities Termination Per MOU Domnon Transport - Facilities Termination Per MOU Domnon Transport - Facilities Termination Per MOU Domnon Transport - Facilities Termination Per MOU Domnon Transport - Facilities Termination Per MOU Domnon Transport MOU Domnon Transport MOU Domnon Transpo	st Based sage rat Tenness nd TN th	es in the see, the see, the see sha	section in the same ne Port section of the recurring UNE Por onrecurring charges	manner as th his rate exhibit t and Loop cl are commiss	0.0002 0.00063 0.00003 0.00001 0.00045 dled Local Swite ey are applied to the shall apply the shall apply to the shall apply to the shall apply to the shall apply to the shall apply to the shall apply to the shall apply	o the Stand-Al all combination oply to Current st based rates	one Unbundle ons of loop/po ly Combined a and in AL, FL	ort network elem and Not Current	ents except ly Combined	or UNE Coil Combos. T					
UNBUNDLE Cos Feat End For Curr For 2-W	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES Table States are applied where BellSouth is required by FCC a Tures shall apply to the Unbundled Port/Loop Combination - Cost Office and Tandem Switching Usage and Common Transport U Georgia, Kentucky, Louisiana, Mississippi, South Carolina and record comboned Combos for all states. In GA, KY, LA, MS, SC Currently Combined Combos in all other states, the nonrecurring IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E-Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	st Based sage rat Tenness nd TN th	Rate ses in the see, the see no ses sha	section in the same ne Port section of the recurring UNE Por onrecurring charges	manner as th his rate exhibit t and Loop cl are commiss	0.0002 0.00063 0.00003 0.00001 0.000045 dled Local Swite ey are applied to the shall apply to harges listed apoint ordered co-accurring - Curres 16.55 25.51	o the Stand-Al all combination oply to Current st based rates	one Unbundle ons of loop/po ly Combined a and in AL, FL	ort network elem and Not Current	ents except ly Combined	or UNE Coil Combos. T					
Con UNBUNDLE Cos Feat End For Curr For 2-W UNE	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport Common Transport - Per Mile, Per MOU Description Per Mou D	st Based sage rat Tenness nd TN th	es in the see, the see, the see sha	section in the same ne Port section of the recurring UNE Por onrecurring charges	manner as th his rate exhibit t and Loop cl are commiss	0.0002 0.00063 0.00003 0.00001 0.00045 dled Local Swite ey are applied to the shall apply the shall apply to the shall apply to the shall apply to the shall apply to the shall apply to the shall apply to the shall apply	o the Stand-Al all combination oply to Current st based rates	one Unbundle ons of loop/po ly Combined a and in AL, FL	ort network elem and Not Current	ents except ly Combined	or UNE Coil Combos. T					
Con UNBUNDLE Cos Feat End For Curr For 2-W UNE	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Innon Transport Common Transport - Per Mile, Per MOU Description of Port India Per MOU Description of Port India Per MOU Description of Port India Per MOU Description of Port India Per MOU Description of Port India Per MOU Description of Port India Per MOU Description of Port India Per MOU Description of Port India Per MOU Description of Port India Per MOU Description of Port India Per MOU Description of Port India Per MOU Description of Port India Per MOU Description of Port India Per MOU Description of Port India Per MOU Description of Port India Per MOU Description of Port India Per Mou Description of Port India Per Mou Description of Port India Per Mou Description of Port India Per Mou Description of Port India Per Mou Description of Port India Per Mou Description of Port India Per Mou Description of Port India Per Mou Description of Port India Per Mou Description of Port India Per Mou Description of Port India Per Mou Description of India Per M	st Based sage rat Tenness nd TN th	Rate ses in the see, the see no ses sha	section in the same ne Port section of the recurring UNE Por onrecurring charges	manner as th his rate exhibit t and Loop cl are commiss	0.0002 0.00063 0.00003 0.00001 0.000045 dled Local Swite ey are applied to the shall apply to harges listed apoint ordered co-accurring - Curres 16.55 25.51	o the Stand-Al all combination oply to Current st based rates	one Unbundle ons of loop/po ly Combined a and in AL, FL	ort network elem and Not Current	ents except ly Combined	or UNE Coil Combos. T					
UNBUNDLE Cos Feat End For Curr For 2-W UNE	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport Common Transport - Per Mile, Per MOU Description Per Mou D	st Based sage rat Tenness nd TN th	Rate sees in the sees	section in the same ne Port section of the recurring UNE Por porrecurring charges Il be those identified	manner as the strain of the st	0.0002 0.00063 0.00003 0.00001 0.00045 dled Local Swite ey are applied to the shall apply to harges listed apion ordered concurring - Currer 16.55 25.51 44.44 14.35 23.31	o the Stand-Al all combination oply to Current st based rates	one Unbundle ons of loop/po ly Combined a and in AL, FL	ort network elem and Not Current	ents except ly Combined	or UNE Coil Combos. T					
UNBUNDLE Cos Feat End For Curr For UNE UNE	dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES Tasade Rates are applied where BellSouth is required by FCC a Tures shall apply to the Unbundled Port/Loop Combination - Cost Office and Tandem Switching Usage and Common Transport U Georgia, Kentucky, Louisiana, Mississippi, South Carolina and record to the composition of the composition	st Based sage rat Tenness nd TN th	es in the see, the sees not sees and se	section in the same ne Port section of the recurring UNE Por precurring charges Il be those identified	manner as the sis rate exhibit that Loop of the sis rate exhibit that Loop of the sis rate commissed in the Nonroll Commi	0.0002 0.00063 0.00033 0.00001 0.000045 dled Local Swite ey are applied to the shall apply to harges listed apoin ordered concurring - Current 16.55 25.51 44.44 14.35	o the Stand-Al all combination oply to Current st based rates	one Unbundle ons of loop/po ly Combined a and in AL, FL	ort network elem and Not Current	ents except ly Combined	or UNE Coil Combos. T					

Version 1Q02: 03/22/2002 PAGE 18 OF 352

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
		1]							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		1
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.20	90.00	90.00	11100	Addi	COMILO	COMPAN	40.71	9.58	JOINTAIN	COMPAR
	2-Wire voice unbundled port with Caller ID - res	 		UEPRX	UEPRC	2.20	90.00	90.00					40.71	9.58		
				UEPRX	UEPRO	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port outgoing only - res			UEPRA	UEPRO	2.20	90.00	90.00					40.71	9.56		1
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - res			UEPRX	UEPAR	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	2.20	90.00	90.00					40.71	9.58		
FEA	TURES															
	All Features Offered			UEPRX	UEPVF	5.55	0.00	0.00					40.71	9.58		
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
<u> </u>	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1						1							1
	Switch-as-is	1		UEPRX	USAC2	l	2.80	0.41					40.71	9.58	I	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -						50							2.00	1	İ
	Switch with change	1		UEPRX	USACC	l	2.80	0.41					40.71	9.58	I	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	1	OLI IXX	JUAGO	- i	2.00	0.41	 				70.71	9.30	1	
	Subsequent Database Update	1		İ		l	1.44						8.25		I	
455	Subsequent Database Opdate	 	1	 	+	+	1.44		 				ŏ.∠5		 	
ADD		-	<u> </u>	1	+										1	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1		Lienny	1										I	
	Activity	ļ	ļ	UEPRX	USAS2	0.00	0.00	0.00					40.71	9.58		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			16.55										
	2-Wire VG Loop/Port Combo - Zone 2		2			25.51										
	2-Wire VG Loop/Port Combo - Zone 3		3			44.44										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPBX	UEPLX	42.24										
2 14/	ire Voice Grade Line Port (Bus)		3	OLFBA	OLFLX	42.24										-
Z-VVI				LIEDDY	LIEDDI	0.00	00.00	00.00					40.71	9.58		1
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.20	90.00	90.00								
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice Grade unbundled Alabama extended local dialing					l	l		l							
	parity port with Caller ID - bus			UEPBX	UEPAW	2.20	90.00	90.00					40.71	9.58		<u> </u>
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2.20	90.00	90.00					40.71	9.58		
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35				•			_			
FEA	TURES															
1	All Features Offered			UEPBX	UEPVF	5.55	0.00	0.00					40.71	9.58		
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1						1							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	1	1				1						1	i
	Switch-as-is	1		UEPBX	USAC2	l	2.80	0.41					40.71	9.58	I	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		I		00.02	-	2.00	0.71					70.71	5.50	t	
	Switch with change	1		UEPBX	USACC	l	2.80	0.41					40.71	9.58	I	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	1	OLI DA	OULUU	+	2.00	0.41	+				40.71	5.30	t	1
		1		İ		l	1.44						0.05		I	
455	Subsequent Database Update	 	1	 	+	+	1.44						8.25		 	1
ADD	OITIONAL NRCs	-	<u> </u>	1	+										1	1
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1		Lienny		l									I	
	Activity	ļ	ļ	UEPBX	USAS2		0.00	0.00					40.71	9.58		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			16.55										
	2-Wire VG Loop/Port Combo - Zone 2		2			25.51										
	2-Wire VG Loop/Port Combo - Zone 3		3			44.44	j									
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	14.35			 						†	1
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2		UEPLX	23.31	ł		+						 	1

ONROND	LED	NETWORK ELEMENTS - Alabama			1									Attachment:		Exhibit: B	1
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							1	Nonros		Monroourring	Disconnect				Rates(\$)	l	l
							Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	42.24	FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
2-W		oice Grade Line Port Rates (RES - PBX)		3	OLI KO	OLILX	72.27										
2-11	2				UEPRG	UEPRD	2.20	90.00	90.00					40.71	9.58		
1.00		NUMBER PORTABILITY			OLI NO	OLITO	2.20	30.00	30.00	1				40.71	9.50		
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00					40.71	9.58		
FE/	ATUR				02. 110	2.1. 0.	0.10	0.00	0.00					10.7 1	0.00		
		All Features Offered			UEPRG	UEPVF	5.55	0.00	0.00	i i				40.71	9.58	1	
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	C	Conversion - Switch-As-Is			UEPRG	USAC2		2.80	0.41					40.71	9.58		
	2	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		2.80	0.41					40.71	9.58		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -						_	-		-						
		Subsequent Database Update						1.44						8.25			
ADI		NAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			l	1]		1			1	I	
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					40.71	9.58		
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						14.64	14.64					40.71	9.58		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UN		t/Loop Combination Rates		4			40.55										
		2-Wire VG Loop/Port Combo - Zone 1		2		+	16.55 25.51			 							
		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		_	44.44										
LINI		DD Rates		3			44.44										
ON		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	14.35			1							
		2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEPPX	UEPLX	23.31			1							
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	42.24										
2-W		oice Grade Line Port Rates (BUS - PBX)		Ŭ	02.17.	02.20	12.2										
		olo olaa olimo i oli ilaloo (Doo ii DA)															
	L	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.20	90.00	90.00					40.71	9.58		
		ine Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.20	90.00	90.00					40.71	9.58		
		ine Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.20	90.00	90.00					40.71	9.58		
		2-Wire Voice Unbundled 2-Way Combination PBX Alabama															
		Calling Port			UEPPX	UEPA2	2.20	90.00	90.00					40.71	9.58		
	2	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.20	90.00	90.00					27.37	9.58		
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.20	90.00	90.00					40.71	9.58		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.20	90.00	90.00					40.71	9.58		
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.20	90.00	90.00					40.71	9.58		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.20	90.00	90.00					40.71	9.58		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	2.20	90.00	90.00					40.71	9.58		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEBBY											1	
		Administrative Calling Port			UEPPX	UEPXL	2.20	90.00	90.00					40.71	9.58	-	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVA	0.00	00.00	00.00					40.74	0.50	1	1
-		Room Calling Port			UEPPX	UEPXM	2.20	90.00	90.00					40.71	9.58	1	1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2.20	90.00	90.00					40.71	9.58	1	1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.20	90.00	90.00	 				40.71	9.58	-	-
10		NUMBER PORTABILITY			ULFFA	UEFAS	2.20	90.00	90.00					40.71	9.58	1	1
LU		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00	 				40.71	9.58	t	
FE	ATUR				OLI I A	LIVIOF	3.13	0.00	0.00	 				40.71	3.30	t	
		All Features Offered			UEPPX	UEPVF	5.55	0.00	0.00	 		 		40.71	9.58	t	
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED					5.00	3.00	3.00						3.00	<u> </u>	
- 10		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -													1	1	
		Conversion - Switch-As-Is			UEPPX	USAC2		2.80	0.41					40.71	9.58	1	
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			İ					† †					1	İ	1
		Conversion - Switch with Change			UEPPX	USACC		2.80	0.41			l		40.71	9.58		

UNBUNDLE	D NETWORK ELEMENTS - Alabama				· <u></u>							Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Charge - Manual Sv Order vs.
							Nonrec	urring	Nonrecurring Disco	nnect			Rates(\$)		
						Rec	First	Add'l	First A	dd'I SOMI	C SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -														ĺ
	Subsequent Database Update						1.44					8.25			
ADDIT	TONAL NRCs														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				40.71	9.58		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt														
	Group						14.64	14.64				40.71	9.58		
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT													
UNE P	Port/Loop Combination Rates														ĺ
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			16.88									ĺ
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			25.84									
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			44.77									
UNE L	oop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	14.35									
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	23.31									ĺ
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	42.24									ĺ
2-Wire	Voice Grade Line Ports (COIN)														ĺ
	2-Wire Coin 2-Way without Operator Screening and without														
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2.53	90.00	90.00				40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2.53	90.00	90.00				40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,														1
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2.53	90.00	90.00				40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking														
	(AL, LA, MS)			UEPCO	UEPRB	2.53	90.00	90.00				40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening & Blocking:														
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2.53	90.00	90.00				40.71	9.58		
	2-Wire Coin Outward with Operator Screening and 011 Blocking											1,000			
	(AL, FL)			UEPCO	UEPRK	2.53	90.00	90.00				40.71	9.58		
	2-Wire Coin Outward with Operator Screening and Blocking:											1,000			
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2.53	90.00	90.00				40.71	9.58		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,			02. 00	02	2.00	00.00	00.00					0.00		
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2.53	90.00	90.00				40.71	9.58		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.53	90.00	90.00				40.71	9.58		
	2-Wire Coin Outward Smartline with 900/976 (all states except											1,000			
	LA)			UEPCO	UEPCR	2.53	90.00	90.00				40.71	9.58		
ADDIT	TONAL UNE COIN PORT/LOOP (RC)				1	2.00	55.56	55.50			1	10.71	3.50	1	1
1.5511	UNE Coin Port/Loop Combo Usage (Flat Rate)		t	UEPCO	URECU	1.56	90.00	90.00			1	40.71	9.58	1	1
LOCA	L NUMBER PORTABILITY		1	· · · · · · · · · · · · · · · · · · ·	1		55.56	55.50		1		10.71	3.50	1	1
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35					1		1	1	1
NONR	ECURRING CHARGES - CURRENTLY COMBINED				1 1						1		1	1	1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1 1	1					1		1	1	1
1	Switch-as-is			UEPCO	USAC2	l	2.80	0.41				40.71	9.58		
 	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	· · · · · · · · · · · · · · · · · · ·	1	+	2.50	5.11		1		10.71	3.50	1	1
1	Switch with change			UEPCO	USACC		2.80	0.41				40.71	9.58		
ADDIT	TONAL NRCs		1	· · · · · · · · · · · · · · · · · · ·	1	+	2.50	5.11		1		10.71	3.50	1	1
ADDIT	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1	1	+ +	<u> </u>				1			 	1	1
1	Activity			UEPCO	USAS2		0.00	0.00			1	40.71	9.58	Ì	
UNBU	NDLED REMOTE CALL FORWARDING - RES		1	· · · · · · · · · · · · · · · · · · ·	1	+	3.30	0.00		1		10.71	3.50	1	1
	NDLED REMOTE CALL FORWARDING - Bus		1		+ +	+				1	_				1
15.1.50	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus		1	UEPVB	UERTR	2.07	21.93	21.93		1		27.37	12.97	17.77	1,44
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES		1			2.51	200	200				2	.2.07		
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			1 1	1					1		1	1	1
	Port/Loop Combination Rates		 		+ +	t					- 	1	 	 	†
- 10	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1	1	+ +	29.59				1			 	1	1
 	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2	1	+ +	36.58				1			 	1	1
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	1	+ +	45.06				1			 	1	t
	L	1				40.00						1		-	
LINE	oon Rates					l l			l J	l l					
UNE L	oop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	20.42									+

JNBUNDLE	D NETWORK ELEMENTS - Alabama			,									,	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	scs	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
1								Nonrec	urring	Nonrecurring	n Disconnect			oss	Rates(\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	35.89										
UNE P	ort Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	9.17	600.00	45.00					40.71	9.58		
NONRI	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX		USAC1		14.61	3.73					40.71	9.58		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			LIEDDY		110040		44.04	2.72					40.74	0.50		
ADDIT	with BellSouth Allowable Changes IONAL NRCs			UEPPX		USA1C		14.61	3.73					40.71	9.58		-
ADDIT	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		53.56	53.56					40.71	9.58		1
Telenh	none Number/Trunk Group Establisment Charges	1	1	JLIFA		JUNUI		55.56	33.36					40.71	9.36	t	
Гогорг	DID Trunk Termination (One Per Port)	1		UEPPX		NDT	0.00	0.00	0.00						1	1	
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00	1					Ì	1	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT	<u> </u>													
UNE P	ort/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR	2	36.62										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		44.49										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		55.39										
UNE L	oop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR		27.20							40.71	9.58		
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR		35.07							40.71	9.58		
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.97							40.71	9.58		
UNE P	ort Rate						2.12	======	100.00								
NOND	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.42	525.00	400.00					40.71	9.58		
NONKI	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			LIEDDD	LIEDDD	110400	0.00	77.04	5101					40.74	9.58		
ADDIT	Combination - Conversion	1	-	UEPPB	UEPPR	USACB	0.00	77.01	54.04					40.71	9.58	+	
	L NUMBER PORTABILITY	1	 	1		+						1			1	 	
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00							1	
B-CHA	NNEL USER PROFILE ACCESS:			† · · · ·		<u> </u>	1.10	2.20	2.30	1					Ì	1	
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, &	TN)														
	CVS/CSD (DMS/5ESS)	ļ	<u> </u>	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								<u> </u>
	CVS (EWSD)	ļ		UEPPB	UEPPR	U1UCE	0.00	0.00	0.00							1	
HEED	CSD TERMINAL PROFILE	 	 	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00	 		-			 	 	
USER	User Terminal Profile (EWSD only)	1	 	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			1			1	 	
VFRTI	CAL FEATURES	1		52.10	JEITIK	0101011	0.00	5.00	0.00							-	†
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	5.55	0.00	0.00					40.71	9.58		
INTER	OFFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile and																
	facilities termination	l		UEPPB	UEPPR	M1GNC	17.81	107.11	48.27					40.71	9.58	1	
	Interoffice Channel mileage each, additional mile				UEPPR	M1GNM	0.0339	0.00	0.00				0.00				
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
UNE P	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			198.29										

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_	LIEDDD		074.00										
	Zone 2		2	UEPPP		274.00										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		425.41										
LINE I	Loop Rates		3	OLFFF		425.41										
ONE I	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	101.92							40.71	9.58		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	177.63							40.71	9.58		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	329.04							40.71	9.58		
UNE F	Port Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	96.37	1,150.00	1,150.00					40.71	9.58		
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			1				-								
	Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	238.13	157.11			ļ		40.71	9.58		
ADDI	FIONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-								I]					I	
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP	PR7TF		0.9801		_	 	<u> </u>				-	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP	PR7TO		22.00	23.02	1						1	
	Outward Tel Numbers (All States except NC)			UEPPP	PR/IO		23.02	23.02	1						-	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		46.05	46.05								
1.004	IL NUMBER PORTABILITY		-	UEPPP	PR/ZI		46.05	46.05								
LUCA	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	RFACE (Provsioning Only)			OLITI	LIVI OIV	1.75			1							
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	29.05									
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	29.05									
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.05									
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
intero	ffice Channel Mileage Fixed Each Including First Mile		-	UEPPP	1LN1A	80.382	198.15	148.18	25.44				40.71	9.58		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.692	196.15	140.10	25.44				40.71	9.56		
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1		02111	ILIVID	0.032			 	 	 				t	
	Port/Loop Combination Rates								†						1	
1	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		170.59			1	1					1	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	1	246.30										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		397.71										
UNE I	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	101.92										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	177.63										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	329.04			ļ						1	
UNE F	Port Rate			LIEBBO	1	20.5			ļ	ļ	ļ				ļ	
Nor	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	68.67					1				-	
NONE	ECURRING CHARGES - CURRENTLY COMBINED	1		 	+				 	 	 				1	1
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is			UEPDC	USAC4		258.98	134.03	1				40.71	9.58	1	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAC4	-	∠58.98	134.03	-		 		40.71	9.58	+	
	- Conversion with DS1 Changes			UEPDC	USAWA		258.98	134.04	I]			40.71	9.58	I	
-	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			021 00	JUANA	1	230.30	134.04	 	1	 		40.71	5.30	t	
	- Conversion with Change - Trunk			UEPDC	USAWB		258.98	134.03	I]			40.71	9.58	I	
וחמא	FIONAL NRCs			02.100	55,445	-	200.00	154.05	-		1		40.71	3.36	I	†
7,551	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			1	1				1	1					1	†
	Subsequent Channel Activation/Chan - 2-Way Trunk		l	UEPDC	UDTTA		28.85	28.95	I	İ			40.71	9.58	I	

NBUNDLEI	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR				Charge
		m									per LSK	per LSK	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electron Disc Ade
						Dee	Nonrec	,	Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN
_	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				_	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			02. 20	02112		20.00	20.00						0.00		<u> </u>
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.85	28.85					40.71	9.58		ļ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.85	28.85					40.71	9.58		
RIPOL /	AR 8 ZERO SUBSTITUTION			UEPDC	UDITE		28.85	28.85					40.71	9.58		-
Bii OLi	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	one Number/Trunk Group Establisment Charges			LIEBBO	LIDTOY	0.00										
	Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group			UEPDC UEPDC	UDTGX	0.00										-
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										-
-	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00									
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedicat	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	79.69	198.15	148.18	25.44	20.42			40.71	9.58		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC	1LNOA	0.692	0.00	0.00								
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNOB	0.692	0.00	0.00								
	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	ILINOB	0.692	0.00	0.00								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.692	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							<u> </u>
	Central Office Termininating Point			UEPDC	CTG	0.00										
	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	system can have up to 24 combinations of rates depending on	type a	nd num	ber of ports used												
UNE D	S1 Loop 4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	101.92	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	177.63	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	329.04	0.00	0.00								
UNE DS	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	115.89	0.00	0.00					40.71	9.58		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	231.78	0.00	0.00		•			40.71	9.58		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	463.56	0.00	0.00					40.71	9.58		ļ
	144 DS0 Channel Capacity - 1 per 6 DS1s		!	UEPMG	VUM14	695.34	0.00	0.00					40.71	9.58		
	192 DS0 Channel Capacity -1 per 8 DS1s		1	UEPMG	VUM19	980.00 1,158.90	0.00	0.00					40.71 40.71	9.58 9.58		
	240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s		 	UEPMG UEPMG	VUM20 VUM28	1,158.90 1,390.68	0.00	0.00					40.71	9.58	-	
	384 DS0 Channel Capacity - 1 per 12 DS1s		†	UEPMG	VUM38	1,854.24	0.00	0.00					40.71	9.58		\vdash
	480 DS0 Channel Capacity - 1 per 10 DS1s		†	UEPMG	VUM40	2,317.80	0.00	0.00					40.71	9.58	1	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,781.36	0.00	0.00					40.71	9.58		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,244.92	0.00	0.00					40.71	9.58		
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	mum System configuration is One (1) DS1, One (1) D4 Channel			To 24 DCO Borto	th Faat A	-4:					•	•		i i	I	1

Version 1Q02: 03/22/2002 PAGE 24 OF 352

UNBL	INDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
																DISC 1St	DISC Add I
							B	Nonrec		Nonrecurring		001150	001111		Rates(\$)	0014411	001111
		NRC - Conversion (Currently Combined) with or without					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	300.95	16.72					40.71	9.58		
	System	Additions at End User Locations Where 4-Wire DS1 Loop with	h Chan	nelizat					-					-			
	New (N	lot Currently Combined) In GA, KY, LA, MS & TN Only															
		1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc						=									
	Pinola	Fea Activation - New GA, LA, KY, MS, &TN Only r 8 Zero Substitution			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65			40.71	9.58		
	Біроіаі	Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								
-	Alterna	nte Mark Inversion (AMI) Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00			<u> </u>					
-	 	Extended Superframe Format		-	UEPMG UEPMG	MCOSF	0.00	0.00	0.00								
	Exchar	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	OLI MO	MOOI O	0.00	0.00	0.00								
		nge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.58	0.00	0.00	0.00	0.00			40.71	9.58		
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.58	0.00	0.00	0.00	0.00			40.17	9.58		
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.58	0.00	0.00	0.00	0.00			40.71	9.58		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	9.20	0.00	0.00	0.00	0.00			40.71	9.58		
		2-Wire Channelized PBX Area Calling Service Combination Port			-	_								-			
		(AL Only)			UEPPX	UEPA4	1.58	0.00	0.00					40.71	9.58		
		2 Wire Channelized PBX Area Calling Service Outgoing Only															
	F	Port (AL Only)			UEPPX	UEPA3	1.58	0.00	0.00					40.71	9.58		
	Feature	e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated															
		in D4 Bank			UEPPX	1PQWM	0.64	25.39	13.41	4.19	4.16			40.71	9.58		
		Feature (Service) Activation for each Trunk Side Port Terminated															
		in D4 Bank			UEPPX	1PQWU	0.64	78.13	18.42	59.24	11.58			40.17	9.58		
	Teleph	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
-	-	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number			UEPPX UEPPX	ND4 ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local N	Number Portability				1	3.30	3.30	2.30								
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
<u> </u>	Local S	Switching Features Offered with Line Side Ports Only All Features Available		-	UEPPX	UEPVF	5.55	0.00	0.00			1		40.71	9.58		
UNRI	IDI ED E	PORT LOOP COMBINATIONS - MARKET RATES		-	UEFFA	UEPVF	5.55	0.00	0.00					40.71	9.58		
CIABOI		Rates shall apply where BellSouth is not required to provide	unbun	led lo	al switching or swit	tch ports per	FCC and/or St	ate Commissio	n rules.			-					
		scenarios include:		1													
		oundled port/loop combinations that are Not Currently Combin															
		oundled port/loop combinations that are Currently Combined											Ļ				
<u> </u>		p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica												INC In the !	atorim where	Policouth com	not hill
1		uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section									not currently (Joinipinea Ir	IAL, rL and	INC. IN THE II	iteriii where	benoouth car	וווט טווו
		arket Rate for unbundled ports includes all available features			neu or the market K	ares and 165	erves me right	to true-up trie	Jiming unierer					l			
		fice and Tandem Switching Usage and Common Transport Us			e Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	rt network elen	nents except	for UNE Coi	n Port/Loop	Combination	ns which have	a flat rate us	age charge
<u> </u>	(USOC	: URECU).															
		t Currently Combined scenarios where Market Rates apply, th				in the First a	nd Additional	NRC columns	or each Port l	JSOC. For Curi	rently Combin	ed scenario	s, the Nonre	ecurring char	ges are listed	in the NRC -	Currently
		ned section. Additional NRCs may apply also and are categor	ized ac	cording	gly.	1	ı	1				1		1	1		
 		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		<u> </u>			1					1		-	 		
	UNE PO	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1			28.35			-				-			
-	 	2-Wire VG Loop/Port Combo - Zone 1		2			37.31										
	1	C Ecop/i oit Combo Zono Z		L-		l	07.01			1		l	1	l	l		

Version 1Q02: 03/22/2002 PAGE 25 OF 352

	ED NETWORK ELEMENTS - Alabama			,									Attachment:		Exhibit: B	ļ
											Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'
					+		Nonrec	urring	Nonrecurring D	Disconnect			220	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 3		3			56.24	1 1130	дии	11130	Auu	COME	COMPAN	COMPAN	COMPAR	COMPAR	COMPAR
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	42.24										
2-Wir	e Voice Grade Line Port (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					40.71	9.58		
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)	ļ		UEPRX	UEPAP	14.00	90.00	90.00	ļ <u> </u>				40.71	9.58	ļ	ļ
LOCA	AL NUMBER PORTABILITY	ļ		HEDDY	LNDCY	2.05										
	Local Number Portability (1 per port)	<u> </u>	<u> </u>	UEPRX	LNPCX	0.35			 					ļ	-	ļ
FEAT	TURES	!	 	HEDDY	LIED) "E	0.00	0.00	0.00						 	!	
NO.	All Features Offered	1	1	UEPRX	UEPVF	0.00	0.00	0.00	 					 	 	
	RECURRING CHARGES - CURRENTLY COMBINED TIONAL NRCs	 	 	-	+				 					-		1
ADDI	NRC - 2-Wire Voice Grade Loop/Line Port Combination -	 			+										 	
	Subsequent	1	1	UEPRX	USAS2		0.00	0.00					40.71	9.58	I	
2-1/11	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1	OLFIX	U3A32		0.00	0.00					40.71	9.30		
	Port/Loop Combination Rates		1		+											
- ONE	2-Wire VG Loop/Port Combo - Zone 1		1		+	28.35										
	2-Wire VG Loop/Port Combo - Zone 2		2			37.31										
	2-Wire VG Loop/Port Combo - Zone 3		3			56.24										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	42.24										
2-Wir	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					40.71	9.58		
LOC/	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	URES															
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					40.71	9.58		
	RECURRING CHARGES - CURRENTLY COMBINED															
ADDI	TIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
0.14/11	Subsequent RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	USAS2		0.00	0.00					40.71	9.58		
		<u> </u>	<u> </u>		+											
UNE	Port/Loop Combination Rates		1		+	28.35									-	
$\longrightarrow \longmapsto$	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	 	2	-	+	28.35 37.31			 					-		1
+-	2-Wire VG Loop/Port Combo - Zone 3	 	3	1	+ -	56.24				-				1	t	
LINE	Loop Rates	!	3	+	+ -	30.24			 					 	t	†
- C.V.	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRG	UEPLX	14.35									<u> </u>	1
- - 	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPRG	UEPLX	23.31									<u> </u>	1
	2-Wire Voice Grade Loop (SL1) - Zone 3	†	3	UEPRG	UEPLX	42.24								İ	1	
2-Wir	e Voice Grade Line Port Rates (RES - PBX)	1			1										1	
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res	1		UEPRG	UEPRD	14.00	90.00	90.00					40.71	9.58	1	
LOC/	AL NUMBER PORTABILITY	Ì														
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15										
FEAT	URES						_			_			_			
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					40.71	9.58		
				1				· ·			_		· · · · · · · · · · · · · · · · · · ·			1
ADDI	TIONAL NRCs 2 Wire Loop/Line Side Port Combination - Non feature -															

UNBUND	LED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
		1						-			Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urrina	Nonrecurring	g Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt					1100		7144		7.00.	0020				00	
	Group						14.64	14.64					40.71	9.58		
2-W	(IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						14.04	14.04					40.71	3.30		
	E Port/Loop Combination Rates										1			-		-
ONE	2-Wire VG Loop/Port Combo - Zone 1		1		-	28.35			-	-				-		ļ
	2-Wire VG Loop/Port Combo - Zone 1		2			37.31					1					
			3													
	2-Wire VG Loop/Port Combo - Zone 3		3			56.24										
UNE	E Loop Rates		<u> </u>	LIEBBY	ESLV	44.05										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	42.24										
2-W	fire Voice Grade Line Port Rates (BUS - PBX)	1														
<u> </u>	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>	L	UEPPX	UEPPC	14.00	90.00	90.00	<u> </u>	<u> </u>	<u> </u>		40.71	9.58		<u> </u>
l	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					40.71	9.58		
1	Line Side Unbundled Incoming PBX Trunk Port - Bus	1		UEPPX	UEPP1	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama			1							1			1		
i I	Calling Port	1		UEPPX	UEPA2	14.00	90.00	90.00	I	1	I]	40.71	9.58		1
h + + + + + + + + + + + + + + + + + + +	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					40.71	9.58		1
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPPX	UEPXA	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00			<u> </u>		40.71	9.58		
—	2-Wire Voice Unbundled PBX LD DDD Terminal Floris 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00			1		40.71	9.58		1
					UEPXD						ļ					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPAD	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEBBY .		44.00										
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					40.71	9.58		
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
FFA	ATURES															
1	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					40.71	9.58		
NON	NRECURRING CHARGES - CURRENTLY COMBINED			02.17	02. 1.	0.00	0.00	0.00					10.7 1	0.00		
	DITIONAL NRCs															
175		1		1	+				t	t	1			t	1	1
l l	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	1		UEPPX	USAS2		0.00	0.00	I	1	I]	40.71	9.58		
\vdash	2 Wire Loop/Line Side Port Combination - Subsequent 2 Wire Loop/Line Side Port Combination - Non feature -	1	!	OLFFA	USASZ		0.00	0.00	 	+	1	H	40.71	9.38	1	
							0.00	0.00	1	1	1		40.71	9.58		
 	Subsequent Activity- Nonrecurring	1	1				0.00	0.00	1	1	1		40.71	9.58	1	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						44.01	44.51	1	1	1		40 =:	0 ==		
	Group	<u> </u>	<u> </u>	 			14.64	14.64			1		40.71	9.58	ļ	
	TIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	ΚI	<u> </u>	 							1				ļ	
UNE	E Port/Loop Combination Rates	 	<u> </u>								ļ				ļ	
	2-Wire VG Coin Port/Loop Combo – Zone 1	<u> </u>	1	ļ		28.35			ļ	ļ	ļ			ļ		1
	2-Wire VG Coin Port/Loop Combo – Zone 2	<u> </u>	2	ļ		37.31			ļ	ļ	ļ			ļ		1
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			56.24										
UNE	E Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	23.31										
l l	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	42.24										
2-W	rire Voice Grade Line Port Rates (Coin)															
1	2-Wire Coin 2-Way without Operator Screening and without															
l l	Blocking (AL, KY, LA, MS)	1		UEPCO	UEPRF	14.00	90.00	90.00	I	1	I]	40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening (AL, KY)	1		UEPCO	UEPRE	14.00	90.00	90.00	İ	İ	İ	i	40.71	9.58	Ì	1
 	2-Wire Coin 2-Way with Operator Screening (n.e., 177) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1		† 			55.55	55.56	 	†	1	1		5.50	1	t
1 1	900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14.00	90.00	90.00	1	1	1]	40.71	9.58		1

UNBUNDL	ED NETWORK ELEMENTS - Alabama													Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS		USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
ļ							Dee	Nonrec First		Nonrecurring First	Disconnect Add'l	SOMEC	COMAN		Rates(\$)	COMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking		<u> </u>				Rec	FIRSt	Add'l	FIRSt	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(AL, LA, MS)			UEPCO		UEPRB	14.00	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO		UEPCD	14.00	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL. FL)			UEPCO		UEPRK	14.00	90.00	90.00					40.71	9.58		
—	2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO		UEFKK	14.00	90.00	90.00					40.71	9.56	1	
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO		UEPRH	14.00	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO		UEPCN	14.00	90.00	90.00					40.71	9.58		
LOCA	AL NUMBER PORTABILITY			01.00		OLI OIN	14.00	90.00	30.00					40.71	3.30	†	†
1 200	Local Number Portability (1 per port)			UEPCO		LNPCX	0.35								İ	1	
ADDI	ITIONAL NRCs																
									-								
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO		USAS2		0.00	0.00					40.71	9.58		
	D PORT/LOOP COMBINATIONS - MARKET BASED RATES RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT		 						1		1					
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates	PORT															
UNE	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				69.59										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				76.58										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	1			85.06									1	
UNE	Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	20.42										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	27.41										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	35.89										
UNE	Port Rate			LIEDDY		LIEDD4	10.00	000.00	45.00					40.71	9.58		
NON	Exchange Ports - 2-Wire DID Port RECURRING CHARGES - CURRENTLY COMBINED			UEPPX		UEPD1	40.00	600.00	45.00					40.71	9.58		
	ITIONAL NRCs																
7.55.	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		53.56	53.56					40.71	9.58		
Teler	phone Number/Trunk Group Establisment Charges														0.00		
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCA	AL NUMBER PORTABILITY			UEPPX		LNPCP	3.15	0.00	0.00								
2.WII	Local Number Portability (1 per port) RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDI	BOD1			LINPUP	3.15	0.00	0.00								
	Port/Loop Combination Rates	I SIDE	1														
10.42	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			1	<u> </u>					1					1	1	t
	UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB U	JEPPR		87.20										
	UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2	UEPPB UE	EPPR		104.49										ļ
	UNE Zone 3		3	UEPPB UE	EPPR		115.97										
UNE	Loop Rates			LUEBBE :												1	
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	-	1	UEPPB UE	PPR	USL2X	27.20							40.71	9.58	1	-
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2		EPPR	USL2X	35.07							40.71	9.58		<u> </u>
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UE	PPR	USL2X	45.97							40.71	9.58		
UNE	Port Rate			LIEBBE :		LIEBB5										1	
No.	Exchange Port - 2-Wire ISDN Line Side Port		<u> </u>	UEPPB UEF	PPR	UEPPB	60.00	525.00	400.00			1		40.71	9.58		
	RECURRING CHARGES - CURRENTLY COMBINED	 	-	 						ļ		1			 	1	1
	ITIONAL NRCS AL NUMBER PORTABILITY		-	 						-					-		-
1200	Local Number Portability (1 per port)		1	UEPPB UE	PPR	LNPCX	0.35	0.00	0.00							 	
B-CH	IANNEL USER PROFILE ACCESS:	1		CEITE OF			0.00	5.00	0.00							-	
 	CVS/CSD (DMS/5ESS)	1		UEPPB UE	PPR	U1UCA	0.00	0.00	0.00	1					 	t	t

UNBUN	IDLE	D NETWORK ELEMENTS - Alabama													Attachment:		Exhibit: B	
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	E	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic
															1st	Add'l	Disc 1st	Disc Add'l
							+	1	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		l
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
В		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(TN														
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
U		FERMINAL PROFILE			LIEDDD	HEDDD	11411544	0.00	0.00	0.00								
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
v		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	5.55	0.00	0.00					40.71	9.58		
		OFFICE CHANNEL MILEAGE	1	1	UEPPB	UEPPK	UEPVF	5.55	0.00	0.00					40.71	9.36		1
		Interoffice Channel mileage each, including first mile and	1	<u> </u>	1		1										+	
		facilities termination			UEPPB	UEPPR	M1GNC	17.81	107.11	48.27					40.71	9.58		
		Interoffice Channel mileage each, additional mile	1	<u> </u>			M1GNM	0.0339	0.00	0.00					1	3.30		
4		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	K PORT															
	JNE Po	ort/Loop Combination Rates															<u> </u>	
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 1		1	UEPPP			951.92										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 2		2	UEPPP			1,027.63										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 3		3	UEPPP			1,179.04										
ι		pop Rates			ļ													
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	101.92							40.71	9.58		
		4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P USL4P	177.63 329.04							40.71 40.71	9.58 9.58		
-		prt Rate	-	3	UEPPP		USL4P	329.04							40.71	9.58		
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	850.00	1,150.00	1,150.00					40.71	9.58		
N		CURRING CHARGES - CURRENTLY COMBINED			OLITI		OLITI	030.00	1,130.00	1,130.00					40.71	9.50		1
		ONAL NRCs																
ĺ		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
		Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.9801									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
		Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		23.02	23.02								
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
		Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		46.05	46.05								
L		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
		FACE (Provsioning Only)	1	<u> </u>	LIEBSE		DD74; /		2.00				1				ļ	<u> </u>
		Voice/Data	1	<u> </u>	UEPPP		PR71V PR71D	0.00	0.00	0.00							ļ.	1
		Digital Data Inward Data	1	1	UEPPP		PR71D PR71E	0.00	0.00	0.00			-			-	-	
		Additional "B" Channel			UEPPP		PR/TE	0.00	0.00	0.00								<u> </u>
- IN		New or Additional - Voice/Data B Channel	1	1	UEPPP		PR7BV	0.00	40.00							-		
		New or Additional - Voice/Data B Channel	1	-	UEPPP		PR7BF	0.00	40.00				1				1	1
		New or Additional Inward Data B Channel	1		UEPPP		PR7BD	0.00	40.00				1				1	1
c	CALL T		1	<u> </u>	52.11			0.00	40.00									
- 		Inward		1	UEPPP		PR7C1	0.00	0.00	0.00								
		Outward	1		UEPPP		PR7C0	0.00	0.00	0.00						İ		
		Two-way	1		UEPPP		PR7CC	0.00	0.00	0.00							<u> </u>	
lı		ice Channel Mileage																
		Fixed Each Including First Mile			UEPPP		1LN1A	80.382	198.15	148.18	25.44				40.71	9.58		
		Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.692										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1										ļ					
ļu		ort/Loop Combination Rates		<u> </u>	L		1									ļ		<u> </u>
		4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide	1		UEPDC		1	.=-										<u> </u>
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	1	1	UEPDC		+	170.59									ļ	
		14VV DO I DIQITAL LOOD/4VV DDITS TRUNK PORT - UNE ZONE 2	1	2	UEPDC			246.30				1	1			1	1	

UNBUNDLE	D NETWORK ELEMENTS - Alabama					1					1	,	Attachment:		Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						ı	Nonrec	urring	Nonrecurring	Disconnect			066	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		—	UEPDC		Rec	FIISt	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
LINE	oop Rates		4	UEPDC	-										-	
ONLL	4-Wire DS1 Digital Loop - Statewide		SW	UEPDC	USLDC										-	
	4-Wire DS1 Digital Loop - Statewide		3w	UEPDC	USLDC	101.92							40.71	9.58	-	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	177.63							40.71	9.58	-	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	329.04							40.71	9.58		
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	329.04							40.71	9.36	-	
LINE	ort Rate		4	UEPDC	USLDC											
UNE F	4-Wire DDITS Digital Trunk Port		<u> </u>	UEPDC	UDD1T	750.00	1,003.02	478.01	211.87	20.77			40.71	9.58		
NOND	ECURRING CHARGES - CURRENTLY COMBINED			UEPDC	ווטטטו	750.00	1,003.02	4/0.01	211.07	20.77			40.71	9.36		
NONK	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		258.98	134.03					40.71	9.58		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		258.98	134.04					40.71	9.58		
	Conversion with DOT changes top 6 McAs unly	1	 	021 00	JUANA		230.30	134.04			1		40.71	3.30	 	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination													0.50		
40017	- Conversion with Change - Trunk Top 8 MSAs only		<u> </u>	UEPDC	USAWB		258.98	134.03					40.71	9.58		
ADDIT	IONAL NRCs		<u> </u>													
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order			UEPDC	USAS4								40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.85	28.95					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan						28.85						40.71	9.58		
	Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTD			28.85					-			
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.85	28.85					40.71	9.58		
BIPOL	AR 8 ZERO SUBSTITUTION			LIEBBO	00005											
	B8ZS -Superframe Format		<u> </u>	UEPDC	CCOSF		0.00	600.00								
L	B8ZS - Extended Superframe Format		<u> </u>	UEPDC	CCOEF		0.00	600.00								
Altern	ate Mark Inversion			LIEDDO	140005		0.00	0.00								
	AMI - Superframe Format		-	UEPDC UEPDC	MCOSF MCOPO		0.00	0.00								
Talant	AMI - Extended SuperFrame Format		-	UEPDC	MCOPO		0.00	0.00								
reiepr	none Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group	!	 	UEPDC	UDTGX	0.00			1		 			-		
 	Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group	1	1	UEPDC	UDTGY	0.00					}			1	+	
 	Telephone Number for 1-Way Inward Trunk Group Without DID	 		UEPDC	UDTGZ	0.00			1		1			1	t	
 	DID Numbers, Establish Trunk Group and Provide First Group			021 00	00102	0.00					 			 	t	
	of 20 DID Numbers	l	1	UEPDC	NDZ	0.00	0.00	0.00						1	I	
 	DID Numbers for each Group of 20 DID Numbers	-	1	UEPDC	ND4	0.00	0.00	0.00							-	†
 	DID Numbers, Non- consecutive DID Numbers , Per Number	1		UEPDC	ND5	0.00	0.00		1		1			 	I	1
	Reserve Non-Consecutive DID Nos.	l		UEPDC	ND6	0.00	0.00	0.00						1	1	1
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00						İ	1	1
Dedica	ated DS1 (Interoffice Channel Mileage) -				1	2.20	2.20	2.30						İ	1	1
	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port			1										İ	İ	
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	79.69	198.15	148.18	25.44	20.42			40.71	9.58		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.692	0.00	0.00								
 	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	1			. 2. 10/1	0.002	0.00	2.00							<u> </u>	t
	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNO2	0.00	0.00	0.00								
	miles			UEPDC	1LNOB	0.692	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							

INRONDLED	NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	1
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		١ ا									Elec	Manually	Manual Svc	Manual Svc		Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				,				
AILGORI	RATE ELEMENTS	m	ZUITE	BC3	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.692	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00							
				UEPDC	CIG	0.00										
	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	m can have various rate combinations based on type and nu	nber of	ports	used												
UNE DS	S1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	101.92	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	177.63	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	329.04	0.00	0.00	 							1
		26)	<u>ა</u>	OLF IVIO	USLDC	329.04	0.00	0.00			 			 	 	1
	60 Channelization Capacities (D4 Channel Bank Configuration	15)		LIEDMO	V/I IN 40.4	445.00	0.00	0.00			1		10.71	0.50	1	1
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	115.89	0.00	0.00					40.71	9.58		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	231.78	0.00	0.00					40.71	9.58		1
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	463.56	0.00	0.00					40.71	9.58		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	695.34	0.00	0.00					40.71	9.58		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	980.00	0.00	0.00					40.71	9.58		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,158.90	0.00	0.00					40.71	9.58		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,390.68	0.00	0.00					40.71	9.58		<u> </u>
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,854.24	0.00	0.00					40.71	9.58		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,317.80	0.00	0.00					40.71	9.58		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,781.36	0.00	0.00					40.71	9.58		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3.244.92	0.00	0.00					40.71	9.58		
	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chann	eliztic													
	num System configuration is One (1) DS1, One (1) D4 Channe						0.0									
																
	es of this configuration functioning as one are considered Ac				ontiguration is	countea.										
	Additions Where Currently Combined and New (Not Currently	y Comb	ined)													
	B MSAs and AL, FL, and NC Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation -			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65			40.71	9.58		
Bipolar	8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
				ULFIVIG	CCOSI	0.00	0.00	000.00								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								
	te Mark Inversion (AMI)															
	Superframe Format		L	UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
	ge Ports			İ					i 1						1	
xonan	g-:										 					
	Line Side Combination Channelized DBV Trunk Bart Divisions		1	UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00	1		40.71	9.58	1	1
	Line Side Combination Channelized PBX Trunk Port - Business															ļ
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			40.17	9.58		<u> </u>
				1							1					
L	Line Side Inward Only Channelized PBX Trunk Port without DID	L	<u> </u>	UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00	<u> </u>	<u> </u>	40.71	9.58	<u> </u>	<u> </u>
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	40.00	0.00	0.00	0.00	0.00			40.71	9.58		
	2-Wire Channelized PBX Area Calling Service Combination Port															
	(AL Only)		l	UEPPX	UEPA4	14.00	0.00	0.00			I		40.71	9.58	1	
	2 Wire Channelized PBX Area Calling Service Outgoing Only	\vdash	—		J., 7.	14.00	0.00	0.00	 		 		70.71	5.50	1	
			l	LIEDDY	LIEDAG	44.00	0.00	0.00			I		40.71	9.58	1	
	Port (AL Only)			UEPPX	UEPA3	14.00	0.00	0.00	 		1		40.71	9.58	1	ļ
	Activations - Unbundled Loop Concentration			ļ												
	Feature (Service) Activation for each Line Side Port Terminated		l	İ							I			1	1	
	in D4 Bank		l	UEPPX	1PQWM	0.62	40.00	20.00	6.00	5.00	I		40.71	9.58	1	
	Feature (Service) Activation for each Trunk Side Port Terminated								i i					İ		
	in D4 Bank		l	UEPPX	1PQWU	0.62	110.00	30.00	65.00	20.00	I		40.17	9.58	1	
	one Number/ Group Establishment Charges for DID Service	\vdash	—	5-11 A	11 9770	0.02	110.00	50.00	00.00	20.00	 		40.17	9.30	1	
				LIEDDY	NDT	0.00	0.00	0.00	 		 			 	-	
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States		1	UEPPX	ND4	0.00	0.00	0.00			1	l		1		1
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								

Version 1Q02: 03/22/2002 PAGE 31 OF 352

	ED NETWORK ELEMENTS - Alabama										Svc Order	Svc Order	Attachment: Incremental		Exhibit: B Incremental	l
																Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
OATEGORT	NATE ELEMENTO	m	20110	500	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurrin	g Disconnect			OSS	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00	11130	Addi	COMILO	COMPAR	COMAIN	COMPAR	COMPAN	COMPAR
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loca	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES - Vertical and Optional															
Loca	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	5.55	0.00	0.00					40.71	9.58		
UNBUNDLER	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	S														
	st Based Rates are applied where BellSouth is required by FCC		State C	commission rule to	provide Unbu	Indled Local S	witching or Sw	ritch Ports.								
2. Fe	atures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rate	section in the sam	ne manner as	they are applie	d to the Stand	-Alone Unbun	dled Port secti	ion of this Rate	Exhibit.					
3. En	d Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
	r Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, a															
to No	t Currently Combined Combos for all states. In GA, KY, LA, MS	S, SC, ar	d TN th	nese nonrecurring of	charges are co	ommission ord	ered cost base	ed rates and in	AL, FL, and N	C these nonre	curring char	ges are Ma	rket Rates and	d are listed in	the Market R	ate section.
For C	urrently Combined Combos in all other states, the nonrecurring	g charg	es shal	l be those identified	in the Nonre	curring - Curr	ently Combine	d sections.								
5. M	arket Rates for Unbundled Centrex Port/Loop Combination will	be nego	otiated	on an Individual Ca	se Basis, unt	il further notic	e.									
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	1)														
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design		1	UEP91		16.55										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP91		25.51										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP91		44.44										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP91		22.62										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		29.61										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP91		38.09										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	14.35										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	23.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP91	UECS1	42.24				-				-		├
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	20.42										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	3	UEP91 UEP91	UECS2 UECS2	27.41 35.89			-	 				1	-	├
UNE	2-Wire Voice Grade Loop (SL 2) - Zone 3	 	3	ULFSI	UEUSZ	35.89				 				 		
	ates (Except North Carolina and Sout Carolina)	 			+				-	-				-	-	⊢—
All St	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	-	UEP91	UEPYA	2.20				1			40.71	9.58		
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	 		OLI 31	JLI IA	2.20			 	 			40.71	9.30	 	
. 1	Area	1		UEP91	UEPYB	2.20				I			40.71	9.58	Ì	1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	 		02101	JL1 1D	2.20			 	 			40.71	3.30	 	
. 1	Area	1		UEP91	UEPYH	2.20				1			40.71	9.58		1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		J J.	021 111	2.20				<u> </u>			40.71	5.50	1	—
. 1	Center)2 Basic Local Area	1		UEP91	UEPYM	2.20				1			40.71	9.58		1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	†				20			1	1				2.00	1	
. 1	Term - Basic Local Area	1		UEP91	UEPYZ	2.20				I			40.71	9.58	Ì	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1			1				1	t				2.30	1	
. 1	- Basic Local Area	1		UEP91	UEPY9	2.20				1			40.71	9.58		1
	2-Wire Voice Grade Port Terminated on 800 Service Term -	1		-	1	0			İ	1				1.30	İ	
. 1	Basic Local Area	1		UEP91	UEPY2	2.20				I			40.71	9.58	Ì	1
AL. F	Y, LA, MS, & TN Only	†			1				1	t				2.30	1	
	2-Wire Voice Grade Port (Centrex)	†		UEP91	UEPQA	2.20			1	1			40.71	9.58	1	
		1		UEP91	UEPQB	2.20			1				40.71	9.58		
·——	I2-Wire Voice Grade Port (Centrex 800 termination)															
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1					2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEPQH											

	D NETWORK ELEMENTS - Alabama	1		T									Attachment:		Exhibit: B	<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP91	UEPQZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	2.20							40.71	9.58		
	Switching			LIEBO.		0.5400										
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										
	Number Portability			LIEDO4	LNPCC	0.05										
	Local Number Portability (1 per port)			UEP91	LINPCC	0.35										
Feature	All Standard Features Offered, per port			UEP91	UEPVF	2.64										
	All Select Features Offered, per port	 	!	UEP91	UEPVS	0.00	405.52		1				40.71	9.58	1	
	All Centrex Control Features Offered, per port	 	!	UEP91	UEPVC	2.64	703.32		1				40.71	9.30	1	1
NARS	7 iii Centrex Control 1 catales Cherea, per pert			OLI 01	OLI VO	2.04										
	Unbundled Network Access Register - Combination	1		UEP91	UARCX	0.00	0.00	0.00	 				40.71	9.58		
	Unbundled Network Access Register - Indial	1	!	UEP91	UAR1X	0.00	0.00	0.00	t		<u> </u>		40.71	9.58	 	1
	Unbundled Network Access Register - Outdial	l	t	UEP91	UAROX	0.00	0.00	0.00					40.71	9.58	1	
	aneous Terminations			02. 0.	07111071	0.00	0.00	0.00						0.00		
	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	9.17										
	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	24.15							40.71	9.58		
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0101							40.71	9.58		
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.64										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.64										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.64										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.64										
	Different Wife Center			OLI 31	II QVVI	0.04										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.64										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.64										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.64										ļ
	ecurring Charges (NRC) Associated with UNE-P Centrex	ļ	<u> </u>		_											ļ
	Conversion - Currently Combined Switch-As-Is with allowed	l		LIEBOA	110463										1	
	changes, per port	<u> </u>	<u> </u>	UEP91	USAC2	0.00	2.80	0.41					40.71	9.58		
	New Centrex Standard Common Block	 	 	UEP91 UEP91	M1ACS M1ACC	0.00	667.21				-		40.71 40.71	9.58 9.58	 	1
	New Centrex Customized Common Block Secondary Block, per Block	 	 	UEP91	M1ACC M2CC1	0.00	667.21 78.02		1		-		40.71	9.58	 	1
	NAR Establishment Charge, Per Occasion	!	 	UEP91	URECA	0.00	78.02		 				40.71	9.58	-	
	CENTREX - 5ESS (Valid in All States)	1	 	OLF31	UNLOA	0.00	12.13		1				40.71	9.38	1	}
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	 	!	 	1 1				1						1	1
	ort/Loop Combination Rates (Non-Design)	-	1		+ -				 							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP95		16.55										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					25.51 44.44										
	Non-Design ort/Loop Combination Rates (Design)	-	3	UEP95	+	44.44										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	UEP95		22.62										
	Design	I	1	UEP95		22.62					ļ					ļ

<u>UNBU</u> NDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
I INTE	Design		3	UEP95		38.09										
UNE L	oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	14.35										
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	23.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	42.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	20.42										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	27.41										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	35.89										
	ort Rate															
All Sta				ļ.,			, i							ļ	ļ	
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.20					1		40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP95	UEPYB	2.20			1	1			40.71	9.58	 	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPYZ	2.20					-		40.71	9.58		
	- Basic Local Area			UEP95	UEPY9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	2.20							40.71	9.58		
AL, KY	, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	2.20							40.71	9.58		
_	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95 UEP95	UEPQB UEPQH	2.20 2.20					-		40.71 40.71	9.58 9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
-	Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPQM	2.20							40.71	9.58		
	Term			UEP95	UEPQZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	2.20							40.71	9.58		
Local	Switching Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
Local	Number Portability			UEP95	URECS	0.3466										
Looui	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featur														Ì	Ì	
	All Standard Features Offered, per port			UEP95	UEPVF	2.64										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52							40.71	9.58	
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.64					1					<u> </u>
NARS				LIEDOE	UARCX	0.00	0.00	0.00						40.74	0.50	
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial			UEP95 UEP95	UARCX UAR1X	0.00	0.00	0.00	1	1				40.71 40.71	9.58 9.58	
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP95 UEP95	UARTX	0.00	0.00	0.00	1	1				40.71	9.58	
Miscel	laneous Terminations			02.1 33	CANOX	0.00	0.00	0.00			1			40.71	3.38	
	Trunk Side			1	1									1	1	
	Trunk Side Terminations, each			UEP95	CEND6	9.17								<u> </u>		
4-Wire	Digital (1.544 Megabits)							•								
	DS1 Circuit Terminations, each			UEP95	M1HD1	68.67										
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.25							40.71	9.58	
Interof	fice Channel Mileage - 2-Wire			LIEDOS	MICEC	01.15			ļ	ļ					ļ	
-	Interoffice Channel Facilities Termination			UEP95	MIGBC	24.15					1			 	 	
Fostur	Interoffice Channel mileage, per mile or fraction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP95	MIGBM	0.0101			1	1	1			-	-	
	annel Bank Feature Activations	-		 	+	ł					1			1	 	
D-7 5116	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.64			1	1	1			 	 	

UNBUN	DLÉI	NETWORK ELEMENTS - Alabama										1	,	Attachment:		Exhibit: B	
CATEGOI	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							1	Nonrec	rrina	Monroourrin	g Disconnect			000	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							Nec	FIISL	Auu i	FIISL	Auu i	SOMEC	SOWAN	JOWAN	SOWAN	JOWAN	JOWAN
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.64										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 00		0.01										
		Slot			UEP95	1PQW7	0.64										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.64										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.64										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			LIEDOE	1PQWQ	0.04										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95 UEP95	1PQWQ	0.64 0.64				-					-	
N		curring Charges (NRC) Associated with UNE-P Centrex	1	1	OL1 30	II QVIA	0.04			†	†					t	
- 1	J 110	NRC Conversion Currently Combined Switch-As-Is with allowed	1			+	-			†	†				1	†	
		changes, per port	1	1	UEP95	USAC2		2.80	0.41		1			40.71	9.58		
1		New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21						40.71	9.58		
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21		<u> </u>				40.71	9.58		
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73						40.71	9.58		
		CENTREX - DMS100 (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
U		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDOD		10.55										
		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D		16.55				-					-	
		Non-Design		2	UEP9D		25.51										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 3D		25.51										
		Non-Design		3	UEP9D		44.44										
U	NE Po	ort/Loop Combination Rates (Design)			02. 02											1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		22.62										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		29.61										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9D		38.09										
U	NE LC	pop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	LIECC1	14.35										
		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1 UECS1	23.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9D	UECS1	42.24			†	†				1	†	
		2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9D	UECS2	20.42			1	1				1	1	
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	27.41								<u> </u>		
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	35.89										
		ort Rate															
A		ATES		<u> </u>	LIEDAD	LIED: (A	2.00										
		2-Wire Voice Grade Port (Centrex) Basic Local Area	<u> </u>	<u> </u>	UEP9D	UEPYA	2.20			ļ				40.71	9.58		
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1	LIEBOD	LIEDVD	2.20				I			40.74	0.50		
		Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	-	 	UEP9D	UEPYB	2.20			+	 	-		40.71	9.58		
		Area	l		UEP9D	UEPYC	2.20				1			40.71	9.58	1	
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	-	1	02.1 30	JE1 10	2.20				-			40.71	9.36	 	
		Area	1	1	UEP9D	UEPYD	2.20				I			40.71	9.58		
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local					1								1		
		Area	<u> </u>		UEP9D	UEPYE	2.20				<u> </u>			40.71	9.58	<u></u>	
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			1				· · · · · · · · · · · · · · · · · · ·						1		
		Area			UEP9D	UEPYF	2.20							40.71	9.58		
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	1		l		\neg				_					_	
		Area	<u> </u>	<u> </u>	UEP9D	UEPYG	2.20			ļ				40.71	9.58		
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	1	1	LIEBOD	LIEDYT	2.20				I			40.74	0.50		
		Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	 	1	UEP9D	UEPYT	2.20			 	 	1		40.71	9.58	 	
		Area	l	1	UEP9D	UEPYU	2.20				1]	40.71	9.58	I	İ

UNBUNDLE	D NETWORK ELEMENTS - Alabama										1 -	1 -	Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonre	curring	Nonrecurrin	g Disconnect				Rates(\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	2.20							40.71	9.58		<u> </u>
	Area			UEP9D	UEPY3	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			02. 02	02. 10	2.20								0.00		
	Area			UEP9D	UEPYH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				I I											
	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPYW	2.20							40.71	9.58		
	Basic Local Area			UEP9D	UEPYJ	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI SB	OLI 10	2.20							40.71	0.00		
	2 Basic Local Area			UEP9D	UEPYM	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3															
	Basic Local Area			UEP9D	UEPYO	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			OLI 3D	OLI II	2.20							40.71	9.50		
	Basic Local Area			UEP9D	UEPYQ	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															
	Basic Local Area			UEP9D	UEPYR	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	2.20							40.71	9.58		
+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPTS	2.20							40.71	9.56		
	Basic Local Area			UEP9D	UEPY4	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	2.20							40.71	9.58		
	Basic Local Area			UEP9D	UEPY7	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPYZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.20							40.71	9.58		
+	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEFT9	2.20							40.71	9.56		1
	Local Area			UEP9D	UEPY2	2.20							40.71	9.58		
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D UEP9D	UEPQC UEPQD	2.20 2.20					1		40.71 40.71	9.58 9.58		-
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D UEP9D	UEPQU UEPQV	2.20 2.20					-		40.71 40.71	9.58 9.58		-
	2-Wire Voice Grade Port (Centrex / EBS-N5316)3			UEP9D	UEPQ3	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPQW	2.20			_	ļ	ļ		40.71	9.58		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPQJ	2.20			-	1	1		40.71	9.58		
	2			UEP9D	UEPQM	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	2.20			1	1	1		40.71	9.58		
	, , , , , , , , , , , , , , , , , , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	2.20							40.71	9.58		

UNBUNDL	LED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2. 3			UEP9D	UEPQR	2.20							40.71	9.58		
	2-wire voice Grade Port (Centrex/diller SWC /EBS-MS112)2, 3			UEP9D	UEPQR	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	2.20							40.71	9.58		
	·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	2.20							40.71	9.58		
	2-Wile Voice Grade Fort (Centrex differ SWC /EB3-W5206)2, 3			UEP9D	UEPQS	2.20							40.71	9.56		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	2.20							40.71	9.58		
	, , , , , , , , , , , , , , , , , , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	<u> </u>	<u> </u>	UEP9D	UEPQ7	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPQZ	2.20							40.71	9.58		
	Teilli			OLF3D	ULFQZ	2.20							40.71	9.30		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	2.20							40.71	9.58		
Loca	al Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										
Loca	al Number Portability			UEP9D	LNPCC	0.25										
Foot	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
геа	All Standard Features Offered, per port			UEP9D	UEPVF	2.64										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.64	400.02									
NAR			1	OLI SB	OLI VO	2.04										
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00					40.71	9.58		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00					40.71	9.58		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00					40.71	9.58		
	cellaneous Terminations															
2-W	ire Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	9.17										
4-W	ire Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	68.67	20.05									
Inte	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.25						40.71	9.58		
inte	roffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP9D	MIGBC	24.15										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0101										
Feat	ture Activations (DS0) Centrex Loops on Channelized DS1 Service	e	 	021 30	IVIIODIVI	0.0101									 	
	Channel Bank Feature Activations	ĺ				+									1	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	l		UEP9D	1PQWS	0.64				İ					İ	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		<u> </u>	UEP9D	1PQW6	0.64										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot	ļ	<u> </u>	UEP9D	1PQW7	0.64										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEBOD	1PQWP	0.64										
	Different Wire Center	 	<u> </u>	UEP9D	IPQWP	0.64				-						
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP9D	1PQWV	0.64										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		1		1	0.01			1	1						
[Slot	<u></u>	L	UEP9D	1PQWQ	0.64				<u> </u>	<u> </u>					
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.64										
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex							-								
	NRC Conversion Currently Combined Switch-As-Is with allowed]	
	changes, per port	ļ	<u> </u>	UEP9D	USAC2		2.80	0.41	ļ	ļ			40.71	9.58	ļ	
	New Centrex Standard Common Block	<u> </u>	ļ	UEP9D	M1ACS	0.00	667.21						40.71	9.58		
	New Centrex Customized Common Block	1	1	UEP9D	M1ACC	0.00	667.21			l	1	1	40.71	9.58	1	ı
	NAR Establishment Charge, Per Occasion		1	UEP9D	URECA	0.00	72.73						40.71	9.58		

NRONDE	D NETWORK ELEMENTS - Alabama			1							Γ-		Attachment:		Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Instant									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
		m	_00		0000						per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
ONL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				-											
	Non-Design		1	UEP9E		16.55										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9E		25.51										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9E		44.44										
LINE	Port/Loop Combination Rates (Design)		Ŭ	02.02	_						1					
ONE																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9E		22.62										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l	1	İ		l					1				1	1
	Design		2	UEP9E		29.61										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			1	1				i e	1	l					
1	Design	l	3	UEP9E		38.09									1	
LINE I	oop Rate		3	OLFBL	-	30.09										-
UNE				LIEBAE		110=										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	14.35										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	23.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	42.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	20.42										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	27.41										
_	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	35.89										
UNIFE			3	ULFBL	ULUGZ	33.09					-					
	Port Rate															
AL, FI	_, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	2.20							40.71	9.58		
				UEP9E	UEPTH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP9E	UEPYM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP9E	UEPYZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	2.20							40.71	9.58		
-				OLFBL	OLFIS	2.20							40.71	9.30		-
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	2.20							40.71	9.58		
AL, K	Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	2.20			i e		İ		40.71	9.58	1	1
_	2-Wire Voice Grade Port (Centrex from diff Serving Wire			1 v-	J XII	2.20			1	†	t		70.71	5.50	1	1
				LIEDOE	LIEDOM	0.00							40.74	0.50		
	Center)2		_	UEP9E	UEPQM	2.20			!	ļ	1		40.71	9.58		!
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	l	1	İ		l					1				1	
	Term		<u></u>	UEP9E	UEPQZ	2.20			<u> </u>	<u> </u>	<u> </u>		40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l	1	UEP9E	UEPQ9	2.20							40.71	9.58	1	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	2.20			1		1		40.71	9.58		1
Local	Switching				J JL	2.20			 	1	1		70.71	5.50	1	1
Local				LIEDOE	LIDECC	0.5488			 	 	 					
	Centrex Intercom Funtionality, per port		—	UEP9E	URECS	0.5488			 	1	1					1
Local	Number Portability			ļ												
	Local Number Portability (1 per port)		<u> </u>	UEP9E	LNPCC	0.35			<u> </u>	<u> </u>	<u> </u>		<u></u>		<u> </u>	<u> </u>
Featu	res															
	All Standard Features Offered, per port			UEP9E	UEPVF	2.64			i e		Ì					
_	All Select Features Offered, per port		1	UEP9E	UEPVS	0.00	405.52		1		l		40.71	9.58	t	1
-+-			 	UEP9E	UEPVC	2.64	+03.32		1	1	1		40.71	5.30	1	+
11450	All Centrex Control Features Offered, per port		-	OLFAE	UEFVU	∠.04			 	1	 				-	+
NARS				ļ			_									
	Unbundled Network Access Register - Combination		Ь	UEP9E	UARCX	0.00	0.00	0.00	<u></u>	<u></u>	<u> </u>		40.71	9.58	<u> </u>	
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00					40.71	9.58		

INBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec	urring	Nonrecurrin	g Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00					40.71	9.58		
	laneous Terminations															
2-Wire	Trunk Side			LIEBAE	051100											
	Trunk Side Terminations, each			UEP9E	CEND6	9.17										
4-Wire	Digital (1.544 Megabits)			LIEDOE	M1HD1	68.67			-							
_	DS1 Circuit Terminations, each DS0 Channel Activated Per Channel			UEP9E UEP9E	M1HD0	0.00	28.25						40.71	9.58		
Intero	ffice Channel Mileage - 2-Wire			UEF9E	MILLIPO	0.00	20.25		-	-			40.71	9.56		
intero	Interoffice Channel Facilities Termination			UEP9E	MIGBC	24.15										
-	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0101			1							
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e		OL: 0L	WIGDIN	0.0101	-		-	-						
	annel Bank Feature Activations	_							1	1						
- 3.1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.64			<u> </u>	<u> </u>					1	
					1				1	1					1	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.64			I	I					1	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9E	1PQW7	0.64			1	1						
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.64										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.64										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9E	1PQWQ	0.64										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.64										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E UEP9E	USAC2	0.00	2.80	0.41					40.71 40.71	9.58 9.58		
	New Centrex Standard Common Block New Centrex Customized Common Block			UEP9E UEP9E	M1ACS M1ACC	0.00	667.21 667.21		-	-			40.71	9.58		
	NAR Establishment Charge, Per Occasion			UEP9E UEP9E	URECA	0.00	72.73						40.71	9.58		
LIME	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			UEP9E	URECA	0.00	12.13						40.71	9.58		
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											
	ort/Loop Combination Rates (Non-Design)				+											
ONLI	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+				1							
	Non-Design		1	UEP93		16.55										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02.00		10.00										
	Non-Design		2	UEP93		25.51										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP93		44.44										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP93		22.62										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP93		29.61										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93	1	38.09										
UNE L	oop Rate			LIEDOS	LIECC1	11.05				-						
_	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93 UEP93	UECS1	14.35			!	!					 	
-	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93 UEP93	UECS1 UECS1	23.31 42.24			 	 	1				 	
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93 UEP93	UECS1 UECS2	20.42			-	-					-	
-	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	27.41			+	+	}				1	
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	35.89			+	+	}				1	
UNF P	ort Rate			OLI 33	0002	55.55			 	 					 	-
	/, LA, MS, & TN only				+ +				 	 	 				 	
, K	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	2.20			-	-	1		40.71	9.58	 	
\neg	2-Wire Voice Grade Port (Centrex / Basic Educat Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				J=/\	2.20			1	<u> </u>			70.71	5.50	1	
1	Area		l	UEP93	UEPYB	2.20			1	1			40.71	9.58	1	

ONRONDL	ED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
							Nonred			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP93	UEPYH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP93	UEPYM	2.20							40.71	9.58		
-+-	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP93	UEPTIVI	2.20							40.71	9.56		
	Term - Basic Local Area			UEP93	UEPYZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			02. 00	022	2.20							10.7 1	0.00		
	- Basic Local Area			UEP93	UEPY9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	2.20				ļ			40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP93	UEPQM	2.20							40.71	9.58	1	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term	l		UEP93	UEPQZ	2.20							40.71	9.58		
	ICIIII	 	-	UEF93	UEFQZ	2.20			1				40.71	9.58	1	
.	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		UEP93	UEPQ9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated in 6th Weganink of equivalent			UEP93	UEPQ2	2.20							40.71	9.58		
Local	Switching			02.00	02. Q2	2.20							10.7 1	0.00		
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Featu	res															
	All Standard Features Offered, per port			UEP93	UEPVF	2.64										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	2.64										
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00					40.71	9.58		
	Unbundled Network Access Register - Indial			UEP93 UEP93	UAR1X UAROX	0.00	0.00	0.00					40.71 40.71	9.58 9.58		
Micor	Unbundled Network Access Register - Outdial		-	UEP93	UARUX	0.00	0.00	0.00					40.71	9.58		
	e Trunk Side										-					
2-1111	Trunk Side Terminations, each			UEP93	CEND6	9.17										
4-Wir	e Digital (1.544 Megabits)			02. 00	02.120	0										
	DS1 Circuit Terminations, each			UEP93	M1HD1	68.67										
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	28.25						40.71	9.58		
Interc	office Channel Mileage - 2-Wire									<u> </u>					<u> </u>	
	Interoffice Channel Facilities Termination			UEP93	MIGBC	24.15										
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0101										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e							ļ							
D4 Ch	nannel Bank Feature Activations	<u> </u>		LIEDOS	400140	201			ļ				ļ		ļ	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	 		UEP93	1PQWS	0.64			1	 			1		ļ.	}
	Facture Activation on D.4 Channel Bank EV Line Cide Lear Clat	1		UEP93	1PQW6	0.64										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1		UEP93	IPQW6	0.64								-		
	Slot	1		UEP93	1PQW7	0.64										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1		02.00	// 02 ***/	0.04									1	
.	Different Wire Center	1		UEP93	1PQWP	0.64										
													1			
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP93	1PQWV	0.64										
.	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot	<u></u>		UEP93	1PQWQ	0.64				<u> </u>	<u> </u>					<u> </u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.64										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed	1				\exists										
		1	i	UEP93	USAC2		2.80	0.41	1	I	l	1	40.71	9.58	i	1
	changes, per port New Centrex Standard Common Block	-		UEP93	M1ACS	0.00	667.21	0.11					40.71	9.58	ł	

UNB	UNDLE	NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring Di	isconnect			oss	Rates(\$)	I	I .
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73						40.71	9.58		
	Note 1	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage															
	Note 3	Requires Specific Customer Premises Equipment									•						
	NOTE:	Rates displaying an "R" in Interim column are interim and su	bject to	rate tr	ue-up as set forth in	General Ter	ms and Conditi	ons.			·						

LINDLIN	DI E	NETWORK ELEMENTS - Florida												A44b	•	Fubility D	
UNBUN	DLEL	NETWORK ELEMENTS - FIORIDA	1				1					00	00	Attachment:		Exhibit: B	
													Svc Order		Incremental		Incremental
													Submitted		Charge -	Charge -	Charge -
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	Κi	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1			† I	Nonre	curring	Nonrecurrin	g Disconnect			OSS	Rates(\$)		·
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	1																JOHAN
		one" shown in the sections for stand-alone loops or loops as				eograpnically	/ Deaveraged U	NE Zones. 10	view Geograp	nically Deaver	aged UNE Zone	e Designatio	ons by Cent	rai Office, ref	er to internet	website:	
	•	ww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
		SUPPORT SYSTEMS															
		1) Electronic Service Order: CLEC should contact its contract															s rate
е	xhibit	is the BellSouth regional electronic service ordering charge.	CLEC	may ele	ect either the state s	pecific Comr	nission ordered	rates for the	electronic serv	rice ordering c	harges, or CLE	C may elec	t the region	al electronic	service orderi	ng charge.	
		Any element that can be ordered electronically will be bill															
		lements that cannot be ordered electronically at present per t				e in this cate	gory reflects the	e charge that	would be billed	d to a CLEC or	nce electronic o	ordering cap	pabilities co	me on-line fo	r that elemen	t. Otherwise,	the manual
0	rderin	g charge, SOMAN, will be applied to a CLECs bill when it sub	bmits ar	LSR t	o BellSouth.												
		Manual Service Order Charge, per LSR, Disconnect Only (FL)				SOMAN				1.83							
		Electronic OSS Charge, per LSR, submitted via BST's OSS															1
		interactive interfaces (Regional)	<u> </u>			SOMEC		3.50									
		XCHANGE ACCESS LOOP															
2	-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.79	49.57	22.83	25.62	6.57		11.90				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.27	49.57	22.83	25.62	6.57		11.90				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	33.36	49.57	22.83	25.62	6.57		11.90				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		77.09					11.90				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		33.12					11.90				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94				11.90				
		Engineering Information Document (EI)			UEANL			12.28	12.28								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		23.02	23.02								
2	-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	13.83	41.64	19.02	19.65	5.09		11.90				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	ı	2	UEQ	UEQ2X	15.29	41.64	19.02	19.65	5.09		11.90				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	ı	3	UEQ	UEQ2X	20.29	41.64	19.02	19.65	5.09		11.90				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		9.00	9.00								
		Engineering Information Document			UEQ			12.28	12.28				11.90				
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		77.09					11.90				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		33.12					11.90				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43				11.90				
		XCHANGE ACCESS LOOP															
2	-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															1
		Zone 1	ļ	1	UEPSR UEPSB	UEALS	12.79	49.57	22.83	25.62	6.57		11.90		ļ		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	1			[<u> </u>	_	1
		Zone 1	ļ	1	UEPSR UEPSB	UEABS	12.79	49.57	22.83	25.62	6.57		11.90		ļ		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	1			[<u> </u>	_	1
		Zone 2	ļ	2	UEPSR UEPSB	UEALS	17.27	49.57	22.83	25.62	6.57		11.90		ļ		
1 T		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															1
		Zone 2	ļ	2	UEPSR UEPSB	UEABS	17.27	49.57	22.83	25.62	6.57		11.90		ļ		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	1			[<u> </u>	_	1
		Zone 3	ļ	3	UEPSR UEPSB	UEALS	33.36	49.57	22.83	25.62	6.57		11.90		ļ		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	1			[<u> </u>	_	1
		Zone 3	ļ	3	UEPSR UEPSB	UEABS	33.36	49.57	22.83	25.62	6.57		11.90		ļ		
		XCHANGE ACCESS LOOP	ļ			ļ											
2	-WIRE	ANALOG VOICE GRADE LOOP	ļ	<u> </u>						1						1	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1]			1					l	I	1
		Ground Start Signaling - Zone 1	ļ	1	UEA	UEAL2	14.50	135.75	82.47	63.53	12.01		11.90				<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1			[<u> </u>	_	1
		Ground Start Signaling - Zone 2	ļ	2	UEA	UEAL2	19.57	135.75	82.47	63.53	12.01		11.90		ļ		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1			[<u> </u>	_	1
		Ground Start Signaling - Zone 3	<u></u>	3	UEA	UEAL2	37.82	135.75	82.47	63.53	12.01		11.90				L
		Order Coordination for Specified Conversion Time (per LSR)	1	1	UEA	OCOSL		23.02	1					1			1

Version 1Q02: 03/22/2002 PAGE 42 OF 352

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Charge - Manual Sv Order vs.
													1st	Add'l	Disc 1st	Disc Add'
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															1
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.50	135.75	82.47	63.53	12.01		11.90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	19.57	135.75	82.47	63.53	12.01		11.90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_	1.15 4	LIEADO	27.02	405.75	00.47	CO 50	10.01		44.00				
	Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAR2 OCOSL	37.82	135.75 23.02	82.47	63.53	12.01		11.90				+
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35				11.90				+
4-WI	RE ANALOG VOICE GRADE LOOP		1	OLA	OKEWO		07.71	00.00				11.50				+
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	23.02	167.86	115.15	67.08	15.56		11.90				†
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	31.07	167.86	115.15	67.08	15.56		11.90				1
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	167.86	115.15	67.08	15.56		11.90				1
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35				11.90				
2-WI	RE ISDN DIGITAL GRADE LOOP															_
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.76	147.69	94.41	62.23	10.71		11.90				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.38	147.69	94.41	62.23	10.71		11.90				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	56.76	147.69	94.41	62.23	10.71		11.90				
	Order Coordination For Specified Conversion Time (per LSR)			UDN UDN	OCOSL		23.02 91.61	44.45				44.00				+
2.WI	CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) COMPATIBLE LOOP			UDIN	UREWO		91.61	44.15			-	11.90				+
2-991	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															+
	1		1	UDC	UDC2X	21.76	147.69	94.41	62.23	10.71		11.90				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		 	000	ODOZX	21.70	147.00	54.41	02.20	10.71		11.00				+
	2		2	UDC	UDC2X	29.38	147.69	94.41	62.23	10.71		11.90				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone							****								1
	3		3	UDC	UDC2X	56.76	147.69	94.41	62.23	10.71		11.90				
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.61	44.15				11.90				
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF													
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	12.65	149.53	103.85	75.05	15.63		11.90				
	2 Wire Unbundled ADSL Loop including manual service inquiry		_	UAL	LIALOV	47.00	440.50	400.05	75.05	45.00		44.00				
	& facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry		2	UAL	UAL2X	17.08	149.53	103.85	75.05	15.63		11.90				
	& facility reservation - Zone 3		3	UAL	UAL2X	33.00	149.53	103.85	75.05	15.63		11.90				
	Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	33.00	23.02	103.03	73.03	15.05		11.90				+
	2 Wire Unbundled ADSL Loop without manual service inquiry &			O/ IL	00002		20.02									+
	facility reservaton - Zone 1		1	UAL	UAL2W	12.65	124.83	71.12	60.64	9.12		11.90				
	2 Wire Unbundled ADSL Loop without manual service inquiry &															1
	facility reservaton - Zone 2		2	UAL	UAL2W	17.08	124.83	71.12	60.64	9.12		11.90				
	2 Wire Unbundled ADSL Loop without manual service inquiry &									· · · · · · · · · · · · · · · · · · ·						
	facility reservaton - Zone 3		3	UAL	UAL2W	33.00	124.83	71.12	60.64	9.12		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.19	40.39				11.90				
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													+
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	9.97	159.09	113.41	75.05	15.63		11.90				
	2 Wire Unbundled HDSL Loop including manual service inquiry		-	UNL	UHLZA	9.97	159.09	113.41	75.05	15.65	-	11.90				+
	& facility reservation - Zone 2		2	UHL	UHL2X	13.46	159.09	113.41	75.05	15.63		11.90				
	2 Wire Unbundled HDSL Loop including manual service inquiry		H	0.1.2	OT ILLY C	10.10	100.00		70.00	10.00						1
	& facility reservation - Zone 3		3	UHL	UHL2X	26.00	159.09	113.41	75.05	15.63		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	9.97	134.40	80.69	60.64	9.12		11.90				1
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	13.46	134.40	80.69	60.64	9.12		11.90			ļ	
	2 Wire Unbundled HDSL Loop without manual service inquiry		_			26.00	,	20.5-		.						
	and facility reservation - Zone 3		3	UHL	UHL2W	26.00	134.40	80.69	60.64	9.12	1	11.90		1	1	1

Version 1Q02: 03/22/2002 PAGE 43 OF 352

UNBUNDLE	ED NETWORK ELEMENTS - Florida								·				Attachment:	2	Exhibit: B	
											Svc Order	Svc Order	Incremental			Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1							N		N1	B'				D - ((ft)		
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39				11.90				
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															1
	and facility reservation - Zone 1		1	UHL	UHL4X	15.69	193.31	138.98	77.15	12.61		11.90				
	4-Wire Unbundled HDSL Loop including manual service inquiry		i i	01.12	0.12.17	10.00	100.01	100.00	771.10	12.01		11100				+
	and facility reservation - Zone 2		2	UHL	UHL4X	21.17	193.31	138.98	77.15	12.61		11.90				
		-		UHL	UHL4X	21.17	193.31	138.98	77.15	12.01		11.90				
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	40.90	193.31	138.98	77.15	12.61		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	4-Wire Unbundled HDSL Loop without manual service inquiry															1
	and facility reservation - Zone 1		1	UHL	UHL4W	15.69	168.62	115.47	62.74	11.22		11.90				
	4-Wire Unbundled HDSL Loop without manual service inquiry	l	<u> </u>		J ***	10.00	100.02	110.47	02.17	11.44	 	11.00		 		1
		l	2	liiui	LILLI AVA	24.47	160.00	115 47	60.74	11 00	1	11.00		1		
	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4W	21.17	168.62	115.47	62.74	11.22	.	11.90		ļ	ļ	
	4-Wire Unbundled HDSL Loop without manual service inquiry	l	l	İ							I			1		
	and facility reservation - Zone 3	<u> </u>	3	UHL	UHL4W	40.90	168.62	115.47	62.74	11.22		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39				11.90				
4-WIR	E DS1 DIGITAL LOOP															+
7 ****	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	73.44	313.75	181.48	61.22	13.53		11.90				+
			<u> </u>												-	+
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	99.13	313.75	181.48	61.22	13.53		11.90				4
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	191.51	313.75	181.48	61.22	13.53		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04				11.90				
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.39	161.56	108.85	67.08	15.56		11.90				1
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.62	161.56	108.85	67.08	15.56		11.90				4
				UDL	UDL19	68.82	161.56	108.85	67.08	15.56		11.90				+
	4 Wire Unbundled Digital 19.2 Kbps	-	3													
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.39	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.62	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	68.82	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.39	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	35.62	161.56	108.85	67.08	15.56		11.90				+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	68.82	161.56	108.85	67.08	15.56		11.90				+
	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	00.02		100.00	07.00	10.00		11.30				+
				-			23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74				11.90				4
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service		1	1							ĺ			1		
	inquiry & facility reservation - Zone 1	l	1	UCL	UCLPB	12.65	148.50	102.82	75.05	15.63	1	11.90		1		
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17.08	148.50	102.82	75.05	15.63	ĺ	11.90		1		
- t	2 Wire Unbundled Copper Loop/Short including manual service				302. 2	00	0.00	.02.02	. 5.00		1	50		1	†	+
1	inquiry & facility reservation - Zone 3	l	3	UCL	UCLPB	33.00	148.50	102.82	75.05	15.63	I	11.90		1		
		 	3		UCLPB	აა.იი		9.00	70.05	10.03	-	11.90		 	 	+
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	!	UCL	UCLIVIC		9.00	9.00			.			ļ	ļ	4
1	2-Wire Unbundled Copper Loop/Short without manual service	l	l	I							I			1		
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.65	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Short without manual service	l														
1	inquiry and facility reservation - Zone 2	l	2	UCL	UCLPW	17.08	123.81	70.09	60.64	9.12	I	11.90		1		
	2-Wire Unbundled Copper Loop/Short without manual service		1	İ	1						İ			İ		1
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	33.00	123.81	70.09	60.64	9.12	ĺ	11.90		1		
	Order Coordination for Unbundled Copper Loops (per loop)	 		UCL	UCLMC	35.00	9.00	9.00	00.04	9.12	1	11.30		1	<u> </u>	+
		 	-	UUL	UCLIVIC		9.00	9.00			-			 	 	+
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.	l	Ι.	l	1						1			1		
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	37.07	148.50	102.82	75.05	15.63	1	11.90				1
	2-Wire Unbundled Copper Loop/Long - includes manual svc.	1	1								1			<u> </u>		
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	50.04	148.50	102.82	75.05	15.63	ĺ	11.90		1		
	2-Wire Unbundled Copper Loop/Long - includes manual svc.														1	1
	inquiry and facility reservation - Zone 3	l	3	UCL	UCL2L	96.67	148.50	102.82	75.05	15.63	1	11.90		1		
	program and racinty reservation - ZOHE S	l	٥	UCL	UCLMC	30.07	9.00	9.00	10.00	10.03		11.50		1	i .	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred First		Nonrecurring First	Add'l	201150	001141		Rates(\$)	001111	0011411
	2-Wire Unbundled Copper Loop/Long - without manual service		-			Rec	FIrst	Add'l	FIRSt	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	37.07	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Long - without manual service		<u> </u>	UCL	UCLZVV	37.07	123.01	70.09	00.04	9.12		11.90				
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	50.04	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Long - without manual service									****						
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	96.67	123.81	70.09	60.64	9.12		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL -Des)			UCL	UREWO		97.21	42.47				11.90				
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry	ĺ	١.			40										1
ļ	and facility reservation - Zone 1	!	1	UCL	UCL4S	18.03	177.87	132.76	77.15	17.73	ļ	11.90				
	4-Wire Copper Loop/Short - including manual service inquiry		2	UCL	UCL4S	04.04	477.07	400 70	77.45	47.70		44.00	1		1	1
 	and facility reservation - Zone 2 4-Wire Copper Loop/Short - including manual service inquiry		2	UUL	UCL45	24.34	177.87	132.76	77.15	17.73	 	11.90	-			
	and facility reservation - Zone 3	ĺ	3	UCL	UCL4S	47.02	177.87	132.76	77.15	17.73		11.90				1
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL#S	47.02	9.00	9.00	77.15	17.73		11.90				—
	4-Wire Copper Loop/Short - without manual service inquiry and		1	OOL	OCLIVIC		3.00	3.00								-
	facility reservation - Zone 1		1	UCL	UCL4W	18.03	153.18	100.03	62.74	11.22		11.90				l
	4-Wire Copper Loop/Short - without manual service inquiry and								-							
	facility reservation - Zone 2		2	UCL	UCL4W	24.34	153.18	100.03	62.74	11.22		11.90				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4W	47.02	153.18	100.03	62.74	11.22		11.90				l
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	64.52	177.87	132.76	77.15	17.73		11.90				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	87.09	177.87	132.76	77.15	17.73		11.90				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	168.25	177.87	132.76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4L UCLMC	168.25	9.00	9.00	77.15	17.73	1	11.90				
	4-Wire Unbundled Copper Loop/Long - without manual svc.		1	UCL	OCLIVIC		9.00	9.00								
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	64.52	153.18	100.03	62.74	11.22		11.90				
	4-Wire Unbundled Copper Loop/Long - without manual svc.		<u> </u>	002	002.0	01.02	100.10	100.00	02.7 .			11.00				
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	87.09	153.18	100.03	62.74	11.22		11.90				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 3	<u></u>	3	UCL	UCL4O	168.25	153.18	100.03	62.74	11.22	L	11.90		<u> </u>	<u> </u>	<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47	ļ			11.90	ļ	ļ	ļ	
LOOP MODIFIC	CATION	!									ļ					
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		0.00	0.00								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire			1			-									
	greater than 18k ft			UCL, ULS	ULM2G		343.12	343.12				11.90				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft			UHL, UCL	ULM4L		0.00	0.00	ļ		ļ		ļ		ļ	
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		343.12	343.12				11.90				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		10.52	10.52				11.90				
SUB-LOOPS	•			_												
Sub-Lo	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-													_		
	Up			UEANL	USBSA		487.23	487.23	l .		1	11.90]]]	1

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		6.25	6.25				11.90				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '		OLANL	03030		0.25	0.25				11.90				
	Facility Set-Up	- 1		UEANL	USBSC		169.25	169.25				11.90				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	I		UEANL	USBSD		38.65	38.65				11.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		4	UEANL	USBN2	7.61	60.19	21.78	47.50	5.26		11.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		<u>'</u>	UEAINL	USBINZ	7.01	60.19	21.70	47.50	5.26		11.90				
	Zone 2		2	UEANL	USBN2	10.27	60.19	21.78	47.50	5.26		11.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN2	19.85	60.19	21.78	47.50	5.26		11.90				
	Order Consideration for Habrard and Cab Lance and all land and			LIFANII	LICDMC		9.00	9.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBMC		9.00	9.00								
	Zone 1		1	UEANL	USBN4	8.12	68.83	30.42	49.71	6.60		11.90				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	10.96	68.83	30.42	49.71	6.60		11.90				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	21.18	68.83	30.42	49.71	6.60		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	3.50	51.84	13.44	47.50	5.26		11.90				
				-			-									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	6.68	55.91	17.51	49.71	6.60		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.25	60.19	21.78	47.50	5.26	-	11.90				-
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i i	2	UEF	UCS2X	8.44	60.19	21.78	47.50	5.26		11.90				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3	UEF	UCS2X	16.30	60.19	21.78	47.50	5.26		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.20	68.83	30.42	49.71	6.60		11.90				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF UEF	UCS4X UCS4X	7.02 13.55	68.83 68.83	30.42 30.42	49.71 49.71	6.60		11.90 11.90				
	4 Wile Copper Oribunaled Sub-Loop Distribution - Zone 3	- '	3	OLI	00347	13.33	00.03	30.42	49.71	0.00		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
Unbu	Indled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load		-	UEF	ULM2X		10.11	10.11				11.90				
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		10.11	10.11				11.90				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged		 	OL:	CLIVITA		10.11	10.11				11.30				
	Tap Removal, per PR unloaded			UEF	ULM4T		15.58	15.58				11.90				
Unbu	Indled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.2286	18.02	18.02				11.90				
Netw	ork Interface Device (NID) Network Interface Device (NID) - 1-2 lines		-	UENTW	UND12		68.08	42.80				11.90				
 	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines		1	UENTW	UND12 UND16		110.48	42.80 85.20				11.90				-
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W		 	UENTW	UNDC2		7.63	7.63			 	11.90			1	†
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63				11.90				
SUB-LOOPS																
Sub-l	Loop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,	HODEW		407.00					44.00				
	Distribution Facility set-up USL Feeder - DS0 Set-up per Cross Box location - per 25 pair		+	UDN,UCL,UDL,UDC UEA,	USBFW		487.23					11.90				
	set-up			UDN,UCL,UDL,UDC	USBFX		6.25	6.25				11.90				
 	USL Feeder DS1 Set-up at DSX location, per DS1 termination		1	USL	USBFZ		522.41	11.32			i	11.90		 	†	<u> </u>

ONRONDLE	D NETWORK ELEMENTS - Florida	,		,		1						,	Attachment:		Exhibit: B	
							·	·		·	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lak	per LSK				Electronic-
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
			+				Nonrec	urring	Nonrecurring	Disconnect			220	Rates(\$)	1	1
			-			Dee					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Haland Hall O Labora Francisco Coming Communication (Notice		1		_	Rec	First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice							=								
	Grade - Zone 1		1	UEA	USBFA	8.05	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFA	10.87	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,															
	Voice Grade - Zone 3		3	UEA	USBFA	21.00	92.75	51.24	58.45	13.07		11.90				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		23.02									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFB	8.05	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 2	l	2	UEA	USBFB	10.87	92.75	51.24	58.45	13.07		11.90		1		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice	1			22212	10.07	02.70	01.24	55.45	10.01	1	11.50		†	1	1
	Grade - Zone 3	l	3	UEA	USBFB	21.00	92.75	51.24	58.45	13.07		11.90		İ		
+-	Order Coordination for Specified Time Conversion, per LSR	1	- 3	UEA	OCOSL	21.00	23.02	31.24	30.43	13.07	 	11.50		 	1	}
\longrightarrow		<u> </u>	+	ULA	UCUSL		23.02		 		 				-	-
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	l		LIFA	LICDEO	0.0-	00.75	E4.01	50.45	10.0=		44.00				
\vdash	Voice Grade - Zone 1	<u> </u>	1	UEA	USBFC	8.05	92.75	51.24	58.45	13.07	ļ	11.90			ļ	1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 2		2	UEA	USBFC	10.87	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse															
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	21.00	92.75	51.24	58.45	13.07		11.90				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	17.26	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFD	23.29	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice			OLA	OODI D	20.20	100.02	04.40	00.04	14.00		11.50				
	Grade - Zone 3		3	UEA	USBFD	45.00	106.92	64.46	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR		3	UEA	OCOSL	45.00	23.02	04.40	03.34	14.03		11.50				
				UEA	UCUSL		23.02				ļ					
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	17.26	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFE	23.29	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 3		3	UEA	USBFE	45.00	106.92	64.46	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	17.04	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	23.00	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	44.43	109.71	66.68	60.21	12.49	1	11.90		İ	Ì	Ì
	Order Coordination For Specified Conversion Time, Per LSR	1	T -	UDN	OCOSL		23.02	22.30			1			1	Ì	Ì
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1	1	UDC	USBFS	17.04	109.71	66.68	60.21	12.49	1	11.90		†	1	1
	Unbundled Sub-Loop Feeder, 2 Wire ODC (IDSL compatible)	-	2	UDC	USBFS	23.00	109.71	66.68	60.21	12.49	1	11.90		 	 	
+-		1	3	UDC	USBFS	44.43	109.71	66.68	60.21	12.49	 	11.90		 	1	}
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	 	1								1			 	1	1
$\vdash \vdash \vdash$	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	46.27	133.77	78.02	85.16	21.21	1	11.90			1	1
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	62.45	133.77	78.02	85.16	21.21		11.90				
igsquare	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	120.65	133.77	78.02	85.16	21.21		11.90				
LL	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		23.02									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	7.25	85.27	42.24	58.54	10.82		11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	l	1													1
<u> </u>	2	<u> </u>	2	UCL	USBFH	9.79	85.27	42.24	58.54	10.82	<u> </u>	11.90		<u> </u>	<u> </u>	<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	3	l	3	UCL	USBFH	18.92	85.27	42.24	58.54	10.82		11.90		İ		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23.02									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	1	1	UCL	USBFJ	14.22	99.66	57.20	60.98	12.28	1	11.90		1	Ì	Ì
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	1		UCL	USBFJ	19.20	99.66	57.20	60.98	12.28	1	11.90		 	1	1
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	-		UCL	USBFJ	37.09	99.66	57.20	60.98	12.28	1	11.90		 	 	
\vdash	Order Coordination For Specified Conversion Time, per LSR	1	3	UCL	OCOSL	31.09	23.02	51.20	00.90	12.20	1	11.90		1	†	1
+-	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	1	4	UDL	USBFN	18.68	100.62	58.16	63.54	14.83	 	11.90		-	-	
	Joun-Loop reeder - rei 4-vviie 19.2 Kbps Digital Grade Loop		1 2	UDL	USBFN	18.68 25.21	100.62	58.16	63.54	14.83	!	11.90		.	1	1
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop															

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates(\$)	1	ı
		1			1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFO	18.68	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	25.21	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFO	48.71	100.62	58.16	63.54	14.83		11.90				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		23.02									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFP	18.68	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			LIDI	HODED	05.04	400.00	50.40	00.54	44.00		44.00				
	Zone 2	1	2	UDL	USBFP	25.21	100.62	58.16	63.54	14.83	-	11.90				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3	1	3	UDL	USBFP	48.71	100.62	58.16	63.54	14.83		11.90			1	
 	Order Coordination For Specified Conversion Time, per LSR	 	-	UDL	OCOSL	40.71	23.02	30.16	05.54	14.03	1	11.50		1	 	
SUB-LOOPS		1			2000		20.02		†					1	1	
	Loop Feeder	1			1				1					1	1	
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	15.69										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	347.59	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	15.69										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	402.09	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	11.90										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
	Month			UDLO3	USBF5	62.98										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	547.22	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	14.65										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per			LIDI 40	LICDEC	500.47										
	Month Sub Loop Feeder - OC-12 - Facility Termination Per Month	1	<u> </u>	UDL12 UDL12	USBF6 USBF3	502.47 1,577.00	3,386.00	407.15	166.83	94.58		11.90				
-	Sub Loop Feeder - OC-12 - Facility Termination Fet Month			UDL48	1L5SL	48.06	3,300.00	407.15	100.03	94.56		11.90				
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per			ODL40	TESSE	40.00										
	Month			UDL48	USBF9	251.80										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,589.00	3,572.00	407.15	168.35	95.43		11.90				
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	331.15	788.39	407.15	168.35	95.43		11.90				
UNBUNDLE	D LOOP CONCENTRATION															
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	449.49	359.42	359.42				11.90				
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	53.44	149.76	149.76				11.90				
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	487.33	359.42	359.42				11.90				
	Unbundled Loop Concentration - System B (TR303)	ļ	<u> </u>	ULC	UCT3B	90.05	149.76	149.76				11.90				
	Unbundled Loop Concentration - DS1 Loop Interface Card	<u> </u>		ULC	UCTCO	5.04	71.70	51.52	18.49	4.82		11.90		ļ	 	
	Unbundled Loop Concentration - ISDN Loop Interface (Brite			UDN	ULCC1	8.00	16.59	16.50	0.77	6.73		11.90				
	Card) Unbundled Loop Concentration - UDC Loop Interface (Brite	1	-	אועט	ULCCI	8.00	10.59	00.01	6.77	6.73	}	11.90		1	1	-
	Card)			UDC	ULCCU	8.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or	1			32000	0.00	10.55	10.50	0.77	0.73		11.30				
	Ground Start Loop Interface (POTS Card)	1	1	UEA	ULCC2	2.00	16.59	16.50	6.77	6.73		11.90		1	1	
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery	1						72,000		50		50				
	Loop Interface (SPOTS Card)	1		UEA	ULCCR	11.90	16.59	16.50	6.77	6.73		11.90			1	
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface															
	(Specials Card)	1		UEA	ULCC4	7.10	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - TEST CIRCUIT Card	<u> </u>		ULC	UCTTC	34.68	16.59	16.50	6.77	6.73	<u> </u>	11.90				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop				05=											
	Interface	<u> </u>	ļ	UDL	ULCC7	10.51	16.59	16.50	6.77	6.73		11.90			ļ	
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop	1	1	UDL	LII CCE	10.54	16.50	16.50	6 77	6.70		11.00		1	1	
	Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop	1	-	ODL	ULCC5	10.51	16.59	16.50	6.77	6.73	-	11.90		-	1	-
	Interface	1		UDL	ULCC6	10.51	16.59	16.50	6.77	6.73		11.90			1	
UNE OTHER	, PROVISIONING ONLY - NO RATE	 		UDL	32000	10.51	10.59	10.30	0.77	0.73	 	11.50		 	 	
J JIII.	NID - Dispatch and Service Order for NID installation	1		UENTW	UNDBX				I		1	 		 	 	
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE				t		1	1				

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
											Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		l.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN											
LINE OTHER	PROVISIONING ONLY - NO RATE			ENTV	UNECN											-
ONE OTHER,	TROVISIONING ONET - NO RATE															
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
-	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
1	Unbundled DS1 Loop - Expanded Superframe Format option -					5.55	3.50									
	no rate			USL	CCOEF	0.00	0.00				<u> </u>					<u></u>
HIGH CAPAC	TY UNBUNDLED LOCAL LOOP							· · · · ·								
1	High Capacity Unbundled Local Loop - DS3 - Per Mile per			LIEO	41.515											
	month High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	10.92					1					1
	Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84		11.90				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			OLO	OLSI X	300.00	330.37	343.01	100.10	30.04		11.30				
	month			UDLSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84		11.90				
LOOP MAKE-																
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.07	55.07								
	Loop MakeupWith or Without Reservation, per working or			OWIN	OWNER		33.07	33.07								1
	spare facility queried (Mechanized)			UMK	PSUMK		0.6784	0.6784								
HIGH FREQUI	ENCY SPECTRUM			-												
SPLIT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity - True up															
	pending approval by PSC	R		ULS	ULSDA	119.72	379.13	0.00	347.90	0.00		11.90				
	Line Sharing Splitter, per System 24 Line Capacity - True up	_			000	00.00	070.40	0.00	0.47.00	0.00		44.00				
	pending approval by PSC Line Sharing Splitter, Per System, 8 Line Capacity	R		ULS ULS	ULSDB ULSD8	29.93 8.33	379.13 379.13	0.00	347.90 347.90	0.00		11.90 11.90				
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			OLO	OLODO	0.55	379.13	0.00	347.30	0.00		11.30				
	deactivation (per LSOD) - True up pending approval by PSC			ULS	ULSDG		173.66		97.42			11.90				
END U	ISER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPECT	TRUM.	AKA LINE SHARING												
	Line Sharing - per Line Activation - True up pending approval			<u></u>												
	by PSC(BST Owned Splitter)			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61		11.90			ļ	
	Line Sharing - per Subsequent Activity per Line Rearrangement															
	- True up pending approval by PSC(BST Owned Splitter)	R		ULS	ULSDS		21.68	16.44				11.90				
	up positing approval by 1 co(bo1 comica ophiller)	- 1		020	02000		21.00	10.44				11.30				—
1	Line Sharing - per Subsequent Activity per Line Rearrangement															1
	- True up pending approval by PSC(DLEC Owned Splitter)	R		ULS	ULSCS		21.68	16.44			<u> </u>	11.90				
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		11.90				
	Line Splitting - per line activation DLEC owned splitter	-		UEPSR UEPSB	UREOS	0.61	20.00	04.00	10.55	200	<u> </u>	44.00				
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	-		UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.638 1.134	29.68 29.68	21.28 21.28	19.57 19.57	9.61 9.61	 	11.90 11.90			1	
UNBUNDI ED	DEDICATED TRANSPORT			OLFOR UEFOR	UKEDV	1.134	29.08	21.28	19.57	9.61		11.90				
	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	od - below DS3=one	month. DS3/	STS-1=four mor	nths									<u> </u>
	OFFICE CHANNEL - DEDICATED TRANSPORT		J		. , . ,		-									
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -						İ									
	Per Mile per month			U1TVX	1L5XX	0.0091					ļ					1
1	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			LUTO	LIAT (C		.= -									
	Facility Termination per month			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03	l	11.90		l		L

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			LIATION	41.577	0.0004										
	Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		1	U1TVX	1L5XX	0.0091										
	Facility Termination per month	1		U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			01117	011112	20.02		00	10.01	7.00		11.00				
	Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination per month			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile				41 =204											
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0091			+							
	Termination per month			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTTEX	01120	10.44	47.00	01.70	10.01	7.00		11.00				1
	per month			U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			LUTDA	41.5307	0.4050										
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.1856										
	Termination per month			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05		11.90				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTIDI	011111	00.44	105.54	50.47	21.47	19.03		11.90				
	month			U1TD3	1L5XX	3.87										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56		11.90				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility		1	U1TS1	1L5XX	3.87										
	Termination per month			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56		11.90				
LOCA	L CHANNEL - DEDICATED TRANSPORT			01101	01110	1,030.00	333.40	213.20	72.00	70.50		11.30				
	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - bel	ow DS3=one month	h, DS3/STS-1=f	our months										
	Local Channel - Dedicated - 2-Wire Voice Grade per month -															
	Zone 1		1	ULDVX	ULDV2	21.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade per month -			1 II D) 0/	111 50 60	00.00	005.04	10.07	07.00	4.00		44.00				
	Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade per month -		2	ULDVX	ULDV2	29.62	265.84	46.97	37.63	4.00		11.90				
	Zone 3		3	UNDVX	ULDV2	57.22	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per		Ť	ONDVX	OLD V2	07.22	200.04	40.01	07.00	4.00		11.00				
	month - Zone 1		1	ULDVX	ULDR2	21.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per															
	Month - Zone 2		2	ULDVX	ULDR2	29.62	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per		3	ULDVX	ULDR2	57.22	265.84	46.97	37.63	4.00		11.90				
	Month - Zone 3 Local Channel - Dedicated - 4-Wire Voice Grade per month -		3	ULDVX	ULDRZ	51.22	200.84	46.97	37.03	4.00		11.90				1
	Zone 1		1	UNDVX	ULDV4	22.81	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade per month -								1							
	Zone 2		2	UNDVX	ULDV4	30.79	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade per month -															
	Zone 3		3	UNDVX	ULDV4	59.48	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - DS1 per month - Zone 1 Local Channel - Dedicated - DS1 per month - Zone 2		1 2	ULDD1 ULDD1	ULDF1 ULDF1	35.28 47.63	216.65 216.65	183.54 183.54	24.30 24.30	16.95 16.95		11.90 11.90				
+	Local Channel - Dedicated - DS1 per month - Zone 2 Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1 ULDF1	92.01	216.65	183.54	24.30	16.95	1	11.90				1
1	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	8.50	210.00	100.04	24.50	10.93		11.30				
<u> </u>	Local Channel - Dedicated - DS3 - Facility Termination per					2.23										1
	month			ULDD3	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.50										
	Local Channel - Dedicated - STS-1 - Facility Termination per	l	1	l	1			343.01	139.13	00.01		11.90				
MULTIPLEXE	month			ULDS1	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				

ONBONDL	ED NETWORK ELEMENTS - Florida			1	-	1							Attachment:		Exhibit: B	
											Svc Order		Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
								_								
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs)			UDL	1D1DD	2.10	10.07	7.08				11.90				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month			UDN	UC1CA	3.66	10.07	7.08				11.90				
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.38	10.07	7.08				11.90				
	DS3 to DS1 Channel System per month			UXTD3	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				
	STS1 to DS1 Channel System per month			UXTS1	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	13.76	10.07	7.08				11.90				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	13.76	10.07	7.08				11.90				
İ	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel								İ							
	per month		1	U1TD1	UC1D1	13.76	10.07	7.08				11.90				1
DARK FIBER				İ	İ				†							İ
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			1												1
	Thereof per month - Local Channel		1	UDF	1L5DC	55.04										1
1	NRC Dark Fiber - Local Channel			UDF	UDFC4	00.04	751.34	193.88	356.21	230.11		11.90			Ì	t
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1		32.0.			.00.00	555.21	200.11	1	50				1
	Thereof per month - Interoffice Channel			UDF	1L5DF	26.85										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14	20.00	751.34	193.88	356.21	230.11		11.90				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			CDI	ODI 14		701.04	100.00	000.21	200.11		11.00				
	Thereof per month - Local Loop			UDF	1L5DL	55.04										
	NRC Dark Fiber - Local Loop			UDF	UDFL4	33.04	751.34	193.88	356.21	230.11		11.90				
OVY ACCES	S TEN DIGIT SCREENING			ODI	ODI L4		751.54	193.00	330.21	230.11	-	11.90				-
OAA ACCES	8XX Access Ten Digit Screening, Per Call			OHD	+	0.0006252	-				-					-
	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD	+	0.0000232	-				-					-
	Number Reserved			OHD	N8R1X		4.15	0.70				11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OUD	INOR IA		4.15	0.70			-	11.90				-
	POTS Translations			OHD			8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD			8.78	1.18	5.77	0.70		11.90				
				o												
	POTS Translations			OHD	N8FTX		8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Customized Area of Service			o												
	Per 8XX Number			OHD	N8FCX		4.15	2.07				11.90				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			o												
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78				11.90				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				11.90				
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		4.15	4.15				11.90				
			1	l												1
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006252										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per			i												_
	query			OHD		0.0006252										
LINE INFOR	MATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000203										
	LIDB Validation Per Query			OQU		0.0136959										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		55.13	55.13	55.13	55.13		11.90				
SIGNALING	(CCS7)															
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05										
i	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000607										
İ	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90				
<u> </u>	CCS7 Signaling Connection, Per link (B link) (also known as D			İ	İ											İ
	link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90				1
i	CCS7 Signaling Usage, Per ISUP Message			UDB	1	0.0000152						50				1
- 1 -	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32			†							t
1	CCS7 Signaling Point Code, per Originating Point Code		1	· ·		5502					1					1
	Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03		11.90				I
E911 SERVI	CE				00.10		-10.00	70.00	40.00	70.00		11.00				t
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		t	+	+	21.94	265.84	46.97	37.63	4.00	†	11.90				<u> </u>
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		1	<u> </u>	+	29.62	265.84	46.97	37.63	4.00	1	11.90			1	t
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					57.22	265.84	46.97	37.63	4.00	1	11.90			ļ	

UNRUNDI FI	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CHOCKDEE		1	1								Svc Order		Incremental			Incrementa
												Submitted		Charge -	Charge -	Charge -
		Interi	l_								Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444.
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0091										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					25.32	47.35	31.78	18.31	7.03		11.90				
	Local Channel - Dedicated - DS1 - Zone 1					35.28	216.65	183.54	21.47	19.05		11.90				
	Local Channel - Dedicated - DS1 - Zone 2					47.63	216.65	183.54	21.47	19.05		11.90				
	Local Channel - Dedicated - DS1 - Zone 3		1			92.01	216.65	183.54	21.47	19.05		11.90				1
	Interoffice Transport - Dedicated - DS1 Per Mile		1			0.1856	210.03	103.34	21.47	19.03		11.50		-		1
	Interoffice Transport - Dedicated - DST Per Mile		1			0.1000										
	Liver Will Town and D. Protect DOA Don Front Town Conference					00.44	405.54	00.47	04.47	40.05		44.00				
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					88.44	105.54	98.47	21.47	19.05		11.90				
CALLING NAM	E (CNAM) SERVICE	 	1													
	CNAM for DB Owners, Per Query	<u> </u>	<u> </u>	OQV		0.001024					1	ļ		ļ		↓
	CNAM for Non DB Owners, Per Query			OQV		0.001024										
	CNAM For DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01		11.90				
	CNAM For Non DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01		11.90				
	CNAM For DB Owners - Service Provisioning With Point Code															1
	Establishment			OQV			1,592.00	1,177.00	352.36	259.09		11.90				
	CNAM For Non DB Owners - Service Provisioning With Point						1,000.00	.,	000.00							
	Code Establishment			oqv			546.51	393.82	358.06	259.09		11.90				
LNP Query Ser			+	OUV			040.01	000.02	000.00	200.00		11.50				
Livi Query Ser	LNP Charge Per query		1	OQV		0.000852						1		-		
	LNP Service Establishment Manual		-	OQV		0.000652	13.83	13.83	12.71	12.71		11.90				
			1													
	LNP Service Provisioning with Point Code Establishment		1				655.50	334.88	297.03	218.40		11.90				
OPERATOR CA	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST															
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using															
	Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using															
	Foreign LIDB					0.20										
	RATOR SERVICES					0.20										
1	Inward Operator Services - Verification, Per Call		1			1.00										
	Inward Operator Services - Verification and Emergency Interrupt		+			1.00										-
	- Per Call					1.95										
DD ANDING O	PERATOR CALL PROCESSING		-			1.95										
			1		00400		7.000.00	7 000 00				44.00				
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				11.90				
ļ	Loading of Custom Branded OA Announcement per shelf/NAV		1		CBAOL		500.00	500.00				11.90			ļ	
	iding via OLNS for UNEP CLEC		<u> </u>									L				
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				11.90				ļ
	SSISTANCE SERVICES															<u> </u>
	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIRECT	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)														ĺ
	Directory Assistance Call Completion Access Service (DACC),															
	Per Call Attempt					0.10										
DIRECT	TORY TRANSPORT		1		1	- 1										Ť .
	SSISTANCE SERVICES		1		1						1	1		1	1	1
	TORY ASSISTANCE DATA BASE SERVICE (DADS)	1	1		1						 	!				†
DIREC	Directory Assistance Data Base Service Charge Per Listing	-	 		+	0.04					1	1		t	 	
+	Directory Assistance Data Base Service, per month	 	1		DBSOF	150.00					1	1	1	t	1	
BD V NDING D	IRECTORY ASSISTANCE	1	1		DDSOF	150.00			-		+	 	-	 	1	+
			-		1						-	1		-	1	
Facility	Based CLEC		1		1							ļ			ļ	.
	Recording and Provisioning of DA Custom Branded	l	1	l	1						1			1		
	Announcement	<u> </u>	<u> </u>	AMT	CBADA		6,000.00	6,000.00			1	ļ		ļ		ļ
1	Loading of Custom Branded Announcement per DRAM	l	1								1			1		
	Card/Switch	<u> </u>	<u> </u>	AMT	CBADC		1,170.00	1,170.00	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
UNEP (CLEC															
1	Recording of DA Custom Branded Announcement		1				3.000.00	3.000.00			1	İ			İ	1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
1							Nonrec	curring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loading of DA Custom Branded Announcement per DRAM															
	Card/Switch per OCN						1,170.00	1,170.00								
Unbra	nding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
CEL ECTIVE D	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE R	Selective Routing Per Unique Line Class Code Per Request Per										1				-	
	Switch				USRCR		93.55	93.55	12.71	12.71		11.90				
VIRTUAL COL					CONCIN		30.00	55.55	12.71	12.71		11.00				
	Virtual Collocation - Application Cost			AMTFS	EAF	†	4,122.00	1,249.00							İ	
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX	12.45	965.00									
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	4.25										
	Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	6.95		_								
	Virtual Collocation - Cable Support Structure, per entrance	1				Ι Π									_	
\vdash	cable	ļ		AMTES	ESPSX	13.35					1				-	
	Virtual Collocation - 2-wire Cross Connects (loop)			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.0502	11.57	11.57				11.90				
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX AMTFS,UDL12,	UEAC4	0.0502	11.57	11.57				11.90				
	Virtual Collocation - 2-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	6.71	2,431.00					11.90				
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6.71	2,431.00					11.90				
	Virtual collocation - DS1 Cross Connects			USL, ULC, AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	7.50	155.00	14.00				11.90				
	Virtual collocation - DS3 Cross Connects			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83				11.90				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per linear foot			AMTFS,CLO	VE1CB	0.0028					ļ					
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS, CLO	VE1CD	0.0041										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		535.54									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	l														
	Cable Support Structure, per cable	ļ		AMTES	VE1CE	ļ	535.54				ļ				1	
	Virtual collocation - Security Escort - Basic, per quarter hour			AMTFS	SPTBQ	ļ	10.89				ļ					
	Virtual collocation - Security Escort - Overtime, per quarter hour			AMTFS	SPTOQ		13.64									
	Virtual collocation - Security Escort - Premium, per quarter hour			AMTFS	SPTPQ		16.40									

IONBONDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
J.150115EE	The state of the s		1								Svc Order	Svc Order		Incremental		Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			 		-		N			. B'			000	D - ((ft)		
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - DS-1/DCS Cross Connects, PER 28 CKTS			AMTFS	VE11S	226.39	1,950.00									
	· ·						,									
	Virtual Collocation - DS-1.DSX Cross Connects, PER 28 CKTS			AMTFS	VE11X	11.51	1,950.00									
	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT			AMTFS	VE13S	56.97	528.00				1					
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT			AMTFS	VE13X	10.06	528.00									
	Virtual collocation - Maintenance in CO - Basic, per quarter hour			AMTFS	SPTRE		10.89									
	Virtual collocation - Maintenance in CO - Overtime, per quarter															
	hour		1 1	AMTFS	SPTOE		13.64				1			1		
	Virtual collocation - Maintenance in CO - Premium per quarter			,	51 10L		13.04				1				1	1
			1 1	ALTEO	ODTDE		40.10				1			1		
	hour			AMTFS	SPTPE		16.40				ļ					
VIRTUAL COL			<u> </u>													
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-		T								1					
	Wire Analog - Res			UEPSR	VE1R2	0.524	11.57	11.57			1	11.90		1		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-				_						İ					1
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.524	11.57	11.57			1	11.90		1		
			 	UEFSF	VETRZ	0.324	11.37	11.37				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Analog Bus			UEPSB	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire				1	0.00										
	ISDN			UEPSX	VE1R2	0.524	11.57	11.57				11.90				
L			 	UEPSA	VETRZ	0.324	11.37	11.37				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	ISDN			UEPTX	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
	ISDN DS1			UEPEX	VE1R4	0.524	11.57	11.57				11.90				
VIRTUAL COL	LOCATION															
1	Virtual Collocation-2 Wire Cross Connects (Loop) for Line										-					
	Splitting			UEPSR, UEPSB	VE1LS	0.0007	33.86	31.95				44.00				
			 	UEPSK, UEPSB	VEILS	0.0297	33.86	31.95				11.90				
AIN SELECTI	VE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00			11.90				
	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69		11.90				
	Query NRC, per query			SRC		0.0031868										
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE															
AIIV BELLOC	AIN SMS Access Service - Service Establishment, Per State,										-					
				441	044405		40.50	40.50	44.00	44.00		44.00				
	Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93		11.90				
											1			1		
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03	<u></u>	11.90				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03		11.90				
	AIN SMS Access Service - User Identification Codes - Per User										Ì					
ı l	ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88	1	11.90		1		
	AIN SMS Access Service - Security Card, Per User ID Code,		├		O/ 111/10		30.00	30.00	20.00	23.00	1	11.50		1	 	
				A4NI	CAMBO		75.40	75.40	40.00	40.00	1	44.00		1		
	Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93	ļ	11.90				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				l .	0.0028					1					
	AIN SMS Access Service - Session, Per Minute		<u> </u>			0.7809										
	AIN SMS Access Service - Company Performed Session, Per												-			
	Minute					0.4609					1			1		
AIN - REI I SC	OUTH AIN TOOLKIT SERVICE				1	21.1200					l			1	t	t
····· DEELSC	AlN Toolkit Service - Service Establishment Charge, Per State,		1		+						1			1	1	1
				CAM	DADCC		40.50	40.50	44.00	44.00	1	44.00		1		
	Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93	ļ	11.90				-
	AIN Toolkit Service - Training Session, Per Customer		<u> </u>		BAPVX		8,439.00	8,439.00				11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per												-			
1	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03	1	11.90		1		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per										1					1
.	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03	1	11.90		1		
			├		DAFID		0.04	0.04	10.03	10.03	1	11.30		-	-	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per										1			ĺ		
I	DN, Off-Hook Immediate		l l		BAPTM		8.64	8.64	10.03	10.03	1	11.90				1

UNBUNDL	ED NETWORK ELEMENTS - Florida											-	Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge -	Incremental Charge - Manual Svo Order vs.
		m						= 5(4)			perLSK	per LSK	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
	4NIT 1120 1 TI A OI D TI					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		38.06	38.06	15.86	15.86		11.90				
	DN. CDP				BAPTC		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				5,		00.00	00.00	10.00	10.00		11100				
	DN, Feature Code				BAPTF		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service - Query Charge, Per Query					0.0535927										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0063698										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.00										
	Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					0.06										-
	Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08		11.90				
-	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			O7 UVI	D/ II IVIO	0.04	0.04	0.04	0.00	0.00		11.50				
	Subscription			CAM	BAPLS	3.73	9.56	9.56				11.90				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08		11.90				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription			CAM	BAPES	0.12	9.56	9.56				11.90				
	EXTENDED LINK (EELs)	<u> </u>				. 5. 5										
	E: New EELs available in GA, TN, KY, LA, MS, & SC and density E: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem															
	:: Charlotte-Gastonia-Rockhill, NC, Greensboro-Winston Salein :: In all states, EEL network elements shown below also apply t							As Is Charge a	nnlies to curre	ntly combined	facilities co	nverted to	INFe (Non-re	curring rates	do not anniv	1
	: In GA, TN, KY, LA, MS & SC the EEL network elements apply							no io Charge a	pplies to curre	ntily combined	lacilities co	Jiiveited to	ONLS.(NOII-16	l lates	Тао посарріу	., I
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				1		.a. go.,									
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport			, ,												
	Combination - Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
	Transport Combination - Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	0.31		11.90				-
	per month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility			0.10.71	120701	0.1000										
	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	DS1 Channelization System Per Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1.38	6.71	4.84				11.90				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1		l . ¯	LINOVA	LIEALO											
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			UNCVA	ULALZ	19.57	127.55	00.54	46.00	0.31		11.90				
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	1.38	6.71	4.84				11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIF	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31	1	11.90				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	1	- '	UNCVX	UEAL4	23.02	127.59	60.54	48.00	0.31		11.90				
	Transport Combination - Zone 2		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	1		0.10 1/1	JL/1LT	31.07	121.00	00.34	70.00	0.31		11.50			<u> </u>	
		1	1	L	1	00.00	127.59	60.54	48.00	6.31		11.90]		
	Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	121.33									
			3	UNCVX			127.39	00.04	10.00	0.01		11.00				
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		3	UNCVX UNC1X	1L5XX	0.1856	127.59	00.04	10.00	0.01		11100				
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3				174.46	122.46	45.61	17.95		11.90				

UNBUNDLE	D NETWORK ELEMENTS - Florida			1		•						1 -	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Channelization - Channel System DS1 to DS0 combination Per					Rec	FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.38	6.71	4.84				11.90				
	Additional 4-Wire Analog Voice Grade Loop in same DS1		l .													
	Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31		11.90				
	per month			UNCVX	1D1VG	1.38	6.71	4.84				11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.90	0.90	0.90	0.90		11.50				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31		11.90				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		i i													
	Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				
	Transport Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84				11.90				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31		11.90				
+	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	UDLOB	26.39	127.59	60.54	48.00	0.31		11.90				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															
	combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	2.10	6.71	4.84				11.90				
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)	1											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				
	Transport Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										1
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization - Channel System DS1 to DS0 combination Per				MQ1	146.77		14.74			1					1
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System			UNC1X			57.28		1.50	1.34	 	11.90				1
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		<u> </u>	UNCDX	1D1DD	2.10	6.71	4.84				11.90			-	
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90	· <u> </u>			

NRONDLE	D NETWORK ELEMENTS - Florida			T									Attachment:		Exhibit: B	1
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84				11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 14/15	Is Charge	l Docti	OF TD	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CE IR	ANSPORT (EEL)												
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		4	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		-	UNCIX	USLAA	73.44	217.73	121.02	31.44	14.43		11.90				
	Transport - Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		<u> </u>		55200	55.15	217.75	121.02	51.44	1-110		11.00			1	
	Transport - Zone 3	l	3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE IR	ANSPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		4	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
_	First DS1Loop in DS3 Interoffice Transport Combination - Zone		-	UNCIA	USLAA	73.44	217.75	121.02	31.44	14.45		11.90				1
	2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		<u> </u>	0110174	002.00	00.10	20	121102	0	0		11.00				
	3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	1,071.00	320.00	138.20	38.60	18.81		11.90				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	211.19	115.50	56.54	12.16	4.26		11.90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	4.84				11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		4	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		-	UNCIA	USLAA	73.44	217.75	121.02	31.44	14.45		11.90				1
	Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
_	Additional DS1Loop in DS3 Interoffice Transport Combination -			5.101/	55500	33.13	211.13	121.02	31.74	14.43		11.50			1	
	Zone 3	l	3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45	1	11.90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	4.84				11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				ļ
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE T	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport		l . –													
	Combination - Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90			ļ	ļ
	2-WireVG Loop used with 2-wire VG Interoffice Transport	l	2	LINOVA	LIEALO	40.57	407.50	00.51	40.00	0.04	1	44.00				
-	Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport	<u> </u>	2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90			-	1
	Combination - Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31	1	11.90				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per		-	01101/	CLALL	31.02	121.33	00.34	4 0.00	0.31		11.30			+	
	Mile Per Month	l	1	UNCVX	1L5XX	0.0091					1					
	Interoffice Transport - Dedicated - 2- Wire Voice Grade			-												
	combination - Facility Termination per month	L	L	UNCVX	U1TV2	25.32	94.70	52.59	45.28	18.03	<u> </u>	11.90				<u></u>
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				ļ
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE T	RANSPORT (EEL)	1											<u> </u>
1	4-WireVG Loop used with 4-wire VG Interoffice Transport		١.	UNCVX							1					
				H IINII "V/X	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90			1	1
	Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport		- ' -	ONOVA	02/12.	20.02	127.00								1	

JNBUNDLE	D NETWORK ELEMENTS - Florida			1							1 -	I -	Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Dee	Nonrec		Nonrecurring		SOMEC	COMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
	4-WireVG Loop used with 4-wire VG Interoffice Transport					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination - Zone 3		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	45.28	18.03		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	NSPOR						0.00							
	High Capacity Unbundled Local Loop - DS3 combination - Per			LINIOOV	41.5110	10.00										
	Mile per month High Capacity Unbundled Local Loop - DS3 combination -			UNC3X	1L5ND	10.92										
	Facility Termination per month			UNC3X	UE3PX	386.88	226.42	154.73	67.10	26.27		11.90				İ
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 combination - Facility			LINGOV	U1TF3	4 074 00	220.00	420.00	20.00	40.04		11.90				
	Termination per per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	UTIF3	1,071.00	320.00	138.20	38.60	18.81		11.90				
	Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
STS1 I	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TR	RANSP	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	426.60	226.42	154.73	67.10	26.27		11.90				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	1,056.00	320.00	138.20	38.60	18.81		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCSX	UNCCC	1,000.00	8.98	8.98	8.98	8.98		11.90				
2-WIRI	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)	0.100/1	0.1000		0.00	0.00	0.00	0.00		11100				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	21.76	127.59	60.54	48.00	6.31		11.90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_	LINON	141.07	00.00	407.50	00.54	40.00	0.04		44.00				
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	U1L2X	29.38	127.59	60.54	48.00	6.31		11.90				
	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCNX UNC1X	U1L2X 1L5XX	56.76 0.1856	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.66	6.71	4.84				11.90				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21.76	127.59	60.54	48.00	6.31		11.90				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	29.38	127.59	60.54	48.00	6.31		11.90				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	56.76	127.59	60.54	48.00	6.31		11.90				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination- per month		Ŭ	UNCNX	UC1CA	3.66	6.71	4.84	40.00	0.01		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRI	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				1

ONBONDLE	ED NETWORK ELEMENTS - Florida		1								_		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
1					+		Nonrec	urrina	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1 Loop in STS1 Interoffice Transport Combination -					rec	THOL	Auu	11130	Auu i	OOMILO	JOMAN	JOMAN	JONIAN	JOHAN	JONAN
	Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination			UNCSX	U1TFS	1,056.00	320.00	138.20	38.60	18.81		11.90				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	211.19										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	4.84				11.90				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in STS1 Interoffice Transport Combination -		_													
	Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
	DS3 Interface Unit (DS1 COCI) combination per month		<u> </u>	UNC1X	UC1D1	13.76	6.71	4.84				11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGOV	111000		0.00	0.00	0.00	0.00		44.00				
4 14/15	Is Charge		DANC	UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI	FFICE	KANS	PORT (EEL)					-							
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		4	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31		11.90				
-	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		_ '	UNCDX	UDLS6	20.39	127.59	60.54	46.00	0.31		11.90				1
	Combination - Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			UNCDA	ODLSO	33.02	127.59	00.34	40.00	0.31		11.50				
	Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		Ŭ	0.10271	02200	00.02	127.00	00.01	10.00	0.01		11.00				
	Per Mile			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination			UNCDX	U1TD5	18.44	94.70	52.59	45.28	18.03		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			LINORY	LIDI 04	00.00	407.50	00.54	40.00	0.04		44.00				
	Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0091										
+	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		\vdash	CINODA	ILUAA	0.0081									1	-
	Facility Termination		1	UNCDX	U1TD6	18.44	94.70	52.59	45.28	18.03	1	11.90			1	
	Nonrecurring Currently Combined Network Elements Switch -As-				550	10.74	34.70	02.00	70.20	10.00		71.00			1	
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
ADDITIONAL	NETWORK ELEMENTS															
When	used as a part of a currently combined facility, the non-recurr	ng cha	rges de	not apply, but a	Switch As Is cl	harge does app	oly.									
	used as ordinarilty combined network elements in Georgia, th															
	(SynchroNet)															
Nonre	ecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each con	nbination)											
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-		1	LINODY	LINIOOO		0.00	0.00	0.00	0.00	1	44.00			1	
	Is Charge - 56/64 kbps		<u> </u>	UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90			ļ	
	Nonrecurring Currently Combined Network Elements Switch -As-		1	LINICAY	LINICOC		0.00	0.00	0.00	0.00	1	14.00			1	
	Is Charge - DS1		1	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90			 	-
	Nonrecurring Currently Combined Network Elements Switch -As-			LINICSY	UNCCC		0.00	0.00	0.00	0.00		11.00				
	Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As-	-	1	UNC3X	UNCCC		8.98	8.98	8.98	8.98	1	11.90			1	
	Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
			1	=one month, DS3 a	UNCCC		0.90	0.90	0.90	0.90	ı	11.90			I	1

2-WIRE VOICE GRADE LI Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 With Caller ID - Res. Exchange Ports - 2 With Caller ID (LUM) Subsequent Activit FEATURES All Available Vertica 2-WIRE VOICE GRADE LI Exchange Ports - 2 Unbundled port wit Exchange Ports - 2 Exhange	ort Rate includes all available features in GA, LINE PORT RATES (RES) - 2-Wire Analog Line Port- Res. - 2-Wire Analog Line Port with Caller ID - Res. - 2-Wire Analog Line Port outgoing only - Res. - 2-Wire VG unbundled Florida area calling with - 2-Wire VG unbundled res, low usage line port UM)	Interi m	Zone		usoc	Rec	Nonrec	RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc
Exchange Ports NOTE: Although the Port 2-WIRE VOICE GRADE LI Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 With Caller ID LUM Subsequent Activit FEATURES All Available Vertice 2-WIRE VOICE GRADE LI Exchange Ports - 2 Bus Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Exhange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port	ort Rate includes all available features in GA, LINE PORT RATES (RES) - 2-Wire Analog Line Port- Res. - 2-Wire Analog Line Port with Caller ID - Res. - 2-Wire Analog Line Port outgoing only - Res. - 2-Wire VG unbundled Florida area calling with - 2-Wire VG unbundled res, low usage line port UM)	, KY, LA	& TN, t	the desired features		Rec	Nonrec		Name	Diagon			Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Exchange Ports NOTE: Although the Port 2-WIRE VOICE GRADE LI Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 With Caller ID (LUM Subsequent Activit FEATURES All Available Vertice 2-WIRE VOICE GRADE LI Exchange Ports - 2 Bus Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Exhang	ort Rate includes all available features in GA, LINE PORT RATES (RES) - 2-Wire Analog Line Port- Res. - 2-Wire Analog Line Port with Caller ID - Res. - 2-Wire Analog Line Port outgoing only - Res. - 2-Wire VG unbundled Florida area calling with - 2-Wire VG unbundled res, low usage line port UM)	, KY, LA	& TN, t	the desired features		Rec:	First		Nonrecurring		COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
Exchange Ports NOTE: Although the Port 2-WIRE VOICE GRADE LI Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 With Caller ID (LUM Subsequent Activit FEATURES All Available Vertice 2-WIRE VOICE GRADE LI Exchange Ports - 2 Bus Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Exhange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port	ort Rate includes all available features in GA, LINE PORT RATES (RES) - 2-Wire Analog Line Port- Res. - 2-Wire Analog Line Port with Caller ID - Res. - 2-Wire Analog Line Port outgoing only - Res. - 2-Wire VG unbundled Florida area calling with - 2-Wire VG unbundled res, low usage line port UM)	, KY, LA	& TN, t	the desired features		50	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE: Although the Port 2-WIRE VOICE GRADE LI Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 With Caller ID - Res. Exchange Ports - 2 With Caller ID (LUM Subsequent Activit FEATURES All Available Vertice 2-WIRE VOICE GRADE LI Exchange Ports - 2 Bus Exchange Ports - 2 Unbundled port wit Exchange Ports - 2 Exhange Ports -	LINE PORT RATES (RES) - 2-Wire Analog Line Port- Res. - 2-Wire Analog Line Port with Caller ID - Res. - 2-Wire Analog Line Port outgoing only - Res. - 2-Wire VG unbundled Florida area calling with - 2-Wire VG unbundled res, low usage line port UM)	, KY, LA	& TN, t	the desired features												
2-WIRE VOICE GRADE LI Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 With Caller ID - Res. Exchange Ports - 2 With Caller ID (LUM) Subsequent Activit FEATURES All Available Vertica 2-WIRE VOICE GRADE LI Exchange Ports - 2 Unbundled port wit Exchange Ports - 2 Exhange	LINE PORT RATES (RES) - 2-Wire Analog Line Port- Res. - 2-Wire Analog Line Port with Caller ID - Res. - 2-Wire Analog Line Port outgoing only - Res. - 2-Wire VG unbundled Florida area calling with - 2-Wire VG unbundled res, low usage line port UM)				will need to h	ne ordered usin	ng retail USOCs	<u> </u>								
Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Caller ID - Res. Exchange Ports - 2 with Caller ID (LUM) Subsequent Activit FEATURES All Available Vertice 2-WIRE VOICE GRADE LI Exchange Ports - 2 Bus Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice Exchange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Vice Unbun 2-Wire Vice Unbun 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	- 2-Wire Analog Line Port- Res. - 2-Wire Analog Line Port with Caller ID - Res. - 2-Wire Analog Line Port outgoing only - Res. - 2-Wire VG unbundled Florida area calling with - 2-Wire VG unbundled res, low usage line port				I I I I I I I I I I I I I I I I I I I	oc oracica asii	ig retail coool									
Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Exchange Ports - 2 Caller ID - Res. Exchange Ports - 2 with Caller ID (LUM) Subsequent Activit FEATURES All Available Vertice 2-WIRE VOICE GRADE LI Exchange Ports - 2 Bus Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Exhange Ports - 2 Exhange Ports - 2 All Available Vertice Exchange Ports - 2 Exhange Ports - 2 Exhange Ports - 2 All Available Vertice Exchange Ports - 2 Exhang	- 2-Wire Analog Line Port with Caller ID - Res. - 2-Wire Analog Line Port outgoing only - Res. - 2-Wire VG unbundled Florida area calling with - 2-Wire VG unbundled res, low usage line port UM)			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80		11.90				
Exchange Ports - 2 Exchange Ports - 2 Caller ID - Res. Exchange Ports - 2 with Caller ID (LUM) Subsequent Activit FEATURES All Available Vertice 2-WIRE VOICE GRADE LI Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Exchange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice Exchange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port	- 2-Wire Analog Line Port outgoing only - Res. - 2-Wire VG unbundled Florida area calling with - 2-Wire VG unbundled res, low usage line port UM)		1				9.1. 1									i
Exchange Ports - 2 Caller ID - Res. Exchange Ports - 2 with Caller ID (LUM) Subsequent Activit FEATURES All Available Vertice 2-WIRE VOICE GRADE LI Exchange Ports - 2 Bus Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Exhange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	- 2-Wire VG unbundled Florida area calling with - 2-Wire VG unbundled res, low usage line port UM)			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80		11.90				ł
Exchange Ports - 2 Caller ID - Res. Exchange Ports - 2 with Caller ID (LUM) Subsequent Activit FEATURES All Available Vertice 2-WIRE VOICE GRADE LI Exchange Ports - 2 Bus Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Exhange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	- 2-Wire VG unbundled Florida area calling with - 2-Wire VG unbundled res, low usage line port UM)															
Caller IĎ - Res. Exchange Ports - 2 with Caller ID (LUM) Subsequent Activit FEATURES All Available Vertica 2-WIRE VOICE GRADE LI Exchange Ports - 2 Bus Exchange Ports - 2 Unbundled port wit Exchange Ports - 2 Exhange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertica EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port	- 2-Wire VG unbundled res, low usage line port			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80		11.90				ł
Exchange Ports - 2 with Caller ID (LUM Subsequent Activit FEATURES All Available Vertice 2-WIRE VOICE GRADE LI Exchange Ports - 2 Bus Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice All Available Vertice EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	UM)	h														i
with Caller ID (LUN Subsequent Activit FEATURES All Available Vertice 2-WIRE VOICE GRADE LI Exchange Ports - 2 Bus Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Exhange Ports - 2 Exhange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	UM)			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80		11.90				Ļ
Subsequent Activit FEATURES All Available Vertica 2-WIRE VOICE GRADE LI Exchange Ports - 2 Bus Exchange Ports - 2 Exchange Ports - 2 Exha		t														ł
FEATURES All Available Vertice 2-WIRE VOICE GRADE LI Exchange Ports - 2 Bus Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Exhange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli				UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80		11.90				
All Available Vertice 2-WIRE VOICE GRADE LI Exchange Ports - 2 Bus Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Exhange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Vice Unbun 2-Wire Vice Unbun 2-Wire Vice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 4-Wire Voice Unbun Capable Port 2-Wire Voice Unbun Administrative Calli	vity			UEPSR	USASC	0.00	0.00	0.00				11.90				
2-WIRE VOICE GRADE LI Exchange Ports - 2 Bus Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Exhange Ports - 2 Exhange Ports - 2 Exhange Ports - 2 Exhange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli												44.00				
Exchange Ports - 2 Bus Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Exhange Ports - 2 Exhange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Vice Unbun 2-Wire Vice Unbun 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli			-	UEPSR	UEPVF	2.26	0.00	0.00				11.90				
Bus Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Exhange Ports - 2 Exhange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 4-Wire Voice Unbun Capable Port 2-Wire Voice Unbun Administrative Calli			-													
Exchange Ports - 2 unbundled port wit Exchange Ports - 2 Exhange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voic Unbun 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 4-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	- 2-Wire Analog Line Port without Caller ID -			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80		11.90				í
unbundled port wit Exchange Ports - 2 Exhange Ports - 2 Caller ID - Bus Subsequent Activit FEATURES All Available Vertics EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voic Unbun 2-Wire Vice Unbun 2-Wire Vice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbun Aministrative Calli	- 2-Wire VG unbundled Line Port with	+	+	OLFOD	OLFBL	1.40	3.74	3.03	1.00	1.00		11.50				
Exchange Ports - 2 Exhange Ports - 2- Caller ID - Bus Subsequent Activit FEATURES All Available Vertica EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli				UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80		11.90				ł
Exhange Ports - 2- Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Unbund 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Vole Unbund 2-Wire Voice Unbund 2-Wire Vice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund Administrative Calli	Mill Caller+L404 ID - Bus.			OLFOD	OLFBC	1.40	3.74	3.03	1.00	1.00		11.50				
Exhange Ports - 2- Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Unbund 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Vole Unbund 2-Wire Voice Unbund 2-Wire Vice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund 2-Wire Voice Unbund Administrative Calli	- 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80		11.90				f
Caller ID - Bus Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 4-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	2-Wire VG unbundled incoming only port with			OLI OD	OLI DO	1.40	0.14	0.00	1.00	1.00		11.50				ſ
Subsequent Activit FEATURES All Available Vertice EXCHANGE PORT RATES	2 Trib TO discussion incoming only port man			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80		11.90				ł
FEATURES All Available Vertice EXCHANGE PORT RATES 2-Wire VG Unbund 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 4-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	ivity			UEPSB	USASC	0.00	0.00	0.00				11.90				i
EXCHANGE PORT RATES 2-Wire VG Linbund 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 4-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli									1							i
2-Wire VG Unbund 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 4-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	tical Features			UEPSB	UEPVF	2.26	0.00	0.00				11.90				i
2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Nalog Lone 2-Wire Voice Unbu 2-Wire Vice Unbuu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	ES (DID & PBX)															í T
2-Wire VG Line Sid 2-Wire VG Line Sid 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 4-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	ındled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187		11.90				i
2-Wire VG Line Sid 2-Wire Analog Lon 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187		11.90				
2-Wire Analog Lon 2-Wire Voice Unbu 2-Wire Vice Unbun 2-Wire Vice Unbun 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187		11.90				
2-Wire Voice Unbu 2-Wire Vice Unbun 2-Wire Voice Unbun 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187		11.90				<u> </u>
2-Wire Vice Unbun 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	ong Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90				
2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	bundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90				
2-Wire Voice Unbu 2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	undled 2-Way PBX Usage Port	-	 	UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187		11.90				
2-Wire Voice Unbu 2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	bundled PBX Toll Terminal Hotel Ports bundled PBX LD DDD Terminals Port	-	 	UEPSP UEPSP	UEPXB UEPXC	1.40 1.40	39.06 39.06	18.18 18.18	12.35 12.35	0.7187 0.7187		11.90 11.90				
2-Wire Voice Unbu Capable Port 2-Wire Voice Unbu Administrative Calli	bundled PBX LD DDD Terminals Port		-	UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187		11.90				
Capable Port 2-Wire Voice Unbu Administrative Calli	bundled PBX LD Terminal Switchboard IDD	-		UEFSF	UEPAD	1.40	39.00	10.10	12.33	0.7167		11.90				
2-Wire Voice Unbu Administrative Calli	Junuled FBA LD Tellillial Switchboard IDD		1	UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187		11.90				ł
Administrative Calli	bundled 2-Way PBX Hotel/Hospital Economy	+	 	OLI 01	JLI AL	1.40	39.00	10.10	12.33	0.7107		11.50				
			1	UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187		11.90				ł
	bundled 2-Way PBX Hotel/Hospital Economy	+	1		J / "L	170	00.00	10.10	12.00	3.7 107		. 1.55				ſ
Room Calling Port				UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187		11.90				f
	bundled 1-Way Outgoing PBX Hotel/Hospital	1	1	-	1				12.55	, 						í
Discount Room Ca				UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187		11.90				ł
				UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187		11.90				i .
Subsequent Activity	bundled 1-Way Outgoing PBX Measured Port			UEPSP	USASC	0.00	0.00	0.00				11.90				i
FEATURES	bundled 1-Way Outgoing PBX Measured Port									· · · · · · · · · · · · · · · · · · ·						
All Available Vertica	bundled 1-Way Outgoing PBX Measured Port ivity			UEPSP UEPSE	UEPVF	2.26	0.00	0.00				11.90				
EXCHANGE PORT RATES	bundled 1-Way Outgoing PBX Measured Port ivity tical Features												Ť			
Exchange Ports - C	bundled 1-Way Outgoing PBX Measured Port ivity tical Features TES (COIN)	1			l	1.40	3.74	3.63	1.88	1.80		11.90				
	bundled 1-Way Outgoing PBX Measured Port ivity tical Features TES (COIN) - Coin Port															
	bundled 1-Way Outgoing PBX Measured Port ivity tical Features 'ES (COIN) - Coin Port usage charges associated with POTS circuit s	e availa	ble onl	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	ermined via t	ne Bona Fid	e Request/N	lew Business	Request Pro	cess.	
	bundled 1-Way Outgoing PBX Measured Port ivity tical Features TES (COIN) - Coin Port usage charges associated with POTS circuit sannel or D Channel Packet capabilities will be		1		<u> </u>											
EXCHANGE PORT RATES Exchange Ports - 2	bundled 1-Way Outgoing PBX Measured Port ivity tical Features TES (COIN) - Coin Port usage charges associated with POTS circuit s annel or D Channel Packet capabilities will b GE SWITCHING(PORTS)		1	UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26		11.90			1.83	

LINDLINDLE	D NETWORK ELEMENTS. Florido													•	E - 1 11 11 E	
UNBUNDLE	ED NETWORK ELEMENTS - Florida	1			1	1					00	00	Attachment:		Exhibit: B	
ł															Incremental	Incremental
i											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zono	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BUS	USUC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
i													Electronic-	Electronic-	Electronic-	Electronic-
ł													1st	Add'l	Disc 1st	Disc Add'l
		ļ	-				Nonrec		Nonrecurring	- Di			000	Rates(\$)		
		ļ	-			B					001150	001111			001141	001111
	Fortune Bods - DDITO Bods - AWEst DOA Bods - W. DID	ļ	-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
(l	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			LIEDDD	LIEDDD	54.05	454.44	77.76	40.04	0.40		44.00			4.00	
	capability			UEPDD	UEPDD U1PMA	54.95	151.11	77.75	48.81	3.10		11.90 11.90			1.83	
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX		8.83	46.83	50.68	27.64	11.93					1.83	
	All Features Offered	I	<u> </u>	UEPTX UEPSX	UEPVF	2.26	0.00	0.00		L.,		11.90	L		1.83	
	: Transmission/usage charges associated with POTS circuit s													L		
NOTE	: Access to B Channel or D Channel Packet capabilities will be	e availa	ble onl						lities will be de	termined via t	ne Bona Fid	le Request/	New Busines	Request Pro	cess.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00	10.00	10.00		44.00			4.00	
 	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23		11.90			1.83	
	LOCAL SWITCHING, PORT USAGE															
End C	Office Switching (Port Usage)	1	1			0.000000						ļ				
	End Office Switching Function, Per MOU	1	1			0.0007662										
	End Office Trunk Port - Shared, Per MOU	1	1	<u> </u>	 	0.000164										
Tande	em Switching (Port Usage) (Local or Access Tandem)	1	1	<u> </u>	 											
	Tandem Switching Function Per MOU		ļ		1	0.0001319										
	Tandem Trunk Port - Shared, Per MOU					0.000235										
Comm	non Transport		<u> </u>	ļ	1											
	Common Transport - Per Mile, Per MOU					0.0000035										
	Common Transport - Facilities Termination Per MOU					0.0004372										
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	Based Rates are applied where BellSouth is required by FCC at															
Ecot	res shall apply to the Unbundled Port/Loop Combination - Cos	st Based	Rate s	section in the same	manner as th	ey are applied	to the Stand-A	one Unbundle	ed Port section	of this Rate E	khibit.					
reatu	res shall apply to the oribunated Fort/Loop Combination - Cos										LINE O. :	n Bort/I cor	A 1 1	3		
End O	office and Tandem Switching Usage and Common Transport Us	sage rat	tes in ti	he Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	rt network eler	nents except 1	or UNE COI	II POLVEDOL	Combination	13.		
End C	res shan apply to the ondunded ForeCop Commission - Spring of the Spring of the Common Transport Use eorgia, Kentucky, Louisiana, Mississippi, South Carolina and Common - Carolina and Common - Carolina and Common - Carolina and Carolina an	sage rat	tes in ti see, the	he Port section of the recurring UNE Por	is rate exhib t and Loop c	it shall apply to harges listed a	all combination	ons of loop/po ly Combined a	ort network eler and Not Curren	tly Combined	Combos. T	he first and	additional Po	ort nonrecurri	ng charges ap	ply to Not
End O For Go	Office and Tandem Switching Usage and Common Transport Useorgia, Kentucky, Louisiana, MIssissippi, South Carolina and	sage rat Tennes	tes in the see, the nese no	he Port section of the recurring UNE Por onrecurring charges	is rate exhib t and Loop c are commis	it shall apply to harges listed ap sion ordered co	all combination pply to Current pst based rates	ons of loop/po ly Combined a and in AL, FL	ort network eler and Not Curren and NC these	tly Combined nonrecurring	Combos. T charges are	he first and Market Rat	additional Poses and are als	ort nonrecurri so listed in the	ng charges ap e Market Rate	ply to Not section.
End O For Go Currer	office and Tandem Switching Usage and Common Transport Use eorgia, Kentucky, Louisiana, MIssissippi, South Carolina and T ntly Combined Combos for all states. In GA, KY, LA, MS, SC ar	sage rat Tennes: nd TN tl	nese no	onrecurring charges	are commiss	sion ordered co	st based rates	and in AL, FL	and Not Curren and Not Curren and NC these	tly Combined nonrecurring	Combos. Tocharges are	he first and Market Rat	additional Poses and are als	ort nonrecurri so listed in the	ng charges ap e Market Rate	pply to Not section.
End O For Go Currer For Cu	office and Tandem Switching Usage and Common Transport U- eorgia, Kentucky, Louisiana, Mississippi, South Carolina and ntly Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurrin	sage rat Tennes: nd TN tl	nese no	onrecurring charges	are commiss	sion ordered co	st based rates	and in AL, FL	ort network eler and Not Curren and NC these	tly Combined nonrecurring	or UNE COI Combos. T charges are	he first and Market Rat	additional Poses and are als	ort nonrecurri	ng charges ap e Market Rate	oply to Not section.
End O For Go Currer For Cu 2-WIR	office and Tandem Switching Usage and Common Transport Useorgia, Kentucky, Louisiana, Mississippi, South Carolina and Thity Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	sage rat Tennes: nd TN tl	nese no	onrecurring charges	are commiss	sion ordered co	st based rates	and in AL, FL	ort network eler and Not Curren and NC these	tly Combined	or UNE COIL Combos. T charges are	he first and Market Rat	additional Poses and are als	ort nonrecurri	ng charges ap e Market Rate	oply to Not section.
End O For Go Currer For Cu 2-WIR	office and Tandem Switching Usage and Common Transport Useorgia, Kentucky, Louisiana, Mississippi, South Carolina and Thily Combined Combos for all states. In GA, KY, LA, MS, SC are urrently Combined Combos in all other states, the nonrecurring E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	sage rat Tennes: nd TN tl	nese no	onrecurring charges	are commiss	sion ordered co ecurring - Curre	st based rates	and in AL, FL	ort network eler and Not Curren and NC these	tly Combined	or UNE COIL	he first and Market Rat	additional Poses and are als	ort nonrecurri	ng charges ap e Market Rate	pply to Not section.
End O For Go Currer For Cu 2-WIR	office and Tandem Switching Usage and Common Transport U- eorgia, Kentucky, Louisiana, MIssissippi, South Carolina and ntly Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurrin E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1	sage rat Tennes: nd TN tl	nese no les sha	onrecurring charges	are commiss	sion ordered co ecurring - Curro	st based rates	and in AL, FL	ort network eler and Not Curren and NC these	tly Combined	or UNE COII	he first and Market Rat	additional Poses and are als	ort nonrecurri	ng charges ap e Market Rate	oply to Not section.
End O For Go Currer For Cu 2-WIR	office and Tandem Switching Usage and Common Transport Useorgia, Kentucky, Louisiana, Mississippi, South Carolina and Intly Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	sage rat Tennes: nd TN tl	nese no ges sha 1 2	onrecurring charges	are commiss	sion ordered co ecurring - Curro 14.11 18.23	st based rates	and in AL, FL	ort network eler and Not Curren and NC these	nents except 1 tly Combined nonrecurring	or UNE COII	he first and Market Rat	additional Pees and are als	ort nonrecurri	ng charges ap e Market Rate	oply to Not section.
End O For Go Curret For Co 2-WIR UNE F	office and Tandem Switching Usage and Common Transport Useorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tuly Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat Tennes: nd TN tl	nese no les sha	onrecurring charges	are commiss	sion ordered co ecurring - Curro	st based rates	and in AL, FL	rt network eler and Not Curren and NC these	nents except itly Combined nonrecurring	or UNE COII	he first and Market Rat	additional Pees and are als	ort nonrecurri	ng charges ap e Market Rate	oply to Not section.
End O For Go Curret For Co 2-WIR UNE F	office and Tandem Switching Usage and Common Transport Userorgia, Kentucky, Louisiana, MIssissippi, South Carolina and the Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) PORT/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat Tennes: nd TN tl	nese no ges sha 1 2 3	onrecurring charges	are commiss	14.11 18.23 33.04	st based rates	and in AL, FL	rt network eler and Not Curren and NC these	nents except 1 tly Combined nonrecurring	or UNE COII	he first and	additional Person and are als	ort nonrecurri	ng charges ap e Market Rate	oply to Not section.
End O For Go Curret For Co 2-WIR UNE F	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and the Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) to the Combonation Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat Tennes: nd TN tl	nese no ges sha 1 2 3	onrecurring charges Il be those identified	are commissed in the Nonr	14.11 18.23 33.04	st based rates	and in AL, FL	rt network eler and Not Curren and NC these	nents except itly Combined nonrecurring	or UNE COII	Market Rat	additional Poles and are als	ort nonrecurri	ng charges ap e Market Rate	pply to Not section.
End O For Go Curret For Co 2-WIR UNE F	optice and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and Intly Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 .oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	sage rat Tennes: nd TN tl	les sha	onrecurring charges II be those identified UEPRX UEPRX UEPRX	ue commission in the Nonr	14.11 18.23 33.04 12.94 17.06	st based rates	and in AL, FL	rt network eler and Not Curren and NC these	nents except it!	or UNE COII	he first and	additional Poses and are als	rs. ort nonrecurri	ng charges ap e Market Rate	pply to Not section.
End O For G Currer For C 2-WIR UNE F	office and Tandem Switching Usage and Common Transport Userorgia, Kentucky, Louisiana, MIssissippi, South Carolina and eorgia, Kentucky, Louisiana, MIssissippi, South Carolina and thity Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	sage rat Tennes: nd TN tl	nese no ges sha 1 2 3	onrecurring charges Il be those identified	are commissed in the Nonr	14.11 18.23 33.04	st based rates	and in AL, FL	rf network eler and Not Curren and NC these	nents except it	or UNE COII	• Market Rat	additional Pa	rs. or nonrecurri	ng charges ag e Market Rate	pply to Not section.
End O For G Currer For C 2-WIR UNE F	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and borgia, Kentucky, Louisiana, Mississippi, South Carolina and thity Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX	14.11 18.23 33.04 12.94 17.06 31.87	est based rates	and in AL, FL	rf network eler and Not Curren and NC these	nents except it ity Combined nonrecurring	or UNE COIL	Market Rat	additional Pa	rs. or nonrecurri	ng charges at	pply to Not section.
End O For G Currer For C 2-WIR UNE F	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and horly Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Vire Voice Grade Loop (SL1) - Zone 3 [2-Vire Voice Grade Loop (SL3) - Zone 3 [2-Vire Voice Grade Loop (SL4) - Zone 3 [2-Vire Voice Grade Loop (SL5) - Zone 3 [2-Vire Voice Grade Loop (SL6) - Zone 3 [2-Vire Voice Grade Loop (SL6) - Zone 3 [2-Vire Voice Grade Loop (SL6) - Zone 3 [2-Vire Voice Grade Loop (SL6) - Zone 3 [2-Vire Voice Grade Loop (SL6) - Zone 3 [2-Vire Voice Grade Loop (SL6) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX	14.11 18.23 33.04 12.94 17.06 31.87	sst based rates ently Combine	and in AL, FL d sections.	rf network eler and Not Curren and NC these	nents except it tly Combined nonrecurring	or UNE COII Combos. T charges are	Market Rat	additional Pages and are als	rs. or nonrecurri	ng charges at	pply to Not section.
End O For G Currer For C 2-WIR UNE F	optice and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and Seorgia, Kentucky, Louisiana, Mississippi, South Carolina and Intly Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	14.11 18.23 33.04 17.06 31.87 1.17	sst based rates ently Combines 90.00 90.00	and in AL, FL d sections.	rf network eler and Not Curren and NC these	nents except it tly Combined nonrecurring	or UNE COIL	11.90 11.90	additional Paes and are al:	rs. or nonrecurri	ng charges at	pply to Not section.
End O For G Currer For C 2-WIR UNE F	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and horly Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Vire Voice Grade Loop (SL1) - Zone 3 [2-Vire Voice Grade Loop (SL3) - Zone 3 [2-Vire Voice Grade Loop (SL4) - Zone 3 [2-Vire Voice Grade Loop (SL5) - Zone 3 [2-Vire Voice Grade Loop (SL6) - Zone 3 [2-Vire Voice Grade Loop (SL6) - Zone 3 [2-Vire Voice Grade Loop (SL6) - Zone 3 [2-Vire Voice Grade Loop (SL6) - Zone 3 [2-Vire Voice Grade Loop (SL6) - Zone 3 [2-Vire Voice Grade Loop (SL6) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3 [2-Vire Voice Grade Loop (SL7) - Zone 3	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX	14.11 18.23 33.04 12.94 17.06 31.87	sst based rates ently Combine	and in AL, FL d sections.	rf network eler and Not Curren and NC these	nents except ity Combined nonrecurring	or UNE COIL	Market Rat	additional Pages and are als	rs. or nonrecurri	ng charges at	pply to Not section.
End O For G Currer For C 2-WIR UNE F	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and the Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring Voice Grabe Loop WiTH 2-WIRE LINE PORT (RES) to true Vice Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17	90.00 90.00 90.00	90.00 90.00 90.00	rf network eler and Not Curren and NC these	nents except it ity Combined nonrecurring	or UNE Color Combos. T charges are	11.90 11.90	additional Pages and are als	rs. or nonrecurri	ng charges at	pply to Not section.
End O For G Currer For C 2-WIR UNE F	orgia, Kentucky, Louisiana, Mississippi, South Carolina and corgia, Kentucky, Louisiana, Mississippi, South Carolina and the Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL	14.11 18.23 33.04 17.06 31.87 1.17	sst based rates ently Combines 90.00 90.00	and in AL, FL d sections.	rf network eler and Not Cure and NC these	nents except it tly Combined nonrecurring	or UNE Collo	11.90 11.90	additional Pages and are als	rs. or nonrecurri	ng charges at	pply to Not section.
End O For G Currer For C 2-WIR UNE F	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and eorgia, Kentucky, Louisiana, Mississippi, South Carolina and thity Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring Voice Grabe Loop WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	14.11 18.23 33.04 17.06 31.87 1.17 1.17	90.00 90.00 90.00	90.00 90.00 90.00	rf network eler and Not Curren and NC these	nents except ity Combined nonrecurring	or UNE Color Combos. T charges are	11.90 11.90	additional Pages and are als	rs. or nonrecurri	ng charges at	pply to Not section.
End O For Go Curret For Co 2-WiR UNE F	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, MIssissippi, South Carolina and beorgia, Kentucky, Louisiana, MIssissippi, South Carolina and thity Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 3-Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17	90.00 90.00 90.00	90.00 90.00 90.00	rf network eler and Not Curren and NC these	nents except it ity Combined nonrecurring	or UNE Color Combos. T charges are	11.90 11.90	additional Page and are als	rs. or nonrecurri	ng charges at	pply to Not section.
End O For G Currer For C 2-WIR UNE F	orgia, Kentucky, Louisiana, Mississippi, South Carolina and eorgia, Kentucky, Louisiana, Mississippi, South Carolina and eorgia, Kentucky, Louisiana, Mississippi, South Carolina and the Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF	14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	rf network eler and Not Curren and NC these	nents except it tity Combined nonrecurring	or UNE Collo	11.90 11.90 11.90	additional Page and are als	rs. or nonrecurri	ng charges at	pply to Not section.
End O For Gr Curret For Ct 2-WIR UNE F UNE L 2-Wire	Diffice and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and eorgia, Kentucky, Louisiana, Mississippi, South Carolina and thity Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring Voice Grabe Loop WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	14.11 18.23 33.04 17.06 31.87 1.17 1.17	90.00 90.00 90.00	90.00 90.00 90.00	rt network eler and Not Curren and NC these	nents except ity Combined nonrecurring	or UNE Collo	11.90 11.90	additional Page and are also	rs. or nonrecurri	ng charges at	pply to Not section.
End O For Gr Curret For Ct 2-WIR UNE F UNE L 2-Wire	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, MIssissippi, South Carolina and horly Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF UEPAF	14.11 18.23 33.04 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	rf network eler and Not Curren and NC these	nents except it ity Combined nonrecurring	or UNE Color	11.90 11.90 11.90	additional Page and are als	rs. or nonrecurri	ng charges at	pply to Not section.
End O For Go Curret For Co 2-WiR UNE F UNE L	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and beorgia, Kentucky, Louisiana, Mississippi, South Carolina and the Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) URES All Features Offered L NUMBER PORTABILITY [Local Number Portability (1 per port)	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF	14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	rf network eler and Not Curren and NC these	nents except it tity Combined nonrecurring	or UNE Collo	11.90 11.90 11.90	additional Page and are als	rs. or nonrecurri	ng charges at	pply to Not section.
End O For Go Curret For Co 2-WiR UNE F UNE L	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and eorgia, Kentucky, Louisiana, Mississippi, South Carolina and thity Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring Voice Grabe Loop With 2-Wire LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF UEPAF	14.11 18.23 33.04 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	rt network eler	nents except it ity Combined nonrecurring	or UNE Color Combos. T charges are	11.90 11.90 11.90	additional Page and are also	rs. or nonrecurri	ng charges at	pply to Not section.
End O For Go Curret For Co 2-WiR UNE F UNE L	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and eorgia, Kentucky, Louisiana, Mississippi, South Carolina and thity Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF	14.11 18.23 33.04 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	rf network eler and Not Curren and NC these	nents except it ity Combined nonrecurring	or UNE Collo	11.90 11.90 11.90 11.90	additional Page and are also	rs. or nonrecurri	ng charges at	pply to Not section.
End O For Go Curret For Co 2-WiR UNE F UNE L	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and horgia, Kentucky, Louisiana, Mississippi, South Carolina and horgia, Kentucky, Louisiana, Mississippi, South Carolina and horgian	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF UEPAF	14.11 18.23 33.04 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	rf network eler and Not Curren and NC these	nents except it ity Combined nonrecurring	or UNE Color Combos. T charges are	11.90 11.90 11.90	additional Page and are als	rs. or nonrecurri	ng charges at	pply to Not section.
End O For Go Curret For Co 2-WiR UNE F UNE L	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and eorgia, Kentucky, Louisiana, Mississippi, South Carolina and the combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring Voice Grabe Loop Wirth 2-Wire Line PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Unbundled Port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID res 2-Wire voice unbundled Florida Area Calling with Caller ID res 2-Wire voice unbundled Florida Area Calling with Caller ID res 2-Wire voice unbundled Florida Area Calling with Caller ID LOEB All Features Offered L NUMBER PORTABILITY LOCAI Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAF UEPAF UEPAP	14.11 18.23 33.04 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	rt network eler and Not Curren and NC these	nents except ity Combined nonrecurring	or UNE Color	11.90 11.90 11.90 11.90 11.90	additional Press and are also	rs. or nonrecurri	ng charges at	pply to Not section.
End O For Gr Curret For Ct 2-WIR UNE F UNE L 2-Wire LOCA NONR	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and eorgia, Kentucky, Louisiana, Mississippi, South Carolina and thity Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring Voice Grabe Loop WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF	14.11 18.23 33.04 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	rf network eler and Not Curren and NC these	nents except it ity Combined nonrecurring	or UNE Collo	11.90 11.90 11.90 11.90	additional Page and are also	rs. or nonrecurri	ng charges at	pply to Not section.
End O For Gr Curret For Ct 2-WIR UNE F UNE L 2-Wire LOCA NONR	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and eorgia, Kentucky, Louisiana, Mississippi, South Carolina and the orgia, Kentucky, Louisiana, Mississippi, South Carolina and the orgia, Kentucky, Louisiana, Mississippi, South Carolina and Carolina an	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAF UEPAF UEPAP	14.11 18.23 33.04 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	rf network eler and Not Curren and NC these	nents except it ity Combined nonrecurring	or UNE Collo	11.90 11.90 11.90 11.90 11.90	additional Page and are als	rs. or nonrecurri	ng charges at	pply to Not section.
End O For Gr Curret For Ct 2-WIR UNE F UNE L 2-Wire LOCA NONR	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and eorgia, Kentucky, Louisiana, Mississippi, South Carolina and thity Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring Voice Grabe Loop WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAF UEPAF UEPAP UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	14.11 18.23 33.04 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00 90.00 90.00 0.102	90.00 90.00 90.00 90.00 90.00 0.00 0.102	rt network eler and Not Curren and NC these	nents except ity Combined nonrecurring	or UNE Color Combos. Tr charges are	11.90 11.90 11.90 11.90 11.90 11.90	additional Press and are also	rs. or nonrecurri	ng charges at	pply to Not section.
End O For Gr Curret For Ct 2-WIR UNE F UNE L 2-Wire LOCA NONR	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and eorgia, Kentucky, Louisiana, Mississippi, South Carolina and thity Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring Voice Grabe Loop WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP	14.11 18.23 33.04 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	rt network eler and Not Curren and NC these	nents except ity Combined nonrecurring	or UNE Collo	11.90 11.90 11.90 11.90 11.90	additional Page and are also	is. or in on recurring the control of the control o	ng charges at	pply to Not section.
End O For Gr Curret For Ct 2-WIR UNE F UNE L 2-Wire LOCA NONR	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and horgia, Kentucky, Louisiana, Mississippi, South Carolina and horging and the combined Combos for all states. In GA, KY, LA, MS, SC ar surrently Combined Combos in all other states, the nonrecurring VoICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) PORT/LOOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change ITONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAF UEPAF UEPAP UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	14.11 18.23 33.04 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00 90.00 90.00 0.102	90.00 90.00 90.00 90.00 90.00 0.00 0.102	rf network eler and Not Curren and NC these	nents except it ity Combined nonrecurring	or UNE Color Combos. T charges are	11.90 11.90 11.90 11.90 11.90 11.90	additional Page and are als	rs. or nonrecurri	ng charges at	pply to Not section.
End O For Gr Currer For Ct 2-WiR UNE F UNE L 2-Wire ADDIT	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and eorgia, Kentucky, Louisiana, Mississippi, South Carolina and thity Combined Combos for all states. In GA, KY, LA, MS, SC ar urrently Combined Combos in all other states, the nonrecurring Voice Grabe Loop WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAF UEPAF UEPAP UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	14.11 18.23 33.04 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00 90.00 90.00 0.102	90.00 90.00 90.00 90.00 90.00 0.00 0.102	rt network eler	nents except ity Combined nonrecurring	or UNE Color Combos. T charges are	11.90 11.90 11.90 11.90 11.90 11.90	additional Press and are also	rs. or nonrecurri	ng charges at	pply to Not section.
End O For Gr Currer For Ct 2-WiR UNE F UNE L 2-Wire ADDIT	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and eorgia, Kentucky, Louisiana, Mississippi, South Carolina and the Sorgia, Kentucky, Louisiana, Mississippi, South Carolina and the Sorgia, Kentucky, Louisiana, Mississippi, South Carolina and Carolina	sage rat Tennes: nd TN tl	les sha	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAF UEPAF UEPAP UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	14.11 18.23 33.04 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00 90.00 90.00 0.102	90.00 90.00 90.00 90.00 90.00 0.00 0.102	rt network eler and Not Curren and NC these	nents except ity Combined nonrecurring	or UNE Color Combos. The Combos T	11.90 11.90 11.90 11.90 11.90 11.90	additional Page and are also	is. or in on recurring the control of the control o	ng charges at	oply to Not section.
End O For Gr Currer For Ct 2-WiR UNE F UNE L 2-Wire ADDIT	office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi, South Carolina and horgia, Kentucky, Louisiana, Mississippi, South Carolina and horgia, Kentucky, Louisiana, Mississippi, South Carolina and horgian and the states and the states and the states are considered and the states	sage rat Tennes: nd TN tl	es sha	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAF UEPAF UEPAP UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	14.11 18.23 33.04 17.06 31.87 1.17 1.17 1.17 2.26 0.35	90.00 90.00 90.00 90.00 90.00 90.00 0.102	90.00 90.00 90.00 90.00 90.00 0.00 0.102	rf network eler and Not Curren and NC these	nents except it ity Combined nonrecurring	or UNE Color Combos. The Combos of C	11.90 11.90 11.90 11.90 11.90 11.90	additional Page and are also	is. or it nonrecurri	ng charges at	pply to Not section.

Version 1Q02: 03/22/2002 PAGE 61 OF 352

ONRONDI	LED NETWORK ELEMENTS - Florida			1							T -	_	Attachment:		Exhibit: B	
											Svc Order Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incrementa Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I	Manual Svc Order vs. Electronic- Disc 1st	Manual Sv Order vs. Electronic Disc Add'
								_							2.00 .00	2.007.000
							Nonrec		Nonrecurring					Rates(\$)		
		<u> </u>	<u> </u>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates		-	UEPBX	UEPLX	12.94										+
	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPBX	UEPLX	17.06										+
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	31.87										+
2-W	ire Voice Grade Line Port (Bus)		3	OLFBA	OLFLX	31.07										+
2-44	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	90.00	90.00				11.90				+
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.17	90.00	90.00				11.90				+
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.17	90.00	90.00				11.90				+
-	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.17	90.00	90.00				11.90				+
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										1
FEA	TURES					5.55										1
	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00				11.90				1
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is	<u> </u>	<u></u>	UEPBX	USAC2		0.102	0.102	<u> </u>			11.90				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			1												
	Switch with change			UEPBX	USACC		0.102	0.102				11.90				
ADD	DITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2		0.00	0.00				11.90				
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates		<u></u>													
	2-Wire VG Loop/Port Combo - Zone 1		1			14.11										
	2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	2			18.23										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.04										-
UNE	Loop Rates		-	LIEDDO	LIEDLY	10.04										-
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12.94										-
	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEPRG	UEPLX UEPLX	17.06 31.87										+
2 14/	2-Wire Voice Grade Loop (SL 1) - Zone 3 ire Voice Grade Line Port Rates (RES - PBX)		3	UEPRG	UEPLX	31.87										+
2-44	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		1													+
	Res			UEPRG	UEPRD	1.17						11.90				
1.00	CAL NUMBER PORTABILITY		1	OLI NO	OLITO	1.17						11.50				+
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				11.90				+
FFA	TURES			OLI IKO	LIVI OI	0.10	0.00	0.00				11.00				+
	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00				11.90				1
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1											1
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		8.45	1.91				11.90				
ADD	DITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				11.90				1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group			ļ	1		7.09	7.09				11.90				
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		<u> </u>		 											
UNE	Port/Loop Combination Rates		<u> </u>												ļ	
	2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1		+	14.11										+
	2-Wire VG Loop/Port Combo - Zone 2	 	2	 	+	18.23									ļ.	+
	2-Wire VG Loop/Port Combo - Zone 3	 	3	 	+	33.04									ļ.	+
UNE	Loop Rates	 	1	LIEDDY	UEPLX	12.04									1	+
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	├	2	UEPPX UEPPX	UEPLX	12.94 17.06									1	+
		├	3	UEPPX	UEPLX	17.06 31.87									1	+
2 14/	2-Wire Voice Grade Loop (SL 1) - Zone 3 ire Voice Grade Line Port Rates (BUS - PBX)	 	3	UEPPA	UEPLA	31.87									 	+
Z-VV	ile voice Glade Lille Polt Rates (BUS - PBA)	├	 	-	+										1	+
				•												

JNB	UNDLE	D NETWORK ELEMENTS - Florida			,								,	Attachment:		Exhibit: B	1
													Svc Order	Incremental			
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'
								Nonrec	urrina	Nonrecurring D	Disconnect			oss	Rates(\$)	l.	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Side Unbundled Outward PBX Trunk Port - Bus	1	1	UEPPX	UEPPO	1.17	90.00	90.00		7.44.		11.90				
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.17	90.00	90.00				11.90				+
	+	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	90.00	90.00				11.90				+
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	90.00	90.00				11.90			-	+
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	90.00	90.00				11.90				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	90.00	90.00				11.90				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	90.00	90.00				11.90				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	1.17	90.00	90.00				11.90				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	1.17	90.00	90.00				11.90				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy												-			
		Room Calling Port	1	1	UEPPX	UEPXM	1.17	90.00	90.00]			11.90			I	1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
		Discount Room Calling Port			UEPPX	UEPXO	1.17	90.00	90.00				11.90				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	1	UEPPX	UEPXS	1.17	90.00	90.00				11.90				1
	LOCAL	L NUMBER PORTABILITY			OLITA	OLI AO	1.17	50.00	50.00				11.50				+
	LOCA	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				11.90				+
	FEATU			 	ULFFX	LINEGE	3.13	0.00	0.00				11.90				+
	FEAT				HEDDY	LIED) (E	0.00	0.00	0.00				44.00				
		All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00				11.90				
	NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91				11.90				
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPPX	USACC		8.45	1.91				11.90				
	ADDIT	TONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				11.90				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.86	7.86				11.90				
	2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	?T			-		7.00	7.00				11.00				+
		Port/Loop Combination Rates	ì														+
	ONLI	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.11										+
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.23										+
					-	-											
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			33.04										<u> </u>
	UNE L	oop Rates	<u> </u>	<u> </u>	LIEBOO												
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.94										1
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	17.06										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.87										
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (FL)	1	1	UEPCO	UEP2F	1.17	90.00	90.00]			11.90			I	1
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															1
		(FL)		1	UEPCO	UEPFA	1.17	90.00	90.00				11.90				1
		2-Wire Coin 2-Way with Operator Screening and Blocking:		1	1	7=		22.00	22.00				50			1	
		900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	90.00	90.00				11.90				
		2-Wire Coin Outward with Operator Screening and 011 Blocking	 	 	OLI CO	OLI CO	1.17	30.00	30.00				11.50				+
		(AL, FL)		1	UEPCO	UEPRK	1.17	90.00	90.00				11.90				1
	-		 	 	OLFOO	OFLKV	1.17	90.00	90.00				11.90			 	+
		2-Wire Coin Outward with Operator Screening and Blocking:	1	1	LIEDOO	HEDGE		20.00	20.00]			44.00			I	1
	1	900/976, 1+DDD, 011+ (FL)	<u> </u>	<u> </u>	UEPCO	UEPOF	1.17	90.00	90.00				11.90				
		2-Wire Coin Outward with Operator Screening and Blocking:		1	l	1											1
		900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	90.00	90.00				11.90				1
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	90.00	90.00				11.90				1
		2-Wire Coin Outward Smartline with 900/976 (all states except															
		LA)	<u>L_</u>	<u>L</u>	UEPCO	UEPCR	1.17	90.00	90.00	<u> </u>			11.90			<u> </u>	1
	ADDIT	TONAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	90.00	90.00				11.90				
	LOCAL	L NUMBER PORTABILITY															
		Local Number Portability (1 per port)	 	 	UEPCO	LNPCX	0.35			 						1	+

ONRONDL	ED NETWORK ELEMENTS - Florida													Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	вс	cs	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
								Nonrec		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONE	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO		USAC2		0.102	0.102				11.90				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -																
	Switch with change			UEPCO		USACC		0.102	0.102				11.90				
ADDI	TIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDOO		110400		0.00	0.00				44.00				
LINDI	Activity			UEPCO		USAS2		0.00	0.00				11.90				
	JNDLED REMOTE CALL FORWARDING - RES																4
UNBU	JNDLED REMOTE CALL FORWARDING - Bus			LIED) (D		LIEDVII	4.40	0.74	0.00	4.00	4.00		44.00				-
INDINDI ED	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB		UEPVJ	1.40	3.74	3.63	1.88	1.80		11.90				-
	PORT/LOOP COMBINATIONS - COST BASED RATES																
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	1													ļ	
UNE	Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.21									ļ	<u> </u>
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				28.28										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				46.53										
UNE	Loop Rates																1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.50						11.90			1.83	1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	19.57						11.90			1.83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	37.82						11.90			1.83	
UNE	Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.71	850.00	75.00				11.90			1.83	
NONE	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is			UEPPX		USAC1		7.85	1.87				11.90				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																i .
	with BellSouth Allowable Changes			UEPPX		USA1C		7.85	1.87				11.90				
ADDI	TIONAL NRCs																ĺ
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32.26	32.26				11.90				ĺ
Telep	hone Number/Trunk Group Establisment Charges																ĺ
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				11.90			1.83	ĺ
	DID Numbers, Establish Trunk Group and Provide First Group																1
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00				11.90			1.83	
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00				11.90			1.83	1
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00				11.90			1.83	1
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00				11.90			1.83	
LOCA	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2-WIF	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT					0.00									
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		32.09										
 	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		+-	OLI FD	OLFFR	1	32.09								1	l .	
	UNE Zone 2		2	UEPPB	UEPPR		38.15										
+	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			ULFFD	ULFFR	1	30.13								1	l .	
	UNE Zone 3		3	UEPPB	UEPPR		59.94										
IINE	Loop Rates		3	OLI FD	OLFFR	1	33.34								1	l .	
ONL	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	24.71						11.90			1.83	
	2-vviile 13DIN Digital Grade Loop - ONE Zorie 1		+-	UCPPD	UEFFR	USLZA	24.71						11.90		-	1.83	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	30.77						11.90			1.83	
					UEPPR		52.56						11.90			1.83	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	OEPPB	UEPPR	USL2X	52.56						11.90		-	1.83	
UNE	Port Rate			LIEDDD	HEDDE	LIEDDD	7.00	505.00	400.00				44.00		-	4.00	
NG.	Exchange Port - 2-Wire ISDN Line Side Port		<u> </u>	UEPPB	UEPPR	UEPPB	7.38	525.00	400.00				11.09		1	1.83	
NONE	RECURRING CHARGES - CURRENTLY COMBINED					1										1	├
(l	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			LIEDES	LIEDES	110465							,				
L	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	25.22	17.00				11.90		ļ	1.83	
ADDI	TIONAL NRCs																<u> </u>

NRONDL	LED NETWORK ELEMENTS - Florida						1					1 -		Attachment:		Exhibit: B	ļ
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
ATEGORY	RATE ELEMENTS	Interi	Zone	В	CS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m							.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		<u> </u>	oss	Rates(\$)		l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1.00	CAL NUMBER PORTABILITY	+				1	Nec	гизс	Auu i	FIISL	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	SOWAN	JOWAN
LUC	Local Number Portability (1 per port)	_		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
5.01				UEPPB	UEPPR	LINPUX	0.35	0.00	0.00								
B-CF	HANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS \$	SC,MS, 8	(TN)														
USE	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VFR.	TICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00				11.90				
INTE	EROFFICE CHANNEL MILEAGE	+	I	JEIID	OLI I IX	JE: VI	2.20	0.00	0.00			ł – – – –	11.50			1	
IIVIE		+	I	 		1	1			 		 	 			-	-
	Interoffice Channel mileage each, including first mile and	1		LIEDDD	UEPPR	MACNIC	10 4404	47.05	04.70	40.04	7.00	I	44.00			4.00	1
	facilities termination		<u> </u>			M1GNC	18.4491	47.35	31.78	18.31	7.03		11.90			1.83	
	Interoffice Channel mileage each, additional mile		ļ	UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	
	IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT															
UNE	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			156.18										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			181.87										
_	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	_		OLITI			101.07										
			2	LIEDDD			074.05										
	Zone 3		3	UEPPP			274.25										
UNE	Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	73.44						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	99.13						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	191.51						11.90			1.83	
UNE	Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	82.74	1,150.00	1,150.00				11.90			1.83	
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	84.17	61.38				11.90			1.83	
ADD	DITIONAL NRCs		1	02		00/101	0.00	0	01.00				11.00			1.00	
755	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		1														
				LIEDDD		DDZTE		0.5440					44.00			4.00	
	Inward/two way tel nos within Std Allowance (except NC)	1	1	UEPPP		PR7TF	1	0.5412		1		1	11.90			1.83	1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1]]		I	,				1
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -											1					
	Subsequent Inward Tel Nos Above Std Allowance		<u></u>	UEPPP		PR7ZT	<u> </u>	25.42	25.42				11.90			1.83	
LOC	CAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTE	ERFACE (Provsioning Only)		1	1						i i							
	Voice/Data	1	1	UEPPP		PR71V	0.00	0.00	0.00			 	 			t	1
	Digital Data	1	1	UEPPP		PR71D	0.00	0.00	0.00	 		1				1	
		+	I							1		 	 			-	-
A 1 - :	Inward Data	+	1	UEPPP		PR71E	0.00	0.00	0.00	 		 				1	
New	or Additional "B" Channel	1	1	====		DD=F::							,				ļ
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	15.48					11.90			1.83	
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	15.48					11.90			1.83	
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	15.48					11.90			1.83	
CAL	L TYPES																
	Inward			UEPPP		PR7C1	0.00	0.00	0.00								
	Outward	1		UEPPP		PR7C0	0.00	0.00	0.00	i i							
	Two-way	1	1	UEPPP		PR7CC	0.00	0.00	0.00			 	 			t	
Inter	roffice Channel Mileage	1	1	OLI I I			5.00	0.00	0.00	 		1				1	
inter		+	I	LIEDDD		41 NI4 A	00 6050	105.54	00 47	24 47	10.05	 	11.00			1.93	-
	Fixed Each Including First Mile	-	1	UEPPP		1LN1A	88.6256	105.54	98.47	21.47	19.05	1	11.90			1.93	
	Each Airline-Fractional Additional Mile	-	1	UEPPP		1LN1B	0.1856										
	IRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1	1									<u> </u>					
UNE	Port/Loop Combination Rates		L														
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC			128.39						11.90			1.83	

Version 1Q02: 03/22/2002 PAGE 65 OF 352

INBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		154.08						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		246.46						11.90			1.83	
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	73.44						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	99.13						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	191.51						11.90			1.83	
UNE P	ort Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	54.95						11.90			1.83	
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is	ļ		UEPDC	USAC4		95.31	46.71				11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes	ļ		UEPDC	USAWA		95.31	46.71				11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk			UEPDC	USAWB		95.31	46.71				11.90			1.83	
ADDII	IONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			LIEDDO	LIDTTA		45.00	45.00				44.00			4.00	
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent						4= 00	4= 00								
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			LIEDDO	LIDTTO		45.00	45.00				44.00			4.00	
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			LIEDDO	LIDTTD		45.00	45.00				44.00			4.00	
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan						4= 00	4= 00								
DIDOL	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
BIPUL	AR 8 ZERO SUBSTITUTION B8ZS -Superframe Format			UEPDC	CCOSF		0.00	655.00				11.90			1.83	
	B8ZS - Superframe Format B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	655.00				11.90			1.83	
A14 a	ate Mark Inversion		-	UEPDC	CCOEF		0.00	655.00				11.90			1.03	
Aitem	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Tolonk	none Number/Trunk Group Establisment Charges			OLFDC	IVICOFO		0.00	0.00	-		-				-	
Гегері	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						11.90			1.83	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						11.90			1.83	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						11.90			1.83	_
	DID Numbers, Establish Trunk Group and Provide First Group			OLI DO	ODTOZ	0.00						11.50			1.00	
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				11.90			1.83	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00				11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop			0.00	0.00	0.00				11.00			1.00	
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	l Jigitu.		1	1											
	Termination)	1		UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90		l	1.83	
					1	-										
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	l		UEPDC	1LNOA	0.1856	0.00	0.00							1	
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	1		· ·	1 1			2.30						1	t	
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles	1		UEPDC	1LNOB	0.1856	0.00	0.00						l	I	
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)	1		UEPDC	1LNO3	0.00	0.00	0.00	0.00					l	I	
					1											
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.1856	0.00	0.00						l	I	
	Local Number Portability, per DS0 Activated	<u></u>		UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIR	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations														

Version 1Q02: 03/22/2002 PAGE 66 OF 352

RUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Each S	System can have up to 24 combinations of rates depending on	type ar	nd nun	nber of ports used												
UNE D	S1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	73.44	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	99.13	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	191.51	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ıs)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0.00	0.00				11.90			1.83	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00				11.90			1.83	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	
_	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,361.20	0.00	0.00				11.90			1.83	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00				11.90			1.83	
	672 DS0 Channel Capacity - 1 per 28 DS1s		L	UEPMG	VUM67	3,305.68	0.00	0.00				11.90			1.83	
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	imum System configuration is One (1) DS1, One (1) D4 Channel															
Multip	les of this configuration functioning as one are considered Ad	ld'I afte	r the m	ninimum system cor	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		<u> </u>	UEPMG	USAC4	0.00	96.77	4.24				11.90				
	n Additions at End User Locations Where 4-Wire DS1 Loop wit	n Chan	nelizai	tion with Port Comb	ination Curre	ently Exists and										
New (r	Not Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc									.=						
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24		11.90				
Bipola	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	655.00				11.90				
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	655.00				11.90				
Altern	ate Mark Inversion (AMI)			1150110			2.22									
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	n with	Port													
Excha	nge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
				LIEBBY												
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
Feeten	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00		11.90			1.83	
Featur	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated						0= 40									
	in D4 Bank			UEPPX	1PQWM	0.66	25.40	13.41	3.96	3.93		11.90			1.83	
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0.66	78.16	18.42	56.03	10.95		11.90			1.83	
Teleph	none Number/ Group Establishment Charges for DID Service			LIEBBY	LIDT	ļ						,			.	L
	DID Trunk Termination (1 per Port)		<u> </u>	UEPPX	NDT	0.00	0.00	0.00				11.90				
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		ļ	UEPPX	NDZ	0.00	0.00	0.00	ļ			11.90				
_	DID Numbers - groups of 20 - Valid all States		<u> </u>	UEPPX	ND4	0.00	0.00	0.00				11.90				
_	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				11.90			.	
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				11.90			.	
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00	ļ			11.90			.	
Local	Number Portability			LIEBBY .	LVBC-											
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00	ļ						.	
	JRES - Vertical and Optional		<u> </u>	ļ											ļ	
Local	Switching Features Offered with Line Side Ports Only															
	All Features Available		1	UEPPX	UEPVF	2.26	0.00	0.00	1		1	11.90			1.83	

Version 1Q02: 03/22/2002 PAGE 67 OF 352

NBUNDLED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
ATEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted			Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
														2.00 .01	2.007.444
	1				Rec	Nonre First	curring Add'l		g Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
NBUNDLED PORT LOOP COMBINATIONS - MARKET RATES	1			_	Rec	FIRST	Add I	First	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
Market Rates shall apply where BellSouth is not required to provide	unhung	dled lo	cal ewitching or ewi	tch norte nor	FCC and/or St	ata Commissi	n rules		1	1	1				
These scenarios include:	I	1	l	lon porto per	1 00 4114/01 01	ate commission	iii ruico.								
Unbundled port/loop combinations that are Not Currently Combinations	ned in A	labam	a, Florida and North	Carolina.						1	İ				
2. Unbundled port/loop combinations that are Currently Combined					0 8 MSAS in Be	IISouth's regi	on for end use	rs with 4 or mo	ore DS0 equiva	lent lines.					
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic: Market Rates, BellSouth shall bill the rates in the Cost-Based section. The Market Rate for unbundled ports includes all available features. End Office and Tandem Switching Usage and Common Transport Usage.	ally bill n preced in all sta	the rec ding in ates.	urring and non-recu lieu of the Market F	arring Market Rates and res	Rates in this s erves the right	ection except to true-up the	or nonrecurrir billing differen	g charges for ce.	not currently	combined in	ÁL, FL and			<u> </u>	
(USOC: URECU).	- Name			in the Finat o		IDC asluma	lan aaab Dant I	1000 F 0	mamilio Cambin		- 4h- N		!!	in the NDC	O
For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are catego				in the First a	na Additional I	NKC columns	or each Port L	SOC. For Cur	rently Combin	ed scenario	s, the Nonre	curring charg	ges are listed	in the NKC -	Currently
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	rized ac	corain	gıy. İ								1 1		ı		
UNE Port/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Zone 1		1			26.94										
2-Wire VG Loop/Port Combo - Zone 2		2			31.06										
2-Wire VG Loop/Port Combo - Zone 3		3			45.87										
UNE Loop Rates															
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.94										
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	17.06										
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.87										
2-Wire Voice Grade Line Port (Res)	ļ		UEBBY .								44.00				
2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPRX UEPRX	UEPRL	14.00 14.00	90.00	90.00 90.00				11.90 11.90				
2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	<u> </u>	<u> </u>	UEPRX	UEPRO	14.00	90.00	90.00				11.90				
2-vviile voice dribundled port odigoling only - res			OLFRA	OLFRO	14.00	90.00	90.00				11.90				
2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	14.00	90.00	90.00				11.90				
2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00				11.90				
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEATURES															
All Features Offered	ļ		UEPRX	UEPVF	0.00	0.00	0.00				11.90				
2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50				11.90				
2-Wire Voice Grade Loop / Line Port Combination - Switch with			LIEDDY	LICACO		44.50	44.50				44.00				
change ADDITIONAL NRCs	1	 	UEPRX	USACC		41.50	41.50		 	1	11.90			1	
NRC - 2-Wire Voice Grade Loop/Line Port Combination -	 	 		+					 	<u> </u>				1	
Subsequent	1	1	UEPRX	USAS2		0.00	0.00		I		11.90				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Zone 1		1			26.94										
2-Wire VG Loop/Port Combo - Zone 2	ļ	2			31.06				ļ						
2-Wire VG Loop/Port Combo - Zone 3	ļ	3		1	45.87										
UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPBX	UEPLX	12.94				-	 				-	
2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPBX	UEPLX	12.94 17.06				 	1				1	
2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPBX	UEPLX	31.87				 					1	
2-Wire Voice Grade Line Port (Bus)	<u> </u>	Ť			307				1						
2-Wire voice unbundled port without Caller ID - bus	1		UEPBX	UEPBL	14.00	90.00	90.00				11.90				
2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00				11.90				
2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00				11.90				
LOCAL NUMBER PORTABILITY				L											
Local Number Portability (1 per port)	<u> </u>	ļ	UEPBX	LNPCX	0.35					<u> </u>				ļ	
NONRECURRING CHARGES - CURRENTLY COMBINED	 	1		1					 	 			-	1	
2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	1	1	UEPBX	USAC2		41.50	41.50		1		11.90				

Version 1Q02: 03/22/2002 PAGE 68 OF 352

UNBUN	IDLE	D NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
							·	·			·	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		l
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Combination - Switch with		 			Nec	11131	Auu i	11130	Auu	JOHILO	JONAN	JONAN	JONAN	JOHIAN	JOINAIN
		Ichange			UEPBX	USACC		41.50	41.50				11.90				
	DDIT				UEPBX	USACC		41.50	41.50				11.90				
Α	וווטטו	ONAL NRCs															
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
		Subsequent			UEPBX	USAS2		0.00	0.00				11.90				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
U	JNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			26.94										
		2-Wire VG Loop/Port Combo - Zone 2		2			31.06										
		2-Wire VG Loop/Port Combo - Zone 3		3			45.87										
U	INF I	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	12.94			1		1	i i		1	1	1
		2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPRG	UEPLX	17.06					 			1	1	
			-		UEPRG	UEPLX	31.87			1		}	-		-	-	1
	14/*	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRO	UEPLA	31.8/			1		 	 		 	 	1
2-	-wire	Voice Grade Line Port Rates (RES - PBX)		 	1	+				1		1			-	1	1
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	l	1								I			1	I	
		Res		<u> </u>	UEPRG	UEPRD	14.00	90.00	90.00]	11.90				
L	OCAL	. NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15										
FI	EATU	RES															
		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				11.90				
N	IONRE	CURRING CHARGES - CURRENTLY COMBINED						0.00									
												-					
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50				11.90				
				-	ULFING	USACZ		41.50	41.50			1	11.50				
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
		Change			UEPRG	USACC		41.50	41.50				11.90				
Α	DDIT	ONAL NRCs															
		2 Wire Loop/Line Side Port Combination - Non feature -															
		Subsequent Activity- Nonrecurring						0.00	0.00				11.90				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.09	7.09				11.90				
2-	-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			26.94										
				2			31.06					1			-		1
		2-Wire VG Loop/Port Combo - Zone 2	<u> </u>		-					-		1			 	 	-
		2-Wire VG Loop/Port Combo - Zone 3		3	1		45.87			1		1			1	1	1
U	INE L	pop Rates		<u> </u>	l							ļ					ļ
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	12.94]					
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	17.06										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	31.87					<u> </u>					<u> </u>
2-	-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	l	1	UEPPX	UEPPC	14.00	90.00	90.00			1	11.90			1	
		Line Side Unbundled Outward PBX Trunk Port - Bus		1	UEPPX	UEPPO	14.00	90.00	90.00	1		1	11.90		1	1	1
		Line Side Unbundled Incoming PBX Trunk Port - Bus		1	UEPPX	UEPP1	14.00	90.00	90.00			1	11.90				1
		2-Wire Voice Unbundled PBX LD Terminal Ports		 	UEPPX	UEPLD	14.00	90.00	90.00			 	11.90		1	1	
				1		UEPXA				1		1			1	1	1
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPPX		14.00	90.00	90.00	1		1	11.90		1	1	1
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		 	UEPPX	UEPXB	14.00	90.00	90.00	ļ		1	11.90				1
		2-Wire Voice Unbundled PBX LD DDD Terminals Port		!	UEPPX	UEPXC	14.00	90.00	90.00			 	11.90				ļ
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00			ļ	11.90		ļ	ļ	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD										1					
		Capable Port	l	1	UEPPX	UEPXE	14.00	90.00	90.00			1	11.90			1	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00			1	11.90				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy										İ					İ
		Room Calling Port	l	1	UEPPX	UEPXM	14.00	90.00	90.00			1	11.90			1	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		 	OLI I A	OLI AIVI	14.00	90.00	90.00	1		1	11.50		t	t	1
					UEPPX	UEPXO	14.00	90.00	90.00			1	11.90				
		Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPPX	UEPXO	14.00	90.00	90.00			ļ	11.90				ļ

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrec			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	AL NUMBER PORTABILITY			LIEBBY .	LUBOR											
FFAS	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
FEAT	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				11.90				
NON	RECURRING CHARGES - CURRENTLY COMBINED			UEPFA	UEPVF	0.00	0.00	0.00				11.90				
NON	RECORDING CHARGES - CORRENTET COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPPX	USACC		41.50	41.50				11.90				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00				11.90				
	2 Wire Loop/Line Side Port Combination - Non feature -						0.00	0.00				44.60				
	Subsequent Activity- Nonrecurring		<u> </u>	 			0.00	0.00	1	-		11.90			1	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group		1	1			7.09	7.09				11.90				
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	PT .					7.09	7.09				11.90				
	Port/Loop Combination Rates															
0	2-Wire VG Coin Port/Loop Combo – Zone 1		1			26.94										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			31.06										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			45.87										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	17.06										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.87										
2-Wii	re Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (FL)			UEPCO	UEP2F	14.00	90.00	90.00				11.90				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPZF	14.00	90.00	90.00				11.90				
	(FI)			UEPCO	UEPFA	14.00	90.00	90.00				11.90				
	2-Wire Coin 2-Way with Operator Screening and Blocking:			021 00	OLITA	14.00	50.00	50.00				11.00				
	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	14.00	90.00	90.00				11.90				
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(AL, FL)			UEPCO	UEPRK	14.00	90.00	90.00				11.90				
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	14.00	90.00	90.00				11.90				
1	2-Wire Coin Outward with Operator Screening and Blocking:											,				
1.00	900/976, 1+DDD, 011+, and Local (FL, GA)		<u> </u>	UEPCO	UEPCQ	14.00	90.00	90.00	1	-		11.90			1	
LUCA	AL NUMBER PORTABILITY Local Number Portability (1 per port)	1	!	UEPCO	LNPCX	0.35			1		1				-	
NON	RECURRING CHARGES - CURRENTLY COMBINED			ULPCU	LINEUX	0.35								-		
- INOINI	TESSTANIO STANGES - SUNNENTET SUMBINED				+											
.	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		1	UEPCO	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change		<u>L</u>	UEPCO	USACC		41.50	41.50		<u></u>	<u> </u>					
ADDI	TIONAL NRCs															
		1		l												
LINIBURES ==	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		<u> </u>	UEPCO	USAS2		0.00	0.00	ļ			11.90				<u> </u>
	D PORT/LOOP COMBINATIONS - MARKET BASED RATES RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DOD-	<u> </u>	ļ	+ +											
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates	PURI	 	-	+				-	-					1	
UNE	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1	 	1 1	69.50			1		1			1	1	
-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2	 	1 1	74.57			1		1			1	1	
-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		+	92.82										
UNE	Loop Rates		Ť	İ	1											
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.50						11.90			1.83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	19.57						11.90			1.83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	37.82						11.90			1.83	
UNE	Port Rate															

UNBUNDL	.ED NETWORK ELEMENTS - Florida													Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	В	scs	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge -	Increment Charge - Manual Sv Order vs. Electronic
														1st	Add'l	Disc 1st	Disc Add'
								Nonrec		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	55.00	850.00	75.00				11.90			1.83	
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination	-															
	Switch-As-Is Top 8 MSAs only			UEPPX		USAC1		850.00	75.00				11.90				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		850.00	75.00				11.90				
ADD	ITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32.26	32.26				11.90				
Tele	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group																
	of 20 DID Numbers	 	<u> </u>	UEPPX		NDZ	0.00	0.00	0.00			ļ	11.90			1.83	<u> </u>
	Additional DID Numbers for each Group of 20 DID Numbers	 	<u> </u>	UEPPX		ND4	0.00	0.00	0.00			ļ	11.90			1.83	<u> </u>
	DID Numbers, Non- consecutive DID Numbers , Per Number	-	<u> </u>	UEPPX		ND5	0.00	0.00	0.00				11.90			1.83	
	Reserve Non-Consecutive DID numbers	 	<u> </u>	UEPPX		ND6	0.00	0.00	0.00			<u> </u>	11.90			1.83	
1.00	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00				11.90			1.83	
LOC	AL NUMBER PORTABILITY			LIEDDY		LNIDOD	0.45	0.00	0.00								
0.140	Local Number Portability (1 per port)	INIE OIDI	- BOD	UEPPX		LNPCP	3.15	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL L	INE SIDI	POR	1													
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port			LIEDDD	LIEDDD		04.74										
	UNE Zone 1		1	UEPPB	UEPPR		94.71										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		_														
	UNE Zone 2		2	UEPPB	UEPPR		100.77										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		_	UEPPB	UEPPR		100.50										
LINIE			3	UEPPB	UEPPR		122.56										
UNE	Loop Rates 2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	24.71						11.90			1.83	
	2-Wile ISDN Digital Grade Loop - UNE Zorie I			UEPPB	UEPPR	USLZA	24.71						11.90			1.03	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	30.77						11.90			1.83	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	52.56						11.90			1.83	
LINE	Port Rate		3	OLFFB	ULFFR	USLZA	32.30					1	11.50			1.03	
ONL	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	70.00	525.00	400.00			1	11.09			1.83	
NON	RECURRING CHARGES - CURRENTLY COMBINED			OLITE	OLITIK	OLITB	70.00	020.00	400.00				11.00			1.00	
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion - Top 8 MSAs only			LIEPPR	UEPPR	USACB	0.00	215.00	215.00				11.90			1.83	
ADD	ITIONAL NRCs			OL. I B	OL: III	00/102	0.00	210.00	210.00				11.00				
	AL NUMBER PORTABILITY	1		1		1									 	1	†
-30	Local Number Portability (1 per port)	1	<u> </u>	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00						1		
B-CI	HANNEL USER PROFILE ACCESS:	1	t	 			2.20	2.20	2.20						1	Ì	†
	CVS/CSD (DMS/5ESS)	1	1	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00						İ		
	CVS (EWSD)	1		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00		İ				İ		1
-	CSD	1	1	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00						İ		
B-CI	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(TN)														
	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								1
VER	TICAL FEATURES						j										
	All Vertical Features - One per Channel B User Profile	i i		UEPPB	UEPPR	UEPVF	2.26	0.00	0.00				11.90				
INTE	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and						j										
	facilities termination	<u> </u>	<u></u>		UEPPR	M1GNC	18.4491	47.35	31.78	18.31	7.03		11.90			1.83	
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT					<u> </u>										
UNE	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1	1	1	UEPPP		1	973.44										<u></u>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1		1]		·						<u> </u>		
ı	Zone 2		2	UEPPP			999.13				1	1			1		1

		ľ														
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_													
 _	Zone 3		3	UEPPP		1,091.51			L							
UNE I	Loop Rates		.	LIEDDD	LIOL 4D	70.44						44.00			1.00	
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	73.44						11.90			1.83	
$-\!+\!-$	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP UEPPP	USL4P USL4P	99.13 191.51			-			11.90 11.90			1.83 1.83	
LINE	Port Rate		3	UEPPP	USL4P	191.51			-			11.90			1.83	
UNE	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	900.00	1,150.00	1,150.00	-			11.90			1.83	
NONE	RECURRING CHARGES - CURRENTLY COMBINED			OLITI	OLITI	300.00	1,130.00	1,130.00	+ +			11.50			1.00	
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00				11.90			1.83	
ADDI	FIONAL NRCs			CLITT	00/10/	0.00	320.00	020.00				11.00			1.00	
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP	PR7TF		0.5412					11.90			1.83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		25.42	25.42				11.90			1.83	
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTEF	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	20.00					11.90			1.83	
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	20.00					11.90			1.83	
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	20.00					11.90			1.83	
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Intero	ffice Channel Mileage			LIEDDO		22.22	105.51		0.4.4			44.00				
	Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															ļ
UNE	Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide			UEPDC												
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1 1	UEPDC		128.39			-			11.90			1.83	
-+	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	-	2	UEPDC	1	154.08			+		}	11.90		1	1.83	1
-+-	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		246.46			 		1	11.90			1.83	
$-\!$	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC	+	240.40					1	11.90		1	1.63	
LINE	Loop Rates		-	021 00	+						1			1	1	
OIAE E	4-Wire DS1 Digital Loop - Statewide	-	SW	UEPDC	USLDC				 							
	4-Wire DS1 Digital Loop - UNE Zone 1		1 1	UEPDC	USLDC	73.44						11.90			1.83	1
-+	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	99.13					1	11.90			1.83	t
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	191.51						11.90			1.83	
\neg	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	701.01						700				
UNE I	Port Rate				1				† †					İ		
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,019.56	479.87	204.92	20.10		11.90			1.83	
NONF	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		95.31	46.71				11.90			1.83	
										·						
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			l	1											
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		95.31	46.71				11.90			1.83	<u> </u>
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			ĺ												
1					1 1						1			1	1	1

Version 1Q02: 03/22/2002 PAGE 72 OF 352

JNBUNDLE	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremen Charge Manual S Order v Electron Disc Ad
							Nonrec		Nonrecurring					Rates(\$)		
ADDIT	TIONAL NIDO-					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
ADDII	TIONAL NRCs 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4											
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			OLI DO	00/104											
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID	ļ		UEPDC	UDTTD		15.69	15.69				11.90			1.83	↓
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	l		LIEDDO	LIDTTE	l	45.00	45.00				44.00				1
PIDO	Activation / Chan - 2-Way DID w User Trans LAR 8 ZERO SUBSTITUTION	1		UEPDC	UDTTE		15.69	15.69				11.90			1.83	1
BIPUL	B8ZS -Superframe Format	 	-	UEPDC	CCOSF		0.00	655.00				11.90			1.83	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	655.00				11.90			1.83	1
Altern	nate Mark Inversion			OLFDC	CCOLI	1	0.00	033.00				11.90			1.03	
Aiteili	AMI -Superframe Format			UEPDC	MCOSF	1	0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges			02. 00			0.00	0.00								
. 0.0p	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						11.90			1.83	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						11.90			1.83	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				11.90			1.83	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	ļ
	cated DS1 (Interoffice Channel Mileage) - CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port				-											
FA/FC	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.1856	0.00	0.00							1	1
-	Local Number Portability, per DS0 Activated	1		UEPDC	LNPCP	3.15	0.00	0.00	0.00						1	1
+	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00						 	\vdash
4-WIR	RE DS1 LOOP WITH CHANNELIZATION WITH PORT			OLI DO	010	0.00										
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
	tem can have various rate combinations based on type and nu			used												
UNE D	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	73.44	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	99.13	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3	L	3	UEPMG	USLDC	191.51	0.00	0.00								
UNE I	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)		LIEBLIO	1,011,00	,						,			ļ	ļ
	24 DSO Channel Capacity - 1 per DS1	<u> </u>		UEPMG	VUM24	118.06	0.00	0.00				11.90			1.83	<u> </u>
_	48 DSO Channel Capacity - 1 per 2 DS1s	 		UEPMG UEPMG	VUM48 VUM96	236.12	0.00	0.00				11.90			1.83	!
	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s	<u> </u>		UEPMG UEPMG	VUM96 VUM14	472.24 708.36	0.00	0.00				11.90 11.90			1.83 1.83	!
	192 DS0 Channel Capacity -1 per 6 DS1s	 	-	UEPMG	VUM14 VUM19	708.36 944.48	0.00	0.00				11.90			1.83	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1.180.60	0.00	0.00				11.90			1.83	

Version 1Q02: 03/22/2002 PAGE 73 OF 352

OMBONDLI	ED NETWORK ELEMENTS - Florida			1		П					0	00	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic-
													1st		DISC 1St	Disc Add'l
		<u> </u>				В	Nonred		Nonrecurring		001150	001111	OSS SOMAN	Rates(\$) SOMAN	001441	SOMAN
	288 DS0 Channel Capacity - 1 per 12 DS1s	-		UEPMG	VUM28	Rec 1,416,72	First 0.00	Add'I 0.00	First	Add'l	SOMEC	SOMAN 11.90	SOMAN	SOMAN	SOMAN 1.83	SOMAN
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
	480 DS0 Channel Capacity - 1 per 10 DC13			UEPMG	VUM40	2,361.20	0.00	0.00			1	11.90			1.83	
	576 DS0 Channel Capacity -1 per 24 DS1s	1		UEPMG	VUM57	2,833.44	0.00	0.00				11.90			1.83	
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305,68	0.00	0.00				11.90			1.83	
Non-F	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chani	neliztio	n with Port - Conve	rsion Charge	Based on a Sy	stem									
	nimum System configuration is One (1) DS1, One (1) D4 Channe															
Multij	ples of this configuration functioning as one are considered A	dd'l afte	r the m	ninimum system cor	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00				11.90				
Syste	em Additions Where Currently Combined and New (Not Current	ly Comb	nined \		U3AC4	0.00	430.00	30.00			1	11.90				
	p 8 MSAs and AL, FL, and NC Only	I	Jinea ,													
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation -			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00		11.90				
Bipol	ar 8 Zero Substitution											11.90				
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	655.00				11.90				
	Clear Channel Capability Format - Extended Superframe -			OLFING	CCOSI	0.00	0.00	033.00				11.90				
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	655.00				11.90				
Alterr	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelizati	ion with	Port													
Excha	ange Ports															
	Line Cide Combination Channelined DDV Total Dest. Business			LIEDDY	LIEDOV	44.00	0.00	0.00	0.00	0.00		44.00			4.00	
	Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business			UEPPX UEPPX	UEPCX	14.00 14.00	0.00	0.00	0.00	0.00		11.90 11.90			1.83 1.83	
-	Line Side Odtward Charmenzed FBA Trunk Fort - Business			ULFFX	OLFOX	14.00	0.00	0.00	0.00	0.00	1	11.90			1.03	
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	55.00	0.00	0.00	0.00	0.00		11.90			1.83	
Featu	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated															
	in D4 Bank			UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00		11.90			1.83	
	Feature (Service) Activation for each Trunk Side Port Terminated	i l														
	in D4 Bank			UEPPX	1PQWU	0.66	110.00	30.00	65.00	20.00		11.90			1.83	
Telep	hone Number/ Group Establishment Charges for DID Service			LIEDDY	NDT	0.00	0.00	0.00				44.00				
	DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL.GA, NC.& SC)			UEPPX UEPPX	NDT NDZ	0.00	0.00	0.00				11.90 11.90				
-	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00			1	11.90				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				11.90				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				11.90				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				11.90				
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only															
	All Features Available	<u></u>		UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE		State (Commission rule to	provide Unb	undlad Lacal C	witching or Cu	ritab Darta			1					
	st Based Rates are applied where BellSouth is required by FC0 atures shall apply to the Unbundled Port/Loop Combination - 0								dlad Bart sasti	on of this Date	- Evhibit					
3. End	d Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the I	Usage	rates ir	the Port section of	f this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	coin Port/Lo additional P	op Combinat ort nonrecurr	ions. ing charges	apply to Not C	Currently
	bined Combos for all states. In GA, KY, LA, MS and TN these n bined Combos in all other states, the nonrecurring charges sha							, NC and SC th	hese nonrecurr	ing charges a	re Market Ra	ates and are	listed in the	Market Rate s	section. For 0	Currently
	arket Rates for Unbundled Centrex Port/Loop Combination will															
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Jualed	on an murvicual Ca	Lase Dasis, un	iii ruriiiler notici	·.		1		1			1	1	
			+	1	+				+		 			 	+	1
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															

Version 1Q02: 03/22/2002

ONBOND	_ED NETWORK ELEMENTS - Florida	,				1							Attachment:		Exhibit: B	↓
							<u> </u>				Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc			
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			1					
CATEGORI	RATE ELEMENTS	m	20116	603	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444.
							Nonred	curring	Nonrecurrin	g Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Mire VC Lear /2 Mire Vaine Crade Bart (Contract) Bart Contr		1			Nec	11130	Auu i	11130	Auu	JOHILO	JONAN	JONAN	JOINAIN	JOINAIN	JONAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
	Non-Design		1	UEP91		14.11										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP91		18.23										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Non-Design		3	UEP91		33.04										
LINE	Port/Loop Combination Rates (Design)		Ŭ	OLI OI		00.04					1					+
UNE																4
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP91		16.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
l	Design	ĺ	2	UEP91		21.60								1		
- 1 -	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			† · · · · · · · · · · · · · · · · · · ·	1 -	255			1	1	1	1		†	1	†
l		ĺ	_	LIEDO4		27.05								1		1
	Design	 	3	UEP91		37.85			ļ							↓
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.94										
i	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	17.06										1
- t	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	31.87			1	1	1	1		†	1	1
+	2-Wire Voice Grade Loop (SL 2) - Zone 1	1		UEP91	UECS2	15.36			1	1	 	-		-	1	+
					UECSZ											
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	20.43										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.68										
UNE	Ports															
	States (Except North Carolina and Sout Carolina)															
7 0			1	UEP91	UEPYA	1.17					1	11.90				+
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPTA	1.17						11.90				4
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			02. 0.	02:						1	11100				+
				LIEDO4	LIEDVAA	4.47						44.00				
	Center)2 Basic Local Area			UEP91	UEPYM	1.17						11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.17						11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															1
	- Basic Local Area			UEP91	UEPY9	1.17						11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term -		-	OLI 31	OLITS	1.17						11.50				+
	Basic Local Area			UEP91	UEPY2	1.17						11.90				
Geo	rgia and Florida Only															
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	1.17						11.90				1
— 	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP91	UEPHB	1.17			1	1	1	11.90		1	†	
	2-Wire Voice Grade Port (Centrex vith Caller ID)1	1	1	UEP91	UEPHH	1.17			1	}	1	11.90		1	}	+
			!	OLPAI	UEPHH	1.17			ļ	ļ	1	11.90		ļ	ļ	+
	2-Wire Voice Grade Port (Centrex from diff Serving Wire													ĺ		
	Center)2	<u></u>	<u></u>	UEP91	UEPHM	1.17			<u></u>	<u></u>	<u> </u>	11.90			<u></u>	<u> </u>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
1	Term	l	1	UEP91	UEPHZ	1.17					1	11.90		1		1
+		-	 		JL	1.17			 	1	†	11.50			1	+
1	OWEN VICE ON L. BONTONIA	l	1	LIEBOA	LIEDU:						1			1		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP91	UEPH9	1.17			ļ			11.90			ļ	4
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1.17						11.90				1
Loca	al Switching	1	1			1								Ī		1
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384										
Loca	al Number Portability		t							1					1	1
	Local Number Portability (1 per port)	-	 	UEP91	LNPCC	0.35			 	1	†	1			1	+
		<u> </u>	 	OFLAI	LINFUL	0.35			 	 	 	-			 	+
Feat	tures		<u> </u>	ļ	1				ļ							
	All Standard Features Offered, per port	<u></u>	<u></u>	UEP91	UEPVF	2.26			<u></u>	<u></u>	<u> </u>	11.90			<u></u>	
	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port		1	UEP91	UEPVC	2.26				1	İ	11.90		İ	1	1
NAR		-	1		/ -	0			1	†	†			 	†	+
INAK		 	├	LIEDO4	LIADOV	0.00	0.00	0.00	 	 	 	44.00		 	 	+
	Unbundled Network Access Register - Combination		<u> </u>	UEP91	UARCX	0.00	0.00	0.00	ļ			11.90			ļ	
	Unbundled Network Access Register - Indial		<u> </u>	UEP91	UAR1X	0.00	0.00	0.00	<u> </u>	<u> </u>	<u> </u>	11.90				<u> </u>
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				11.90				
Mice	cellaneous Terminations									İ	1				1	1

UNBUNDL	LED NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
		1											Incremental			Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
		+				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 W.	ire Trunk Side	+				Nec	FIISL	Auu i	FIISL	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	SOWAN	JOWAN
2-4411	Trunk Side Terminations, each	+	1	UEP91	CENA6	8.81										
				UEP91	CENAO	8.81										
Inter	roffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0091										
Featu	ture Activations (DS0) Centrex Loops on Channelized DS1 Serv	ice														
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1	OL: 31	11 00 000	0.00				1	1				1	1
				LIEDO1	100147	0.00										
	Slot	1	1	UEP91	1PQW7	0.66			ļ	1	1					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			l	1										1	1
	Different Wire Center			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66			Ì						I	1
İ	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop								İ							
	Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	+		UEP91	1PQWA	0.66										
Non				ULF91	IFQWA	0.00										
Non-	n-Recurring Charges (NRC) Associated with UNE-P Centrex	-														
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		21.50	8.42				11.90				
	Conversion of Existing Centrex Common Block			UEP91	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82					11.90				
	Secondary Block, per Block			UEP91	M2CC1	0.00	71.31					11.90				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48					11.90				
UNF-	E-P CENTREX - 5ESS (Valid in All States)															
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	_	1								1					
	Port/Loop Combination Rates (Non-Design)	+														
UNE					_						-					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-	١.													
	Non-Design		1	UEP95		14.11										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Non-Design		2	UEP95		18.23										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Non-Design		3	UEP95	1	33.04									1	1
UNE	E Port/Loop Combination Rates (Design)								İ							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP95	1	16.53									1	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo				+	10.00			 	1	+				1	1
			2	UEP95	1	21.60									1	1
	Design	1		06793	+	∠1.00			 	1	+				-	-
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-1	l _		1										1	1
	Design		3	UEP95		37.85					1					
UNE	E Loop Rate		1													
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	12.94										
T	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	31.87							_			
İ	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	15.36			İ							
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	20.43										
1	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.68			1	1	1				1	1
IINE	E Port Rate	1		021 00	01002	30.00			 	<u> </u>	+				t	1
	States	1	1		1	+	-		1	1	1				t	1
All S		1	1	LIEDOE	UEPYA	4 4 7			 	1	1	14.00			 	1
	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	1	UEP95		1.17			ļ		ļ	11.90				-
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				1										1	1
	Area		L	UEP95	UEPYH	1.17			<u> </u>	<u> </u>		11.90		<u></u>	<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area	1	1	UEP95	UEPYM	1.17			I	1	1	11.90			1	1

UNBUNDLE	D NETWORK ELEMENTS - Florida						·	·		·			Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonred	urring	Nonrecurring	g Disconnect		•		Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	1.17						11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.17						11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.17						11.90				
AL, KY	, LA, MS, SC, & TN Only															
FL & G	SA Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.17						11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
	Center)2	L	<u>L</u>	UEP95	UEPHM	1.17			<u> </u>	<u> </u>	<u></u>	11.90	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPHZ	1.17						11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.17						11.90				
	2-Wire Voice Grade Port Terminated in on Meganitik of equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1.17						11.90				-
l ocal 9	Switching			OLI 33	OLITIZ	1.17						11.30				
Local	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7384										
Local	Number Portability			ULF 93	UNLUS	0.7304										-
Local i	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featur				ULF 93	LINFOC	0.33										
i catui	All Standard Features Offered, per port			UEP95	UEPVF	2.26										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26	370.70					11.90				
NARS	All Certifex Control Features Offered, per port			ULF 93	OLFVC	2.20										
IVANO	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				11.90				-
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				11.90				
Miscol	laneous Terminations			ULF 93	UAROX	0.00	0.00	0.00				11.90				-
	Trunk Side				+											
2-11116	Trunk Side Terminations, each			UEP95	CEND6	8.81										
4-Wire	Digital (1.544 Megabits)			OLI 33	CLINDO	0.01										
7-11110	DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										-
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69					11.90				
Interof	fice Channel Mileage - 2-Wire		1	JE1 33	WITTE	0.00	15.05		†			11.30				—
III.coror	Interoffice Channel Facilities Termination		1	UEP95	MIGBC	25.32			†							—
1	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0091			†							—
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1						1				1		1	
	annel Bank Feature Activations		İ		†				†				İ		İ	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		İ	UEP95	1PQWS	0.66			İ	İ			İ	İ	İ	
	·			UEP95		0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1	UEP95	1PQW6	0.66										$\vdash \!$
	Slot		<u> </u>	UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.66			<u> </u>							<u></u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed						-							I		1
	changes, per port		1	UEP95	USAC2	0.00	21.50	8.42]		11.90	ļ		ļ	
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block		L	UEP95	M1ACC	0.00	618.82		L	L		11.90		L		

UNBUNDL	ED NETWORK ELEMENTS - Florida					1							Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi	Zono	BCS	USOC			RATES(\$)			Svc Order Submitted Elec	Svc Order Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Sv
CATEGORT	NATE ELEMENTS	m	Zone	B03	0300			KATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Nonred	urring	Nonrecurring	g Disconnect			oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48					11.90				
	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															Ļ
UNE	Port/Loop Combination Rates (Non-Design)															_
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDOD		44.44										
-	Non-Design		1	UEP9D		14.11			-							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		18.23										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF3D		10.23					1					1
	Non-Design		3	UEP9D		33.04										
UNF	Port/Loop Combination Rates (Design)		- 3	OLI 3D		33.04										
10.12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		16.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		21.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		37.85										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31.87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	20.43										
ļ	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.68										
	Port Rate STATES															
ALL :				UEP9D	UEPYA	1.17				-		11.90				
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEPTA	1.17				-		11.90				
	Area			UEP9D	UEPYB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			OLI 3D	OLITB	1.17				1	1	11.50				
	Area			UEP9D	UEPYC	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			OLI OD	OLI 10	1.17						11.50				1
	Area			UEP9D	UEPYD	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local														1	
	Area			UEP9D	UEPYE	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	1.17						11.90				ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local				1					1					1	
 	Area	<u> </u>	<u> </u>	UEP9D	UEPYT	1.17			1		<u> </u>	11.90				<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			LIEDOD	LIEDVILI	4.47						44.00				
	Area			UEP9D	UEPYU	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			LIEDOD	LIEDVA/	1.17						44.00				
-	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.17				-		11.90			-	
	Area			UEP9D	UEPY3	1.17						11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			OLI 3D	OLI 13	1.17				1	1	11.50				
	Area			UEP9D	UEPYH	1.17				1		11.90			1	
 	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	†			02. 111	1.17			 	†	1	11.00			†	—
	Indication))3 Basic Local Area	1		UEP9D	UEPYW	1.17				I		11.90			I	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3	1				İ					Ì					
	Basic Local Area	1		UEP9D	UEPYJ	1.17				I		11.90			I	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1				İ					Ì					
	2 Basic Local Area	<u> </u>	<u>L</u>	UEP9D	UEPYM	1.17				<u> </u>		11.90			<u></u>	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3							-								
	Basic Local Area		<u> </u>	UEP9D	UEPYO	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3												·		1	
1 1	Basic Local Area	<u>L</u>	<u></u>	UEP9D	UEPYP	1.17			1	<u> </u>	<u> </u>	11.90			<u> </u>	<u> </u>

UNBUND) FD	NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
ONDOND	LLU	HETWORK ELEMENTS - Horida										Svc Order		Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			lust a ut									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
									curring		g Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															i
		Basic Local Area			UEP9D	UEPYQ	1.17						11.90				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															i
		Basic Local Area			UEP9D	UEPYR	1.17						11.90				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															i
		Basic Local Area		<u> </u>	UEP9D	UEPYS	1.17						11.90				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															1
		Basic Local Area		<u> </u>	UEP9D	UEPY4	1.17						11.90				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			LIEDOD	LIEDY'S					I		44.00		1		1
\vdash		Basic Local Area		-	UEP9D	UEPY5	1.17			 	 	-	11.90		 		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.17				1		11.90				1
\vdash		Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	-	 	OLFAD	UEFID	1.17			1	-		11.90		-		
		Basic Local Area			UEP9D	UEPY7	1.17				I		11.90		1		1
\vdash		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OL1 3D	JL1 17	1.17			1	 		11.50		1		
		Zervine voice Grade Port, bill Serving Whe Center - 800 Service			UEP9D	UEPYZ	1.17				1		11.90				1
 	_	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		021 00	JL1 12	1.17			1	-	<u> </u>	11.00		 		
		Basic Local Area			UEP9D	UEPY9	1.17						11.90				i
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic			02. 03	020							11.00				
	li li	Local Area			UEP9D	UEPY2	1.17						11.90				1
FL	& G/	A Only			02. 03	022							11.00				
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.17						11.90				
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.17						11.90				
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.17						11.90				
	- 1	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	1.17						11.90				1
		2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	1.17						11.90				
	•	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	1.17						11.90				1
	:	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	1.17						11.90				
		2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	1.17						11.90				-
		2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	1.17						11.90				
		2-Wire Voice Grade Port (Centrex / EBS-M5216)3		<u> </u>	UEP9D	UEPHV	1.17						11.90				
		2-Wire Voice Grade Port (Centrex / EBS-M5316)3		<u> </u>	UEP9D	UEPH3	1.17						11.90				
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17						11.90				
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDLBA	4.47						44.00				ı
		Indication)3			UEP9D UEP9D	UEPHW UEPHJ	1.17 1.17			-	-		11.90 11.90				
\vdash		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	-		OLFSD	UEPHJ	1.17			1	+	-	11.90		1		i
	:	2-11110 VOICE GLAUE FOR (CEILLEX HOLL UIL SELVING VVICE CEILLET)			UEP9D	UEPHM	1.17				I		11.90		1		1
\vdash		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3	-		UEP9D	UEPHO	1.17			 	 		11.90		 		<u> </u>
	- ľ	1 1			02		,			1	<u> </u>		50				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.17				1		11.90				1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.17			İ	İ		11.90		İ		i
					-	† · · · · ·				İ	İ				İ		
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.17				1		11.90				1
	T					1											
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		<u></u>	UEP9D	UEPHS	1.17			<u> </u>	<u> </u>		11.90				1
	:	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.17						11.90				ı
																	1
	;	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.17						11.90				
						[]					I				1		1
	;	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		<u> </u>	UEP9D	UEPH6	1.17				1		11.90				.
		0 1 D 1 D 1 D 1 D 1 D 1 D 1 D 1 D 1 D 1				===					1						1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		ļ	UEP9D	UEPH7	1.17			ļ			11.90				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDUZ					1		44.00				i
\vdash		Term		 	UEP9D	UEPHZ	1.17			 	 		11.90		ļ		
	I.	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17				1		11.90				1
\vdash		2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		 	UEP9D UEP9D	UEPH9 UEPH2	1.17			1	 		11.90				1
		2-vviie voice Grade Fort Terminated on 800 Service Term	l	<u> </u>	の「トタロ	UEPHZ	1.17			1	1	1	11.90		<u> </u>		

IRANDL	ED NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Indan:									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	· · · · · · · · · · · · · · · · · · ·	m									per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
- 1					+		Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		
						B					001150	SOMAN			0011411	001111
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Loca	l Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu	ires															
	All Standard Features Offered, per port			UEP9D	UEPVF	2.26										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26										
NAR				02. 02	02. 10	2.20										
147-114	Unbundled Network Access Register - Combination		1	UEP9D	UARCX	0.00	0.00	0.00				11.90				
			1													
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				11.90			1	1
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	ļ			11.90				ļ
	ellaneous Terminations				1											
2-Wii	e Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.81										
4-Wi	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each		1	UEP9D	M1HD1	54.95										
	DS0 Channels Activiated per Channel		1	UEP9D	M1HDO	0.00	15.69					11.90				1
Intor	office Channel Mileage - 2-Wire		1	OLI OD	WITTE	0.00	10.00					11.00				
inter	Interoffice Channel Facilities Termination			UEP9D	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0091										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.66										
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 3D	11 Q VV /	0.00										1
				LIEDOD	1PQWP	0.66										
_	Different Wire Center			UEP9D	TPQWP	0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed		1	†	1				 		1				1	1
	changes, per port			UEP9D	USAC2		21.50	8.42]			11.90			1	
	Conversion of existing Centrex Common Block, each		I	UEP9D	USACN		5.17	8.32	-		1	11.90			-	1
			1			0.00		0.32	 						-	1
_	New Centrex Standard Common Block		1	UEP9D	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82		ļ			11.90				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48					11.90				<u> </u>
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)		L													
2-Wii	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)								i i							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			İ					i i						1	İ
	Non-Design		1	UEP9E	1	14.11]						1	
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			J_1 J_	+	17.11			 						t	1
	Non-Design		2	UEP9E	1	18.23									1	
				OLFAE	+	10.23			 						-	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEBOE	1											
	Non-Design		3	UEP9E		33.04										
UNE	Port/Loop Combination Rates (Design)				1											1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1							1							
	Design	<u></u>	1	UEP9E		16.53			<u> </u>						<u> </u>	<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		21.60]						I	1
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		T -	† · · · · · · · · · · · · · · · · · · ·	1	255			1 1		1				1	1
		ı	3	UEP9E	1	37.85					l					
	Design															

NRONDLED NE	TWORK ELEMENTS - Florida												Attachment:		Exhibit: B	ļ
				1				-			Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Sv
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				per LSR				Order vs.
		m			0000			= 5(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Manas		Name and a second	- Di			000	D-4(f)		
							Nonrec			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	e Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.94										
	e Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	17.06										
2-Wir	e Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	31.87										
2-Wir	e Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	15.36										
2-Wir	re Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	20.43										
2-Wir	e Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.68										
UNE Port Rat																
	LA, MS, & TN only															
	re Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.17						11.90				
			-	ULF3L	OLFIA	1.17						11.90				
	re Voice Grade Port (Centrex 800 termination)Basic Local			LIEBOE	LIEDVO	4.47						44.00				
Area			_	UEP9E	UEPYB	1.17			.		!	11.90				
	re Voice Grade Port (Centrex with Caller ID)1Basic Local	l		l	1				1	1						I
Area				UEP9E	UEPYH	1.17						11.90				
2-Wir	e Voice Grade Port (Centrex from diff Serving Wire												-			
	er)2 Basic Local Area			UEP9E	UEPYM	1.17			1			11.90				1
	re Voice Grade Port, Diff Serving Wire Center - 800 Service								1		1					
	- Basic Local Area	l	1	UEP9E	UEPYZ	1.17			1	1		11.90			1	l
	re Voice Grade Port terminated in on Megalink or equivalent			OLI OL	OLI 12							11.00				
				LIEDOE	LIEDVO	4 47						44.00				
	ic Local Area			UEP9E	UEPY9	1.17						11.90				
	re Voice Grade Port Terminated on 800 Service Term -															
	: Local Area			UEP9E	UEPY2	1.17						11.90				
Florida Only																
2-Wir	e Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17						11.90				
2-Wir	e Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17						11.90				
2-Wir	re Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17					1	11.90				
	re Voice Grade Port (Centrex from diff Serving Wire								1							
Cente				UEP9E	UEPHM	1.17						11.90				
	re Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 3L	OLITIM	1.17					1	11.50				
				LIEDOE	LIEDLIZ	4.47						44.00				
Term				UEP9E	UEPHZ	1.17						11.90				
	e Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPH9	1.17						11.90				
2-Wir	e Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	1.17						11.90				
Local Switch	ning															
	rex Intercom Funtionality, per port			UEP9E	URECS	0.7384										
	er Portability															
	Number Portability (1 per port)	—	 	UEP9E	LNPCC	0.35			†	t	 				1	
	rivamber corrability (1 per port)		 	OLFBL	LINFOU	ს.აა			 	 	1				-	
Features	tondard Factoring Officered and the			LIEDOE	LIED\"	0.00			1	-	!				-	1
	andard Features Offered, per port			UEP9E	UEPVF	2.26						11.5				
	elect Features Offered, per port			UEP9E	UEPVS	0.00	370.70		1		ļ	11.90				
	entrex Control Features Offered, per port			UEP9E	UEPVC	2.26			1							
NARS																
	indled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00				11.90				
	indled Network Access Register - Indial		1	UEP9E	UAR1X	0.00	0.00	0.00			İ	11.90				
	Indled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	1	1	1	11.90			1	i
	us Terminations		†		1	0.00	0.00	0.00	1	I	1	55				
2-Wire Trunk				 	+ +	+			1	t	 				1	1
	k Side Terminations, each		 	UEP9E	CEND6	8.81			 	 	1				-	
			-	OLFSE	CEINDO	8.81			1	1	1				1	1
	al (1.544 Megabits)		_	LIEDOE	NATUR:				.		!					.
	Circuit Terminations, each			UEP9E	M1HD1	54.95					ļ					
	Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69		1		ļ	11.90				1
	hannel Mileage - 2-Wire			L												
Interd	office Channel Facilities Termination			UEP9E	MIGBC	25.32										
	office Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0091					1					
	vations (DS0) Centrex Loops on Channelized DS1 Service	e							1	1	1				1	
	Bank Feature Activations	_	1		+ +				1		1					
	ure Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP9E	1PQWS	0.66			+	1	1				1	\vdash
reatu	are Activation on D-4 Channel Bank Centrex Loop Slot		-	OLFSE	IFUVVO	0.00			 	 	 				-	
		l	1	l					1	1	1				1	1
I IFeatu	ure Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66			<u> </u>		<u> </u>	L			<u></u>	L

	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
							Nonrec	urrina	Nonrecurrin	a Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		21.50	8.42				11.90				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82					11.90				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48	•				11.90				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	- Requires Specific Customer Premises Equipment Rates displaying an "R" in Interim column are interim and su															

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
		-										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc		Manual Svc	Manual Svo
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									F • · · · · · · · · · · · · · · · · · ·	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l			SOMAN		SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				eographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	aged UNE Zone	e Designation	ns by Cent	ral Office, refe	er to Internet	Nebsite:	
	http://w	ww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m												
OPER#		. SUPPORT SYSTEMS															
		(1) Electronic Service Order: CLEC should contact its contract															is rate
	exhibit	is the BellSouth regional electronic service ordering charge.	CLEC	may ele	ect either the state s	pecific Comr	nission ordered	rates for the	electronic serv	ice ordering ch	narges, or CLE	C may elect	the regiona	al electronic s	service orderii	ng charge.	
	NOTE: ((2) Any element that can be ordered electronically will be bill	ed acco	rding 1	to the SOMEC rate li	sted in this	category. Pleas	e refer to Bell	South's Busine	ess Rules for L	ocal Ordering	(BBR-LO) to	determine	if a product of	an be ordere	d electronical	ly. For
	those e	lements that cannot be ordered electronically at present per t	he BBR	LO, th	ne listed SOMEC rate	in this cate	gory reflects th	e charge that	vould be billed	to a CLEC on	ce electronic o	rdering cap	abilities co	me on-line fo	r that element	. Otherwise,	the manual
	orderin	g charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR t	o BellSouth.			•									
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
		interactive interfaces (Regional)				SOMEC		3.50									
UNBUN		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	14.21	42.54	31.33					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.41	42.54	31.33					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.08	42.54	31.33					18.94	8.42		
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92					18.94	8.42		
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33					18.94	8.42		
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.75	8.92					18.94	8.42		
		Engineering Information Document (EI)			UEANL			28.72	28.72								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		16.11	16.11								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		35.74	35.74								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	11.02	44.69	22.40	25.65	7.06			18.94	8.42		
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I		UEQ	UEQ2X	12.72	44.69	22.40	25.65	7.06			18.94	8.42		
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06			18.94	8.42		
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		16.11	16.11					18.94	8.42		
		Engineering Information Document			UEQ			28.72	28.72					18.94	8.42		
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					18.94	8.42		
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					18.94	8.42		
		CLEC to CLEC Conversion Charge Without Outside Dispatch							= 40								
IIN/BI ::		(UCL-ND)			UEQ	UREWO		14.25	7.42					18.94	8.42		
ONBON		XCHANGE ACCESS LOOP	-			1	ļ						ļ		-		1
\vdash		ANALOG VOICE GRADE LOOP OOP Rates for Line Splitting (In Ga. PSC ordered the line spli	tting la	on Her	Ce match the la	nort-leer -	ombo rotes III	DI V\							-		
\vdash	ONE LO	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	tting io	op USC 1	UEPSR, UEPSB	UEALS.	10.80	/				-	 				-
<u> </u>		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	+	1	UEPSR, UEPSB	UEALS, UEABS	10.80						-		1		1
<u> </u>		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	-	2	UEPSR, UEPSB	UEALS.	10.83					1					
\vdash		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSR, UEPSB	UEALS,	12.47								1		
\vdash		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	<u> </u>	3	UEPSR, UEPSB	UEALS	19.83								1		
\vdash		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	i		UEPSR, UEPSB	UEABS	19.83										
UNRUN		EXCHANGE ACCESS LOOP	-	3	OLI OIX, OLFOD	JEADO	19.03										
		ANALOG VOICE GRADE LOOP				 							l				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.84	104.17	78.10					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		T.		1									J		
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	19.45	104.17	78.10					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1								.0.04	Ü <u>.</u>		İ
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.92	104.17	78.10				1	18.94	8.42		1
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	22.02	35.74									1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1											i
1		Battery Signaling - Zone 1		1	UEA	UEAR2	16.84	104.17	78.10					18.94	8.42		
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				<u> </u>											İ
\vdash					i .	1						1	i	1	1	1	
				2	UEA	UEAR2	19.45	104.17	78.10					18.94	8.42		
		Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	19.45	104.17	78.10					18.94	8.42		

Version 1Q02: 03/22/2002 PAGE 83 OF 352

													Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec		Nonrecurring					Rates(\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36					18.94	8.42		
4-WIF	RE ANALOG VOICE GRADE LOOP		.	LIEA	LIE AL 4	00.00	000.05	470.57					10.01	0.40		
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	22.26	206.95	170.57					18.94	8.42		
-+	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4 UEAL4	25.70 40.86	206.95 206.95	170.57 170.57					18.94 18.94	8.42 8.42		
$\longrightarrow \longmapsto$	Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	OCOSL	40.86	35.74	170.57					18.94	8.42		
$\longrightarrow \longmapsto$	CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		87.72	36.36					18.94	8.42		
2.W/I	RE ISDN DIGITAL GRADE LOOP		-	UEA	UKEWU		01.12	30.30					10.94	0.42		
2-9911	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	233.38	180.35					18.94	8.42		-
	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	233.38	180.35					18.94	8.42	t	
-+-	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40.17	233.38	180.35					18.94	8.42	t	-
-+-	Order Coordination For Specified Conversion Time (per LSR)		-	UDN	OCOSL	70.17	35.74	100.33					10.34	0.42	t	-
+	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04	 				18.94	8.42	 	†
2-WIF	RE Universal Digital Channel (UDC) COMPATIBLE LOOP				0	+	.20.00	00.04					10.04	0.42	I	
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	1	1	1	UDC	UDC2X	21.89	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			050	02027	21.00	1 1.00	01.00	20.00	7.00			.0.0.	02		1
	2	- 1	2	UDC	UDC2X	25.27	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3	- 1	3	UDC	UDC2X	40.17	44.69	31.55	25.65	7.06			18.94	8.42		
	CLEC to CLEC Conversion Charge without outside dispatch	i	Ť	UDC	UREWO	10.11	44.69	31.55	20.00	7.00			18.94	8.42		
2-WII	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF													
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1	1	1	UAL	UAL2X	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop including manual service inquiry				-											
	& facility reservation - Zone 2	- 1	2	UAL	UAL2X	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3	1	3	UAL	UAL2X	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									1
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1	- 1	1	UAL	UAL2W	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2	I	2	UAL	UAL2W	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															Ī
	facility reservaton - Zone 3	- 1	3	UAL	UAL2W	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		44.69	29.29					18.94	8.42		
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1	ı	1	UHL	UHL2X	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2	ı	2	UHL	UHL2X	9.09	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	14.46	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
	2 Wire Unbundled HDSL Loop without manual service inquiry			l		7.00	44.00	04	05.55	7.00			40.01	0.00	1	
$\!\!\!+\!\!\!-$	and facility reservation - Zone 1	- 1	1	UHL	UHL2W	7.88	44.69	31.55	25.65	7.06			18.94	8.42	-	
	2 Wire Unbundled HDSL Loop without manual service inquiry		_	L		0.00	44.00	04.55	25.25	7.00			100:	0.40	I	
	and facility reservation - Zone 2		2	UHL	UHL2W	9.09	44.69	31.55	25.65	7.06			18.94	8.42	 	
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	14.46	44.69	24.55	25.05	7.06			18.94	8.42	1	
$\longrightarrow \longleftarrow$			3	UHL	OCOSL	14.46	44.69 35.74	31.55	25.65	7.06			18.94	8.42	 	
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	-		UHL	UREWO		35.74 44.69	31.55					18.94	8.42	 	
4-18/11	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	OOP	OI IL	UKEWU		44.09	31.55	-				10.94	0.42	-	
4-1/11	4 Wire Unbundled HDSL Loop including manual service inquiry	IIDLE	LOUP	+	+ +	+			-						 	
	and facility reservation - Zone 1	- 1	1	UHL	UHL4X	10.39	44.69	31.55	25.65	7.06			18.94	8.42	I	
1		-		OFF	OI IL4A	10.39	44.09	31.33	25.05	1.00	+		10.94	0.42	1	
	4-Wire Unbundled HDSL Loop including manual service inquiry															

Version 1Q02: 03/22/2002 PAGE 84 OF 352

UNBUNE	DLED	NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	<u> </u>
								-		-		Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGOR	ŀΥ	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4	4-Wire Unbundled HDSL Loop including manual service inquiry															
	á	and facility reservation - Zone 3	- 1	3	UHL	UHL4X	19.07	44.69	31.55	25.65	7.06			18.94	8.42		
	(Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
	4	4-Wire Unbundled HDSL Loop without manual service inquiry															1
		and facility reservation - Zone 1	I	1	UHL	UHL4W	10.39	44.69	31.55	25.65	7.06			18.94	8.42		
	4	4-Wire Unbundled HDSL Loop without manual service inquiry															
	â	and facility reservation - Zone 2	- 1	2	UHL	UHL4W	12.00	44.69	31.55	25.65	7.06			18.94	8.42		
	4	4-Wire Unbundled HDSL Loop without manual service inquiry															1
	á	and facility reservation - Zone 3	- 1	3	UHL	UHL4W	19.07	44.69	31.55	25.65	7.06			18.94	8.42		
	0	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
	(CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55					18.94	8.42		
4-\	NIRE	DS1 DIGITAL LOOP															
	4	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	55.53	429.98	268.18					18.94	8.42		
	-	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	64.13	429.98	268.18					18.94	8.42		
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	101.93	429.98	268.18					18.94	8.42		
	(Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		35.74									ĺ
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.91	42.97					18.94	8.42		
4-\	WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.75	348.55	241.20					18.94	8.42		
	4	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	29.74	348.55	241.20					18.94	8.42		
	4	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	47.27	348.55	241.20					18.94	8.42		
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25.75	348.55	241.20					18.94	8.42		
	4	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	29.74	348.55	241.20					18.94	8.42		1
	4	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	47.27	348.55	241.20					18.94	8.42		1
	(Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35.74									
	4	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25.75	348.55	241.20					18.94	8.42		
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	29.74	348.55	241.20					18.94	8.42		
	4	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	47.27	348.55	241.20					18.94	8.42		
	(Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35.74									
	(CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66					18.94	8.42		1
2-\		Unbundled COPPER LOOP															
	2	2-Wire Unbundled Copper Loop/Short including manual service															
	i	nquiry & facility reservation - Zone 1	- 1	1	UCL	UCLPB	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	2	2-Wire Unbundled Copper Loop/Short including manual service															1
		nquiry & facility reservation - Zone 2	- 1	2	UCL	UCLPB	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
		2 Wire Unbundled Copper Loop/Short including manual service															1
		nquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
		2-Wire Unbundled Copper Loop/Short without manual service															
		nquiry and facility reservation - Zone 1	l ı	1	UCL	UCLPW	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Unbundled Copper Loop/Short without manual service															
		nquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Unbundled Copper Loop/Short without manual service													-		
		nquiry and facility reservation - Zone 3	l ı	3	UCL	UCLPW	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11						-		
		2-Wire Unbundled Copper Loop/Long - includes manual srvc.															
		nquiry and facility reservation - Zone 1	l ı	1	UCL	UCL2L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Unbundled Copper Loop/Long - includes manual svc.															
		nquiry and facility reservation - Zone 2	l ı	2	UCL	UCL2L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Unbundled Copper Loop/Long - includes manual svc.					-			1							
		nquiry and facility reservation - Zone 3	1	3	UCL	UCL2L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	22.20	16.11	16.11						1		1
		2-Wire Unbundled Copper Loop/Long - without manual service	1			1				† 1					1	Ì	
		inquiry and facility reservation - Zone 1	1	1	UCL	UCL2W	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Unbundled Copper Loop/Long - without manual service								1							1
		nquiry and facility reservation - Zone 2	l ı	2	UCL	UCL2W	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Unbundled Copper Loop/Long - without manual service		<u> </u>	1				050	20.00	50			10.04	3. 12	Ì	
		inquiry and facility reservation - Zone 3	1	3	UCL	UCL2W	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	33.20	16.11	16.11	20.00	1.00	1		10.04	J. 12	 	

Version 1Q02: 03/22/2002 PAGE 85 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Georgia										-		Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						B	Nonred First	curring Add'l	Nonrecurring		001150	001111		Rates(\$) SOMAN	SOMAN	SOMAN
-	CLEC to CLEC Conversion Charge without outside dispatch					Rec	First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(UCL-Des)	1		UCL	UREWO		44.69	31.55					18.94	8.42		
4-WIR	E COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1	- 1	1	UCL	UCL4S	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry		_													
	and facility reservation - Zone 2		2	UCL	UCL4S	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL43	22.07	16.11	16.11	25.05	7.06			10.94	0.42		1
 	4-Wire Copper Loop/Short - without manual service inquiry and		t	JUL	JOLIVIO		10.11	10.11								†
	facility reservation - Zone 1	ı	1	UCL	UCL4W	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - without manual service inquiry and															1
	facility reservation - Zone 2	- 1	2	UCL	UCL4W	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - without manual service inquiry and										1					
	facility reservation - Zone 3	- 1	3	UCL	UCL4W	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCL4L	35.56	44.69	31.55	25.05	7.06			18.94	8.42		
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			002	OOLTE	41.07	11.00	01.00	20.00	7.00			10.04	0.42		1
	inquiry and facility reservation - Zone 3	- 1	3	UCL	UCL4L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1	- 1	1	UCL	UCL4O	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - without manual svc.		_													
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4O	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	65.26	16.11	16.11	25.05	7.06			10.94	0.42		
	CLEC to CLEC conversion Charge without outside dispatch	-		UCL	UREWO		44.69	31.36					18.94	8.42		
LOOP MODIFI		·	1	002	O. I.Z. I. O		11.00	01.00					10.01	02		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft	1		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification, Removal of Load Coils - 2 wire	·		05.1, 052, 002	O LIVIL L		0.00	0.00						02		
1	greater than 18k ft	I		UCL, ULS	ULM2G		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft	- 1		UHL, UCL	ULM4L		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft			UCL UAL, UHL, UCL,	ULM4G		0.00	0.00					18.94	8.42		ļ
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	-		UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		0.00	0.00					18.94	8.42		
SUB-LOOPS																
Sub-L	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	١.		LIEANII	110004		404.00	104.00					40.01	0.10		
	Up		<u> </u>	UEANL	USBSA		421.08	421.08					18.94	8.42	1	
1	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		67.10	67.10					18.94	8.42		
- 	Sub-Loop - Per Cross Box Location - Per 25 Pair Parier Set-Op Sub-Loop - Per Building Equipment Room - CLEC Feeder		 	OLAINE	JUDUD		07.10	07.10					10.54	0.42		+
1	Facility Set-Up	ı		UEANL	USBSC		394.74	394.74					18.94	8.42		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel					l i										
	Set-Up	- 1		UEANL	USBSD]	154.57	154.57			1		18.94	8.42	Ì	

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working							7144		7144	0020					
	and Spare Loop Activation			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working															
	and Spare Loop Activation			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Statewide		SW	UEANL	USBN2	9.12	207.01	171.32					18.94	8.42		
					1100110		0.4.00	04.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Statewide		SW	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		
	Statewide		SW	UEANL	USBIN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR2	1.37	2.48	41.59	115.85	19.17	1		18.94	8.42		+
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC) -						0	50								
	Intermediary Access Terminal (IAT)			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC) -															
	Intermediary Access Terminal (IAT)			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	2.96	176.46	55.11	122.17	19.57			18.94	8.42		
					1100110		0.4.00	04.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL UEF	USBMC UCS2X	5.54	34.22 175.16	34.22 55.50	108.86	24.53			18.84	8.42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	H		UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i i		UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		+
	2 Wile copper cribanaled cub Ecop Biotribution 2010 0			OL:	OOOZX	0.04	170.10	00.00	100.00	24.00			10.54	0.42		1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.22	34.22								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.22	34.22								
Unbu	Indled Network Terminating Wire (UNTW)			LIEVENA.			2.12						10.01	0.10		
Natur	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	1.37	2.48	2.48	1.74	1.74			18.94	8.42		+
Netw	ork Interface Device (NID) Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86.37	56.69					18.94	8.42		+
-	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines			UENTW	UND12		127.93	98.21					18.94	8.42		+
	Network Interface Device Cross Connect - 2 W	- i-		UENTW	UNDC2		6.15	6.15					18.94	8.42		+
	Network Interface Device Cross Connect - 4W	·		UENTW	UNDC4		6.15	6.15					10.01	0.12		1
SUB-LOOPS						1									İ	1
	Loop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,		Ì										
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		421.08						18.94	8.42		
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,		\neg										
L	set-up			UDN,UCL,UDL,UDC	USBFX		67.10	67.10					18.94	8.42		4
	USL Feeder DS1 Set-up at DSX location, per DS1 termination		-	USL	USBFZ		521.57	11.30					18.94	8.42		+
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide		C	UEA	USBFA	8.58	206.44	170.05					18.94	8.42		
	Order Coordination for Specified Conversion Time, per LSR		SW	UEA	OCOSL	8.58	35.74	170.05					18.94	8.42		+
 	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	-		OL/ C	JJUJL	+	33.74									+
	Grade - Statewide		sw	UEA	USBFB	8.58	206.44	170.05					18.94	8.42		
	Order Coordination for Specified Time Conversion, per LSR		3**	UEA	OCOSL	0.00	35.74	170.00					10.54	5.72		†
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			1		1									İ	1
	Voice Grade Loop - Statewide		sw	UEA	USBFC	8.58	206.44	170.05					18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		35.74									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Statewide		SW	UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42		1
1	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		35.74									

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			II.	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Statewide		SW	UEA	USBFE	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR		<u> </u>	UEA	OCOSL		35.74									
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Statewide			UDN	USBFF	17.73	208.50	62.31	119.68	29.58			18.94	8.42		
-	Order Coordination For Specified Conversion Time, Per LSR		SW	UDN	OCOSL	17.73	35.74	62.31	119.68	29.58			18.94	8.42		-
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		SW	UDC	USBFS	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
-	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide			USL	USBFG	79.30	203.69	128.76	124.09	34.80			19.99	19.99		19.99
	Order Coordination For Specified Conversion Time, Per LSR		311	USL	OCOSL	70.00	35.74	120.70	124.00	04.00			10.00	10.00	10.00	10.00
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop -			002	00002		00.7 1									
	Statewide		sw	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		35.74									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		35.74									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		SW	UDL	USBFN	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Statewide		SW	UDL	USBFO	24.50	243.41	81.32	134.77	33.93	ļ		19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		35.74									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Statewide		SW	UDL	USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
OUD LOOPS	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		35.74									
SUB-LOOPS	F		<u> </u>													
Sub-L	oop Feeder Sub Loop Feeder - DS3 - Per Mile Per Month		<u> </u>	UE3	1L5SL	12.80										
	Sub Loop Feeder - DS3 - Facility Termination Per Month		1	UE3	USBF1	329.94	3.380.00	406.50	163.61	92.75			18.94	8.42		
-	Sub Loop Feeder - STS-1 - Per Mile Per Month		1	UDLSX	1L5SL	12.80	3,300.00	400.50	103.01	92.13			10.34	0.42		
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	372.78	3,380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	9.71	0,000.00	400.00	100.01	02.70			10.04	0.42		
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per					•										
	Month			UDLO3	USBF5	57.79										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	524.13	3,380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	11.95										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
	Month			UDL12	USBF6	519.09										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,570.00	3,380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	39.20										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
	Month			UDL48	USBF9	259.99	0 =00 00	100 =0	100.01				10.01			
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,505.00	3,566.00	406.50	163.61	92.75			18.94	8.42		
UNDUNDUED	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	323.43	787.13	406.50	163.61	92.75			18.94	8.42		
ONBONDLED	LOOP CONCENTRATION Unbundled Loop Concentration - System A (TR008)		-	ULC	UCT8A	441.42	650.81	650.81	1				19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System A (TR008)		1	ULC	UCT8B	52.97	271.17	271.17					19.99	19.99		19.99
 	Unbundled Loop Concentration - System A (TR303)	1	 	ULC	UCT3A	478.93	650.81	650.81			1		19.99	19.99	19.99	19.99
 	Unbundled Loop Concentration - System A (TR303)		 	ULC	UCT3B	89.26	271.17	271.17	+ -				19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (11303) Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	126.57	92.14	33.57	9.40			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite			1	122.00	3.54	.20.01	02.14	33.57	2.10				.0.55	.0.55	
	Card)		1	UDN	ULCC1	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - UDC Loop Interface (Brite															
	Card)		<u></u>	UDC	ULCCU	8.00	21.07	20.96	10.78	10.71	<u> </u>		19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2 Wire Voice-Loop Start or									<u> </u>						
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
_	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery		1	l	I									1		_
	Loop Interface (SPOTS Card)			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface		1													
—	(Specials Card)		 	UEA	ULCC4	7.09	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
 	Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop		1	ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
ı I	pribundied Loop Concentration - Digital 19.2 Kbps Data Loop	1	Ì	UDL	ULCC7	10.51	21.07	20.96	10.78	10.71	1	l	19.99	19.99	19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order				Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									P	p-0.	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444.
							Nonrec		Nonrecurring					Rates(\$)		
	litte water and the second second		<u> </u>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop			LIDI		40.54	04.07	00.00	40.70	40.74			40.00	40.00	40.00	40.00
	Interface			UDL	ULCC5	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
LINE OTHER E	PROVISIONING ONLY - NO RATE			UDL	ULCC6	10.51	21.07	20.96	10.76	10.71			19.99	19.99	19.99	19.99
UNE OTHER, F	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
 	UNTW Circuit Id Establishment, Provisioning Only - No Rate		1		UENCE				1							
 	ONT W Circuit id Establishment, 1 Tovisioning Only - No Nate		1	UEANL,UEF,UEQ,U	OLIVOL				1							
	Unbundled Contract Name, Provisioning Only - No Rate				UNECN											
UNE OTHER, F	PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,					I				1		I	
	Unbundled Contact Name, Provisioning Only - no rate		1	UDN,UEA,UHL,ULC	UNECN	0.00	0.00		1						1	
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no								1	l			İ	İ	1	
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00		I				1		I	
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate	<u> </u>	L		USBFR	0.00	0.00		<u> </u>	<u> </u>	<u></u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	8.90										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18.03
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			LIBI OV												
	month		<u> </u>	UDLSX	1L5ND	8.90										
	High Capacity Unbundled Local Loop - STS-1 - Facility			LIDI OV	UDLS1	404.50	000.50	100.10					07.55	07.55	40.00	40.00
LOOP MAKE-U	Termination per month			UDLSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18.03
LOOP MAKE-U	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		35.00	35.00								
	Loop Makeup - Preordering With Reservation, per spare facility			OWIN	OWINLYV		33.00	33.00								
	queried (Manual).			UMK	UMKLP		45.00	45.00								
	Loop MakeupWith or Without Reservation, per working or			OWIN	OWINE		45.00	43.00								
	spare facility queried (Mechanized)			UMK	PSUMK		0.075	0.075								
HIGH FREQUE	NCY SPECTRUM						0.070	0.070	t				1		t	
	TERS-CENTRAL OFFICE BASED								t				1		t	
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00			18.94	8.42		
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00			18.94	8.42		
	Line Sharing Splitter, Per System, 8 Line Capacity	I			ULSD8	11.00	0.00	0.00	0.00	0.00			18.94	8.42		
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
	deactivation (per LSOD)			ULS	ULSDG		0.00	0.00	0.00	0.00	<u> </u>		18.94	8.42	<u></u>	
END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM													
	Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	10.51	7.70	0.00	0.00			18.94	8.42		
	Line Sharing - per Subsequent Activity per Line								I				1		I	
	Rearrangement(BST Owned Splitter		<u> </u>	ULS	ULSDS		36.23	13.23	0.00	0.00	<u> </u>		18.94	8.42	ļ	
	Line Sharing - per Subsequent Activity per Line		1					40					40		1	
\vdash	Rearrangement(DLEC Owned Splitter			ULS	ULSCS		36.23	13.23	0.00	0.00			18.94	8.42		
 	Line Sharing - per Line Activation (DLEC owned Splitter)	_ !			ULSCC	0.61	47.44	19.31	0.00	0.00			18.94	8.42	-	
 	Line Splitting - per line activation DLEC owned splitter		<u> </u>		UREOS	0.61	50.40	04.40	40.7-	10 ==			10.01	0.40	!	
 	Line Splitting - per line activation BST owned - physical		<u> </u>		UREBP	0.639	53.48	34.48	16.45	12.75			18.94	8.42	-	
IINDIINDI ED I	Line Splitting - per line activation BST owned - virtual DEDICATED TRANSPORT	I	-	DEPOK DEPOR	UREBV	0.636	53.48	34.48	16.45	12.75	1		18.94	8.42	 	
	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billi-	a nori-	d - bolow DC2-e	month DC2/	CTC_1_fa	nthe		 		 		-		 	
	OFFICE CHANNEL - DEDICATED TRANSPORT - MINIMUL OFFICE CHANNEL - DEDICATED TRANSPORT	חווווט ווו	g perio	u - DeiOW D33=ONE I	110/11(11, 1253/	313-1=10u1 MO	111115		1		1	1			1	
INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -								t	1	1		1	1	t	
	Per Mile per month			U1TVX	1L5XX	0.0222			I				1		I	
	i or mile per month			5.1VA	.20/01	J.UZZZ			1	l .	1	1	1	1	1	L

UNBUNDLE	D NETWORK ELEMENTS - Georgia					_							Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonrec			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	1	1	UTIVA	01172	17.07	79.01	30.06			1		10.94	10.94		
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0222										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
	Facility Termination per month			U1TVX	U1TR2	17.07	79.61	36.08					18.94	18.94		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			LIATOV	41.5307	0.0000										
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility		-	U1TDX	1L5XX	0.0222										
	Termination per month			U1TDX	U1TD5	16.45	79.61	36.08					18.94	18.94		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTTEX	01100	10.43	7 3.01	30.00					10.54	10.54		
1 1	per month			U1TDX	1L5XX	0.0222			1							
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			U1TDX	U1TD6	16.45	79.61	36.08					18.94	18.94		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			LIATDA	1L5XX	0.4500										
\vdash	month Interoffice Channel - Dedicated Tranport - DS1 - Facility	<u> </u>	1	U1TD1	1L5XX	0.4523			 	 	 					
	Termination per month			U1TD1	U1TF1	78.47	147.07	111.75					18.94	18.94		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTIBI	01111	70.47	147.07	111.70					10.04	10.54		
	month			U1TD3	1L5XX	2.72										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	788.00	511.10	330.77					37.55	37.55	18.03	18.03
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per					. =-										
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility		-	U1TS1	1L5XX	2.72										
	Termination per month			U1TS1	U1TFS	783.63	511.10	449.91					61.19	61.19	3.17	3.17
LOCAL	CHANNEL - DEDICATED TRANSPORT			01101	01110	700.00	311.10	443.31					01.19	01.13	5.17	3.17
NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo	ow DS3=one month	, DS3/STS-1=f	our months										
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	13.91	382.95	62.40					18.94	8.42		
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per															
	month Local Channel - Dedicated - 4-Wire Voice Grade per month			ULDVX UNDVX	ULDR2 ULDV4	13.91 14.99	382.95 368.44	62.40 64.05	-				18.94 18.94	18.94 8.42		
-	Local Channel - Dedicated - 4-wire voice Grade per month			ULDD1	ULDF1	38.36	356.44	312.89			-		44.22	44.22	18.03	18.03
 	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	6.92	330.13	312.09	1		+		44.22	44.22	10.03	16.03
	Local Channel - Dedicated - DS3 - Facility Termination per			02550	120110	0.02										
	month			ULDD3	ULDF3	515.91	639.50	426.31					37.55	37.55	18.03	18.03
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	6.92										
	Local Channel - Dedicated - STS-1 - Facility Termination per				550											
MULTIPLEXER	month		<u> </u>	ULDS1	ULDFS	517.56	639.50	426.31	 	1	1		18.94	18.94		
MULTIPLEXER	Channelization - DS1 to DS0 Channel System	1	1	UXTD1	MQ1	126.22	198.22	123.59	1	1	1		14.75	6.55	10.70	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			OAIDI	IVIQ I	120.22	130.22	120.05					17.73	0.55	10.70	
	month (2.4-64kbs)			UDL	1D1DD	1.86	12.02	8.66					14.75	6.55	10.60	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per										1					
	month			UDN	UC1CA	3.37	12.02	8.66					14.75	6.55	10.60	
	Voice Grade COCI - DS1 to DS0 Channel System - per month	ļ	1	UEA	1D1VG	1.17	12.02	8.66		ļ			14.75	6.55	10.60	
	DS3 to DS1 Channel System per month STS1 to DS1 Channel System per month	-	1	UXTD3 UXTS1	MQ3 MQ3	182.04 182.04	265.91 265.91	188.78 188.78	 	1	1		14.75 18.94	6.55 18.94	10.60	
 	DS3 Interface Unit (DS1 COCI) used with Loop per month		1	USL	UC1D1	11.02	12.02	8.66	 	1	1		14.75	6.55	10.60	
	DS3 Interface Unit (DS1 COCI) used with Local Channel per				55.51	11.02	12.02	0.00	†	1			14.75	0.00	10.00	
	month	<u> </u>		ULDD1	UC1D1	11.02	12.02	8.66	<u> </u>		<u> </u>		14.75	6.55		
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel															
<u> </u>	per month	ļ		U1TD1	UC1D1	11.02	12.02	8.66	ļ				14.75	6.55		
DARK FIBER	Darly Filters Favor Filters Observate - Darlo David Adilla and Favori		1		1				1	1						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	44.22			1							
 	NRC Dark Fiber - Local Channel		 	UDF	UDFC4	44.22	1,355.29	273.69	 	 	 		18.94	18.94		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				32.0.		.,000.20	2. 0.00	1		1			.0.04		
			1	UDF	1L5DF	44.22				1	1	1				1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
ONDONDEL											Svc Order	Svc Order				Incrementa
												Submitted	Charge -			Charge -
											1			Charge -	Charge -	
CATECORY	RATE ELEMENTS	Interi	7000	BCS	USOC			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec			g Disconnect				Rates(\$)	_	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,355.29	273.69					18.94	18.94		<u> </u>
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	44.22										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,355.29	273.69					18.94	18.94		
	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0004868										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		6.57	0.76					18.94	18.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations	l		OHD	1		12.81	1.45					18.94	18.94		1
	8XX Access Ten Digit Screening, Per 8XX No. Established With	1	1				.2.01	0		1	1	l	.0.04	.5.54	1	
	POTS Translations	l		OHD	N8FTX		12.81	1.45					18.94	18.94		1
 	8XX Access Ten Digit Screening, Customized Area of Service	-	!		1.0/		12.01	10		+	 	 	10.54	10.54	 	
] [Per 8XX Number	l		OHD	N8FCX		4.46	2.23	I				18.94	18.94	Ì	1
 	8XX Access Ten Digit Screening, Multiple InterLATA CXR	1	1	מויט	1401 07		4.40	2.23	1	1	1	1	10.94	10.94	1	
] [l		OHD	N8FMX		5.22	2.99					18.94	18.94	Ì	1
 	Routing Per CXR Requested Per 8XX No.	<u> </u>	1	OHD OHD	N8FAX		7.33	0.76		+	 	 	18.94	18.94		
	8XX Access Ten Digit Screening, Change Charge Per Request			ОНО	N8FAX		7.33	0.76					18.94	18.94		
	8XX Access Ten Digit Screening, Call Handling and Destination			0.110												
	Features			OHD	N8FDX		4.72	4.46					18.94	18.94		
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000338										
	LIDB Validation Per Query			OQU		0.0105974										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		50.30						18.94	18.94		
SIGNALING (C																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	133.99										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.000087										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.05	131.96	131.96					18.94	18.94		
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	17.05	131.96	131.96					18.94	18.94		
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000354										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	340.67										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00					18.94	18.94		
	CCS7 Signaling Point Code, per Destination Point Code															
	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					18.94	18.94		
CALLING NAM	IE (CNAM) SERVICE															
	CNAM for DB Owners, Per Query			OQV		0.01										
	CNAM for Non DB Owners, Per Query			OQV		0.01										
	CNAM (Non-Databs Owner), NRC, applies when using the		i e			5.01					1	İ			1	
] [Character Based User Interface (CHUI)	l		OQV	CDDCH		595.00	595.00					18.94	18.94	Ì	1
OPERATOR CA	ALL PROCESSING	1	1		555511		330.00	333.00	1	1	1	1	10.04	10.54	†	<u> </u>
J. LIKATOK O	Oper. Call Processing - Oper. Provided, Per Min Using BST	l	1		1				1	1	1	1			 	—
]	ILIDB	l				1.20			1						Ì	1
 	Oper. Call Processing - Oper. Provided, Per Min Using	1	1		+	1.20			1	1	 	1	-	1	 	
] [Foreign LIDB	l				1.24									Ì	1
 		1	1		+	1.24			1	1	 	1	-	1	 	
] [Oper. Call Processing - Fully Automated, per Call - Using BST LIDB	l				0.20									Ì	1
 	Oper. Call Processing - Fully Automated, per Call - Using	 	1		+	0.∠0				1	 	 	-		 	
		l				0.20			I						Ì	1
INIMA DE CE	Foreign LIDB	l	1		+	0.20			-	1	 	 		-	 	
INWARD OPER	RATOR SERVICES	1	1		+				-	1	ļ	1	-	-	1	
 	Inward Operator Svcs - Verification, Per Minute		<u> </u>		+	1.15			ļ	1	!	1		1		+
	Inward Operator Services - Verification and Emergency Interrupt	l							I						Ì	1
	- Per Minute	<u> </u>			1	1.15			ļ		ļ	ļ				1
BRANDING - 0	PERATOR CALL PROCESSING	<u> </u>			1				ļ		ļ	ļ				
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00					19.99	19.99		
	nding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
DIRECTORY A	SSISTANCE SERVICES															

ONRONDE	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR			Incremental Charge -	Incremental Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred		Nonrecurring					Rates(\$)		
DIRE	CTORY ASSISTANCE ACCESS SERVICE	-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DIRE	Directory Assistance Access Service Calls, Charge Per Call					0.275										1
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)				0.273										
	Directory Assistance Call Completion Access Service (DACC),															
	Per Call Attempt					0.10										
	CTORY TRANSPORT															
	ASSISTANCE SERVICES															
DIRE	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing				2222	0.04										
BBANDING	Directory Assistance Data Base Service, per month DIRECTORY ASSISTANCE	+	1		DBSOF	150.00					-				1	}
	ity Based CLEC	1	1								1				1	1
Facili	Recording and Provisioning of DA Custom Branded	+	1								-				1	
	Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM	1														1
	Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNEF	CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per DRAM															
I lask a	Card/Switch per OCN	-	1				1,170.00	1,170.00								
Unbr	anding via OLNS for UNEP CLEC Loading of DA per OCN (1 OCN per Order)	-					420.00	420.00								<u> </u>
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE I							10.00	10.00								
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch				USRCR		180.62	180.62					33.67	7.88		
VIRTUAL CO																
	Virtual Collocation - Application Cost			AMTFS	EAF		2,848.30	2,848.30								
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		2,750.00	2,750.00								
	Virtual Collocation - Floor Space, per sq. ft.			AMTES	ESPVX	3.20										
	Virtual Collocation - Power, per breaker amp		1	AMTFS	ESPAX	3.48										
	Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	13.35										
	cable			UEANL,UEA,UDN,U	LOFOX	13.33										
				DC,UAL,UHL,UCL,U EQ, AMTFS, UDL,												
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCVX, UNCDX, UNCNX	UEAC2	0.0283	24.56	23.56	9.20	8.30			19.99	19.99	19.99	40.00
-	virtual Collocation - 2-wire Cross Conflects (100p)			UNCINA	UEACZ	0.0263	24.50	23.30	9.20	6.30	-		19.99	19.99	19.99	19.99
				UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,												
	Virtual Collocation - 4-wire Cross Connects (loop)	1		UNCVX, UNCDX	UEAC4	0.0566	24.75	23.70	9.03	8.10			19.99	19.99	19.99	19.99
	Virtual Collocation - 2-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2.88	41.72	30.36	10.43	8.36			2.20	2.20		
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
	Virtual Collocation - 4-Fiber Cross Connects	1	1	ULD48, UDF	CNC4F	5.76	51.03	39.67	13.71	11.65			2.20	2.20		
				USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1,												
				U1TD1, USLEL,		l l										

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Nonrec			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,	CND3X	50.05	454.00	44.00								
	Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	56.25	151.90	11.83			+					
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0023										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AWIFS	VETCB	0.0023					-					
	Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AMTFS	VE1CD	0.0034										
	Support Structure,per cable			AMTFS	VE1CC		553.43									
- 	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			CIVITO	VL TOO		JJJ.43		1	1	1	1	1		 	
	Cable Support Structure, per cable			AMTFS	VE1CE		553.43								1	1
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		41.00	25.00							1	1
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		48.00	30.00			1				1	
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		55.00	35.00								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90								
VIRTUAL COL	LOCATION															
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.50	12.60	12.60					18.94	8.42		
VIRTUAL COL				-										-		
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.03	24.56	23.56	9.20	8.30			19.99	19.99		
AIN SELECTIV	/E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		391,788.00						19.99	19.99	19.99	19.99
	End Office Establishment			SRC	SRCEO		320.53	320.53					19.99	19.99		19.99
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06	ļ				19.99	19.99	19.99	19.99
AIN BELLOC	Query NRC, per query			SRC		0.000448			ļ	 			ļ		-	-
AIN - BELLSO	AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State,								 		1				 	
	Initial Setup			A1N	CAMSE		90.25	90.25					18.94	18.94		
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		29.66	29.66					18.94	18.94		
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		29.66	29.66	 	<u> </u>	1		18.94	18.94	t	t
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		84.43	84.43					18.94	18.94		
	AIN SMS Access Service - Security Card, Per User ID Code,				J/ 111// 1U		07.73	04.43	 	<u> </u>	1		10.34	10.34	t	t
	Initial or Replacement			A1N	CAMRC		35.44	35.44					18.94	18.94		
<u> </u>	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				J (O	0.0023	55.∃4	55.44	1	1	1		10.54	10.04	1	t
	AIN SMS Access Service - Session, Per Minute					0.0795604					1		1			1
	AIN SMS Access Service - Company Performed Session, Per Minute					2.08										

UNBUNDLE	D NETWORK ELEMENTS - Georgia										1 -	1 -	Attachment:		Exhibit: B	
													Incremental		Incremental	
												Submitted		Charge -	Charge -	Charge -
		Interi	l_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							N			- B'				D - ((A)		
						_		urring		g Disconnect				Rates(\$)		
AIN BELLOO	I UTH AIN TOOLKIT SERVICE					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AIN - BELLSO	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		86.74	86.74					18.94	18.94		
	AIN Toolkit Service - Training Session, Per Customer			CAIVI	BAPVX		8,348.00	8,348.00					18.94	18.94		
\vdash	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAF VA		0,340.00	0,340.00		-			10.54	10.34		
	DN. Term. Attempt				BAPTT		19.13	19.13					18.94	18.94		
+	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAFII		19.13	19.13		1			10.54	10.34		
	DN, Off-Hook Delay				BAPTD		114.80	114.80					18.94	18.94		
+	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI 1D		114.00	114.00		1			10.54	10.34		
	DN, Off-Hook Immediate				BAPTM		19.13	19.13					18.94	18.94		
h + + + + + + + + + + + + + + + + + + +	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ ti Tivi		10.10	10.10					10.04	10.54		
	DN, 10-Digit PODP				BAPTO		70.06	70.06		I			18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1				. 0.00	. 0.00		<u> </u>			.5.54			
	DN, CDP				BAPTC		70.06	70.06		I			18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1					t			1			
	DN, Feature Code				BAPTF		70.06	70.06		I			18.94	18.94		
	AIN Toolkit Service - Query Charge, Per Query					0.0209223										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0053137										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					1.46										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	15.96	22.64	22.64					18.94	18.94		
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	0.0861109	22.64	22.64					18.94	18.94		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	15.87	22.64	22.64					18.94	18.94		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription			CAM	BAPES	0.0028704	22.64	22.64					18.94	18.94		
	(TENDED LINK (EELs)	L			<u> </u>	<u> </u>										
	New EELs available in GA, TN, KY, LA, MS, & SC and density															
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-							A - I - OI					 			
	In all states, EEL network elements shown below also apply to In GA, TN, KY, LA, MS & SC the EEL network elements apply							As is Charge a	pplies to curre	entry combined	Tacilities co	onverted to	UNES.(NON-re	curring rates	do not apply)
	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				lements.(No	SWILCH AS IS CI	iarge.)									
Z-VVIKE	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	EKUFF	ICE IK	ANSPORT (EEL)	1											
	Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
 	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		+	0110 1/	JLALZ	10.04	104.14	70.10		 			10.94	0.42		
	Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10		I			18.94	8.42		
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	1			12	10.40	104.14	70.70		-			10.04	0.72		
	Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10		I			18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		L			33.52		7 0.10		1			.5.54	0.72		
	per month			UNC1X	1L5XX	0.4523				1			1			
	Interoffice Transport - Dedicated - DS1 combination - Facility			-	1					t			t			
	Termination per month			UNC1X	U1TF1	78.47	194.63	141.51		I			33.63	27.49	19.88	11.85
			1	UNC1X	MQ1	126.22										
	DS1 Channelization System Per Month			UNCIA			12.02	8.66					18.94	8.42		
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1.17	12.02									
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNCVX			-									
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1		1D1VG UEAL2	1.17	104.14	78.10					18.94	8.42		
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1		1	UNCVX	UEAL2	16.84	104.14									
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		1 2	UNCVX			-	78.10 78.10					18.94 18.94	8.42 8.42		
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1			UNCVX UNCVX UNCVX	UEAL2	16.84 19.45	104.14	78.10					18.94	8.42		
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3			UNCVX	UEAL2	16.84	104.14									
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -			UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2	16.84 19.45 30.92	104.14 104.14 104.14	78.10 78.10					18.94 18.94	8.42 8.42		
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(St. 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(St.2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(St.2) in the same DS1 Interoffice Transport Combination - Zone 2 Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX UNCVX UNCVX	UEAL2	16.84 19.45	104.14	78.10					18.94	8.42		
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -			UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2	16.84 19.45 30.92	104.14 104.14 104.14	78.10 78.10					18.94 18.94	8.42 8.42		

Version 1Q02: 03/22/2002

UNBUNDLE	D NETWORK ELEMENTS - Georgia				1	1						1 -	Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	COMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice					Rec	FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SOWAN	SUMAN	SUMAN	SOWAN
	Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	126.22										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.17	12.02	8.66								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE													
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.4523	004.00	241.20					10.04	0.42		
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination Per						134.03	141.51					33.03	21.43	13.00	11.00
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	126.22										
	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
<u> </u>	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		12.97	11.27					18.94	8.42		
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				12.01	11.21					10.04	J1Z		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ī				3.0.00									
	Per Month	<u> </u>	l	UNC1X	1L5XX	0.4523			<u>l</u>	1	l			l	I	ь

UNBUNDLE	D NETWORK ELEMENTS - Georgia			1								I -	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility				1	Nec	11130	Addi	11130	Addi	JOINEO	JOINAIN	JOMAN	JOHIAN	JONAN	JOHIAN
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Month			UNC1X	MQ1	126.22										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1													
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		1
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	LINGGO		12.97	11.27					45.46	15.72		
4-WIR	INSTANTAGE E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	EROFFI	CE TR		UNCCC		12.97	11.27					45.46	15.72		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	1	<u> </u>													
	Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Transport - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month													-		
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.4523										
	Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Is Charge		<u> </u>	UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI First DS1Loop in DS3 Interoffice Transport Combination - Zone	EROFFI	CE IR	ANSPORT (EEL)	+											
	1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		3	UNC1X	USLXX		443.20							8.42		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		3			101.93	443.20	138.69	1				18.94	8.42		
	Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per	-	-	UNC3X	1L5XX	2.72			-						-	-
	month		1	UNC3X	U1TF3	788.00	198.45	153.15	1				37.55	37.55	18.03	18.03
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	137.73	196.66	204.61					18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66					18.94	8.42		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Additional DS1Loop in DS3 Interoffice Transport Combination -		Ţ													
	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42	-	-
	Zone 3	ļ	3	UNC1X	USLXX	101.93	443.20	138.69	ļ				18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	11.02	12.02	8.66					18.94	8.42		
	Is Charge			UNC3X	UNCCC		12.97	11.27					45.46	15.72		
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	TEROFF	ICE T	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10]				18.94	8.42		1
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
	2-WireVG Loop used with 2-wire VG Interoffice Transport								1							
I	Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10	L		<u> </u>		18.94	8.42	I .	

UNBUNDLE	D NETWORK ELEMENTS - Georgia											•	Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec			g Disconnect	201150	0011411		Rates(\$)	0011411	0011411
_	Interoffice Transport - Dedicated - 2-wire VG combination - Per				-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Mile Per Month			UNCVX	1L5XX	0.0222										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	EROFF	ICE T		011000		12.07	11.27					40.40	10.72		1
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		ļ
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0222										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	17.07	79.61	36.08					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As-				1											
	Is Charge			UNCVX	UNCCC		12.97	11.27					45.46	15.72		
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOF	RT (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	8.90										
	High Capacity Unbundled Local Loop - DS3 combination -			UNCOA	ILSIND	6.90									1	1
	Facility Termination per month			UNC3X	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18.03
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.72										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	788.00	198.45	153.15					37.55	37.55	18.03	18.03
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		12.97	11.27					45.46	15.72		
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TF	RANSP	ORT (EEL)			-									
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	8.90										
	High Capacity Unbundled Local Loop - STS1 combination -			UNCSA	ILJIND	0.90										
	Facility Termination per month			UNCSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18.03
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	2.72										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	783.63	198.45	449.91					37.55	37.55	18.03	18.03
	Nonrecurring Currently Combined Network Elements Switch -As-				1											10.00
	Is Charge			UNCSX	UNCCC		12.97	11.27					45.46	15.72		
2-WIR	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	.)													ļ
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			ONOIN	OTLEX	25.21	255.50	100.30					10.34	0.42		
	Transport - Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.4523										
	Termination per month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	126.22										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.37	12.02	8.66					33.63	27.49	19.88	11.85
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		-	UNCIVA	UILZX	∠1.89	∠33.38	180.38					18.94	8.42		
	Combination - Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42	1	

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonrec		Nonrecurring					Rates(\$)		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination - Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8.42		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3.37	12.02	8.66					33.63	27.49	19.88	11.85
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIRE	EDS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROE	FICE T		UNCCC		12.97	11.21					45.46	15.72		
1 11111	First DS1 Loop in STS1 Interoffice Transport Combination -		T						1							
	Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 3 Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	UNC1X	USLXX	101.93	443.20	138.69			<u> </u>		18.94	8.42		
	Per Month Interoffice Transport - Dedicated - STS1 combination - Fer Mile Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	2.72										
	Termination			UNCSX	U1TFS	783.63	198.45	449.91					37.55	37.55	18.08	18.03
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	182.04	196.66	204.61	1				37.55	37.55	18.08	18.03
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66					37.55	37.55	18.08	18.03
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		12.97	11.27					45.46	15.72		
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI	FFICE	RANSI		0.1000		12.01		1				101.10	10.12		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.0222										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	16.45	147.07	111.75					33.63	27.49	19.88	11.85
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC	10.40	12.97	11.27					45.46	15.72	13.30	11.00
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI	FFICE 1	RANSI		514000		12.31	11.21	†				70.40	10.72		
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	Combination - Zone 3			UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		3	UNCDX	1L5XX	0.0222	5-10.55	241.20					10.34	0.42		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	16.45	147.07	111.75					33.63	27.49	19.88	11.85
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCDX	UNCCC	10.43	12.97	111.75					45.46	15.72	19.68	11.85
ADDITIONAL N	IETWORK ELEMENTS		 	OINODA	UNCCC		12.37	11.27			+		45.46	15.72	 	
	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	witch As Is cl	harge does app	oly.		†							
When t	used as ordinarilty combined network elements in Georgia, the															
	SynchroNet)		Ļ	L	L											
Nonrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)				1				1		l	Ь

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Nonrec			Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		12.97	11.27					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 56/64 kbps			UNCDX	UNCCC		12.97	11.27					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1			UNC1X	UNCCC		12.97	11.27					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		12.97	11.27					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - STS1			UNCSX	UNCCC		12.97	11.27					18.94	18.94		
NOTE	E: Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3													
	Local Channel - Dedicated - 2-Wire Voice Grade per month	<u> </u>	<u> </u>	UNCXV	ULDV2	13.91	272.07	60.43					18.94	18.94	 	<u> </u>
	Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 Per Month		 	UNCXV UNC1X	ULDV4 ULDF1	14.99 38.36	272.07 164.99	60.43 113.76					18.94	18.94		
				UNC3X	1L5NC	6.92	164.99	113.76								
	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per	-	1	UNUSA	ILDING	6.92										
	month			UNC3X	ULDF3	515.91	639.50	426.31					18.94	18.94		
	Local Channel - Dedicated - STS-1- Per Mile per month		1	UNCSX	1L5NC	6.92	039.30	420.31					10.54	10.54		
	Local Channel - Dedicated - STS-1 - Facility Termination per			ONOOX	TESINO	0.32										
	month			UNCSX	ULDFS	517.56	639.50	426.31					18.94	18.94		
UNBUNDLED	D LOCAL EXCHANGE SWITCHING(PORTS)			0.100/1	025.0	017.00	000.00	120.01					10.01	10.01		
	ange Ports															
	E: Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to I	oe ordered usin	g retail USOCs	;								
2-WIF	RE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)		<u> </u>	UEPSR	UEPAP	1.85		17.16					18.94	8.42		
	Subsequent Activity		<u> </u>	UEPSR	USASC	0.00	0.00	0.00					18.94	8.42		
FEAT	TURES			LIEDOD	LIED\/E	0.00	0.00	0.00					18.94	0.40		
2 WIE	All Available Vertical Features RE VOICE GRADE LINE PORT RATES (BUS)		<u> </u>	UEPSR	UEPVF	0.00	0.00	0.00					18.94	8.42		
2-9911	Exchange Ports - 2-Wire Analog Line Port without Caller ID -		1													
	Bus			UEPSB	UEPBL	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire VG unbundled Line Port with			OLI OB	OLI DL	1.00	17.10	17.10					10.04	0.42		
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exhange Ports - 2-Wire VG unbundled incoming only port with			UEPSB	UEPBO	1.85	17.16	17.16					18.94	8.42		
	Caller ID - Bus			UEPSB	UEPB1	1.85	17.16	17.16					18.94	8.42		
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00					18.94	8.42		
FEAT	TURES															
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					18.94	8.42		
EXCH	HANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.85	17.16	17.16					18.94	8.42		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.85	17.16	17.16					18.94	8.42		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.85	17.16	17.16					18.94	8.42		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	<u> </u>	<u> </u>	UEPSP	UEPP1	1.85	17.16	17.16					18.94	8.42	 	
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus	<u> </u>	<u> </u>	UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42	 	
	2-Wire Voice Unbundled PBX LD Terminal Ports	 	 	UEPSP UEPSP	UEPLD	1.85	17.16	17.16	1	-			18.94	8.42	 	ļ
	2-Wire Vice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	 	-	UEPSP	UEPXA UEPXB	1.85 1.85	17.16 17.16	17.16 17.16	ļ	-			18.94 18.94	8.42 8.42	 	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	<u> </u>	<u> </u>	UEPSP	UEPXB		17.16 17.16	17.16 17.16			-		18.94 18.94	8.42 8.42		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	1	UEPSP	UEPXC	1.85 1.85	17.16	17.16	1				18.94	8.42	1	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.85	17.16	17.16					18.94	8.42		

Version 1Q02: 03/22/2002

UNBUNDLED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Nonred	urring	Nonrecurring	Disconnect				Rates(\$)		•
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	_	-	UEPSP	UEPXL	1.85	17.16	17.16					18.94	8.42		
Room Calling Port			UEPSP	UEPXM	1.85	17.16	17.16					18.94	8.42		
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			02. 0.	02.74	1.00							10.01	02		
Discount Room Calling Port			UEPSP	UEPXO	1.85	17.16	17.16					18.94	8.42		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.85	17.16	17.16					18.94	8.42		
Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					18.94	8.42		
FEATURES			LIEDOD LIEDOE	LIED) (E	0.00	0.00	2.22					40.04	0.40		
All Available Vertical Features EXCHANGE PORT RATES (COIN)	-	1	UEPSP UEPSE	UEPVF	0.00	0.00	0.00			-		18.94	8.42		
Exchange Ports - Coin Port		1		 	2.05	17.16	17.16					18.94	8.42		†
NOTE: Transmission/usage charges associated with POTS circui	switched	usage	will also apply to o	ircuit switche				ission by B-Ch	nannels assoc	iated with 2	wire ISDN r		5.72		
NOTE: Access to B Channel or D Channel Packet capabilities will													Request Pro	cess.	
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
EXCHANGE PORT RATES (DID & PBX)			LIEBEV	uene -						1					<u> </u>
Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	11.35	61.91	61.91					19.99	19.99	19.99	19.99
Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	120.80	108.38	60.88					19.99	19.99	19.99	19.99
Exchange Ports - 2-Wire ISDN Port (See Notes below.)		+	UEPTX UEPSX	U1PMA	13.47	47.37	47.37					39.98	39.98	19.99	19.99
All Features Offered			UEPTX UEPSX	UEPVF	0.00	0.00	0.00					00.00	00.00		
NOTE: Transmission/usage charges associated with POTS circui	switched	usage	will also apply to o	ircuit switche	ed voice and/or	circuit switch	ed data transm	ission by B-Ch	annels assoc	iated with 2	wire ISDN p	orts.			
NOTE: Access to B Channel or D Channel Packet capabilities will	be availa	ble onl						lities will be de	termined via t	he Bona Fid	de Request/I	New Busines:	Request Pro	cess.	
Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								ļ
Exchange Ports - 4-Wire ISDN DS1 Port UNBUNDLED LOCAL SWITCHING, PORT USAGE	_	-	UEPEX	UEPEX	163.16	186.80	186.80					37.88	37.88		
End Office Switching (Port Usage)		+													1
End Office Switching Function, Per MOU					0.0016333										+
End Office Trunk Port - Shared, Per MOU					0.0001564										
Tandem Switching (Port Usage) (Local or Access Tandem)															
Tandem Switching Function Per MOU					0.0006757										
Tandem Trunk Port - Shared, Per MOU					0.0002126										
Common Transport					0.000000										
Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU					0.000008 0.0004152										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES	_	1			0.0004132										
Cost Based Rates are applied where BellSouth is required by FCC	and/or S	tate Co	mmission rule to p	ovide Unbun	dled Local Swi	tching or Swite	h Ports.								
Features shall apply to the Unbundled Port/Loop Combination - 0								ed Port section	of this Rate E	xhibit.					
End Office and Tandem Switching Usage and Common Transport															
For Georgia, Kentucky, Louisiana, Mississippi, South Carolina ar															
Currently Combined Combos for all states. In GA, KY, LA, MS, SC For Currently Combined Combos in all other states, the nonrecur								and NC these	nonrecurring	cnarges are	warket Kat	es and are al	so listed in th	e Market Rate	section.
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ing charg	Jes 5116	iii be tilose idelitille	I III the Noni	l	entry Combine	a sections.	1					I		ı
UNE Port/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
2-Wire VG Loop/Port Combo - Zone 3		3			21.62										ļ
UNE Loop Rates		4	LIEDDY	LIEDLY	40.00										
2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPRX UEPRX	UEPLX	10.80 12.47					-					
2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPRX	UEPLX	12.47					 					
2-Wire Voice Grade Line Port Rates (Res)		Ť		32.2/	10.00										†
2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	3.91
2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
FEATURES			LIEBBY	LUED (E											<u> </u>
All Features Offered	1	1	UEPRX	UEPVF	0.00	0.00	0.00	ı		1	1	33.67	7.88	11.17	3.91

Version 1Q02: 03/22/2002 PAGE 100 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonrec		Nonrecurring					Rates(\$)		
1.004	L NUMBER PORTABILITY					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35									1	
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI IXX	LIVI OX	0.55										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1											
	Switch-as-is			UEPRX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPRX	USACC		2.01	0.3108					33.67	7.88		
ADDIT	TONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPKA	U3A32	0.00	0.00	0.00					33.67	7.00	11.17	3.91
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1		1	12.59										
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX UEPBX	UEPLX	12.47 19.83										
2-Wire	e Voice Grade Line Port (Bus)		3	UEPBA	UEPLA	19.03									-	
2-99116	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		3.91
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT				LIEDDY	LIED) (E	0.00	0.00	0.00					00.07	7.00	44.47	0.01
NOND	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NONK	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				0.00.00		-191									2.0.
	Switch with change			UEPBX	USACC		2.01	0.3108								
ADDIT	TONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) ort/Loop Combination Rates				-											
UNE F	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	12.47									ļ	ļ
2 14/:	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPRG	UEPLX	19.83									1	1
Z-VVIFE	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1		 	1						1				 	1
	Res	l		UEPRG	UEPRD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
LOCA	L NUMBER PORTABILITY			1		5		.0.20	50	5.51			33.01	7.50	· · · · · ·	3.51
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.91
FEAT							•	•		•						
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>														ļ
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is	l		UEPRG	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
(2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			ULPRU	USAUZ		∠.∪1	0.3108					33.07	7.88	11.17	3.91
	Conversion - Switch with Change	1		UEPRG	USACC		2.01	0.3108					33.67	7.88	11.17	3.91
				+			01	2.2.00					22.01	00		2.01

Version 1Q02: 03/22/2002 PAGE 101 OF 352

UNBUNDLI	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	110400	0.00	0.00	0.00					00.07	7.00	44.47	0.04
	Subsequent Activity		<u> </u>	UEPRG	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						44.04	44.04					19.99	19.99	19.99	19.99
2 14/15	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						14.64	14.64					19.99	19.99	19.99	19.98
	Port/Loop Combination Rates		1													
ONE I	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										+
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										+
-	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE I	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	12.47										
<u> </u>	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	19.83								İ	İ	
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
I	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u></u>	L	UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91	<u> </u>		33.67	7.88	11.17	3.9
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.9
FEAT	URES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.9
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400		0.04	0.0400					00.07	7.00	44.47	0.0
	Conversion - Switch-As-Is			UEPPX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400		0.04	0.0400					00.07	7.00	44.47	0.0
4000	Conversion - Switch with Change			UEPPX	USACC		2.01	0.3108					33.67	7.88	11.17	3.9
ADDI	TIONAL NRCs		<u> </u>													
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.00	44.47	2.0
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					33.07	7.88	11.17	3.9
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						14.64	14.64					19.99	19.99	19.99	19.99
2 WIE	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR) T			+	+	14.04	14.04	-		-		19.99	19.99	19.99	19.98
	Port/Loop Combination Rates	1			+	+			-		-					-
JOINE I	2-Wire VG Coin Port/Loop Combo – Zone 1	1	1	 	+ +	12.69			 							
	2-Wire VG Coin Port/Loop Combo – Zone 2	1	2	 	+ +	14.36			 							
+	2-Wire VG Coin Port/Loop Combo – Zone 2	-	3	 	+ +	21.72			 							
LINE I	Loop Rates	1	<u> </u>		+	21.72										†
0.12	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	10.80			 							
	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPCO	UEPLX	12.47								1	1	†
 	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	19.83								1	1	1
2-Wir	e Voice Grade Line Ports (COIN)	1	Ť		J/\	10.00								1	1	1
	2-Wire Coin 2-Way with Operator Screening (GA)	l		UEPCO	UEPGC	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1		†	1			.0.20	50	0.01			30.07		l	5.5
1	900/976, 1+DDD (GA)	l	1	UEPCO	UEP2G	1.89	22.14	15.25	8.45	3.91	1		33.67	7.88	11.17	3.9

Version 1Q02: 03/22/2002 PAGE 102 OF 352

JNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Charge -
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(GA)			UEPCO	UEPGA	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Coin 2-Way with Operator Screening and 900/976															
	Blocking (GA)			UEPCO	UEPGB	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
+	2-Wire Coin Outward with Operator Screening and 011 Blocking		-	UEPCO	UEPCH	1.09	22.14	15.25	0.40	3.91			33.07	7.00	11.17	3.8
	(GA, KY, MS)			UEPCO	UEPRJ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Coin Outward with Operator Screening and Blocking:			OLI CO	OLITO	1.03	22.14	10.20	0.40	5.51			33.07	7.00	11.17	0.0
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
+	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2-Wire Coin Outward Smartline with 900/976 (all states except			02. 00	02. 0.0	1.00		10.20	0.10	0.01			00.01	7.00		
	LA)			UEPCO	UEPCR	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
ADDI	TIONAL UNE COIN PORT/LOOP (RC)															1
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00					33.67	7.88	11.17	3.9
LOCA	AL NUMBER PORTABILITY															1
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										1
NONE	RECURRING CHARGES - CURRENTLY COMBINED															1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
	Switch-as-is			UEPCO	USAC2		2.01	0.3108					33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		2.01	0.31					33.67	7.88	11.17	3.9
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0.00	0.00					33.67	7.88	11.17	3.9
	INDLED REMOTE CALL FORWARDING - RES															_
UNBU	INDLED REMOTE CALL FORWARDING - Bus															_
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.85	17.16	17.16					18.94	8.42		
	PORT/LOOP COMBINATIONS - COST BASED RATES															4
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														+
UNE	Port/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			20.40										+
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		2			28.19 30.80										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		_	42.27										+
LINIE I	Loop Rates		J			42.21										+
ONE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	16.84	104.78	78.10			 				 	+
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	19.45	104.78	78.10								+
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.92	104.78	104.10								+
UNF F	Port Rate				02001	55.5Z	104.70	10-1.10			 				 	†
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	11.35	61.91	61.91					33.67	7.88	İ	1
NONE	RECURRING CHARGES - CURRENTLY COMBINED				7-1-1		2	2					22.01	1.00	İ	1
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -													1	1	
	Switch-as-is			UEPPX	USAC1		93.38	93.38					33.67	7.88		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	with BellSouth Allowable Changes			UEPPX	USA1C		93.38	93.38					33.67	7.88		
ADDI	TIONAL NRCs															1
Telep	hone Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group							·								
	of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00						ļ	ļ	ļ
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								1
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00						ļ	ļ	1
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
LOCA	L NUMBER PORTABILITY			LIEBBY/	Lungs											
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
12-WIR	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	: POR		1						ı	i		I		1

Version 1Q02: 03/22/2002 PAGE 103 OF 352

UNBUNDL	.ED NETWORK ELEMENTS - Georgia													Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	cs	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
								Nonrec			Disconnect				Rates(\$)		
	OW JOBN British Control on John Jobn British City But						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		35.36										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		-	UEPPB	UEPPR		33.30										+
	UNE Zone 2		2	UEPPB	UEPPR		38.74										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3		3	UEPPB	UEPPR		53.64										
UNE	Loop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.89	252.32	188.77					19.99	19.99		4
	O.M. O.D. D. Sal O. d. L		2	LIEDDD	LIEDDD	1101 01	05.07	050.00	100 77					40.00	40.00		
	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPB	UEPPR UEPPR	USL2X USL2X	25.27 40.17	252.32 252.32	188.77 188.77			-		19.99 19.99	19.99 19.99		+
UNE	Port Rate		3	UEPPB	UEFFR	USLZA	40.17	252.52	100.77	1		1		19.99	19.99	1	+
OIAL	Exchange Port - 2-Wire ISDN Line Side Port		t	UEPPB	UEPPR	UEPPB	13.47	47.37		+				19.99	19.99	t	+
NON	RECURRING CHARGES - CURRENTLY COMBINED	1	<u> </u>	1		12-11-2				1		1		.0.00	.0.55	1	
1	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port											1					
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	93.38	93.38					19.99	19.99		
ADD	ITIONAL NRCs																
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	•															
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		165.95						19.99	19.99		
LOC	AL NUMBER PORTABILITY																<u> </u>
D 01	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								-
B-CF	IANNEL USER PROFILE ACCESS: CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	1		1				-	+
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								+
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								+
B-CI-	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C.MS. 8	(NT	02	02	0.000	0.00	0.00	0.00	İ		1				1	1
	R TERMINAL PROFILE	, ,															
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								1
VER.	TICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00					19.99	19.99		
INTE	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and facilities termination			LIEDDD	UEPPR	M1GNC	40.47	70.04	20.00					19.99	19.99		
	Interoffice Channel mileage each, additional mile				UEPPR	M1GNC M1GNM	16.47 0.0222	79.61 0.00	36.08 0.00			-	0.00	19.99	19.99		
4-WI	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		OLFFB	ULFFR	WITGINW	0.0222	0.00	0.00			1	0.00				+
	Port/Loop Combination Rates	I		1		+											+
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																1
	Zone 1		1	UEPPP			218.69										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						İ		-								
	Zone 2		2	UEPPP			227.29			ļ					ļ	1	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_	LIEBES			60= 05			1							
LINIE	Zone 3		3	UEPPP		1	265.09			1		-				1	
UNE	Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPPP		USL4P	55.53	448.92	276.60	_		1		19.99	19.99	 	
-	4-Wire DS1 Digital Loop - UNE Zone 1	1	2	UEPPP		USL4P USL4P	64.13	448.92	276.60	 	1	1		19.99	19.99	 	+
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	101.93	448.92	276.60	-		 		19.99	19.99	-	
UNE	Port Rate		Ť	1			.01.00	7.0.02	2. 0.00	1				.0.00	.0.50	1	†
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	163.16	186.80	186.80			1		19.99	19.99		1
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	269.96	269.96			1		19.99	19.99	ļ	ļ
ADD	ITIONAL NRCs		<u> </u>	1		_											
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.9686		1							
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		1	JEPPP		FIX/ IF		0.9086		+		 				+	+
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		22.75	22.75							1	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			JLIIF			-	22.73	22.13	-		 				-	
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		45.49	45.49							1	
	AL NUMBER PORTABILITY		1	+		1				1	1	1			†	1	†

Version 1Q02: 03/22/2002 PAGE 104 OF 352

<u>UNBUNDLED</u>	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	ACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.71						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	28.71						19.99	19.99		
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	28.71						19.99	19.99		
CALL TY																
	Inward		<u> </u>	UEPPP	PR7C1	0.00	0.00	0.00			ļ					
	Outward		<u> </u>	UEPPP	PR7C0	0.00	0.00	0.00			ļ					
	Two-way		<u> </u>	UEPPP	PR7CC	0.00	0.00	0.00			ļ					
	ce Channel Mileage		<u> </u>			=							10.00	10.00		
	Fixed Each Including First Mile		 	UEPPP UEPPP	1LN1A 1LN1B	78.9223	147.07	111.75	0.00		ļ		19.99	19.99	!	
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.4523										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		<u> </u>		_											
	rt/Loop Combination Rates		<u> </u>	LIEDDO		470.00										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	_	176.33										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		184.93										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		222.73										
	op Rates		-	LIEDDO	1101 00	55.50	140.00	070.00					10.00	40.00		
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	55.53	448.92 448.92	276.00					19.99 19.99	19.99 19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC UEPDC	USLDC	64.13 101.93	448.92	276.60 276.60					19.99	19.99		
UNE Por	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101.93	448.92	276.60					19.99	19.99		
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	120.80	89.44	52.46					19.99	19.99		
	CURRING CHARGES - CURRENTLY COMBINED		<u> </u>	UEPDC	ווטטטו	120.00	09.44	52.40					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is			UEPDC	USAC4		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1	UEPDC	USAC4		209.90	209.90					19.99	19.99		1
	- Conversion with DS1 Changes			UEPDC	USAWA		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLFDC	USAWA	+	209.90	209.90					15.55	19.99	-	-
	- Conversion with Change - Trunk			UEPDC	USAWB		269.96	269.96					19.99	19.99		
	DNAL NRCs			OLI DO	OOAWD		203.30	203.30					13.33	13.33		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1		+	1										
	Service Activity Per Service Order			UEPDC	USAS4		147.47	147.47								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			OLI DO	00/104		177.77	177.77								
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			02. 20	051		20.7 .	20					10.00	10.00		
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			02. 20	05115		20.7 1	20.7 1					10.00	10.00		
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		1													
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan				1	İ			İ		İ			1	İ	
	Activation / Chan - 2-Way DID w User Trans		1	UEPDC	UDTTE	l	28.71	28.71					19.99	19.99	I	
BIPOLA	R 8 ZERO SUBSTITUTION			1	1	İ			İ		İ			1	İ	
	B8ZS -Superframe Format			UEPDC	CCOSF	İ	0.00	600.00							1	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
	e Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00			1					
Telepho	ne Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers		1	UEPDC	NDZ	0.00	0.00	0.00				1		ĺ		

Version 1Q02: 03/22/2002 PAGE 105 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	1 -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			II.	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increment Charge - Manual St Order vs Electronic Disc Add
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedicat	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS T	runk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)	Ĭ		UEPDC	1LNO1	78.47	147.07	111.75	0.00	0.00			19.99	19.99		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.4523	0.00	0.00	0.00							
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00							+
4 WIDE	DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CIG	0.00										+
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations														
	ystem can have up to 24 combinations of rates depending on			har of parts used												+
	S1 Loop	type ai	la mam	bei oi poits useu												-
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	55.53	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	64.13	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	101.93	0.00	0.00								
	60 Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1	,		UEPMG	VUM24	102.64	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	205.28	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	410.56	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	615.84	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	821.12	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,026.40	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,231.68	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,052.80	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,463.36	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		
	curring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	num System configuration is One (1) DS1, One (1) D4 Channel															
Multiple	es of this configuration functioning as one are considered Ad	ld'I afte	r the m	inimum system con	iguration is	counted.										
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	328.35	16.52					19.99	19.99		
	Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nelizat	on with Port Combi	nation Curre	ntly Exists and					<u> </u>					
New (N	ot Currently Combined) In GA, KY, LA, MS & TN Only															—
	DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	738.61	462.53	144.05	17.09			19.99	19.99		
Bipolar	8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent			UEPMG	CCOSF	0.00	0.00	600.00								
	Activity Only Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOSF	0.00	0.00	600.00								
Alterna	Subsequent Activity Only te Mark Inversion (AMI)		-	UEFING	COUEF	0.00	0.00	00.00	 							-
			-	UEPMG	MCOSF	0.00	0.00	0.00	 							-
	Superframe Format Extended Superframe Format		-	UEPMG UEPMG	MCOSF	0.00	0.00		 		1					-
Evah		n with	Port.	UEPIVIG	IVICOPO	0.00	0.00	0.00	 		 				-	
	ge Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports	on with	ron													
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		

Version 1Q02: 03/22/2002 PAGE 106 OF 352

CATEGORY													Attachment:	2	Exhibit: B	
	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	11.35	0.00	0.00	0.00	0.00			33.67	7.88		
	Activations - Unbundled Loop Concentration			OLI I X	02. 5	11100	0.00	0.00	0.00	0.00			00.01	7.00		
I	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0.62	25.09	13.25	3.99	3.97			33.67	7.88		
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0.62	77.21	18.20	56.49	11.04			33.67	7.88		
Telepho	one Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number		<u> </u>	UEPPX	ND4 ND5	0.00	0.00	0.00						-		
	Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers			UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00			-					
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	lumber Portability			OLITA	IVEV	0.00	0.00	0.00								
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	RES - Vertical and Optional															
	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
	PORT LOOP COMBINATIONS - MARKET RATES	<u> </u>	<u> </u>	l												
	Rates shall apply where BellSouth is not required to provide	unbund	dled lo	cal switching or swi	tch ports per	r FCC and/or St	ate Commission	n rules.								
	scenarios include: undled port/loop combinations that are Not Currently Combir	l and in A	laham	. Floride and North	Carolina											
	undled port/loop combinations that are Currently Combined					n 8 MSAS in Re	allSouth's regi	on for and use	rs with 4 or mo	re DS0 equivs	lent lines					
The Tor	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda	ale. Mia	mi): G	A (Atlanta): LA (New	Orleans): NO	(Greensboro-	Winston Salem	-Highpoint/Ch	arlotte-Gastoni	a-Rock Hill):	N (Nashvill	e).				
BellSou	uth currently is developing the billing capability to mechanica	lly bill	the rec	urring and non-recu	rring Market	Rates in this s	ection except f	or nonrecurri	ng charges for i	not currently	combined in	AL, FL and	NC. In the ir	nterim where	BellSouth car	not bill
	Rates, BellSouth shall bill the rates in the Cost-Based section			lieu of the Market R	ates and res	erves the right	to true-up the	hilling difforor	ice.							
	rket Rate for unbundled ports includes all available features i	n all st						billing unlerer								
	fice and Tandem Switching Usage and Common Transport Us					Ĭ	·	<u> </u>								
		sage rat		ne Port section of th	is rate exhib	Ĭ	·	<u> </u>	rt network elen	nents except	for UNE Coi	n Port/Loop	Combination	ns which have	a flat rate us	
(USOC:	: URECU).	•	es in tl			it shall apply to	all combination	ons of loop/po		•		•				age charge
(USOC: For Not	URECU). t Currently Combined scenarios where Market Rates apply, th	e Nonre	es in ti ecurrin	g charges are listed		it shall apply to	all combination	ons of loop/po		•		•				age charge
(USOC: For Not Combine	: URECU). t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categor	e Nonre	es in ti ecurrin	g charges are listed		it shall apply to	all combination	ons of loop/po		•		•				age charge
(USOC: For Not Combine 2-WIRE	: URECU). t Currently Combined scenarios where Market Rates apply, th ned section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	e Nonre	es in ti ecurrin	g charges are listed		it shall apply to	all combination	ons of loop/po		•		•				age charge
(USOC: For Not Combine 2-WIRE UNE Poi	URECU). t Currently Combined scenarios where Market Rates apply, the describing Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates	e Nonre	es in the curring cordin	g charges are listed		it shall apply to	all combination	ons of loop/po		•		•				age charge
(USOC: For Not Combine 2-WIRE UNE Pol	URECU). t Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	e Nonre	es in the curring cordin	g charges are listed		it shall apply to	all combination	ons of loop/po		•		•				age charge
(USOC: For Not Combine 2-WIRE UNE Por	URECU). t Currently Combined scenarios where Market Rates apply, the describing Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates	e Nonre	es in the curring cordin	g charges are listed		it shall apply to	all combination	ons of loop/po		•		•				age charge
(USOC: For Not Combine 2-WIRE UNE Por	URECU). t Currently Combined scenarios where Market Rates apply, the description. Additional NRCs may apply also and are categor. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	e Nonre	es in the cordin	g charges are listed		it shall apply to and Additional	all combination	ons of loop/po		•		•				age charge
(USOC: For Not Combin 2-WIRE UNE Pol	URECU). t Currently Combined scenarios where Market Rates apply, the desection. Additional NRCs may apply also and are categor. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3	e Nonre	es in the cordin	g charges are listed		it shall apply to and Additional	all combination	ons of loop/po		•		•				age charge
(USOC: For Not Combin 2-WIRE UNE Pol	URECU). t Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1	e Nonre	ecurring cordin	g charges are listed gly. UEPRX UEPRX	UEPLX	24.80 26.47 33.83	all combination	ons of loop/po		•		•				age charge
(USOC: For Not Combin. 2-WIRE UNE POI	EURECU). **Currently Combined scenarios where Market Rates apply, the desection. Additional NRCs may apply also and are categor. **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **Drt/Loop Combination Rates **2-Wire VG Loop/Port Combo - Zone 1 **2-Wire VG Loop/Port Combo - Zone 2 **2-Wire VG Loop/Port Combo - Zone 3 **pop Rates **2-Wire Voice Grade Loop (SL1) - Zone 1 **2-Wire Voice Grade Loop (SL1) - Zone 2 **2-Wire Voice Grade Loop (SL1) - Zone 2 **2-Wire Voice Grade Loop (SL1) - Zone 3	e Nonre	ecurring cordin	g charges are listed gly.	in the First a	24.80 26.47 33.83	all combination	ons of loop/po		•		•				age charge
(USOC: For Not Combin. 2-WIRE UNE POI	EURECU). **Currently Combined scenarios where Market Rates apply, the desection. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **Top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port (Res)	e Nonre	ecurring cordin	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX	24.80 26.47 33.83 10.80 12.47 19.83	all combination	ons of loop/pc		•		•	ecurring charge	ges are listed	in the NRC - (age charge Currently
(USOC: For Not Combin. 2-WIRE UNE POI	URECU). t Currently Combined scenarios where Market Rates apply, the def section. Additional NRCs may apply also and are categor. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates. 2-Wire VG Loop/Port Combo - Zone 1. 2-Wire VG Loop/Port Combo - Zone 2. 2-Wire VG Loop/Port Combo - Zone 3. sop Rates. 2-Wire Voice Grade Loop (SL1) - Zone 1. 2-Wire Voice Grade Loop (SL1) - Zone 2. 2-Wire Voice Grade Loop (SL1) - Zone 3. Voice Grade Loop (SL1) - Zone 3. Voice Grade Line Port (Res). 2-Wire voice unbundled port - residence.	e Nonre	ecurring cordin	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX	24.80 26.47 33.83 10.80 12.47 19.83	all combination	ons of loop/pc for each Port U		•		•	ecurring charge	ges are listed	in the NRC - 1	age charge Currently
(USOC: For Not Combin. 2-WIRE UNE POI	URECU). t Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	e Nonre	ecurring cordin	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL	24.80 26.47 33.83 12.47 19.83	pall combination	ons of loop/pc for each Port U		•		•	33.67 33.67	7.88 7.88	11.17 11.17	age charge Currently
(USOC: For Not Combin 2-WIRE UNE POI UNE LOC 2-Wire V	EURECU). It Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates. 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates. 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res). 2-Wire voice unbundled port - residence. 2-Wire voice unbundled port with Caller ID - res. 2-Wire voice unbundled port outgoing only - res.	e Nonre	ecurring cordin	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX	24.80 26.47 33.83 10.80 12.47 19.83	all combination	ons of loop/pc for each Port U		•		•	ecurring charge	ges are listed	in the NRC - 1	age charge Currently
(USOC: For Not Combin 2-WIRE UNE Pol UNE Lot UNE Lot 2-Wire V	URECU). t Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	e Nonre	ecurring cordin	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00	90.00 90.00	90.00 90.00		•		•	33.67 33.67 33.67	7.88 7.88 7.88	11.17 11.17 11.17	age charge Currently 3.91 3.91 3.91
(USOC: For Not Combin 2-WIRE UNE Pol UNE Lo	URECU). t Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled ses, low usage line port with Caller ID	e Nonre	ecurring cordin	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL	24.80 26.47 33.83 12.47 19.83	pall combination	ons of loop/pc for each Port U		•		•	33.67 33.67	7.88 7.88	11.17 11.17	age charge Currently
(USOC: For Not Combin 2-WIRE UNE POI UNE LOI 2-WIRE V	URECU). t Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res (LUM)	e Nonre	ecurring cordin	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00	90.00 90.00	90.00 90.00		•		•	33.67 33.67 33.67	7.88 7.88 7.88	11.17 11.17 11.17	age charge Currently 3.91 3.91 3.91
(USOC: For Not Combin 2-WIRE UNE Pol UNE Lot 2-Wire Local Local Local FEATUR	URECU). t Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	e Nonre	ecurring cordin	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAP	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00		•		•	33.67 33.67 33.67	7.88 7.88 7.88 7.88	11.17 11.17 11.17	3.91 3.91 3.91
(USOC: For Not Combin 2-WIRE UNE Pol UNE Lot 2-Wire Local Local Local FEATUR	URECU). t Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categore. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port)	e Nonre	ecurring cordin	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00	90.00 90.00	90.00 90.00		•		•	33.67 33.67 33.67	7.88 7.88 7.88	11.17 11.17 11.17	age charge Currently 3.91 3.91 3.91
(USOC: For Not Combin 2-WIRE UNE Pol UNE Lot 2-Wire Local Local Local FEATUR	URECU). t Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categore. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered	e Nonre	ecurring cordin	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP LNPCX	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00		•		•	33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17	3.91 3.91 3.91
(USOC: For Not Combin 2-WIRE UNE Pol UNE Lot 2-Wire UNE Lot Lot Lot Lot Lot FEATUR	URECU). t Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates. 2-Wire VG Loop/Port Combo - Zone 1. 2-Wire VG Loop/Port Combo - Zone 2. 2-Wire VG Loop/Port Combo - Zone 3. top Rates. 2-Wire Voice Grade Loop (SL1) - Zone 1. 2-Wire Voice Grade Loop (SL1) - Zone 2. 2-Wire Voice Grade Loop (SL1) - Zone 3. Voice Grade Loop (SL1) - Zone 3. Voice Grade Loop (SL1) - Zone 3. 2-Wire voice unbundled port - residence. 2-Wire voice unbundled port with Caller ID - res. 2-Wire voice unbundled port outgoing only - res. 2-Wire voice unbundled port outgoing only - res. 2-Wire voice unbundled port outgoing only - res. 2-Wire voice unbundled port outgoing only - res. 2-Wire voice unbundled port outgoing only - res. 2-Wire voice unbundled port outgoing only - res. 2-Wire voice unbundled port outgoing only - res. 2-Wire voice unbundled port outgoing only - res. 2-Wire voice unbundled port outgoing only - res. 2-Wire voice unbundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res. 2-Wire voice on bundled port outgoing only - res.	e Nonre	ecurring cordin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAP	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00		•		•	33.67 33.67 33.67	7.88 7.88 7.88 7.88	11.17 11.17 11.17	3.91 3.91 3.91
(USOC: For Not Combin 2-WIRE UNE Pol UNE Lo 2-WIRE LOCAL LOCAL FEATUR (USOC: FOR Not Not Not Not Not Not Not Not Not Not	URECU). t Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categore. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered	e Nonre	ecurring cordin	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP LNPCX	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00		•		•	33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17	3.91 3.91 3.91

Version 1Q02: 03/22/2002 PAGE 107 OF 352

JNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -			l												
0 14/170	Subsequent			UEPRX	USAS2		0.00	0.00					33.67	7.88	11.17	3.9
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE PO	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1		-	24.80										
-	2-Wire VG Loop/Port Combo - Zone 1		2			26.47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										
UNFI	pop Rates		_			00.00										
0	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	19.83										
2-Wire	Voice Grade Line Port (Bus)				1											
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					33.67	7.88	11.17	3.9
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATU																
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.9
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with			UEPBX	USAC2		41.50	41.50					33.67	7.88	11.17	3.9
	change			UEPBX	USACC		41.50	41.50					33.67	7.88	11.17	3.9
ADDITI	ONAL NRCs			UEPBA	USACC		41.50	41.50					33.07	7.00	11.17	3.9
ADDITI	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	3.9
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)						0.00									
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										
UNE Lo	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	12.47					ļ					
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	19.83			ļ	ļ						
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
1.00	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res NUMBER PORTABILITY			UEPRG	UEPRD	14.00	90.00	90.00					33.67	7.88	11.17	3.9
LOCAL	Local Number Portability (1 per port)	-	+	UEPRG	LNPCP	3.15				-	 					
FEATU			1	UEPRG	LINPUP	3.15										
	All Features Offered	-	1	UEPRG	UEPVF	0.00	0.00	0.00	1	1	}		33.67	7.88	11.17	3.9
	ECURRING CHARGES - CURRENTLY COMBINED		1	OLI INO	OLI VI	0.00	0.00	0.00	1	1	1		33.07	7.00	11.17	3.8
140.414	Comment Comments		1		+ +											
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2	l	41.50	41.50					33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with				1	İ	50	50	Ì	1			30.07			3.0
	Change			UEPRG	USACC	l	41.50	41.50					33.67	7.88	11.17	3.9
ADDITI	ONAL NRCs				1 1											
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring		<u> </u>				0.00	0.00					33.67	7.88	11.17	3.9
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt				1											
	Group		1				14.64	14.64					19.99	19.99	19.99	19.9
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)									ļ						
UNE Po	ort/Loop Combination Rates		.		+											
	2-Wire VG Loop/Port Combo - Zone 1		1		1	24.80				 						ļ
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		2		1	26.47 33.83				 						
					1				•							

Version 1Q02: 03/22/2002 PAGE 108 OF 352

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	19.83										
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPP1	14.00	90.00	90.00					33.67	7.88	11.17	3.9
				UEPPX	UEPLD	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB UEPXC	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDDY	UEPXE	44.00	00.00	90.00					33.67	7.00	44.47	
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00	-				33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVI	44.00	00.00	00.00					00.07	7.00	44.47	
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVAA	44.00	00.00	00.00					00.07	7.00	44.47	0.4
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															_
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					33.67	7.88	11.17	3.9
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
FEA	TURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.9
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPPX	USACC		41.50	41.50					33.67	7.88	11.17	3.9
ADD	ITIONAL NRCs															
	2 Mins Valor Crade Large / Line Bort Combination College			LIEDDY	110,400		0.00	0.00					22.67	7.00	44.47	
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00					33.67	7.88	11.17	3.9
	2 Wire Loop/Line Side Port Combination - Non feature -						0.00	0.00					00.07	7.00	44.47	
	Subsequent Activity- Nonrecurring						0.00	0.00					33.67	7.88	11.17	3.9
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						4404	4404					40.00	40.00	19.99	40.0
0 14/1	Group RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POI						14.64	14.64					19.99	19.99	19.99	19.9
		(1														
UNE	Port/Loop Combination Rates					04.00										-
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			24.80										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2		\rightarrow	26.47										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3		\rightarrow	33.83										
UNE	Loop Rates		<u> </u>		LIEBLY .	10.5			ļ		1					<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.80			ļ		1					<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	12.47					ļ					
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	19.83			ļ		1					
2-Wi	re Voice Grade Line Port Rates (Coin)		<u> </u>	LIEBOO	LIEDOO	44.60	00.00	00.00	ļ		1		00.07	7.00	44 :-	
	2-Wire Coin 2-Way with Operator Screening (GA)		<u> </u>	UEPCO	UEPGC	14.00	90.00	90.00	ļ				33.67	7.88	11.17	3.
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			LIEBOO	UEDOO]							1 -
	900/976, 1+DDD (GA)		<u> </u>	UEPCO	UEP2G	14.00	90.00	90.00	 				33.67	7.88	11.17	3.
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEBOO	LIEBOA	44.00	00.00	00.00					00.07	7.00	44 :-	_
	(GA)		<u> </u>	UEPCO	UEPGA	14.00	90.00	90.00	ļ				33.67	7.88	11.17	3.
	2-Wire Coin 2-Way with Operator Screening and 900/976			LIEBOO	UEDOS											_
	Blocking (GA)		<u> </u>	UEPCO	UEPGB	14.00	90.00	90.00	ļ				33.67	7.88	11.17	3.
1	2-Wire Coin 2-Way with Operator Screening and Blocking:			LIEBOO	UEDO]							_
	900/976, 1+DDD, 011+,and Local (GA)		<u> </u>	UEPCO	UEPCH	14.00	90.00	90.00					33.67	7.88	11.17	3.
	2-Wire Coin Outward with Operator Screening and 011Blocking				1									Ì	Ì	
1	(GA, KY, MS)	1	L	UEPCO	UEPRJ	14.00	90.00	90.00	<u> </u>		L		33.67	7.88	11.17	3

Version 1Q02: 03/22/2002 PAGE 109 OF 352

	ED NETWORK ELEMENTS - Georgia													Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
								Nonrec			g Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and Blocking:																
1.00	900/976, 1+DDD, 011+, and Local (FL, GA) AL NUMBER PORTABILITY	<u> </u>	<u> </u>	UEPCO		UEPCQ	14.00	90.00	90.00					33.67	7.88	11.17	3.91
LOCA				UEPCO		LNPCX	0.35										
NON	Local Number Portability (1 per port) RECURRING CHARGES - CURRENTLY COMBINED			UEPCU		LINECA	0.35										+
NONE	RECORRING CHARGES - CORRENTLY COMBINED		1			1											+
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO		USAC2		41.50	41.50					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			OLI CO		OOAOZ		41.50	41.50					33.07	7.00	11.17	3.31
	Change			UEPCO		USACC		41.50	41.50					33.67	7.88	11.17	3.91
ADDI	TIONAL NRCs																1
						i i											1
. 1	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	1	1	UEPCO		USAS2		0.00	0.00					33.67	7.88	11.17	3.91
UNBUNDLED	PORT/LOOP COMBINATIONS - MARKET BASED RATES					1											1
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
UNE	Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				99.84										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				102.45										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				113.92										T
UNE	Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16.84	104.78	78.10								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	19.45	104.78	78.10								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	30.92	104.78	104.10								
UNE	Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	83.00	850.00	75.00					33.67	7.88		
NONE	RECURRING CHARGES - CURRENTLY COMBINED																↓
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-As-Is Top 8 MSAs only			UEPPX		USAC1		850.00	75.00					33.67	7.88		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		850.00	75.00					33.67	7.88		
	TIONAL NRCs	<u> </u>	<u> </u>														<u> </u>
I elep	phone Number/Trunk Group Establisment Charges			HEDDY		NDT	0.00	0.00	0.00								-
	DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group			UEPPX		NDT	0.00	0.00	0.00								-
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
+-	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		NDZ ND4	0.00	0.00	0.00								+
				UEPPX		ND5	0.00		0.00								+
	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers	1	1	UEPPX		ND6	0.00	0.00	0.00			1				1	+
	Reserve DID Numbers	1	1	UEPPX		NDV	0.00	0.00	0.00			1				1	+
LOC	AL NUMBER PORTABILITY	 	 	JEITA		. 10 v	0.00	0.00	0.00	 	 	1				t	+
	Local Number Portability (1 per port)	 		UEPPX		LNPCP	3.15	0.00	0.00						1	I	+
2-WII	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	PORT			_141 01	5.15	0.00	0.00						1	I	+
	Port/Loop Combination Rates	0.01	- 7 5.01			† †						1				<u> </u>	†
- 10.12	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																<u> </u>
	UNE Zone 1	<u> </u>	1	UEPPB	UEPPR		81.89					ļ				1	<u> </u>
. 1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															1	
	UNE Zone 2	 	2	UEPPB	UEPPR	 	85.27					ļ				.	
. 1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	_	LIEDES	LIEBBE		,									I	
	UNE Zone 3	<u> </u>	3	UEPPB	UEPPR	 	100.17				 	ļ				-	4
UNE	Loop Rates	 	<u> </u>	HEDDO	UEPPR	LICL OV	04.00	050.00	400 ==	 	 	ļ		10.00	10.00	!	+
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	 	1	UEPPB	UEPPR	USL2X	21.89	252.32	188.77	ļ	 	 		19.99	19.99	 	+
. 1	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB	UEPPR	USL2X	25.27	252.32	188.77					19.99	19.99	I	
		 		UEPPB	UEPPR		25.27 40.17	252.32 252.32	188.77	ļ	 	 		19.99	19.99 19.99	 	+
LIME	2-Wire ISDN Digital Grade Loop - UNE Zone 3 Port Rate		3	UEPPB	UEPPR	USL2X	40.17	252.32	188.77					19.99	19.99	 	+
UNE	Exchange Port - 2-Wire ISDN Line Side Port	 	1	UEPPB	UEPPR	UEPPB	60.00	525.00	400.00			<u> </u>		19.99	19.99	 	+
NON	RECURRING CHARGES - CURRENTLY COMBINED	 	-	UEPPB	UEPPR	UEPPB	00.00	5∠5.00	400.00	-		<u> </u>		19.99	19.99	-	+
NONE	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	-	 	-		 				-	-	 			-		+
	12-vviie ISDIN Digital Grade LOOP / 2-WIRE ISDIN LINE SIDE POR	1	Ì	1		USACB		215.00	215.00	1	I	1		19.99	l	1	1
' l	Combination - Conversion - Top 8 MSAs only			UEPPB			0.00								19.99		

Version 1Q02: 03/22/2002 PAGE 110 OF 352

ONBONDE	LED NETWORK ELEMENTS - Georgia													Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	scs	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
								Nonrec			Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actv	y t		HEDDD	LIEDDD	110400		405.05						40.00	40.00		
	Non Feature/Add Trunk CAL NUMBER PORTABILITY			UEPPB	UEPPR	USASB		165.95						19.99	19.99		
LOC	Local Number Portability (1 per port)		1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00							-	
B CI	HANNEL USER PROFILE ACCESS:	_	-	UEFFB	UEFFR	LINFOX	0.33	0.00	0.00								
B-CI	CVS/CSD (DMS/5ESS)	+	1	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)	+	1	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD CSD	+	1	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CI	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS	SC,MS, 8	k TN)													1	
	R TERMINAL PROFILE		T														
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	TICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00					19.99	19.99		
INTE	EROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination		1		UEPPR	M1GNC	16.47	79.61	36.08					19.99	19.99		
	Interoffice Channel mileage each, additional mile		1	UEPPB	UEPPR	M1GNM	0.0222	0.00	0.00								
	IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUI	IK PORT															
UNE	Port/Loop Combination Rates		1														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			955.53										
-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	_		UEPPP		-	955.53										
	Zone 2		2	UEPPP			964.13										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLFFF			304.13										
	Zone 3		3	UEPPP			1,001.93										
UNE	Loop Rates			OLITI			1,001.00										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	55.53	448.92	276.60					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	64.13	448.92	276.60					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	101.93	448.92	276.60					19.99	19.99		
UNE	Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	900.00	1,200.00	1,200.00					19.99	19.99		
NON	IRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0.00	925.00	925.00					19.99	19.99		
ADD	DITIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			UEPPP		PR7TF		0.9686									
	Inward/two way tel nos within Std Allowance (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		1	UEPPP		PR/IF		0.9686									
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		22.75	22.75								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		+	OLITI		110710		22.73	22.13								
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		45.49	45.49								
LOC	CAL NUMBER PORTABILITY			OLITI		110/21		40.40	40.40								
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75									1	
INTE	ERFACE (Provsioning Only)																
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel																
\vdash	New or Additional - Voice/Data B Channel	_		UEPPP		PR7BV	0.00	28.71						19.99	19.99	1	
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	28.71						19.99	19.99		
	New or Additional Inward Data B Channel		<u> </u>	UEPPP		PR7BD	0.00	28.71						19.99	19.99	-	
CAL	L TYPES		<u> </u>	LIEDDE		DD7C4	2.22	0.00	2.00						ļ	-	
\vdash	Inward	-	-	UEPPP		PR7C1	0.00	0.00	0.00	1					1	!	ļ
	Outward	+	1	UEPPP		PR7C0 PR7CC	0.00	0.00	0.00			-				-	<u> </u>
Into	Two-way roffice Channel Mileage	-	1	UEPPP		PR/00	0.00	0.00	0.00	1		}			1	+	
Inter	Fixed Each Including First Mile	+		UEPPP		1LN1A	78.9223	147.07	111.75	0.00				19.99	19.99	 	
 	Each Airline-Fractional Additional Mile	+		UEPPP		1LN1B	0.4523	147.07	111.75	0.00		1		15.33	19.99	t	
H 14 1411	IRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	+	1	JEI I I		.2110	0.4020			1		1			-	1	1

Version 1Q02: 03/22/2002 PAGE 111 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrocurring	g Disconnect				Rates(\$)	DISC 1St	DISC Add I
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE P	ort/Loop Combination Rates					Nec	FIISL	Auu i	Filat	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	SOWAN	SOWAN
ONLI	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC												1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		176.33										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		184.93										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		222.73										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		222.13										
LINE L	pop Rates		4	UEPDC												<u> </u>
UNE L	4-Wire DS1 Digital Loop - Statewide		SW	UEPDC	USLDC											
	4-Wire DS1 Digital Loop - Statewide 4-Wire DS1 Digital Loop - UNE Zone 1		5W	UEPDC	USLDC	55.53	448.92	276.00					19.99	19.99		
				UEPDC	USLDC	64.13	448.92	276.60					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	<u> </u>	3	UEPDC	USLDC	101.93	448.92 448.92	276.60			 		19.99	19.99	-	
	4-Wire DS1 Digital Loop - UNE Zone 3	 	4	UEPDC	USLDC	101.93	448.92	2/0.00			1		19.99	19.99	-	
LINES		!	4	UEPDC	USLDC	1			 	 	 				1	
UNE P	ort Rate	1		UEPDC	UDD1T	750.00	1,011.43	477.87	206.70	20.70	1		19.99	19.99	 	
NONE	4-Wire DDITS Digital Trunk Port ECURRING CHARGES - CURRENTLY COMBINED	!		UEPDC	ווטטט	/50.00	1,011.43	4/1.8/	∠∪6.70	∠0.70	 		19.99	19.99	1	
NONKI		-	-													
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		269.96	269.96					19.99	19.99		
ADDIT	IONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4		147.47	147.47								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.71	28.71					19.99	19.99		
BIPOL	AR 8 ZERO SUBSTITUTION			02. 20	05112		20.7 1	20.7 1					10.00	10.00		
	B8ZS -Superframe Format			UEPDC	CCOSF	+	0.00	600.00								†
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
Alterna	ate Mark Inversion															
7	AMI -Superframe Format	1		UEPDC	MCOSF	1	0.00	0.00	1	1					t	
	AMI - Extended SuperFrame Format	1		UEPDC	MCOPO	1	0.00	0.00	1	1					t	
Teleph	one Number/Trunk Group Establisment Charges	1		† · · · · · · ·		<u> </u>	3.50	3.30	1	1					t	t
. с.ср.	Telephone Number for 2-Way Trunk Group	1		UEPDC	UDTGX	0.00			1	1					t	t
	Telephone Number for 1-Way Outward Trunk Group	l		UEPDC	UDTGY	0.00									t	
	Telephone Number for 1-Way Inward Trunk Group Without DID	1		UEPDC	UDTGZ	0.00			1	1					t	t
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
-	DID Numbers for each Group of 20 DID Numbers	1		UEPDC	ND4	0.00	0.00	0.00	1	1	1				 	+
-	DID Numbers, Non- consecutive DID Numbers . Per Number	1		UEPDC	ND5	0.00			1	1	1				 	
+	Reserve Non-Consecutive DID Nos.	1		UEPDC	ND6	0.00	0.00	0.00	1	1	1				 	
	Reserve DID Numbers	l		UEPDC	NDV	0.00	0.00	0.00	1	1	1				1	
Dodica	ted DS1 (Interoffice Channel Mileage) -	-		OLFDO	אטאו	0.00	0.00	0.00	 	-						
	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port	<u> </u>		-	+						 				-	
FAFC		-			+										 	
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	78.47	147.07	111.75					19.99	19.99		<u> </u>
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.4523	0.00	0.00								

JNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increment Charge - Manual Sv Order vs. Electronic Disc Add
1						l	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- t	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities					1100	11131	Addi	11100	Addi	COME	COMPAR	COMPAN	COMPAR	COMPAN	COMPAN
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			OLI DO	TENOZ	0.00	0.00	0.00								
	miles			UEPDC	1LNOB	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			02. 50	12.102	0.1020	0.00	0.00								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	reminduony			OLI DO	121100	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.4523	0.00	0.00								
+	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00								
4-WIRE	E DS1 LOOP WITH CHANNELIZATION WITH PORT			OLI DO	010	0.00										
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations														
	em can have various rate combinations based on type and nur			used	+											
	PS1 Loop		1	1	+											
0.1.2.2	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	55.53	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	64.13	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	101.93	0.00	0.00								
LINE D	SO Channelization Capacities (D4 Channel Bank Configuration	ne)	3	OLI MO	OOLDO	101.33	0.00	0.00								
ONLD	24 DSO Channel Capacity - 1 per DS1	113)		UEPMG	VUM24	102.64	0.00	0.00					19.99	19.99		-
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	205.28	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1 per 4 DS1s			UEPMG	VUM96	410.56	0.00	0.00					19.99	19.99		-
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	615.84	0.00	0.00					19.99	19.99		-
	192 DS0 Channel Capacity - 1 per 8 DS1s			UEPMG	VUM19	821.12	0.00	0.00					19.99	19.99		
				UEPMG	VUM20		0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s					1,026.40										
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,231.68	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,052.80	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,463.36	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s		L	UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	imum System configuration is One (1) DS1, One (1) D4 Channel															
Multip	les of this configuration functioning as one are considered Ad	dd'l afte	r the m	ninimum system co	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00					19.99	19.99		
	m Additions Where Currently Combined and New (Not Current)	y Comi	oined)													
In Top	8 MSAs and AL, FL, and NC Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc			<u> </u>									I	I		
	Fea Activation -		<u></u>	UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00	<u></u>		19.99	19.99	L	
Bipola	r 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only	<u></u>	<u>L</u>	UEPMG	CCOSF	0.00	0.00	600.00	<u> </u>		<u></u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								ĺ
Alterna	ate Mark Inversion (AMI)															
	Superframe Format		1	UEPMG	MCOSF	0.00	0.00	0.00			1					
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00			1					
Exchai	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
	nge Ports					i i										
	Ī					i i										
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			33.67	7.88	Ì	
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			33.67	7.88		
	Line Side Odiward Charmenzed FDA Trunk Fort - Dusiness		_	i												
	Line Side Oddward Chairreilzed FBX Trunk Fort - Business								0.00	0.00			33.67	7.00	İ	
				UEPPX	UEP1X	14.00	0.00	0.00						7.88		
	Line Side Inward Only Channelized PBX Trunk Port without DID				UEP1X UEPDM	14.00 83.00	0.00	0.00			1			7.88 7.88		
Featur	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX UEPPX	UEP1X UEPDM	14.00 83.00	0.00	0.00		0.00			33.67	7.88		
Featur	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration															
Feature	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port • Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated			UEPPX	UEPDM	83.00	0.00	0.00	0.00	0.00			33.67	7.88		
Feature	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration															

Version 1Q02: 03/22/2002 PAGE 113 OF 352

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
							Nonrec	urring	Nonrecurring	g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Telep	phone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States		<u> </u>	UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers			UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								+
Loca	I Number Portability			UEFFA	NDV	0.00	0.00	0.00								+
Loca	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
ΕΕΛΊ	TURES - Vertical and Optional			OLFFX	LINE CE	3.13	0.00	0.00								
	Switching Features Offered with Line Side Ports Only	1			1							 		1	 	†
2000	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00	1	1					1	
UNBUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	s			1	3.50	0.00	3.50	1	1					1	
	st Based Rates are applied where BellSouth is required by FCC		State 0	Commission rule to	provide Unb	undled Local S	witching or Sw	ritch Ports.								
2. Fe	atures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	e manner as	they are applie	d to the Stand	-Alone Unbun	dled Port secti	on of this Rate	Exhibit.					
3. En	d Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the r	Usage	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
Coml	bined Combos for all states. In GA, KY, LA, MS and TN these no	nrecur	ring ch	arges are commissi	on ordered c	ost based rates	and in AL, FL	, NC and SC th	nese nonrecurr	ring charges a	e Market Ra	ites and are	listed in the	Market Rate s	ection. For	Currently
	bined Combos in all other states, the nonrecurring charges sha															
	arket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	se Basis, un	til further notice	9.									
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP91		12.59										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP91		14.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP91		21.62										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP91		18.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		21.24										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Design Parts		3	UEP91	1	32.71										
UNE	Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.80										
-	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP91	UECS1	19.83			1	1		 		1	1	
- + -	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS1	16.84			1	1				1	1	
-+	2-Wire Voice Grade Loop (SL 2) - Zone 1	-	2	UEP91	UECS2	19.45						 			 	
+	2-Wire Voice Grade Loop (SL 2) - Zone 2	-	3	UEP91	UECS2	30.92						 			 	
UNF	Ports		Ť	02. 01	02002	55.3Z										
	tates (Except North Carolina and Sout Carolina)		1		1											†
7 0	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88	İ	
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP91	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Geor	Basic Local Area gia and Florida Only		-	UEP91	UEP12	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Seoi	gia ana i longa Omy		1		1				1	I	1	ı	1	ı	I	1

Version 1Q02: 03/22/2002 PAGE 114 OF 352

2-1 2-1	Centrex Intercom Funtionality, per port Imber Portability ocal Number Portability (1 per port) Il Standard Features Offered, per port Il Select Features Offered, per port Il Centrex Control Features Offered, per port	Interi m	Zone	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	USOC UEPHA UEPHB UEPHH UEPHM UEPHZ UEPH9	Rec 1.79 1.79 1.79 1.79	Nonrec First 22.14 22.14 22.14 22.14	RATES(\$) urring Add'I 15.25 15.25 15.25	Nonrecurring First 8.45 8.45 8.45	Disconnect Add'I 3.91 3.91 3.91	Svc Order Submitted Elec per LSR		Attachment: Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN 33.67 33.67		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
2-1 2-1	Wire Voice Grade Port (Centrex 800 termination)Wire Voice Grade Port (Centrex with Caller ID)1Wire Voice Grade Port (Centrex with Caller ID)1Wire Voice Grade Port (Centrex from diff Serving Wire Lenter)2Wire Voice Grade Port, Diff Serving Wire Center - 800 Service formWire Voice Grade Port terminated in on Megalink or equivalentWire Voice Grade Port Terminated on 800 Service Term vitching			UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UEPHB UEPHH UEPHM UEPHZ UEPH9	1.79 1.79 1.79 1.79	First 22.14 22.14 22.14	Add'l 15.25 15.25	First 8.45 8.45	Add'I 3.91 3.91	SOMEC	SOMAN	33.67 33.67	7.88 7.88	SOMAN	SOMAN
2-1 2-1	Wire Voice Grade Port (Centrex 800 termination)Wire Voice Grade Port (Centrex with Caller ID)1Wire Voice Grade Port (Centrex with Caller ID)1Wire Voice Grade Port (Centrex from diff Serving Wire Lenter)2Wire Voice Grade Port, Diff Serving Wire Center - 800 Service formWire Voice Grade Port terminated in on Megalink or equivalentWire Voice Grade Port Terminated on 800 Service Term vitching			UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UEPHB UEPHH UEPHM UEPHZ UEPH9	1.79 1.79 1.79 1.79	First 22.14 22.14 22.14	Add'l 15.25 15.25	First 8.45 8.45	Add'I 3.91 3.91	SOMEC	SOMAN	33.67 33.67	7.88 7.88	SOMAN	SOMAN
2-1 2-1	Wire Voice Grade Port (Centrex 800 termination)Wire Voice Grade Port (Centrex with Caller ID)1Wire Voice Grade Port (Centrex with Caller ID)1Wire Voice Grade Port (Centrex from diff Serving Wire Lenter)2Wire Voice Grade Port, Diff Serving Wire Center - 800 Service formWire Voice Grade Port terminated in on Megalink or equivalentWire Voice Grade Port Terminated on 800 Service Term vitching			UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UEPHB UEPHH UEPHM UEPHZ UEPH9	1.79 1.79 1.79 1.79	22.14 22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	COMEC	OOMAN	33.67 33.67	7.88 7.88	COMPAN	JOMAN
2-1 2-1	Wire Voice Grade Port (Centrex 800 termination)Wire Voice Grade Port (Centrex with Caller ID)1Wire Voice Grade Port (Centrex with Caller ID)1Wire Voice Grade Port (Centrex from diff Serving Wire Lenter)2Wire Voice Grade Port, Diff Serving Wire Center - 800 Service formWire Voice Grade Port terminated in on Megalink or equivalentWire Voice Grade Port Terminated on 800 Service Term vitching			UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UEPHB UEPHH UEPHM UEPHZ UEPH9	1.79 1.79 1.79	22.14 22.14	15.25	8.45	3.91			33.67	7.88		
2-1 2-1 2-1 2-1 2-1 2-1 1-1	Wire Voice Grade Port (Centrex with Caller ID)1Wire Voice Grade Port (Centrex from diff Serving Wire Jenter)2Wire Voice Grade Port, Diff Serving Wire Center - 800 Service FromWire Voice Grade Port terminated in on Megalink or equivalent			UEP91 UEP91 UEP91 UEP91 UEP91	UEPHM UEPHZ UEPH9	1.79	22.14									
2-1 Ce 2-1 Te 2-1 Local Swi Ce Local Nun Lo Features All All NARS Ur	Wire Voice Grade Port (Centrex from diff Serving Wire Zenter)2Wire Voice Grade Port, Diff Serving Wire Center - 800 Service ermWire Voice Grade Port terminated in on Megalink or equivalentWire Voice Grade Port Terminated on 800 Service TermWire Voice Grade Port Terminated on 800 Service Term			UEP91 UEP91 UEP91 UEP91	UEPHM UEPHZ UEPH9	1.79		10.20	0.10				00.0.			
Ce 2-1	Center)2 -Wire Voice Grade Port, Diff Serving Wire Center - 800 Service form -Wire Voice Grade Port terminated in on Megalink or equivalent - Wire Voice Grade Port Terminated on 800 Service Term witching Centrex Intercom Funtionality, per port imber Portability ocal Number Portability (1 per port)			UEP91 UEP91 UEP91	UEPHZ UEPH9		22.14									
2-1 Te 2-1 Local Swin Local Sun Local Sun Local Sun Lo Features All All NARS Ur Ur	-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm -Wire Voice Grade Port terminated in on Megalink or equivalent - Wire Voice Grade Port Terminated on 800 Service Term vitching tentres.			UEP91 UEP91 UEP91	UEPHZ UEPH9			15.25	8.45	3.91			33.67	7.88		1
Te 2-1 Local Swi Local Num Local Num Local Num Ali Ali NARS Ur Ur Ur	erm -Wire Voice Grade Port terminated in on Megalink or equivalent -Wire Voice Grade Port Terminated on 800 Service Term vitching -entrex Intercom Funtionality, per port			UEP91 UEP91	UEPH9	1.79		10.20	0.10	0.01			00.01	7.00		
2-1 Local Swi Ce Ce Ce Ce Ce Ce Ce	-Wire Voice Grade Port Terminated on 800 Service Term vitching -centrex Intercom Funtionality, per port Imber Portability Ocal Number Portability (1 per port) Il Standard Features Offered, per port Il Select Features Offered, per port Il Centrex Control Features Offered, per port			UEP91 UEP91	UEPH9		22.14	15.25	8.45	3.91			33.67	7.88		ı
2-1 Local Swi Ce Ce Ce Ce Ce Ce Ce	-Wire Voice Grade Port Terminated on 800 Service Term vitching -centrex Intercom Funtionality, per port Imber Portability Ocal Number Portability (1 per port) Il Standard Features Offered, per port Il Select Features Offered, per port Il Centrex Control Features Offered, per port			UEP91												
Local Swi CE Local Nun Local Nun Features All All NARS Ur Ur Ur	vitching Zentrex Intercom Funtionality, per port Imber Portability Local Number Portability (1 per port) Ill Standard Features Offered, per port Ill Select Features Offered, per port Ill Centrex Control Features Offered, per port				UFPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		ı
Local Nun Loc Features All All NARS Ur	Centrex Intercom Funtionality, per port Imber Portability ocal Number Portability (1 per port) Il Standard Features Offered, per port Il Select Features Offered, per port Il Centrex Control Features Offered, per port			LIEBAL		1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Local Nun Lo Features All All NARS Ur	Imber Portability ocal Number Portability (1 per port) Il Standard Features Offered, per port Il Select Features Offered, per port Il Centrex Control Features Offered, per port			LIEBOA												
Features All All All NARS Ur	ocal Number Portability (1 per port) Il Standard Features Offered, per port Il Select Features Offered, per port Il Centrex Control Features Offered, per port			UEP91	URECS	0.5554										
Features	Il Standard Features Offered, per port Il Select Features Offered, per port Il Centrex Control Features Offered, per port		_													
All All All All NARS	II Standard Features Offered, per port II Select Features Offered, per port II Centrex Control Features Offered, per port		<u> </u>	UEP91	LNPCC	0.35										
NARS Ur	All Select Features Offered, per port All Centrex Control Features Offered, per port									· · · · · · · · · · · · · · · · · · ·						
NARS Ur	II Centrex Control Features Offered, per port			UEP91	UEPVF	0.00				· · · · · · · · · · · · · · · · · · ·						
NARS Ur				UEP91	UEPVS	0.00	454.69									1
Ur Ur	Libert He I Note and Accord Business Complication			UEP91	UEPVC	0.00										1
Ur	talana dia di Matana di Anna and Bandatan Constitue di															1
	Inbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00					33.67	7.88		
111-	Inbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00					33.67	7.88		
	Inbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00					33.67	7.88		
	neous Terminations															1
2-Wire Tru																.
	runk Side Terminations, each			UEP91	CENA6	11.35	61.91	61.91					33.67	7.88		
	ce Channel Mileage - 2-Wire															
	nteroffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	17.07										
	nteroffice Channel mileage, per mile or fraction of mile		<u> </u>	UEP91	MIGBM	0.0222										
	Activations (DS0) Centrex Loops on Channelized DS1 Service nel Bank Feature Activations	е			1											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP91	400000	0.00										
Fe	eature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP91	1PQWS	0.62										
E/	eature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										ı
	eature Activation on D-4 Channel Bank FX Trunk Side Loop		1	UEF91	IFQW6	0.02										
	Slot			UEP91	1PQW7	0.62										1
0.0	eature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 31	11 Q VV /	0.02										
	Different Wire Center		1	UEP91	1PQWP	0.62										ı
			1		~	0.02			-							
Fe	eature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP91	1PQWV	0.62										ı
	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			-	† -											
	Slot			UEP91	1PQWQ	0.62										1
	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
Non-Recu	urring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed						ĺ									
	hanges, per port		<u></u>	UEP91	USAC2		2.01	0.3108					33.67	7.88		<u> </u>
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	659.41						33.67	7.88		
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	659.41			-			33.67	7.88		
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10						33.67	7.88		
	IAR Establishment Charge, Per Occasion		<u> </u>	UEP91	URECA	0.00	71.88						33.67	7.88	Ť	
	ENTREX - 5ESS (Valid in All States)		 		 											
	G Loop/2-Wire Voice Grade Port (Centrex) Combo		1		ļl											-
	t/Loop Combination Rates (Non-Design)		1		 											
	-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1 .	LIEBOE												1
	Non-Design		1	UEP95	+ +	12.59										
	-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOE		44.65										İ
	Non-Design		2	UEP95	+ +	14.26										
	P-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP95		21.62										i
	lon-Design t/Loop Combination Rates (Design)		3	UEP95	1 1	21.62					1					

Version 1Q02: 03/22/2002 PAGE 115 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		18.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		21.24										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		32.71										
UNE Lo	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	19.83					ļ					1
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.84					ļ					1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	19.45					ļ			ļ		1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.92					ļ					1
	ort Rate															
All Sta			<u> </u>			ļ					ļ					1
	2-Wire Voice Grade Port (Centrex) Basic Local Area		<u> </u>	UEP95	UEPYA	1.79	22.14	15.25	8.45	3.91	ļ		33.67	7.88		1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
FL & G	A Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u>L</u>	UEP95	UEPH9	1.79	22.14	15.25	8.45	3.91	<u> </u>		33.67	7.88	<u> </u>	<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Local	Switching					1										
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5554										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00							33.67	7.88		
	All Select Features Offered, per port			UEP95	UEPVS	0.00	454.69						33.67	7.88		
1	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00							33.67	7.88		
NARS						Ì										
1	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00					33.67	7.88		
1	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00			1		33.67	7.88		
Miscel	laneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	11.35	61.91	61.91			1		33.67	7.88		
4-Wire	Digital (1.544 Megabits)										1					
	DS1 Circuit Terminations, each			UEP95	M1HD1	120.80	89.44	52.46			1		33.67	7.88		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.71				1		33.67	7.88		
Interof	fice Channel Mileage - 2-Wire										1					
	Interoffice Channel Facilities Termination		1	UEP95	MIGBC	17.07			İ		İ		İ	İ	İ	
				UEP95	MIGBM											

Version 1Q02: 03/22/2002 PAGE 116 OF 352

<u>JNBUNDLED</u>	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	<u> </u>
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			II.					
AILOOKI	KATE ELEMENTO	m	Zone	500	0000			IXATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1			ı	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Foaturo	Activations (DS0) Centrex Loops on Channelized DS1 Service		1			Nec	FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	SOWAN	JOWAN
	nel Bank Feature Activations		1													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62										_
	eature Activation on B-4 Ghannel Bank Centrex Ecop Sict		1	OLI 33	II QWO	0.02										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1	ULF 93	IFQW0	0.02										
	Slot			UEP95	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			ULF 93	IFQVV7	0.02										
	Different Wire Center			UEP95	1PQWP	0.62										
	Different wife Center			ULF 93	IFQWF	0.02										
	Facture Activistics on D. A.Channel Beats British Line Land Clat			LIEDOE	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u> </u>	 	UEP95	IPQWV	0.62			-		 				-	-
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	l	1	LIEDOE	40000	0.00]					Ì		
	Slot		1	UEP95	1PQWQ	0.62					1				1	
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>		UEP95	1PQWA	0.62										
	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		2.01	0.3108					33.67	7.88		
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	659.41						33.67	7.88		
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	659.41						33.67	7.88		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	71.88						33.67	7.88		
	CENTREX - DMS100 (Valid in All States)															
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
	rt/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		12.59										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		14.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		21.62										
UNE Po	rt/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		18.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		21.24										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Desian		3	UEP9D		32.71										
UNE Lo	op Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	19.83										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.84										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	19.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30.92										
UNE Po			J	OLI 3D	02002	30.32										
ALL ST																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEPTA	1.79	22.14	15.25	0.40	3.91			33.07	1.00		
	Area			UEP9D	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEFIB	1.79	22.14	15.25	0.40	3.91			33.07	1.00		
	,	l		LIEDOD	HEDVO	4 70	20.44	45.05	0.45	2.01			20.07	7.88		1
	Area	 	1	UEP9D	UEPYC	1.79	22.14	15.25	8.45	3.91	 		33.67	7.88	1	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	l		LIEDOD	LIEDYD	4 70	20.41	45.05		0.01			00.0=	7.00		
	Area	<u> </u>		UEP9D	UEPYD	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	l		LIEDOD	LIEDY (E											
	Area	 	-	UEP9D	UEPYE	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88	ļ	
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	l		l	1				<u> </u>	_				_		
	Area			UEP9D	UEPYF	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	l	1]					1]
	Area	l	1	UEP9D	UEPYG	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88		l

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			II.	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
	OMin Main On to Best (Outro / EBO MECCO)\\ David Look					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLF3D	OLFII	1.79	22.14	13.23	0.43	3.91			33.07	7.00	1	
	Area			UEP9D	UEPYU	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area			UEP9D	UEPYV	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPTS	1.79	22.14	15.25	0.45	3.91			33.67	7.00	1	1
	Area			UEP9D	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			LIEDOD	HEDVI	4.70	22.44	45.05	0.45	2.04			33.67	7.00		
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	1.79	22.14	15.25	8.45	3.91			33.67	7.88	-	-
	2 Basic Local Area			UEP9D	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3															
	Basic Local Area			UEP9D	UEPYO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			LIEDOD	UEPYP	1.79	00.44	45.05	0.45	3.91			00.07	7.88		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPYP	1.79	22.14	15.25	8.45	3.91			33.67	7.88	-	-
	Basic Local Area			UEP9D	UEPYQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3								0.10							
	Basic Local Area			UEP9D	UEPYR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			LIEDOD	LIEDVO	4.70	00.44	45.05	0.45	0.04			00.07	7.00		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	-	-
	Basic Local Area			UEP9D	UEPY4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3					-										
	Basic Local Area			UEP9D	UEPY5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY6	4.70	22.44	45.05	0.45	3.91			33.67	7.88		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Basic Local Area			UEP9D	UEPY7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service					-										
	Term			UEP9D	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent					. ==								=		
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Local Area			UEP9D	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
FL & (GA Only								9.10				99.91			
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3		<u> </u>	UEP9D	UEPHD	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3 2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D UEP9D	UEPHE UEPHF	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
- 	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	1.79	22.14	15.25	8.45	3.91			33.67	7.88	†	t
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	1.79	22.14	15.25	8.45	3.91			33.67	7.88	1	1
j	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3		ļ	UEP9D	UEPHW	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3		-	UEP9D	UEPHJ	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88	1	1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		 	UEP9D	UEPHO	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88	1	1

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonred	curring	Nonrecurring	g Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	0 M/ 1/2 0 1- Post /0 1 / 1// 0 M/O /EBO ME110)0 0			LIEDOD	UEPHR	4.70	00.44	45.05	0.45	0.04			00.07	7.00		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHK	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2 1110 10100 01440 1 011 (0011110) 4110 0110 1250 11100 1252, 0			02. 05	020			10.20	0.10	0.01			00.01	7.00		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		ļ
				l	1										_	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.79	22.14	15.25	8.45	3.91			33.67	7.88	ļ	
	2 Mire Voice Crade Port (Central/Jiffer CMC /EDC MEC40)			LIEDOD	LIEDLIZ	4 70	00.44	45.05	0.45	0.01			22.07	7.00	1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 		UEP9D	UEPH7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Term		l	UEP9D	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	- 	1			J I	1.75	22.17	10.20	5.40	5.31	1		55.57	7.50	†	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Loca	l Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5554										
Loca	l Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00	454.00						00.07	7.00		
	All Select Features Offered, per port			UEP9D UEP9D	UEPVS UEPVC	0.00	454.69						33.67	7.88		
NAR	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
IVAN	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00					33.67	7.88	1	
Misc	ellaneous Terminations															
2-Wii	re Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	11.35										
4-Wii	re Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	120.80	89.44	52.46					33.67	7.88		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.71						33.67	7.88		
inter	office Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP9D	MIGBC	17.07										
-	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0222										
Feati	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e		OLI 3D	IVIIODIVI	0.0222										
	hannel Bank Feature Activations														1	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
	·															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			l	1	_									1	
	Slot	ļ		UEP9D	1PQW7	0.62							ļ			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		l	LIEBOD	100000	0.62										
 	Different Wire Center			UEP9D	1PQWP	0.62									+	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		l	UEP9D	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Filvate Line Loop Stot		—	021 30	11 02 97 7	0.02			1		-			1	t	1
	Slot			UEP9D	1PQWQ	0.62								1	I	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62								Ì	1	
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			<u> </u>										<u> </u>		
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		2.01	0.3108					33.67	7.88	<u> </u>	<u> </u>
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	659.41						33.67	7.88		

UNBU	NDLE	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
														Charge -			Charge -
1			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	ı
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Customized Common Block				M1ACC	0.00	659.41						33.67	7.88		
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	71.88						33.67	7.88		
		Centrex Intercom Funtionality, per port			UEP9E	URECS											
	Note 1	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage							•		•						
		Requires Specific Customer Premises Equipment			·												
	NOTE:	Rates displaying an "R" in Interim column are interim and su	bject to	rate tr	ue-up as set forth in	General Ter	ms and Conditi	ons.									

UNBUNI	DLED	NETWORK ELEMENTS - Kentucky															
		-												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1												Elec		Manual Svc			
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
Τŀ	20 "70	ne" shown in the sections for stand-alone loops or loops as	nort of	a comi	sination refers to Go	ographically	Dogworgand II	NE Zonos To	viow Googran	hically Dogword						Moheito:	
		ww.interconnection.bellsouth.com/become a clec/html/inter				ograpilically	Deaverageu o	NL ZUIIES. 10	view Geograpi	ilically Deaver	iged ONE ZOIR	Designation	ons by Cent	ai Office, refe	er to internet	website.	
	•		connec	tion.nt	III												
		SUPPORT SYSTEMS				l										L	
		1) Electronic Service Order: CLEC should contact its contract															is rate
		s the BellSouth regional electronic service ordering charge.															
		Any element that can be ordered electronically will be bill															
		ements that cannot be ordered electronically at present per t				e in this cate	gory reflects th	e charge that v	vould be billed	I to a CLEC on	ce electronic c	ordering cap	abilities co	me on-line fo	r that elemen	t. Otherwise,	the manual
or	dering	g charge, SOMAN, will be applied to a CLECs bill when it sub	omits ar	LSR t	o BellSouth.												
		Manual Service Order Charge, per LSR, Disconnect Only (KY)				SOMAN				0.99							
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
		interactive interfaces (Regional)	<u></u>		<u></u>	SOMEC	<u> </u>	3.50	<u></u>			<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
		XCHANGE ACCESS LOOP															
2-1	WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65		7.86				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65		7.86				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65		7.86				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88				7.86				
	- i	Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16				7.86				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94				7.86				
		Engineering Information Document (EI)			UEANL			13.49	13.49								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		23.01	23.01								
2-1	WIRE	Unbundled COPPER LOOP			<u> </u>												
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65		7.86				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65		7.86				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65		7.86				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		9.00	9.00								
		Engineering Information Document			UEQ			13.49	13.49								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	46.88				7.86				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16				7.86				
		CLEC to CLEC Conversion Charge Without Outside Dispatch			024	O.K.E.I.Y.		20	211.10				7.00				
	l.	(UCL-ND)	1		UEQ	UREWO		14.27	7.43				7.86			Ì	I
UNBUNDI	ED E	XCHANGE ACCESS LOOP				1			0				50			İ	
		ANALOG VOICE GRADE LOOP				1										1	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1						İ	İ			İ	
		Zone 1	1	1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65		7.86			Ì	I
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l			1		0			30				İ	İ	
		Zone 1	1	1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65		7.86			Ì	1
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				1						İ	1			İ	
		Zone 2	1	2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65		7.86			Ì	I
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				1						İ	1.50			İ	
		Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65		7.86				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65		7.86				
\vdash		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1					30					1	
		Zone 3	1	3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65	l	7.86			Ì	1
UNBUNDI		XCHANGE ACCESS LOOP		Ť		1	J	.0.00	22.57	20.00						1	
		ANALOG VOICE GRADE LOOP				1										1	
⊢ f		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				†									1	1	t
		Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88		7.86			Ì	1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					.2.07	.000	007	. 0.00	00	1	7.50			1	
1 1	ľ	Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88		7.86			Ì	1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>			0	.000	007	. 0.00	00	1	7.50			1	
++	11				1	1			1	i l	1	1	1		l	1	l
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88		7.86				

Version 1Q02: 03/22/2002 PAGE 121 OF 352

<u>UNBUND</u> LI	ED NETWORK ELEMENTS - Kentucky												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				LIEADO	40.07	404.00	04.07	70.05	44.00		7.00				
	Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88		7.86				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88		7.86				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEARZ	17.45	134.09	01.07	73.00	14.00		7.00				+
	Battery Signaling - Zone 3		3	UEA	UEAR2	33,22	134.89	81.87	73.65	14.88		7.86				
	Order Coordination for Specified Conversion Time (per LSR)	1	J	UEA	OCOSL	55.22	23.01	01.07	73.03	14.00		7.00				+
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36				7.86				†
4-WIR	RE ANALOG VOICE GRADE LOOP															1
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66		7.86				1
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	34.25	164.11	112.36	78.91	18.66		7.86				1
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36				7.86				
2-WIR	RE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83		7.86				
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	25.08	146.77	95.02	71.38	13.83		7.86				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83		7.86				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16				7.86				
2-WIR	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															-
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1	UDC	UDC2X	18.44	146.77	95.02	71.38	13.83		7.86				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1	UDC	UDC2X	18.44	146.77	95.02	71.38	13.83		7.86				+
	2-vvire Universal Digital Charmer (ODC) Compatible Loop - Zone		2	UDC	UDC2X	25.08	146.77	95.02	71.38	13.83		7.86				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			UDC	UDC2X	25.08	146.77	95.02	71.38	13.83		7.86				+
	2-Wile Offiversal Digital Offamile (ODC) Compatible Loop - Zoffe		3	UDC	UDC2X	42.87	146.77	95.02	71.38	13.83		7.86				
	CLEC to CLEC Conversion Charge without outside dispatch		Ŭ	UDC	UREWO	42.07	91.63	44.16	71.00	10.00		7.86				+
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF		0.12110		01.00					7.00				†
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47		7.86				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47		7.86				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54		7.86				
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	1141 0141	44.70	104.10	00.00	00.00	44.54		7.00				
	facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54		7.86				+
	facility reservation - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54		7.86				
	Order Coordination for Specified Conversion Time (per LSR)	1	3	UAL	OCOSL	12.07	23.01	09.00	09.09	11.54		7.00				+
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40				7.86				+
2-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	O/ IL	OKETTO		00.20	40.40				7.00				+
	2 Wire Unbundled HDSL Loop including manual service inquiry	<u> </u>	1													1
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54		7.86				
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54		7.86				
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54		7.86				
	Order Coordination for Specified Conversion Time (per LSR)	1		UHL	OCOSL		23.01									
	2 Wire Unbundled HDSL Loop without manual service inquiry	1		L]					<u> </u>		
	and facility reservation - Zone 1	ļ	1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54		7.86		ļ		
	2 Wire Unbundled HDSL Loop without manual service inquiry	1	_	l			,							1		
	and facility reservation - Zone 2	1	2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54		7.86		ļ	ļ	+
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54		7.86		1		

Version 1Q02: 03/22/2002 PAGE 122 OF 352

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky			· ·		·			·				Attachment:	2	Exhibit: B	
											Svc Order	Svc Order	Incremental			Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
ATE 000V	DATE EL EMENTO	Interi	.	200				DATEO(6)			Elec	-	Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												_	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
														7.00.	2.00 .01	2.007.444
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40				7.86				1
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRI F	OOP													†
	4 Wire Unbundled HDSL Loop including manual service inquiry		1													†
	and facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69		7.86				
-	4-Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>	OTIL	OTILTA	10.00	100.70	125.50	74.33	14.03		7.00				+
		١.	2	UHL	11111 47	45.00	405.75	400.50	74.05	44.00		7.00				
	and facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69		7.86				
	4-Wire Unbundled HDSL Loop including manual service inquiry		_													
	and facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	<u> </u>	1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80	<u></u>	7.86			<u> </u>	
	4-Wire Unbundled HDSL Loop without manual service inquiry												•			
1	and facility reservation - Zone 2	l	2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80	I	7.86		İ		
	4-Wire Unbundled HDSL Loop without manual service inquiry								<u></u>			,,,			1	1
1	and facility reservation - Zone 3	l	3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80	I	7.86		İ		
	Order Coordination for Specified Conversion Time (per LSR)		- 3	UHL	OCOSL	10.30	23.01	114.04	11.52	13.00		7.00				+
+	CLEC to CLEC Conversion Charge without outside dispatch		1	UHL	UREWO		86.14	40.40				7.86				+
4 14/15		-	-	UNL	UKEWU		00.14	40.40				7.00				
4-WIR	E DS1 DIGITAL LOOP		<u> </u>		1101307	00.45			000			= 00				
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55		7.86				<u> </u>
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	114.10	306.69	174.44	65.83	14.55		7.86				↓
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66		7.86				1
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66		7.86				+
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66		7.86				†
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66		7.86				+
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	32.48	157.81	106.06	78.91	18.66		7.86				+
				UDL	UDL56							7.86				+
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3			36.37	157.81	106.06	78.91	18.66		7.86				
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UDL	OCOSL		23.01	100.00	=0.04	10.00		= 00				4
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66		7.86				<u> </u>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75				7.86				
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service															
1	inquiry & facility reservation - Zone 1	l	1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54	I	7.86		İ		
	2-Wire Unbundled Copper Loop/Short including manual service				İ					,	i				i e	1
	inquiry & facility reservation - Zone 2	l	2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54	I	7.86		1		
	2 Wire Unbundled Copper Loop/Short including manual service	 	 	- J-L	005 0	11.79	140.00	10.10	03.03	11.34	 	7.00		 	 	+
	inquiry & facility reservation - Zone 3	l	3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54	I	7.86		1		
		-	3	UCL	UCLPB	12.87	9.00	9.00	09.09	11.54	1	7.00		!	<u> </u>	+
 -	Order Coordination for Unbundled Copper Loops (per loop)	 	-	UUL	UCLIVIC		9.00	9.00			 			 	 	+
1	2-Wire Unbundled Copper Loop/Short without manual service	l	١.		1101 5:11		400.4-	~= ~-			I	- 00		İ		
	inquiry and facility reservation - Zone 1	 	1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54		7.86			<u> </u>	
	2-Wire Unbundled Copper Loop/Short without manual service	İ									1			1		
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54		7.86				<u> </u>
	2-Wire Unbundled Copper Loop/Short without manual service	l													1	
L_	inquiry and facility reservation - Zone 3	L	3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54	<u> </u>	7.86		<u>l</u>	<u> </u>	1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00					•			
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.															
	inquiry and facility reservation - Zone 1	İ	1	UCL	UCL2L	24.91	140.95	78.70	69.09	11.54	1	7.86		1		
1	2-Wire Unbundled Copper Loop/Long - includes manual svc.	1	Ė	1	1	=					i			1	1	1
1	inquiry and facility reservation - Zone 2	l	2	UCL	UCL2L	36.94	140.95	78.70	69.09	11.54	I	7.86		İ		
- 	2-Wire Unbundled Copper Loop/Long - includes manual svc.	 		UUL	UULZL	30.54	140.55	10.10	05.08	11.34	1	1.00		1	1	+
		İ	3	UCL	UCL2L	69.95	140.95	78.70	69.09	11.54	1	7.86		1		
	inquiry and facility reservation - Zone 3	ı	3	UCL	UULZL	69.95	140.95	78.70	69.09	11.54	1	7.86		1	1	1

Version 1Q02: 03/22/2002 PAGE 123 OF 352

UNBUNDI F	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Charge -
								curring	Nonrecurring					Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service			LICI	LICLOW	04.04	400.45	67.07	00.00	44.54		7.00				
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Long - without manual service		1	UCL	UCL2W	24.91	120.15	67.97	69.09	11.54	1	7.86				+
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	36.94	120.15	67.97	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Long - without manual service		<u> </u>	002	COLLIN	00.01	120.10	01.01	00.00	11.01		7.00				1
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	69.95	120.15	67.97	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		97.23	42.48				7.86				
4-WIRE	COPPER LOOP 4-Wire Copper Loop/Short - including manual service inquiry															-
	and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69		7.86		1		
 	4-Wire Copper Loop/Short - including manual service inquiry		- '-		301-10	10.32	170.51	100.00	77.33	14.09	1	7.00		†	-	
	and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69		7.86		1		
	4-Wire Copper Loop/Short - including manual service inquiry													1		
	and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Copper Loop/Short - without manual service inquiry and		1	LICI	LICL AW	40.00	440.50	07.00	74.05	44.00		7.00				
	facility reservation - Zone 1 4-Wire Copper Loop/Short - without manual service inquiry and		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69		7.86				-
	facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69		7.86				
	4-Wire Copper Loop/Short - without manual service inquiry and			OOL	OCLAVV	17.50	149.52	37.55	74.55	14.03		7.00				+
	facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	46.91	170.31	108.06	74.95	14.69		7.86				<u> </u>
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		_	UCL	UCL4L	45.78	470.04	400.00	74.05	14.69		7.86				
	inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - includes manual svc.		2	UCL	UCL4L	45.78	170.31	108.06	74.95	14.69		7.86				+
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	171.34	170.31	108.06	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	17 1.04	9.00	9.00	74.00	14.00		7.00				1
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	46.91	149.52	97.33	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	45.78	149.52	97.33	74.95	14.69		7.86				<u> </u>
	4-Wire Unbundled Copper Loop/Long - without manual svc.		3	UCL	UCL4O	474.04	440.50	07.00	74.05	14.69		7.00				
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL40 UCLMC	171.34	149.52 9.00	97.33 9.00	74.95	14.69	1	7.86		-	1	+
	CLEC to CLEC Conversion Charge without outside dispatch		1		COLIVIO		3.00	3.00			 			†	<u> </u>	
	(UCL-Des)		1	UCL	UREWO		97.23	42.48				7.86				
LOOP MODIFIC	CATION															
				UAL, UHL, UCL,												
	No. 1 Company of the			UEQ, ULS, UEA,										1		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,	I II MO:		0.04	0.04				7.00		1		
	pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire		 	UDN, UDL, USL	ULM2L		9.24	9.24				7.86	-	-	-	+
	greater than 18k ft			UCL, ULS	ULM2G		342.24	342.24				7.86		1		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		†	,			J-12.24	0-12.2 -1				7.00				
	less than or equal to 18K ft	L	L	UHL, UCL	ULM4L	<u> </u>	9.24	9.24		<u></u>	<u></u>	7.86	<u></u>	<u> </u>		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft		ļ	UCL	ULM4G		342.24	342.24				7.86				<u> </u>
				UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,		1	UDC, UDN, UDL,										I		
	per unbundled loop		<u> </u>	USL	ULMBT		10.47	10.47			L	7.86		<u> </u>		<u> </u>
SUB-LOOPS																
Sub-Lo	oop Distribution															

Version 1Q02: 03/22/2002 PAGE 124 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:		Exhibit: B	
											Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svo
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
															DISC 1St	DISC Add I
							Nonrec		Nonrecurring					Rates(\$)		
	Cub Long Day Conse Day Longton CLEC Fooder Foodby Cot					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL	USBSA		207.91	207.91				7.86				
	op .			027112	0020/1		201.01	207.01				7.00				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		12.50	12.50				7.86				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	- 1		UEANL	USBSC	-	80.87	80.87				7.86				
	Set-Up	1		UEANL	USBSD		45.04	45.04				7.86				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1	- 1	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90		7.86				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	_	_	l												
	Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90		7.86				
	Zone 3		3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90		7.86				
	251.0 0			027112	002.12		00.00	00.00	00.01	1.00		7.00				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88		7.86				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88		7.86				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			ULANL	USBN4	6.03	102.31	30.32	05.24	10.00		7.00				
	Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
-	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.57	68.35	22.36	59.81	7.90		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.98	76.49	30.51	65.24	10.88		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF UEF	UCS2X	5.45	85.03	39.05	59.81	7.90 7.90		7.86				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	2	UEF	UCS2X UCS2X	7.06 9.67	85.03 85.03	39.05 39.05	59.81 59.81	7.90		7.86 7.86			-	
	2 Wire Copper Oriburialed Sub-Loop Distribution - Zone 3		3	OLI	0032X	5.07	65.05	39.03	39.01	7.90		7.00				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88		7.86				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	8.66	102.31	56.32	65.24	10.88		7.86				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
Unbun	Idled Sub-Loop Modification			ULI	OSBIVIC		9.00	9.00								
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		5.23	5.23				7.86				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
	Coil/Equip Removal per 4-W PR Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			UEF	ULM4X		5.23	5.23				7.86			1	
	Tap Removal, per PR unloaded			UEF	ULM4T		7.97	7.97				7.86				
Unbun	Idled Network Terminating Wire (UNTW)			OL:	CLIVIA		7.01	7.07				7.00				
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51				7.86				
Netwo	rk Interface Device (NID)						-						·			
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		73.53	49.47				7.86				
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W		-	UENTW UENTW	UND16 UNDC2		115.96	91.91 8.56				7.86			1	
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W			UENTW	UNDC2 UNDC4		8.56 8.56	8.56				7.86 7.86			-	
SUB-LOOPS	HOLWOIN IINCHAGE DEVICE CHOSS COMMECT - TVV			CLITIV	CIVIDOT		0.30	0.50				7.00				
	pop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,				-		-						
	Distribution Facility set-up	l		UDN,UCL,UDL,UDC	USBFW		207.91					7.86				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	set-up			UDN,UCL,UDL,UDC			12.50 527.98	12.50				7.86				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice		1	USL	USBFZ		527.98	11.32				7.86			-	
	Grade - Zone 1		1	UEA	USBFA	7.67	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		- '-	ULA	USBI A	7.07	114.03	04.01	12.34	17.21		7.00				
	Grade - Zone 2		2	UEA	USBFA	9.70	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		<u> </u>	0271	002.71	00		0	72.01			7.00				
	Voice Grade - Zone 3		3	UEA	USBFA	19.53	114.83	64.61	72.34	17.21		7.86				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		23.01									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFB	7.67	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		1											<u> </u>		
	Grade - Zone 2		2	UEA	USBFB	9.70	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		_		HODES		,			.= .:					1	
	Grade - Zone 3		3	UEA	USBFB	19.53	114.83	64.61	72.34	17.21		7.86				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23.01									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	7.67	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		-	UEA	USBFC	7.07	114.03	04.01	12.34	17.21		7.00			-	-
	Voice Grade - Zone 2		2	UEA	USBFC	9.70	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse			OLA	OOD! O	5.70	114.00	04.01	72.04	17.21		7.00				
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	19.53	114.83	64.61	72.34	17.21		7.86				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		23.01									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	22.82	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFD	27.24	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3		3	UEA	USBFD	61.41	131.73	79.98	81.82	51.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR		1	UEA	OCOSL		23.01								-	
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	22.82	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			ULA	USBI L	22.02	131.73	79.90	01.02	31.30		7.00				
	Grade - Zone 2		2	UEA	USBFE	27.24	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			OLIT	OOD! L	27.24	101.70	70.00	01.02	01.00		7.00				
	Grade - Zone 3		3	UEA	USBFE	61.41	131.73	79.98	81.82	51.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.01									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	13.00	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	16.95	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	28.95	131.79	80.04	74.16	16.60		7.86				
ļļ_	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		23.01								1	
 	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	13.00	131.79	80.04	74.16	16.60		7.86			ļ	
 	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	16.95	131.79	80.04	74.16	16.60		7.86			-	
 	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	28.95	131.79	80.04	74.16	16.60	1	7.86			1	1
 	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL USL	USBFG USBFG	62.57 87.71	125.43 125.43	73.68 73.68	81.82 81.82	21.56 21.56		7.86 7.86				-
 	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	-		USL	USBFG	273.33	125.43	73.68	81.82	21.56	}	7.86		1	 	-
 	Order Coordination For Specified Conversion Time, Per LSR	-		USL	OCOSL	210.00	23.01	73.00	01.02	21.30		7.00			 	
 	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	6.44	105.31	53.57	71.16	13.61		7.86			†	t
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		<u> </u>			5		33.31	70	.0.01					1	
	2		2	UCL	USBFH	5.78	105.31	53.57	71.16	13.61		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	3		3	UCL	USBFH	4.25	105.31	53.57	71.16	13.61		7.86		<u> </u>	<u> </u>	
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23.01	•		•			_			
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	11.33	125.55	73.80	77.12	16.86		7.86				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	10.18	125.55	73.80	77.12	16.86	ļ	7.86				
$oxed{oxed}$	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	10.32	125.55	73.80	77.12	16.86		7.86			.	
ı l	Order Coordination For Specified Conversion Time, per LSR		1	UCL	OCOSL		23.01		1		1			l	1	<u> </u>

Version 1Q02: 03/22/2002 PAGE 126 OF 352

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	I	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	20.78	125.43	73.68	81.82	21.56	JONIEC	7.86	JONAN	JONAN	JOHIAN	JOINAIN
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	26.41	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	23.10	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFO	20.78	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFO	26.41	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			LIDI	USBFO	00.40	405.40	70.00	04.00	04.50		7.00				
	Zone 3 Order Coordination For Specified Time Conversion, per LSR		3	UDL UDL	OCOSL	23.10	125.43 23.01	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			UDL	UCUSL		23.01									
1	Zone 1		1	UDL	USBFP	20.78	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		† ·	1		200	.200	. 5.56	052	250					1	
[I	Zone 2	L	2	UDL	USBFP	26.41	125.43	73.68	81.82	21.56	<u></u>	7.86		<u> </u>	<u> </u>	
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFP	23.10	125.43	73.68	81.82	21.56		7.86				
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		23.01									
SUB-LOOPS	<u> </u>															
Sub-L	oop Feeder			LIFO	41.501	45.00										
	Sub Loop Feeder - DS3 - Per Mile Per Month Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3 UE3	1L5SL USBF1	15.38 346.30	3,386.00	407.14	160.86	91.19		7.86				
	Sub Loop Feeder - STS-1 - Per Mile Per Month			UDLSX	1L5SL	15.38	3,300.00	407.14	100.00	91.19		7.00				
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	372.80	3,386.00	407.14	160.86	91.19		7.86				
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	11.67	0,000.00		100.00	01.10		7.00				
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per					_										
	Month			UDLO3	USBF5	58.27										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	564.68	3,386.00	407.14	160.86	91.19		7.86				
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	14.36										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
	Month			UDL12	USBF6	658.35		10=11	100.00			= 00				
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12 UDL48	USBF3	1,778.00 47.11	3,386.00	407.14	160.86	91.19		7.86				
	Sub Loop Feeder - OC-48 - Per Mile Per Month Sub Loop Feeder - OC-48 - Facility Termination Protection Per			UDL48	1L5SL	47.11										
	Month			UDL48	USBF9	330.39										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month		1	UDL48	USBF4	1.533.00	3.571.00	407.14	160.86	91.19		7.86				
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	372.76	788.37	407.14	160.86	91.19		7.86				
UNBUNDLED	LOOP CONCENTRATION					91										
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	423.72	359.34	359.34				7.86				
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	51.60	149.72	149.72				7.86				
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	460.27	359.34	359.34				7.86				
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	86.95	149.72	149.72				7.86				
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4.90	71.69	51.51	22.99	6.00		7.86				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	7.78	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration - UDC Loop Interface (Brite			UDIN	ULCCI	1.10	16.59	16.50	0.42	0.37		7.00				
	Card)			UDC	ULCCU	7.78	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or			000	02000	7.70	10.00	10.00	0.42	0.07		7.00				
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.95	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery														1	
	Loop Interface (SPOTS Card)			UEA	ULCCR	11.58	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface															
igwdow	(Specials Card)		<u> </u>	UEA	ULCC4	6.90	16.59	16.50	8.42	8.37		7.86			ļ	
 	Unbundled Loop Concentration - TEST CIRCUIT Card		<u> </u>	ULC	UCTTC	33.74	16.59	16.50	8.42	8.37		7.86			ļ	
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			UDL	ULCC7	10.23	16.59	16.50	8.42	8.37		7.86				
\vdash	Interface Unbundled Loop Concentration - Digital 56 Kbps Data Loop		!	UDL	ULCC/	10.23	16.59	16.50	8.42	8.37		7.86			1	
	Interface	l		UDL	ULCC5	10.23	16.59	16.50	8.42	8.37		7.86				
 	Unbundled Loop Concentration - Digital 64 Kbps Data Loop		t	552	02000	10.23	10.55	10.50	0.42	0.37		7.00			†	
1 1	Interface	l		UDL	ULCC6	10.23	16.59	16.50	8.42	8.37		7.86				l

<u>UNBUND</u> LE	ED NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						I	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l	
+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
				UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER,	PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	LINECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			ODIN,OLA,OI IL,OLC	UNLCIN	0.00	0.00		1						1	
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00		<u> </u>							
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -									·					1	
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9.25										
	High Capacity Unbundled Local Loop - DS3 - Facility			UES	ILOND	9.25									-	
	Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42		7.86				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			020	OLOI X	000.01	001.00	000.00	170.00	120.42		7.00				
	month			UDLSX	1L5ND	9.25										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42		7.86				
LOOP MAKE-																
	Loop Makeup - Preordering Without Reservation, per working or						20.40									
	spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.85	24.85								
	Loop MakeupWith or Without Reservation, per working or			UIVIN	UIVIKLE		24.00	24.00	1						1	
	spare facility queried (Mechanized)			UMK	PSUMK		0.67	0.67								
HIGH FREQU	ENCY SPECTRUM			O.V.II.Y			0.0.	0.07								
	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	198.83	379.05	0.00	358.55	0.00		7.86				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	49.71	379.05	0.00	358.55	0.00		7.86				
	Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSD8	16.94	377.71	0.00	357.29	0.00		7.86				
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-				000		470.00		100.10			7.00				
END I	deactivation (per LSOD) JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	CDEC	EDI INA	ULS	ULSDG		173.62		100.40			7.86			-	
END	Line Sharing - per Line Activation (BST Owned Splitter)	SPEC	KUN	ULS	ULSDC	0.61	37.16	21.28	20.17	9.90		7.86			+	
- 	Line Sharing - per Line Activation (BST Owned Spritter) Line Sharing - per Subsequent Activity per Line			010	JEUDU	0.01	31.10	21.20	20.17	5.30		7.00			t	
	Rearrangement(BST Owned Splitter)			ULS	ULSDS		32.90	16.43				7.86				
	Line Sharing - per Subsequent Activity per Line			1		1	02.00	.0.70							1	
	Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		32.90	16.43				7.86			1	
	Line Sharing - per Line Activation (DLEC owned Splitter)	ı		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		7.86				
	Line Splitting - per line activation DLEC owned splitter	ı		UEPSR UEPSB	UREOS	0.61	_	•								
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.647	37.02	21.20	21.10	9.87		7.86				
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.645	37.02	21.20	21.10	9.87		7.86			-	
	DEDICATED TRANSPORT : INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimul	m hilli-	a nori	od - bolow Des-e	month Deal	QTQ_1_fa	athe								 	
	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - MINIMU ROFFICE CHANNEL - DEDICATED TRANSPORT	niilia iii	y perio	u - pelow D53=one	montn, DS3/	3 13-1=TOUR MOI	iuiS		 							
INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			1		 			 		1				t	
	Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			Ì											1	
	Facility Termination per month	L		U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75	<u></u>	7.86		<u> </u>	<u> </u>	
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade									_						
	Rev Bat Per Mile per month	1	1	U1TVX	1L5XX	0.01			1		1			l	1	

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonrec		Nonrecurring					Rates(\$)		
	Little (for Observed De France L. Transport O. M. V. V.O. De Del					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75		7.86				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			UTIVA	UTIKZ	29.11	47.54	31.70	22.11	0.73		7.00				
	Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			-												
	- Facility Termination per month			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75		7.86				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0115										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			LUTDY	LIATOR	00.07	47.35	04.70	00.77	0.75		7.00				
	Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75		7.86				
	per month			U1TDX	1L5XX	0.0115										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility				.20,50	3.0110										
	Termination per month			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75		7.86				
İ	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.23										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				=-											
	Termination per month			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49		7.86				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.97										
 	Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	ILSAA	4.97										
	Termination per month			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75		7.86				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			01150	01110	1,170.10	555.15	2.0.2.	55.57	01110		7.00				
	month			U1TS1	1L5XX	4.97										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination per month			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75		7.86				
	L CHANNEL - DEDICATED TRANSPORT : LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin		d bal	DC2	DC2/CTC 4 6											
NOTE	Local Channel - Dedicated - 2-Wire Voice Grade Per Month	g perio	a - bei	ULDVX	ULDV2	18.57	265.78	46.96	46.79	4.98		7.86				
 	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			OLDVX	OLDVZ	10.57	203.70	40.30	40.73	4.30		7.00				
	month			ULDVX	ULDR2	18.57	265.78	46.96	46.79	4.98		7.86				
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	19.86	266.48	47.65	47.54	5.73		7.86				
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	40.46	209.60	176.51	30.21	21.07		7.86				
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	43.39	209.60	176.51	30.21	21.07		7.86				
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	164.50	209.60	176.51	30.21	21.07		7.86				
	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per			ULDD3	1L5NC	8.74										
	month			ULDD3	ULDF3	576.05	551.38	338.08	173.00	120.42		7.86				
 	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.74	331.30	330.00	173.00	120.42		7.00				
	Local Channel - Dedicated - STS-1 - Facility Termination per															
	month			ULDS1	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86				
MULTIPLEXE																
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	113.33	101.40	71.60	13.79	13.04		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			Libi	40400	4.00	40.00	7.00				7.00				
 	month (2.4-64kbs) 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDL	1D1DD	1.32	10.07	7.08				7.86			-	-
	month			UDN	UC1CA	2.84	10.07	7.08				7.86				
 	Voice Grade COCI - DS1 to DS0 Channel System - per month		1	UEA	1D1VG	0.6228	10.07	7.08	 		 	7.86				
	DS3 to DS1 Channel System per month			UXTD3	MQ3	158.20	199.23	118.62	50.16	48.59		7.86			1	t
	STS1 to DS1 Channel System per month			UXTS1	MQ3	158.20	199.23	118.62	50.16	48.59		7.86				
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.80	10.07	7.08				7.86				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			L	I				1							
 	month			ULDD1	UC1D1	11.80	10.07	7.08			1	7.86				
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel			U1TD1	UC1D1	11.80	10.07	7.08				7.86				
DARK FIBER	per month		1	וטווטו	ומוטט	11.80	10.07	7.08	 		1	7.80			1	
JANK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1	 	+						1			 	-	†
	Thereof per month - Local Channel			UDF	1L5DC	47.01										
	NRC Dark Fiber - Local Channel		1	UDF	UDFC4		732.53	192.67	377.27	241.67	İ	7.86				

UNBUNDL	ED NETWORK ELEMENTS - Kentucky					1						,	Attachment:		Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urrina	Nonrecurring	Disconnect		1	oss	Rates(\$)	1	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction					1100										
	Thereof per month - Interoffice Channel			UDF	1L5DF	30.74										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		732.53	192.67	377.27	241.67		7.86				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	47.01										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		732.53	192.67	377.27	241.67		7.86				
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006478										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		4.14	0.70				7.86				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			8.78	1.18	7.08	0.86		7.86				
	8XX Access Ten Digit Screening, Per 8XX No. Established With								_	_						
ļ	POTS Translations	ļ		OHD	N8FTX		8.78	1.18	7.08	0.86		7.86		ļ	ļ	ļ
	8XX Access Ten Digit Screening, Customized Area of Service	1	1		I									1		
	Per 8XX Number	ļ	<u> </u>	OHD	N8FCX		4.14	2.07	1		1	7.86			!	
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78				7.86				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				7.86				
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		4.14	4.14				7.86				
	8XX Access Ten Digit Screening w/ 8FL No. Delivery,			OHD		0.0006478										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery,			OHD		0.0006478										
LINE INFORM	MATION DATA BASE ACCESS (LIDB)		<u> </u>	007												
	LIDB Common Transport Per Query		<u> </u>	OQT		0.000023										
	LIDB Validation Per Query	-		OQU	NDDDV	0.0137322	55.40		07.50			7.00				
SIGNALING (LIDB Originating Point Code Establishment or Change	-		OQT, OQU	NRPBX		55.12		67.59			7.86				
SIGNALING (CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Per 56 Kbps Facility CCS7 Signaling Termination, Per STP Port			UDB		151.39	43.56	43.56	22.45	22.45						
	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message			UDB	PT8SX	0.0000656										
-	CCS7 Signaling Osage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86				
	CCS7 Signaling Connection, Per link (B link) (also known as D			UDB	IFF++	20.71	43.36	43.30	22.45	22.43		7.00				
	link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86				
	CCS7 Signaling Usage, Per ISUP Message		1	UDB	IFFTT	0.0000164	43.30	43.30	22.40	22.43	1	7.00				
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08										
	CCS7 Signaling Osage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code		1	UDB	31030	731.00					1					
	Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43		7.86				
	CCS7 Signaling Point Code, per Destination Point Code		1	ODD	CCAIC		40.02	40.02	30.43	30.43	1	7.00				
	Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43		7.86				
E911 SERVIC				ODD	00/11 D		40.02	40.02	00.40	00.40		7.00				
LOTT OLIVIO	Local Channel - Dedicated - 2-wr Voice Grade					18.57	265.78	46.96	46.79	4.98			18.94	18.94		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				-	0.0115	2000	10.00	10.70				10.01	10.01		1
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				-	0.0110										1
	Termination	1	1			29.11	47.34	31.78	22.77	8.75			18.94	18.94		
	Local Channel - Dedicated - DS1 - Zone 1	†				40.46	209.60	176.51	30.21	21.07			18.94	18.94	1	1
	Local Channel - Dedicated - DS1 - Zone 2	†				43.39	209.60	176.51	30.21	21.07			18.94	18.94		1
	Local Channel - Dedicated - DS1 - Zone 3	†				164.50	209.60	176.51	30.21	21.07			18.94	18.94		1
	Interoffice Transport - Dedicated - DS1 Per Mile					0.23									i e	İ
		1											İ	İ	İ	İ
	Interoffice Transport - Dedicated - DS1 Per Facility Termination	1	1			96.04	105.52	98.46	23.09	20.49			18.94	18.94		
CALLING NA	ME (CNAM) SERVICE														1	1
I	CNAM For DB Owners - Service Establishment	1		OQV			25.34	25.34	23.30	23.30		7.86	İ	İ	İ	İ
	CNAM For Non DB Owners - Service Establishment	1		OQV			25.34	25.34	23.30	23.30		7.86	İ	İ	İ	İ
	CNAM For DB Owners - Service Provisioning With Point Code															
	Establishment	1	1	oqv			1,591.54	1,177.08	431.95	317.61		7.86		l		
	CNAM For Non DB Owners - Service Provisioning With Point						,	,								
	Code Establishment	1	1	OQV			546.40	393.74	438.93	317.61	I	7.86		İ		
	CNAM for DB Owners, Per Query	 	1	OQV	+	0.0010348					1				t	t

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM for Non DB Owners, Per Query			OQV		0.0010348										
	CNAM (Non-Databs Owner), NRC, applies when using the			oqv	CDDCH		595.00	595.00				7.86				
LNP Query Se	Character Based User Interface (CHUI)			UQV	СООСН	-	595.00	595.00	-			7.86				
LINE QUELY SE	LNP Charge Per query					0.0008695										
 	LNP Service Establishment Manual					0.0000093	13.82	13.82	12.71	12.71		7.86				
-	LNP Service Provisioning with Point Code Establishment						953.27	487.00	431.95	317.61		7.86				
OPERATOR C	ALL PROCESSING						000.2.	107.00	101.00	011.01		7.00				
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD ORE	RATOR SERVICES	-		1		0.∠0			+		}			1	+	
INVVARD OF E	Inward Operator Services - Verification, Per Call					1.00			+							
	Inward Operator Services - Verification and Emergency Interrupt - Per Call					1.95										
BRANDING - 0	DPERATOR CALL PROCESSING					1.95			+							
DIVANDING - V	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				7.86				
-	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				7.86				
Unbra	nding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				7.86				
	SSISTANCE SERVICES															
DIREC	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)							L							
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.10										
DIREC	TORY TRANSPORT				-	0.10			-						-	-
	ASSISTANCE SERVICES								+							
	TORY ASSISTANCE DATA BASE SERVICE (DADS)								 							
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00			† †							
BRANDING - I	DIRECTORY ASSISTANCE															
Facilit	y Based CLEC															
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNEP																
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00								
Unbra	nding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)					ļ	420.00	420.00	ļ							
CEL ECTIVE -	Loading of DA per Switch per OCN		-	 	-		16.00	16.00							1	1
SELECTIVE R	Selective Routing Per Unique Line Class Code Per Request Per															
VIDTUAL CO.	Switch				USRCR	ļ	93.53	93.53	15.58	15.58		7.86			-	-
VIRTUAL COL				AMTEC	EAE	 	2 440 00	2 410 00	1.04	1.04					!	!
\vdash	Virtual Collocation - Application Cost Virtual Collocation - Cable Installation Cost, per cable		-	AMTFS AMTFS	EAF ESPCX	 	2,419.86 1,729.11	2,419.86 1,729.11	1.01 45.16	1.01 45.16	-			-	-	-
 	Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.	1		AMTES	ESPVX	7.99	1,729.11	1,729.11	45.16	45.16	1				 	
	Virtual Collocation - Proof Space, per sq. rt. Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	8.06			 						 	
	Virtual Collocation - Cable Support Structure, per entrance					5.50										
	cable			AMTFS	ESPSX	17.38										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.0309	24.68	00.00	40.44	40.05		19.99				
	Virtual Collocation - 2-wire Cross Connects (loop)			UEA,UHL,UCL,UDL,	UEACZ	0.0309	24.68	23.68	12.14	10.95		19.99				
	Virtual Collocation - 4-wire Cross Connects (loop)			AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0619	24.88	23.82	12.77	11.46		19.99				
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF AMTFS,UDL12,	CNC2F	3.80	41.94	30.51	14.76	11.84			19.99	19.99	19.99	19.99
	Virtual Collocation - 4-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	7.59	51.29	39.87	19.41	16.49			19.99	19.99	19.99	19.99
				USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,												
	Virtual collocation - DS1 Cross Connects			UNLD1	CNC1X	1.48	44.23	31.98	12.81	11.57						
				USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,												
	Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	18.89	41.93	30.51	14.75	11.83						
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.003										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0045										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CC		535.55									
	Cable Support Structure, per cable Virtual collocation - Security Escort - Basic, per half hour			AMTFS AMTFS	VE1CE SPTBX		535.55 33.98	21.53								
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTOX		44.26	27.81								+
- 	Virtual collocation - Security Escort - Overtime, per half hour		 	AMTES	SPTPX		54.54	34.09							t	†
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		56.07	21.53								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		73.23	27.81								
VIRTUAL COL	Virtual collocation - Maintenance in CO - Premium per half hour LOCATION			AMTFS	SPTPM		90.39	34.09								
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky			1		T							Attachment:		Exhibit: B	
								·	·		Svc Order	Svc Order		Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- ()			per LSK	per LSK		Electronic-	Electronic-	Electronic-
													Electronic-			
ł													1st	Add'l	Disc 1st	Disc Add'l
		 	 		+		Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates(\$)	I	1
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\leftarrow	Virtual Callegation 4 Wins Conse Connect Fusher on Best 4 Wins	 	 			Rec	riist	Add I	FIISL	Auu i	SOIVIEC	SOWAN	SUMAN	SOMAN	SUMAN	SUMAN
i	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
ullet	ISDN DS1			UEPEX	VE1R4	1.48	44.23	31.98	12.81	11.57		7.86				
VIRTUAL COL																
i	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
1	Splitting			UEPSR, UEPSB	VE1LS	0.309	24.68	23.68	12.14	10.95		7.86				
AIN SELECTI	/E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9.483.34	9.483.34		7.86				
	End Office Establishment	1	1	SRC	SRCEO		194.09	194.09	0.85	0.85		7.86				
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06	0.00	0.00		7.86				
	Query NRC, per query			SRC	OROLI	0.0037502	2.00	2.00				7.00				
AIN DELLO		 	 	SRC		0.0037302										
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE															
1	AIN SMS Access Service - Service Establishment, Per State,	1	1	l							1			I		
ullet	Initial Setup		<u> </u>	A1N	CAMSE		43.55	43.55	44.93	44.93		7.86				
ı T		1	1		1									1		1
1	AIN SMS Access Service - Port Connection - Dial/Shared Access	1	1	A1N	CAMDP		8.64	8.64	10.03	10.03]	7.86]		
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03		7.86				
	AIN SMS Access Service - User Identification Codes - Per User										i	1				İ
1	ID Code	1	1	A1N	CAMAU		38.65	38.65	29.88	29.88]	7.86]		
+-	AIN SMS Access Service - Security Card, Per User ID Code,	 	 		C/ 1141/10		55.05	30.03	20.00	20.00	 	7.50			<u> </u>	
i				AANI	CAMBO		75.00	75.00	40.00	40.00		7.00				
$\leftarrow \leftarrow$	Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93		7.86				
\vdash	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service - Session, Per Minute					0.666										
i I	AIN SMS Access Service - Company Performed Session, Per															
i I	Minute					0.4608										
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
i I	Initial Setup			CAM	BAPSC		43.55	43.55	44.93	44.93		7.86				
	AIN Toolkit Service - Training Session, Per Customer	 	 	O/ tivi	BAPVX		8,436.93	8,436.93	44.50	44.00		7.86				
		1	1		DAFVA		0,430.93	0,430.33				7.00				ļ
i	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per								40.00							
\vdash	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03		7.86				
i	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03		7.86				
í I	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
i	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03		7.86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
1	DN, 10-Digit PODP	1	1	İ	ВАРТО		51.01	51.01	18.50	18.50]	7.86]		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	 	1		1		01.01	01.01	10.00	10.00	1	7.00		1		1
1	DN. CDP		1	1	BAPTC		51.01	51.01	18.50	18.50	l	7.86				
$\longleftarrow \longleftarrow$			-	 	DAFIC		51.01	31.01	10.30	10.50		7.00			 	
1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	1	İ	L				10.55	40]]		
$\longleftarrow \longleftarrow$	DN, Feature Code	ļ	1	L	BAPTF		51.01	51.01	18.50	18.50		7.86				
igsquare	AIN Toolkit Service - Query Charge, Per Query				1	0.0549207										
1 -	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	1	1]]]		
1	Subscription, Per Node, Per Query		1	1		0.0066492					l					
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access				1				i		ĺ			ĺ	1	1
1	Account, Per 100 Kilobytes	1	1	İ	1	0.07]]]		
-	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		1		1	5.07			†		1				1	1
1	Subscription	1	1	CAM	BAPMS	7.87	8.64	8.64	6.08	6.08]	7.86]		
		 	1	O/NVI	DAL MO	1.01	0.04	0.04	0.08	0.08	 	1.00		-	1	
1	AIN Toolkit Service - Special Study - Per AIN Toolkit Service		1	CAM	DADL O	0.00	0.50	0.50			l	7.00				
$\longleftarrow \longleftarrow$	Subscription	ļ	!	CAM	BAPLS	3.26	9.56	9.56			ļ	7.86				ļ
1	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	1	1	İ	1]]]		
ullet	Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08		7.86				
ı —	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	1	1								l			l		
1	Service Subscription		1	CAM	BAPES	0.11	9.56	9.56			l	7.86				
	XTENDED LINK (EELs)								i i		i					İ
ENHANCED E		/ zone 1	of foll	owing MSAs: Orlan	do. Fl · Miam	i. Fl · Ft. Laude	rdale. Fl		1		l	1		1	1	1
	· New FFIs available in GAIN KYIA MS & Stand deneits															1
NOTE	: New EELs available in GA, TN, KY, LA, MS, & SC and density															
NOTE NOTE	: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem	-High P	oint, N	C. Use all rates belo	w except Sw	itch As Is Char	ge.	Ae le Charac -	nnlies to surre	the combined	facilities -	nuorted t-	IINEs (Non	ourring rot	do not cort	
NOTE NOTE NOTE		-High P	oint, N ntly co	C. Use all rates belombined facilities w	w except Sw nich are conv	itch As Is Char erted to UNE ra	ge. ites. A Switch	As Is Charge a	pplies to curren	ntly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	·.)

Version 1Q02: 03/22/2002 PAGE 133 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Kentucky					•						_	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonrec		Nonrecurring					Rates(\$)		
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		i i	ONOVA	OL/ LL	12.07	120.22	00.40	00.00	7.04		7.00				
	Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	per month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	120701	0.10										
	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	DS1 Channelization System Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1		١,	LINOVA	LIEALO	40.07	405.00	CO 10	50.00	7.04		7.00				
	Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				<u> </u>
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		_	0.1017	UL/ ILL	0	120.22	00.10	00.00	1.01		7.00				
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRE	INCHAIGE EVEN BY STANDED LOOP WITH DEDICATED DS1 INT	FROFF	ICE TR		UNCCC		0.90	0.90	11.17	11.17		7.00				
7 11111	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			I	1											
	Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		J	ONOVA	OLAL4	05.00	125.22	00.40	39.03	7.04		7.00				
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization - Channel System DS1 to DS0 combination Per			UNC1X	MQ1	113.33	57.26	14.74	4.00	4.07		7.86				
	Month Voice Grade COCI - DS1 to DS0 Channel System combination -			UNCIX	IVIQT	113.33	57.26	14.74	1.86	1.67		7.80				
	per month			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Additional 4-Wire Analog Voice Grade Loop in same DS1					0.02	• • • • • • • • • • • • • • • • • • • •									
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire Analog Voice Grade Loop in same DS1								== ==							
	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Voice Grade COCI - DS1 to DS0 Channel System combination -			0.1017	02/121	00.00	120.22	00.10	00.00	7.01		7.00				
	per month			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 14/10	Is Charge 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	NITEDO	FEIGE	UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRE	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSPORT (EEL)) <u> </u>											
	Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		Ė													
	Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice					00.5	105									
	Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		1	UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 - combination Facility			0.101/	TEONIA	0.19										
	Termination Per Month		1	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				1

INBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization - Channel System DS1 to DS0 combination Per			LINIOAN		440.00	F7.00	4474	4.00	4.07		7.00				
	Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	10100	1.32	0.71	4.04				7.00				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			0.10271	02200	27.00	120.22	00.10	00.00	7.01		7.00			İ	
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRI	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	DEFICE	TRANSPORT (EEL)										-	1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		- ' -	UNCDX	UDL04	21.59	125.22	00.40	39.09	7.04		7.00				
	Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			CHODA	ODLOT	02.40	120.22	00.40	00.00	7.04		7.00				
	Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System			LINCDY	1D1DD	1.32	6.71	4.84				7.00				
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	טטוטו	1.32	0.71	4.84				7.86				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		 '	CHODA	ODLOT	27.00	120.22	00.40	00.00	7.04		7.00				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-	l		LINIOAY	LINIOOO		0.00	0.00	44	44		7.00			1	
4 14/15	Is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	l DOCET	CE TO	UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86			1	1
4-WIR	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	KUFFI	CE IK	ANSPURI (EEL)	+		-									1
	Transport - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		+ '-	0.101/	3027	00.47	210.70	114.00	00.30	11.31		7.00			t	1
	Transport - Zone 2	l	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86			1	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		T -	-	1										1	
	Transport - Zone 3	L	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97	<u> </u>	7.86			<u> </u>	<u></u>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility				<u></u> -		,									
	Termination Per Month	<u> </u>	<u> </u>	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86			-	<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge	l		UNC1X	LINICCO		8.98	8.98	11.17	11.17		7.86			1	
V-7V/1D1	IS Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	POEE	CE TP		UNCCC		8.98	8.98	11.17	11.17	-	7.86			 	1
4-WIRI	First DS1Loop in DS3 Interoffice Transport Combination - Zone		LIK	LINGFORT (EEL)	+ +										 	1
	1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
-	First DS1Loop in DS3 Interoffice Transport Combination - Zone		_		55250	55.47	210.70	114.00	55.56	11.51		7.00			1	
	2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	le .	I	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97	1	7.86			1	1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky		_										Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						D	Nonrec		Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN
	Interoffice Transport - Dedicated - DS3 combination - Per Mile					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per Month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				
+	DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month			UNC3X UNC1X	MQ3 UC1D1	158.20 11.80	115.48 6.71	56.53 4.84	15.12	5.30		7.86 7.86				
	Additional DS1Loop in DS3 Interoffice Transport Combination -			ONOTA	OCIDI	11.00	0.71	4.04				7.00				
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	DS3 Interface Unit (DS1 COCI) combination per month		Ť	UNC1X	UC1D1	11.80	6.71	4.84	55.90	17.37		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
2-WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TR	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
	2-WireVG Loop used with 2-wire VG Interoffice Transport			ONOVA	OLALZ	12.07	125.22	00.40	33.03	7.04		7.00				
	Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade			UNCVX	ILSAA	0.01										
	combination - Facility Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TR	RANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		-	ONCVA	ULAL4	29.20	123.22	00.40	39.09	7.04		7.00				
	Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade		1	OIVOVA	ILUAA	0.01										
	combination - Facility Termination per month	L	L	UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42	<u> </u>	7.86	<u> </u>	<u> </u>	<u> </u>	
	Nonrecurring Currently Combined Network Elements Switch -As-															
B00 =:	Is Charge GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	 	NCC-	UNCVX	UNCCC		8.98	8.98	11.17	11.17	<u> </u>	7.86				
DS3 DI	High Capacity Unbundled Local Loop - DS3 combination - Per	EIRA	NSPOR	I (EEL)	+											
	Mile per month			UNC3X	1L5ND	9.25										
	High Capacity Unbundled Local Loop - DS3 combination -					3.20										
	Facility Termination per month			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67		7.86				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09					1					
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-			01403/	01113	300.09	330.36	141.30	46.00	23.39		1.00				
	Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
STS1 D	IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TF	RANSP	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per			LINGOV	41.5115	2.25										
	Mile per month High Capacity Unbundled Local Loop - STS1 combination -		-	UNCSX	1L5ND	9.25					1					
	Facility Termination per month			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67		7.86				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			2.100/1	32231	320.01	207.00	147.00	55.∓5	02.01		7.50				
	per month	l		UNCSX	1L5XX	4.09							1	1	1	

ONRONDLE	D NETWORK ELEMENTS - Kentucky											,	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS1 combination - Facility			LINIOOV		0.45.70	050 50	444.50	40.00	00.00		7.00				
	Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				
2 WID	IS CHARGE E ISON EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	OT /EEI		UNCSA	UNCCC		0.90	0.90	11.17	11.17		7.00				
Z-WIK	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	(I (EEL														
	Transport - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		<u> </u>	0.10.01	O I EE A	.0	.20.22	00.10	00.00	7.01		7.00				
	Transport - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization - Channel System DS1 to DS0 combination -															
	per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			LINONIX	110404	0.04	0.74	4.04				7.00				
-	combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCNX	UC1CA	2.84	6.71	4.84				7.86			-	
	Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84		7.86				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCINA	UILZA	10.44	123.22	00.40	39.09	7.04		7.00				
	Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCIAX	UILZX	25.00	125.22	00.40	39.09	7.04		7.00				
	Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7.86				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		Ŭ	0.10.01	O I EE A	12.07	.20.22	00.10	00.00	7.01		7.00				
	combintaion- per month			UNCNX	UC1CA	2.84	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	First DS1 Loop in STS1 Interoffice Transport Combination -		_													
	Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	First DS1 Loop in STS1 Interoffice Transport Combination -		_	UNC1X	USLXX	007.70	040.70	114.60	63.96	17.97		7.00				
-	Zone 3 Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	UNCIX	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	Per Month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS1 combination - Facility			ONOOX	TESAX	4.03										
	Termination			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30		7.86			1	
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.80	6.71	4.84				7.86				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	Additional DS1Loop in STS1 Interoffice Transport Combination -	1												_	_	
	Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97	ļ	7.86		ļ	ļ	
 	DS3 Interface Unit (DS1 COCI) combination per month		ļ	UNC1X	UC1D1	11.80	6.71	4.84			1	7.86		-	-	
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		1	UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86		I		
4-10/10	IS Charge E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	EEICE 7	EDANO		UNCCC		8.98	8.98	11.17	11.17	 	7.86		 		
4-WIR	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	FFICE	KANS	CKI (EEL)	+				1		1			 	 	
	Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86		1	1	
 	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		+ -	OHODA	SDESO	21.35	120.22	00.40	33.03	7.04		1.00		 	 	
	Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86		I		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			2.102/1	32200	32.40	120.22	33.40	55.59	7.54		7.00		1	1	
	Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86		I		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile	1		UNCDX	1L5XX	0.01								1	I	

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CHECHEL	LD NETWORK ELEMENTO Remarky				1	l					Svc Order	Svc Order				Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
CATECORY	RATE ELEMENTS	Interi	7000	BCS	USOC			RATES(\$)			Elec			Manual Svc		
CATEGORY	RATE ELEMENTS	m	Zone	BCS	0500			KA I E 5(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
																<u> </u>
						_	Nonrec	,	Nonrecurring					Rates(\$)		
	Interest Transport De Protect Assistant FOLLower Livering					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -								=0.04							
	Facility Termination			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WII	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI	FFICE I	RANSI	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport								==							
	Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		_		l											
	Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			l .	l										I	
	Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86			.	<u> </u>
1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -														1	
	Per Mile			UNCDX	1L5XX	0.01										ļ
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42		7.86				ļ
	Nonrecurring Currently Combined Network Elements Switch -As-	1										<u> </u>			_	
	Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
	NETWORK ELEMENTS															ĺ
When	n used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	witch As Is c	harge does app	ıly.									ĺ
	n used as ordinarilty combined network elements in Georgia, th					As Is Charge d	oes not.									ĺ
Nonre	ecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	oination)											ĺ
	Nonrecurring Currently Combined Network Elements Switch -As-															ĺ
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				
NOTE	E: Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3:			r months	0.00	0.00				7.00				
	Local Channel - Dedicated - 2-Wire Voice Grade per month		1	UNCXV	ULDV2	18.57	265.78	46.96	46.79	4.98		7.86				1
-	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCXV	ULDV4	19.86	266.48	47.65	47.54	5.73		7.86				
-	Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	40.46	209.60	176.51	30.21	21.07		7.86				
-	Local Channel - Dedicated -DS1 Per Month Zone 2			UNC1X	ULDF1	43.39	209.60	176.51	30.21	21.07		7.86				
-	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	164.50	209.60	176.51	30.21	21.07		7.86				
 	Local Channel - Dedicated - DS3 - Per Mile per month		<u> </u>	UNC3X	1L5NC	8.74	203.00	170.51	30.21	21.07	1	7.00			t	
 	Local Channel - Dedicated - DS3 - Fel Mile per month Local Channel - Dedicated - DS3 - Facility Termination per		1	5.100A	. 20140	0.74					1				t	
	month			UNC3X	ULDF3	576.05	551.38	338.08	173.00	120.42		7.86			I	
 	Local Channel - Dedicated - STS-1- Per Mile per month		1	UNCSX	1L5NC	8.74	JJ 1.J0	330.00	173.00	120.42	1	7.00			t	
	Local Channel - Dedicated - STS-1 - Fer Mile per Month Local Channel - Dedicated - STS-1 - Facility Termination per			ONOOA	ILDING	0.74					1	1			 	
	month			UNCSX	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86				
IINBIINDI ED	D LOCAL EXCHANGE SWITCHING(PORTS)		 	ONCOA	JLDI 3	343.24	351.38	330.08	173.00	120.42	-	1.00	-	-		
	ange Ports	-	1		-						1	-			 	
EXCN:	ange Ports E: Although the Port Rate includes all available features in GA, I	KV I A	O TAL 4	ha daairad faat:	will nood to !	o ordered ::=::	a rotall HCCC				 			-	-	
	E: Although the Port Rate includes all available teatures in GA, I RE VOICE GRADE LINE PORT RATES (RES)	Λī, LA	οι iN, t	ne desired reatures	will need to t	oruerea usin	y retail USUC	•		-	-		-	-		
Z-VVII	Exchange Ports - 2-Wire Analog Line Port- Res.		1	UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13	 	7.86		-	-	
	LAGITATIVE FULLS - 2-VVIIIE ATTAILOG LITTE PORT- RES.		 	ULFOR	UEPKL	1.49	3.14	3.03	2.23	∠.13	1	7.86			 	
	Evolvenge Porte 2 Wire Angles Line Port with Colleg ID Day			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13		7.86			I	
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		 	UEPOK	UEPKU	1.49	3.74	3.63	2.23	2.13	1	7.86			 	
	Evolvenge Porte 2 Wire Angles Line Port systemics and 1 Dec			LIEDOD	LIEDDO	4 40	0.74	2.00	0.00	0.40		7.00			I	
 	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		1	UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13	1	7.86	-	-	 	
	Exchange Ports - 2-Wire VG unbundled KY extended local			LIEDOD	UEPRM	4 40	2.74	2.22	0.00	0.40		7.00			1	
 	dialing parity Port with Caller ID - Res.		1	UEPSR	UEPKM	1.49	3.74	3.63	2.23	2.13	1	7.86	-	-	 	
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			LIEDOD	LIEDAS										I	
	with Caller ID (LUM)		<u> </u>	UEPSR	UEPAP	1.49	3.74	3.63	2.23	2.13	1	7.86			1	
	Subsequent Activity		ļ	UEPSR	USASC	0.00	0.00	0.00			1	7.86				
	TURES	1	1	I	1	1				l		I	ı	l	1	1
FEAT	All Available Vertical Features		+	UEPSR	UEPVF	0.00	0.00	0.00				7.86				

NRONDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Charge Manual S Order v
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRE	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled KY extended local			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13		7.86				+
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13		7.86				
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13		7.86				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00				7.86				
FEATU								•		•						
	All Available Vertical Features	ļ	<u> </u>	UEPSB	UEPVF	0.00	0.00	0.00				7.86			ļ	1
EXCHA	ANGE PORT RATES (DID & PBX)	 		LIEDOE	UEPRD	4.40	20.05	18.17	45.00	0.00		7.00			1	
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSE UEPSP	UEPRD	1.49 1.49	39.05 39.05	18.17	15.38 15.38	0.89		7.86 7.86			<u> </u>	+
	2-Wire VG Line Side Unburidled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89		7.86				+
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89		7.86				+
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89		7.86				1
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89		7.86				+
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89		7.86				+
	Calling Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port 2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89		7.86				+
	Port Without LUD 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89		7.86				+
_	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89		7.86				
	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89		7.86				—
	Discount Room Calling Port			UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89		7.86				<u> </u>
FEATU	Subsequent Activity JRES			UEPSP	USASC	0.00	0.00	0.00				7.86				+
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00				7.86				
EXCHA	ANGE PORT RATES (COIN)															
1	Exchange Ports - Coin Port					1.49	3.74	3.63	2.23	2.13		7.86				
	Switching Features offered with Port Transmission/usage charges associated with POTS circuit so	witched	lieado	will also annly to d	ircuit switche	d voice and/or	circuit switche	d data transm	ission by R-Ch	annele accoci	ated with 2	wire ISDN n	orte			+
NOTE:	Access to B Channel or D Channel Packet capabilities will be	availak	ole onl	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fic	le Request/	New Business	s Request Pro	ocess.	
	Exchange port - 4-wire ISDN trunk port -all available features included				UEPEX	101.60	188.36	95.15	61.92	22.67		7.86				
	LOCAL EXCHANGE SWITCHING(PORTS)	ļ													1	
EXCHA	ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30		7.86				<u> </u>
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86		7.86				
\neg	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17		7.86				†
	All Features Offered			UEPTX UEPSX	UEPVF	0.00	0.00	0.00								
	Transmission/usage charges associated with POTS circuit sy	witched	usane	will also apply to o	ircuit switche	d voice and/or	circuit switche	d data transm	ission by B-Ch	annele accori	ated with 2-	wire ISDN n	orts		1	1

Version 1Q02: 03/22/2002 PAGE 139 OF 352

	DLEI	NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
												Svc Order		Incremental	Incremental	Incremental	Incremental
1			1			1						Submitted		Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
								Nonred	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67		7.86				
		OCAL SWITCHING, PORT USAGE															
Eı	nd Of	ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0011971										
		End Office Trunk Port - Shared, Per MOU					0.0002112										
18	anden	Switching (Port Usage) (Local or Access Tandem)					0.000404										
-		Tandem Switching Function Per MOU					0.000194										
		Tandem Trunk Port - Shared, Per MOU					0.0002416										
C	ommo	on Transport Common Transport - Per Mile, Per MOU	 			 	0.000003										-
\vdash		Common Transport - Per Mille, Per MOU Common Transport - Facilities Termination Per MOU	1			+	0.000003								1	1	
UNBUND	I ED P	ORT/LOOP COMBINATIONS - COST BASED RATES	1			+	0.0007400								1	1	
		ased Rates are applied where BellSouth is required by FCC at	nd/or St	ate Co	mmission rule to nr	ovide Unbun	dled Local Swi	tching or Swite	h Ports								
		s shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate F	xhibit					
Fi	nd Off	ice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section of th	is rate exhib	it shall applied	all combination	ons of loon/no	rt network eler	nents except	or UNF Coi	n Port/Loon	Combination	15.		
F	or Ge	fice and Tandem Switching Usage and Common Transport U orgia, Kentucky, Louisiana, MIssissippi, South Carolina and	Tennes	see, the	recurring UNE Port	and Loop c	harges listed ap	ply to Current	ly Combined a	and Not Curren	tly Combined	Combos. T	he first and	additional Po	ort nonrecurri	ng charges a	pply to Not
		ly Combined Combos for all states. In GA, KY, LA, MS, SC ar															
		rently Combined Combos in all other states, the nonrecurrin										o goo a				o	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	J 0a. g	00 0		1	l l	J, CO									
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
H + +		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
1																	
		2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UI	NE Lo			3													
U		2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		3	UEPRX	UEPLX											
UI		op Rates			UEPRX UEPRX	UEPLX UEPLX	31.74										
		op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		1			31.74 9.64										
		op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res)		1 2	UEPRX UEPRX	UEPLX UEPLX	9.64 14.37 30.59										
		op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence		1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	9.64 14.37 30.59	21.29	15.49	2.85	2.67		7.86				
		op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res		1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	31.74 9.64 14.37 30.59 1.15 1.15	21.29	15.49	2.85	2.67		7.86				
		op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res		1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	9.64 14.37 30.59										
		op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	31.74 9.64 14.37 30.59 1.15 1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				
		op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res		1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	31.74 9.64 14.37 30.59 1.15 1.15	21.29	15.49	2.85	2.67		7.86				
		op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPRO	31.74 9.64 14.37 30.59 1.15 1.15 1.15	21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86				
2-	-Wire	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	31.74 9.64 14.37 30.59 1.15 1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				
2-	-Wire	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPRM UEPAP	31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15	21.29 21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86				
2-	-Wire	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPRO	31.74 9.64 14.37 30.59 1.15 1.15 1.15	21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86				
2-	-Wire	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPRM UEPAP	31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00	21.29 21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86				
2-	-Wire V	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port)		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPRM UEPAP	31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15	21.29 21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86				
2- FI	-Wire V	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (WRCs) - CURRENTLY COMBINED		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPRM UEPAP	31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00	21.29 21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86				
2- FI	-Wire V	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1 2	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPRM UEPAP UEPAP LEPAP	31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00	21.29 21.29 21.29 21.29 0.00	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86				
2- FI	-Wire V	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPRM UEPAP	31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00	21.29 21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86				
2-	-Wire V	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1 2	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPRO UEPAP UEPAP UEPAP UEPAP UEVE	31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00	21.29 21.29 21.29 21.29 0.00	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI Lu	EATU OCAL	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		1 2	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPRM UEPAP UEPAP LEPAP	31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00	21.29 21.29 21.29 21.29 0.00	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86				
FI Lu	EATU OCAL	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch brange DNAL NRCs		1 2	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPRO UEPAP UEPAP UEPAP UEPAP UEVE	31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00	21.29 21.29 21.29 21.29 0.00	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI Lu	EATU OCAL	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		1 2	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPRO UEPAP UEPAP UEPAP UEPAP UEVE	31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI Lu	Wire Control of the C	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change ONAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		1 2	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP UEPAP UEPAP LINPCX USAC2 USACC	31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
2-	EATU OCAL ONRE	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch -as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop / Line Port Combination - Subsequent		1 2	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP UEPAP UEPAP LINPCX USAC2 USACC	31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
2-	EATU OCAL ONRE	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES 3-Wire voice unbundles res, low usage line port with Caller ID (LUM) CLURING RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1 2	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP UEPAP UEPAP LINPCX USAC2 USACC	31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
2-	EATU OCAL ONRE	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES AII Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change ONAL NRCs 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Int/Loop Combination Rates 2-Wire Vo Loop/Port Combo - Zone 1		1 2	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP UEPAP UEPAP LINPCX USAC2 USACC	31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
2-	EATU OCAL ONRE	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change ONAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1 2 3 3	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP UEPAP UEPAP LINPCX USAC2 USACC	31.74 9.64 14.37 30.59 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI LL A	EATU OCAL DDITI	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) virU Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2 3 3	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP UEPAP UEPAP LINPCX USAC2 USACC	31.74 9.64 14.37 30.59 1.15 1.15 1.15 0.00 0.35 0.00 10.79 15.52	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI Lu Al	EATU OCAL ONRE	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES 3-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES AUI Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		1 2 3 3	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP UEPAP UEPAP LINPCX USAC2 USACC	31.74 9.64 14.37 30.59 1.15 1.15 1.15 0.00 0.35 0.00 10.79 15.52	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI Lu Al	EATU OCAL ONRE	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID reis 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) **TULOOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **op Rates		1 2 3 3	UEPRX	UEPLX UEPRL UEPRC UEPRC UEPRO UEPRM UEPAP UEPAP LINPCX USAC2 USAC2 USAS2	31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00 0.35 0.00 10.79 15.52 31.74	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI Lu Al	EATU OCAL ONRE	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) NT/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 10-P Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		1 2 3	UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP UEPAP UEPAC USAC2 USAC2 USAC2 USAS2	31.74 9.64 14.37 30.59 1.15 1.15 1.15 0.00 0.35 0.00 10.79 15.52 31.74	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI Lu Lu Lu Lu Lu Lu Lu Lu Lu Lu Lu Lu Lu	Wire SEATULE OCAL DOINE DOINE PO	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Rentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES 3-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES 4-Wire Voice Unbundles res, low usage line port with Caller ID (LUM) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) vir/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1		1 2 3 3 1 1 2 2 3 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRM UEPAP UEPAP UEPAC UEPAC UEPAC USAC2 USAC2 USAC2 USAC2 USAC2	31.74 9.64 14.37 30.59 1.15 1.15 1.15 0.00 0.35 0.00 10.79 15.52 31.74 9.64 14.37	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				

Version 1Q02: 03/22/2002 PAGE 140 OF 352

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice Grade unbundled Kentucky extended local dialing															
	parity port with Caller ID - bus			UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.15	21.29	15.49	2.85	2.67		7.86				
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	TURES			LIEDDY	LIEDVE	0.00	0.00	0.00				7.00				
NONE	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				7.86			-	
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -				-											-
	Switch-as-is	l		UEPBX	USAC2		0.10	0.10				7.86			1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		OLI-DA	USAUZ		0.10	0.10			1	1.00			1	1
	Switch with change	l		UEPBX	USACC		0.10	0.10				7.86			1	
ADDI	TIONAL NRCs			521 D/	00,100		0.10	0.10	 			7.00		 	t	-
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2		0.00	0.00				7.86				
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -			LIEBBO	LIEDDD	4.45	04.00	45.40	0.05	0.07		7.00				
	Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67		7.86				
LOCA	AL NUMBER PORTABILITY			UEPRG	LNPCP	2.15	0.00	0.00				7.06				
EEAT	Local Number Portability (1 per port) URES			UEPRG	LNPCP	3.15	0.00	0.00				7.86			-	-
FLAI	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				7.86				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI NO	OLI VI	0.00	0.00	0.00				7.00				
110111	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91				7.86				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		8.45	1.91				7.86				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				7.86				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.86	7.86				7.86				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates	ļ		1					ļļ					ļ	ļ	
	2-Wire VG Loop/Port Combo - Zone 1	ļ	1			10.79										
	2-Wire VG Loop/Port Combo - Zone 2	!	2	_		15.52			 					ļ	-	
I INC.	2-Wire VG Loop/Port Combo - Zone 3	 	3	+	+ -	31.74			 					 	 	-
UNE	Loop Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEPPX	UEPLX	9.64								-		
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	14.37	+		 					1	 	-
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEPPX	UEPLX	30.59	ł		 					1	t	
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)	 	J	OLI-FA	ULFLA	30.39	ł		 					1	 	
2-4411	C TOIGG GRAGE LINE I OIT NAIGS (DOG - I DA)			<u> </u>	+ +		+		 					 	 	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	l		UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67		7.86			1	
 	Line Side Unbundled Outward PBX Trunk Port - Bus	1		UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67		7.86		1	1	
$\overline{}$	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67		7.86				
 	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67		7.86		İ	1	
 	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	21.29	15.49	2.85	2.67	1	7.86				1

Version 1Q02: 03/22/2002 PAGE 141 OF 352

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
	Calling Port without LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49	2.85 2.85	2.67 2.67		7.86				
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD			UEPPX	UEPXJ	1.15	24.20	15 40	2.85	2.67		7.86				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	-	 	UEFFA	UEFAJ	1.15	21.29	15.49	∠.ŏɔ	2.07		7.80		1		
	Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67		7.86		1		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		<u> </u>	OLI I X	OLI AL	1.13	21.23	13.43	2.00	2.07		7.00		 	1	
	Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67		7.86		1		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLITA	OLI XIVI	1.10	21.20	10.40	2.00	2.01		7.00				
	Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67		7.86				
LOC	AL NUMBER PORTABILITY						-									
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEA	TURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				7.86				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91				7.86				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91				7.86				
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				7.86				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						7.86	7.86				7.86				
2.WI	Group RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	OT.					7.00	7.00				7.00				
	Port/Loop Combination Rates	1														
OIVE	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.79			1							
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.52										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			31.74										
UNE	Loop Rates		Ŭ			0										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.59										
2-Wi	re Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without													_		
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			l	[[l]					1		
	900/976, 1+DDD (AL, KY, LA, MS)		<u> </u>	UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67		7.86		ļ		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEDOO	LIEDICA		04.00	45.40		0.6=		7.00		1		
	(KY)		<u> </u>	UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67		7.86		 	1	
	2-Wire Coin 2-Way with Operator Screening & Blocking:			LIEBCO	UEPCD	1.15	24.20	15 40	2 05	2.67		7.00		1		
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) 2-Wire Coin Outward without Blocking and without Operator	-	 	UEPCO	UEPUD	1.15	21.29	15.49	2.85	2.67		7.86		1		
	Screening (KY, LA, MS)			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67		7.86		1		
	2-Wire Coin Outward with Operator Screening and 011 Blocking	-	 	OLFOO	OLFRIN	1.13	21.29	15.49	2.00	2.07		1.00		1		
	(GA. KY. MS)			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin Outward with Operator Screening and Blocking:	1		02.100	OL: 10	1.13	21.23	13.43	2.03	2.01		7.00		 	1	
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67		7.86		1		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,		t			0	20					50		1		i
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67	I	7.86		Ì		I

Version 1Q02: 03/22/2002 PAGE 142 OF 352

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonred		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.91						7.86				
	2-Wire Coin Outward Smartline with 900/976 (all states except			LIEBOO	LIEDOD	0.04						7.00				
ADDI	LA) FIONAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	2.91						7.86				
ADDII	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	21.29	15.49	2.85	2.67						
LOCA	L NUMBER PORTABILITY			ULFCO	UKLCO	2.51	21.25	13.43	2.00	2.07						
LOCA	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	RECURRING CHARGES - CURRENTLY COMBINED			02. 00	LIVI OX	0.00										
1.0	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.10	0.10				7.86				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1		2.10	20				50		İ		
] [Switch with change	1		UEPCO	USACC		0.10	0.10				7.86				
ADDIT	TIONAL NRCs	1	1			1	-	-	1					1		
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0.00	0.00				7.86				
	INDLED REMOTE CALL FORWARDING - RES															
UNBU	INDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.49	3.74	3.63				7.86				
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE F	Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.30										
-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.08										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			41.85										
UNE L	_oop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.67						7.86				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.45						7.86				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	33.22						7.86				
UNE F	Port Rate		3	OLITA	OLODI	33.22						7.00				
OIL I	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31		7.86				
NONR	RECURRING CHARGES - CURRENTLY COMBINED			OLI I X	OLI DI	0.00	000.11	21.10	102.07	0.01		7.00				
110.111	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87				7.86				
ADDIT	TIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.25	32.25				7.86				
Telep	hone Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00				7.86				
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00				7.86				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00				7.86				
	Reserve Non-Consecutive DID numbers	<u> </u>		UEPPX	ND6	0.00	0.00	0.00				7.86				
<u> </u>	Reserve DID Numbers	ļ	<u> </u>	UEPPX	NDV	0.00	0.00	0.00				7.86			ļ	
LOCA	L NUMBER PORTABILITY	ļ	<u> </u>	LIEBBY	Lungs				ļ					ļ		
L	Local Number Portability (1 per port)	L OIS	 	UEPPX	LNPCP	3.15	0.00	0.00							ļ	
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT		+											1
UNE F	Port/Loop Combination Rates 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	LIEDDD LIEDD		05.00										
	UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2	UEPPB UEPPF UEPPB UEPPR		25.69 31.92										
	UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		3													
LINE !	UNE Zone 3	 	3	UEPPB UEPPR	+	50.21			 					-	1	
UNE L	2-Wire ISDN Digital Grade Loop - UNE Zone 1	 	1	UEPPB UEPPR	USL2X	16.10			 			7.86		-	 	1
 	2-11116 IODIN DIGITAL GIAGE LOOP - UNE ZUITE I	-		OLFFB UEPPR	UULZA	10.10			1			1.00		-	1	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	22.33						7.86				
 	2-Wire ISDN Digital Grade Loop - UNE Zone 2	 	3	UEPPB UEPPR		40.63			1			7.86			 	
UNF F	Port Rate	 	- 3	OLITO OLFFR	JULEA	40.03			1			1.00			 	
10.421	Exchange Port - 2-Wire ISDN Line Side Port	1	1	UEPPB UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56		7.86				
	RECURRING CHARGES - CURRENTLY COMBINED	 	 	3	+	0.00	320.00	200.10	020	50				 	1	1

Version 1Q02: 03/22/2002 PAGE 143 OF 352

ONBOND	LED NETWORK ELEMENTS - Kentucky													Attachment:		Exhibit: B	
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	· E	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
								Nonrec		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			LIEDDD	LIEDDD	110400	0.00	00.77	47.00				7.00				
400	Combination - Conversion DITIONAL NRCs			UEPPB	UEPPR	USACB	0.00	22.77	17.00				7.86				
	CAL NUMBER PORTABILITY			-													
LOC	Local Number Portability (1 per port)	_		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-C	CHANNEL USER PROFILE ACCESS:	_		OLFFB	ULFFR	LINEUX	0.33	0.00	0.00			1					
B-0	CVS/CSD (DMS/5ESS)		1	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00							1	
B-C	CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS	SC,MS, 8	k TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USE	ER TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	RTICAL FEATURES			1		<u> </u>						ļ			ļ	ļ	
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00			ļ			ļ	1	
INT	TEROFFICE CHANNEL MILEAGE		<u> </u>	1		ļ						ļ					
	Interoffice Channel mileage each, including first mile and				LIEBSS										1	1	
	facilities termination	-	╄		UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75	ļ	7.86		!	!	ļ
4 187	Interoffice Channel mileage each, additional mile VIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUIT	IV BORT	+	UEPPB	UEPPR	M1GNM	0.01	0.00	0.00			 	7.86		 	 	1
	E Port/Loop Combination Rates	IK PURT	1	1		-											
UNE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			1								1			-	-	
	Zone 1		1	UEPPP			170.06										
—	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		+ '	UEFFF			170.06										
	Zone 2		2	UEPPP			197.70										
-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		+-	OL: II			107.70										
	Zone 3		3	UEPPP			381.35										
UNE	E Loop Rates		<u> </u>													1	
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	86.47						7.86				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	114.10						7.86				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	297.76						7.86				
UNE	E Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	83.59	736.16	382.74	159.48	48.82		7.86				
ИОИ	NRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is		1	UEPPP		USACP	0.00	81.70	1.37			ļ	7.86		1		ļ
ADE	DITIONAL NRCs			ļ		1						ļ			ļ	1	
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		1												I	I	
	Inward/two way tel nos within Std Allowance (except NC)	-	1	UEPPP		PR7TF		0.54				ļ	7.86		-	-	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		1	UEPPP		DD7TO		40.74	40.74				7.00		I	I	
	Outward Tel Numbers (All States except NC)	-	╄	UEPPP		PR7TO		12.71	12.71	1		ļ	7.86		!	!	1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance		1	UEPPP		PR7ZT		25.41	25.41				7.86		I		
1.00	CAL NUMBER PORTABILITY	+	+	UEPPP		rk/ZI		∠5.41	∠5.41				7.86		+	+	
100	Local Number Portability (1 per port)	+	+	UEPPP		LNPCN	1.75			1		1			 	 	
INT	FERFACE (Provsioning Only)	+	+-	OLITE		LIVI OIV	1.75			1		 			 	t	1
	Voice/Data	+	1	UEPPP		PR71V	0.00	0.00	0.00	1					I	I	1
	Digital Data		t	UEPPP		PR71D	0.00	0.00	0.00						1	1	
	Inward Data	1	1	UEPPP		PR71E	0.00	0.00	0.00						1	1	
New	w or Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	15.48					7.86				
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	15.48					7.86				
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	15.48					7.86				
CAL	LL TYPES																
	Inward			UEPPP		PR7C1	0.00	0.00	0.00								
	Outward			UEPPP		PR7C0	0.00	0.00	0.00								
, —	Two-way	\perp	\perp	UEPPP		PR7CC	0.00	0.00	0.00								

Version 1Q02: 03/22/2002 PAGE 144 OF 352

ONBONDLE	ED NETWORK ELEMENTS - Kentucky												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrec		Nonrecurring					Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Intero	office Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49		7.86				
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.23										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE F	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		147.99										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		175.62										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		359.28										
UNE	Loop Rates			LIEDDO	1101.00	00.47						7.00				
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	86.47						7.86				
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	 	2	UEPDC UEPDC	USLDC USLDC	114.10 297.76			 			7.86 7.86		-		
IINE F	Port Rate	-	3	UEPDC	USLDC	291.76						7.86			 	
UNE	4-Wire DDITS Digital Trunk Port	 	-	UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98		7.86		-		
NOND	RECURRING CHARGES - CURRENTLY COMBINED	-	-	OLPDO	ווטטט	01.02	700.01	313.52	176.19	10.98		7.00		-	-	
NONK	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	-			+	+			-						-	
	- Switch-as-is			UEPDC	USAC4		92.84	46.70				7.86				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	-		OLFDC	03AC4	+	32.04	40.70	-			7.00			-	
	- Conversion with DS1 Changes			UEPDC	USAWA		92.84	46.70				7.86				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLI DO	OOAWA		32.04	40.70				7.00				
	- Conversion with Change - Trunk			UEPDC	USAWB		92.84	46.70				7.86				
ADDI	TIONAL NRCs			OLFDC	USAVID	1	32.04	40.70				7.00				+
ADDII	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															-
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	OBTIN		10.00	10.00				7.00				+
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			OLI DO	OBTIB		10.00	10.00				7.00				1
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan						10.00									
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.09	15.09				7.86				
BIPOL	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	730.00				7.86				
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	730.00				7.86				1
Altern	nate Mark Inversion															1
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00				7.86				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00		0.00				7.86	<u> </u>			
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	0.00	0.00				7.86				
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00				7.86				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00				7.86				
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				7.86				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				7.86				
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS	Trunk Port	ļ									1	ļ
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	l					40= ==								1	
	Termination)	 	<u> </u>	UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49		7.86				<u> </u>
1	Literatura Oliveral Millione Al III de la Companya	1	1	LIEDDO	1413104	0.00	0.00	0.00							I	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	 	<u> </u>	UEPDC	1LNOA	0.23	0.00	0.00							!	
1	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	1	1	LIEDDO	41 NO2	0.00	0.00	0.00							I	
	Termination)	 	<u> </u>	UEPDC	1LNO2	0.00	0.00	0.00							!	
1	Interoffice Channel Mileage - Additional rate per mile - 9-25	l		LIEDDO	41 NOS	2.45	0.00	0.00							1	
	miles	 	 	UEPDC	1LNOB	0.45	0.00	0.00						-	 	
1	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	l		LIEDDC	1LNO3	0.00	0.00	0.00	0.00						1	
	Termination)	1	<u> </u>	UEPDC	ILINU3	0.00	0.00	0.00	0.00					-	 	

Version 1Q02: 03/22/2002 PAGE 145 OF 352

<u>UNBUND</u> LI	ED NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrec		Nonrecurring	Disconnect			000	Rates(\$)		
					_	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability, per DS0 Activated		1	UEPDC	LNPCP	3.15	0.00	0.00	0.00	Auu i	JOIVILO	JOWAN	JOWAN	JOWAN	SOWAN	JOWIAN
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00							
4-WIR	RE DS1 LOOP WITH CHANNELIZATION WITH PORT			02. 50	0.0	0.00										
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations	s													
	System can have up to 24 combinations of rates depending on			nber of ports used												
	DS1 Loop	1														
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	86.47	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	114.10	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	297.76	0.00	0.00								
UNE I	DSO Channelization Capacities (D4 Channel Bank Configuratio	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	111.16	0.00	0.00				7.86				
	48 DSO Channel Capacity - 1 per 2 DS1s	1		UEPMG	VUM48	222.32	0.00	0.00				7.86		1	1	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	444.64	0.00	0.00	ļ			7.86		ļ	1	
	144 DS0 Channel Capacity - 1 per 6 DS1s	1		UEPMG	VUM14	666.96	0.00	0.00			ļ	7.86				
	192 DS0 Channel Capacity -1 per 8 DS1s	1	-	UEPMG	VUM19	889.28	0.00	0.00			1	7.86		!	!	
-	240 DS0 Channel Capacity - 1 per 10 DS1s	1	-	UEPMG UEPMG	VUM20 VUM28	1,111.60	0.00	0.00			1	7.86		1	1	
	288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s		1	UEPMG	VUM28 VUM38	1,333.92 1,778.56	0.00	0.00				7.86 7.86				
	480 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM40	2,223.20	0.00	0.00				7.86				
-	576 DS0 Channel Capacity - 1 per 24 DS1s	1	1	UEPMG	VUM57	2,667.84	0.00	0.00				7.86				
-+-	672 DS0 Channel Capacity - 1 per 24 DS1s			UEPMG	VUM67	3.112.48	0.00	0.00				7.86				
Non-F	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chani	neliztic					0.00				7.00				
	nimum System configuration is One (1) DS1, One (1) D4 Channe						stem									
	ples of this configuration functioning as one are considered A															
inaiti	NRC - Conversion (Currently Combined) with or without	T are	1	Inniniani System co	Iniguration is	counted.										
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24				7.86				
Syste	em Additions at End User Locations Where 4-Wire DS1 Loop wi	th Char	neliza									7.00				
	(Not Currently Combined) In GA, KY, LA, MS & TN Only	1	1			,										
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77		7.86				
Bipol	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	730.00				7.86				
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	730.00				7.86				
Alterr	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port		1				ļ ļ					ļ	1	<u> </u>
Excha	ange Ports		1		1									1	.	
					luspov.	[1	1	
	Line Side Combination Channelized PBX Trunk Port - Business	1	1	UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00		7.86		-	-	
	Line Side Outward Channelized PBX Trunk Port - Business	1	<u> </u>	UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00		7.86		-	-	
	Live Oille Level Oille Ober veller LDDV To al Signification			LIEDDY	LIEDAY	ا ــ ا	0.00	0.00	0.00	0.00		7.00		1	1	
	Line Side Inward Only Channelized PBX Trunk Port without DID	1	-	UEPPX UEPPX	UEP1X UEPDM	1.15	0.00	0.00	0.00	0.00	1	7.86		1	1	!
Foot	2-Wire Trunk Side Unbundled Channelized DID Trunk Porture Activations - Unbundled Loop Concentration	1	1	UEPPA	UEPUN	8.65	0.00	0.00	0.00	0.00	-	7.86				1
reatu		1	1	-	+				 		-					
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15		7.86		1	I	
-	Feature (Service) Activation for each Trunk Side Port Terminated	1	1	OLITA	11 (24 4 4 1 1 1	0.02	23.40	13.41	4.17	4.15	1	1.00		t	t	1
	in D4 Bank	1		UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54		7.86		1	I	
Telen	hone Number/ Group Establishment Charges for DID Service	1	1	JEI I A	11 9770	0.02	70.13	13.00	55.05	11.54	1	7.00		I	I	1
гстер	DID Trunk Termination (1 per Port)	1	1	UEPPX	NDT	0.00	0.00	0.00			†	7.86		-	-	1
-	DID Numbers - groups of 20 - Valid all States	1	1	UEPPX	ND4	0.00	0.00	0.00	 		1	7.86		I	I	1
	Non-Consecutive DID Numbers - per number		1	UEPPX	ND5	0.00	0.00	0.00	1		†	7.86		<u> </u>	<u> </u>	1
+	Reserve Non-Consecutive DID Numbers	1	1	UEPPX	ND6	0.00	0.00	0.00	 		1	7.86		I	I	1
	Reserve DID Numbers	1		UEPPX	NDV	0.00	0.00	0.00	1		1	7.86		t	†	
			1	1		5.00	5.50	5.00				7.50				
l ocal	Number Portability					l	I		1							1

Version 1Q02: 03/22/2002 PAGE 146 OF 352

	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
	•										Svc Order	Svc Order		Incremental	Incremental	Increment
											1	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually		Manual Svc		
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			1	,				
TEGORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'l	Disc 1st	Disc Add
							Nonred		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEATU	RES - Vertical and Optional															
Local S	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
	Rates shall apply where BellSouth is not required to provide	unhung	dlad la				ate Commissio									
	scenarios include:	unbun	T I	Lar switching or swi	ton ports per	1 CC and/or ot	ate Commission	iii iules.			-					
				. Florida en d'Alondo	0											
	oundled port/loop combinations that are Not Currently Combin								L	L	<u></u>					
	oundled port/loop combinations that are Currently Combined of															
	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda															
BellSou	uth currently is developing the billing capability to mechanica	ally bill	the rec	urring and non-recu	rring Market	Rates in this se	ection except f	or nonrecurring	ng charges for	not currently of	combined in	AL, FL and	I NC. In the ir	nterim where	BellSouth car	nnot bill
Market	Rates, BellSouth shall bill the rates in the Cost-Based section	n preced	ding in	lieu of the Market R	ates and res	erves the right t	to true-up the	billing differen	ice.							
The Ma	arket Rate for unbundled ports includes all available features i	in all st	ates.													
	fice and Tandem Switching Usage and Common Transport Us			he Port section of th	is rate exhib	it shall annly to	all combination	ons of loop/no	rt network ele	ments except	for LINE Coi	n Port/Loor	Combination	s which have	a flat rate us	ane char
	: URECU).	sage rai	.63 111 11	ne i oit section oi tii	is rate exilib	it siiaii appiy to	an combinati	on outpro	it lietwork ele	ileilis except	101 014E 001	0.0.000	Combination	13 WIIICII IIAV	a nat rate us	age criar
		o None		a oborgoo !!-/- !	in the First	nd Addistanci b	IDC agl	or oaak De' '	1000 F 0	rontly Camb'	ad aac::-::':	o the New	acception at the con-	noo ora liete i	in the NDC	Current
	t Currently Combined scenarios where Market Rates apply, the				iii the First a	iiiu Adaltional M	NRC COIUMNS 1	or each Port L	300. For Cur	rentiy Combin	eu scenario	s, the Nonre	curring charg	yes are listed	in the NKC -	currently
	ned section. Additional NRCs may apply also and are categor															
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
A Minir	mum System configuration is One (1) DS1, One (1) D4 Channel	l Bank,	and U	D To 24 DSO Ports w	ith Feature A	Activations.										
Multiple	es of this configuration functioning as one are considered Ad	dd'I afte	er the m	ninimum system con	figuration is	counted.										
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		T		1											
	Based Rates are applied where BellSouth is required by FCC		State (Commission rule to	provide Unb	undled Local S	witching or Su	itch Borte								
	ures shall apply to the Unbundled Port/Loop Combination - C								llad Daw aast	an af this Date	Full-ileia					
												<u> </u>				
3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates ir	the Port Section of	this rate exi	пын эпан арргу	to all combina	ations of loop/	port network e	iements excep	I TOT UNE C	OIII POII/LO	op Combinati	10115.		
For Ge	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re	ecurring	g UNE	Port and Loop charg	jes listed apj	oly to Currently	Combined an	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ge	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re	ecurring	g UNE	Port and Loop charg	jes listed apj	oly to Currently	Combined an	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ge Combin	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no	ecurring onrecur	g UNE ring ch	Port and Loop charg arges are commission	jes listed app on ordered c	oly to Currently ost based rates	Combined an and in AL, FL	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ge- Combin Combin	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shal	ecurring onrecur II be the	g UNE ring ch ose ide	Port and Loop charg arges are commission entified in the Nonrec	jes listed app on ordered c curring - Cur	oly to Currently ost based rates rently Combine	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ge- Combin Combin 5. Mari	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shal ket Rates for Unbundled Centrex Port/Loop Combination will	ecurring onrecur II be the be neg	g UNE ring ch ose ide	Port and Loop charg arges are commission entified in the Nonrec	jes listed app on ordered c curring - Cur	oly to Currently ost based rates rently Combine	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ge- Combin Combin 5. Mari UNE-P	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shal ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	ecurring onrecur II be the be neg	g UNE ring ch ose ide	Port and Loop charg arges are commission entified in the Nonrec	jes listed app on ordered c curring - Cur	oly to Currently ost based rates rently Combine	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ge- Combin Combin 5. Marl UNE-P 2-Wire	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ed Combos in all other states, the nonrecurring charges shal ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ecurring onrecur II be the be neg	g UNE ring ch ose ide	Port and Loop charg arges are commission entified in the Nonrec	jes listed app on ordered c curring - Cur	oly to Currently ost based rates rently Combine	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ge Combin Combin 5. Mari UNE-P 2-Wire	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shal ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)	ecurring onrecur II be the be neg	g UNE ring ch ose ide	Port and Loop charg arges are commission entified in the Nonrec	jes listed app on ordered c curring - Cur	oly to Currently ost based rates rently Combine	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ge Combin Combin 5. Marl UNE-P 2-Wire	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ed Combos in all other states, the nonrecurring charges shal ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ecurring onrecur II be the be neg	g UNE ring ch ose ide	Port and Loop charg arges are commission entified in the Nonrec	jes listed app on ordered c curring - Cur	oly to Currently ost based rates rently Combine	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ge Combin Combin 5. Mari UNE-P 2-Wire	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shal ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)	ecurring onrecur II be the be neg	g UNE ring ch ose ide	Port and Loop charg arges are commission entified in the Nonrec	jes listed app on ordered c curring - Cur	oly to Currently ost based rates rently Combine	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ge- Combin Combin 5. Marl UNE-P 2-Wire	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re need Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shal ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	ecurring onrecur II be the be neg	g UNE ring ch ose ide otiated	Port and Loop charg arges are commission intified in the Nonrec on an Individual Ca	jes listed app on ordered c curring - Cur	oly to Currently ost based rates rently Combine til further notice	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ge Combin Combin 5. Marl UNE-P 2-Wire	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shal ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	ecurring onrecur II be the be neg	g UNE ring ch ose ide otiated	Port and Loop charg arges are commissi- intified in the Nonrec on an Individual Ca	jes listed app on ordered c curring - Cur	ply to Currently ost based rates rently Combine till further notice	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ger Combin Combin 5. Marl UNE-P 2-Wire UNE Po	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re- ned Combos for all states. In GA, KY, LA, MS and TN these no- ned Combos in all other states, the nonrecurring charges shal- ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design	ecurring onrecur II be the be neg	g UNE ring ch ose ide otiated	Port and Loop charg arges are commission intified in the Nonrec on an Individual Ca	jes listed app on ordered c curring - Cur	oly to Currently ost based rates rently Combine til further notice	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ger Combin Combin 5. Marl UNE-P 2-Wire UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re- nead Combos for all states. In GA, KY, LA, MS and TN these no- ned Combos in all other states, the nonrecurring charges shal- ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	ecurring onrecur II be the be neg	g UNE ring ch ose ide otiated	Port and Loop chargarges are commission in the Nonrecon an Individual Ca UEP91 UEP91	jes listed app on ordered c curring - Cur	oly to Currently ost based rates rently Combine til further notice 10.79 15.52	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ger Combin Combin 5. Mari UNE-P 2-Wire UNE Po	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	ecurring onrecur II be the be neg	g UNE ring ch ose ide otiated	Port and Loop charg arges are commissi- intified in the Nonrec on an Individual Ca	jes listed app on ordered c curring - Cur	ply to Currently ost based rates rently Combine till further notice	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ger Combin Combin 5. Mari UNE-P 2-Wire UNE Po	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re- ned Combos for all states. In GA, KY, LA, MS and TN these no- ned Combos in all other states, the nonrecurring charges shal- ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design Centre Voice Voice Grade Port (Centrex)Port Combo- Non-Design Centre Voice Voice Grade Port (Centrex)Port Combo- Non-Design Centre Voice Voice Voice Grade Port (Centrex)Port Combo- Non-Design Centre Voice Voice Voice Grade Port (Centrex)Port Combo- Non-Design Centre Voice Voice Voice Grade Port (Centrex)Port Combo- Non-Design Centre Voice Vo	ecurring onrecur II be the be neg	g UNE ring ch ose ide otiated	Port and Loop chargarges are commission in the Nonrecon an Individual Ca UEP91 UEP91	jes listed app on ordered c curring - Cur	oly to Currently ost based rates rently Combine til further notice 10.79 15.52	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ger Combin Combin 5. Mari UNE-P 2-Wire UNE Po	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	ecurring onrecur II be the be neg	g UNE ring ch ose ide otiated	Port and Loop chargarges are commission in the Nonreconnection an Individual Ca UEP91 UEP91 UEP91	jes listed app on ordered c curring - Cur	oly to Currently ost based rates rently Combine til further notice 10.79 15.52	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ger Combin Combin 5. Mari UNE-P 2-Wire UNE Po	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re- ned Combos for all states. In GA, KY, LA, MS and TN these no- ned Combos in all other states, the nonrecurring charges shal- ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design Centre Voice Voice Grade Port (Centrex)Port Combo- Non-Design Centre Voice Voice Grade Port (Centrex)Port Combo- Non-Design Centre Voice Voice Voice Grade Port (Centrex)Port Combo- Non-Design Centre Voice Voice Voice Grade Port (Centrex)Port Combo- Non-Design Centre Voice Voice Voice Grade Port (Centrex)Port Combo- Non-Design Centre Voice Vo	ecurring onrecur II be the be neg	g UNE ring ch ose ide otiated	Port and Loop chargarges are commission in the Nonrecon an Individual Ca UEP91 UEP91	jes listed app on ordered c curring - Cur	oly to Currently ost based rates rently Combine til further notice 10.79 15.52	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ger Combin Combin 5. Mari UNE-P 2-Wire UNE Po	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shal ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Tort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	ecurring onrecur II be the be neg	g UNE ring ch ose ide otiated	Port and Loop chargarges are commission in the Nonreconnection an Individual Ca UEP91 UEP91 UEP91	jes listed app on ordered c curring - Cur	poly to Currently ost based rates rently Combine til further notice 10.79 15.52 31.74	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Ger Combin Combin 5. Mari UNE-P 2-Wire UNE Po	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	ecurring onrecur II be the be neg	g UNE ring chose ideotiated	Port and Loop chargards are commission and in the Nonrecon an Individual Ca UEP91 UEP91 UEP91	jes listed app on ordered c curring - Cur	10.79 15.52 13.82	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Get Combin 5. Mari UNE-P 2-Wire UNE Pc	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re med Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shal ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	ecurring onrecur II be the be neg	g UNE ring ch ose ide otiated	Port and Loop chargarges are commission in the Nonreconnection an Individual Ca UEP91 UEP91 UEP91	jes listed app on ordered c curring - Cur	poly to Currently ost based rates rently Combine til further notice 10.79 15.52 31.74	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Get Combin 5. Mari UNE-P 2-Wire UNE Pc	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the remed Combos for all states. In GA, KY, LA, MS and TN these noned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	ecurring onrecur II be the be neg	g UNE ring choose ide otiated	Port and Loop chargarges are commission in the Nonreconnection an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91	jes listed app on ordered c curring - Cur	10.79 15.52 31.74 13.82	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Gec Combin Combin 5. Mari UNE-P 2-Wire UNE Pc	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	ecurring onrecur II be the be neg	g UNE ring chose ideotiated	Port and Loop chargards are commission and in the Nonrecon an Individual Ca UEP91 UEP91 UEP91	jes listed app on ordered c curring - Cur	10.79 15.52 13.82	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Gecombin Combin 5. Mari UNE-PC UNE PC	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 1	ecurring onrecur II be the be neg	g UNE ring choose ide otiated	Port and Loop charga artification the Nonrec on an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91	jes listed apjon ordered courring - Curse Basis, un	10.79 15.52 31.74 13.82	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Gec Combin Combin 5. Mari UNE-P 2-Wire UNE Pc	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	ecurring onrecur II be the be neg	g UNE ring choose ide otiated	Port and Loop chargarges are commission in the Nonreconnection an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91	jes listed app on ordered c curring - Cur	10.79 15.52 31.74 13.82	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Gec Combin Combin 5. Mari UNE-P 2-Wire UNE Pc	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shal ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	ecurring onrecur II be the be neg	g UNE ring chose ideotiated	Port and Loop chargarges are commission in the Nonrector on an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	ues listed appon ordered courring - Curring -	10.79 15.52 31.74 13.82 18.60 34.37	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	additional P	ort nonrecurr	ing charges a		
For Gec Combin Combin 5. Mari UNE-P 2-Wire UNE Pc	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	ecurring onrecur II be the be neg	g UNE ring choose ideo otiated	Port and Loop charganissis and commission and Individual Ca UEP91	UECS1	10.79 15.52 18.60 34.37 9.64 14.37	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	7.86	ort nonrecurr	ing charges a		
For Gec Combin Combin 5. Mari UNE-P 2-Wire UNE Pc	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re med Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	ecurring onrecur II be the be neg	g UNE ring choose ide cotiated 1 1 2 3 3 1 1 2 3 3 3 3 3 3 3 5 5 5 6 5 6 6 6 6 6 6 6 6	Port and Loop chargards are commission in the Nonrecon an Individual Ca UEP91	ues listed appon ordered courring - Curse Basis, un	10.79 15.52 13.82 18.60 34.37 9.64 14.37 30.59	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	7.86 7.86	ort nonrecurr	ing charges a		
For Gec Combin Combin 5. Mari UNE-P 2-Wire UNE Pc	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re- med Combos for all states. In GA, KY, LA, MS and TN these no- ned Combos in all other states, the nonrecurring charges shal- ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	ecurring onrecur II be the be neg	g UNE ring characteristics of the control of the co	Port and Loop chargarges are commission in the Nonrecon an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		
For Gec Combin Combin 5. Mari UNE-P 2-Wire UNE Pc	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Vioce Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1	ecurring onrecur II be the be neg	g UNE ring of the control of the con	Port and Loop chargarges are commissionitified in the Nonrecon an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2	10.79 15.52 18.60 34.37 9.64 14.37 30.59 12.67 17.45	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		
For Gec Combin Combin 5. Mari UNE-P 2-Wire UNE Pc	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re- med Combos for all states. In GA, KY, LA, MS and TN these no- ned Combos in all other states, the nonrecurring charges shal- ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	ecurring onrecur II be the be neg	g UNE ring characteristics of the control of the co	Port and Loop chargarges are commission in the Nonrecon an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		
For Gec Combin Combin 5. Mari UNE-P 2-Wire UNE Pc	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	ecurring onrecur II be the be neg	g UNE ring of the control of the con	Port and Loop chargarges are commissionitified in the Nonrecon an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2	10.79 15.52 18.60 34.37 9.64 14.37 30.59 12.67 17.45	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		
For Gec Combin 5. Mari UNE-P 2-Wire UNE Pc	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	ecurring onrecur II be the be neg	g UNE ring of the control of the con	Port and Loop chargarges are commissionitified in the Nonrecon an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2	10.79 15.52 18.60 34.37 9.64 14.37 30.59 12.67 17.45	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		
For Gec Combin 5. Mari UNE-P 2-Wire UNE Pc	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 1	ecurring onrecur II be the be neg	g UNE ring of the control of the con	Port and Loop chargarges are commissionitified in the Nonrecon an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2	10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45 33.22	Combined an and in AL, FL d sections.	d Not Currently, NC and SC th	y Combined Ciese nonrecuri	ombos. The thring charges at	ne first and a	7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		
For Get Combin 5. Mari UNE-P UNE Po	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3	ecurring onrecur II be the be neg	g UNE ring of the control of the con	Port and Loop chargarges are commissionitified in the Nonrecon an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2	10.79 15.52 18.60 34.37 9.64 14.37 30.59 12.67 17.45	Combined and and in AL, FL descriptions.	d Not Currently	y Combined C	ombos. The th	ne first and a	7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		
For Get Combin 5. Mari UNE-P UNE Po	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3	ecurring onrecur II be the be neg	g UNE ring of the control of the con	Port and Loop charganges are commission in the Nonrecon an Individual Ca UEP91	UECS1 UECS2 UECS2 UEPYA	10.79 15.52 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45	Combined an and in AL, FL d d sections. e.	d Not Currently, NC and SC th	y Combined Cuese nonrecuri	ombos. The thring charges and the charges are charges and the charges are char	ne first and a	7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		
For Get Combin 5. Mari UNE-P 2-Wire UNE Po	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re- med Combos for all states. In GA, KY, LA, MS and TN these no- ned Combos in all other states, the nonrecurring charges shal ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 orts tes (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area	ecurring onrecur II be the be neg	g UNE ring of the control of the con	Port and Loop chargarges are commissionitified in the Nonrecon an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2	10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45 33.22	Combined an and in AL, FL d sections.	d Not Currently, NC and SC th	y Combined Ciese nonrecuri	ombos. The thring charges at	ne first and a	7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		
For Gec Combin 5. Mari UNE-P 2-Wire UNE Po	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3	ecurring onrecur II be the be neg	g UNE ring of the control of the con	Port and Loop charganges are commission in the Nonrecon an Individual Ca UEP91	UECS1 UECS2 UECS2 UEPYA	10.79 15.52 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45	Combined an and in AL, FL d d sections. e.	d Not Currently, NC and SC th	y Combined Cuese nonrecuri	ombos. The thring charges and the charges are charges and the charges are char	ne first and a	7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		
For Ge- Combin Combin 5. Mari UNE-P 2-Wire UNE Pc UNE Pc UNE Pc UNE Lc	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re- med Combos for all states. In GA, KY, LA, MS and TN these no- ned Combos in all other states, the nonrecurring charges shal ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 orts tes (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area	ecurring onrecur II be the be neg	g UNE ring of the control of the con	Port and Loop charganges are commission in the Nonrecon an Individual Ca UEP91	UECS1 UECS2 UECS2 UEPYA	10.79 15.52 18.60 34.37 9.64 14.37 30.59 12.67 17.45 33.22	Combined an and in AL, FL d sections. e. 21.29	d Not Currently, NC and SC th	y Combined Cuese nonrecuri	combos. The thring charges and the charges are charges and the charges are cha	ne first and a	7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		
For Gec Combin 5. Mari UNE-P 2-Wire UNE Pc	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shalket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area	ecurring onrecur II be the be neg	g UNE ring of the control of the con	Port and Loop charganges are commission and in the Nonrector on an Individual Ca UEP91	UECS1 UECS1 UECS2 UECS2 UEPYA	10.79 15.52 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45	Combined an and in AL, FL d d sections. e.	15.49	y Combined Cuese nonrecuri	ombos. The thring charges and the charges are charges and the charges are char	ne first and a	7.86 7.86 7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		

Version 1Q02: 03/22/2002 PAGE 147 OF 352

	D NETWORK ELEMENTS - Kentucky			1							T -		Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
					+	1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		<u> </u>
-+					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service					Nec	FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	SOWAN	JOWAN
	Term - Basic Local Area			UEP91	UEPYZ	1.15	21,29	15.49	2.85	2.67		7.86				
-+-	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLF91	OLFIZ	1.13	21.29	13.49	2.00	2.07		7.00				+
	- Basic Local Area			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 31	OLI 13	1.10	21.23	10.40	2.00	2.07		7.00				
	Basic Local Area			UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
ΔIK	Y, LA, MS, & TN Only			OLI 01	OLI 12	1.10	21.20	10.40	2.00	2.07		7.86				+
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				+
-+	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				+
-+	2-Wire Voice Grade Port (Centrex etc termination)			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				+
-+-	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 01	OLI QII	1.10	21.20	10.40	2.00	2.07		7.00				+
I	Center)2			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				1
-+-	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				J	0	220	.0.40	2.00	2.07		50				
1	Term	1	1	UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67	1	7.86				1
-	-		 	 	~-	5	220	.0.70		2.57				1		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67	1	7.86				1
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8873						7.86				
Local	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu						0.00										1
	All Standard Features Offered, per port			UEP91	UEPVF	0.00						7.86				
-	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.66					7.86				1
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						7.86				1
NARS						0.00						1.00				1
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				7.86				1
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				7.86				1
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				7.86				1
Misce	Ilaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30		7.86				
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	29.11						7.86				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.01						7.86				
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	е														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				450											1
	Slot		<u> </u>	UEP91	1PQWQ	0.62						7.86			ļ	
	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP91	1PQWA	0.62						7.86			ļ	
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>												ļ	
	Conversion - Currently Combined Switch-As-Is with allowed	1	1	LIEDOA	110400		0.400	0.400			1	7.00				1
$\!\!\!+\!\!\!-$	changes, per port		<u> </u>	UEP91	USAC2		0.102	0.102				7.86				+
	Conversion of Existing Centrex Common Block		<u> </u>	UEP91	USACN	0.00	18.95	8.32	444.0=	40.00		7.00			ļ	
	New Centrex Standard Common Block		 	UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86			ļ.	
	New Centrex Customized Common Block		<u> </u>	UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86		1		+
]	Secondary Block, per Block		 	UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27		7.86			ļ.	
	NAR Establishment Charge, Per Occasion		I	UEP91	URECA	0.00	72.75				l	7.86				1
	P CENTREX - 5ESS (Valid in All States)															

Version 1Q02: 03/22/2002 PAGE 148 OF 352

NRANDI	LED NETWORK ELEMENTS - Kentucky			•									Attachment:		Exhibit: B	1
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Increments Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design		1	UEP95		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		l _													
	Non-Design		2	UEP95		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOE		04.74										
LINIE	Non-Design		3	UEP95		31.74										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		1	UEP95		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP95	+	13.02										
	Design	1	2	UEP95		18.60									1	
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	.		OL1 33	+ -	10.00			 						t	
	Design	1	3	UEP95		34.37									I	
UNF	Loop Rate	1	_	02.00	+	54.57			 						-	
0.11	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.64						7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.37						7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	30.59						7.86				1
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.67						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.45						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.22						7.86				
UNF	E Port Rate		Ť	02. 00	02002	00:22						7.00				
	States															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	t														
	- Basic Local Area			UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
AL,	KY, LA, MS, SC, & TN Only	ļ		ļ											1	
	2-Wire Voice Grade Port (Centrex)	<u> </u>		UEP95	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)	ļ		UEP95	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86			ļ	
	2-Wire Voice Grade Port (Centrex with Caller ID)1	 	<u> </u>	UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1												I	
	Center)2	 	<u> </u>	UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86			-	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		LIEBOE	LIEBO7		04.65	45.00	0.00	0.00		7.00			1	
	Term	-		UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86			-	
	O Miles Vision Conde Book town in the Line & March 1911	.1	1	LIEBOE	LIEDOS		04.00	45.40	0.0-	0.6=		7.00			I	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	-	UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86			 	-
1	2-Wire Voice Grade Port Terminated on 800 Service Term	1	-	UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86			 	-
LOC	al Switching Centrex Intercom Funtionality, per port	 	1	UEP95	URECS	0.8873			 			7.86			 	
1.00	al Number Portability	+	-	OFL,89	UNEUS	0.0073			 			1.00			-	
LOCA	Local Number Portability (1 per port)	1	1	UEP95	LNPCC	0.35			 		1				1	-
Foot	tures	1	 	051.30	LINFOU	0.35			 						 	
ı eat	All Standard Features Offered, per port	 	1	UEP95	UEPVF	0.00	-		 			7.86			-	
	All Select Features Offered, per port	1	 	UEP95	UEPVS	0.00	405.66		 			7.86			 	-
	All Centrex Control Features Offered, per port	1		UEP95	UEPVC	0.00	→05.00		 			7.86			t	
NAR		1			52. 70	0.00						7.00			I	
11701	Unbundled Network Access Register - Combination	1		UEP95	UARCX	0.00	0.00	0.00				7.86			<u> </u>	
-+	Unbundled Network Access Register - Indial	1		UEP95	UAR1X	0.00	0.00	0.00				7.86			t	
		+	+	UEP95	UAROX	0.00	0.00	0.00	1		-	7.86			 	
	Unbundled Network Access Register - Outdial				UARUX	()()()	()()()	()()()								

Version 1Q02: 03/22/2002 PAGE 149 OF 352

INBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.09					7.86				
Intero	ffice Channel Mileage - 2-Wire		<u> </u>			00.11						= 00				
	Interoffice Channel Facilities Termination			UEP95	MIGBC	29.11						7.86				
F4	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.01						7.86				
	re Activations (DS0) Centrex Loops on Channelized DS1 Servic annel Bank Feature Activations	e										7.86				
D4 Cn	Feature Activation on D-4 Channel Bank Centrex Loop Slot			LIEDOE	1PQWS	0.00										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	IPQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62						7.86				
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.102	0.102				7.86				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32				7.86				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.75					7.86				
	CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>		-											
UNE F	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		31.74										
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		34.37										
UNE L	oop Rate				1											
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.64			1			7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.37			1			7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.59						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.67						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.45				· · · · · · · · · · · · · · · · · · ·		7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.22		-		-		7.86				
	Port Rate															
ALL S	TATES			·												
	2-Wire Voice Grade Port (Centrex) Basic Local Area	ļ		UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86			ļ	L
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67		7.86				

Version 1Q02: 03/22/2002 PAGE 150 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonred		Nonrecurring					Rates(\$)		
	O.W Maior Overlands (Overland / EDO MESSO) OD - distance					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			OLF3D	OLFID	1.13	21.25	13.45	2.03	2.07		7.00				+
	Area			UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67		7.86				+
	Area			UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			OLI SB	OLI 10	1.10	21.20	10.40	2.00	2.07		7.00				
	Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			LIEDOD	LIED)(O	4.45	04.00	45.40	0.05	0.07		7.00				
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67		7.86				+
	Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															1
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI SB	OLI 10	1.10	21.20	10.40	2.00	2.07		7.00				
	2 Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	LIEDVO	4.45	24.20	45.40	2.05	0.07		7.00				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67		7.86				+
	Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
	Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			02.03	02	0	21.20	10.10	2.00	2.0.		7.00				1
	Basic Local Area			UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEP14	1.15	21.29	15.49	2.00	2.07		7.00				
	Basic Local Area			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67		7.86				-
	Basic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			OLI 3D	OLI 19	1.10	21.23	15.49	2.00	2.07		7.00				
	Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
AL, K	Y, LA, MS, SC, & TN Only			LIEBAR			21.22	1= 10	0.05			7.86				
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)		 	UEP9D UEP9D	UEPQA UEPQB	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				+
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67		7.86				†
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67	1	7.86				1
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3		1	UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3		-	UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67	1	7.86				+
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D UEP9D	UEPQT UEPQU	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67	1	7.86 7.86			1	
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3		 	UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67		7.86		-	1	+

ARONDLE	D NETWORK ELEMENTS - Kentucky												Attachment:		Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
					+	ı	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67	JONEC	7.86	JOINAIN	JONAN	JOHAN	JOHAN
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				t
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLI OD	OLI GII	1.10	21.20	10.40	2.00	2.01		7.00				-
	Indication)3			UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/Msq Wtg Lamp Indication)3			UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			02. 05	02. Q0	0	21.20	10.10	2.00	2.01		7.00				
	2			UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				İ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67		7.86				
	2 11110 10100 01000 1 011 (00111101 0110 / 200 1 02 1 /2; 0			02. 05	02. 40		21.20	10.10	2.00	2.01		7.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67		7.86				
1	2-Wire Voice Grade Fort (Centrex/differ SWC /EBS-txi3003)2, 3			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67		7.86			†	—
				02	J QQ	1.10	21.23	10.73	2.00	2.07		7.00			1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	1	1	UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67		7.86			I	1
+	15.00 5.000 1 5.1 (55.11.5) dillot 6110 / E56 110112/2, 0		-		J QIV	1.13	21.23	10.43	2.00	2.01	1	7.00			 	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67		7.86			1	
	2 Wile voice crade For (centres/airer GWC/EBC Wild 12/2, 0			OLI OD	OLI QO	1.10	21.20	10.40	2.00	2.01		7.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67		7.86			1	
	2 Wile voice crade For (centres affer GWe /EBe Mocoo)2, o			OLI OD	OLI QT	1.10	21.20	10.40	2.00	2.01		7.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wile Voice Glade Fort (Centrex diller SWG /EBG-N0200)2, 3		1	OLI 3D	OLI Q3	1.15	21.23	10.49	2.00	2.01		7.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wile Voice Grade Fort (Certifex differ SWC /LB3-W3210)2, 3			OLF3D	ULFQU	1.13	21.25	13.49	2.03	2.07		7.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67		7.86				
_	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEF9D	UEPQI	1.15	21.29	15.49	2.00	2.07	-	7.00				
	Term			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
_	Term			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.07		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Wegalink of equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67	-	7.86				
Local	Switching			UEP9D	UEFQZ	1.15	21.29	15.49	2.00	2.07		7.00				
LOCAI	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873					-	7.00				├ ──
11	Number Portability			UEP9D	UREUS	0.8873						7.86				├ ──
LOCAI	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35			-						-	
Featur				UEP9D	LINFCC	0.35										
reatui	All Standard Features Offered, per port			UEP9D	UEPVF	0.00			-			7.86			-	
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66		-			7.86			-	
-	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	403.00		-			7.86			-	
NARS				UEP9D	UEPVC	0.00						7.00				
INAKS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				7.86				├ ──
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				7.86				├ ──
_	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				7.86				
Minor	Ilaneous Terminations			UEP9D	UARUX	0.00	0.00	0.00				7.86				├ ──
Z-WIFE	Trunk Side			LIEDOD	CENIDO	10.51	00.40	45.00	50.40	F 20		7.00				
4 14/:	Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				<u> </u>
4-WIFE	Digital (1.544 Megabits)			LIEDAD	MALIDA	74 77	101.00	77.74	00.00	0.00		7.00				
	DS1 Circuit Terminations, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				.
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09					7.86				<u> </u>
Intero	ffice Channel Mileage - 2-Wire			LIEDAD	MODO	00.44						7.00				<u> </u>
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	29.11						7.86				
	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>	ļ	UEP9D	MIGBM	0.01						7.86			-	
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е	ļ	-	+										-	
D4 Ch	annel Bank Feature Activations		.	LIEDOD	400140	0.00					1	7.00			1	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		ļ	UEP9D	1PQWS	0.62						7.86			-	
	Endow Addition to B 4 Observed Bank EVII'm State of		1	LIEDOD	400000	0.00						7.00				İ
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		<u> </u>	UEP9D	1PQW6	0.62					1	7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1	l	1											İ
	Slot		<u> </u>	UEP9D	1PQW7	0.62						7.86			.	<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	l	1		1											1
1	Different Wire Center	l	1	UEP9D	1PQWP	0.62					1	7.86				1

Version 1Q02: 03/22/2002 PAGE 152 OF 352

ONBONDL	ED NETWORK ELEMENTS - Kentucky												Attachment:		Exhibit: B	1
											Svc Order Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incrementa
													Manual Svc			Charge -
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	-		Manual Svc		Manual Svo
AILGORI	RATE ELEMENTS	m	Zone	603	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		lI	oss	Rates(\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.62						7.86				
Na	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62						7.86				
Non-i	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed		-		+											
	changes, per port			UEP9D	USAC2		0.102	0.102				7.86				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32	1			7.86				
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block	1		UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86		1		1
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.75					7.86		İ		
UNE-	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9E		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9E		31.74										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	LIEDOE		40.00										
	Design		1	UEP9E		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9E		40.00										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9E	+	18.60										
	Design		3	UEP9E		34.37										
UNE	Loop Rate		3	OLF 9L	+	34.37										
ONE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.64						7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	14.37						7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	30.59						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.67						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.45						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33.22						7.86				
	Port Rate															
AL, F	L, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	l		l												
	Area	ļ		UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86			ļ	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		LIEBOE	LIEDY"									1		1
	Area			UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		LIEBOE	LIEDVM	1 45	24.20	15 40	2.05	2.67		7.00		1		1
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 	-	UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.07		7.86		-	1	
	Term - Basic Local Area	1		UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86		1		1
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI OL	ULI 12	1.10	21.29	13.48	2.00	2.07		1.00		 	1	t
	- Basic Local Area	1		UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86		1		I
	2-Wire Voice Grade Port Terminated on 800 Service Term -				32	0	220	.5.40	2.00	2.01						1
	Basic Local Area	1		UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86		1		I
AL, K	Y, LA, MS, & TN Only						,									
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86		1		
	2-Wire Voice Grade Port (Centrex with Caller ID)1	<u></u>		UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire					ĺ										
	Center)2			UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term	I	1	UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67	I	7.86		I	1	1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrec	urring	Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8873						7.86				
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35						7.86				
Featur				LIEBOE	LIEDVE	0.00						7.00				
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00	40= 00					7.86				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66					7.86				
NADO	All Centrex Control Features Offered, per port	-	 	UEP9E	UEPVC	0.00					1	7.86			 	-
NARS	Linbundled Network Access Register Combination	-	 	LIEDOE	IIABCY	0.00	0.00	0.00			1				 	-
	Unbundled Network Access Register - Combination	-	 	UEP9E UEP9E	UARCX	0.00	0.00	0.00			1				 	-
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	-	 	UEP9E UEP9E	UAR1X UAROX	0.00	0.00	0.00			-				-	
Missel	laneous Terminations			UEP9E	UARUX	0.00	0.00	0.00								
	Trunk Side				+											
Z-WIIE	Trunk Side Terminations, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
4-Wire	Digital (1.544 Megabits)			OLFBL	CLINDO	10.51	92.10	13.02	32.10	5.50		7.00				
4-11116	DS1 Circuit Terminations, each			UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.09	11.14	00.03	3.00		7.86				
Interof	fice Channel Mileage - 2-Wire			OLI SL	WITIDO	0.00	13.03					7.00				
Interes	Interoffice Channel Facilities Termination			UEP9E	MIGBC	29.11						7.86				
-	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.01						7.86				1
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	annel Bank Feature Activations	Ĭ														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9E	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9E	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.62						7.86				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex							· ·								
	NRC Conversion Currently Combined Switch-As-Is with allowed	1	1		1		\exists]	
	changes, per port		<u> </u>	UEP9E	USAC2		0.102	0.102				7.86			ļ	
	Conversion of Existing Centrex Common Block, each		ļ	UEP9E	USACN		18.95	8.32								
	New Centrex Standard Common Block		<u> </u>	UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27	ļ	7.86			ļ	
	New Centrex Customized Common Block		<u> </u>	UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27	ļ	7.86				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.75				ļ	7.86				-
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		1		+ +						1				-	1
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1		+ +						1				-	1
UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 		+						1					
1	Non-Design		1	UEP93		10.79									Ì	
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	+-'-	OLF 30	+ +	10.79	l				1				1	
	Non-Design		2	UEP93	1	15.52									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 	OLI 33	+ +	10.02					1				 	
	Non-Design		3	UEP93		31.74									Ì	
	ort/Loop Combination Rates (Design)	-	-	021 00	+ +	31.74					 				 	
IINF P		1	1						1							
UNE P																
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	UEP93		13.82										
UNE P			1	UEP93		13.82										

INBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		34.37										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP93	UECS2	12.67										
_	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	33.22										
	ort Rate		-													
AL, KY	/, LA, MS, & TN only		-	LIEDOS	LIEDVA	4.45	24.20	45.40	2.05	0.07		7.00				
_	2-Wire Voice Grade Port (Centrex) Basic Local Area		_	UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86			 	!
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent								İ							
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
	OME Vein On to Bod to serve the Manufacture and the			LIEBOO	LIEBOO	4.45	04.00	45.40	0.05	0.07		7.00				
_	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
11	2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local	Switching Contray Intercom Funtionality, per part			UEP93	URECS	0.8873						7.86				
Local	Centrex Intercom Funtionality, per port Number Portability			UEP93	URECS	0.8873						7.86				
LOCAL	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Featur			1	OLF 93	LINCCC	0.55										
i eatur	All Standard Features Offered, per port		1	UEP93	UEPVF	0.00			t			7.86				
	All Centrex Control Features Offered, per port		1	UEP93	UEPVC	0.00			t			7.86				
NARS				OLI 33	OLI VO	0.00						7.00				
IVAILO	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	 						I	t
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	 						I	t
Miscel	laneous Terminations				3, (3, 1	5.50	3.30	3.00	†						1	
	Trunk Side			1	1	†			† †						İ	
	Trunk Side Terminations, each			UEP93	CEND6	10.51	92.18	15.82	52.16	5.30		7.86			İ	
4-Wire	Digital (1.544 Megabits)				1										1	
	DS1 Circuit Terminations, each			UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	15.09					7.86				
Interof	fice Channel Mileage - 2-Wire					j										
	Interoffice Channel Facilities Termination			UEP93	MIGBC	29.11						7.86				
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.01			<u> </u>			7.86				
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Cha	annel Bank Feature Activations															
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62						7.86			-	
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62						7.86				<u> </u>

Version 1Q02: 03/22/2002 PAGE 155 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62						7.86				
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.102	0.102				7.86				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32				7.86				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block		1	UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				1
	NAR Establishment Charge, Per Occasion		ļ	UEP93	URECA	0.00	72.75					7.86				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD		1													ļ
	2 - Requres Interoffice Channel Mileage															.
	- Requires Specific Customer Premises Equipment	<u> </u>	<u> </u>	L								ļ				4
NOTE:	Rates displaying an "R" in Interim column are interim and su	ibject to	rate ti	rue-up as set forth	ın General Ter	ms and Conditi	ons.									L

UNBU	INDLE	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svo
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
																Diac 1at	Disc Add I
									curring		g Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a comi	oination refers to Ge	ographically	Deaveraged UI	NE Zones. To	view Geograpi	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to Internet \	Website:	
	http://w	ww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m												
OPERA	TIONAL	SUPPORT SYSTEMS							1	1	1						
0		1) Electronic Service Order: CLEC should contact its contract	t negot	iator if	it prefers the state s	specific elect	ronic service o	rdering charg	es as ordered b	y the State Co	ommissions. T	he electron	ic service or	dering charg	e currently co	ntained in thi	s rate
		is the BellSouth regional electronic service ordering charge.															
		2) Any element that can be ordered electronically will be bill															lv. For
		lements that cannot be ordered electronically at present per t															
		g charge, SOMAN, will be applied to a CLECs bill when it sub				, timo outo	go.,	o onar go mar	20 200	0220 0.		out a sur				•	
	O. GCIIII	Electronic OSS Charge, per LSR, submitted via BST's OSS	inito ai	LOIL	o Benoodin.												
1		interactive interfaces (Regional)				SOMEC		3.50									
UNBUN	DLED E	XCHANGE ACCESS LOOP				<u> </u>	1	2.30			Ì						
		ANALOG VOICE GRADE LOOP					1			l	1						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87				15.20				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	23.33	36.54	16.87				15.20				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87				15.20				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17				15.20				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28				15.20				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.75	8.93				15.20				
		Engineering Information Document (EI)			UEANL			13.04	13.04								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								
		Order Coordination for Specified Conversion Time for UVL-SL1				00001											
	o WIDE	(per LSR) Unbundled COPPER LOOP			UEANL	OCOSL		17.56	17.56								
	Z-WIRE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	_	1	UEQ	UEQ2X	12.40	35.27	15.60			ļ	15.20				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	÷		UEQ	UEQ2X	14.32	35.27	15.60				15.20				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	16.87	35.27	15.60			1	15.20				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-		3	ULQ	ULQZX	10.07	33.21	13.00			1	13.20				
		Designed (per loop)			UEQ	USBMC		7.92	7.92								
		Engineering Information Document			UEQ	0050		13.04	13.04								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	33.17				15.20				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28				15.20				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.25	7.42				15.20				
UNBUN		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00		15.20				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.									4.5.5				
		Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00		15.20				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_	HEDOD HEDOD	LIEALO	20.00	00.51	10.07	0.00	0.00		45.00				
—		Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00	1	15.20				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00		15.20				
<u> </u>	-	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	-		ULFOR UEFOB	UEABO	∠3.33	30.54	16.87	0.00	0.00	 	15.20				
		Ziville Arialog voice Grade Loop-Service Level 1-Line Spritting-		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00		15.20				
\vdash		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	-	-	SEI OIL SEI SE	32,120	70.73	30.34	10.07	0.00	0.00	 	10.20				
		Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00		15.20				
UNBLIN	IDLED F	XCHANGE ACCESS LOOP				3200	70.70	55.54	10.07	0.50	5.50		10.20				
		ANALOG VOICE GRADE LOOP															
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					1				Ì						
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.93	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or										İ					
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72				15.20				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72				15.20				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									·

Version 1Q02: 03/22/2002 PAGE 157 OF 352

UNBUND	LED	NETWORK ELEMENTS - Louisiana												Attachment:		Exhibit: B	
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Charge -
														1st	Add'l	Disc 1st	Disc Add'
								Nonrec	urring	Nonrecurring Di	isconnect			oss	Rates(\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72				15.20				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72				15.20				_
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_	1.154	LIEADO	FO 40	100.10	CF 70				45.00				
		Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAR2 OCOSL	50.46	102.10 17.56	65.72				15.20				+
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30				15.20				+
4-V		ANALOG VOICE GRADE LOOP		1	OLA	OKETTO		07.00	00.00				10.20				+
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	30.81	127.40	91.02				15.20			1	1
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.32	127.40	91.02				15.20				
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.39	127.40	91.02				15.20				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30				15.20				
2-V		ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.09	113.34	76.96				15.20				
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	35.28	113.34	76.96				15.20				
		2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR)		3	UDN UDN	U1L2X OCOSL	65.18	113.34 17.56	76.96				15.20			-	+
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.49	44.09				15.20			-	+
2-W		Universal Digital Channel (UDC) COMPATIBLE LOOP			ODIN	UNLVVO		31.43	44.09				13.20				+
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1													+
	1	1		1	UDC	UDC2X	22.09	113.34	76.96				15.20				
	2	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	2	2		2	UDC	UDC2X	35.28	113.34	76.96				15.20				
	2	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3	3		3	UDC	UDC2X	65.18	113.34	76.96				15.20				
		CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.49	44.09				15.20				1
2-V		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF	,												
	2	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36				15.20				
		2 Wire Unbundled ADSL Loop including manual service inquiry		-	UAL	UALZA	12.29	117.06	00.30				15.20				+
		& facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36				15.20				
		2 Wire Unbundled ADSL Loop including manual service inquiry		-	07 L	ONLEX	14.00	117.00	00.00				10.20				+
		& facility reservation - Zone 3		3	UAL	UAL2X	15.75	117.08	68.36				15.20				
	(Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56									1
	2	2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02				15.20				
		2 Wire Unbundled ADSL Loop without manual service inquiry &		_													
		facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02				15.20				
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02				15.20				
		Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	15.75	17.56	30.02				15.20				+
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.07	40.34				15.20				+
2-V		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	07.12	0.1.2110		00.07					10.20				1
		2 Wire Unbundled HDSL Loop including manual service inquiry		T													1
		& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77				15.20				
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77				15.20				
		2 Wire Unbundled HDSL Loop including manual service inquiry					40 = 1	405 ==	70				45.00			1	
		& facility reservation - Zone 3	1	3	UHL	UHL2X OCOSL	12.74	125.50 17.56	76.77	 			15.20			 	
		Order Coordination for Specified Conversion Time (per LSR) Wire Unbundled HDSL Loop without manual service inquiry		1	UNL	OCOSL		17.56								-	+
		and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43				15.20				
		2 Wire Unbundled HDSL Loop without manual service inquiry			0	JIILEVV	5.75	101.24	0-1.40				10.20			-	
		and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43				15.20				
		2 Wire Unbundled HDSL Loop without manual service inquiry		T -			2		210								1
	ē	and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43				15.20		1	I	
	(Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56		l i							

Version 1Q02: 03/22/2002 PAGE 158 OF 352

<u>UNBUN</u> DL	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34				15.20				
4-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54				15.20				
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	16.65	153.26	104.54				15.20				
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20				15.20				
	4-Wire Unbundled HDSL Loop without manual service inquiry			UHL		40.05	100.00	00.00				45.00				
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL4W	16.65	129.00	92.20				15.20				
	and facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20				15.20				
-	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	17.34	17.56	92.20			1	15.20				
+	CLEC to CLEC Conversion Charge without outside dispatch		1	UHL	UREWO	-	86.00	40.34				15.20				
4-WI	RE DS1 DIGITAL LOOP		1	OFIL	UKLVVO		80.00	40.34			1	15.20				
7-7711	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	85.70	245.16	152.98				15.20				-
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	194.96	245.16	152.98				15.20				-
+	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	491.94	245.16	152.98				15.20				
	Order Coordination for Specified Conversion Time (per LSR)		Ť	USL	OCOSL	101101	17.56	102.00				10.20				
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.98				15.20				
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48				15.20				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48				15.20				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	38.92	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	30.99	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	36.78	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.92	121.86	85.48				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30.99	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	36.78	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121.86	85.48				15.20				
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UDL	OCOSL		17.56	10.00				4= 00				
0.140	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49.67				15.20				
2-7/1	RE Unbundled COPPER LOOP		-													
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	12.29	116.18	67.46				15.20				1
-	2-Wire Unbundled Copper Loop/Short including manual service	 	- '-	JUL	OOLFD	12.29	110.10	07.40		1		13.20		1	1	
1	inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	14.09	116.18	67.46				15.20				1
	2 Wire Unbundled Copper Loop/Short including manual service	1	-		00210	14.00	. 10.10	07.70		1		10.20				
	inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	15.75	116.18	67.46				15.20				1
İ	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
<u> </u>	2-Wire Unbundled Copper Loop/Short without manual service					İ										
1	inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	12.29	91.92	55.12				15.20				1
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 2	<u> </u>	2	UCL	UCLPW	14.09	91.92	55.12		<u> </u>		15.20		<u> </u>		
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)	ļ		UCL	UCLMC		7.92	7.92		ļ						
1	2-Wire Unbundled Copper Loop/Long - includes manual srvc.	l										,				1
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	17.21	116.18	67.46				15.20				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.	l	١.													1
	inquiry and facility reservation - Zone 2	<u> </u>	2	UCL	UCL2L	24.98	116.18	67.46				15.20				├
.	2-Wire Unbundled Copper Loop/Long - includes manual svc.	1	_	LICI	LICLO	00.5-	410.10	07.40				45.00				1
	inquiry and facility reservation - Zone 3	<u> </u>	3	UCL	UCL2L	39.57	116.18	67.46				15.20		1		
	Order Coordination for Unbundled Copper Loops (per loop)	l	<u> </u>	UCL	UCLMC		7.92	7.92		l	1			l		<u> </u>

Version 1Q02: 03/22/2002 PAGE 159 OF 352

UNBUNDI F	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Charge -
							Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	17.21	91.92	55.12				15.20				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	24.98	91.92	55.12				15.20				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	39.57	91.92	55.12				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	CLEC to CLEC Conversion Charge without outside dispatch				l											
	(UCL-Des)			UCL	UREWO		91.92	42.47				15.20				
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry			LICI	1101.40	00.07	400.00	20.00]	I		45.00	1	1		1
 	and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96	 	+	ļ	15.20	 	!	ļ.	+
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96		1		15.20		1		1
-	4-Wire Copper Loop/Short - including manual service inquiry			UCL	UCL43	10.95	139.09	90.96				15.20				+
	and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96]	I		15.20	1	1		1
+	Order Coordination for Unbundled Copper Loops (per loop)				UCLMC	10.99	7.92	7.92		+	1	13.20				+
+	4-Wire Copper Loop/Short - without manual service inquiry and			UCL	OCLIVIC		1.52	1.52		1						+
	facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63				15.20				
+	4-Wire Copper Loop/Short - without manual service inquiry and		 '	OOL	OCLAVV	22.21	110.40	70.03		+	1	13.20				+
	facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63				15.20				
	4-Wire Copper Loop/Short - without manual service inquiry and			002	OOLTIV	10.00	110.40	70.00				10.20				+
	facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)				UCLMC		7.92	7.92				10120				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.							-								
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	26.17	139.69	90.96				15.20				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	28.47	139.69	90.96				15.20				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	62.93	139.69	90.96				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	26.17	115.43	78.63				15.20				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	28.47	115.43	78.63				15.20				1
	4-Wire Unbundled Copper Loop/Long - without manual svc.		_					=				4= 00				
\vdash	inquiry and facility reservation - Zone 3		3	UCL	UCL40	62.93	115.43	78.63	 	+	ļ	15.20	ļ	-	ļ	+
 	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UCL	UCLMC		7.92	7.92	 	+	ļ		1	!	ļ.	+
	(UCL-Des)			UCL	UREWO		91.92	42.47		1		15.20		1		
LOOP MODIFI				UCL	UKEWU		91.92	42.47		+		15.20		+		+
LOOP MODIFIE	CATION			UAL, UHL, UCL,	-				1	+	 		1	 		+
				UEQ, ULS, UEA,]	I			1	I		1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,]	I			1	I		1
	pair less than or equal to 18k ft			UDN. UDL. USL	ULM2L		0.00	0.00		1		15.20		1		1
	Unbundled Loop Modification, Removal of Load Coils - 2 wire			3311, 33L, 33L	CLIVICL		0.00	0.00		 		10.20	 	I	1	
	greater than 18k ft			UCL, ULS	ULM2G		0.00	0.00]	I		15.20	1	I		1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			,	<u> </u>		2.20	2.30	1	1			İ	1		1
	less than or equal to 18K ft			UHL, UCL	ULM4L		0.00	0.00]	I		15.20	1	I		1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft		<u></u>	UCL	ULM4G		0.00	0.00		1	L	15.20		<u> </u>		1
ĺ				UAL, UHL, UCL,												
				UEQ, UEF, ULS,]	I			1	1		1
		l	1	UEA, UEANL, UDL,]	1			l	I		1
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UDC, UDN, UDL,						1				1		1
	per unbundled loop			USL	ULMBT		12.15	12.15		1		15.20		1		<u> </u>
SUB-LOOPS											1					1
Sub-Lo	oop Distribution		1													<u></u>

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring E First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-					Rec	riisi	Add I	FIISL	Add I	SOWIEC	SOWIAN	SOWAN	SOWAN	SOWAN	SOWAN
	Up	- 1		UEANL	USBSA		144.09	144.09				15.20				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		10.99	10.99				15.20				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			UEAINL	USDSD		10.99	10.99				15.20				
	Facility Set-Up	- 1		UEANL	USBSC		86.16	86.16				15.20				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		27.13	27.13				15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	'		UEANL	USBSD		27.13	27.13				15.20				
	Zone 1	- 1	1	UEANL	USBN2	7.57	63.89	30.06				15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	12.75	63.89	30.06				15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	'		UEANL	USBINZ	12.75	63.89	30.06				15.20				
	Zone 3	- 1	3	UEANL	USBN2	21.45	63.89	30.06				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBIVIC		7.92	7.92								
	Zone 1		1	UEANL	USBN4	11.76	76.75	42.92				15.20				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	115 4411	HODALA	40.04	70.75	42.92				45.00				
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	16.84	76.75	42.92				15.20				
	Zone 3		3	UEANL	USBN4	19.27	76.75	42.92				15.20				
	Onder Condination for Habitard of Cirk Lance and the Lance and			LIFANII	USBMC		7.00	7.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBR2	2.91	7.92 51.48	7.92 17.65				15.20				
	-					2.01						10.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL UEANL	USBMC USBR4	6.58	7.92	7.92 23.71				45.00				
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	'		UEANL	USBR4	6.58	57.54	23.71				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	_	1	UEF	UCS2X	6.26	63.89	30.06				15.20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>	2	UEF	UCS2X	10.07	63.89	30.06				15.20				
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	12.70	63.89	30.06				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	8.03	76.75	42.92				15.20				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS4X	10.71	76.75	42.92				15.20				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	6.08	76.75	42.92				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
Unbun	dled Sub-Loop Modification			OLI	USBIVIC		1.52	1.52								
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00				15.20				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
	Coil/Equip Removal per 4-W PR Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			UEF	ULM4X		0.00	0.00				15.20				
	Tap Removal, per PR unloaded		<u></u>	UEF	ULM4T		224.55	4.29			<u> </u>	15.20				
	dled Network Terminating Wire (UNTW)					0.04=:						4.5.5				
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72				15.20				
Networ	k Interface Device (NID) Network Interface Device (NID) - 1-2 lines		<u> </u>	UENTW	UND12		42.26	27.83				15.20	-	-		
 	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines		1	UENTW	UND12 UND16		62.86	48.43				15.20				
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	-	 		UND16 UNDC2		5.73	5.73	 			15.20			-	
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC4		5.73	5.73				15.20	-	-		
SUB-LOOPS	- TOTAL AND MADE DE VICE CTOSS CONTINUE - TVV	-	†	J_11111	3/1007		5.75	5.15				10.20			 	
	pop Feeder		 													
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC	1	i –	UEA,									l	İ		İ
	Distribution Facility set-up	1	1	UDN,UCL,UDL,UDC	LICDEW		144.09		I I		1	15.20	l	l	l	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,			40.00					4= 00				
	set-up			UDN,UCL,UDL,UDC			10.99 568.98	10.99				15.20 15.20				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice			USL	USBFZ		568.98	11.30				15.20			-	
	Grade - Zone 1		1	UEA	USBFA	8.71	89.81	54.35				15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		-	ULA	USBI A	0.71	09.01	34.33				13.20				
	Grade - Zone 2		2	UEA	USBFA	13.64	89.81	54.35				15.20				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		<u> </u>	02.1	002.71	10.01	00.01	0 1.00				10.20				
	Voice Grade - Zone 3		3	UEA	USBFA	30.21	89.81	54.35				15.20				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		17.56									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice								İ							
	Grade - Zone 1		1	UEA	USBFB	8.71	89.81	54.35				15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			l												
\vdash	Grade - Zone 2		2	UEA	USBFB	13.64	89.81	54.35				15.20			1	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	30.21	89.81	54.35				15.20				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		17.56									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	8.71	89.81	54.35				15.20				
-	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		-	UEA	USBFC	0.71	09.01	54.55				15.20			-	-
	Voice Grade - Zone 2		2	UEA	USBFC	13.64	89.81	54.35				15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse			OLA	OODI C	13.04	09.01	34.33				13.20				
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	30.21	89.81	54.35				15.20				
	Order Coordination For Specified Conversion Time, per LSR		Ť	UEA	OCOSL	00.21	17.56	000				10.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	21.44	103.69	67.31				15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFD	24.66	103.69	67.31				15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3		3	UEA	USBFD	42.84	103.69	67.31				15.20				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		17.56									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		١.				400.00					4= 00				
	Grade - Zone 1		1	UEA	USBFE	21.44	103.69	67.31				15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	24.66	103.69	67.31				15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			UEA	USBFE	24.00	103.69	67.31				15.20				
	Grade - Zone 3		3	UEA	USBFE	42.84	103.69	67.31				15.20				
	Order Coordination For Specified Conversion Time, Per LSR		Ŭ	UEA	OCOSL	72.07	17.56	07.01				10.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	15.44	102.58	66.20				15.20			1	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	23.32	102.58	66.20				15.20				1
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	44.57	102.58	66.20				15.20				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		17.56									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	15.44	102.58	66.20				15.20				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	23.32	102.58	66.20				15.20				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	44.57	102.58	66.20	ļ <u>.</u>			15.20			ļ	
\vdash	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	55.38	98.15	61.77	 			15.20				
\vdash	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	167.83	98.15	61.77				15.20			-	
\vdash	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL USL	USBFG OCOSL	469.87	98.15 17.56	61.77				15.20		-	 	
\vdash	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	6.96	81.36	44.98	+			15.20				-
 	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		+-	UUL	JOBET	0.90	01.30	44.98	+			15.20			t	
	2		2	UCL	USBFH	4.97	81.36	44.98				15.20				
 	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone				305.11	7.37	01.50	44.30				10.20			t	
	3		3	UCL	USBFH	3.99	81.36	44.98				15.20			1	
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	2.00	17.56								1	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	15.68	98.07	61.69				15.20		İ		
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	9.68	98.07	61.69				15.20		1		
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	6.39	98.07	61.69				15.20		1		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		17.56		i i							

Version 1Q02: 03/22/2002 PAGE 162 OF 352

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	22.61	98.15	61.77				15.20				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	22.87	98.15	61.77				15.20				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	24.25	98.15	61.77				15.20				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	22.61	98.15	61.77				15.20				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	22.87	98.15	61.77				15.20				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFO	24.25	98.15	61.77				15.20				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		17.56									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	22.61	98.15	61.77				15.20				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFP	22.87	98.15	61.77				15.20				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	24.25	98.15	61.77				15.20				
<u> </u>	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		17.56		ļ		ļ				1	
SUB-LOOPS																
Sub-L	oop Feeder			LIEO	41.501	47.00										
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3 UE3	1L5SL USBF1	17.00 368.44	3,381.00	406.56	-			15.20				
+	Sub Loop Feeder - DS3 - Facility Termination Per Month Sub Loop Feeder - STS-1 - Per Mile Per Month			UDLSX	1L5SL	17.00	3,381.00	406.56	-		1	15.20			-	-
-	Sub Loop Feeder - STS-1 - Fel Mile Fel Month Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	395.92	3,381.00	406.56	-		1	15.20			-	-
 	Sub Loop Feeder – OC-3 – Per Mile Per Month		1	UDLO3	1L5SL	12.90	3,301.00	400.50	 		1	13.20				
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per			02200	.2002	12.00										
	Month			UDLO3	USBF5	60.45										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	594.77	3,381.00	406.56				15.20				
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	15.87										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
	Month			UDL12	USBF6	683.03										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,922.00	3,381.00	406.56				15.20				
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	52.07										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
	Month			UDL48	USBF9	341.64		100 50				15.00				
-	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,663.00	3,566.00	406.56	ļ			15.20			-	
IINBIINDI ED	Sub Loop Feeder - OC-12 Interface On OC-48 LOOP CONCENTRATION		1	UDL48	USBF8	385.45	787.24	406.56	+			15.20		-	+	
CHBONDEED	Unbundled Loop Concentration - System A (TR008)	1	1	ULC	UCT8A	374.26	316.00	316.00	+		1	15.20			 	
 	Unbundled Loop Concentration - System A (TR008)	-		ULC	UCT8B	53.40	131.67	131.67	+		 	15.20			t	t
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	412.08	316.00	316.00	†			15.20			1	1
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89.98	131.67	131.67	†			15.20		İ		
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.12	61.46	44.74				15.20				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.12	10.23	10.18				15.20				
	Unbundled Loop Concentration - UDC Loop Interface (Brite	1		1		52			†			.0.20			1	t
	Card)			UDC	ULCCU	8.12	10.23	10.18				15.20				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or								İ							
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.03	10.23	10.18				15.20				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	12.07	10.23	10.18				15.20				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface					-										
	(Specials Card)			UEA	ULCC4	7.20	10.23	10.18				15.20			1	
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35.19	10.23	10.18				15.20				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop															
	Interface			UDL	ULCC7	10.67	10.23	10.18				15.20				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.67	10.23	10.18				15.20			1	1
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop			İ					†						1	
1 1	Interface	1	1	UDL	ULCC6	10.67	10.23	10.18				15.20]	1	1

UNBUNDI F	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CHDONDLE	D IN THOMA LEGISLATIO - LOUISIANA	lar.										Submitted	Incremental Charge - Manual Svc		Incremental Charge -	Incremental Charge - Manual Svo
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Nonred		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE OTHER, I	PROVISIONING ONLY - NO RATE		1	UENTW	UNDBX											
-	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UENTW	UENCE											
	ONTW Circuit id Establishment, Provisioning Only - No Rate			UEANL,UEF,UEQ,U	UEINCE											
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER	PROVISIONING ONLY - NO RATE			LINIVV	UNLCIN											
ONE OTHER, I	KOVISIONING ONET - NO KATE															
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
\vdash	rate		<u> </u>	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									<u> </u>
1 1	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	l	1		HODED	0.55	0.00							1		I
	rate		<u> </u>	UEA,USL,UCL,UDL	USBFR	0.00	0.00								1	
\vdash	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00				-				1	
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
HIGH CAPACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.04										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	362.34	438.46	256.30				15.20				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	374.56	438.46	256.30				15.20				
LOOP MAKE-U																
	Loop Makeup - Preordering Without Reservation, per working or			1.15.41.2	1 15 41 21 1 1 4 7		00.00	00.00								
	spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility		1	UMK	UMKLW		23.29	23.29								
	queried (Manual). Loop Makeup - With or Without Reservation, per working or			UMK	UMKLP		24.70	24.70								
	spare facility queried (Mechanized)			UMK	PSUMK		0.19	0.19								
HIGH ERECUE	NCY SPECTRUM		1	OWIN	FOUNK		0.19	0.19			1					
	TERS-CENTRAL OFFICE BASED															
0. 2	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	187.17	183.33	0.00	0.00	0.00		15.20				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.79	183.33	0.00	0.00	0.00		15.20				
	Line Sharing Splitter, Per System, 8 Line Capacity	1		ULS	ULSD8	15.59	183.33	0.00	0.00	0.00		15.20				
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		83.98		0.00			15.20				
END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM													
	Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	17.97	10.29	0.00	0.00		15.20				
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		15.91	7.95				15.20				
	Line Sharing - per Subsequent Activity per Line	1	1											<u> </u>		_
	Rearrangement(DLEC Owned Splitter)	<u> </u>		ULS	ULSCS		15.91	7.95				15.20			ļ	
\vdash	Line Sharing - per Line Activation (DLEC owned Splitter)		<u> </u>	ULS	ULSCC	0.61	47.44	19.31	0.00	0.00		15.20		ļ	ļ	-
 	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical		-	UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.642	17.97	10.29			1					1
 	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	 	<u> </u>	UEPSR UEPSB	UREBV	0.642	17.97	10.29							-	-
LINBUNDI ED	DEDICATED TRANSPORT	- ' -	1	OLF ON UEFOD	OKEDV	0.04	17.97	10.29						1		
	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	a perio	od - below DS3-one	month DS3/	STS-1=four mo	nths							 	+	1
	OFFICE CHANNEL - DEDICATED TRANSPORT	<u></u>	a bent	A DEIOW DOS-DITE			11.13								1	
III.EK	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		 												<u> </u>	-
	Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	22.60	39.36	26.62				15.20				
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	22.60	39.36	26.62				15.20				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			UTIVA	UTIKZ	22.00	39.30	20.02	1	1		13.20			1	
	Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination per month			U1TVX	U1TV4	19.81	39.36	26.62				15.20				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	15.61	39.37	26.62				15.20				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTTEX	01103	15.01	33.31	20.02				13.20				
	per month		1	U1TDX	1L5XX	0.013			1	1						
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			U1TDX	U1TD6	15.61	39.37	26.62				15.20				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1	LIATEA	1L5XX	0.0050			1	1						
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.2652										
	Termination per month			U1TD1	U1TF1	70.47	86.69	79.44				15.20				
-	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTTET	01111	70.47	00.00	70.44				10.20				
	month			U1TD3	1L5XX	6.04										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	850.45	270.69	158.05				15.20				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	6.04										
	Termination per month			U1TS1	U1TFS	830.19	270.69	158.05				15.20				
LOCA	L CHANNEL - DEDICATED TRANSPORT			01101	01110	030.19	270.03	130.03				13.20				
	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo	w DS3=one monti	h, DS3/STS-1=f	our months										
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	18.32	187.51	32.21				15.20				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			l	I I											
	month Local Channel - Dedicated - 4-Wire Voice Grade per month			ULDVX UNDVX	ULDR2 ULDV4	18.32 19.41	187.51 187.94	32.21 32.63		-		15.20 15.20			1	
	Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDV4	39.18	172.34	149.27				15.20			-	
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	121.58	172.34	149.27				15.20				
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	70.02	172.34	149.27				15.20				
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7.82										
	Local Channel - Dedicated - DS3 - Facility Termination per															
	month			ULDD3	ULDF3	469.44	438.46	256.30		-	ļ	15.20				
	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per			ULDS1	1L5NC	7.82									-	
	month			ULDS1	ULDFS	457.22	438.46	256.30		1		15.20			1	
MULTIPLEXE				0250.	025.0	.07.22	100.10	200.00	İ	1		10.20			İ	
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	105.09	88.41	60.76				15.20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per						<u> </u>	· · · · · · · · · · · · · · · · · · ·								
	month (2.4-64kbs)		<u> </u>	UDL	1D1DD	1.38	6.39	4.58			<u> </u>	15.20				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month		1	UDN	UC1CA	2.96	6.39	4.58	1	1		15.20				
	Voice Grade COCI - DS1 to DS0 Channel System - per month		1	UEA	1D1VG	0.6497	6.39	4.58	 	+	 	15.20		-	-	-
	DS3 to DS1 Channel System per month			UXTD3	MQ3	201.48	172.99	91.25	-	-	1	15.20		 	†	†
	STS1 to DS1 Channel System per month			UXTS1	MQ3	201.48	172.99	91.25	1	1		15.20				
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.78	6.39	4.58				15.20				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			l			_								1	
	month		ļ	ULDD1	UC1D1	11.78	6.39	4.58			<u> </u>		ļ			<u> </u>
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month		1	U1TD1	UC1D1	11.78	6.39	4.58	1	1						
DARK FIBER			1	וטווטו	OCIDI	11.78	6.39	4.58	 	+					+	
DAIN HIDEN	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction														—	
	Thereof per month - Local Channel		1	UDF	1L5DC	52.23			1	1						
	NRC Dark Fiber - Local Channel			UDF	UDFC4		620.60	133.88				15.20				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		Sul p		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec		Nonrecurring Disco					Rates(\$)		
						Rec	First	Add'l	First A	dd'I S	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				l											
	Thereof per month - Interoffice Channel			UDF	1L5DF	25.28	200.00					4= 00				
-	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		620.60	133.88				15.20				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	52.23										
	NRC Dark Fiber - Local Loop			UDF	UDFL4	52.23	620.60	133.88				15.20				
RYY ACCESS	FEN DIGIT SCREENING			UDF	UDFL4		620.60	133.00	 			13.20				
OAX ACCESS	8XX Access Ten Digit Screening, Per Call			OHD		0.0006387			 							
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OTID		0.0000007										
	Number Reserved			OHD	N8R1X		2.51	0.43				15.20				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O						2.01	0.40				10.20			1	
]]	POTS Translations			OHD			5.77	0.78				15.20			1	
	8XX Access Ten Digit Screening, Per 8XX No. Established With													İ	1	
]]	POTS Translations			OHD	N8FTX		5.77	0.78				15.20			1	
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		2.51	1.26				15.20				<u></u>
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68				15.20				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43				15.20				
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		2.51					15.20				
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.0006387										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per			OUD		0.0000007										
LINE NEODM	query			OHD		0.0006387			.							
LINE INFORMA	ATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query			OQT	-	0.0000221										
	LIDB Validation Per Query			OQU	-	0.0135077										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0.0133077	33.33		 			15.20				
SIGNALING (C				041, 040	INIT DX		00.00					10.20				
OIONALINO (O	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60										
	CCS7 Signaling Usage, Per TCAP Message			UDB	1 100%	0.000064										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50					15.20			1	
	CCS7 Signaling Connection, Per link (B link) (also known as D			_		-										
	link)			UDB	TPP++	15.77	34.50	34.50				15.20				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17				15.20				
1 1	CCS7 Signaling Point Code, per Destination Point Code														I	
E044 0ED\#0=	Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17				15.20			1	
E911 SERVICE			ļ		1	40.00	407.54	20.01				45.00		1	!	1
\vdash	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		 		+	18.32 18.32	187.51 187.51	32.21 32.21				15.20 15.20		-	-	-
 	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3				+	18.32	187.51	32.21				15.20			+	
 	Interoffice Transport - Dedicated - 2-wr Voice Grade - 20ne 3				1	0.013	101.01	32.21	 			15.20		1	t	
 	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Nille Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		 		+	0.013			 						t	
	Termination					22.60	39.36	26.62				15.20			I	
	Local Channel - Dedicated - DS1 - Zone 1					39.18	172.34	149.27				15.20			1	
	Local Channel - Dedicated - DS1 - Zone 2					121.58	172.34	149.27				15.20				
	Local Channel - Dedicated - DS1 - Zone 3					70.02	172.34	149.27				15.20				
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2652										
ĺ	·															
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		<u> </u>			70.47	86.69	79.44				15.20		<u></u>	<u></u>	
CALLING NAM	E (CNAM) SERVICE												_			
	CNAM for DB Owners, Per Query			OQV		0.0010217										
	CNAM for Non DB Owners, Per Query			OQV		0.0010217		·								
	CNAM For DB Owners - Service Establishment			OQV			22.29		ļ			15.20			1	
	CNAM For Non DB Owners - Service Establishment			OQV			22.29					15.20				

Version 1Q02: 03/22/2002 PAGE 166 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	ĺ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Charge -
							Nonrec			g Disconnect				Rates(\$)		
	0.000					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM For DB Owners - Service Provisioning With Point Code Establishment			oqv			000.00	744.04				45.00				
	CNAM For Non DB Owners - Service Provisioning With Point		<u> </u>	UQV	_		962.22	711.64				15.20				
	Code Establishment			OQV			332.43	238.05				15.20				
LNP Query Ser				٠			002.10	200.00				10.20				
	LNP Charge Per query			OQV		0.0008559										
	LNP Service Establishment Manual						12.16					15.20				
	LNP Service Provisioning with Point Code Establishment						576.33	294.43				15.20				
OPERATOR CA	ALL PROCESSING															<u> </u>
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using		-		+	1.20				1	1	1			1	
	Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST				1	1.24				1						
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using															
	Foreign LIDB					0.20										
INWARD OPER	RATOR SERVICES															ļ
	Inward Operator Services - Verification, Per Minute					1.15										<u> </u>
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1.15										
BRANDING - O	PERATOR CALL PROCESSING					1.15					1					
DITAMBING C	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.20				
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				15.20				
Unbrar	iding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.20				
	SSISTANCE SERVICES															ļ
	TORY ASSISTANCE ACCESS SERVICE					0.275										.
	Directory Assistance Access Service Calls, Charge Per Call TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	MCC)				0.275										
DIREC	Directory Assistance Call Completion Access Service (DACC),	ACC)														
	Per Call Attempt					0.10										
DIREC	TORY TRANSPORT															
	SSISTANCE SERVICES															
	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing				55005	0.04										<u> </u>
BD V NDING 5	Directory Assistance Data Base Service, per month IRECTORY ASSISTANCE		-		DBSOF	150.00				1	 	-				
	Based CLEC		-		+					1	 	-		-		
i aciiity	Recording and Provisioning of DA Custom Branded				+					1	1	 				
	Announcement			AMT	CBADA		6,000.00	6,000.00							1	
	Loading of Custom Branded Announcement per DRAM						·									
	Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNEP (
	Recording of DA Custom Branded Announcement		<u> </u>		4		3,000.00	3,000.00			ļ					<u> </u>
	Loading of DA Custom Branded Announcement per DRAM						1 170 00	1 470 00								
Unbrar	Card/Switch per OCN Iding via OLNS for UNEP CLEC				+		1,170.00	1,170.00		1	 	-			-	
Ulibrai	Loading of DA per OCN (1 OCN per Order)		 		+		420.00	420.00		 	<u> </u>	-			 	
	Loading of DA per Switch per OCN						16.00	16.00							1	
SELECTIVE RO										<u> </u>						
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch				USRCR		82.25	82.25			ļ	15.20				1
VIRTUAL COLI				11.7770												ļ
	Virtual Collocation - Application Cost		-	AMTES	EAF ESPCX		1,770.40			1	 	-				
	Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.		-	AMTFS AMTFS	ESPUX	3.20	841.54			1					-	

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Nonrec			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Cable Support Structure, per entrance			AMTFS	ESPSX	16.02										
	cable			UEANL,UEA,UDN,U	ESPSX	16.02										
				DC,UAL,UHL,UCL,U												
				EQ, AMTFS, UDL,												
				UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0296	11.94	11.46				15.20				
				UEA,UHL,UCL,UDL,												
	Virtual Callagation Aurine Casas Companie (Laur)			AMTFS, UAL, UDN, UNCVX, UNCDX	LIEAGA	0.0504	40.04	44.50				45.00				
-	Virtual Collocation - 4-wire Cross Connects (loop)			AMTFS,UDL12,	UEAC4	0.0591	12.04	11.53	-		1	15.20				-
				UDLO3, U1T48,												
				U1T12, U1T03,												
				ULDO3, ULD12,												
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	2.65	20.29	14.76				15.20				
				AMTFS,UDL12,												
				UDLO3, U1T48,												
				U1T12, U1T03,												
	Virtual Collocation - 4-Fiber Cross Connects			ULDO3, ULD12, ULD48, UDF	CNC4F	5.31	24.81	19.29				45.00				
	Virtual Collocation - 4-Fiber Cross Connects			USL,ULC,AMTFS,	CNC4F	5.31	24.81	19.29				15.20				
				ULR, UXTD1,												
				UNC1X, ULDD1,												
				U1TD1, USLEL,												
	Virtual collocation - DS1 Cross Connects			UNLD1	CNC1X	1.04	21.39	15.47				15.20				
	Virtual collocation - DS3 Cross Connects			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	13.21	20.28	14.76				15.20				
-	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			ODESX, ONEDS	CINDSX	13.21	20.20	14.70	1			13.20				
	Support Structure, per linear foot			AMTFS	VE1CB	0.0024										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			-												
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0036										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure,per cable			AMTFS	VE1CC		534.79									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		534.79		1							
	Virtual collocation - Security Escort - Basic, per half hour			AMTES	SPTBX		16.44	10.42								
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTOX		21.41	13.45								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		26.38	16.49								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.12	10.42								1
	Virtual collocation - Maintenance in CO - Overtime, per half hour	<u> </u>		AMTFS	SPTOM		35.42	13.45			ļ					
	Marie I will work a Marie was a 1 00 D		1	ANTEO	ODTD:				1							
VIRTUAL COL	Virtual collocation - Maintenance in CO - Premium per half hour	 	<u> </u>	AMTFS	SPTPM		43.72	16.49	1	1	<u> </u>				1	
VIKTUAL COL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-	 	 	-					 	1	 					
	Wire Analog - Res	1	1	UEPSR	VE1R2	0.0296	11.94	11.46	1			15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI OIX	V = 11\Z	0.0290	11.54	11.40				10.20				
	Wire Line Side PBX Trunk - Bus	1	1	UEPSP	VE1R2	0.0296	11.94	11.46	1			15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	Ì														
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			l												
1 1	Analog Bus		<u> </u>	UEPSB	VE1R2	0.0296	11.94	11.46			ļ	15.20			ļ	
-	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															

RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) RATES	UNBUNDLE	D NETWORK ELEMENTS - Louisiana					<u> </u>		<u> </u>				Attachment:		Exhibit: B	
New Colonia	CATEGORY	RATE ELEMENTS	Zone	BCS	USOC			.,			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
Virtual Collocation AVVIve Cross Contract, Exchange Part AVVer (DRD Contract) Virtual Collocation Virtua																
SCH SCH						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Virtual Collocation - Vivine Cross Connect, Earthrage Part 4-Vive Virtual Collocation - Vivine Collocation - V												4= 00				i
SEND DET				UEPIX	VE1R2	0.0296	11.94	11.46				15.20				
NETICAL COLOCATION				HEDEV	VE4D4	0.0501	12.04	11 52				15 20				i
Minus Colinocaron 2 / Wes Cream Controllers (Loop) for Line Miss Ectific Colling Broth 1 1.66 0.00 0.00 15.20	VIDTUAL COL			UEPEX	VE IK4	0.0591	12.04	11.55				15.20				
Spilling Spilling Spilling UPPRILETER NELLS 0.0366 1.14 1.146 0.00 0.00 15.00	VIKTOAL COL															
NR SELECTIVE CARRIER ROUTING				LIEPSR LIEPSB	VF1LS	0.0296	11 94	11 46	0.00	0.00		15 20				i
Registroil Sessiblishment	AIN SELECTIV			OLI OIX, OLI OD	VETEG	0.0200	11.04	11.40	0.00	0.00		10.20				—
End Office Establishment	7			UEBIB	SRCEC		100,209,33					15.20				
NA INSTACKASE STERVICE				UEBIB				164.29								
NA INSTACKASE STERVICE		Query NRC, per query		UEBIB		0.0030293										
Notes Selection AN CAMSE 38.30 38.30 15.20	AIN - BELLSO	UTH AIN SMS ACCESS SERVICE														
AN SMS Access Service - Port Connection - Dial/Shared Access AN SMS Access Service - Port Connection - SSS Access - ATN																
AN SNS Access Service - Port Commention - ISDN Access Service - Decide - Port User Infertification Codes - Per User D. Code AN SNS Access Service - Security Card, Per User ID Code, AIN CAMPU 33.99 33.99 15.20		Initial Setup	<u>L</u>	A1N	CAMSE	<u> </u>	38.30	38.30	L		<u> </u>	15.20	<u> </u>	<u></u>	<u> </u>	<u></u>
AN SNS Access Service - Port Commention - ISDN Access Service - Decide - Port User Infertification Codes - Per User D. Code AN SNS Access Service - Security Card, Per User ID Code, AIN CAMPU 33.99 33.99 15.20										-]]	1
AN SMS Access Service - Security Card, Pet User ID Code, ID Code AN SMS Access Service - Security Card, Pet User ID Code, Intel® of Petaplacement Inte			<u> </u>													1
D Code				A1N	CAM1P		7.60	7.60				15.20				
AN SMS Access Service - Security Card, Per Liver ID Code, Institution Replacement Annual Communication (Communication Replacement) (Communicat																i .
Initial of Replacement				A1N	CAMAU		33.99	33.99				15.20				L
AN SMS Access Service - Storage, Per Link (100 Kindyse)																i
AN SMS Access Service - Company Performed Session, Per Minute AN SMS Access Service - Company Performed Session, Per Minute NN - BELLSOUTH ANT TOOLKT SERVICE AN TOOKS Service - Service Establishment Charge, Per State, AN TOOKS Service - Service Establishment Charge, Per State, AN TOOKS Service - Service Establishment Charge, Per State, AN TOOKS Service - Trigger Access Charge, Per Trigger, Per N THO TOOKS SERVICE - SERVICE S				A1N	CAMRC		41.39	41.39				15.20				
AN SMS Access Service - Company Performed Session, Per																
Minute						0.5795										+
NN - BELLSOUTH AIN TOOLKIT SERVICE						0.0404										ĺ
ANT Toolat Service - Service Establishment Charge, Per State, hind Service	AIN DELLEO				-	0.8104										—
Initial Setup	AIN - BELLOO				+				1							
AIN Toolkit Service - Triager Access Charge, Per Trigger, Per BAPTX				CAM	BAPSC		38 30	38.30				15 20				ĺ
AN Toolki Service - Trigger Access Charge, Per Trigger, Per BAPTT 7.60 7.60 15.20				0, 111												
DN, Term, Attempt							,,	.,								
AN Toolks Service - Trigger Access Charge, Per Trigger, Per BAPTD 7.60 7.60 15.20					BAPTT		7.60	7.60				15.20				i .
DN, Off-hook Delay																
DN, OH-Hook Immediate					BAPTD		7.60	7.60				15.20				i .
All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Peature Code All Toolkit Service - Ouery Charge, Per Query All Toolkit Service - Ouery Charge, Per All Toolkit Subscription, Per Node, Per Query All Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 kilotytes All Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 kilotytes All Toolkit Service - Special Study - Per All Toolkit Service Subscription All Toolkit Service - Special Study - Per All Toolkit Service Subscription All Toolkit Service - Special Study - Per All Toolkit Service Subscription CAM BAPLS 2.80 8.41 8.41 15.20 ENHANCED EXTENDED LINK (EELs) NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all retes below except Switch As Is Charge. NOTE: Lentwork elements shown below also apply to currently combined facilities converted to UNEs (Non-recurring rates do not apply.)		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														
DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Eature Code DN, Feature Code DN, F					BAPTM		7.60	7.60				15.20				ı
AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP DN, CDP AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code AlN Toolkit Service - Ouery Charge, Per Query AlN Toolkit Service - Ouery Charge, Per Query AlN Toolkit Service - Type 1 Node Charge, Per Aln Toolkit Subscription, Per Node, Per Query Aln Toolkit Service - SCP Storage Charge, Per Aln Toolkit Service Aln Toolkit Service - Special Study - Per Aln Toolkit Service Subscription Aln Toolkit Service - Special Study - Per Aln Toolkit Service Subscription Aln Toolkit Service - Call Event Report - Per Aln Toolkit Service Subscription Aln Toolkit Service - Call Event Report - Per Aln Toolkit Service Subscription Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Subscription Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Subscription Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Subscription Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Subscription Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Subscription Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Subscription Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Aln Toolkit Service - Call Event Service - Call Event Service - Call Event Service -										-]]	1
DN, CDP			<u> </u>		BAPTO		33.47	33.47				15.20				ļ
ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code ANN Toolkit Service - Query Charge, Per Query ANN Toolkit Service - Type 1 Node Charge, Per ANN Toolkit Subscription, Per Node, Per Query ANN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes ANN Toolkit Service - Monthly report - Per ANN Toolkit Service Subscription ANN Toolkit Service - Special Study - Per ANN Toolkit Service Subscription ANN Toolkit Service - Special Study - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Report - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Report - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Report - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Report - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Special Study - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Special Study - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Special Study - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Special Study - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Special Study - Per ANN Toolkit Service Service Subscription ANN Toolkit Service - Call Event Special Study - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Special Study - Per ANN Toolkit Service Service Subscription ANN Toolkit Service - Call Event Special Study - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Special Study - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Special Study - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Special Study - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Special Study - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Special Study - Per ANN Toolkit Service Subscription ANN Toolkit Service - Call Event Special Study - Per ANN Toolkit Serv			1		L							l]]	1
DN, Feature Code AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription Subscription Subscription Subscription Subscription Subscription Subscription Subscri			<u> </u>		BAPTC		33.47	33.47				15.20	ļ		ļ	
AlN Toolkit Service - Query Charge, Per Query AlN Toolkit Service - Type 1 Node Charge, Per AlN Toolkit Subscription, Per Node, Per Query AlN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AlN Toolkit Service - Monthly report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPLS 2.80 8.41 8.41 15.20 AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPLS 8.20 7.60 7.60 7.60 15.20 SHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities onverted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply.)					DARTE											1
AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 2.80 8.41 8.41 15.20 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 8.20 7.60 7.60 7.60 15.20 SINDANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-ecurring rates do not apply.)			<u> </u>		BAPTF	0.0500440	33.47	33.47				15.20				
Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - CAM BAPDS B			<u> </u>		+	0.0536446										
AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 2.80 8.41 8.41 15.20 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 8.20 7.60 7.60 7.60 15.20 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 8.20 7.60 7.60 15.20 15.20 SINHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)			1			0 006560							1		1	i
Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPMS 10.90 7.60 7.60 15.20 15.20 AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPLS 2.80 8.41 8.41 15.20 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 8.20 7.60 7.60 15.20 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 8.20 7.60 7.60 15.20 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPES 0.09 8.41 8.41 15.20 SHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)			<u> </u>		+	0.006369			-				-	-	-	
AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPMS 10.90 7.60 7.60 15.20 AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPLS 2.80 8.41 8.41 15.20 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 8.20 7.60 7.60 15.20 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 0.09 8.41 8.41 15.20 CAM BAPES 0.09 8.41 8.41 15.20 CAM BAPES 0.09 8.41 8.41 NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)						0.06										1
Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPLS 2.80 8.41 8.41 15.20 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 2.80 8.41 8.41 15.20 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 2.80 8.41 8.41 15.20 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 8.20 7.60 7.60 15.20 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPES 0.09 8.41 8.41 15.20 NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)			 		+	0.06					1		 		 	
AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPLS 2.80 8.41 8.41 15.20 15			1	CAM	BAPMS	10.90	7.60	7 60				15.20	1		1	1
Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 2.80 8.41 8.41 15.20 15.20 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 8.20 7.60 7.60 15.20 Indicated the service of			†		20	10.50	7.50	7.50	†		1	10.20	 	1	 	
AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 8.20 7.60 7.60 15.20 15.20 INCIENT Service Subscription CAM BAPES 0.09 8.41 8.41 15.20 INCIENT SERVICE SUBSCRIPTION NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)			1	CAM	BAPLS	2.80	8.41	8.41				15.20	1		1	1
Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 8.20 7.60 7.60 15.20 15.20 15.20 15.20 NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)			i –		1									İ		
AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPES 0.09 8.41 8.41 15.20 INDICE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)			1	CAM	BAPDS	8.20	7.60	7.60				15.20	1		1	1
Service Subscription CAM BAPES 0.09 8.41 8.41 15.20 15.20 16.20 16.20 17.20			i –									1		İ		
NHANCED EXTENDED LINK (EELs) NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)		Service Subscription	1	CAM	BAPES	0.09	8.41	8.41				15.20	1		1	1
NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge. NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)																
NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)								·								
								As Is Charge a	pplies to curre	ntly combined	I facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	.)

Version 1Q02: 03/22/2002 PAGE 169 OF 352

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
			<u> </u>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TF	ANSPORT (EEL)												
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport		1	11000		44.00	04.04	45.00				45.00				
	Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
	Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			UNCVA	ULALZ	23.33	34.21	45.09				13.20				
	Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ŭ	0.10 171	O L / LLL	00.10	0	.0.00				10.20				
	per month			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	DS1 Channelization System Per Month			UNC1X	MQ1	105.09	59.97	12.96				15.20				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	l												<u> </u>		
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		_													
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
	Voice Grade COCI - DS1 to DS0 Channel System combination -			1110101	1D1VG	0.0407	5.04	4.00								
	per month			UNCVX	1D1VG	0.6497	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WIB	IN CHARGE RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	FROFE	ICE TE		UNCCC		5.45	5.43				15.20			-	-
7-1111	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	LICOLI	ICE III	I (LLL)												
	Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			0.10 17.	02,12.	00.01	0	10.00				10.20			1	
	Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	105.09	59.97	12.96								
	Voice Grade COCI - DS1 to DS0 Channel System combination -			11000	1D1VG	0.6497	5.04	4.00								
	per month			UNCVX	1D1VG	0.6497	5.91	4.26							-	
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	l	1	UNCVX	UEAL4	30.81	94.21	45.09				15.20			I	I
	Additional 4-Wire Analog Voice Grade Loop in same DS1		+-	UNUVA	ULAL4	30.01	34.∠1	45.09				13.20			 	
	Interoffice Transport Combination - Zone 2	l	2	UNCVX	UEAL4	38.32	94.21	45.09				15.20			1	
- 	Additional 4-Wire Analog Voice Grade Loop in same DS1				J = - 1 = -	00.02	J-1.21	40.00				10.20			†	t
	Interoffice Transport Combination - Zone 3	l	3	UNCVX	UEAL4	60.39	94.21	45.09				15.20			1	1
 	Voice Grade COCI - DS1 to DS0 Channel System combination -				1		-									1
	per month	<u> </u>		UNCVX	1D1VG	0.6497	5.91	4.26	<u> </u>					<u> </u>	<u> </u>	<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE	TRANSPORT (EEL)												
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	l	l .									,			1	1
	Transport Combination - Zone 1	ļ	1	UNCDX	UDL56	30.99	94.21	45.09				15.20			-	-
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice	l	_	LINCDY	LIDLES	00.70	2421	45.00				45.00			I	I
	Transport Combination - Zone 2	 	2	UNCDX	UDL56	36.78	94.21	45.09	ļ			15.20			!	
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	l	3	UNCDX	UDL56	38.92	94.21	45.09				15.20			I	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	3	UNCDX	UDLOB	38.92	94.21	45.09				15.20		-	+	
	Per Month	l		UNC1X	1L5XX	0.2652									1	1
- 	Interoffice Transport - Dedicated - DS1 - combination Facility		<u> </u>	ONOTA	ILUXX	0.2002									 	
. 1	Termination Per Month	l		UNC1X	U1TF1	70.47	143.58	103.88				15.20]	1	1

Version 1Q02: 03/22/2002 PAGE 170 OF 352

NRONDLE	D NETWORK ELEMENTS - Louisiana			T	, ,								Attachment:		Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge Manual S Order vs Electronic Disc Add
					-	1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization - Channel System DS1 to DS0 combination Per		1			Nec	THOL	Addi	11130	Addi	CONILC	JONAN	JOHAN	JONAN	JOHAN	JONAN
	Month			UNC1X	MQ1	105.09	59.97	12.96								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		_	LINODY	LIDI FO	00.00	04.04	45.00				45.00				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)	1		UNCDX	1D1DD	1.38	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	!	1	O110DX	10100	1.30	5.91	4.20							 	
	Is Charge			UNC1X	UNCCC		5.43	5.43				15.20			1	
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE						i i							
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice								ĺ							
	Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_	LINCDY	LIDL C4	20.02	04.04	45.00				45.00				
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
	Per Month			UNC1X	1L5XX	0.2652										
-	Interoffice Transport - Dedicated - DS1 combination - Facility		1	ONOTA	TEOAX	0.2002										
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization - Channel System DS1 to DS0 combination Per			0.10.17	0		1 10.00	100.00				10.20			İ	
	Month			UNC1X	MQ1	105.09	59.97	12.96								
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDA	UDL64	30.76	94.21	45.09				13.20				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System		Ŭ	0.105/	0020.	00.02	0	10.00				10.20			1	
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	-							ĺ							
	Is Charge		ļ	UNC1X	UNCCC		5.43	5.43				15.20			1	
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	EROFFI	CE TR	ANSPORT (EEL)	1											
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		1	LINCAY	LICL VV	0E 70	160.00	100.00				15.00			1	
_	Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	1	1	UNC1X	USLXX	85.70	169.22	100.89				15.20			 	
	Transport - Zone 2	1	2	UNC1X	USLXX	194.96	169.22	100.89]			15.20				
-	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	 		0.101/	3000	134.30	103.22	100.09				10.20			t	
	Transport - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20			1	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	l							i i							
	Per Month			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month	ļ	<u> </u>	UNC1X	U1TF1	70.47	143.58	103.88				15.20			ļ	
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGAY	LINGGO		F 40	F 40				45.00			1	
4-14/10	Is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	EROFFI	CE TP	UNC1X	UNCCC		5.43	5.43				15.20			 	
4-WIR	First DS1Loop in DS3 Interoffice Transport Combination - Zone		LIK	THOFUNI (EEL)	1										 	1
	1	1	1	UNC1X	USLXX	85.70	169.22	100.89]			15.20				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone	l	<u> </u>	23.77		55.76	.00.22	.00.00				.0.20			1	
	2	<u> </u>	2	UNC1X	USLXX	194.96	169.22	100.89	<u> </u>			15.20			<u> </u>	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone								ĺ							
	3		3	UNC1X	USLXX	491.94	169.22	100.89	1			15.20				

UNBUNDL	ED NETWORK ELEMENTS - Louisiana											,	Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec			g Disconnect				Rates(\$)		
	Liveriff of Transport De Francis DOO and Francis De Miles					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	6.04										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	-		UNUSA	ILJAA	0.04										
	month			UNC3X	U1TF3	850.45	296.68	121.16				15.20				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	201.48	107.05	48.07								
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	Additional DS1Loop in DS3 Interoffice Transport Combination -	+		UNCIX	USLAA	194.96	169.22	100.89				15.20				
	Zone 3		3	UNC1X	USLXX	491.94	169,22	100.89				15.20				
	DS3 Interface Unit (DS1 COCI) combination per month	1	Ť	UNC1X	UC1D1	11.78	5.91	4.26		1	1	.0.20			1	
	Nonrecurring Currently Combined Network Elements Switch -As	5-									1					
	Is Charge			UNC3X	UNCCC		5.43	5.43				15.20				
2-WI	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	TEROFF	ICE T	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
	2-WireVG Loop used with 2-wire VG Interoffice Transport			11110101	115410	05.05	04.04	45.00				45.00				
	Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport	-	2	UNCVX	UEAL2	25.35	94.21	45.09			-	15.20				
	Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per	-	-	ONOVA	OLALZ	30.40	34.21	45.05			+	13.20				
	Mile Per Month			UNCVX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV2	22.60	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As	S-														
	Is Charge		<u> </u>	UNCVX	UNCCC		5.43	5.43				15.20				
4-WI	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	TEROF	ICE II	RANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				
	4-WireVG Loop used with 4-wire VG Interoffice Transport	1	- '-	UNCVA	ULAL4	30.61	34.21	45.09			+	13.20				
	Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				
	4-WireVG Loop used with 4-wire VG Interoffice Transport										1				1	
	Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per															
	Mile Per Month	1		UNCVX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade			LINION	11477.77	40.0	=			1					1	
	combination - Facility Termination per month	+	-	UNCVX	U1TV4	19.81	72.60	41.75		 	1	15.20			1	-
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge	5-		UNCVX	UNCCC		5.43	5.43		1		15.20			1	
DS3	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFI	CE TRA	NSPOR		UNCCC		ე.43	5.43		 	 	15.20			 	-
200	High Capacity Unbundled Local Loop - DS3 combination - Per	1		()						<u> </u>	1				—	
	Mile per month			UNC3X	1L5ND	10.04				1					1	
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month			UNC3X	UE3PX	362.34	188.45	125.51			1					
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1		UNC3X	1L5XX	6.04				ļ						
	Interoffice Transport - Dedicated - DS3 combination - Facility			LINICOV	LIATES	050.45	000.00	101.10		1		45.00			1	
	Termination per per month Nonrecurring Currently Combined Network Elements Switch -As	+	-	UNC3X	U1TF3	850.45	296.68	121.16	ļ	 	1	15.20			1	-
	Is Charge	-		UNC3X	UNCCC		5.43	5.43		1		15.20			1	
STS	I DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROI	FICE TE	RANSP		UNCCC		5.43	5.43		+	 	13.20			 	
010	High Capacity Unbundled Local Loop - STS1 combination - Per	1		J (LLL)						<u> </u>	1				—	
	Mile per month			UNCSX	1L5ND	10.04				1						
	High Capacity Unbundled Local Loop - STS1 combination -	1									Ì					
	Facility Termination per month	1		UNCSX	UDLS1	374.56	188.45	125.51								
	Interoffice Transport - Dedicated - STS1 combination - Per Mile		1											<u> </u>		
	per month			UNCSX	1L5XX	6.04										

<u>UNBUNDLE</u>	D NETWORK ELEMENTS - Louisiana												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS1 combination - Facility				===							4= 00				
	Termination per month			UNCSX	U1TFS	830.19	296.68	121.16				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		5.43	5.43				15.20				
2 WID	E ISON EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T /EEL		UNCOA	UNCCC		5.43	3.43				15.20				
Z-VVIK	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	(I (EEL	_													
	Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		<u> </u>	ONONA	OTLEX	22.00	54.21	40.00				10.20				
	Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination						-									
	Transport - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization - Channel System DS1 to DS0 combination -															
	per month			UNC1X	MQ1	105.09	59.97	12.96								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combination - per month			UNCNX	UC1CA	2.96	5.91	4.26								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_					4= 00				4= 00				
	Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		3	UNCNX	U1L2X	GE 10	94.21	45.09				15 20				
	Combination - Zone 3 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	UNCINA	UILZA	65.18	94.21	45.09				15.20				
	combintaion- per month			UNCNX	UC1CA	2.96	5.91	4.26								
-	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIVA	OCTOA	2.90	5.91	4.20								
	Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T		0.1000		0.10	00				10.20				
	First DS1 Loop in STS1 Interoffice Transport Combination -			1												
	Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	6.04										
	Interoffice Transport - Dedicated - STS1 combination - Facility			LINICOV	LIATEC	020.40	200.00	104.40				45.00				
	Termination STS1 to DS1 Channel System conbination per month			UNCSX	U1TFS MQ3	830.19 201.48	296.68 107.05	121.16 48.07				15.20			-	
	DS3 Interface Unit (DS1 COCI) combination per month					201.48 11.78										
	Additional DS1Loop in STS1 Interoffice Transport Combination -	1	 	UNC1X	UC1D1	11.78	5.91	4.26			}			1	 	
	Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
-	Additional DS1Loop in STS1 Interoffice Transport Combination -		-	ONOTA	OOLAX	05.70	103.22	100.03				13.20				
	Zone 2		2	UNC1X	USLXX	194.96	169,22	100.89				15.20				
	Additional DS1Loop in STS1 Interoffice Transport Combination -			ONOTA	COLFOR	104.00	100.22	100.00				10.20				
	Zone 3	l	3	UNC1X	USLXX	491.94	169.22	100.89				15.20		1	I	
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.78	5.91	4.26						İ	1	
	Nonrecurring Currently Combined Network Elements Switch -As-		1		1			-						1		
	Is Charge	<u></u>	<u></u>	UNCSX	UNCCC		5.43	5.43			<u> </u>	15.20	<u> </u>	<u> </u>	<u> </u>	<u> </u>
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)		_	•	•					_			
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport]												
	Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1												<u> </u>	_	
	Combination - Zone 2	!	2	UNCDX	UDL56	36.78	94.21	45.09				15.20				
. 1	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	l		LINORY	LIDI 50	00.00	04.04	45.00				45.00		1	I	I
	Combination - Zone 3	l	3	UNCDX	UDL56	38.92	94.21	45.09			ļ	15.20				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															

Version 1Q02: 03/22/2002 PAGE 173 OF 352

UNBUNDL	LED NETWORK ELEMENTS - Louisiana						· ·						Attachment:	2	Exhibit: B	
ATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec	urring	Nonrecurring	a Disconnect			oss	Rates(\$)	I.	
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -							7.00.		7144	0020	00				
	Facility Termination			UNCDX	U1TD5	15.61	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As	-	1													1
	Is Charge			UNCDX	UNCCC		5.43	5.43				15.20				
4-WI	IRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												1
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			` ′												1
	Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															1
	Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20		<u> </u>	<u> </u>	<u> </u>
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -						-	<u> </u>								
	Per Mile			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		1				-							I		1
	Facility Termination			UNCDX	U1TD6	15.61	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As	-														
	Is Charge			UNCDX	UNCCC		5.43	5.43				15.20				
	L NETWORK ELEMENTS															
	en used as a part of a currently combined facility, the non-recur															
	en used as ordinarilty combined network elements in Georgia, th	ne non-r	ecurrir	ng charges apply an	d the Switch	As Is Charge d	oes not.									
	ess to DCS - Customer Reconfiguration (FlexServ)															
	e (SynchroNet)		<u> </u>													
Non	recurring Currently Combined Network Elements "Switch As Is"		(One a	applies to each com	bination)											
	Nonrecurring Currently Combined Network Elements Switch -As	-1														
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As	-1						= 40				4= 00				
	Is Charge - 56/64 kbps	1		UNCDX	UNCCC		5.43	5.43				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As	-		LINIOAV			5 40	5.40				45.00				
	Is Charge - DS1	1		UNC1X	UNCCC		5.43	5.43				15.20				-
	Nonrecurring Currently Combined Network Elements Switch -As	-		LINIONY			5.40	5.40				45.00				
	Is Charge - DS3	1		UNC3X	UNCCC		5.43	5.43				15.20				+
	Nonrecurring Currently Combined Network Elements Switch -As	1		UNCSX	UNCCC		5.43	5.43				45.00				
NOT	Is Charge - STS1 TE: Local Channel - Dedicated Transport - minimum billing perio	d Bala	Des			r months	5.43	5.43				15.20				+
NOI	Local Channel - Dedicated Transport - Infill Infill Brilling period	u - belo		UNCVX	ULDV2	18.32	187.51	32.21				15.20				+
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 Local Channel - Dedicated - 4-Wire Voice Grade Zone 1	1	1	UNCVX	ULDV2	19.41	187.94	32.63				15.20				+
	Local Channel - Dedicated - 4-Wire Voice Grade 2016 1	+	1	UNC1X	ULDF1	39.18	172.34	149.27				15.20				+
	Local Channel - Dedicated - DS1 Per Month Zone 1	1	2	UNC1X	ULDF1	121.58	172.34	149.27				15.20				+
	Local Channel - Dedicated - DS1- Per Month Zone 3	+		UNC1X	ULDF1	70.02	172.34	149.27				15.20				+
	Local Channel - Dedicated - DS3 - Per Mile per month	+		UNC3X	1L5NC	7.82	172.54	143.21				15.20				+
	Local Channel - Dedicated - DS3 - Fer Mile per month Local Channel - Dedicated - DS3 - Facility Termination per	1		UNCOX	ILSING	1.02										+
	month			UNC3X	ULDF3	469.44	438.46	256.30				15.20				
	Local Channel - Dedicated - STS-1- Per Mile per month	1		UNCSX	1L5NC	7.82	430.40	230.30				15.20				+
	Local Channel - Dedicated - STS-1 - Facility Termination per	1		ONCOX	TESINO	7.02						13.20				+
	month			UNCSX	ULDFS	457.22	438.46	256.30								
NRIINDI FI	D LOCAL EXCHANGE SWITCHING(PORTS)			ONCOX	OLDI O	437.22	430.40	230.30								+
	hange Ports	1			+											+
	E: Although the Port Rate includes all available features in GA,	KY. LA	& TN. f	he desired features	will need to b	e ordered usin	g retail USOC	<u> </u>		<u> </u>					1	+
	IRE VOICE GRADE LINE PORT RATES (RES)	T	, .		1		J	-						1	l .	
	Exchange Ports - 2-Wire Analog Line Port- Res.	 		UEPSR	UEPRL	1.52	2.31	2.21				15.20			1	1
					1										i e	†
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.52	2.31	2.21				15.20				
	J	†			1										1	†
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.52	2.31	2.21				15.20				1
	Exchange Ports - 2-Wire VG unbundled LA extended local	1														1
	dialing parity Port with Caller ID - Res.		1	UEPSR	UEPAS	1.52	2.31	2.21				15.20				1
	Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus														1	1
	with Caller ID - Res (RUL)	1	1	UEPSR	UEPAG	1.52	2.31	2.21		1	l	15.20		l	1	1

Version 1Q02: 03/22/2002 PAGE 174 OF 352

UNBUNDLI	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec			Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res, low usage line port				l											
	with Caller ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21				15.20				
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				15.20				
FEAT	URES															
0.14/15	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00				15.20				
2-WIF	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled LA extended local															
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	1.52	2.31	2.21				15.20				
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area															
	Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21				15.20				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00				15.20				
FEAT	URES		<u> </u>	LIEBOR								4= 00				
=1/01	All Available Vertical Features		<u> </u>	UEPSB	UEPVF	0.00	0.00	0.00				15.20				
EXCH	ANGE PORT RATES (DID & PBX)			LIEBOE		4.50						4= 00				
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		<u> </u>	UEPSE	UEPRD	1.52	30.37	14.42				15.20				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		<u> </u>	UEPSP	UEPPC	1.52	30.37	14.42				15.20				4
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		<u> </u>	UEPSP	UEPPO	1.52	30.37	14.42				15.20				4
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.52	30.37	14.42				15.20				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		<u> </u>	UEPSP UEPSP	UEPLD UEPL2	1.52	30.37	14.42				15.20				4
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port 2-Wire Voice Unbundled PBX LD Terminal Ports	-		UEPSP	UEPL2 UEPLD	1.52 1.52	30.37	14.42				15.20				-
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPKA	1.52	30.37 30.37	14.42 14.42				15.20 15.20				
	2-Wire Voice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXA	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52	30.37	14.42				15.20			-	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXD	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			ULFSF	OLFAD	1.32	30.37	14.42				13.20			-	
	Capable Port			UEPSP	UEPXE	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional			OLI OI	OLI AL	1.02	30.37	17.72				13.20				†
	Callling Port			UEPSP	UEPXK	1.52	30.37	14.42				15.20				
_	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AIX	1.02	00.07	1-112				10.20				†
	Administrative Calling Port	1	1	UEPSP	UEPXL	1.52	30.37	14.42				15.20		1	I	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1				52	00.01	/2				70.20		1	1	
	Room Calling Port	1	1	UEPSP	UEPXM	1.52	30.37	14.42				15.20		1	I	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			-		-										
	Discount Room Calling Port	1	1	UEPSP	UEPXO	1.52	30.37	14.42				15.20		l	I	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local													İ	1	1
	Discount Calling Port			UEPSP	UEPXP	1.52	30.37	14.42				15.20			1	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.52	30.37	14.42				15.20				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				15.20				
FEAT	URES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00				15.20				
EXCH	IANGE PORT RATES (COIN)															ļ
	Exchange Ports - Coin Port	<u> </u>			_1	1.52	2.31	2.21				15.20			ļ	<u> </u>
	: Transmission/usage charges associated with POTS circuit s													L	1	ļ
NOTE	: Access to B Channel or D Channel Packet capabilities will be	availal	ole onl	y through BFR/Nev	w Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	le Request/l	New Business	s Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)	ļ												ļ	ļ	ļ
EXCH	IANGE PORT RATES (DID & PBX)	ļ	<u> </u>	L										ļ	.	ļ
	Exchange Ports - 2-Wire DID Port	ļ	<u> </u>	UEPEX	UEPP2	8.29	115.85	18.20				15.20		ļ	.	
1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1	1		l====							,		l	I	
	capability	<u> </u>	<u> </u>	UEPDD	UEPDD	68.47	196.18	92.92				15.20			ļ	↓
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	1	1	UEPTX UEPSX	U1PMA	10.07	70.76	51.46	l		l	15.20		1		1

Version 1Q02: 03/22/2002 PAGE 175 OF 352

UNBUN	IDLE	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
								Nonrec	curring	Nonrecurrin	g Disconnect		1	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Features Offered			UEPTX UEPSX	UEPVF	0.00	0.00	0.00								1
		Transmission/usage charges associated with POTS circuit sv															
1	OTE:	Access to B Channel or D Channel Packet capabilities will be	availab	ole only						lities will be d	etermined via t	the Bona Fig	de Request/	New Business	s Request Pro	cess.	
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
INDUNE		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	94.82	197.92	98.62				15.20				-
		OCAL SWITCHING, PORT USAGE fice Switching (Port Usage)				+					 						+
-	ila Oi	End Office Switching Function, Per MOU					0.001868										+
-		End Office Trunk Port - Shared, Per MOU				+	0.00018										+
1	ander	n Switching (Port Usage) (Local or Access Tandem)															1
		Tandem Switching Function Per MOU				1	0.0001067				1			1			1
		Tandem Trunk Port - Shared, Per MOU					0.000222										
(Commo	on Transport							•								
		Common Transport - Per Mile, Per MOU					0.0000032			ļ					ļ	ļ	
I IN I DI III :		Common Transport - Facilities Termination Per MOU		ļ		+	0.0003748				ļ	<u> </u>	<u> </u>	ļ	ļ		
		ORT/LOOP COMBINATIONS - COST BASED RATES	-1/ C4	-4- 6-		anda Habii	ded Leed Cui	tabina au Cuite	ab Danta			1	1				+
		ased Rates are applied where BellSouth is required by FCC and shall apply to the Unbundled Port/Loop Combination - Cost								nd Dort coction	of this Data E	vhihit					+
		ice and Tandem Switching Usage and Common Transport Us											in Port/Loor	Combination	ns		+
i	or Ge	orgia, Kentucky, Louisiana, Mississippi, South Carolina and T	enness	see, the	recurring UNE Por	rt and Loop c	harges listed a	oply to Current	ly Combined a	and Not Currer	ntly Combined	Combos. T	he first and	additional Po	ort nonrecurri	ng charges a	pply to Not
		ly Combined Combos for all states. In GA, KY, LA, MS, SC an															
		rently Combined Combos in all other states, the nonrecurring															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)					Ĭ	·									
ι	JNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
		2-Wire VG Loop/Port Combo - Zone 2		2			23.75										<u> </u>
		2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
	JNE LO	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39					1					+
-		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	48.26										+
2		Voice Grade Line Port Rates (Res)		Ť	021101	02.27	10.20										†
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.36	38.85	19.08				15.20				
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.36	38.85	19.08				15.20				1
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.36	38.85	19.08				15.20				
		2-Wire voice Grade unbundled Louisiana extended local dialing															
		parity port with Caller ID - res			UEPRX	UEPAS	1.36	38.85	19.08				15.20				<u> </u>
		2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)			UEPRX	UEPAG	4 20	38.85	19.08				15.20				
-+		2-Wire voice unbundles res, low usage line port with Caller ID		-	ULPRA	UEPAG	1.36	38.85	19.08	-	+	 	15.20	1	 	-	+
		(LUM)			UEPRX	UEPAP	1.36	38.85	19.08				15.20		1		
F	EATU				021101	02.7.	1.00	00.00	10.00				10.20				+
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.20				†
L	OCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
١	IONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0.10	0.10				15.20				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		0.10	0.10				15.20				
	ADDITI	ONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	-WIRE	Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRX	USAS2	0.00	0.00	0.00				15.20				
		ort/Loop Combination Rates								<u> </u>					<u> </u>	<u> </u>	
		2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
		2-Wire VG Loop/Port Combo - Zone 2		2			23.75									20.00	
		2-Wire VG Loop/Port Combo - Zone 3		3			49.62				ļ						
l	JNE L	op Rates		1									1				1

Version 1Q02: 03/22/2002 PAGE 176 OF 352

UNBUND	LEC	NETWORK ELEMENTS - Louisiana												Attachment:		Exhibit: B	
CATEGORY	Y	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26										
2-W		/oice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.36	38.85	19.08				15.20				
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.36	38.85	19.08				15.20				
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.36	38.85	19.08			1	15.20				
		2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus			UEPBX	UEPAX	1.36	38.85	19.08				15.20				
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.36	38.85	19.08				15.20				
\vdash	- 1	2-Wire voice unburidled incoming only port with Caller ID - Bus 2-Wire voice unbundled Louisiana Bus Area Calling Port with			OLI DA	OI LDI	1.00	30.03	13.00			1	13.20			t	
		Caller ID (BUC)	l	1	UEPBX	UEPAA	1.36	38.85	19.08				15.20			I	
LOC		NUMBER PORTABILITY	1					33.55	.0.50				.0.20			1	
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35					1			İ		
FE.	ATUF														1		
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.20				
NOI		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.10	0.10				15.20				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPBX	USACC		0.10	0.10				15.20				
ADI		ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent											4= 00				
0.14		Activity			UEPBX	USAS2		0.00	0.00				15.20				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		-								+					
UNI		rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1			13.13					+				-	
		2-Wire VG Loop/Port Combo - Zone 2		2			23.75					1					
		2-Wire VG Loop/Port Combo - Zone 3		3			49.62					1					
LINE		op Rates					40.02										
0.11		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	48.26										
2-W		/oice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	1.36	66.91	31.29				15.20				
LOC		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.20				
FE#	ATUF																
		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.20				
NOI		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l	1	LIEDDO	110400	l						,			I	
\vdash		Conversion - Switch-As-Is	<u> </u>	<u> </u>	UEPRG	USAC2		7.68	1.85				15.20			-	
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l	1	LIEDDO	LICACO	l	7.00	4.05				45.00			I	
40		Conversion - Switch with Change	 	1	UEPRG	USACC	+	7.68	1.85			1	15.20		-	 	
ADI		DNAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	!	 	 							1			-		
		2-wire voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity	l	1	UEPRG	USAS2	0.00	0.00	0.00				15.20			I	
\vdash		PBX Subsequent Activity - Change/Rearrange Multiline Hunt			021110	00,102	0.00	0.00	0.00			1	10.20			t	
		Group	l	1			l	7.11	7.11				15.20			I	
2-W		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1		1			7.11	7.71				10.20			1	
		rt/Loop Combination Rates					İ								İ	1	
		2-Wire VG Loop/Port Combo - Zone 1		1			13.13								İ	1	
		2-Wire VG Loop/Port Combo - Zone 2		2			23.75					1			İ	1	
		2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
UNE	E Lo	op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	22.39										
1 - 1		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	48.26										

Version 1Q02: 03/22/2002 PAGE 177 OF 352

<u>UNBUN</u> DI	LED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	ire Voice Grade Line Port Rates (BUS - PBX)															
	Live City Haland Had On this disc O Was BBY To all Box B			UEPPX	LIEDDO	4.00	00.04	04.00				45.00				
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPC UEPPO	1.36	66.91	31.29				15.20 15.20				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO UEPP1	1.36 1.36	66.91	31.29 31.29								
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana			UEPPX	UEPPT	1.30	66.91	31.29				15.20				
	Calling Port			UEPPX	UEPL2	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.36	66.91	31.29				15.20			-	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1		UEPPX	UEPXA	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX LD DBB Terminals Fort 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPPX	UEPXD	1.36	66.91	31.29			1	15.20			I	1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	 		52. AD	1.00	00.01	01.20			1	.0.20			 	
	Capable Port			UEPPX	UEPXE	1.36	66.91	31.29				15.20			I	
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	1			02. AL	1.00	00.01	01.20			1	.0.20			I	1
	Calling Port			UEPPX	UEPXK	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
	Discount Calling Port			UEPPX	UEPXP	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.36	66.91	31.29				15.20				
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.20				
FEA	TURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.68	1.85				15.20				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		7.68	1.85				15.20				
ADD	DITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.20				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group	<u> </u>					7.11	7.11				15.20				
	IRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT														
UNE	Port/Loop Combination Rates					40.40										
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.13										
	2-Wire VG Coin Port/Loop Combo – Zone 2	1	2	-		23.75 49.62					1			-	 	ļ
LINIE	2-Wire VG Coin Port/Loop Combo – Zone 3	1	3			49.62									 	-
UNE	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	11.77					 			-		-
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPCO	UEPLX	22.39					}			1	 	
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	48.26					}			1	 	1
2-W	ire Voice Grade Line Ports (COIN)	1	3	021 00	OLI LA	40.20					1			1	t	
	2-Wire Coin 2-Way without Operator Screening and without	1	1		+ +										-	
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.36	38.85	19.08				15.20			1	
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,		t		02	50	33.00	.0.00				0			1	1
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.36	38.85	19.08				15.20			I	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking		t			50	22.00								1	1
	(AL, LA, MS)			UEPCO	UEPRB	1.36	38.85	19.08				15.20			1	
	2-Wire Coin 2-Way with Operator Screening & Blocking:	1			1		22.20							İ	1	
ı l	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.36	38.85	19.08				15.20			1	
	2-Wire Coin Outward without Blocking and without Operator	1												İ	İ	İ
				UEPCO	UEPRN		38.85	19.08				15.20		ī	•	1

Version 1Q02: 03/22/2002 PAGE 178 OF 352

UNBUN	NDLE	D NETWORK ELEMENTS - Louisiana												Attachment:		Exhibit: B	
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
1																DISC ISL	DISC Add I
							D	Nonrec		Nonrecurring		001150	001111		Rates(\$)	001441	001141
		2 Wise Caia Outured with Onesetes Conseries and 044 Blacking		1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)			UEPCO	UEPLA	1.36	38.85	19.08				15.20				
-		2-Wire Coin Outward with Operator Screening and Blocking:		1	UEPCO	UEPLA	1.30	30.00	19.06				15.20				1
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08				15.20				
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,		1	OLI GO	CLITAI	1.00	00.00	10.00				10.20				
		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.36	38.85	19.08				15.20				
		2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1.36	38.85	19.08				15.20				
		2-Wire Coin Outward Smartline with 900/976 (Louisiana only)			UEPCO	UEPCB	1.36	38.85	19.08				15.20				
Α	ADDITI	ONAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00				15.20				
L		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
N		CURRING CHARGES - CURRENTLY COMBINED			ļ											ļ	ļ
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDOO	110463							,				
 		Switch-as-is			UEPCO	USAC2		0.10	0.10				15.20			1	1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDCO	LIEACO		0.40	0.40				45.00				
		Switch with change		1	UEPCO	USACC		0.10	0.10				15.20				
A	וווטטא	ONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1													
		Activity			UEPCO	USAS2		0.00	0.00				15.20				
	INIDIIN	IDLED REMOTE CALL FORWARDING - RES		1	UEPCO	USASZ		0.00	0.00				15.20				1
		IDLED REMOTE CALL FORWARDING - RES		1													
-		Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus		1	UEPVB	UEPVJ	1.52	2.31	2.21				15.20				
UNBUND		PORT/LOOP COMBINATIONS - COST BASED RATES			OLI VB	OLI VO	1.02	2.01	2.21				10.20				
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
		ort/Loop Combination Rates															
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			23.20										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			33.62										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			58.73										
U		pop Rates															
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.93						15.20				
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	25.35						15.20				
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	50.46						15.20				
U	JNE Po	ort Rate															
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.27	217.95	83.92				15.20				
N	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -			LIEDDY	110404		7.40	4.04				45.00				
		Switch-as-is			UEPPX	USAC1		7.10	1.81				15.20				
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		7.10	1.81				15.20				
	ADDITI	ONAL NRCs		-	UEPPX	USAIC		7.10	1.81				15.20				
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		1	UEPPX	USAS1		26.01	26.01				15.20				
		one Number/Trunk Group Establisment Charges		1	OLITA	00/01		20.01	20.01				13.20				
		DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00				15.20				
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00				15.20				
		DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX	ND5	0.00	0.00	0.00				15.20				
		Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00				15.20				1
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.20				1
L	OCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDI	E POR	T												
U		ort/Loop Combination Rates															
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
		UNE Zone 1		1	UEPPB UEPPR		27.48										ļ
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
$oxed{oxed}$		UNE Zone 2		2	UEPPB UEPPR	ļ	40.34			ļ						ļ	
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		70.99										
ļ ļ																	

Version 1Q02: 03/22/2002 PAGE 179 OF 352

UNBUNDL	LED NETWORK ELEMENTS - Louisiana													Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
								Nonrec			g Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09						15.20				
	- 100 M T		_										4= 00				
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPB	UEPPR UEPPR		31.95 62.60						15.20				
LINE	2-Wire ISDN Digital Grade Loop - UNE Zone 3 Port Rate		3	UEPPB	UEPPR	USL2X	62.60				-		15.20				
UNE	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.39	184.10	128.42				15.20				1
NON	IRECURRING CHARGES - CURRENTLY COMBINED		1	OLITE	OLITIK	OLITB	0.55	104.10	120.42				13.20				
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		1														1
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	37.40	26.23				15.20				
	ITIONAL NRCs																1
LOC	AL NUMBER PORTABILITY										_						
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CI	HANNEL USER PROFILE ACCESS:				ese-						ļ					1	ļ
	CVS/CSD (DMS/5ESS)	1	ļ	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00		-	1				-	
	CVS (EWSD)	1	<u> </u>	UEPPB UEPPB	UEPPR	U1UCB U1UCC	0.00	0.00	0.00		 	<u> </u>				1	
D_CL	ICSD HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	CMS o	L TAIN	UEPPB	UEPPR	UTUCC	0.00	0.00	0.00	-	 	 					
D-C1	CVS/CSD (DMS/5ESS)	U,IVIO, 6	114)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	1	 	1				 	
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USE	R TERMINAL PROFILE							0.00									
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	TICAL FEATURES																1
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00				15.20				
INTE	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC	22.613	39.36	26.62				15.20				
4 10/1	Interoffice Channel mileage each, additional mile IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	/ DODT		UEPPB	UEPPR	M1GNM	0.013	0.00	0.00				15.20				
	Port/Loop Combination Rates	FORT															
ONL	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			180.52										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			289.78										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																1
	Zone 3		3	UEPPP			586.76										
UNE	Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPPP		USL4P	85.70				ļ		15.20			ļ	<u> </u>
	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPPP		USL4P	194.96				-	1	15.20			-	
LINIT	4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPPP		USL4P	491.94				 	<u> </u>	15.20			1	
UNE	Exchange Ports - 4-Wire ISDN DS1 Port	1	!	UEPPP		UEPPP	94.82	443.08	251.60	-	 	 	15.20				
NON	IRECURRING CHARGES - CURRENTLY COMBINED			OLFFF		OLFFF	94.02	443.00	231.00				13.20				
INON	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	 	t	1		1					†					 	
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	115.63	76.29		1		15.20				
ADD	ITIONAL NRCs		İ														
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way tel nos within Std Allowance (except NC)		<u> </u>	UEPPP		PR7TF		0.48					15.20				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -				·											1	
	Outward Tel Numbers (All States except NC)	1	<u> </u>	UEPPP		PR7TO		11.18	11.18			ļ	15.20				<u> </u>
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			LIEBSE		DDZZT		00.0-	20.65		1		45.00				
1.00	Subsequent Inward Tel Nos Above Std Allowance AL NUMBER PORTABILITY	1	<u> </u>	UEPPP		PR7ZT		22.35	22.35		 	 	15.20			1	
LOC	Local Number Portability (1 per port)	1	1	UEPPP		LNPCN	1.75				-	1			-	-	
INTE	ERFACE (Provsioning Only)	1	-	JLI FF		LIVI OIV	1.73				 	 				t	
1111	Voice/Data	1		UEPPP		PR71V	0.00	0.00	0.00		†					†	
	Digital Data		1	UEPPP		PR71D	0.00	0.00	0.00		1					1	†
	Inward Data	1		UEPPP		PR71E	0.00	0.00	0.00						İ		
New	or Additional "B" Channel	1	1			İ						İ					Ť .

Version 1Q02: 03/22/2002 PAGE 180 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			II.	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Increment Charge Manual S Order vs Electroni
													1st	Add'l	Disc 1st	Disc Add
							Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.11					15.20				
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.11					15.20				i .
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.11					15.20				1
CALL																
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								1
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interof	fice Channel Mileage		<u> </u>	LIEDDD	41.514.6	70.7500	00.00	70.11				45.00				
	Fixed Each Including First Mile			UEPPP	1LN1A	70.7532	86.69	79.44				15.20				
4 14/10/	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.2652			-							
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT ort/Loop Combination Rates	 	 		+				-	-	 			-		
UNE P	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	 	1	UEPDC	+	154.17			-	-	 	15.20		-		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	 	2	UEPDC	+	263.43			-	 		15.20		-	-	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	 	3	UEPDC	+ -	560.41			+	1	}	15.20		1	+	
LINE	oop Rates	 	3	OLFDO	+ -	J0U.41			 	1	1	15.20		1	t	\vdash
ONE L	4-Wire DS1 Digital Loop - UNE Zone 1	 	1	UEPDC	USLDC	85.70			 	 	 	15.20			t	
-	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	194.96			1			15.20				+
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	491.94						15.20				+
UNF P	ort Rate			02. 20	00250	.01.01						10.20				t
0.12	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	68.47	441.34	245.90				15.20				
NONRI	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															1
	- Switch-as-is			UEPDC	USAC4		125.75	65.08				15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															1
	- Conversion with DS1 Changes			UEPDC	USAWA		125.75	65.08				15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															ĺ
	- Conversion with Change - Trunk			UEPDC	USAWB		125.75	65.08				15.20				
ADDIT	IONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID		<u> </u>	UEPDC	UDTTC		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			LIEDDO	LIDTTD		44.00	44.00				45.00				
	Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTD		14.06	14.06				15.20				
	Activation / Chan - 2-Way DID w User Trans	1	1	UEPDC	UDTTE		14.06	14.06	I			15.20			I	
DIDO	AR 8 ZERO SUBSTITUTION	 	1	OLFDO	ODITE	+	14.00	14.06	+	1	}	15.20		1	+	
BIFOL	B8ZS -Superframe Format	 		UEPDC	CCOSF	+	0.00	605.00	 	 		15.20			 	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00				15.20				+
Alterna	ate Mark Inversion			OLI DO	COOLI		0.00	000.00				10.20				+
Aiteini	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								+
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	none Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00			1	1		15.20		İ	1	1
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00			1	1		15.20		İ	1	1
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.20				
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.20				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						15.20				
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.20				
Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop	with 4-Wire DDITS	Trunk Port						ļ					
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1	1	l	[I						I	
	Termination)			UEPDC	1LNO1	70.47	86.69	79.44				15.20				<u> </u>
	l		1	l	[<u>.</u>]		_		1							
1	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1	I	UEPDC	1LNOA	0.2652	0.00	0.00								<u> </u>

JNBUNDLED	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Charge -
							Nonrec	urring	Nonrecurring	Disconnect		L	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	, , , , , , , , , , , , , , , , , , , ,															
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.2652	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations														
	ystem can have up to 24 combinations of rates depending on			ber of ports used	İ				1	İ				İ	İ	
	S1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00	İ	İ	İ	15.20		İ	İ	
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	491.94	0.00	0.00				15.20				
	60 Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1	,		UEPMG	VUM24	97.35	0.00	0.00				15.20				
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00				15.20				
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00				15.20				
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00				15.20				
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00				15.20				
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	973.50	0.00	0.00				15.20				
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1.168.20	0.00	0.00				15.20				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00				15.20				
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,947.00	0.00	0.00				15.20				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00	-			15.20				
	672 DS0 Channel Capacity - 1 per 24 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00	-			15.20				
	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chann						0.00	-			13.20				
	num System configuration is One (1) DS1, One (1) D4 Channel						steili		-							
	es of this configuration functioning as one are considered Ad															
	NRC - Conversion (Currently Combined) with or without	u i aite	the m	minum system cor	I guration is	counted.										
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12				15.20				İ
	Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan					140.13	0.12				15.20				├ ──
		n Chan	nenzat	ion with Port Comb	Ination Curre	ntiy Exists and										├ ──
New (No	ot Currently Combined) In GA, KY, LA, MS & TN Only								-							
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	745.54	107.51				45.00				
				UEPMG	VUIND4	0.00	715.54	467.54				15.20				.
	8 Zero Substitution															.
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	605.00				15.20				
	Clear Channel Capability Format - Extended Superframe -															İ
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00				15.20				ļ
	te Mark Inversion (AMI)															<u> </u>
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								<u> </u>
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								<u> </u>
	ge Ports Associated with 4-Wire DS1 Loop with Channelization	n with	Port													
Exchan	ge Ports								1							
					l				I			1			Ì	1
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00		15.20				<u> </u>
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00		15.20				
1 7		_			1			·		1		1			<u> </u>	
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00		15.20				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00		15.20				
Feature	Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated															
	in D4 Bank	<u></u>	L_	UEPPX	1PQWM	0.6497	25.36	13.40	<u> </u>		<u></u>	15.20		<u> </u>	<u> </u>	<u> </u>
	Feature (Service) Activation for each Trunk Side Port Terminated															
	in D4 Bank	ì	1	UEPPX	1PQWU	0.6497	78.05	18.40		ĺ	1	15.20		l		1

Version 1Q02: 03/22/2002 PAGE 182 OF 352

UNBUND	LED	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
								Nonred	curring	Nonrecurring Disc	connect				Rates(\$)		
							Rec	First	Add'l	First A	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Tel		one Number/ Group Establishment Charges for DID Service															<u> </u>
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.20				
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.20				
		Non-Consecutive DID Numbers - per number			UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00				15.20				<u> </u>
		Reserve Non-Consecutive DID Numbers Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.20 15.20				
Lo		umber Portability			OLITA	INDV	0.00	0.00	0.00				13.20				
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FE		RES - Vertical and Optional				_											
Lo	cal S	witching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00				15.20			_	
		ORT LOOP COMBINATIONS - MARKET RATES															
		Rates shall apply where BellSouth is not required to provide	unbunc	iled lo	cal switching or swi	tch ports per	FCC and/or St	ate Commission	on rules.								
		cenarios include:	nad ! *	lober	Elevido en d'Aleuri	Carelina								-	-		
		undled port/loop combinations that are Not Currently Combin undled port/loop combinations that are Currently Combined of					n 8 MSAS in Pa	IlSouth's roais	on for end use	re with 4 or more DS	leviuna 02	ant lines		1	-		
		o 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda											e)				
		th currently is developing the billing capability to mechanica												NC. In the ir	nterim where	BellSouth car	nnot bill
		Rates, BellSouth shall bill the rates in the Cost-Based section											,				
		rket Rate for unbundled ports includes all available features i					Ĭ										
En	d Off	ice and Tandem Switching Usage and Common Transport Us	age rat	es in th	ne Port section of th	is rate exhibi	it shall apply to	all combination	ons of loop/po	ort network elements	except f	or UNE Coi	n Port/Loop	Combination	ns which have	a flat rate us	sage charge
(US	SOC:	URECU).	·								•						
Fo	r Not	Currently Combined scenarios where Market Rates apply, the	e Nonre	curring	g charges are listed	in the First a	and Additional I	NRC columns	for each Port l	JSOC. For Currently	/ Combine	ed scenario	s, the Nonre	ecurring char	ges are listed	in the NRC -	Currently
		ed section. Additional NRCs may apply also and are categor	ized ac	cordin	gly.												
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UN		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			25.77										
		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			36.39 62.26										-
LIN		op Rates		3			62.20			 							1
O.N		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	48.26										
2-V	Vire \	/oice Grade Line Port (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00					31.92	7.32		
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00					31.92	7.32		
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					31.92	7.32		
		2-Wire voice Grade unbundled Louisiana extended local dialing			LIEDDY	UEPAS	14.00	90.00	90.00					31.92	7.32		
		parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res			UEPRX	UEPAS	14.00	90.00	90.00	 				31.92	1.32		
		(RUL)			UEPRX	UEPAG	14.00	90.00	90.00					31.92	7.32		
		2-Wire voice unbundled Louisiana Area Plus with Caller ID - res				520	14.00	55.56	55.50					01.02	7.52		
i I		(AC7)			UEPRX	UEPAH	14.00	90.00	90.00					31.92	7.32		
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPRX	UEPAP	14.00	90.00	90.00					31.92	7.32		
LO		NUMBER PORTABILITY															
\vdash		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35							ļ	ļ		<u> </u>
FE	ATU				HEDDY	HED) 'E	0.00	0.00	0.00					04.00	7.00		
NO		All Features Offered CURRING CHARGES - CURRENTLY COMBINED			UEPRX	UEPVF	0.00	0.00	0.00					31.92	7.32		
NO	/ININE	CONNING CHANGES - CONNENTE I COMBINED				1	 										+
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2	j	41.50	41.50					31.92	7.32		
		2-Wire Voice Grade Loop / Line Port Combination - Switch with				20.102	†	71.00	71.50					01.02	7.52		
		change			UEPRX	USACC		41.50	41.50					31.92	7.32		
AD	DITIO	ONAL NRCs					<u> </u>										
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
		Subsequent			UEPRX	USAS2		0.00	0.00					31.92	7.32		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)				ļ	ļ										
UN	ı⊨ Po	rt/Loop Combination Rates				1											<u> </u>

Version 1Q02: 03/22/2002 PAGE 183 OF 352

UNBUNDLEI	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
		1			1						Svc Order	Svc Order	Incremental	Incremental		Increment
											Submitted		Charge -			
														Charge -	Charge -	Charge -
4.TE0.0DV	DATE ELEMENTO	Interi	-	500				DATEO(6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec		Nonrecurring D					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 1		1			25.77										
	2-Wire VG Loop/Port Combo - Zone 2		2			36.39										
	2-Wire VG Loop/Port Combo - Zone 3		3			62.26										
	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39										
<u> </u>	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26										
2-Wire	Voice Grade Line Port (Bus)			OLI DX	OLI LX	40.20										
Z-VVIIE	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					31.92	7.32		
				UEPBX	UEPBC	14.00								7.32		
	2-Wire voice unbundled port with Caller + E484 ID - bus						90.00	90.00					31.92			
	2-Wire voice unbundled port outgoing only - bus	<u> </u>		UEPBX	UEPBO	14.00	90.00	90.00					31.92	7.32		
	2-Wire voice Grade unbundled Louisiana extended local dialing	l	1	l	1										Ì	1
	parity port with Caller ID - bus			UEPBX	UEPAX	14.00	90.00	90.00					31.92	7.32		<u> </u>
	2-Wire voice unbundled Louisiana Bus Area Calling Port with	l							T	·						I
<u> </u>	Caller ID (BUC)	L	<u> </u>	UEPBX	UEPAA	14.00	90.00	90.00			<u> </u>		31.92	7.32	<u> </u>	
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					31.92	7.32		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with			OLI DX	CONOL		41.00	71.00					01.02	7.02		
	change			UEPBX	USACC		41.50	41.50					31.92	7.32		
ADDITI	ONAL NRCs			OLFBA	USACC		41.50	41.30					31.32	1.32		
ADDITI	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
				LIEDDY	110400		0.00	0.00					04.00	7.00		
	Subsequent			UEPBX	USAS2		0.00	0.00					31.92	7.32		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			25.77										
	2-Wire VG Loop/Port Combo - Zone 2		2			36.39										
	2-Wire VG Loop/Port Combo - Zone 3		3			62.26										
	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	48.26										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	14.00	90.00	90.00					31.92	7.32		
	NUMBER PORTABILITY			OLI IKO	OLIND	14.00	30.00	30.00					31.32	7.52		
	Local Number Portability (1 per port)	-	-	UEPRG	LNPCP	3.15					-			-	-	
		 	 	OLFING	LINFOR	3.13										-
NONRE	CURRING CHARGES - CURRENTLY COMBINED	 	!		+				.		 				 	
	L	l	1												Ì	1
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					31.92	7.32		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with	l	1	_											Ì	1
	Change	<u> </u>	<u></u>	UEPRG	USACC		41.50	41.50			L		31.92	7.32		<u> </u>
ADDITI	ONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring	l					0.00	0.00					31.92	7.32		l
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															i
	Group	l					14.64	14.64					31.92	7.32		l
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1							<u> </u>		1				1	1
	ort/Loop Combination Rates	1	1		+ +				+						 	1
	2-Wire VG Loop/Port Combo - Zone 1	-	1		+ -	25.77			+						 	
	2-Wire VG Loop/Port Combo - Zone 1	1	2		+ +	36.39			+		1			1	 	
		-			+						 				 	
	2-Wire VG Loop/Port Combo - Zone 3		3		1	62.26								-		l
	pop Rates	<u> </u>	L .													
	2-Wire Voice Grade Loop (SL1) - Zone 1	 		UEPPX	UEPLX	11.77										ļ
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPPX	UEPLX	22.39										ļ
	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (BUS - PBX)		3	UEPPX	UEPLX	48.26								1		

Version 1Q02: 03/22/2002 PAGE 184 OF 352

UNBUNDLED N	NETWORK ELEMENTS - Louisiana												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	ne Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					31.92	7.32		
	ne Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					31.92	7.32		
	ne Side Unbundled Incoming PBX Trunk Port - Bus Wire Voice Unbundled 2-Way Combination PBX Louisiana			UEPPX	UEPP1	14.00	90.00	90.00			-		31.92	7.32		
	alling Port			UEPPX	UEPL2	14.00							31.92	7.32		
	Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					31.92	7.32		
	Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00			1		31.92	7.32		
	Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					31.92	7.32		
	Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					31.92	7.32		
	Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					31.92	7.32		
	Wire Voice Unbundled PBX LD Terminal Switchboard IDD				I I											
	apable Port		 	UEPPX	UEPXE	14.00	90.00	90.00			1		31.92	7.32	ļ	
	Wire Voice Unbundled 2-Way PBX Louisiana Local Optional alling Port			UEPPX	UEPXK	14.00	90.00	90.00					31.92	7.32		
	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPAK	14.00	90.00	90.00			1		31.92	1.32		
Ad	Iministrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					31.92	7.32		
	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITA	OLI AL	14.00	50.00	50.00					01.02	7.02		
	oom Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					31.92	7.32		
	Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	scount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					31.92	7.32		
	Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
	scount Calling Port			UEPPX	UEPXP	14.00	90.00	90.00					31.92	7.32		
	Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					31.92	7.32		
	JMBER PORTABILITY			UEPPX	LNPCP	3.15					1					
FEATURE	cal Number Portability (1 per port)			UEPPX	LNPCP	3.15				-	+					
	Features Offered			UEPPX	UEPVF	0.00	0.00	0.00		1	1		31.92	7.32		
	JRRING CHARGES - CURRENTLY COMBINED			02.17	02. 1.	0.00	0.00	0.00					01.02	7.02		
	Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					31.92	7.32		
	Wire Voice Grade Loop/ Line Port Combination - Switch with															
	nange			UEPPX	USACC		41.50	41.50					31.92	7.32		
ADDITION	AL NRCs															
	Mine Vision Conda Lang / Line Bort Combination Cubanassant			UEPPX	USAS2		0.00	0.00					24.00	7.00		
	Wire Voice Grade Loop/ Line Port Combination - Subsequent Wire Loop/Line Side Port Combination - Non feature -			UEPPX	USAS2		0.00	0.00		-	+		31.92	7.32		
	bsequent Activity- Nonrecurring						0.00	0.00					31.92	7.32		
	BX Subsequent Activity - Change/Rearrange Multiline Hunt				+		0.00	0.00					01.02	7.02		
	oup						14.64	14.64					31.92	7.32		
2-WIRE VO	DICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	T														
	Loop Combination Rates															
	Wire VG Coin Port/Loop Combo – Zone 1		1			25.77										
	Wire VG Coin Port/Loop Combo – Zone 2		2			36.39										
	Wire VG Coin Port/Loop Combo – Zone 3		3			62.26										
UNE Loop			_	UEPCO	UEPLX	11.77					1					
	Wire Voice Grade Loop (SL1) - Zone 1 Wire Voice Grade Loop (SL1) - Zone 2		1 2	UEPCO	UEPLX	22.39				-	 					
	Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	48.26				 	 				1	
	ice Grade Line Port Rates (Coin)			02.00	JEI EX	70.20				<u> </u>	1					
	Wire Coin 2-Way without Operator Screening and without				+ +				1	1	1				1	
	ocking (AL, KY, LA, MS)		l	UEPCO	UEPRF	14.00	90.00	90.00		1			31.92	7.32		
	Wire Coin 2-Way with Operator Screening and Blocking: 011,										1					
90	0/976, 1+DDD (AL, KY, LA, MS, SC)		<u> </u>	UEPCO	UEPRA	14.00	90.00	90.00		<u> </u>			31.92	7.32	<u> </u>	
	Wire Coin 2-Way with Operator Screening and 011 Blocking							· · · · · · · · · · · · · · · · · · ·							1	
	L, LA, MS)			UEPCO	UEPRB	14.00	90.00	90.00		ļ			31.92	7.32		
	Wire Coin 2-Way with Operator Screening & Blocking:		1	LIEBOO	LIEBOS					I					1	1
90	0/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	14.00	90.00	90.00					31.92	7.32		

Version 1Q02: 03/22/2002 PAGE 185 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Charge - Manual Svo Order vs.
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward without Blocking and without Operator															1
	Screening (KY, LA, MS)			UEPCO	UEPRN	14.00	90.00	90.00					31.92	7.32		
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(LA)			UEPCO	UEPLA	14.00	90.00	90.00					31.92	7.32		
	2-Wire Coin Outward with Operator Screening and Blocking:															
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	14.00	90.00	90.00					31.92	7.32		<u> </u>
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
1.0041	1+DDD, 011+, & Local (AL, KY, LA, MS)	<u> </u>		UEPCO	UEPCN	14.00	90.00	90.00					31.92	7.32		ļ
	NUMBER PORTABILITY			LIEDOO	LNDOV	0.05										
	Local Number Portability (1 per port) ECURRING CHARGES - CURRENTLY COMBINED			UEPCO	LNPCX	0.35			-							
NONKE	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	1	1	UEPCO	USAC2	I	41.50	41.50					31.92	7.32	1	
 	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with	1	1	OLI OU	USAUZ	+	41.50	41.50	+		-	1	31.92	1.32		
	Change			UEPCO	USACC		41.50	41.50					31.92	7.32		
Δηριτι	IONAL NRCs	1	1	02. 00	30,00	+	71.30	71.50					31.92	1.32		
ADDITI					1	†			 				1		1	
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00					31.92	7.32		
UNBUNDLED F	PORT/LOOP COMBINATIONS - MARKET BASED RATES															
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	ort/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			50.93										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			61.35										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			86.46										
UNE Lo	oop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.93						15.20				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	25.35						15.20				l
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	50.46						15.20				
UNE Po	ort Rate															
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	36.00	600.00	45.00				15.20				
NONRE	ECURRING CHARGES - CURRENTLY COMBINED	<u> </u>														ļ
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -			HEDDY	110404		400.00	40.50				45.00				
-	Switch-As-Is Top 8 MSAs only 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPX	USAC1		100.00	42.50				15.20				
	with BellSouth Allowable Changes Top 8 MSAs only			UEPPX	USA1C		100.00	42.50				15.20				
ADDITI	IONAL NRCs			UEPPX	USAIC		100.00	42.50				15.20				<u> </u>
ADDITI	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	 	!	UEPPX	USAS1	1	45.00	45.00	+			15.20	1	1	1	
Telenh	none Number/Trunk Group Establisment Charges	 	!	OLI I A	UUAUI	1	45.00	45.00	+			13.20	1	1	1	
Тогерп	DID Trunk Termination (One Per Port)	1	1	UEPPX	NDT	0.00	0.00	0.00				15.20				†
	Additional DID Numbers for each Group of 20 DID Numbers	1	†	UEPPX	ND4	0.00	0.00	0.00				15.20	1	1	1	1
	DID Numbers, Non- consecutive DID Numbers , Per Number		i –	UEPPX	ND5	0.00	0.00	0.00	†			15.20				1
	Reserve Non-Consecutive DID numbers	1	i	UEPPX	ND6	0.00	0.00	0.00				15.20				1
	Reserve DID Numbers		i –	UEPPX	NDV	0.00	0.00	0.00	†			15.20				1
LOCAL	NUMBER PORTABILITY	1	i		1											1
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								1
2-WIRE	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDI	E PORT													
UNE Po	ort/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			1						-]]	
	UNE Zone 1	<u> </u>	1	UEPPB UEPP	٦ .	84.09								ļ		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	1	l	. [I							1	1	1	
	UNE Zone 2	ļ	2	UEPPB UEPPF	٠ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ	96.95			ļ							↓
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_		. 1											
<u> </u>	UNE Zone 3	 	3	UEPPB UEPPF	4	127.60			ļ				ļ	ļ	ļ	
UNE Lo	oop Rates	ļ	<u> </u>	UEDDD		 			ļ							↓
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	19.09						15.20				
	O Mills IODN Division Constant and 1975 7	1	_										1	1	1	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB UEPPF		31.95			i l		1	15.20				
		1	^	LIEDDD LIESSS	1101.01/	00.00						45.00				
	2-Wire ISDN Digital Grade Loop - UNE Zone 3 ort Rate		3	UEPPB UEPPR	USL2X	62.60						15.20				

Version 1Q02: 03/22/2002 PAGE 186 OF 352

ONBONDL	ED NETWORK ELEMENTS - Louisiana			1			1					1 -		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi	Zone	E	scs	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge -	Charge -
		m										per LSK	per LSK	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add'l
								Nonrec	urrina	Nonrecurring I	Disconnect			oss	Rates(\$)	l.	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	65.00	525.00	400.00				15.20				
NONE	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	230.00	230.00				15.20				
ADDI	TIONAL NRCs																
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(TN														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES																1
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00				15.20				1
INTER	ROFFICE CHANNEL MILEAGE																1
	Interoffice Channel mileage each, including first mile and																1
	facilities termination			UEPPB	UEPPR	M1GNC	22.613	39.36	26.62				15.20				
	Interoffice Channel mileage each, additional mile	1			UEPPR	M1GNM	0.013	0.00	0.00				15.20				1
4-WIR	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT															1
	Port/Loop Combination Rates																
0.12	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			935.70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1		02		1	000.70			+							+
	Zone 2		2	UEPPP			1,044.96										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	<u> </u>	02		1	1,011.00										+
	Zone 3		3	UEPPP			1,341.94										
UNF	Loop Rates	1	Ŭ	OLITI		1	1,041.04			+							+
OI4L I	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPPP		USL4P	85.70						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	194.96			-			15.20				+
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491.94			-			15.20				+
LINE	Port Rate		3	OLITI		OOLTI	431.34			-			13.20				+
ONL	Exchange Ports - 4-Wire ISDN DS1 Port	+		UEPPP		UEPPP	850.00	1,150.00	1,150.00	+ +			15.20				+
NONE	RECURRING CHARGES - CURRENTLY COMBINED	1		OLITI		OLITI	030.00	1,130.00	1,130.00				13.20				+
NON	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1															+
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0.00	950.00	950.00	1			15.20				
ADDI	TIONAL NRCs	1		OLFFF		USACE	0.00	930.00	930.00				13.20				+
ADDI	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	+				1				+ +							+
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.48					15.20				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1		OLFFF		FIXIT		0.40		+			13.20				+
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.18	11.18				15.20				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1		UEFFF		PR/IU		11.10	11.10	+			15.20				+
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		22.35	22.35				15.20				
1004	L NUMBER PORTABILITY	1	 	JLI'FF		111/21	+	22.33	22.33	+		1	13.20			 	+
LOCA	Local Number Portability (1 per port)	1	 	UEPPP		LNPCN	1.75			+		1				 	+
INITE	RFACE (Provsioning Only)	1	1	SLITE		LIVI OIV	1.73			+		1				 	+
INTER	Voice/Data	1	1	UEPPP		PR71V	0.00	0.00	0.00	 		1				t	+
	Digital Data	+	-	UEPPP		PR71D	0.00	0.00	0.00	 						 	+
	Inward Data	1	 	UEPPP		PR71E	0.00	0.00	0.00	+		1				 	+
Now	or Additional "B" Channel	1	1	ULFFF		I N/ IL	0.00	0.00	0.00	+ +		-					+
ivew (New or Additional - Voice/Data B Channel	+	!	UEPPP		PR7BV	0.00	14.11		+			15.20				+
	New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel	+	!	UEPPP		PR7BF	0.00	14.11		+							+
-+		 	1							\vdash			15.20			-	+
	New or Additional Inward Data B Channel TYPES	 	<u> </u>	UEPPP		PR7BD	0.00	14.11		 			15.20			 	+
						•											1

Version 1Q02: 03/22/2002 PAGE 187 OF 352

<u>UNBUNDL</u>	ED NETWORK ELEMENTS - Louisiana												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	70.7532	86.69	79.44				15.20				
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.2652										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC												
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		154.17						15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		263.43						15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		560.41						15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC												
UNE	Loop Rates			L	1	ļ									ļ	1
	4-Wire DS1 Digital Loop - Statewide		SW	UEPDC	USLDC				ļ		ļ				.	
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	194.96						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	491.94						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC											
UNE	Port Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,006.28	479.28	0.00	0.00		15.20				
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		125.75	65.08				15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAWA		125.75	65.08				15.20				
	- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		125.75	65.08				15.20				
ADDI	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order			UEPDC	USAS4											
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															-
	Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDTTA		14.06	14.06				15.20				ļ
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			LIEDDO	LIDTTO		44.00	44.00				45.00				
	Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTD		14.06	14.06				15.20				+
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.06	14.06				15.20				
BIPO	LAR 8 ZERO SUBSTITUTION		<u> </u>	LIEBBO	00005			005	ļ		ļ	15.5			.	ļ
	B8ZS -Superframe Format		<u> </u>	UEPDC	CCOSF		0.00	605.00			ļ	15.20				_
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00				15.20			-	
Alter	nate Mark Inversion		<u> </u>	LIEDDO	MCOSF		0.00	2.00	ļ	-	ļ				1	
	AMI -Superframe Format		<u> </u>	UEPDC	MCOSF		0.00	0.00	 	 	ļ			-	 	
Tolor	AMI - Extended SuperFrame Format phone Number/Trunk Group Establisment Charges		1	UEPDC	IVICOPO		0.00	0.00			<u> </u>				 	
i eiep	Telephone Number for 2-Way Trunk Group	-	 	UEPDC	UDTGX	0.00				-	1	15.20				
	Telephone Number for 2-way Trunk Group Telephone Number for 1-Way Outward Trunk Group		-	UEPDC	UDTGX	0.00			-		<u> </u>	15.20		-	-	
	Telephone Number for 1-way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID	-	1	UEPDC	UDTGZ	0.00			1	1	 	15.20		1	 	
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00		<u> </u>		15.20		<u> </u>	<u> </u>	<u> </u>
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.20				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						15.20				<u> </u>
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.20				
Dedic	cated DS1 (Interoffice Channel Mileage) -	1	L_ ⁻	L												

Version 1Q02: 03/22/2002 PAGE 188 OF 352

NRONDLED NETWORK	K ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
							Nonrec		Nonrecurring	g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FX/FCO for 4-Wire DS	61 Digital Loop with 4-Wire DDITS Trunk Port															
Interoffice Cha	nnel Mileage - Fixed rate 0-8 miles (Facilities															
Termination)				UEPDC	1LNO1	70.47	86.69	79.44				15.20				
	nnel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.2652	0.00	0.00								
	nnel Mileage - Fixed rate 9-25 miles (Facilities															
Termination)				UEPDC	1LNO2	0.00	0.00	0.00								
	nnel Mileage - Additional rate per mile - 9-25															
miles				UEPDC	1LNOB	0.2652	0.00	0.00								
	nnel Mileage - Fixed rate 25+ miles (Facilities															
Termination)				UEPDC	1LNO3	0.00	0.00	0.00								
	nnel Mileage - Additional rate per mile - 25+ miles		<u> </u>	UEPDC	1LNOC	0.2652	0.00	0.00								
	Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Termininating Point			UEPDC	CTG	0.00										
4-WIRE DS1 LOOP W	ITH CHANNELIZATION WITH PORT															
System is 1 DS1 Loo	p, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations														
A system can have va	arious rate combinations based on type and nur	mber of	ports	used												
UNE DS1 Loop																
4-Wire DS1 Lo	op - UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00				15.20				
4-Wire DS1 Lo	op - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00				15.20				
4-Wire DS1 Lo	op - UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00				15.20				
UNE DSO Channeliza	tion Capacities (D4 Channel Bank Configuration	ns)														
24 DSO Chan	nel Capacity - 1 per DS1			UEPMG	VUM24	97.35	0.00	0.00				15.20				
48 DSO Chan	nel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00				15.20				
96 DSO Chan	nel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00				15.20				
	inel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00				15.20				
	inel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00				15.20				
	inel Capacity - 1 per 10 DS1s			UEPMG	VUM20	973.50	0.00	0.00				15.20				
	inel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1.168.20	0.00	0.00				15.20				
	inel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00				15.20				
	inel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,947.00	0.00	0.00				15.20				
	inel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00				15.20				
	inel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00				15.20				
	les (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	eliztio					0.00				10.20				
	configuration is One (1) DS1, One (1) D4 Channe						Jeni									
Multiples of this con	figuration functioning as one are considered Ac	id'i afte	r the m	inimum system c	onfiguration is	counted										
	sion (Currently Combined) with or without	la i aite	I tile ii	l	omiguration is	counted.										
	wed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00				15.20				
	nere Currently Combined and New (Not Current)	v Comb	ined \	OLI WIO	00/104	0.00	400.00	00.00				10.20				
In Top 8 MSAs and A		y Conn.	l													
	nnel Bank - Add NRC for each Port and Assoc		1		+		1									<u> </u>
Fea Activation				UEPMG	VUMD4	0.00	900.00	600.00				15.20				
Bipolar 8 Zero Substi		-		ULFIVIG	VOIVID4	0.00	900.00	000.00			-	13.20				
	Capability Format, superframe - Subsequent	-			-	-	-				-					
Activity Only	Capability Format, superframe - Subsequent			UEPMG	CCOSF	0.00	0.00	605.00				15 20				
	Canability Farmert Fetanded Consensus		1	UEPIVIG	CCOSF	0.00	0.00	005.00				15.20				
Subsequent A	Capability Format - Extended Superframe -	l	1	UEPMG	CCOEF	0.00	0.00	605.00				15.20				
Alternate Mark Invers		 	1	ULFIVIG	COUEF	0.00	0.00	00.600			 	15.20				
Superframe Fo		<u> </u>	 	UEPMG	MCOSF	0.00	0.00	0.00			-	-				
	erframe Format	-	 	UEPMG	MCOSF	0.00	0.00	0.00	-		-				 	
	errrame Format ociated with 4-Wire DS1 Loop with Channelization	on witt-	Do-4	ULFIVIG	IVICOPO	0.00	0.00	0.00	-		-				 	
	ociated with 4-wire Do i Loop with Channelization	JII WITH	ruft		_						 					
Exchange Ports		1	<u> </u>		_		-				1				1	
Line Civil Com	bination Channelined DDV Touch Dest. D	l	1	HEDDY	LIEDOV	44.00	0.00	0.00				45.00				
	abination Channelized PBX Trunk Port - Business	l	 	UEPPX	UEPCX	14.00	0.00	0.00			-	15.20			 	
Line Side Out	ward Channelized PBX Trunk Port - Business	1	<u> </u>	UEPPX	UEPOX	14.00	0.00	0.00			1	15.20			1	
	and Only Observational DDV To all Board St. 1882	1	1	HEDDY	LIEDAY	44.00	2 22	0.00				45.00			Ì	1
	ard Only Channelized PBX Trunk Port without DID	 	!	UEPPX	UEP1X	14.00	0.00	0.00				15.20				
I 12-Wire Trunk 9	Side Unbundled Channelized DID Trunk Port	I	1	UEPPX	UEPDM	36.00	0.00	0.00		l		15.20			I	I

Version 1Q02: 03/22/2002 PAGE 189 OF 352

INDIGINATION Property Prope	LINIDI	INDI EI	D NETWORK ELEMENTS Louisians												A44b	•	Exhibit: B	
ATTEMPTS BATE ELEMENTS BATE PLANT More and the part of the par	UNDU	INDLE	NETWORK ELEMENTS - Louisiana	I	1			1					Syc Order	Svc Order				Incremental
## PATE ELEMENTS Internal Control of the Control																		
ATTECHY RATE ELEMENTS BOS USOC RATERIAN PARTIE ALEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATERIAN																	•	
Record Secretary Record	CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)								
Part				m						- (.,,			per LSK	per LSK				
Petitor Noncommission Petitor Noncommission Petitor Noncommission																		
Feature Activations - Unblanched Loop Contentration															151	Auu	DISC 1St	DISC AUU I
February Activations - Unbandward Logo Concentration																		
Feature Starting Androno not each Line Size Port Termonated UEPPX IPQWN 0.6407 40.00 2.050 15.20								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
In 64 Bank		Feature																
Feature (Service) Activation for each Transk Side Port Terminated 16-9PX 1-9VW 0.6497 110.00 33.00 15.20																		i l
In Case Standard Circuity Establishment Charges for Di Service						UEPPX	1PQWM	0.6497	40.00	20.00				15.20				
Telephone Number of Concept Establishment Changes for IDD Sarvices DD Tourish Femalistics Fema																		ı l
CO Trust Termination (1 per Port)		T - 1 1				UEPPX	1PQWU	0.6497	110.00	30.00				15.20				
DID Numbers - groups of 32 - Valid all States DEPPK NJ4 0.00 0.00 0.00 15,20		reiepn				LIEDDY	NDT	0.00	0.00	0.00				45.00				
NumConnections (DD Numbers - per number CEPPX NDS 0.00 0.00 0.00 15.20																		
Mosera Non-Consequence Dis Numbers USEPTX NOS 0.00 0.00 0.00 15.20																		
Reserve DD Numbers																		
Local Number Portability	-	1		1	1													
Coad Switching Features Vertical and Option Vertical and Opt				1			1	0.00	5.50	0.00	1			10.20	1	1		í
FEATURES - Vertical and Optional				1		UEPPX	LNPCP	3.15	0.00	0.00	1				1	1		í
Local Switching Features Officined with Line Side Ports Only AIR TRANSPORT AND CONTROL OF CONTROL OF AIR DATES NEW COLL CENTREX FORT LOOP COMMINITIONS - COST PASED BATES NEW COLL CENTREX FORT LOOP COMMINITIONS - COST PASED BATES 2. Features and all apply to the Unburded Fort Loop Commission in the provide Unburded Fort Loop Commission in the provide Unburded Fort Loop Commission in the Same manner as they are applied to the Switching Organ and Common Transport Usage rates in the Port section of this rate exhibit shall apply to the Unburded Fort Loop Commission in the Same manner as they are applied to the Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all commissions of Deophorn network elements accept for UNE Coin Port Loop Commissions. For Georgia, Kentrely, Louissan, Mississiops and Fort International Port Internating Charges and Switching Organizations. For Georgia, Kentrely, Louissan, Mississiops and Fort International Port International And Switching Commission Commission. The first and advanced and Not Currently Commission Commission. The first and advanced and Not Currently Commission Commission. Commission and all other states, the nonrecurring charges shall be those Identified in the Nonrecurring - Currently Commission Commission. June Port Commission and a state of the Market Rate section. For Currently Commission and Switching or Commission Commission. June Port Commission Commission Commission Commission. June Port Victor Victor Grade Port (Central) Port Commission. June Port Victor Victor Grade Port (Central) Port Commission. June Port Victor Victor Grade Port (Central) Port Commission. June Port Victor Victor Grade Port (Central) Port Commission. June Port Victor Victor Compission Commission. June Port Victor Victor Compission Commission. June Port Victor Victor Victor Grade Port (Central) Port Commission. June Port Victor Victor Victor Compission Commission. June Port Victor Victor Compission Commission. June Port Victo							1	1	2.20	2.30	Ì				1	1		
Mile Features Available UEPPK DI																		
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbunded to the Stand-Anne Unbunded Port section of this Rate Exhibit. 3. End Office and Tanden Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit all apply to left the Stand-Anne Unbunded Port section of this Rate Exhibit. 3. End Office and Tanden Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit all apply to all combinations of loop/port network determinations. The West and State of Common Transport Usage rates in the Port section of this rate exhibit all apply to all combinations of loop/port network determinations. The West and State of Common Transport Usage rates in the Port section of this Rate Exhibit. 5. End office and Tanden Switching Usage and Common Transport Usage rates in the Port section of this Rate Exhibit. 6. Commined Combo for all states. In CA, PYL LAM States of Common Transport Usage rates in the Port section of this Rate Exhibit. 7. Market Rates in Charles of Common Transport Usage rates in the Port section of this Rate Exhibit. 8. Market Rates in Charles Common Transport Usage rates in the Port section of the Rate Rate Section. For Currently Combined sections. 9. Market Rates in Charles Common Transport Usage rates in the Port Section of the Common Transport Usage rates in the Port Section of the Common Transport Usage rates in the Port Section of the Common Transport Usage rates in the Port Section of the Common Transport Usage rates in the Port Section of the Common Transport Usage rates in the Port Section of the Common Transport Usage rates in the Port Section of the Common Transport Usage rates in the Port Section of the Common Transport Usage rates in the Port Section of the Common Transport Usage rates in the Port Section of the Common Transport Usage rates in the Port Section of the Common Transport Usage rates in the Port Section of the Common Transport Usage rates in the Port Section Trans						UEPPX	UEPVF	0.00	0.00	0.00				15.20				
2. Features shall apply to the Unbundled PortLoop Combination - Cost Based Rate section in the same manner as they are applied to the Studied Port section of this Rate Exhibit. 3. Find Office and Tandems Winching Usage and Common Transport Port section of this rate exhibit shall apply to all combinations of loopporn retwork chements accept for USE Coin PortLoop Combinations. For Gorgia, Kenticky, Louissain, Mississippi and Transasses, the recurring UNE Port and Loop Charges Issted apply to all combinations of loopporn retwork chements accept from the first and additional Port nonrecurring charges and the state of the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified and the Nonrecurring Charges shall be those identified and the Nonrecurring Charges shall be those identified and the Nonrecurring Charges shall be those identified and the Nonrecurring Charges shall be those identified and the Nonrecurring Charges shall be those identified and the Nonrecurring Charges shall be those identified and the Nonrecurring Charges shall be those identified and the Nonrecurring Charges shall be those identified and the Nonrecu	UNBU	NDLED C	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	S														i
S. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate achibit shall apply to all combinations of loop/port network elements except for UNE Coin PortLoop Combinations. For Georgia, Refutucly, Louisian, Mississippi and Tennessee, the recurring UNE Protecting Charges say to Currently Combined and Rot Combos in all other states, the nonrecurring charges say to Currently Combined Combos in all other states, the nonrecurring charges say to Currently Combined Sections. UNE P CENTREX - IASSS - (Valid in ALFL, GA, KY, LAM, SA IN only) 2-Wile Vol Loop/PWIN Voles Grade Port (Centrex) Combo UNE P COMBINITY - Voles Grade Port (Centrex) Port Combo Non-Design 2-Wile Vol Loop/PWIN Voles Grade Port (Centrex) Port Combo Non-Design 2-Wile Vol Loop/PWIN Voles Grade Port (Centrex) Port Combo Non-Design 2-Wile Vol Loop/PWIN Voles Grade Port (Centrex) Port Combo Non-Design 3 UEP91 48.26 UEP91 UEP91 48.26 UEP91 UEP9																		
For Georgia, Kentucky, Louistana, Mississippi and Tennessee, the recruiting NNE Port and Loop charges listed apply to Combined Combos for all states. In GA, KYL, MS and TN these nonrecurring charges are Commission ordered costs beard in AL, PL, NC and SC these nonrecurring charges are Marker Rates and are listed in the Marker Rates and listed in the Marker Rates and listed in the Marker Rates and listed in the Marker Rates and listed in the Marker Rates and listed in the Marker Rates and listed in the Marker Rates and listed in the Marker Rates and listed in the Marker Rates and listed in the Marker Rate																		i
Combined Combos for all states. In GA, KY, LA, MS and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL, NC and SC these nonrecurring charges are Market Rates and are listed in the Market Rates for Unburndled Centror Port Loop Combination will be negotiated on an Individual Case Basis, until further notice. Jewine VG Loop/Evriller Voltage Grade Port (Centroxy) Combo UNE PORTINEXE - 1 TASES - Vigidin In AL, EL, GAX, YLLAM, SATA NOTY) Payine VG Loop/Evriller Voltage Grade Port (Centroxy) Combo UNE PORTINGO Combination Rates (Non-Design) Port VG Loop/Evriller Voltage Grade Port (Centroxy) Combo UNE Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Non-Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Non-Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Non-Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Non-Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Combo Design Port VG Loop/Evriller Voltage Grade Port (Centroxy) Port Comb		3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	tions of loop/	port network e	lements excep	t for UNE C	coin Port/Lo	op Combinat	ions.		
Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. 5. Market Rates for Unbunded Centrex Port Loop Combination will be negotiated on an individual Case Basis, until further notice. UNE-P CENTREX - IAESS - (Valid in AL,FL,GA,RY,LA,MS,RTN onty) 2-Wire Vot Loop?-Wire Votoe Grade Port Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire Vot Loop?-Wire Votoe Grade Port Centrex) Port Combo Non-Design 2-Wire Vot Loop?-Wire Votoe Grade Port Centrex) Port Combo Non-Design 3 UEP91 49.62 UNE Port/Loop Combination Rates (Roesign) 3 UEP91 49.62 UNE Port/Loop Combination Rates (Roesign) 49.62 UNE Port/Loop Combination Rates (Roesign) 49.62 UEP91 49.62 2-Wire Vot Loop?-Wire Votoe Grade Port (Centrex) Port Combo Design 2-Wire Vot Loop?-Wire Votoe Grade Port (Centrex) Port Combo Design 2-Wire Vot Loop?-Wire Votoe Grade Port (Centrex) Port Combo Design 49.62 2-Wire Vot Loop?-Wire Votoe Grade Port (Centrex) Port Combo Design 49.62 UEP91 49.62 2-Wire Vot Loop?-Wire Votoe Grade Port (Centrex) Port Combo Design 48.26 UEP91 48.26 UEP91 48.26 UECS1 48.26 UECS1 48.26 2-Wire Voto Grade Loop (St. 1) - Zone 1 1 UEP91 1 UEP91 1 UECS1 2-Wire Voto Grade Loop (St. 1) - Zone 1 2-Wire Votoe Grade Loop (St. 1) - Zone 2 2 UEP91 2-Wire Votoe Grade Loop (St. 1) - Zone 2 2 UEP91 2-Wire Votoe Grade Loop (St. 1) - Zone 2 2 UEP91 2-Wire Votoe Grade Loop (St. 1) - Zone 2 2 UEP91 2-Wire Votoe Grade Loop (St. 1) - Zone 2 2 UEP91 2-Wire Votoe Grade Loop (St. 1) - Zone 2 2 UEP91 2-Wire Votoe Grade Loop (St. 1) - Zone 2 2 UEP91 2-Wire Votoe Grade Loop (St. 1) - Zone 2 2 UEP91 2-Wire Votoe Grade Loop (St. 1) - Zone 2 2 UEP91 2-Wire Votoe Grade Loop (St. 1) - Zone 2 3 UEP91 2-Wire Votoe Grade Port (Centrex Mith Caller ID) Basic Local Anna 2-Wire Votoe Grade Port (Centrex Mith Caller ID) Basic Local Anna 2-Wire Votoe Grade Port (Centrex Mith Caller ID) Basic Local Anna 2-Wire Votoe Grade Port (Centrex Mith Caller ID) Basic Local 2-Wire Votoe Grade																		
S. Market Rates for Unbundled Centrex PortLoop Combination will be negotiated on an Individual Case Basis, until further notice.										, NC and SC th	nese nonrecurr	ing charges a	e Market Ra	ates and are	listed in the	Market Rate s	ection. For 0	Jurrently
UNEP CENTREX - TAESS - (Valid in AL, PEL, GALKYL, LAMS, ATN only) 2-Wire Vot Loop/2-Wire Votes Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire Vot Cloop/2-Wire Votes Grade Port (Centrex) Port Combo Non-Design 2-Wire Vot Cloop/2-Wire Votes Grade Port (Centrex) Port Combo Non-Design Average Combination Rates (Design) UNE Port/Loop Combination Rates (Design) 3 UEP91 49.62 2 UEP91 2 UEP91 49.62 2 UEP91 2 UEP91 2 UEP91 2 UEP91 2 UEP91 2 UEP91 2 UEP91 2 UEP91 2 UEP91 2 UEP91 2 UEP91 2 UEP91 2 UEP91 2 UEP91 2 UEP91 2 UEP91 2 UEP91 2 UEP91 2 UEP91 3 UEP91 48.26 2 UEP91 48.26 2 UEP91 48.26 2 UEP91 48.26 2 UEP91 48.26 2 UEP91 48.26 2 UEP91 48.26 2 UEP91 48.26 2 UEP91 48.26 2 UEP91 48.26 2 UEP91 48.26 48.											,		•	•	•	•		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo 1					otiated	on an Individual Ca	ise Basis, un	til further notic	e.									
UNE PortUcop Combination Rates (Non-Design) 1 UEP91 13.13				')	<u> </u>													
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 1 UEP91 13.13																		
Non-Design 1 UEP91 13.13	-	UNE PO			<u> </u>		-											
2.Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2 UEP91 23.75				1	1	LIED01		13 13										ı
Nor-Design 2 UEP91 23.75					 '	OLI 31		10.10										
2-Wire Vice Grade Port (Centrex)Port Combo-Non-Design 3 UEP91 49.62					2	LIEP91		23.75										ı
Non-Design 3 UEP91 49.62						OLI 01		20.70										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design					3	UEP91		49.62										i
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design		UNE Po	ort/Loop Combination Rates (Design)															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 26.71																		
Design 2 UEP91 26.71			Design		1	UEP91		16.29										i
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 3			2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
Design 3 UEP91 48.26		<u> </u>		<u> </u>	2	UEP91		26.71				<u></u>			<u> </u>	<u> </u>		<u>. </u>
UNE Loop Rate			. , ,							-]]		1
2-Wire Voice Grade Loop (SL 1) - Zone 1		ļ			3	UEP91		48.26										
2-Wire Voice Grade Loop (SL 1) - Zone 2				<u> </u>				ļ										
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP91 UECS1 48.26		<u> </u>		<u> </u>														
2-Wire Voice Grade Loop (SL 2) - Zone 1	<u> </u>	ļ																
2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP91 UECS2 25.35		 		<u> </u>	3										 	 		
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP91 UECS2 50.46	-	 		 	1						1	-			 	 		
UNE Ports All States (Except North Carolina and Sout Carolina) UEP91 UEPYA 1.36 38.85 19.08 15.20	-	 		 	_						ļ				 	 		
All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP91 UEPYA 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP91 UEPYB 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP91 UEPYH 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port (Centrex from diff Serving Wire Centrey)2 Basic Local Area UEP91 UEPYH 1.36 1.36 1.36 1.38 1	-	LINE D		 	3	UEP91	UEUS2	50.46			ļ				 	 		
2-Wire Voice Grade Port (Centrex) Basic Local Area	-			 			1	 			1				1	1		
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP91 UEPYB 1.36 38.85 19.08 15.20 15.20 15.20 15.20 UEP91 UEPYB 1.36 38.85 19.08 15.20 UEP91 UEPYH 1.36 38.85 19.08 15.20 UEP91 UEPYH 1.36 38.85 19.08 15.20 15.20 UEP91 UEPYM 1.36 15.20 UEP91 UEPYM 1.36 15.20 UEP91 UEPYM 1.36 104.41 10.81 10.82 10.83 10.8		An Stat		 		LIFP91	ΠΕΡΥΔ	1 26	20 0E	10.09	1			15.20	1	1		
Area	-	1		1	1	OL1 31	OLI IA	1.30	30.03	13.00				13.20				
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local UEP91		1		1		UEP91	UEPYB	1.36	38.85	19.08				15.20	1	1		1
Area		1		†			32. 10	1.50	00.00	10.00				10.20	 	 		(
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area UEP91 UEPYM 1.36 104.41 67.93 15.20						UEP91	UEPYH	1.36	38.85	19.08				15.20				í
Center)2 Basic Local Area UEP91 UEPYM 1.36 104.41 67.93 15.20 15.20							1				İ			1				
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service						UEP91	UEPYM	1.36	104.41	67.93				15.20				1
Term - Basic Local Area UEP91 UEPYZ 1.36 104.41 67.93 15.20																		ĺ
		<u> </u>	Term - Basic Local Area	<u> </u>	<u></u>	UEP91	UEPYZ	1.36	104.41	67.93	<u> </u>		<u> </u>	15.20	<u> </u>	<u> </u>		<u>. </u>

Version 1Q02: 03/22/2002 PAGE 190 OF 352

NBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	1
					1						Svc Order		Incremental			Incremen
												Submitted	Charge -	Charge -	Charge -	Charge
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		m									per Lore	per Lore		Electronic-	Electronic-	Electronic
													Electronic-			
													1st	Add'l	Disc 1st	Disc Add'l
							N			B'				D-1(A)		
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP91	UEPY9	1.36	38.85	19.08				15.20				
_	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.36	38.85	19.08				15.20				
41 10				ULF91	ULF12	1.30	30.03	19.00				13.20				
AL, KY	, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2		l	UEP91	UEPQM	1.36	104.41	67.93		1	1	15.20			1	1
+				OFLAI	UEPQIVI	1.30	104.41	07.93				15.20		-		\vdash
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			l	1						ĺ				1	
	Term		Щ_	UEP91	UEPQZ	1.36	104.41	67.93				15.20				<u> </u>
	<u> </u>															
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08			ĺ	15.20			1	
_	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.36	38.85	19.08		1	i e	15.20		1	1	1
Leest			-	OLI 31	ULI VZ	1.30	30.03	13.00		1	1	13.20		 	1	+
Local	Switching		-	LIEDO4	UDECC					1	1			1	1	
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur																
- outu	All Standard Features Offered, per port			UEP91	UEPVF	0.00										
-				UEP91		0.00	412.25					15.20				1
	All Select Features Offered, per port				UEPVS		412.25					15.20				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				15.20				
+	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				15.20				-
84' 1				UEP91	UARUX	0.00	0.00	0.00				15.20				
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20				15.20				
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	22.60	39.36	26.62				15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.13	00.00	20.02				10.20				1
F4		_		ULF91	IVIIGDIVI	0.13										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	<u> </u>	ļ	+					ļ	.				ļ	!
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		l	UEP91	1PQW6	0.6497					I	15.20			1	1
_	Feature Activation on D-4 Channel Bank FX Trunk Side Loop					3.0.07					l .	70.20		1	 	1
			l	LIEDO1	100147	0.0407					I	45.00			1	
-	Slot			UEP91	1PQW7	0.6497					.	15.20				├
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		l								I				1	
	Different Wire Center		l	UEP91	1PQWP	0.6497				1	1	15.20			1	1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		l	UEP91	1PQWV	0.6497					I	15.20			1	
1	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop					3.0.07					 	70.20		1		1
	Slot		l	UEP91	1PQWQ	0.6407				1	1	15.00			1	
			-			0.6497				1	1	15.20		1	1	1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497						15.20				ļ
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															<u> </u>
	Conversion - Currently Combined Switch-As-Is with allowed								-							
1	changes, per port		l	UEP91	USAC2		0.10	0.10		1	1	15.20			1	1
_	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10								1
+	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40	10.10				15.20		1		1
											.					1
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40					15.20				
	Secondary Block, per Block			UEP91	M2CC1	0.00	79.31					15.20				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93					15.20				
UNF-P	CENTREX - 5ESS (Valid in All States)					1					İ				İ	İ
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+ -	ì					l .			1	 	

Version 1Q02: 03/22/2002 PAGE 191 OF 352

<u>UNDUND</u> LI	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
							Nonrec			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP95		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOF		00.75										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		2	UEP95		23.75				-	+					
	Non-Design		3	UEP95		49.62										
LINE	Port/Loop Combination Rates (Design)		3	ULF 93		45.02					+					
OILE !	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										1				1	
	Design		2	UEP95		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		51.82										
UNE I	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.77						15.20				
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	22.39						15.20				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93	100.10					1= 00				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35	102.10	65.72				15.20				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	50.46	102.10	65.72				15.20				
All St	Port Rate									-	+					
All St	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.36	38.85	19.08		-	+	15.20				
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP95	UEPYB	1.36	38.85	19.08			1	15.20				1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1	OLI 93	OLITB	1.50	30.03	13.00			1	13.20				1
	Area			UEP95	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI SO	OLI III	1.00	00.00	10.00				10.20				
	Center)2 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service						-									
	Term - Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08				15.20				
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPQM	1.36	104.41	67.93		I		15.20			I	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		 	UEF90	UEFQIVI	1.30	104.41	67.93	1	 	1	15.20			 	
	Term			UEP95	UEPQZ	1.36	104.41	67.93		1		15.20				
	Tom			021 00	OLI QL	1.00	104.41	01.00				10.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.36	38.85	19.08		I		15.20			I	
- 	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.36	38.85	19.08		1		15.20		İ	1	
Local	Switching									1	1			İ	1	
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577						15.20				
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						15.20				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25		1	ļ		15.20				<u> </u>
1,,,==	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00				ļ		15.20		ļ	ļ	ļ
NARS			<u> </u>	LIEBAE	LIABOV	0.55			ļ			48.63				ļ
	Unbundled Network Access Register - Combination		 	UEP95	UARCX	0.00	0.00	0.00		.	-	15.20			1	
	Unbundled Network Access Register - Indial		1	UEP95	UAR1X	0.00	0.00	0.00	1	 	1	15.20		-	 	
Mic	Unbundled Network Access Register - Outdial		1	UEP95	UAROX	0.00	0.00	0.00	1	 	1	15.20		-	 	
	ellaneous Terminations e Trunk Side		├	ļ	1				ļ		-			 		

Version 1Q02: 03/22/2002 PAGE 192 OF 352

INBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment: Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec		Nonrecurring					Rates(\$)		
					_	Rec	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20				15.20				
4-Wire	Digital (1.544 Megabits)			LIEDAE		00.45	100.10					45.00				
	DS1 Circuit Terminations, each			UEP95	M1HD1	68.47	196.18	92.92	4.90			15.20				
Interes	DS0 Channels Activated, each ffice Channel Mileage - 2-Wire			UEP95	M1HDO	0.00	14.06					15.20				
intero	Interoffice Channel Facilities Termination			UEP95	MIGBC	22.60	39.36	26.62			1	15.20			-	
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.013	39.30	20.02				13.20				-
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e		OLI 33	IVIIODIVI	0.013										+
	annel Bank Feature Activations															1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497						15.20				
	San				1	3.0.0.						.0.20			1	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		l	UEP95	1PQW6	0.6497						15.20			1	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				1										İ	
	Slot			UEP95	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -					ĺ	ĺ									
	Different Wire Center			UEP95	1PQWP	0.6497						15.20				
																1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497						15.20				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40					15.20				
LINE B	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93					15.20				
	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											
UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-				+											
	Non-Design		1	UEP9D		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		2	UEP9D		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		49.62										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design Color (Color Colo		1	UEP9D		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOD		00.74										
	Design		2	UEP9D		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9D		E4 00]						I	
	Design oop Rate		3	OFLAD	+	51.82			 		1					
UNE L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.77	-								+	
-	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D UEP9D	UECS1	22.39	ŀ				1				1	\vdash
-	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	48.26	1		 		 				t	\vdash
-	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.93									-	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.35					1				<u> </u>	<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	50.46									1	
UNE P	ort Rate		Ť		1	555									1	†
	TATES				† 1										1	†
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.36	38.85	19.08				15.20			İ	<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				1				i						1	1
	Area		1	UEP9D	UEPYB	1.36	38.85	19.08]			15.20			I	
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															1
	Area	l	l	UEP9D	UEPYC	1.36	38.85	19.08]			15.20			1	1

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonred			g Disconnect				Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEP9D	UEPYD	1.36	38.85	19.08				15.20				+
	Area			UEP9D	UEPYE	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local											4=00				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYG	1.36	38.85	19.08				15.20			1	+
	Area			UEP9D	UEPYT	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLI OB	OLI II	1.00	00.00	10.00				10.20				1
	Area			UEP9D	UEPYU	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area			UEP9D	UEPYV	1.36	38.85	19.08				15.20				+
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			OLI OD	OLI 10	1.00	00.00	10.00				10.20				1
	Area			UEP9D	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.36	38.85	19.08				15.20				<u> </u>
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEF9D	UEPTJ	1.30	30.03	19.06				15.20				+
	2 Basic Local Area			UEP9D	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3						-									
	Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3											4= 00				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPYP	1.36	104.41	67.93				15.20			1	+
	Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			02.02	02.14	1.00		01.00				10.20				+
	Basic Local Area			UEP9D	UEPYR	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3											4= 00				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	1.36	104.41	67.93				15.20				+
	Basic Local Area			UEP9D	UEPY4	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OLI OD	OLI 17	1.00	104.41	07.00				10.20				1
	Basic Local Area			UEP9D	UEPY5	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															
	Basic Local Area			UEP9D	UEPY6	1.36	104.41	67.93				15.20				+
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 3D	OLI 17	1.50	104.41	07.55				13.20				+
	Term			UEP9D	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY2	1.36	38.85	19.08				15.20				
AI K	Local Area Y, LA, MS, SC, & TN Only			UEP9D	UEP12	1.30	38.85	19.08				15.20			-	+
AL, IX	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.36	38.85	19.08				15.20				+
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.36	38.85	19.08	<u> </u>			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.36	38.85	19.08				15.20				1
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D UEP9D	UEPQE UEPQF	1.36 1.36	38.85 38.85	19.08 19.08	!			15.20 15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 2-Wire Voice Grade Port (Centrex / EBS-M5312)3		1	UEP9D UEP9D	UEPQF	1.36	38.85	19.08 19.08	 	1	 	15.20 15.20		-	-	+
 	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.36	38.85	19.08	-		 	15.20			†	
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.36	38.85	19.08	1	1		15.20				†
i	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.36	38.85	19.08			1	15.20				1

Version 1Q02: 03/22/2002 PAGE 194 OF 352

RUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			II.	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
							N		. N	- D'					2.00 .01	2.007.44
			<u> </u>				Nonrec			g Disconnect				Rates(\$)		
	O.W. W. Velia O. I. Bart (O. M. L. FERO MEDIO)			LIEDAD	LIEBOO	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp											4= 00				
	Indication)3			UEP9D	UEPQW	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.36	38.85	19.08				15.20				-
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)											4= 00				
	Z			UEP9D	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3		ļ	UEP9D	UEPQQ	1.36	104.41	67.93				15.20		1	-	+
	O Mine Vision Conde Dest (Control 1997 - CMIO (EDO MESSO)			LIEDOD	LIEDOS	1.00	404.44	07.00				45.00			1	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		<u> </u>	UEP9D	UEPQR	1.36	104.41	67.93		ļ	1	15.20				_
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPQZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.36	38.85	19.08				15.20				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur	es															
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						15.20				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25					15.20				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						15.20				
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.20				
Miscel	laneous Terminations															
2-Wire	Trunk Side					Î										1
	Trunk Side Terminations, each			UEP9D	CEND6	8.29	115.85	18.20				15.20				1
4-Wire	Digital (1.544 Megabits)															1
	DS1 Circuit Terminations, each			UEP9D	M1HD1	68.47	196.18	98.62				15.20				1
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.06					15.20				1
Interof	fice Channel Mileage - 2-Wire															
1	Interoffice Channel Facilities Termination			UEP9D	MIGBC	22.60	39.36	26.62				15.20			t	†
1	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.013					1					1
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е									İ					1
	annel Bank Feature Activations										İ					1
5	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497	İ				1	15.20				1
1				· ·			İ								t	†
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP9D	1PQW6	0.6497						15.20			I	
1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			†		2.0.0.	+					.0.20		1	t	
	Slot		1	UEP9D	1PQW7	0.6497						15.20				1
+-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		-	021 00	11 🔍 V V /	3.0431				<u> </u>	1	10.20			 	+
														ī	1	1

Version 1Q02: 03/22/2002 PAGE 195 OF 352

JNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:		Exhibit: B	
		Interi									Svc Order Submitted Elec	Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -	Incrementa Charge - Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'
						_	Nonrec			g Disconnect				Rates(\$)		
					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWV	0.6497						15.20				
	Slot			UEP9D	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497						15.20				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.10	0.10				15.20				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block	1		UEP9D UEP9D	M1ACC URECA	0.00	680.40				 	15.20 15.20			 	
IINE-D	NAR Establishment Charge, Per Occasion CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			OEFSD	URECA	0.00	73.93		-	-	 	15.20				-
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1		 	+	-			1	1	1				 	
	ort/Loop Combination Rates (Non-Design)															
ONE I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP9E		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 02		10.10										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9E		23.75										
	Non-Design		3	UEP9E		49.62										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9E		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		3	UEP9E		51.82										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP9E UEP9E	UECS1 UECS1	22.39 48.26										
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS1	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46										
UNE P	ort Rate			02. 02	02002	00.10									1	
	, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP9E	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.36	104.41	67.93				15.20				
	Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9E	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.36	38.85	19.08				15.20				
AL, KY	Y, LA, MS, & TN Only	1		UEP9E	UEPQA	4.00	20.05	19.08	ļ	 	 	45.00			1	-
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	1		UEP9E UEP9E	UEPQA	1.36 1.36	38.85 38.85	19.08			 	15.20 15.20			 	-
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQB	1.36	38.85	19.08				15.20			+	
	2-Wire Voice Grade Port (Centrex with Carler ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPQZ	1.36	104.41	67.93				15.20				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana							· · · · · · · · · · · · · · · · · · ·		<u> </u>		Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Charge -
							Nonrec	urring	Nonrecurring Disconn	ect		oss	Rates(\$)		
						Rec	First	Add'l	First Add'	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.36	38.85	19.08			15.20				
Local	Switching														
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577									
Local	Number Portability														
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35									
Featu															
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00					15.20				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25				15.20				
\longrightarrow	All Centrex Control Features Offered, per port		ļ	UEP9E	UEPVC	0.00					15.20				<u> </u>
NARS			<u> </u>	LIEBAE	lune:								ļ	ļ	<u> </u>
	Unbundled Network Access Register - Combination		<u> </u>	UEP9E	UARCX	0.00	0.00	0.00					ļ	ļ	<u> </u>
	Unbundled Network Access Register - Indial		<u> </u>	UEP9E	UAR1X	0.00	0.00	0.00					ļ	ļ	<u> </u>
	Unbundled Network Access Register - Outdial		<u> </u>	UEP9E	UAROX	0.00	0.00	0.00							_
	Ilaneous Terminations		ļ		+						1				_
2-Wire	Trunk Side			LIEDAE	051150						45.00				
	Trunk Side Terminations, each			UEP9E	CEND6	8.29	115.85	18.20			15.20				
4-Wire	e Digital (1.544 Megabits)														
	DS1 Circuit Terminations, each			UEP9E	M1HD1	68.47	196.18	92.92			15.20				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.06				15.20				
Intero	ffice Channel Mileage - 2-Wire			LIEDOE	MODO	00.00	00.00	00.00			45.00				ļ
	Interoffice Channel Facilities Termination			UEP9E UEP9E	MIGBC MIGBM	22.60	39.36	26.62			15.20				
Fastu	Interoffice Channel mileage, per mile or fraction of mile re Activations (DS0) Centrex Loops on Channelized DS1 Servic			UEP9E	IVIIGBIVI	0.013									
	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	e							<u> </u>						
D4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497	-		+	+	15.20				
\longrightarrow	Feature Activation on D-4 Channel Bank Centrex Loop Stot			UEF9E	IFQWS	0.0497					15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497					15.20				
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI SL	II QWO	0.0437					13.20				
	Slot			UEP9E	1PQW7	0.6497					15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI OL	11 Q 117	0.0407					10.20				†
	Different Wire Center			UEP9E	1PQWP	0.6497					15.20				
	Sincion time contain			02. 02		0.0.0.					10.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497					15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					0.0.0									
	Slot			UEP9E	1PQWQ	0.6497					15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot		İ	UEP9E	1PQWA	0.6497					15.20		İ	İ	
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex														
	NRC Conversion Currently Combined Switch-As-Is with allowed														
	changes, per port			UEP9E	USAC2		0.10	0.10			15.20		l	Ì	
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		36.66	16.10			15.20				
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	680.40				15.20				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	680.40				15.20				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93				15.20				
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)							<u> </u>							
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
UNE F	Port/Loop Combination Rates (Non-Design)														<u> </u>
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	•		l											
	Non-Design		1	UEP93	\bot	13.13							ļ	ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		l _		1								l	Ì	
	Non-Design		2	UEP93	1	23.75									_
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_	LIEBOO											
1	Non-Design Port/Loop Combination Rates (Design)		3	UEP93	+ +	49.62									
		1	1	1							l	l			
UNE F						1	1								
UNE F	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	LIEDOS		16.00									
UNE F			1	UEP93		16.29									

	D NETWORK ELEMENTS - Louisiana											Attachment:	2	Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremen Charge Manual S Order vs Electroni Disc Add
							N		I M					2.00 .01	2.007.444
 '					+	Rec	Nonrec First		Nonrecurring Disconn First Add'		SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				-	Rec	FIISt	Add'l	FIRST Add	SOMEC	SUMAN	SUMAN	SUMAN	SOWAN	SUMAN
	Design		3	UEP93		51.82									
LINE L	pop Rate		3	ULF 93	+	31.02			+	+	1	-			
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77			+	+	1	-			
-+-	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP93	UECS1	22.36					1				
-	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP93	UECS1	48.26				-					
_	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.93									
-	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35									
-	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50.46									
	ort Rate														
	, LA, MS, & TN only														
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.36	38.85	19.08	1		15.20	t	1		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local														
['	Area			UEP93	UEPYB	1.36	38.85	19.08			15.20	1			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local								1						
	Area	1		UEP93	UEPYH	1.36	38.85	19.08			15.20	I	Ì		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				<u> </u>										
	Center)2 Basic Local Area			UEP93	UEPYM	1.36	104.41	67.93			15.20				
_	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								1						
	Term - Basic Local Area			UEP93	UEPYZ	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			02. 00	022			01.00			10.20				
	- Basic Local Area			UEP93	UEPY9	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -														
	Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08	1		15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire														
1	Center)2			UEP93	UEPQM	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								1						
	Term			UEP93	UEPQZ	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.36	38.85	19.08			15.20				
Local §	Switching														
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577									
Local N	Number Portability														
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35									
Feature	es														
	All Standard Features Offered, per port			UEP93	UEPVF	0.00					15.20				
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00					15.20				
NARS															
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00			15.20				
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00			15.20				
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00			15.20				
	aneous Terminations														
2-Wire	Trunk Side														
	Trunk Side Terminations, each			UEP93	CEND6	8.27	115.85	18.20			15.20				
	Digital (1.544 Megabits)														
	DS1 Circuit Terminations, each			UEP93	M1HD1	68.47	196.18	92.92			15.20				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.01				15.20				
	fice Channel Mileage - 2-Wire														
	Interoffice Channel Facilities Termination			UEP93	MIGBC	22.60	39.36	26.62			15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.013									
	Activations (DS0) Centrex Loops on Channelized DS1 Service	е													
				l					1			1		1	
	nnel Bank Feature Activations														
	Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497					15.20				

NBUNDLE!	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)	·	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497						15.20				
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93	•				15.20				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
Note 3	- Requires Specific Customer Premises Equipment			rue-up as set forth i			,									

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
													Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
04750		DATE EL EMENTO	Interi	-	200	11000			DATEO(8)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	IORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonre	rurring	Nonrecurring	n Disconnect			oss	Rates(\$)		
			1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Tho "7	one" shown in the sections for stand-alone loops or loops as	nart of	a comi	sination refers to Go	ographically											
		ww.interconnection.bellsouth.com/become a clec/html/inter				ograpilically	Deaverageu U	NE ZUITES. 10	view Geograpi	ilically Deaver	aged ONE ZOIN	Designation	ons by Cent	ai Office, reit	er to internet	website.	
			Connec	tion.nt	III		1			1	1	1	1		1	1	1
		. SUPPORT SYSTEMS			:t ====f=== th= =t=t= :	ifia alaat				the Ctete Ce		 					
		(1) Electronic Service Order: CLEC should contact its contract															is rate
	NOTE:	is the BellSouth regional electronic service ordering charge. (2) Any element that can be ordered electronically will be bill	OLEC	may ele	o the SOMEC rate in	eted in this	nission ordered	rates for the	South's Busine	ice ordering ci	ocal Ordering	(BBB-I O) +	tne regiona	if a product of	service orderi	ng cnarge.	ly For
		elements that cannot be ordered electronically at present per t															
		g charge, SOMAN, will be applied to a CLECs bill when it sub				in this cate	gory reflects th	e charge mac v	vould be billed	I to a CLEC on	ce electronic c	ruering cap	Jabilities Co	ine on-line to	r triat elemen	i. Otherwise,	trie manuai
\vdash	orderin	Manual Service Order Charge, per LSR, Disconnect Only (MS)	T ai	LOK	o Bellooutii.	SOMAN				1.97					1	1	1
		Electronic OSS Charge, per LSR, submitted via BST's OSS				CONFUT				1.07							
	l	interactive interfaces (Regional)				SOMEC		3.50									
UNBUN	IDLED F	EXCHANGE ACCESS LOOP	†			- J		3.00									
		ANALOG VOICE GRADE LOOP	1			1											
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25		15.75				1
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<u> </u>	2	UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25		15.75				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36					15.75				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97					15.75				
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.93				15.75				
		Engineering Information Document (EI)		<u> </u>	UEANL			13.51	13.51								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.19	18.19								
\vdash	2-WIDE	Unbundled COPPER LOOP			OLANL	OCOSL		10.19	10.19								
	_ *****	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	· ·	1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42		15.75				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	l i	2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42		15.75				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i i	3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42		15.75				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	I	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42		15.75				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		8.20	8.20								
		Engineering Information Document			UEQ			13.51	13.51								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36					15.75				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97					15.75				
110/25/22	<u> </u>	CLEC to CLEC Conversion Charge Without Outside Dispatch	<u> </u>	ļ	UEQ	UREWO		14.25	7.42				15.75			ļ	
		EXCHANGE ACCESS LOOP	ļ	-													
\vdash	∠-WIRE	ANALOG VOICE GRADE LOOP	1	-		-									 	 	
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1	1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25		15.75			1	
\vdash	 	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l	<u> </u>	OLI ON OLF OD	OLALO	12.03	31.92	17.55	23.40	5.25		13.73		1		1
	l	Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25		15.75				
\vdash	1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	- '-			12.00	07.02	17.55	20.40	0.20		10.70		1	1	1
	1	Zone 2	1	2	UEPSR UEPSB	UEALS,	16.87	37.92	17.55	23.48	5.25		15.75			1	
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1														
	1	Zone 2	1	2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25		15.75		1	1	1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS,	25.68	37.92	17.55	23.48	5.25		15.75				
	l	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1]	
		Zone 3	<u> </u>	3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25		15.75				
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	١	l	l					_				1	1	1
\vdash	ļ	Zone 4	ļ	4	UEPSR UEPSB	UEALS,	43.85	37.92	17.55	23.48	5.25		15.75				
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		HEDOD HEDOD	LIEARO	40.0-	07.00	17.5-	20.42			45.35			1	
LINDIA		Zone 4 EXCHANGE ACCESS LOOP	ļ	4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25		15.75				
		ANALOG VOICE GRADE LOOP	1	<u> </u>		<u> </u>											
\vdash	Z-VVIKE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1			-	1								1	1	1
	l	Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
1 1					· - / \			100.00	00.20	JZ.UZ	10.37		10.10				<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															

Version 1Q02: 03/22/2002 PAGE 200 OF 352

<u>UNBUND</u> LE	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_		115410	07.55	405.00	00.00	50.00	40.07		45.75				
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	Order Coordination for Specified Conversion Time (per LSR)		4	UEA	OCOSL	45.72	18.19	00.20	52.62	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			ULA	OCOGL		10.19									
	Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			02/1	027112	10.00	100.00	00.20	02.02	10.01						
	Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse												_			
	Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29				15.75				1
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19 87.56	20.00				45.75				
2 WID	CLEC to CLEC Conversion Charge without outside dispatch E ISDN DIGITAL GRADE LOOP			UEA	UREWO		87.56	36.29				15.75				
2-4411	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	2-Wire ISDN Digital Grade Loop - Zone 4		4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	-	18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.46	44.07				15.75				
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	1		1	UDC	UDC2X	21.01	117.61	79.92	52.82	10.37		15.75				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	2		2	UDC	UDC2X	27.59	117.61	79.92	52.82	10.37		15.75				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3		3	UDC	UDC2X	37.34	117.61	79.92	52.82	10.37		15.75				
ı	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			LIDO	LIDOOY	50.40	447.01	70.00	50.00	10.0=		45.75				
	CLEC to CLEC Conversion Charge without outside dispatch *		4	UDC	UDC2X UREWO	59.18	117.61 91.46	79.92 44.07	52.82	10.37		15.75 15.75		 	1	
2.WID	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDI	1.00		UKEWU		91.46	44.07				15.75				1
Z-4VIR	2 Wire Unbundled ADSL Loop including manual service inquiry	A LIBEE	LOUP	l	+ +				 					 	+	<u> </u>
	& facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93		15.75				
	2 Wire Unbundled ADSL Loop including manual service inquiry		Ė		J,, .		.227	. 5.01	55.50			.0.70				1
	& facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93		15.75				
	2 Wire Unbundled ADSL Loop including manual service inquiry							-								
	& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93	<u> </u>	15.75		<u> </u>		<u> </u>
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	2 Wire Unbundled ADSL Loop without manual service inquiry &			l	1									1		
	facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93		15.75			ļ	ļ
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_	l	1141 0141		00.45	50.00	50.00	7.00		45.75		1		
	facility reservator - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93		15.75		 	ļ.	1
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93		15.75		1		
	2 Wire Unbundled ADSL Loop without manual service inquiry &	-	3	UAL	UALZW	11.74	96.15	58.03	50.38	7.93		15.75		-	1	1
	facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93		15.75		1		
	Order Coordination for Specified Conversion Time (per LSR)	-	4	UAL	OCOSL	12.09	18.19	50.03	30.38	1.93		15.75		1		1
			1	O/ \L	JOOGL		10.13		1						1	1

ONBONDL	ED NETWORK ELEMENTS - Mississippi											_	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop including manual service inquiry		_													
	& facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93		45.75				
	& facility reservation - Zone 3 2 Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	UHLZX	9.87	129.98	79.52	50.38	7.93		15.75				
	& facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)		-4	UHL	OCOSL	10.40	18.19	19.52	30.36	7.93		13.73				1
	2 Wire Unbundled HDSL Loop without manual service inquiry			OFIL	OCOSL		10.19									
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILLEVV	0.70	104.00	00.74	00.00	7.00		10.70				+
	and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop without manual service inquiry							-								
	and facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93		15.75			1	
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									1
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33				15.75				
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													ĺ
	4 Wire Unbundled HDSL Loop including manual service inquiry															Ì
	and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry					44.40	450.74	400.00	50.70	40.00		45.75				
	and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68		15.75				
	Order Coordination for Specified Conversion Time (per LSR)		1	UHL	OCOSL		18.19									
	4-Wire Unbundled HDSL Loop without manual service inquiry		1			40.70	400.00	05.50	50.70	40.00		45.75				
	and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop without manual service inquiry			UNL	UHL4VV	13.43	133.62	95.50	30.72	10.00		15.75				
	and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop without manual service inquiry		3	OFIL	OI IL4VV	13.35	133.02	93.30	30.72	10.00		13.73				
	and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68		15.75				
	Order Coordination for Specified Conversion Time (per LSR)		_	UHL	OCOSL	14.40	18.19	55.55	00.72	10.00		10.70				1
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33				15.75				
4-WIF	RE DS1 DIGITAL LOOP						00.00									
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop - Zone 4		4	USL	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.90	42.96				15.75				1
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	27.44	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64		15.75				1
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	40.76	126.53	88.85	60.68	14.64		15.75		ļ	ļ	ļ
	4 Wire Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64		15.75		ļ	ļ	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64		15.75		ļ	.	ļ
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				<u> </u>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64		15.75		ļ	-	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64		15.75		ļ	-	
	Order Coordination for Specified Conversion Time (per LSR)		—	UDL	OCOSL	07	18.19	00.05	00.00	44.51	1	45				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	34.55	126.53	88.85	60.68	14.64	1	15.75		1	1	ь

Version 1Q02: 03/22/2002 PAGE 202 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.94	49.66				15.75				
2-WIRI	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short including manual service									=						
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93		15.75				
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93		15.75				
	2 Wire Unbundled Copper Loop/Short including manual service															1
	inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								1
	2-Wire Unbundled Copper Loop/Short without manual service															1
1	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service															
1	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service															1
1 1	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service															
1	inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.															
1	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	29.29	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
1	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	43.46	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	64.44	120.34	69.87	50.38	7.93		15.75				
1	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
igwdow	inquiry and facility reservation - Zone 4		4	UCL	UCL2L	87.60	120.34	69.87	50.38	7.93		15.75				
ullet	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
1	2-Wire Unbundled Copper Loop/Long - without manual service															
\longrightarrow	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	29.29	95.21	57.09	50.38	7.93		15.75				
1	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	43.46	95.21	57.09	50.38	7.93		15.75				
1	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	64.44	95.21	57.09	50.38	7.93		15.75				
1	2-Wire Unbundled Copper Loop/Long - without manual service		l .													
\vdash	inquiry and facility reservation - Zone 4		4	UCL	UCL2W	87.60	95.21	57.09	50.38	7.93		15.75				
\vdash	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		8.20	8.20								
1 1	CLEC to CLEC Conversion Charge without outside dispatch				LIDEWO		05.04	40.40				45.75				
4 1400	(UCL-Des)		<u> </u>	UCL	UREWO		95.21	42.40				15.75				
4-WIRI	E COPPER LOOP		<u> </u>													
1 1	4-Wire Copper Loop/Short - including manual service inquiry		1		1101.40	47.00	444.00	04.00	50.70	10.00		45.75				
	and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68		15.75				+
1	4-Wire Copper Loop/Short - including manual service inquiry		_	LICI	1101.40	40.04	444.00	94.22	FC 70	40.00		45.75				
	and facility reservation - Zone 2 4-Wire Copper Loop/Short - including manual service inquiry		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68		15.75			-	
1 1	and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				1
\vdash	4-Wire Copper Loop/Short - including manual service inquiry		3	UUL	UUL45	21.33	144.08	94.22	56.72	80.01		15.75		-	1	+
i I	and facility reservation - Zone 4	1	4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				1
	Order Coordination for Unbundled Copper Loops (per loop)	-	4	UCL	UCLMC	21.33	8.20	8.20	30.72	10.08		15.75		1		+
 	4-Wire Copper Loop/Short - without manual service inquiry and		1	OOL	OCLIVIC		0.20	0.20			1			-	1	+
	facility reservation - Zone 1	1	1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68		15.75				I
	4-Wire Copper Loop/Short - without manual service inquiry and	-	+-	JUL	UOL4VV	17.30	118.50	01.44	30.12	10.00		13.13			1	+
	facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68		15.75				
	nacing reservation Lone L			- J-	COLTV	10.04	110.00	01.44	50.12	10.00		10.10		 	+	+
 	4-Wire Copper Loop/Short - without manual service inquiry and				1 1	l l										

Version 1Q02: 03/22/2002 PAGE 203 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Nonrec			Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		8.20	8.20								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
-	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	54.72	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		2	LICI	UCL4L	07.47	144.68	94.22	FC 70	40.00		45.75				
-	inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCL4L	97.47	144.08	94.22	56.72	10.68		15.75				
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
 	4-Wire Unbundled Copper Loop/Long - includes manual svc.		3	OOL	OCL4L	100.00	144.00	34.22	30.72	10.00		13.73				
	inquiry and facility reservation - Zone 4		4	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)		T .	UCL	UCLMC	100.00	8.20	8.20	00.12	10.00		10.10				
	4-Wire Unbundled Copper Loop/Long - without manual svc.													İ		
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	54.72	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	97.47	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 4		4	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		8.20	8.20								
	CLEC to CLEC Conversion Charge without outside dispatch				LIDEMO		05.04	40.40				45.75				
LOOP MODIE	(UCL-Des)			UCL	UREWO		95.21	42.40				15.75				
LOOP MODIFI	CATION		1	UAL. UHL. UCL.												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		32.57	32.57				15.75				
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		171.49	171.49				15.75				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		32.57	32.57				15.75				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			OTIE, COL	OLIVIAL		02.01	02.01				10.70				
	pair greater than 18k ft			UCL	ULM4G		171.49	171.49				15.75				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		32.59	32.59				15.75				
SUB-LOOPS				ļ	ļ									ļ		└
Sub-Lo	pop Distribution		1													
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	l I		UEANL	USBSA		259.69					15.75				
	O. I. I. and D. O. and D. I. and D. O. D. D. D. D. D. I. D. and D. A. I. I.	١.			LIODOD		00.77					45.75				
-	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder			UEANL	USBSB		22.77					15.75				
	Facility Set-Up			UEANL	USBSC		178.47					15.75				
+	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u>'</u>	1	ULANL	USBSC		170.47					13.73				
	Set-Up	1		UEANL	USBSD		56.39					15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	OL7 WIL	COBOB		00.00					10.70				
	Zone 1	1	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71		15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.51		31.14		6.71						
 	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- '-		OLAINL	USDINZ	9.51	66.18	31.14	45.36	6.71	 	15.75		-	1	
	Zone 3		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71		15.75				1
 	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- '-	3	ULAINL	OODINZ	12.43	00.10	31.14	40.30	0.71		15.75			+	
	Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Nonrec		Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_													
	Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3		1100114	40.70	70.40	44.45	54.07	0.05		45.75				
	Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				+
	Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
-	2016 4		-	OLANL	USBIN4	10.73	75.45	44.43	31.27	9.33		13.73				+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20				15.75				
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.29	53.32	18.28	45.36	6.71		15.75				+
	Cab 255p 2 17110 intrabalianty Notwork Gable (1140)			OL. 41L	CODINE	2.23	55.52	10.20	40.00	0.71		10.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		8.20	8.20								1
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	4.40	59.60	24.55	51.27	9.35		15.75		İ		1
					1									İ		1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L	UEANL	USBMC	<u> </u>	8.20	8.20	<u> </u>		<u> </u>			<u> </u>		<u>1</u>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71		15.75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71		15.75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71		15.75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35		15.75				4
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- !		UEF	UCS4X	9.11	79.49	44.45	51.27	9.35		15.75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1		UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75				+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75				+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
Unhi	undled Sub-Loop Modification			OLI	OSBIVIC		0.20	0.20								+
Onbe	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															+
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.80	5.13				15.75				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load			-												1
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.80	5.13				15.75				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged															
	Tap Removal, per PR unloaded			UEF	ULM4T		279.81	6.15				15.75				
Unbu	undled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30.55					15.75				
Netw	ork Interface Device (NID)			L												
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90	ļ			15.75		ļ		
L	Network Interface Device (NID) - 1-6 lines		<u> </u>	UENTW	UND16		65.30	50.36				15.75				
	Network Interface Device Cross Connect - 2 W		<u> </u>	UENTW	UNDC2		5.94	5.94				15.75			1	+
CUD LOCOC	Network Interface Device Cross Connect - 4W		<u> </u>	UENTW	UNDC4		5.94	5.94				15.75			ļ	
SUB-LOOPS			 	1	!				ļ						ļ.	+
Sub-	LIST Fooder DS0 Set up per Cross Box location CLEC		<u> </u>	UEA.	-									-	-	+
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up		1	UDN.UCL.UDL.UDC	LISBE\\\/		259.69					15.75				1
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair	-	 	UEA,	OODI W		233.09		 			13.73			1	+
	set-up		1	UDN,UCL,UDL,UDC	USBFX		22.77	22.77				15.75				1
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		534.46	11.30				15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice				T		220	50						İ		1
	Grade - Zone 1		1	UEA	USBFA	7.98	93.23	56.50	54.45	13.51		15.75				1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															1
	Grade - Zone 2		2	UEA	USBFA	10.39	93.23	56.50	54.45	13.51		15.75				1
İ	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,															
	Voice Grade - Zone 3		3	UEA	USBFA	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start Loop,						_									
	Voice Grade - Zone 4		4	UEA	USBFA	28.37	93.23	56.50	54.45	13.51		15.75				<u> </u>
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.19									

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		1	1154	HODED	7.98	02.02	50.50	54.45	40.54		45.75				
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		<u> </u>	UEA	USBFB	7.98	93.23	56.50	54.45	13.51		15.75				
	Grade - Zone 2		2	UEA	USBFB	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		<u> </u>	0271	002.2	10.00	00.20	00.00	00	.0.01		10.70				
	Grade - Zone 3		3	UEA	USBFB	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 4		4	UEA	USBFB	28.37	93.23	56.50	54.45	13.51		15.75				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,				110050	7.00	00.00	50.50	54.45	10.51		45.75				
	Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		1	UEA	USBFC	7.98	93.23	56.50	54.45	13.51		15.75				
	Voice Grade - Zone 2		2	UEA	USBFC	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			OLA	OODI C	10.55	93.23	30.30	34.43	10.01		10.70				
	Voice Grade - Zone 3		3	UEA	USBFC	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 4		4	UEA	USBFC	28.37	93.23	56.50	54.45	13.51		15.75				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	21.69	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	26.06	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice			UEA	USBFD	26.00	107.71	70.03	03.00	17.04		15.75				
	Grade - Zone 3		3	UEA	USBFD	34.77	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice					_	-									
	Grade - Zone 4		4	UEA	USBFD	34.77	107.71	70.03	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	21.69	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	LIEA	LICDEE	26.06	107.71	70.02	62.60	17.64		15 75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			UEA	USBFE	26.06	107.71	70.03	63.68	17.64		15.75				
	Grade - Zone 3		3	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop-Start		Ť	0271	002. 2	0		7 0.00	00.00			10.70				
	Loop - Zone 4		4	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN	USBFF	14.60	106.46	68.78	55.58	13.13		15.75				
ļ	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	<u> </u>		UDN	USBFF	18.78	106.46	68.78	55.58	13.13		15.75			ļ	
 	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 4	<u> </u>	3	UDN UDN	USBFF	25.47 41.41	106.46 106.46	68.78 68.78	55.58 55.58	13.13 13.13		15.75 15.75				
 	Order Coordination For Specified Conversion Time, Per LSR		4	UDN	OCOSL	41.41	106.46	08.78	55.58	13.13		15./5			1	
 	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	l	1	UDC	USBFS	14.60	106.46	68.78	55.58	13.13		15.75			-	1
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	18.78	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	25.47	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		4	UDC	USBFS	41.41	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	55.19	101.97	64.29	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	100.03	101.97	64.29	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL	USBFG	183.66	101.97	64.29	63.68	17.64		15.75			1	
 	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4 Order Coordination For Specified Conversion Time, Per LSR	<u> </u>	4	USL	USBFG	430.04	101.97 18.19	64.29	63.68	17.64		15.75				
 	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		1	UGL	UCUSL		10.19									
	1		1	UCL	USBFH	5.88	84.27	46.59	53.14	10.70		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		† ·	1		5.56	J/	.0.55	554			.0 0			1	
	2		2	UCL	USBFH	5.21	84.27	46.59	53.14	10.70	<u> </u>	15.75		<u></u>		<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone									-						
	3		3	UCL	USBFH	4.40	84.27	46.59	53.14	10.70		15.75				
1 1	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4 Order Coordination For Specified Conversion Time, per LSR	 	4	UCL	USBFH OCOSL	3.63	84.27	46.59	53.14	10.70		15.75				
1 1			1	TOTAL	IOCOSI		18.19		1					1	1	1

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	10.96	101.58	63.90	59.71	13.67		15.75				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4		4	UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18.19									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		4	UDL	USBFN	41.05	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFO	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 4		4	UDL	USBFO	41.05	101.97	64.29	63.68	17.64		15.75				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		18.19									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 4 Order Coordination For Specified Conversion Time, per LSR		4	UDL UDL	USBFP OCOSL	41.05	101.97 18.19	64.29	63.68	17.64		15.75			1	
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSK			UDL	UCUSL		10.19									
	op Feeder															
	OOP CONCENTRATION															
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	36367	327.30	327.30				15.75				
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	47.56	136.37	136.37				15.75				
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	397.35	327.30	327.30				15.75				
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	80.15	136.37	136.37				15.75				
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4.52	63.65	46.34	17.31	4.85		15.75				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite															
	Card) Unbundled Loop Concentration - UDC Loop Interface (Brite			UDN	ULCC1	7.17	10.60	10.54	5.56	5.53		15.75				
	Card) Unbundled Loop Concentration2 Wire Voice-Loop Start or			UDC	ULCCU	7.17	10.60	10.54	5.56	5.53		15.75				1
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.80	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	10.66	10.60	10.54	5.56	5.53		15.75				1
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	6.36	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - TEST CIRCUIT Card				UCTTC	31.07	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	9.42	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	9.42	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
	Interface ROVISIONING ONLY - NO RATE	1		UDL	ULCC6	9.42	10.60	10.54	5.56	5.53	1	15.75	-		 	
	NID - Dispatch and Service Order for NID installation	-		UENTW	UNDBX	+			 		 		-	-		
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	-		UENTW	UENCE	+ -					}		1	1	 	
	<u>.</u>			UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate ROVISIONING ONLY - NO RATE			ENTW	UNECN		1									

UNBUNDL	LED NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL,UCL,UDC,UDL,												
-	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			LIEA LICE LICE LIDE	USBFR	0.00	0.00									
	rate Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -			002	00001	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP	ļ	ļ			ļ					<u> </u>					
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	11.20										
	High Capacity Unbundled Local Loop - DS3 - Facility			020	TESTAD	11.20										
	Termination per month			UE3	UE3PX	326.15	454.13	265.47	123.23	86.19		15.75				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	11.20										
	High Capacity Unbundled Local Loop - STS-1 - Facility			LIDLOV	1101.04	202 55	454.40	005.47	400.00	20.40		45.75				
LOOP MAKI	Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19		15.75				
LOOI MAN	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.50	25.50								
	Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP	+	25.58	25.58								
	spare facility queried (Mechanized)			UMK	PSUMK		0.6652	0.6652								
	UENCY SPECTRUM															
SPL	ITTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00	178.41	0.00		15.75				↓
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDA	46.67	189.89	0.00	178.41	0.00		15.75				
	Line Sharing Splitter, Per System, 8 Line Capacity	1		ULS	ULSD8	15.55	189.89	0.00	178.41	0.00		15.75				
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
	deactivation (per LSOD)		<u> </u>	ULS	ULSDG		88.98		49.96			15.75				<u> </u>
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC' Line Sharing - per Line Activation (BST Owned Splitter)	Y SPEC	IRUM	AKA LINE SHARING IULS	ULSDC	0.61	18.62	10.66	10.04	4.93		15.75			-	
	Line Sharing - per Subsequent Activity per Line			OLS	ULSDC	0.01	10.02	10.00	10.04	4.93		13.73				
	Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.48	8.24				15.75				
	Line Sharing - per Subsequent Activity per Line						10.10	0.01				45.75				
	Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter)			ULS ULS	ULSCS	0.61	16.48 47.44	8.24 19.31	20.67	12.74	 	15.75 15.75			 	
	Line Splitting - per line activation (DLEC owned splitter)	+	 	UEPSR UEPSB	UREOS	0.61	41.44	19.31	20.07	12.74	 	13.73			-	
	Line Splitting - per line activation BST owned - physical	İ		UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93		15.75				<u> </u>
IIII III III III III III III III III I	Line Splitting - per line activation BST owned - virtual	Ī		UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93		15.75				
	D DEDICATED TRANSPORT E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m hillin	a pori	d - bolow DS2ana	month Dead	/STS-1-four mo	nthe				-					
	EROFFICE CHANNEL - DEDICATED TRANSPORT - IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	III DIIIIII	g pend	d - below D33=offe	month, Dos	1313-1=10ur 11101	nuis									
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. Facility Termination per month			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11		15.75				

UNBUND	LED NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile				1											
	per month			U1TDX	1L5XX	0.0098										<u> </u>
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90		15.75				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month		<u> </u>	U1TD3	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	CAL CHANNEL - DEDICATED TRANSPORT															
NO	TE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo													
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULDVX	ULDR2	14.91	194.22	33.36	37.79	3.30		15.75				
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	15.99	194.66	33.80	38.27	3.78		15.75				
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	36.83	178.50	154.61	22.89	15.74		15.75				1
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	35.99	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1 per month - Zone 4		4	ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	9.66										
	Local Channel - Dedicated - DS3 - Facility Termination per			550	550		4=440		400.00							
	month			ULDD3 ULDS1	ULDF3 1L5NC	413.87 9.66	454.13	265.47	123.23	86.19		15.75				
	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per			OLDST	ILDING	9.00										
	month			ULDS1	ULDFS	408.02	454.13	265.47	123.23	86.19		15.75				
MULTIPLE				LINGTO A		100.05	0.1.55		10.00	10.10						
	Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UXTD1	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	month (2.4-64kbs)			UDL	1D1DD	1.22	6.62	4.74				15.75				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			052	10.00		0.02					10.70				
	month			UDN	UC1CA	2.62	6.62	4.74				15.75				
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.5737	6.62	4.74				15.75				
	DS3 to DS1 Channel System per month			UXTD3	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
	STS1 to DS1 Channel System per month			UXTS1	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	12.96	6.62	4.74				15.75				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	12.96	6.62	4.74				15.75				
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month			U1TD1	UC1D1	12.96	6.62	4.74				15.75				
DARK FIBE																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	59.95							-			
	NRC Dark Fiber - Local Channel			UDF	UDFC4		642.79	138.67	326.97	203.85		15.75				1
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction					İ	İ									
	Thereof per month - Interoffice Channel		<u> </u>	UDF	1L5DF	28.27										ļ
	NRC Dark Fiber - Interoffice Channel		<u> </u>	UDF	UDF14		642.79	138.67	326.97	203.85		15.75				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	59.95										

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	NRC Dark Fiber - Local Loop			UDF	UDFL4		642.79	138.67	326.97	203.85		15.75				
8XX ACCESS	TEN DIGIT SCREENING			0115		0.0000010										
	8XX Access Ten Digit Screening, Per Call		<u> </u>	OHD		0.0006216										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		2.60	0.44				15.75				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			ОНО	INBRIA		2.60	0.44				15.75				+
	POTS Translations			OHD			5.97	0.81	4.60	0.54		15.75				
	8XX Access Ten Digit Screening, Per 8XX No. Established With		1	OLID		1	5.51	0.01	4.00	0.54		13.73				+
	POTS Translations			OHD	N8FTX		5.97	0.81	4.60	0.54		15.75				
 	8XX Access Ten Digit Screening, Customized Area of Service			0.15	1101 171		0.07	0.01		0.0.		10.70				+
	Per 8XX Number			OHD	N8FCX		2.60	1.30				15.75				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR				1	i i	0	30	†					İ		1
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.04	1.74				15.75				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.04	0.44				15.75				
	8XX Access Ten Digit Screening, Call Handling and Destination							-								
	Features			OHD	N8FDX		2.60					15.75				
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006216										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
	query			OHD		0.0006216										
LINE INFORM	NATION DATA BASE ACCESS (LIDB)															<u> </u>
	LIDB Common Transport Per Query			OQT		0.0000197										<u> </u>
	LIDB Validation Per Query		<u> </u>	OQU	NDDDV	0.0137053	04.50	34.52	42.33	42.33		45.75				
SIGNALING (LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		34.52	34.52	42.33	42.33		15.75				+
SIGNALING (CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										+
	CCS7 Signaling Usage, Per TCAP Message		1	UDB	FIOSA	0.0000597			t							+
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75				+
 	CCS7 Signaling Connection, Per link (B link) (also known as D			000		10.00		00.7 1	10.00	.0.00		10.70				+
	link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000149										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78		15.75				
E911 SERVIC																
	Local Channel - Dedicated - 2-wr Voice Grade					14.91	194.22	33.36	37.79	3.30		15.75				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0098					ļ					<u> </u>
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		1		1		40 ===							1		1
	Termination					22.52	40.77	27.57	17.26	7.11		15.75			ļ	↓
	Local Channel - Dedicated - DS1 - Zone 1		 		+	36.83	178.50	154.61	22.89	15.74		15.75		 	ļ.	+
	Local Channel - Dedicated - DS1 - Zone 2		-		+	35.99	178.50 178.50	154.61 154.61	22.89 22.89	15.74 15.74		15.75 15.75		 	1	+
	Local Channel - Dedicated - DS1 - Zone 3 Local Channel - Dedicated - DS1 - Zone 4		-		+	221.63 221.63	178.50 178.50	154.61	22.89	15.74 15.74		15.75 15.75		 	1	+
	Interoffice Transport - Dedicated - DS1 - Zone 4	-	 			0.2010	178.50	104.61	22.89	15.74	 	15.75		-	1	+
	interesting transport - Dedicated - DOT Fel IVIIIe				+	0.2010			 		1			1	1	+
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		1		1	57.33	89.79	82.28	16.86	14.90		15.75		1		1
	- DOTT OF TAILOPORT DOGGOGO - DOTT OF TACHING TOTALING	1	<u> </u>		+	57.55	03.13	02.20	10.00	14.30	1	15.75		 	1	
CALLING NA	ME (CNAM) SERVICE				1				†					1		
	CNAM for DB Owners, Per Query			OQV	1	0.0010231			†					İ		1
	CNAM for Non DB Owners, Per Query			OQV		0.0010231			İ					1		1
	CNAM For DB Owners - Service Establishment			OQV			23.09	23.09	21.23	21.23		15.75				
	CNAM For Non DB Owners - Service Establishment			OQV			23.09	23.09	21.23	21.23		15.75				
	CNAM For DB Owners - Service Provisioning With Point Code															
	Establishment			OQV			996.62	737.08	270.49	198.89		15.75				
ı 1	CNAM For Non DB Owners - Service Provisioning With Point							·								
	Code Establishment			OQV			344.32	246.56	276.85	198.89		15.75				
LNP Query S				001/					ļ							
	LNP Charge Per query		<u> </u>	OQV		0.0008477										↓
. 1	LNP Service Establishment Manual						12.59	12.59	11.58	11.58	1	15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Charge -
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	L	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LNP Service Provisioning with Point Code Establishment						596.94	304.96	270.49	198.89		15.75				
OPERATOR C	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST															
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using															
	Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST															l
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using															ĺ
INDA/ART ST	Foreign LIDB		<u> </u>			0.20									-	
INWARD OPE	RATOR SERVICES		1			4.15					ļ			1	!	
 	Inward Operator Services - Verification, Per Minute Inward Operator Services - Verification and Emergency Interrupt		1			1.15					<u> </u>				 	
	- Per Minute					1.15									I	1
BRANDING - C	PERATOR CALL PROCESSING					1.13					1					
DIVAMPING - C	Recording of Custom Branded OA Announcement		 		CBAOS		7,000.00	7,000.00				15.75			 	
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				15.75				
Unbra	nding via OLNS for UNEP CLEC				ODMOL		000.00	000.00				10.70				
0	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.75				
DIRECTORY A	SSISTANCE SERVICES						1,200.00	1,200.00							1	
	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)														
	Directory Assistance Call Completion Access Service (DACC),															
	Per Call Attempt					0.10										
	TORY TRANSPORT															
	SSISTANCE SERVICES															
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month		ļ		DBSOF	150.00										
	DIRECTORY ASSISTANCE															
Facilit	y Based CLEC															
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM		-	AWII	CBADA		6,000.00	6,000.00								
	Card/Switch			AMT	CBADC		1,170.00	1,170.00							1	1
UNEP			1	Cuvil	CDADC		1,170.00	1,170.00			 			1	t	
UNEF	Recording of DA Custom Branded Announcement		1				3,000.00	3,000.00			 			1	t	
	Loading of DA Custom Branded Announcement per DRAM		1				0,000.00	0,000.00							-	—
	Card/Switch per OCN						1,170.00	1,170.00							1	1
Unbra	nding via OLNS for UNEP CLEC		1				.,	.,								
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE R																
	Selective Routing Per Unique Line Class Code Per Request Per												_			
	Switch		1		USRCR		85.19	85.19	14.19	14.19	ļ	15.75				
VIRTUAL COL																
	Virtual Collocation - Application Cost		ļ	AMTFS	EAF		1,212.25		0.51						1	1
	Virtual Collocation - Cable Installation Cost, per cable		ļ	AMTFS	ESPCX		926.27		22.62		ļ				1	1
	Virtual Collocation - Floor Space, per sq. ft.		<u> </u>	AMTES	ESPVX	5.74					ļ				-	├
	Virtual Collocation - Power, per breaker amp		1	AMTFS	ESPAX	7.33					 			1	!	
	Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	15.24									I	1
	Cable			UEANL,UEA,UDN,U	ESPSX	15.24					 	-			 	
				DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (loop)	1	1		UEAC2	0.0268	12.37	11.87	6.04	5.45	1	15.75		1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec First		Nonrecurring First	g Disconnect Add'l	001150	001141		Rates(\$) SOMAN	001441	001441
						Rec	FIrst	Add'l	FIrst	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-wire Cross Connects (loop)			AMTFS,UDL12,	UEAC4	0.0536	12.47	11.94	6.59	5.91		15.75				
	Network Callegation - O Filter Comp. Comparets			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,	CNCCE	2.04	24.04	45.00	7.04	0.40		45.75				
-	Virtual Collocation - 2-Fiber Cross Connects				CNC2F	2.91	21.01	15.29	7.61	6.10	1	15.75				
	Virtual Collocation - 4-Fiber Cross Connects				CNC4F	5.82	25.70	19.97	10.01	8.50		15.75				
	Virtual collocation - DS1 Cross Connects			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.14	22.16	16.02	6,60	5.97		15.75				
	Virtual collocation - DS3 Cross Connects			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,	CND3X	14.49	21.01	15.29	7.61	6.10		15.75				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable						21.01	10.20	7.01	0.10		10.10				
	Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CB	0.0025										
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0037										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CC		534.65									
	Cable Support Structure, per cable			AMTFS	VE1CE		534.65									
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		17.02	10.79								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.17	13.94								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.32	17.08								
	Virtual collocation - Maintenance in CO - Basic, per half hour Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS AMTFS	CTRLX SPTOM		28.09 36.69	10.79								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.28	17.08								
VIRTUAL COLI				741111 0	0		10.20	17.00								
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91		15.75				
VIRTUAL COLI	OCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45		15.75				

ONRONE	NDLED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGOR	DRY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
L						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AIN SELE	ECTIVE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,685.12		8,640.51			15.75				
	End Office Establishment			SRC	SRCEO		167.49	167.49	1.71	1.71		15.75				
	Query NRC, per query			SRC		0.0030502										
AIN - BELI	LLSOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.67	39.67	40.92	40.92		15 75				
-+	initial Setup			AIN	CAIVISE		39.67	39.67	40.92	40.92		15.75				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.87	7.87	9.14	9.14		15.75				
-	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.87	7.87	9.14	9.14		15.75				
-+	AIN SMS Access Service - Port Conflection - ISBN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAWIT		7.07	7.07	5.14	5.14		13.73				
.	ID Code	l		A1N	CAMAU		35.21	35.21	27.21	27.21		15.75			1	
-+	AIN SMS Access Service - Security Card, Per User ID Code,	1			0,, 10		00.21	00.21	21.21	21.21		10.70			I	1
	Initial or Replacement			A1N	CAMRC		42.13	42.13	11.78	11.78		15.75				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0021										
	AIN SMS Access Service - Session, Per Minute					0.5649										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8393										
AIN - BEL	LLSOUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.67	39.67	40.92	40.92		15.75				
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,226.54	4,226.54				15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		24.07	34.67	14.44	44.44		45.75				
-+	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPIC		34.67	34.67	14.44	14.44		15.75				
	DN, Feature Code				BAPTF		34.67	34.67	14.44	14.44		15.75				
-+	AlN Toolkit Service - Query Charge, Per Query				DAFII	0.0535577	34.07	34.07	14.44	14.44		15.75				
-+	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0535577										
	Subscription, Per Node, Per Query					0.0063509										
-+	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.0003303										
.	Account, Per 100 Kilobytes	l				0.06									1	
-	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					2.00									1	
.	Subscription	l		CAM	BAPMS	11.11	7.87	7.87	5.54	5.54		15.75			I	
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service													1		
	Subscription			CAM	BAPLS	2.71	8.71	8.71				15.75				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54		15.75				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit						_			-						
	Service Subscription			CAM	BAPES	0.09	8.71	8.71				15.75				
	CED EXTENDED LINK (EELs)															
	NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density															
	NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-								ll		L			l	L	<u> </u>
	NOTE: In all states, EEL network elements shown below also apply to							As Is Charge a	pplies to curre	ntly combined	facilities co	nverted to	UNEs.(Non-re	curring rates	do not apply	<u>'.) </u>
	NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply				elements.(No S	witch As Is Ch	arge.)									
<u>2-V</u>	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EKOFF	ICE IR	ANSPORT (EEL)	1										-	
.	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	l		LINOVO	LIEALO	40.00	405.00	00.00	50.00	10.07		45.75			I	
-+	Combination - Zone 1	 	1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75			!	1
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	l	1 _	1110101	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75			I	
'	Transport Combination Zon - 0															
	Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		2	UNCVX	UEAL2	18.75	105.96	00.20	32.02	10.37		13.73				1

Version 1Q02: 03/22/2002 PAGE 213 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Mississippi			1	1	1						T -	Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						n	Nonrec		Nonrecurring		001150	001441		Rates(\$)	0011411	0011411
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month DS1 Channelization System Per Month			UNC1X	U1TF1	51.72 102.85	89.79 91.57	82.28 62.94	16.86 10.87	14.90 10.10		15.75				4
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNC1X UNCVX	MQ1 1D1VG	0.5737	91.57 6.62	4.74	10.87	10.10		15.75				<u> </u>
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNCVX	IDIVG	0.5737	0.02	4.74								1
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			LINGVA	LIEALO	07.55	405.00	00.00	50.00	10.07		45.75				
	Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination -			0.10171	02,122	10.72	100.00	00.20	02.02	10.07		10.70				
	per month			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 14/10/	Is Charge	FRAFE	ICE TO	UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				<u> </u>
4-WIRI	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	EROFF	ICE IR	ANSPORT (EEL)	-											
	Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			0.10 171	02,12.	2	102.27	000	00.00			10.70				
	Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		·	0.10171	02,12.	00.00	102.27	000	00.00			10.70				1
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination -						¥ 1.141									
	per month			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination -		7						00.00	14.04						
	per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	ls Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				<u> </u>
4-WIRI	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 I	NTERC	FFICE	TRANSPORT (EEL))											
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice						.20.00	22.00	23.00			.0.70				†
	Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64	<u> </u>	15.75			<u> </u>	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Mississippi				1							1 -	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Dee	Nonrec		Nonrecurring		SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
+	Interoffice Transport - Dedicated - DS1 combination - Per Mile					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per Month			UNC1X	1L5XX	0.1813						15.75				Ï
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			LINGEN			400 50									
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1,22	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE		0.1000		0.00	0.00	7.20	7.20		10.10				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			LINGEN			400 50									
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	Transport Combination - Zone 3 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCDX	UND64	32.25	126.53	88.85	60.68	14.64		15.75				
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System									.,,,,,						
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOAY	1111000		F 00	F	7.00	7.00		45				
4-WID	Is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CF TP	UNC1X ANSPORT (FFL)	UNCCC		5.63	5.63	7.20	7.20	-	15.75				
7 1111	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3													
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	Transport - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						_	Nonrec		Nonrecurring					Rates(\$)		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per Month Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.1813										
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR		911999		0.00									
	First DS1Loop in DS3 Interoffice Transport Combination - Zone	_	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	3 First DS1Loop in DS3 Interoffice Transport Combination - Zone		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	4 Interoffice Transport - Dedicated - DS3 combination - Per Mile		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Per Month			UNC3X	1L5XX	4.29										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	107.85	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	Zone 3 Additional DS1Loop in DS3 Interoffice Transport Combination -		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	Zone 4 DS3 Interface Unit (DS1 COCI) combination per month		4	UNC1X UNC1X	USLXX UC1D1	458.46 12.96	253.93 6.62	158.45 4.74	46.10	12.07		15.75 15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA		12.30	0.02	7./7				13.73				
2 WIDE	Is Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EDOEE	ICE TE	UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
2-WIRE	2-WireVG Loop used with 2-wire VG Interoffice Transport	EKUFF	ICE II	RANSPORT (EEL)	-											
	Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
	A.1.2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.00088						.55				
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNO A		20.32										<u> </u>
4 14/10/	Is Charge VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EDOE	ICE T	UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				-
4-WIRE	4-WireVG Loop used with 4-wire VG Interoffice Transport	EKUFF	ICE II	TANSPURI (EEL)	+				 						-	
	Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.00088										

INBUNDLE	D NETWORK ELEMENTS - Mississippi			1									Attachment:		Exhibit: B	<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4- Wire Voice Grade				+	Rec	FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	combination - Facility Termination per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
DS3 D	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	NSPOR	T (EEL)	1											ļ
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	11.20										
	High Capacity Unbundled Local Loop - DS3 combination -			ONOSA	TESIND	11.20										1
	Facility Termination per month			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19		15.75				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.29										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
STS1 I	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	RANSP		UNCCC		3.03	3.03	7.20	7.20		13.73				
0.0	High Capacity Unbundled Local Loop - STS1 combination - Per	1		l (===,											İ	
	Mile per month			UNCSX	1L5ND	11.20										
	High Capacity Unbundled Local Loop - STS1 combination -															
	Facility Termination per month			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19		15.75				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	ILSXX	4.29										
	Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-				1	******									İ	
	Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
2-WIRI	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	.)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		١.					=	====							
_	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			ONONA	UTLZX	21.55	117.01	13.32	32.02	10.57		13.73				
	Transport - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination -			UNCIX	UTIFT	51.72	09.79	02.20	10.00	14.90		13.73				
	per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System						-									
	combination - per month			UNCNX	UC1CA	2.62	6.62	4.74				15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		١.					=	=====							
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCIVA	UTLZA	21.55	117.01	19.52	32.02	10.37		13.73				-
	Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
_	combintaion- per month Nonrecurring Currently Combined Network Elements Switch -As-		 	UNCNX	UC1CA	2.62	6.62	4.74	 			15.75			 	
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRI	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T		511000		5.03	5.05	7.20	7.20	 	13.13			†	
	First DS1 Loop in STS1 Interoffice Transport Combination -	1.27	_ <u> </u>		†				1							1
	Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination -	l	1													
	Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
	First DOALs are in OTOALs are (first Transport Oracle) and in the					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination -		3	UNCIX	USLAA	200.74	255.95	130.43	40.10	12.07		13.73				
	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS1 combination - Facility				==0											
	Termination STS1 to DS1 Channel System conbination per month			UNCSX	U1TFS MQ3	644.21 107.63	280.37 179.17	163.70 94.52	62.08 34.30	60.29 32.82		15.75 15.75				
-	DS3 Interface Unit (DS1 COCI) combination per month		1	UNCSX UNC1X	UC1D1	12.96	6.62	4.74	34.30	32.02		15.75				
	Additional DS1Loop in STS1 Interoffice Transport Combination -			ONOTA	OCIDI	12.30	0.02	7.77				10.75				
	Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 3 Additional DS1Loop in STS1 Interoffice Transport Combination -		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				<u> </u>
	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month		_	UNC1X	UC1D1	12.96	6.62	4.74	40.10	12.07		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	TRANS	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			LINODY	1101.50	07.44	100 50	00.05	00.00	4404		45.75				
	Combination - Zone 1 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
1	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			0.1027	02200	0 1.00	120.00	00.00	33.33			10.70				
	Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDA	ILSAA	0.00066										1
	Facility Termination			UNCDX	U1TD5	14.14	40.78	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE	TRANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		- ' -	UNCDX	ODL04	27.44	120.55	00.05	00.00	14.04		13.73				
	Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				ļ
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.00088										
_	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	l	†	0.100/	120700	0.00008					1			 	-	
	Facility Termination			UNCDX	U1TD6	14.14	40.78	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				<u> </u>
	NETWORK ELEMENTS	na	*****	not onni: but -	Curitab As Is :	horae daaa a	.h.e		 							
	used as a part of a currently combined facility, the non-recurr used as ordinarilty combined network elements in Georgia, th								 		-					
	curring Currently Combined Network Elements "Switch As Is"					is Griange u										
1.00	Nonrecurring Currently Combined Network Elements Switch -As-		(55													1
	Is Charge - 2 wire/4-Wire VG		<u>L</u>	UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-									<u> </u>						
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonred		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															i .
	Is Charge - DS1			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				L
	Nonrecurring Currently Combined Network Elements Switch -As-															i
	Is Charge - DS3			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-									=						i
	Is Charge - STS1	. B.I.	D00	UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				+
NOTE:	Local Channel - Dedicated Transport - minimum billing period	ı - Belo	w DS3:				404.00	00.00	07.70	0.00		45.75				
	Local Channel - Dedicated - 2-Wire Voice Grade per month			UNCXV	ULDV2	14.91	194.22	33.36		3.30		15.75				+
	Local Channel - Dedicated - 4-Wire Voice Grade per month		<u> </u>	UNCXV	ULDV4	15.99	194.66	33.80	38.27	3.78		15.75				+
	Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1 ULDF1	33.83	178.50	154.61	22.89 22.89	15.74 15.74		15.75			 	
	Local Channel - Dedicated -DS1 Per Month Zone 2 Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1 ULDF1	35.99 221.63	178.50 178.50	154.61	22.89	15.74 15.74	1	15.75				
	Local Channel - Dedicated - DS1- Per Month Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month		3	UNC1X UNC3X	1L5NC		178.50	154.61	22.89	15.74	<u> </u>	15.75			 	
	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per		 	OINCOV	ILDING	9.66			1		1					
	month			UNC3X	ULDF3	413.87	454.13	265.47	123.23	86.19		15.75			I	1
	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	9.66	404.10	203.47	123.23	00.19	1	15.75			-	
	Local Channel - Dedicated - STS-1- Per Mile per Month Local Channel - Dedicated - STS-1 - Facility Termination per			UNCOX	ILSING	9.00					1				-	
	month			UNCSX	ULDFS	408.02	454.13	265.47	123.23	86.19		15.75				i
	OCAL EXCHANGE SWITCHING(PORTS)			UNCSA	ULDF3	406.02	404.13	205.47	123.23	00.19		15.75				
	age Ports															—
	Although the Port Rate includes all available features in GA, I	(VIA	9 TNI 4	an decired features	will pood to b	o ordorod ucin	a rotail HSOC									t
	VOICE GRADE LINE PORT RATES (RES)	(I, LA	ο τι ν , τ	ie desired realures	Will fleed to i	l ordered usin	g retail 0300:	•			1					
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Forts - 2-Wile Arialog Line Fort- Nes.			OLI OK	OLITIC	1.41	2.55	2.23	1.42	1.55		13.73				t
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33		15.75				ĺ
	Exchange Forts - 2-vviile Analog Line Fort with Galler ID - Nes.			OLI OIL	OLITIC	1.41	2.55	2.23	1.42	1.55		13.73				—
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33		15.75				i .
	Exchange Ports - 2-Wire VG unbundled MS extended local			02. 0.1	02.110		2.00	2.20		1.00		.00				
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33		15.75				i .
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			02. 0.1	02.711		2.00	2.20		1.00		.00				
	with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33		15.75				i
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				15.75				
FEATU																
	All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00				15.75				
	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33		15.75				i
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33		15.75			I	1
<u> </u>	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		<u></u>	UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33		15.75				L
	Exchange Ports - 2-Wire VG unbundled MS extended local															1
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33	<u> </u>	15.75	<u></u>	<u></u>	<u></u>	<u> </u>
	Exhange Ports - 2-Wire VG unbundled incoming only port with			_												1
	Caller ID - Bus			UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33		15.75				l
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00				15.75				
FEATU																
	All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00				15.75				
	NGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		<u> </u>	UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92		15.75			ļ	
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		<u> </u>	UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92		15.75			1	
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.41	31.45	14.93		0.92		15.75				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		<u> </u>	UEPSP	UEPLD	1.41	31.45	14.93		0.92		15.75			1	
	2-Wire Voice Unbundled PBX LD Terminal Ports		<u> </u>	UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92		15.75			ļ	
	2-Wire Vice Unbundled 2-Way PBX Usage Port		<u> </u>	UEPSP	UEPXA	1.41	31.45	14.93		0.92		15.75			ļ	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93		0.92		15.75				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		<u> </u>	UEPSP	UEPXC	1.41	31.45	14.93		0.92		15.75			ļ	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92	1	15.75	l	l		1

Version 1Q02: 03/22/2002 PAGE 219 OF 352

UNBUNDLED N	IETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
					1	_	Nonrec			Disconnect				Rates(\$)		
—						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Vire Voice Unbundled PBX LD Terminal Switchboard IDD pable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92		15.75				
	Vire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEFSF	UEFAE	1.41	31.43	14.93	14.30	0.92	-	15.75				-
	ministrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92		15.75				
	Vire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02. 0.	02.742		01.10			0.02		10.10				
	om Calling Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92		15.75				
2-W	Vire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	count Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92		15.75				
	Vire Voice Unbundled 2-Way PBX Mississippi Local Economy															
	Illing Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92		15.75				
	Vire Voice Unbundled 2-Way PBX Mississippi Local Optional Iling Port			UEPSP	UEPXR	4 44	24.45	14.93	44.00	0.00		45.75				
	Nire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXR	1.41 1.41	31.45	14.93	14.38	0.92		15.75				
	bsequent Activity	1	 	UEPSP	USASC	0.00	31.45 0.00	0.00	14.38	0.92	1	15.75 15.75			1	
FEATURES			 	02.1 0.1	30,100	0.00	0.00	0.00				10.70			<u> </u>	
	Available Vertical Features	1		UEPSP UEPSE	UEPVF	2.56	0.00	0.00				15.75			1	t
	E PORT RATES (COIN)															
	change Ports - Coin Port					1.41	2.39	2.29	1.42	1.33		15.75				
	ansmission/usage charges associated with POTS circuit so															
	cess to B Channel or D Channel Packet capabilities will be	availal	le onl	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	le Request/	New Busines:	Request Pro	ocess.	
	AL EXCHANGE SWITCHING(PORTS)															
	E PORT RATES (DID & PBX)			LIEBEV .			100.00	10.05								
	change Ports - 2-Wire DID Port			UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88		15.75			1.97	
	change Ports - DDITS Port - 4-Wire DS1 Port with DID pability			UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54		15.75			1.97	
	change Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.69	73.19	53.30	74.86 47.90	10.76	-	15.75			1.97	-
	Features Offered			UEPTX UEPSX	UEPVF	2.56	0.00	0.00	47.50	10.76		15.75			1.97	
	ansmission/usage charges associated with POTS circuit sy	witched	usage						nission by B-Ch	nannels associ	ated with 2-		orts.			
	cess to B Channel or D Channel Packet capabilities will be													Request Pro	ocess.	
	change Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
	change Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69		15.75			1.97	
	AL SWITCHING, PORT USAGE															
	Switching (Port Usage)				1											
	d Office Switching Function, Per MOU					0.0010269										
	d Office Trunk Port - Shared, Per MOU				+	0.000161			-							
	witching (Port Usage) (Local or Access Tandem) ndem Switching Function Per MOU				+	0.0001723					-					-
	ndem Trunk Port - Shared, Per MOU					0.0001723										
Common T				<u> </u>	1	3.3301020									1	t
	mmon Transport - Per Mile, Per MOU					0.0000026			1							
Cor	mmon Transport - Facilities Termination Per MOU					0.0004541										
	T/LOOP COMBINATIONS - COST BASED RATES															
	d Rates are applied where BellSouth is required by FCC ar															
Features sl	hall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rates	section in the same	manner as th	ey are applied	to the Stand-A	one Unbundle	ed Port section	of this Rate E	xhibit.					
End Office	and Tandem Switching Usage and Common Transport Usia, Kentucky, Louisiana, MIssissippi, South Carolina and	sage rat	es in t	he Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	ort network eler	nents except	for UNE Coi	n Port/Loop	Combination	is.	ing charges s	nnly to Not
	ia, Kentucky, Louisiana, Mississippi, South Carolina and i Combined Combos for all states. In GA, KY, LA, MS, SC ar															
	ntly Combined Combos in all other states, the nonrecurring								and NC mese	nomecuring	charges are	i wiai ket Kat	es anu are ar	oo iisteu in tr	ie warker Kate	adelion.
	DICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	y charg	.o 311d	se mose identified	I III LIIE NOIII	Couring - Guile	onery Combine	. Jeculo113.					1	1		
	Loop Combination Rates				1										1	
	Vire VG Loop/Port Combo - Zone 1		1		1	12.22										
	Vire VG Loop/Port Combo - Zone 2		2			17.13										
	Vire VG Loop/Port Combo - Zone 3		3			26.26										
2-W	Vire VG Loop/Port Combo - Zone 4		4			44.91										
UNE Loop							_	•								
	Vire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.98										
	Vire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	15.91										
	Vire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	25.04										
	Vire Voice Grade Loop (SL1) - Zone 4			UEPRX	UEPLX	43.68	1				1	ī		1		1

Version 1Q02: 03/22/2002 PAGE 220 OF 352

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add'
					+		Nonrec	urring	Nonrecurring	Disconnect		l I	oss	Rates(\$)	L	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wii	e Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice Grade unbundled Mississippi extended local															
	dialing parity port with Caller ID - res			UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58		15.75				
FEAT	TURES															
	All Features Offered		<u> </u>	UEPRX	UEPVF	2.56	0.00	0.00				15.75				
LOCA	AL NUMBER PORTABILITY	 	<u> </u>	HEDDY	LNDCV	0.05									1	
NON	Local Number Portability (1 per port)	 	 	UEPRX	LNPCX	0.35									!	
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	1	 	+									-	 	-
	Switch-as-is	l		UEPRX	USAC2		0.0988	0.0988				15.75			1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	ULPRA	USAUZ		0.0988	0.0988			 	15.75		1	 	
	Switch with change			UEPRX	USACC		0.0988	0.0988				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLFKX	USACC		0.0966	0.0900				13.73				
	Subsequent Database Update						0.00	0.00				15.75				
ΔΠΠΙ	TIONAL NRCs						0.00	0.00				10.70				
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00				15.75				
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPBX	UEPLX	43.68										
2-Wii	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundled port with Caller + E484 ID - bus	ļ	<u> </u>	UEPBX	UEPBC	1.23	40.31	19.84	24.90	6.58		15.75			-	
	2-Wire voice unbundled port outgoing only - bus	 	<u> </u>	UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58		15.75			1	-
	2-Wire voice Grade unbundled Mississippi extended local	1	1	UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58	1	15.75			I	
	dialing parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus	ļ	1	UEPBX	UPEB1	1.23	40.31	19.84	24.90	6.58		15.75			 	
1.00	AL NUMBER PORTABILITY	 	 	ULPDA	UPEBI	1.23	40.31	19.84	24.90	86.0	-	15.75		-		
LUC	Local Number Portability (1 per port)	1	1	UEPBX	LNPCX	0.35									1	1
FFAT	TURES	1	 	OLITON	LINEUA	0.35			 						 	
I LA	All Features Offered	1	 	UEPBX	UEPVF	2.56	0.00	0.00	 			15.75			 	
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1	52. DX	OEI VI	2.00	5.00	0.00	 			10.70			-	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1													<u> </u>	
	Switch-as-is	l		UEPBX	USAC2		0.0988	0.0988				15.75			1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -						2.2200	2.2300							İ	
	Switch with change	1	1	UEPBX	USACC		0.0988	0.0988			1	15.75			I	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update	<u> </u>		<u></u>			0.00	0.00	L			15.75		<u></u>	<u></u>	
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	l									1			<u> </u>		
	Activity			UEPBX	USAS2		0.00	0.00				15.75				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1	ļ		12.22	Ť									
	2-Wire VG Loop/Port Combo - Zone 2		2	ļ		17.13										
	2-Wire VG Loop/Port Combo - Zone 3	ļ	3			26.26									1	<u> </u>
1	2-Wire VG Loop/Port Combo - Zone 4	I	4			44.91								l		

ONRON	JLE	NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	ļ
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Indan'									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (- /			per LSK	per Lon				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		l l	OSS	Rates(\$)		<u> </u>
							Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	JE I a	op Rates					Rec	FIISL	Add I	FIISL	Add I	SOMEC	SUMAN	SUMAN	SOWAN	SOWAN	SUMAN
Ur				_	LIEDDO	LIEDLY	40.00										<u> </u>
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15.91										ļ
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43.68										
2-\		Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17		15.75				
LC	CAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.75				
FE	ATU			1													
		All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00	1		1	15.75		1	1	1
NC		CURRING CHARGES (NRCs) - CURRENTLY COMBINED				J VI	2.00	0.00	0.00	 		1	10.70		t	t	+
INC		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-	 	1	+				 		1			1	1	+
				1	LIEDBO	116463		7.00	1.04	1			15.75				
		Conversion - Switch-As-Is		-	UEPRG	USAC2		7.96	1.91	 		1	15.75		 	 	
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	110466							,		1	I	
		Conversion - Switch with Change			UEPRG	USACC		7.96	1.91				15.75				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Subsequent Database Update						0.00	0.00				15.75				
ΑE	DDITIO	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.75				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.36	7.36				15.75				
2-1		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						7.00	7.00			1	10.10		-		†
		ort/Loop Combination Rates		-													
U		2-Wire VG Loop/Port Combo - Zone 1		1			12.22					1			-		-
				2			17.13										<u> </u>
		2-Wire VG Loop/Port Combo - Zone 2										ļ					
		2-Wire VG Loop/Port Combo - Zone 3		3			26.26										ļ
		2-Wire VG Loop/Port Combo - Zone 4		4			44.91										ļ
UN		op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	43.68										
2-1		Voice Grade Line Port Rates (BUS - PBX)															
		120			1	1				1		1			1	1	1
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17		15.75		1	I	
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17	1	15.75		t	t	+
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.23	69.37	32.48	37.86	6.17	1	15.75		t	t	
			-		UEPPX	UEPLD						 			 	 	
		2-Wire Voice Unbundled PBX LD Terminal Ports		-			1.23	69.37	32.48	37.86	6.17	1	15.75		 	 	
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.23	69.37	32.48	37.86	6.17	ļ	15.75				↓
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17		15.75				ļ
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17	1	15.75				1
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17		15.75				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port		1	UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17		15.75				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port		1	UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17		15.75				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1													
		Room Calling Port		1	UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17		15.75				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1		32.7	20	55.01	32.40	500	3.17	1	.5.70		1	1	†
		Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17		15.75		1	I	
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy			OLI I A	01.70	1.23	08.37	32.40	31.00	0.17	 	15.75		 	 	+
					LIEDDY	LIEDYO	4.00	00.0=	00.70	07.00	0.4-		45.75		1	I	
		Calling Port		!	UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17	!	15.75				.
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional		l	l	1				I I	_					1	
		Calling Port			UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17	1	15.75				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		L_ ⁻	UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17		15.75				
- 1.6	CAL	NUMBER PORTABILITY															

Version 1Q02: 03/22/2002 PAGE 222 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
	Local Number Portability (1 per port)			UEPPX	LNPCP	Rec 3.15	First	Add'I 0.00	First	Add'l	SOMEC	SOMAN 15.75	SOMAN	SOMAN	SOMAN	SOMAN
FEATU				UEPPX	LNPCP	3.15	0.00	0.00				15.75				
I LAIC	All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00				15.75				
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91				15.75				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		7.96	1.91				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.00	0.00				15.75				
ADDIT	IONAL NRCs						0.00	0.00				15.75				
ADDIT	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -					+					1				+	
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.75				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.36	7.36				15.75				
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE P	ort/Loop Combination Rates					40.00										
-	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.22 17.13										
	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		3		_	26.26	-									
	2-Wire VG Coin Port/Loop Combo – Zone 4		4		-	44.91										
UNE L	pop Rates					44.01										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPCO	UEPLX	43.68										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58		15.75				
-	2-Wire Coin 2-Way without Operator Screening and without			UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58		15.75				
	Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			OLI OO	OLI MO	1.20	40.01	10.04	24.00	0.00		10.70				
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-W with Operator Screening and Blocking: 011,															
	900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(AL, LA, MS)			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58		15.75				
—	2-Wire Coin 2-Way with Operator Screening & Blocking:			ULFCO	OLFIVID	1.23	40.51	19.04	24.90	0.30		13.73				
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,															
	1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward without Blocking and without Operator															
	Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward without Blocking and without Operator			LIEBOO	LIEDME	4.00	40.04	40.04	04.00	0.50		45.75				
 	Screening; With Dailing Parity (MS) 2-Wire Coin Outward with Operator Screening and 011 Blocking	1		UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58	1	15.75				
	(GA, KY, MS)			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58		15.75				
 	2-Wire Coin Outward with Operator Screening and 011			021 00	OLI NO	1.23	40.51	13.04	24.50	0.36	 	13.73			1	
	Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward with Operator Screening and Blocking:	1														
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,							·								
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,			LIEBCO	LIEDOS	4.00	40.04	40.04	04.00	0.50		45.75				
\vdash	011+, and Local; with Dialing Parity (MS) 2-Wire 2-Way Smartline with 900/976 (all states except LA)	1		UEPCO UEPCO	UEPCS UEPCK	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58	1	15.75 15.75			-	
	2-vviie 2-vvay Siliaitiille with 900/976 (all States except LA)	1	<u> </u>	ULFCU	UEPUN	1.23	40.31	19.84	24.90	0.58	L	15.75			L	L

Version 1Q02: 03/22/2002 PAGE 223 OF 352

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Dee	Nonred		Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN
	2-Wire Coin Outward Smartline with 900/976 (all states except					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LA)			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58		15.75				
ADDI	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00								
LOCA	AL NUMBER PORTABILITY			LIEBOO	LNDCV	0.25										├
NON	Local Number Portability (1 per port) RECURRING CHARGES - CURRENTLY COMBINED			UEPCO	LNPCX	0.35										
NON	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.0988	0.0988				15.75				ĺ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		0.0988	0.0988				15.75				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDOO	110466											1
LINIE	Activity			UEPCO	USAS2		0.00	0.00				15.75				-
	JNDLED REMOTE CALL FORWARDING - RES JNDLED REMOTE CALL FORWARDING - Bus	<u> </u>	!			 			1		1	-			-	
UNB	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus	1	 	UEPVB	UEPVJ	1.41	2.39	2.29	1.42	1.33	1	15.75	1		1	
UNBUNDI FI	PORT/LOOP COMBINATIONS - COST BASED RATES			OLFVB	OLF V3	1.41	2.39	2.29	1.42	1.33		13.73				
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.32										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.16										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			34.98										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		4			53.15										
UNE	Loop Rates			LIEDDY	LIEODA	40.00										-
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX UEPPX	UECD1 UECD1	13.89 18.75										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	27.55										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		4	UEPPX	UECD1	45.72										-
UNE	Port Rate			02 X	0200.	.02										
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	7.43	225.96	87.13	114.59	14.25		15.75			1.97	
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
	Switch-as-is			UEPPX	USAC1		7.35	1.88				15.75			1.97	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															ĺ
400	with BellSouth Allowable Changes			UEPPX	USA1C		7.35	1.88				15.75			1.97	
ADDI	TIONAL NRCs [2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		26.94	26.94			1	15.75			1.97	—
Teler	phone Number/Trunk Group Establisment Charges	1	1	ULFFA	USASI	1	20.94	20.94	1			15.75			1.97	
1.000	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00				15.75			1.97	—
	Additional DID Numbers for each Group of 20 DID Numbers	l		UEPPX	ND4	0.00	0.00	0.00				15.75			1.97	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00				15.75			1.97	
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.75			1.97	
LOC	AL NUMBER PORTABILITY	ļ	<u> </u>	LIEDOV	L LIBOT				ļ							1
	Local Number Portability (1 per port)	NE CIE	 	UEPPX	LNPCP	3.15	0.00	0.00	1		1		-		1	
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI Port/Loop Combination Rates	INE SIDE	I PURI	1		 			1		1	-			-	
ONE	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	<u> </u>			1										
	UNE Zone 1		1	UEPPB UEPPR		28.59										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	<u> </u>	<u> </u>		20.00										
1 1	UNE Zone 2	1	2	UEPPB UEPPR		35.00										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	Ì														
	UNE Zone 3		3	UEPPB UEPPR		45.18										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1														1
<u> </u>	UNE Zone 4	ļ	4	ļ		67.61										1
UNE	Loop Rates	ļ	L _	LIEDDD LIEDD	1101.07	40.00			ļ		ļ	45			4.00	
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	<u> </u>	1	UEPPB UEPPR	USL2X	18.26					1	15.75	l	l	1.97	<u> </u>

UNBUNDL	LED NETWORK ELEMENTS - Mississippi													Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
							_	Nonrec		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67						15.75			1.97	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	34.85			1			15.75			1.97	
	2-Wire ISDN Digital Grade Loop - UNE Zone 4		4	UEPPB	UEPPR	USL2X	57.28						15.75			1.97	
UNE	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13		15.75			1.97	
NON	IRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.73	27.17				15.75			1.97	
	ITIONAL NRCs																
LOC	AL NUMBER PORTABILITY		<u> </u>		LIEBBB												
D 01	Local Number Portability (1 per port) HANNEL USER PROFILE ACCESS:	1	 	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	 						!	}
B-CI	CVS/CSD (DMS/5ESS)	+	<u> </u>	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00						-	-	
	CVS (EWSD)	-		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	-						-	
 	CSD	1	1	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00							t	1
B-CI	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	(NT	SEI I D	JEITIK	21000	0.00	5.00	3.00							1	
	CVS/CSD (DMS/5ESS)	1	· · · · ·	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00							1	
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USE	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	TICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.56	0.00	0.00				15.75			1.97	
INTE	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and			LIEDDD	LIEDDD	140110	00 5000	40.77	07.57	47.00	7.44		45.75			4.07	
	facilities termination Interoffice Channel mileage each, additional mile	-		UEPPB	UEPPR UEPPR	M1GNC M1GNM	22.5298	40.77	27.57	17.26	7.11		15.75			1.97	
4-10/1	IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K DODT		UEPPB	UEPPR	MIGNIM	0.0098	0.00	0.00								
	Port/Loop Combination Rates	I															
10.112	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																-
	Zone 1		1	UEPPP			155.43										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															1	
	Zone 2		2	UEPPP			205.74										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			283.10										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 4		4	UEPPP			534.81										
UNE	Loop Rates		<u> </u>														
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P USL4P	79.08						15.75			1.97 1.97	
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3		2	UEPPP		USL4P USL4P	129.38 206.74						15.75 15.75			1.97	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P USL4P	458.46						15.75			1.97	
UNE	Port Rate		4	OLFFF		USL4F	430.40						13.73			1.97	
ONE	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	76.35	458.93	260.59	127.75	32.76		15.75			1.97	
NON	IRECURRING CHARGES - CURRENTLY COMBINED			OLITI		OLITT	70.00	400.00	200.00	127.70	02.70		10.70			1.01	
1	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	119.76	79.01				15.75			1.97	
ADD	ITIONAL NRCs					<u> </u>											
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.49					15.75			1.97	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															1	
	Outward Tel Numbers (All States except NC)	1		UEPPP		PR7TO		11.58	11.58				15.75			1.97	<u> </u>
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		1	l												I .	
	Subsequent Inward Tel Nos Above Std Allowance	-	<u> </u>	UEPPP		PR7ZT		23.15	23.15				15.75			1.97	
LOC	AL NUMBER PORTABILITY	+	-	HEDDE		LNDCN	4 75									1	
INITE	Local Number Portability (1 per port)		1	UEPPP		LNPCN	1.75								-	 	
INTE	ERFACE (Provsioning Only) Voice/Data	+	-	UEPPP		PR71V	0.00	0.00	0.00							 	1

Version 1Q02: 03/22/2002 PAGE 225 OF 352

<u>JNBUNDLI</u>	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	L
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted			Incremental Charge -	Incremen Charge Manual S Order vs Electron Disc Add
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.61					15.75			1.97	
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.61					15.75			1.97	
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.61					15.75			1.97	
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Intero	ffice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	57.53	89.79	82.28	16.66	14.90		15.75			1.97	
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.20										
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT								<u> </u>							
UNE F	Port/Loop Combination Rates								<u> </u>							
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		131.78			<u> </u>			15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		182.07						15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		259.44						15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		511.15						15.75			1.97	
UNE L	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	79.08						15.75			1.97	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	129.38						15.75			1.97	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	206.74						15.75			1.97	
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	458.46						15.75			1.97	
UNE F	Port Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61		15.75			1.97	
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is			UEPDC	USAC4		130.24	67.41				15.75			1.97	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes			UEPDC	USAWA		130.24	67.41				15.75			1.97	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk			UEPDC	USAWB		130.24	67.41				15.75			1.97	
ADDI	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.56	14.56				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.56	14.56				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID	1		UEPDC	UDTTC		14.56	14.56]			15.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.56	14.56				15.75			1.97	
BIPOL	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00				15.75			1.97	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00				15.75			1.97	
Altern	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.75			1.97	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.75			1.97	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.75			1.97	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	i					15.75			1.97	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	i					15.75			1.97	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00	i - 1			15.75			1.97	
D. P.	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loon								1					

Version 1Q02: 03/22/2002 PAGE 226 OF 352

DNRONDLE	D NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90		15.75			1.97	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.20	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			OLFDC	ILINOA	0.20	0.00	0.00								
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25					2.00										
	miles			UEPDC	1LNOB	0.20	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
_	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		-	UEPDC UEPDC	1LNOC LNPCP	0.20	0.00	0.00	0.00					1	1	
_	Local Number Portability, per DS0 Activated Central Office Termininating Point			UEPDC	CTG	3.15 0.00	0.00	0.00	0.00					-		}
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT			021 00	510	0.00			1		1			1	t	
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations			1										1	
	System can have up to 24 combinations of rates depending on			ber of ports used												
UNE D	S1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 4	L,	4	UEPMG	USLDC	458.46	0.00	0.00				15.75			1.97	
UNE E	SO Channelization Capacities (D4 Channel Bank Configuration	ns)		UEPMG	VUM24	05.00	0.00	0.00				45.75			4.07	ļ
	24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	95.06 190.12	0.00	0.00				15.75 15.75			1.97 1.97	<u> </u>
	96 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM96	380.24	0.00	0.00				15.75			1.97	1
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	570.36	0.00	0.00				15.75			1.97	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	760.48	0.00	0.00	İ			15.75			1.97	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	950.60	0.00	0.00				15.75			1.97	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,140.72	0.00	0.00				15.75			1.97	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,520.96	0.00	0.00				15.75			1.97	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,901.20	0.00	0.00				15.75			1.97	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG UEPMG	VUM57	2,281.44	0.00	0.00				15.75			1.97	
Non-B	672 DS0 Channel Capacity - 1 per 28 DS1s securring Charges (NRC) Associated with 4-Wire DS1 Loop with	. Chan	oliztio		VUM67	2,661.68	0.00	0.00				15.75			1.97	1
	imum System configuration is One (1) DS1, One (1) D4 Channe						stem									
	les of this configuration functioning as one are considered Ac															
	NRC - Conversion (Currently Combined) with or without			1	1											
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41				15.75			1.97	
	n Additions at End User Locations Where 4-Wire DS1 Loop wit	th Chan	neliza	ion with Port Comb	ination Curre	ntly Exists and										
New (Not Currently Combined) In GA, KY, LA, MS & TN Only															<u> </u>
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc			LIEDMO	VALIME 4	0.00	745 45	207.00	1 40 0-	47.50		45.75			1.5-	
Binel	Fea Activation - New GA, LA, KY, MS, &TN Only at 8 Zero Substitution	l		UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56		15.75		 	1.97	├──
Pibols	Clear Channel Capability Format, superframe - Subsequent			1	+				 		1			1	 	1
	Activity Only	l		UEPMG	CCOSF	0.00	0.00	600.00				15.75			1.97	1
	Clear Channel Capability Format - Extended Superframe -			1	1220.	5.50	3.55	555.56	†			.00		Ì		1
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00	1			15.75			1.97	1
Altern	ate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								<u> </u>
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	1	1									1	1	
Excha	nge Ports	<u> </u>	-	-	1	-			 		-				-	
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	1
$\overline{}$	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00		15.75		1	1.97	1
							2.20		1	2.30						
	Line Side Inward Only Channelized PBX Trunk Port without DID	l		UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00		15.75		1	1.97	1
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00		15.75			1.97	

Version 1Q02: 03/22/2002 PAGE 227 OF 352

	D NETWORK ELEMENTS - Mississippi				1	П					001	001	Attachment:		Exhibit: B	•
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature	Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26		15.75			1.97	
	Feature (Service) Activation for each Trunk Side Port Terminated				45014		=									
Talanh	in D4 Bank one Number/ Group Establishment Charges for DID Service			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85		15.75			1.97	
I elepn	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.75			1.97	
-+-	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.75			1.97	
-	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				15.75			1.97	
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.75			1.97	
-+-	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.75			1.97	
	Number Portability		-	52. TX		3.00	3.00	5.00				10.70			1.57	
	Local Number Portability - 1 per port	1	†	UEPPX	LNPCP	3.15	0.00	0.00								
	RES - Vertical and Optional	<u> </u>	t		1	20	2.00	2.00								
	Switching Features Offered with Line Side Ports Only				1											
	All Features Available		i –	UEPPX	UEPVF	2.56	0.00	0.00				15.75			1.97	
Market	Rates shall apply where BellSouth is not required to provide	unbun	dled lo	cal switching or sw	itch ports per	FCC and/or St	ate Commissio	n rules.								
These	scenarios include:				1											
1. Unb	undled port/loop combinations that are Not Currently Combin	ned in A	labam	a, Florida and North	Carolina.											
2. Unb	oundled port/loop combinations that are Currently Combined	or Not (Current	ly Combined in Zor	e 1 of the To	o 8 MSAS in Be	ellSouth's region	on for end use	rs with 4 or mo	re DS0 equiva	lent lines.					
	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd	olo Mia	mi)· G	A (Atlanta): I A (New	Orleans): NO	(Greensboro-\	Winston Salem	-Highpoint/Ch	arlotte-Gaston	a-Rock Hill); T	N (Nashville	e).				
The To		aie, iviia														
									g charges for	not currently c	ombined in	AL, FL and	NC. In the ir	nterim where	BellSouth car	not bill
BellSo	with currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section	ally bill	the rec	curring and non-reco	urring Market	Rates in this s	ection except f	or nonrecurring		not currently c	ombined in	AL, FL and	NC. In the ir	nterim where	BellSouth car	not bill
BellSor Market	uth currently is developing the billing capability to mechanica	ally bill n prece	the rec	curring and non-reco	urring Market	Rates in this s	ection except f	or nonrecurring		not currently o	ombined in	AL, FL and	NC. In the ir	nterim where	BellSouth car	not bill
BellSon Market The Ma	uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features	ally bill n prece in all st	the rec ding in ates.	curring and non-rect lieu of the Market F	urring Market Rates and res	Rates in this serves the right	ection except f to true-up the	or nonrecurrir billing differer	ce.			·				
BellSon Market The Ma End Of	uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us	ally bill n prece in all st	the rec ding in ates.	curring and non-rect lieu of the Market F	urring Market Rates and res	Rates in this serves the right	ection except f to true-up the	or nonrecurrir billing differer	ce.			·				
BellSor Market The Ma End Of (USOC:	uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us : URECU).	ally bill n precedin all st sage rat	the rec ding in ates. es in t	urring and non-reci lieu of the Market F he Port section of the	urring Market Rates and res is rate exhib	Rates in this serves the right	ection except f to true-up the all combination	or nonrecurrir billing differer ons of loop/po	ce. rt network elen	nents except f	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
BellSor Market The Ma End Of (USOC: For No	uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Common Transport Usage to URECU).	ally bill n precedin all st sage rat	the rec ding in ates. es in the	urring and non-reci lieu of the Market F he Port section of the g charges are listed	urring Market Rates and res is rate exhib	Rates in this serves the right	ection except f to true-up the all combination	or nonrecurrir billing differer ons of loop/po	ce. rt network elen	nents except f	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
BellSon Market The Ma End Of (USOC: For No Combin	uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage : URECU). t Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categore.	ally bill n precedin all st sage rat	the rec ding in ates. es in the	urring and non-reci lieu of the Market F he Port section of the g charges are listed	urring Market Rates and res is rate exhib	Rates in this serves the right	ection except f to true-up the all combination	or nonrecurrir billing differer ons of loop/po	ce. rt network elen	nents except f	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
BellSon Market The Ma End Of (USOC: For No Combin	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport User URECU). † Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categoronal. NRCs	ally bill n precedin all st sage rat	the rec ding in ates. es in the	urring and non-reci lieu of the Market F he Port section of the g charges are listed	urring Market Rates and res is rate exhib	Rates in this serves the right	ection except f to true-up the all combination	or nonrecurrir billing differer ons of loop/po	ce. rt network elen	nents except f	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
BellSon Market The Ma End Of (USOC: For No Combin ADDITI	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Adaptive Rates apply, the Currently Combined scenarios where Market Rates apply, the Common Additional NRCs may apply also and are category ONAL NRCs PORT/LOOP COMBINATIONS - MARKET BASED RATES	ally bill n precedin all st sage rat	the rec ding in ates. es in the	urring and non-reci lieu of the Market F he Port section of the g charges are listed	urring Market Rates and res is rate exhib	Rates in this serves the right	ection except f to true-up the all combination	or nonrecurrir billing differer ons of loop/po	ce. rt network elen	nents except f	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
BellSon Market The Ma End Of (USOC: For Moi Combin ADDITI NBUNDLED F	uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage Us	ally bill n precedin all st sage rate ne Nonre	the rec ding in ates. es in the ecurrin cordin	urring and non-rect lieu of the Market F he Port section of the g charges are listed gly.	arring Market Rates and res lis rate exhib in the First a	Rates in this sierves the right the right that it shall apply to and Additional I	ection except f to true-up the p all combination	or nonrecurrir billing differer ons of loop/po	ce. rt network elen	nents except f	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED F UNE DS	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Using Usage and Common Transport Using Usage and Common Transport Using Usage and Common Transport Using Usage and Common Transport Using Usage and Common Transport Using Usage and Common Transport Using Usage U	ally bill n precein all st sage raf e Nonre rized ac	the rec ding in ates. es in the ecurrin cordin	urring and non-reci lieu of the Market F he Port section of the g charges are listed gly.	arring Market Rates and res lis rate exhib in the First a	Rates in this serves the right it shall apply to nd Additional I	ection except f to true-up the p all combination	or nonrecurrir billing differer ons of loop/po	ce. rt network elen	nents except f	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED F UNE DS Non-Re	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us: URECU). It Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categor ONAL NRCs PORT/LOOP COMBINATIONS - MARKET BASED RATES SI Loop ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with mum System configuration is One (1) DS1, One (1) D4 Channel	ally bill n precein all st sage raf e Nonre rized ac	the rec ding in ates. es in the ecurrin cordin neliztio and U	turring and non-rectifieu of the Market Fine Port section of the growth	arring Market Rates and res lis rate exhib in the First a rsion Charge	Rates in this serves the right that it shall apply to and Additional I be assed on a Sylectivations.	ection except f to true-up the p all combination	or nonrecurrir billing differer ons of loop/po	ce. rt network elen	nents except f	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED F UNE DI Non-Re A Minin	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Additional NRCs may apply also and are categorional NRCs PORT/LOOP COMBINATIONS - MARKET BASED RATES S1 Loop accurring Charges (NRC) Associated with 4-Wire DS1 Loop with mum System configuration is One (1) DS1, One (1) D4 Channeles of this configuration functioning as one are considered Actions.	ally bill n precein all st sage rat e Nonre rized ac h Chane el Bank, dd'l afte	the rec ding in ates. es in the ecurrin cordin neliztio and U	turring and non-rectifieu of the Market Fine Port section of the growth	arring Market Rates and res lis rate exhib in the First a rsion Charge	Rates in this serves the right that it shall apply to and Additional I be assed on a Sylectivations.	ection except f to true-up the p all combination	or nonrecurrir billing differer ons of loop/po	ce. rt network elen	nents except f	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED F UNE DS Non-Re A Minip Multipl NBUNDLED CD	Auth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Tandem Transport Usage Switching Transport Usage Tandem Transport Usage Tandem Transport Usage Tr	ally bill n precein all st sage rat e Nonre rized ac h Chane el Bank, dd'l afte	the rec ding in ates. es in the ecurrin cordin neliztio and U or the m	curring and non-rectileu of the Market File he Port section of the granges are listed gly. In with Port - Converting To the process of the p	urring Market kates and res lis rate exhib in the First a rsion Charge with Feature A figuration is	Rates in this serves the right it shall apply to and Additional I Based on a Sy activations. counted.	ection except f to true-up the all combination NRC columns f	or nonrecurring billing differences of loop/pc	ce. rt network elen	nents except f	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED F UNE DS: Non-Re A Minin Multipl NBUNDLED C	uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section rarket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us: URECU). I CHARLE COMMON TRANSPORT TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD TO THE STANDARD T	ally bill n precedin all st sage raf ee Nonre rized ac h Chani el Bank, dd'l afte S and/or	the recding in ates. es in the coordinates in the coordinate in th	curring and non-reculieu of the Market File he Port section of the granges are listed gly. In with Port - Converting to the port of the p	urring Market kates and res his rate exhib in the First a rsion Charge vith Feature A ffiguration is provide Unbo	Rates in this serves the right: it shall apply to and Additional I Based on a Sy activations. counted. Indied Local S	ection except f to true-up the all combination NRC columns f stem	or nonrecurring billing differences of loop/poor or each Port U	ce. rt network elen	nents except 1	or UNE Coined scenarios	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED F UNE DI Non-Re A Minir Multipl NBUNDLED F 1. Cost	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us: URECU). † Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categor ONAL NRCs PORT/LOOP COMBINATIONS - MARKET BASED RATES ST Loop ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with mum System configuration is One (1) DS1, One (1) D4 Channeles of this configuration functioning as one are considered Action of the configuration functioning is one are considered Action of the configuration functioning is one are considered actions. The configuration functioning is one are considered actions of the configuration functioning is one are considered actions. The configuration functioning is one are considered actions of the configuration functioning is one are considered actions. The configuration functioning is one are considered actions are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Course shall apply to the Unbundled Port/Loop Combination - Course and the configuration is one of the configuration of the c	ally bill n precedin all st sage raf ee Nonre rized ac h Chani el Bank, dd'l afte s and/or cost Bas	the rec ding in ates. es in the ecurrin cordin and U or the m State (sed Rate	curring and non-reculieu of the Market Fine Port section of the g charges are listed gly. In with Port - Convert of the port of the port section of the port of t	urring Market kates and res in the First a in the First a rsion Charge with Feature A figuration is provide Unbi ne manner as	Rates in this serves the right: It shall apply to a diditional land additional land additional land additions. Based on a Sylvativations. counted. Indied Local Sthey are applied.	ection except f to true-up the to true-up the all combination NRC columns f stem witching or Sw d to the Stand	or nonrecurring of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the proper	ce. rt network elen SOC. For Curi	ently Combine	or UNE Coined scenarios	n Port/Loop	Combination	s which have	e a flat rate us	age charge
BellSon Market The Ma End Of (USOC: For No Combin ADDITI Non-Re A Minin Multipl NBUNDLED (1. Cost 2. Feat 3. End	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Section. Additional NRCs may apply also and are categor ONAL NRCs PORT/LOOP COMBINATIONS - MARKET BASED RATES ST Loop Securing Charges (NRC) Associated with 4-Wire DS1 Loop with mum System configuration is One (1) DS1, One (1) D4 Channed Usage of this configuration functioning as one are considered Accented to Combination Common Transport Usage and Common Transport Office and Tandem Switching Usage and Common Transport	ally bill n precedin all st sage raf e Nonre rized ac h Chant el Bank, dd'l afte s and/or cost Bas Usage	the recding in ates. es in the coordinates in the melization of t	curring and non-reci- lieu of the Market F he Port section of the g charges are listed gly. on with Port - Conve p To 24 DSO Ports valinimum system con Commission rule to the section in the san	urring Market kates and res his rate exhib in the First a rsion Charge with Feature A figuration is provide Unbie e manner as this rate exh	Rates in this serves the right	ection except f to true-up the all combination NRC columns f stem witching or Sw to all combination to all combination	or nonrecurring of the political pol	ce. rt network elen SOC. For Curi	ently Combine	or UNE Coined scenarios	n Port/Loop s, the Nonre	op Combination	ns which have	a flat rate us	age charge Currently
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED F Non-Re A Minin Multipl NBUNDLED C 1. Cost 2. Feat 3. End For Ge	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using the Common Transport Using Usage and Common Transport Using Usage and Common Transport Using Usage and Tennessee, the Figure 1.	ally bill n precedin all st sage raf e Nonre rized ac h Chant el Bank, dd'l afte s and/or cost Base Usage	the rec ding in ates. les in the ecurrin ecordin meliztio and Up or the meliztio State of sed Rat rates ir	curring and non-rectileu of the Market Find Port section of the	urring Market kates and res his rate exhib in the First a rsion Charge with Feature A figuration is provide Unbre manner as t this rate exh ges listed app	Rates in this serves the right: it shall apply to and Additional I Based on a Sy activations. counted. undled Local S they are applie ibit shall applyi	ection except f to true-up the to all combination NRC columns f stem witching or Sw d to the Stand t to all combina Combined an	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED F UNE DS: Non-Re A Minin Multipl NBUNDLED C 1. Cost 2. Feat 3. End For Ge Combin	uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us: URECU). † Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categor ONAL NRCs **PORTILOOP COMBINATIONS - MARKET BASED RATES **ST Loop COMBINATIONS - MARKET BASED RATES **ST LOOP COMBINATIONS - MORE BASED RATES **ST LOOP COMBINATIONS - MORE BASED RATES **ST LOOP COMBINATIONS - COST BASED RATES **ST LOOP COMBINATIONS - COST BASED RATES **Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport orgia, Kentucky, Louislana, Mississippi and Tennessee, the rined Combos for all states. In GA, KY, LA, MS and TN these not	ally bill n precedin all st sage rat le Nonre rized ac le Ronne le Bank, dd'I afte S and/or outstands Usage Usage ponrecur onrecur	the rec ding in ates. les in the ecurrin ecordin and U er the re State of seed Rat rates in g UNE ring ch	curring and non-reculieu of the Market Fine Port section of the rt section of Port and Loop chararges are commission the Port section of Port and Loop chararges are commission the Section of Port and Loop chararges are commission the Port section of Port and Loop chararges are commission the Port section of Port and Loop chararges are commission the Port section of Port and Loop chararges are commission the Port section of Port and Loop character section of Port and Loop character section of the Port section of Port and Loop character section of the Port secti	urring Market kates and res his rate exhib in the First a rsion Charge with Feature A ffiguration is provide Unb ne manner as this rate exh ges listed app on ordered c	Rates in this serves the right: It shall apply to a Additional I a Based on a Sylectivations. Counted. Indied Local S they are applie ibit shall apply to Currently ost based rates	ection except f to true-up the all combination NRC columns f stem witching or Sw ed to the Stand to all combined and and in AL, FL	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED F Non-Re A Minin Multip NBUNDLED C 1. Cost 2. Feat 3. End For Ge Combin Combin	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Switching Usage and Common Transport Usage Switching Common Transport Usage Switching Usage and Switching Usage and are categor ONAL NRCs PORT/LOOP COMBINATIONS - MARKET BASED RATES ST Loop Beautring Charges (NRC) Associated with 4-Wire DS1 Loop with Market Common System configuration is One (1) DS1, One (1) D4 Channe use of this configuration functioning as one are considered Accentracy Configuration functioning as one are considered Accentracy Configuration functioning as one are considered Accentracy Configuration functioning as one are considered Accentracy Configuration functioning as one are considered Accentracy Configuration functioning as one are considered Accentracy Configuration functioning as one are considered Accentracy Configuration functioning as one are considered Accentracy Configuration functioning as one are considered Accentracy Configuration functioning as one are considered Accentracy Configuration functioning as one are considered Accentracy Configuration function f	ally bill n precedin all st sage rat le Nonrerized ac le Ronnerized ac le Bank, dd'l afte s and/or ost Bage le curring onrecur ll be the	the reciding in ates. Les in the coordinates. Les in the coordinates in the recipient of th	curring and non-reci- lieu of the Market F he Port section of the granges are listed gly. In with Port - Convert of the granges are listed gly. In with Port - Convert of the granges are converted to the section of the same of the Port section of Port and Loop charanges are commissiontified in the Nonre	in the First a sistematical state and results in the First a sistematical state and the First a sistematical state and the figuration is provide Unburges listed appon ordered curring - C	Rates in this serves the right it shall apply to and Additional I Based on a Sy ctivations. counted. undled Local S they are applie ibit shall apply ost based rates rently Combine	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED F UNE D Non-Re A Minin Multipl 1. Cost 2. Featu 3. End For Ge Combin Combin	uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categor ONAL NRCs PORTILOOP COMBINATIONS - MARKET BASED RATES St Loop sourring Charges (NRC) Associated with 4-Wire DS1 Loop with mum System configuration is One (1) DS1, One (1) D4 Channe less of this configuration functioning as one are considered Active the configuration functioning as one are considered Active Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Coffice and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the med Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will	ally bill n precent in all st sage rate e Nonrerized accelerate h Channel Bank, dd'l afte sc and/or cost Base Usage ecurring the liber to be neggi	the reciding in ates. Les in the coordinates. Les in the coordinates in the recipient of th	curring and non-reci- lieu of the Market F he Port section of the granges are listed gly. In with Port - Convert of the granges are listed gly. In with Port - Convert of the granges are converted to the section of the same of the Port section of Port and Loop charanges are commissiontified in the Nonre	in the First a sistematical state and results in the First a sistematical state and the First a sistematical state and the figuration is provide Unburges listed appon ordered curring - C	Rates in this serves the right it shall apply to and Additional I Based on a Sy ctivations. counted. undled Local S they are applie ibit shall apply ost based rates rently Combine	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED F UNE DS: Non-Re A Minin Multipl NBUNDLED C 1. Cost 2. Featt 3. End For Ge Combin Combin 5. Mar	uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us: URECU). I URECU). I Currently Combined scenarios where Market Rates apply, the desection. Additional NRCs may apply also and are categor ONAL NRCs ONAL NRCS ONAL NRCS ONAL OP COMBINATIONS - MARKET BASED RATES SI Loop Scurring Charges (NRC) Associated with 4-Wire DS1 Loop with mum System configuration is One (1) DS1, One (1) D4 Channeles of this configuration functioning as one are considered Accentracy of the Combination of Centrex Port/Loop Combination - Confice and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos in all other states, the nonrecurring charges sha ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS, &TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS, &T	ally bill n precent in all st sage rate e Nonrerized accelerate h Channel Bank, dd'l afte sc and/or cost Base Usage ecurring the liber to be neggi	the reciding in ates. Les in the coordinates. Les in the coordinates in the recipient of th	curring and non-reci- lieu of the Market F he Port section of the granges are listed gly. In with Port - Convert of the granges are listed gly. In with Port - Convert of the granges are converted to the section of the same of the Port section of Port and Loop charanges are commissiontified in the Nonre	in the First a sistematical states and results in the First a sistematical states and results are exhibited in the First a sistematical states are exhibited approvide Unbine manner as this rate exhipse listed appron ordered curring - Cu	Rates in this serves the right it shall apply to and Additional I Based on a Sy ctivations. counted. undled Local S they are applie ibit shall apply ost based rates rently Combine	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED F Non-Re A Minin Multipl NBUNDLED C 1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage are to Currently Combined scenarios where Market Rates apply, the description of the Common Transport Usage and Switching Usage and are categor ONAL NRCS PORT/LOOP COMBINATIONS - MARKET BASED RATES To Control of the Common Switching Usage and Common Transport Usage Tra	ally bill n precent in all st sage rate e Nonrerized accelerate h Channel Bank, dd'l afte sc and/or cost Base Usage ecurring the liber to be neggi	the reciding in ates. Les in the coordinates. Les in the coordinates in the recipient of th	curring and non-reci- lieu of the Market F he Port section of the granges are listed gly. In with Port - Convert of the granges are listed gly. In with Port - Convert of the granges are converted to the section of the same of the Port section of Port and Loop charanges are commissiontified in the Nonre	in the First a sistematical states and results in the First a sistematical states and results are exhibited in the First a sistematical states are exhibited approvide Unbine manner as this rate exhipse listed appron ordered curring - Cu	Rates in this serves the right it shall apply to and Additional I Based on a Sy ctivations. counted. undled Local S they are applie ibit shall apply ost based rates rently Combine	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED F Non-Re A Minin Multipl NBUNDLED C 1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar	Auth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage are capable for Common Transport Usage and Tandem Switching Usage and Common Transport Usage States (States) and are categore (NRC) and Switching Usage and are categore (NRC) Associated with 4-Wire DS1 Loop with Market Based Rates (NRC) Associated with 4-Wire DS1 Loop with Market Based Rates are applied where BellSouth is required by FCC cures and Tandem Switching Usage and Common Transport Orffice and Tandem Switching Usage and Common Transport Orff	ally bill n precent in all st sage rate e Nonrerized accelerate h Channel Bank, dd'l afte sc and/or cost Base Usage ecurring the liber to be neggi	the reciding in ates. Les in the coordinates. Les in the coordinates in the recipient of th	curring and non-reci- lieu of the Market F he Port section of the granges are listed gly. In with Port - Convert of the granges are listed gly. In with Port - Convert of the granges are converted to the section of the same of the Port section of Port and Loop charanges are commissiontified in the Nonre	in the First a sistematical states and results in the First a sistematical states and results are exhibited in the First a sistematical states are exhibited approvide Unbine manner as this rate exhipse listed appron ordered curring - Cu	Rates in this serves the right it shall apply to and Additional I Based on a Sy ctivations. counted. undled Local S they are applie ibit shall apply ost based rates rently Combine	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED F Non-Re A Minin Multipl NBUNDLED C 1. Cost 2. Feat 3. End For Ge Combin Combin 5. Mar	uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us: URECU). I Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categorional NRCs PORTILOOP COMBINATIONS - MARKET BASED RATES SI Loop Bourring Charges (NRC) Associated with 4-Wire DS1 Loop with which will be second to the considered Action of this configuration is One (1) DS1, One (1) D4 Channe less of this configuration functioning as one are considered Action of this configuration functioning as one are considered Actional Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Coffice and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rated Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	ally bill n precent in all st sage rate e Nonrerized accelerate h Channel Bank, dd'l afte sc and/or cost Base Usage ecurring the liber to be neggi	the reciding in ates. Les in the coordinates. Les in the coordinates in the recipient of th	curring and non-reci- lieu of the Market F he Port section of the g charges are listed gly. In with Port - Conve p To 24 DSO Ports v ininimum system con Commission rule to the section in the san the Port section of Port and Loop char larges are commission on an Individual Ca	in the First a sistematical states and results in the First a sistematical states and results are exhibited in the First a sistematical states are exhibited approvide Unbine manner as this rate exhipse listed appron ordered curring - Cu	Rates in this serves the right it shall apply to and Additional I Based on a Sy activations. counted. Judded Local S they are applie ibit shall apply by to Currently ost based rates rently Combine ill further notice	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED OF Non-Re A Minin Multipl NBUNDLED OF 1. Cost 2. Feat 3. End For Ge Combin 5. Mar UNE-Po	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Switching Usage and Common Transport Usage action. Additional NRCs may apply also and are categor ONAL NRCS PORT/LOOP COMBINATIONS - MARKET BASED RATES ST Loop with Individual Common C	ally bill n precent in all st sage rate e Nonrerized accelerate h Channel Bank, dd'l afte sc and/or cost Base Usage ecurring the liber to be neggi	the reciding in ates. Les in the coordinates. Les in the coordinates in the recipient of th	curring and non-reci- lieu of the Market F he Port section of the granges are listed gly. In with Port - Convert of the granges are listed gly. In with Port - Convert of the granges are converted to the section of the same of the Port section of Port and Loop charanges are commissiontified in the Nonre	in the First a sistematical states and results in the First a sistematical states and results are exhibited in the First a sistematical states are exhibited approvide Unbine manner as this rate exhipse listed appron ordered curring - Cu	Rates in this serves the right it shall apply to and Additional I Based on a Sy ctivations. counted. undled Local S they are applie ibit shall apply ost based rates rently Combine	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED OF Non-Re A Minin Multipl NBUNDLED OF 1. Cost 2. Feat 3. End For Ge Combin 5. Mar UNE-Po	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Switching Usage and Common Transport Usage and Switching Usage and Common Transport Usage Transport Usage Transport Usage Transport Usage Transport Usage Transport Usage Transport Usage Transport Common Transport Usage Transport Common Transport Usage Transport Common Transport Usage Transp	ally bill n precent in all st sage rate e Nonrerized accelerate h Channel Bank, dd'l afte sc and/or cost Base Usage ecurring the liber to be neggi	the rec ding in actes. es in the accurrin eccordin eccordin eccordin and U or the n State 6 sed Rat rates in grupe grupe grupe 1 1	curring and non-reci- lieu of the Market F he Port section of the grand charges are listed gly. In with Port - Convert of the grand charges are listed gly. In with Port - Convert of the grand charges are commission rule to the section of port and Loop charges are commission the Nonre on an Individual Calling and the Nonre on an Individual Calling are commission and Individual Calling are commission and Individual Calling are commission and Individual Calling are commission and Individual Calling are commission and Individual Calling are commission and Individual Calling are calling are calling are commission and Individual Calling are calling a	in the First a sistematical states and results in the First a sistematical states and results are exhibited in the First a sistematical states are exhibited approvide Unbine manner as this rate exhipse listed appron ordered curring - Cu	Rates in this serves the right it shall apply to nd Additional I Based on a Sy ctivations. counted. Indied Local S they are applie ibit shall apply ost based rates rently Combine til further notic 12.22	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED OF Non-Re A Minin Multipl NBUNDLED OF 1. Cost 2. Feat 3. End For Ge Combin 5. Mar UNE-Po	uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us: URECU). It Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categorional NRCs PORTILOOP COMBINATIONS - MARKET BASED RATES St Loop Bourring Charges (NRC) Associated with 4-Wire DS1 Loop with the system configuration is One (1) DS1, One (1) D4 Channe less of this configuration is One (1) DS1, One (1) D4 Channe less of this configuration functioning as one are considered Active Property of the Combination of the Combos and Tandem Switching Usage and Common Transport Orgia, Kentucky, Louisiana, Mississippi and Tennessee, the med Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	ally bill n precent in all st sage rate e Nonrerized accelerate h Channel Bank, dd'l afte sc and/or cost Base Usage ecurring the liber to be neggi	the reciding in ates. Les in the coordinates. Les in the coordinates in the recipient of th	curring and non-reci- lieu of the Market F he Port section of the g charges are listed gly. In with Port - Conve p To 24 DSO Ports v ininimum system con Commission rule to the section in the san the Port section of Port and Loop char larges are commission on an Individual Ca	in the First a sistematical states and results in the First a sistematical states and results are exhibited in the First a sistematical states are exhibited approvide Unbine manner as this rate exhipse listed appron ordered curring - Cu	Rates in this serves the right it shall apply to and Additional I Based on a Sy activations. counted. Judded Local S they are applie ibit shall apply by to Currently ost based rates rently Combine ill further notice	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED OF Non-Re A Minin Multipl NBUNDLED OF 1. Cost 2. Feat 3. End For Ge Combin 5. Mar UNE-Po	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Using Usage and Common Transport Using Usage and Common Transport Using Section. Additional NRCs may apply also and are categorional NRCs and Tandem Switching Usage and Section and are categorional NRCs. Additional NRCs may apply also and are categorional NRCs. Section 1997. The Common Section 1997.	ally bill n precent in all st sage rate e Nonrerized accelerate h Channel Bank, dd'l afte sc and/or cost Base Usage ecurring the liber to be neggi	the rec ding in a descurrin eccurrin eccurrin eccurrin state s eccurrin eccurrin eccurrin eccurrin eccurrin eccurrin guneliztic and U r the n State t guneliztic guneliztic and U r the n eccurrin eccurr	curring and non-reculieu of the Market File he Port section of the grand part of the Port section of the grand part of the Port section of the Port section of the Section of the Port section of Port and Loop chararges are commissiontified in the Nonre on an Individual Callery of the Port section of Port and Loop chararges are commission on an Individual Callery of the Port section of the Nonre on an Individual Callery of the Port section of the Nonre on an Individual Callery of the Port section of the Nonre on an Individual Callery of the Port Section of the Nonre on an Individual Callery of the Port Section of the Nonre on an Individual Callery of the Port Section of the Nonre on an Individual Callery of the Port Section of the Nonre on an Individual Callery of the Port Section of the Nonre on an Individual Callery of the Port Section of the Nonre of the Nonre of the Port Section of the Nonre of the N	in the First a sistematical states and results in the First a sistematical states and results are exhibited in the First a sistematical states are exhibited approvide Unbine manner as this rate exhipse listed appron ordered curring - Cu	Rates in this serves the right: it shall apply to and Additional I Based on a Sy activations. counted. Indied Local S they are applie ibit shall apply to Currently ost based rates rently Combine til further notic	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED OF Non-Re A Minin Multipl NBUNDLED OF 1. Cost 2. Feat 3. End For Ge Combin 5. Mar UNE-Po	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage action. Additional NRCs may apply also and are categor ONAL NRCs ORAL NRCs ORT/LOOP COMBINATIONS - MARKET BASED RATES ST Loop Becurring Charges (NRC) Associated with 4-Wire DS1 Loop with Muman System configuration is One (1) DS1, One (1) D4 Channe uses of this configuration functioning as one are considered Accentracy of the Common Transport Office and Tandem Switching Usage and Common Transport Orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rined Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	ally bill n precent in all st sage rate e Nonrerized accelerate h Channel Bank, dd'l afte sc and/or cost Base Usage ecurring the liber to be neggi	the rec ding in actes. es in the accurrin eccordin eccordin eccordin and U or the n State 6 sed Rat rates in grupe grupe grupe 1 1	curring and non-reci- lieu of the Market F he Port section of the grand charges are listed gly. In with Port - Convert of the grand charges are listed gly. In with Port - Convert of the grand charges are commission rule to the section of port and Loop charges are commission the Nonre on an Individual Calling and the Nonre on an Individual Calling are commission and Individual Calling are commission and Individual Calling are commission and Individual Calling are commission and Individual Calling are commission and Individual Calling are commission and Individual Calling are calling are calling are commission and Individual Calling are calling a	in the First a sistematical states and results in the First a sistematical states and results are exhibited in the First a sistematical states are exhibited approvide Unbine manner as this rate exhipse listed appron ordered curring - Cu	Rates in this serves the right it shall apply to nd Additional I Based on a Sy ctivations. counted. Indied Local S they are applie ibit shall apply ost based rates rently Combine til further notic 12.22	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Ma End Of (USOC: For No Combin ADDITI NBUNDLED OF Non-Re A Minin Multipl NBUNDLED OF 1. Cost 2. Feat 3. End For Ge Combin 5. Mar UNE-Po	Auth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Section. Additional NRCs may apply also and are categoronal NRCs and the Section Additional NRCs may apply also and are categoronal NRCs and the Section Additional NRCs may apply also and are categoronal NRCs and the Section Additional NRCs may apply also and are categoronal NRCs and the Section S	ally bill n precent in all st sage rate e Nonrerized accelerate h Channel Bank, dd'l afte sc and/or cost Base Usage ecurring the liber to be neggi	the reciding in a deciding in	puring and non-recilieu of the Market File of the Market File of the Market File of the Port section of the graph of the Port section of the Section of the Section of the Section of the Section of Port and Loop chararges are commission rule to Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop characteristics of Port and Loop charac	in the First a sistematical states and results in the First a sistematical states and results are exhibited in the First a sistematical states are exhibited approvide Unbine manner as this rate exhipse listed appron ordered curring - Cu	Rates in this serves the right: it shall apply to and Additional I Based on a Sy ctivations. counted. Indied Local Si they are applie bit shall apply to Currently ost based rates rently Combine till further notic	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Market End Of (USOC: For No Combin ADDITI NBUNDLED F Non-Re A Minin Multipl 11. Cost 2. Feat 3. End For Ge Combin Combin UNE-P	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Using Usage and Common Transport Using Usage and Common Transport Using Section. Additional NRCs may apply also and are categorional NRCs ORTILOP COMBINATIONS - MARKET BASED RATES SI Loop Combination is One (1) DS1, One (1) D4 Channeles of this configuration is One (1) DS1, One (1) D4 Channeles of this configuration functioning as one are considered Activates and the Using Section of Combination -	ally bill n precent in all st sage rate e Nonrerized accelerate h Channel Bank, dd'l afte sc and/or cost Base Usage ecurring the liber to be neggi	the rec ding in a descurrin eccurrin eccurrin eccurrin state s eccurrin eccurrin eccurrin eccurrin eccurrin eccurrin guneliztic and U r the n State t guneliztic guneliztic and U r the n eccurrin eccurr	curring and non-reculieu of the Market File he Port section of the grand part of the Port section of the grand part of the Port section of the Port section of the Section of the Port section of Port and Loop chararges are commissiontified in the Nonre on an Individual Callery of the Port section of Port and Loop chararges are commission on an Individual Callery of the Port section of the Nonre on an Individual Callery of the Port section of the Nonre on an Individual Callery of the Port section of the Nonre on an Individual Callery of the Port Section of the Nonre on an Individual Callery of the Port Section of the Nonre on an Individual Callery of the Port Section of the Nonre on an Individual Callery of the Port Section of the Nonre on an Individual Callery of the Port Section of the Nonre on an Individual Callery of the Port Section of the Nonre of the Nonre of the Port Section of the Nonre of the N	in the First a sistematical states and results in the First a sistematical states and results are exhibited in the First a sistematical states are exhibited approvide Unbine manner as this rate exhipse listed appron ordered curring - Cu	Rates in this serves the right: it shall apply to and Additional I Based on a Sy activations. counted. Indied Local S they are applie ibit shall apply to Currently ost based rates rently Combine til further notic	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Market End Of (USOC: For No Combin ADDITI NBUNDLED F Non-Re A Minin Multipl 11. Cost 2. Feat 3. End For Ge Combin Combin UNE-P	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Section. Additional NRCs may apply also and are categor ONAL NRCs ORT/LOOP COMBINATIONS - MARKET BASED RATES ORT/LOOP COMBINATIONS - MARKET BASED RATES ORT/LOOP COMBINATIONS - MARKET BASED RATES ORT/LOOP COMBINATIONS - MARKET BASED RATES ORTICOP COMBINATIONS - MARKET BASED RATES ORTICOP COMBINATIONS - MARKET BASED RATES ORTICOP COMBINATIONS - COST BASED RATES ORTICOP COST BASED RATES ORTICOP COMBINATIONS - COST BASED RATES ORTICOP COST BASED RATES ORTICOP COST BASED RATES ORTICOP COST BASED RATES ORTICOP COST BASED RATES ORTICOP COST BASED RATES ORTICOP COST BASED RATES ORTICOP COST	ally bill n precent in all st sage rate e Nonrerized accelerate h Channel Bank, dd'l afte sc and/or cost Base Usage ecurring the liber to be neggi	the reciding in a deciding in	puring and non-recilieu of the Market File of the Market File of the Market File of the Port section of the graph of the Port section of the Section of the Section of the Section of the Section of Port and Loop chararges are commission rule to Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop characteristics of Port and Loop charac	in the First a sistematical states and results in the First a sistematical states and results are exhibited in the First a sistematical states are exhibited approvide Unbine manner as this rate exhipse listed appron ordered curring - Cu	Rates in this serves the right: it shall apply to and Additional I Based on a Sy ctivations. counted. Indied Local Si they are applie bit shall apply to Currently ost based rates rently Combine till further notic	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Market End Of (USOC: For No Combin ADDITI NBUNDLED F Non-Re A Minin Multipl 11. Cost 2. Feat 3. End For Ge Combin Combin UNE-P	Auth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Switching Usage and Common Transport Usage and Switching Usage and Common Transport Usage Transport Usage Transport Usage Transport Usage Transport Usage Transport Usage Transport Usage Transport On Additional NRCs may apply also and are categor ONAL NRCs PORT/LOOP COMBINATIONS - MARKET BASED RATES ST Loop Becurring Charges (NRC) Associated with 4-Wire DS1 Loop with Market Market DS1 Loop with Market DS1 Loop with Market DS1 Loop With Market DS2 Compared Transport On Transport Usage Transport On Transport Usage Transport On Transp	ally bill n precent in all st sage rate e Nonrerized accelerate h Channel Bank, dd'l afte sc and/or cost Base Usage ecurring the liber to be neggi	the reciding in a deciding in	curring and non-recilieu of the Market File of the Market File he Port section of the graph of the Port section of the graph of the Port section of the section of the section of the section of Port and Loop chararges are commission rule to Port and Loop chararges are commission for the Port section of Port and Loop chararges are commission for the Port section of Port and Loop chararges are commission for the Port section of Port and Loop chararges are commission for the Port section of Port and Loop chararges are commission for the Port section of Port and Loop characteristic for the Port Section of Port and Loop characteristic for the Port Section of Port and Loop characteristic for the Port Section of Port and Loop characteristic for the Port Section of	in the First a sistematical states and results in the First a sistematical states and results are exhibited in the First a sistematical states are exhibited approvide Unbine manner as this rate exhipse listed appron ordered curring - Cu	Rates in this serves the right it shall apply to and Additional I Based on a Sy activations. counted. Indled Local St they are applie ibit shall apply by to Currently sort of the server of the server if further notic 12.22 17.13 26.26 44.91	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently
BellSon Market The Market End Of (USOC: For No Combin ADDITI NBUNDLED F Non-Re A Minin Multipl 11. Cost 2. Feat 3. End For Ge Combin Combin UNE-P	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Section. Additional NRCs may apply also and are categor ONAL NRCs ORT/LOOP COMBINATIONS - MARKET BASED RATES ORT/LOOP COMBINATIONS - MARKET BASED RATES ORT/LOOP COMBINATIONS - MARKET BASED RATES ORT/LOOP COMBINATIONS - MARKET BASED RATES ORTICOP COMBINATIONS - MARKET BASED RATES ORTICOP COMBINATIONS - MARKET BASED RATES ORTICOP COMBINATIONS - COST BASED RATES ORTICOP COST BASED RATES ORTICOP COMBINATIONS - COST BASED RATES ORTICOP COST BASED RATES ORTICOP COST BASED RATES ORTICOP COST BASED RATES ORTICOP COST BASED RATES ORTICOP COST BASED RATES ORTICOP COST BASED RATES ORTICOP COST	ally bill n precent in all st sage rate e Nonrerized accelerate h Channel Bank, dd'l afte sc and/or cost Base Usage ecurring the liber to be neggi	the reciding in a deciding in	puring and non-recilieu of the Market File of the Market File of the Market File of the Port section of the graph of the Port section of the Section of the Section of the Section of the Section of Port and Loop chararges are commission rule to Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop chararges are commission of Port and Loop characteristics of Port and Loop charac	in the First a sistematical states and results in the First a sistematical states and results are exhibited in the First a sistematical states are exhibited approvide Unbine manner as this rate exhipse listed appron ordered curring - Cu	Rates in this serves the right: it shall apply to and Additional I Based on a Sy ctivations. counted. Indied Local Si they are applie bit shall apply to Currently ost based rates rently Combine till further notic	ection except f to true-up the all combination NRC columns f stem witching or Sw de to the Stand to all combine Combined ans s and in AL, FL td sections.	or nonrecurring billing differences on sof loop/potent for each Port United Ports. Alone Unbun attorns of loop/d Not Currentl	ce. rt network elen ISOC. For Curi	ently Combine	ed scenarios Exhibit. Exfor UNE Ce first and a	n Port/Loop s, the Nonre	op Combination	ges are listed	e a flat rate us	age charge Currently

Version 1Q02: 03/22/2002 PAGE 228 OF 352

UNBUNDLE	D NETWORK ELEMENTS - Mississippi						<u> </u>			<u> </u>			Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Charge -
							Nonrec	urring	Nonrecurring	1 Disconnect	1	<u> </u>	OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1			7.44.		7.44						
	Design		3	UEP91		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		4	UEP91		46.95										
UNE Lo	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP91 UEP91	UECS1 UECS2	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1 2	UEP91	UECS2	13.89 18.75										+
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91 UEP91	UECS2	27.55			1		1		1	1	1	
+	2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2	45.72					1	1	1	1	1	1
UNE Po			+-	021 31	JL002	45.72					1			 	 	
	tes (Except North Carolina and Sout Carolina)		†								†			 	 	†
7 0101	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
AL KV	Basic Local Area , LA, MS, & TN Only			UEP91	UEP12	1.23	40.31	19.84	24.90	0.38	+	15.75				
AL, KI	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58	+	15.75				+
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.23	40.31	19.84	24.90	6.58	1	15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58	1	15.75				1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			02. 0.	02. Q	20	.0.01		200	0.00	1	10.70				
	Center)2			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								-	_						
	Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		L	UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58	<u> </u>	15.75	<u> </u>	<u> </u>	<u> </u>	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947	,							ļ	ļ	
	Number Portability		<u> </u>	LUEBA	Lunca									ļ	ļ	
	Local Number Portability (1 per port)		<u> </u>	UEP91	LNPCC	0.35					1					
Feature			<u> </u>	LUEBO	1155) (5							4 =				ļ
	All Standard Features Offered, per port		<u> </u>	UEP91	UEPVF	2.56	404.00		ļ		1	15.75	1	1	 	
	All Select Features Offered, per port All Centrex Control Features Offered, per port		<u> </u>	UEP91 UEP91	UEPVS UEPVC	0.00 2.56	404.98				 	15.75 15.75	-			
NARS	All Centrex Control Features Offered, per port		<u> </u>	UEP91	UEPVC	∠.56					 	15./5	-			
CARN	Unbundled Network Access Register - Combination		 	UEP91	UARCX	0.00	0.00	0.00			1	1	1	1	1	1
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial		†	UEP91	UAR1X	0.00	0.00	0.00			1			 	 	
_	Unbundled Network Access Register - Outdial		1	UEP91	UAROX	0.00	0.00	0.00			 					-
Miscell	aneous Terminations		<u> </u>		5 5.7.	0.00	0.00	0.00			1			1	1	
	Trunk Side		1													
	Trunk Side Terminations, each		i –	UEP91	CENA6	8.25	120.00	18.85	61.77	3.88	1	15.75	İ			1
Interoff	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0098										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Cha	nnel Bank Feature Activations		<u></u>									<u> </u>				<u> </u>

Version 1Q02: 03/22/2002 PAGE 229 OF 352

<u>UNBUN</u> DI	LED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEBO4	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP91	IPQW/	0.57	-							-	-	-
	Different Wire Center			UEP91	1PQWP	0.57										
-	Billiototic Wile Contes			OLI 01	ii Qwi	0.07										-
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.57										
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>	ļ											ļ	
	Conversion - Currently Combined Switch-As-Is with allowed			LIEDO4	110400			0.40]			45.75		I		
	changes, per port	1	<u> </u>	UEP91 UEP91	USAC2 USACN		0.10 37.97	0.10 16.68	 		1	15.75 15.75		 	 	-
	Conversion of Existing Centrex Common Block New Centrex Standard Common Block	1	 	UEP91	M1ACS	0.00	666.32	80.01	 		1	15.75		 	 	+
	New Centrex Standard Common Block			UEP91	M1ACC	0.00	666.32					15.75				
	Secondary Block, per Block		1	UEP91	M2CC1	0.00	77.91					15.75				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.63					15.75			1	
UNE	-P CENTREX - 5ESS (Valid in All States)															
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	•														
	Non-Design		1	UEP95		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Non-Design		2	UEP95		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP95		26.26										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEF95		20.20	-							-	-	-
	Non-Design		4	UEP95		44.91										
UNE	Fort/Loop Combination Rates (Design)			OLI SO		44.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -														1	
	Design		1	UEP95		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		_													
	Design		4	UEP95		46.95										
UNE	E Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		4	UEP95	UECS1	43.68	-							†	t	
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP95	UECS2	13.89								1	1	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18.75	İ									
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP95	UECS2	45.72										
	Port Rate															
AII S	States			ļ					<u> </u>					ļ	ļ	
	2-Wire Voice Grade Port (Centrex) Basic Local Area		<u> </u>	UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75			ļ	
	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75		1	1	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75		I	I	
	Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	05790	UEPIH	1.23	40.31	19.84	∠4.90	0.58		15./5		+	+	
	Center)2 Basic Local Area			UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75		I		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	-	 	021 00	OLI IIVI	1.20	100.00	10.51	57.24	11.70	 	10.10		t	t	-
1 1	Term - Basic Local Area	1	1	UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70	1	15.75			1	1

ONRONDF	ED NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
AI K	(Y, LA, MS, SC, & TN Only			OLF 93	ULF 12	1.23	40.51	15.04	24.90	0.30		13.73				
AL, N	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Fort (Centrex 800 termination)			UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex ede termination)			UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire					0										
	Center)2			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service					- 1								1		
	Term		L	UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70	<u></u>	15.75				<u></u>
						İ			İ							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
	GA Only											15.75				
Local	l Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu				LIEDAE		0.50										
	All Standard Features Offered, per port All Select Features Offered, per port			UEP95 UEP95	UEPVF UEPVS	2.56 0.00	404.98					15.75 15.75				
	All Centrex Control Features Offered, per port			UEP95	UEPVS	2.56	404.98					15.75				
NARS				UEP95	UEPVC	2.56						15.75				
NARS	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15.75				-
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				15.75				
Misce	ellaneous Terminations			0L1 00	O/ II (O/)	0.00	0.00	0.00				10.70				
	e Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
4-Wir	re Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.56									
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	е														
D4 Ch	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57										
														1		
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57									ļ	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEBOE	400147	0.5-]					1		
	Slot			UEP95	1PQW7	0.57								 	ļ.	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			LIEDOE	100140	0.53								1		
	Different vvire Center			UEP95	1PQWP	0.57			 						-	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57]					1		
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			OL1:30	11 00 00 0	0.37					1				1	1
	Slot			UEP95	1PQWQ	0.57]					l		
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.57			 					 	1	1
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex				~***	0.07								1		
14011-1	NRC Conversion Currently Combined Switch-As-Is with allowed				+	+			†					 	1	1
	changes, per port			UEP95	USAC2	l	0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN	İ	37.97	16.68				15.75		İ		
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32		i i			15.75		İ		
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32		i i			15.75		İ		
				UEP95	URECA	0.00	72.63				İ	15.75		Ì	1	1
	NAR Establishment Charge, Per Occasion P CENTREX - DMS100 (Valid in All States)															

Version 1Q02: 03/22/2002 PAGE 231 OF 352

LINBLINDI	I FD	NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CHECHEL		HET HOLLY ELLINEIT IO - Inioaiaaippi										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	1	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Diac 1at	Disc Add I
								Nonrec		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE		t/Loop Combination Rates (Non-Design)															
		-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		lon-Design		1	UEP9D		12.22										
		-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		lon-Design		2	UEP9D		17.13										
		-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOD		00.00										
		Ion-Design		3	UEP9D		26.26										
		-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEDOD		44.04										
LINIE		lon-Design t/Loop Combination Rates (Design)	1	4	UEP9D	+	44.91			1			 		1		1
UNE		-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	 		+	1			 							
		esign	1	1	UEP9D		15.12										
 		-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	-	5_1 0D	+	10.12			 			 				
		Design	1	2	UEP9D		19.98						1				
		-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		00		10.00			1							
		Design		3	UEP9D		28.78										
		-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		4	UEP9D		46.95										
UNE		p Rate															
	2-	-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.98										
		-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	15.91										
	2	-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	25.04										
		-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9D	UECS1	43.68										
		-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	13.89										
		-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	18.75										
		-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	27.55										
<u> </u>		-Wire Voice Grade Loop (SL21) - Zone 4		4	UEP9D	UECS2	45.72										
		t Rate															
ALL	STA	-Wire Voice Grade Port (Centrex) Basic Local Area		<u> </u>	UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
		-Wire Voice Grade Port (Centrex) Basic Local Area -Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.38		15.75				
		rea			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
		-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			OLF9D	OLFIB	1.23	40.31	19.04	24.90	0.30		13.73				
		rea			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58		15.75				
\vdash		-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1		021 00	JE: 10	1.23	70.01	13.04	24.30	0.36		10.70				
		rea	1		UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58		15.75				
		-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1			1	23		.0.04	250	5.50						
		иеа			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58		15.75				
	2-	-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
		vrea , , , , , , , , , , , , , , , , , , ,	<u> </u>	<u></u>	UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58		15.75				
		-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local						_									
		ırea	<u> </u>		UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58		15.75				
		-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	1														
$\sqcup \sqcup \sqcup$		rea	ļ		UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58		15.75				
		-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	1														
\vdash		viea	ļ		UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58		15.75				
		-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	1		LIEDOD	LIEDVA (4.00	40.01	40.01	24.65	0.50		45				
\vdash		Vela Vaine Crade Port (Control / EDC ME246\\2 Poris Local	!	<u> </u>	UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58		15.75		1		1
		-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	1		LIEDOD	LIEDVO	4 00	40.04	40.04	04.00	0.50		45.75				
\vdash		Wire Voice Grade Bort (Centrey with Caller ID) Basis Legal	 	 	UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58		15.75				-
		-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	1		UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
\vdash		-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	 	 	OFLAD	UEFIR	1.23	40.31	19.84	24.90	86.0		15.75				-
		ndication))3 Basic Local Area	1		UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58		15.75				
 		-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3	 		OLF3D	OLF 1 VV	1.23	40.31	19.64	24.90	0.38		15.75		1		1
		Pasic Local Area	1		UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58		15.75				
		-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1			52. 70	1.20	40.01	10.04	24.50	0.00		10.70				1
	12	Basic Local Area		1	UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70	1	15.75				l

UNDUNDLE	D NETWORK ELEMENTS - Mississippi			I									Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70		15.75				ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			OEF9D	UEPTO	1.23	106.33	70.57	54.24	11.70		15.75				
	Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70		15.75				ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
	Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			LIEDOD	UEPYR	1.23	100 35	70.57	E4 24	11.70		15 75				ĺ
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPTR	1.23	108.35	70.57	54.24	11.70		15.75				
	Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70		15.75				ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70		15.75				
	Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70		15.75				ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3						,,,,,,,		\$							
	Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				l											ĺ
	Term			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				├
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				ĺ
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			OLI 3D	OLI 19	1.25	40.51	13.04	24.50	0.30		15.75				<u> </u>
	Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				ĺ
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPQB UEPQC	1.23 1.23	40.31 40.31	19.84	24.90 24.90	6.58 6.58		15.75 15.75				!
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.23	40.31	19.84 19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D UEP9D	UEPQU UEPQV	1.23	40.31 40.31	19.84	24.90 24.90	6.58 6.58		15.75 15.75				!
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQV UEPQ3	1.23 1.23	40.31	19.84 19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58		15.75				!
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70		15.75				
	, i			-		-			-							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70		15.75				
	2 THIS VOICE Grade I OR (Gentlewallier SWVC/LDG-WSTIZ)Z, 3			OLI 3D	OLI QIN	1.23	100.33	10.31	54.24	11.70		13.73				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70		15.75				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70		15.75				
	2 THIS VOICE Grade I OR (Gentlewallier SWO/LDG-W3200)2, 3			OLI 3D	0L1 Q0	1.23	100.35	10.31	54.24	11.70		10.73				—
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70		15.75				
İ	, , , , , , , , , , , , , , , , , , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70		15.75				<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
-+	Term			OLI 3D	OLI QZ	1.23	100.55	10.51	34.24	11.70		10.70				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local	Switching		1													
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947										
Local	Number Portability			LIEDOD	LNDCC	0.35										
Facts	Local Number Portability (1 per port)		1	UEP9D	LNPCC	0.35									-	
Featu			-	UEP9D	UEPVF	2.56						15.75				
-+	All Standard Features Offered, per port All Select Features Offered, per port		1	UEP9D	UEPVS	0.00	404.98		1			15.75		1	t	1
\longrightarrow	All Centrex Control Features Offered, per port	-		UEP9D	UEPVC	2.56	-104.30		+			15.75			t	1
NARS		1	1		02. 10	2.00			†			10.70		1	I	1
	Unbundled Network Access Register - Combination		1	UEP9D	UARCX	0.00	0.00	0.00	1			15.75		İ	1	
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	i i			15.75				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.75				
Misce	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.56									
Interc	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination		1	UEP9D	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
F	Interoffice Channel mileage, per mile or fraction of mile		1	UEP9D	MIGBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1													
D4 Cr	nannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP9D	1PQWS	0.57										
+-	reactive Activation on 5-4 Channel Bank Centrex Loop Slot		1	OLFBD	IFQW3	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI OD	11 QWO	0.07										
	Slot			UEP9D	1PQW7	0.57										
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1		l						· <u> </u>					_	
	Slot			UEP9D	1PQWQ	0.57										ļ
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP9D	1PQWA	0.57									1	ļ
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex		-												1	1
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP9D	USAC2		0.10	0.10				15.75			1	
$\longrightarrow \longmapsto$	changes, per port Conversion of existing Centrex Common Block, each	-	1	UEP9D	USAC2 USACN		37.97	16.68	 			15.75		-	-	-
+-	New Centrex Standard Common Block		1	UEP9D	M1ACS	0.00	666.32	10.08				15.75		-	+	
-+	New Centrex Standard Common Block New Centrex Customized Common Block		1	UEP9D	M1ACC	0.00	666.32		 			15.75		1	t	1
-+	NAR Establishment Charge, Per Occasion		1	UEP9D	URECA	0.00	72.63					15.75			-	1
UNE-	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)				0.1.20/1	0.00	72.00					10.70			†	
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo								1						1	
	Port/Loop Combination Rates (Non-Design)	1							i i					İ	1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					ĺ										
	Non-Design		1	UEP9E		12.22			L					<u></u>	<u></u>	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9E		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l											I	
	Non-Design		3	UEP9E		26.26										<u> </u>
																1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		4	UEP9E		44.91										

ONRONDF	ED NETWORK ELEMENTS - Mississippi	,		•									Attachment:		Exhibit: B	
											Svc Order	Svc Order		Incremental		
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ATECORY	DATE ELEMENTO	Interi	7000	DCC.	USOC			DATEC(¢)			Elec	Manually	Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1							Nonros		Monroourring	Disconnect	1		000	Rates(\$)		
			-			Rec	Nonrec		Nonrecurring		COMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				-	Rec	First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SUMAN	SUMAN	SOWAN
	Design	1	1	UEP9E		15.12										
	=9		- ' -	UEF9E		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9E		19.98										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-		OLFBL		19.90										+
	Design		3	UEP9E		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		_ J	OLF9L		20.76					1					+
	Design	1	4	UEP9E		46.95										
LINE	Loop Rate		-	OLI SL		40.33										+
ONE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	10.98					1					+
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	2	UEP9E	UECS1	15.91			 							+
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9E	UECS1	25.04			†		1				<u> </u>	+
	2-Wire Voice Grade Loop (SL 1) - Zone 4	1	4	UEP9E	UECS1	43.68			 		1				1	+
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9E	UECS2	13.89			 							+
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	2	UEP9E	UECS2	18.75			†		1				<u> </u>	+
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9E	UECS2	27.55			†		1				1	
	2-Wire Voice Grade Loop (SL21) - Zone 4		4	UEP9E	UECS2	45.72										+
UNF	Port Rate		_	OLI OL	02002	40.72										+
	L, KY, LA, MS, & TN only															+
, , _, ,	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				+
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI OL	OLI IX	1.20	40.01	10.04	24.00	0.00		10.70				+
	Area			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			02. 02	02. 15	20	10.01	10.01	200	0.00		10.10				+
	Area			UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
	Center)2 Basic Local Area			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
AL, K	Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				↓
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	l														
	Term		<u> </u>	UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
		1	1	l					_	_						1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term	ļ	<u> </u>	UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58	ļ	15.75			ļ	↓
Local	Switching	 	<u> </u>	LIEBAE		0 =0 :-					1				ļ	↓
	Centrex Intercom Funtionality, per port	<u> </u>	<u> </u>	UEP9E	URECS	0.7947								1		├
Local	Number Portability	 	 	LIEDOE	LNIDGO	0.05					}				ļ.	+
Fast	Local Number Portability (1 per port)	 	 	UEP9E	LNPCC	0.35					}				ļ.	+
Featu		 	1	UEP9E	UEPVF	2.50			 		1	15 75		-	1	+
	All Standard Features Offered, per port	 	1	UEP9E UEP9E	UEPVF	2.56	404.98				1	15.75			-	+
	All Select Features Offered, per port All Centrex Control Features Offered, per port	-	 	UEP9E	UEPVS	0.00 2.56	404.98		+		-	15.75 15.75		-	1	+
NARS		1	1	OLPAE	JEFVC	∠.56			1		1	15.75			1	+
NARS	Unbundled Network Access Register - Combination	 	 	UEP9E	UARCX	0.00	0.00	0.00	 		 	15.75		-	1	+
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	-	-	UEP9E	UARCX UAR1X	0.00	0.00	0.00	 			15.75		-	 	+
		-	 	UEP9E	UAROX	0.00	0.00	0.00	+		-	15.75		-	1	+
RA:c	Unbundled Network Access Register - Outdial	-	-	UEPSE	UAKUX	0.00	0.00	0.00	 			15.75		-	 	+
	ellaneous Terminations re Trunk Side	-	 	+	+				+		-			-	1	+
	e Hunk Side		!	UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88	1	15.75		l	}	
	Trunk Side Terminations, each															

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l l		Rates(\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	DS1 Circuit Terminations, each			UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.56					15.75				
Interof	ffice Channel Mileage - 2-Wire			LIEDOE	MODO	00.50	40.77	07.57	47.00	7.11		45.75				
	Interoffice Channel Facilities Termination			UEP9E UEP9E	MIGBC	22.52 0.0098	40.77	27.57	17.26	7.11		15.75				
Eastur	Interoffice Channel mileage, per mile or fraction of mile re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9E	IVIIGBIVI	0.0098					-					
	annel Bank Feature Activations				-											
D4 0116	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57						15.75				
	Todato / totaton on B Tonamior Bank Control 2005 City			02. 02	45	0.01						10.10				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9E	1PQW6	0.57						15.75				
	Slot			UEP9E	1PQW7	0.57						15.75				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.57						15.75				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		<u> </u>	UEP9E	1PQWV	0.57					1	15.75				
	Slot			UEP9E	1PQWQ	0.57						15.75				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.57			1			15.75				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI OL	11 00077	0.01						10.70				†
NOI IX	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68				15.75				
	New Centrex Standard Common Block			UEP9E	M1ACS							15.75				
	New Centrex Customized Common Block			UEP9E	M1ACC							15.75				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA							15.75				
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					40.00										
	Non-Design		1	UEP93		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
LINIE B	Non-Design		4	UEP93		44.91										
UNE P	Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				_											
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP93		15.12										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP93		19.98										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP93		28.78										
	Design		4	UEP93		46.95										
UNE L	oop Rate		L .	UEP93	LIECC4	40.00									ļ	<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93 UEP93	UECS1 UECS1	10.98 15.91									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP93 UEP93	UECS1	15.91 25.04			 						1	
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP93	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1	-	1	UEP93	UECS2	13.89									1	
	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP93	UECS2	18.75			 						1	
	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	3	UEP93	UECS2	27.55									1	1
	2-Wire Voice Grade Loop (SL21) - Zone 4		4	UEP93	UECS2	45.72										
UNE P	Port Rate															
	Y, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75			1	

NRONDLE	D NETWORK ELEMENTS - Mississippi			1							1 -		Attachment:		Exhibit: B	1
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					+		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l .	
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local					1100	11100	Addi	1 11 34	Addi	COME	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local					_										
	Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP93	UEPYM	1.23	108.35	7.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				I I											
	Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	7.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOO	LIEDVO	4.00	40.04	40.04	04.00	0.50		45.75				
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				-
	Basic Local Area		1	UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
-	2-Wire Voice Grade Port (Centrex)		 	UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75			t	-
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75			t	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75			1	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire					20				2,00						
	Center)2			UEP93	UEPQM	1.23	108.35	7.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP93	UEPQZ	1.23	108.35	7.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
Local	Number Portability															
Factor	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Featu	All Standard Features Offered, per port			UEP93	UEPVF	2.56			-			15.75			-	
	All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56						15.75				
NARS				OLI 93	OLI VO	2.50						13.73				
IVAINO	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	İ			15.75			1	
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00				15.75				
Misce	Ilaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channels Activated, Per Channel		<u> </u>	UEP93	M1HDO	0.00	14.56		ļ			15.75				ļ
Intero	ffice Channel Mileage - 2-Wire			LIEDOS	MICEO	00.50	40.77	07.57	17.00			45.75			1	
	Interoffice Channel Facilities Termination		 	UEP93	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75			1	1
Eost	Interoffice Channel mileage, per mile or fraction of mile re Activations (DS0) Centrex Loops on Channelized DS1 Service		 	UEP93	MIGBM	0.0098			 						 	
	annel Bank Feature Activations	e	-		+ +				+						+	1
D4 CI	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57			 						 	
	1 Salaro Abuvation on 5-4 Shanner Bank Centrex Loop Slot		1	OLI 33	11 4770	0.57									t	
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot		l	UEP93	1PQW6	0.57									1	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop								1						1	
	Slot		L	UEP93	1PQW7	0.57			<u> </u>		<u> </u>				<u> </u>	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.57										
																1
_	Feature Activation on D-4 Channel Bank Private Line Loop Slot		<u> </u>	UEP93	1PQWV	0.57			ļ						-	
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop		1	LIEBOO	4001440	0.5-]						I	
-	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93 UEP93	1PQWQ 1PQWA	0.57 0.57			 						 	
Non-E	Recurring Charges (NRC) Associated with UNE-P Centrex		 	OEF93	IFQVVA	0.57			 		1				 	
NOII-P	NRC Conversion Currently Combined Switch-As-Is with allowed	-	 	1	+ +				 						 	
1	changes, per port	l	l	UEP93	USAC2		0.10	0.10]			15.75			I	

Version 1Q02: 03/22/2002 PAGE 237 OF 352

UNBU	NDLE	NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			•••											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		I
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
		New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32					15.75				
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32					15.75				
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63					15.75				
	Note 1 -	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage							•								
	Note 3	Requires Specific Customer Premises Equipment							·								
	NOTE:	Rates displaying an "R" in Interim column are interim and su	bject to	rate tr	ue-up as set forth ir	General Ter	ms and Conditi	ons.									

LINBLINDI E	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
ONDONDEL		1	1		1						Svc Order	Svc Order	Incremental			Incremental
												Submitted				
														Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc			Manual Svc
CATEGORI	KATE ELEMENTO	m	20116	БОО	0000			INATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						i I	Nonre	curring	Nonrecurrin	g Disconnect	-	I	OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
The #7				imatian nafana ta Ca												COMPAR
	one" shown in the sections for stand-alone loops or loops as				eographicali	y Deaveraged U	NE Zones. 10	view Geograp	nically Deave	raged UNE Zon	e Designatio	ons by Cent	rai Office, refe	er to internet	website:	
	www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.nt	m												
	L SUPPORT SYSTEMS															
	(1) Electronic Service Order: CLEC should contact its contract															is rate
	t is the BellSouth regional electronic service ordering charge.															
	(2) Any element that can be ordered electronically will be bill															
those	elements that cannot be ordered electronically at present per t	the BBR	R-LO, th	e listed SOMEC rate	e in this cate	gory reflects the	e charge that	would be billed	to a CLEC o	nce electronic	ordering cap	oabilities co	me on-line fo	r that elemen	t. Otherwise,	the manual
orderii	ng charge, SOMAN, will be applied to a CLECs bill when it sub	bmits ar	LSR t	o BellSouth.												
	Electronic OSS Charge, per LSR, submitted via BST's OSS															
	interactive interfaces (Regional)	<u></u>			SOMEC		3.50									
	EXCHANGE ACCESS LOOP															
2-WIRI	E ANALOG VOICE GRADE LOOP	ļ	<u> </u>						1					1	1	
	2-Wire Analog Voice Grade Loop - Service Level 1- Statewide	<u> </u>	SW	UEANL	UEAL2	15.88	57.99	42.37	ļ		<u> </u>	<u> </u>	26.94	12.76	ļ	
	Loop Testing - Basic 1st Half Hour	ļ	<u> </u>	UEANL	URET1		78.92	78.92	1				26.94	12.76	1	
\vdash	Loop Testing - Basic Additional Half Hour	ļ		UEANL	URETA	ļ	23.33	23.33	ļ	1	1		26.94	12.76	ļ	
	CLEC to CLEC Conversion Charge Without Outside Dispatch	1	1						1					1	1	
	(UVL-SL1)			UEANL	UREWO		15.76	8.93					26.94	12.76		
	Engineering Information Document (EI)			UEANL			28.74	28.74								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
	Order Coordination for Specified Conversion Time for UVL-SL1				00001		45.04	45.04								
	(per LSR)		<u> </u>	UEANL	OCOSL		45.34	45.34								
2-WIRI	E Unbundled COPPER LOOP			LIEO	LIEONY	45.00	F7.00	10.07					00.04	00.04		
	2-Wire Unbundled Copper Loop Non-Designed - SW	<u> </u>	SW	UEQ	UEQ2X	15.88	57.99	42.37			-		26.94	26.94		
	Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop)			UEQ	USBMC		61.38	61.38					26.94	12.76		
-	Engineering Information Document			UEQ	OSBIVIC		28.74	28.74			1		26.94	12.76		
+	Loop Testing - Basic 1st Half Hour		1	UEQ	URET1		78.92	78.92			1		26.94	12.76		
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33			1		26.94	12.76		
	CLEC to CLEC Conversion Charge Without Outside Dispatch			024	O.K.E.IX		20.00	20.00					20.01	12.70		
	(UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76		
UNBUNDLED	EXCHANGE ACCESS LOOP															
2-WIRI	E ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop -Service Level 1-Statewide-															
	Line Splitting			UEPSR UEPSB	UEALS	15.88	57.99	42.37					26.94	12.76		
	2 Wire Analog Voice Grade Loop -Service Level 1-Statewide-															
	Line Splitting			UEPSR UEPSB	UEABS	15.88	57.99	42.37					26.94	12.76		
UNE L	oop Rates for Line Splitting															
	2-Wire Voice Grade Loop (SL1) for Line Splitting- Statewide		SW	UEPRX	UEPLX	14.18										
	EXCHANGE ACCESS LOOP															
2-WIRI	E ANALOG VOICE GRADE LOOP	ļ			ļ	ļ		ļ	ļ	1	1			ļ	ļ	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Statewide		SW	UEA	UEAL2	19.50	142.97	106.56					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEAR2	19.50	142.97	400.50					26.94	12.76		
	Battery Signaling-Statewide Order Coordination for Specified Conversion Time (per LSR)		SW	UEA	OCOSL	19.50	45.34	106.56			-		26.94	12.76		
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33			-		26.94	12.76		
/-/WIDI	E ANALOG VOICE GRADE LOOP	 		OLA	OKLVVO	1	07.04	30.33	t	+	1	1	20.94	12.76	t	
-+-AA1L/	4-Wire Analog Voice Grade Loop - Statewide	 	SW	UEA	UEAL4	27.49	288.47	237.45	 	+	+	1	26.94	12.76	 	
	Order Coordination for Specified Conversion Time (per LSR)	 		UEA	OCOSL	21.73	45.34	257.45	 	+	+	1	20.34	12.70	 	
 	CLEC to CLEC Conversion Charge without outside dispatch	†		UEA	UREWO	 	87.64	36.33	t	+	+	 	26.94	12.76	t	
2-WIRI	E ISDN DIGITAL GRADE LOOP	1			3	†	07.04	55.55	I	+	†	1	20.04	12.70	I	
2 *****	2-Wire ISDN Digital Grade Loop - Statewide	1	sw	UDN	U1L2X	24.98	325.91	251.31	t	1			26.94	12.76	1	
l	Order Coordination For Specified Conversion Time (per LSR)	†		UDN	OCOSL	250	45.34	2001	1				20.04	.20	1	
l	CLEC to CLEC Conversion Charge without outside dispatch	†		UDN	UREWO	İ	91.55	44.12	1				26.94	12.76	1	
2-WIRI	E Universal Digital Channel (UDC) COMPATIBLE LOOP	1						İ	1		1			1	1	
	2-Wire Universal Digital Channel (UDC) Compatible Loop -															
	Statewide	1	sw	UDC	UDC2X	24.98	325.91	251.31	1				26.94	12.76	1	

Version 1Q02: 03/22/2002 PAGE 239 OF 352

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.55	44.12					26.94	12.76		
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF)												
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Statewide		SW	UAL	UAL2X	14.60	504.90	456.17					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									
	2 Wire Unbundled ADSL Loop without manual service inquiry				1141 0141	44.00	000.05	400.40					00.04	10.70		
	and facility reservaton - Statewide		SW	UAL	UAL2W	14.60	203.85	128.42					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL UREWO		45.34	40.00					26.94	40.70		
2 WIE	CLEC to CLEC Conversion Charge without outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDI E I	OOB	UAL	UREWU		86.12	40.36					26.94	12.76		
2-9915	2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LUUF													
	and facility reservation - Statewide		sw	UHL	UHL2X	11.98	504.90	456.17	I				26.94	12.76	I	
- 	Order Coordination for Specified Conversion Time (per LSR)		3**	UHL	OCOSL	11.30	45.34	-100.17	-				20.04	12.70	-	
 	2 Wire Unbundled HDSL Loop without manual service inquiry				30002		.5.54		1						1	
	and facility reservation - Statewide		sw	UHL	UHL2W	11.98	221.08	145.65					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76		
4-WIF	RE HIGH BIT RATE DIGITAL SUBŠCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Statewide		sw	UHL	UHL4X	13.97	531.35	482.62					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Statewide		SW	UHL	UHL4W	13.97	277.99	202.56					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76		
4-WIF	RE DS1 DIGITAL LOOP				1101.101	00.70	=						10.10	10 =0		
	4-Wire DS1 Digital Loop - Statewide		SW	USL	USLXX	62.78	714.84	421.47					42.19	12.76		
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		45.34 100.99	43.00	1				26.94	12.76	-	
4 14/15	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		-	USL	UKEWU		100.99	43.00					20.94	12.70		
4-4411	4 Wire Unbundled Digital 19.2 Kbps		SW	UDL	UDL19	32.67	489.04	337.51	<u> </u>				19.99	19.99	19.99	19.99
	4 Wire Unbundled Digital Loop 56 Kbps		SW	UDL	UDL56	32.67	489.04	337.51					26.94	12.76	13.33	13.30
	Order Coordination for Specified Conversion Time (per LSR)		311	UDL	OCOSL	02.01	45.34	007.01					20.04	12.70		
	4 Wire Unbundled Digital Loop 64 Kbps - Statewide		SW	UDL	UDL64	32.67	489.04	337.51					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.03	49.70					26.94	12.76		
2-WIF	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service					ĺ										
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.40	281.95	162.85					19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Short including manual service													1	_	
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	21.76	281.95	162.85	ļ				19.99	19.99	19.99	19.99
	2 Wire Unbundled Copper Loop/Short including manual service		_		1101 55											
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	25.01	281.95	162.85					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38	!	-				 	!	
	2-Wire Unbundled Copper Loop/Short without manual service		1	UCL	UCLPW	13.40	250.17	174.74					19.99	19.99	19.99	19.99
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Short without manual service	-	1	UUL	UCLPVV	13.40	∠50.17	1/4./4	 				19.99	19.99	19.99	19.98
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	21.76	250.17	174.74					19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Short without manual service			001	JOLI VV	21.70	200.17	117.14	 				13.33	13.33	13.33	13.33
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	25.01	250.17	174.74	1				19.99	19.99	19.99	19.99
1	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	20.01	61.38	61.38	t				10.00	10.59	10.00	10.00
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.				1		250	200								
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	37.79	268.96	149.86	1				19.99	19.99	19.99	19.99
İ	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
[inquiry and facility reservation - Zone 2	<u></u>	2	UCL	UCL2L	63.16	268.96	149.86	<u> </u>	<u></u>	<u></u>		19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Long - includes manual svc.													_		
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	73.02	268.96	149.86					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								

Version 1Q02: 03/22/2002 PAGE 240 OF 352

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Charge -
						Rec	Nonred First	urring Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service					Kec	FIRSt	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	37.79	189.00	113.57					19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Long - without manual service		T .	002	O O LL	01110	100.00	110.01					10.00	10.00	10.00	10.00
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	63.16	189.00	113.57					19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	73.02	189.00	113.57					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		97.14	42.44					19.99	19.99	19.99	19.99
4-WIRE	COPPER LOOP			UCL	UKEWU		97.14	42.44					19.99	19.99	19.99	19.98
7-11111	4-Wire Copper Loop/Short - including manual service inquiry															
1	and facility reservation - Zone 1		1	UCL	UCL4S	17.63	330.13	211.02					19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	28.89	330.13	211.02					19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	33.28	330.13	211.02					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop/Short - without manual service inquiry and			UCL	UCLMC		61.38	61.38								
	facility reservation - Zone 1		1	UCL	UCL4W	17.63	250.17	174.74					19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - without manual service inquiry and		<u> </u>	OOL	OCLAVV	17.03	230.17	174.74					13.33	19.99	13.33	10.00
	facility reservation - Zone 2		2	UCL	UCL4W	28.89	250.17	174.74					19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4W	33.28	250.17	174.74					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	53.68	317.14	198.03					19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	90.07	317.14	198.03					19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			OCL	UCL4L	90.07	317.14	190.03					15.55	19.99	19.99	15.55
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	104.23	317.14	198.03					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)		_	UCL	UCLMC		61.38	61.38								
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	53.68	237.18	161.75					19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	90.07	237.18	161.75					19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4O	104.23	237.18	161.75					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	104.23	61.38	61.38					15.55	19.99	19.99	15.55
1	CLEC to CLEC Conversion Charge without outside dispatch				- 520		01.00	01.00		1						
1	(UCL-Des)			UCL	UREWO		97.14	42.44					19.99	19.99	19.99	19.99
LOOP MODIFIC	CATION															
				UAL, UHL, UCL,				<u> </u>								
1	Halanda Halland Markenson B. 1888 1888 1888			UEQ, ULS, UEA,											1	
1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,	LILMOL		04.05	04.05					20.04	40.70	I	
	pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire			UDN, UDL, USL	ULM2L		64.85	64.85		1	1		26.94	12.76	 	
1	areater than 18k ft			UCL. ULS	ULM2G		339.84	339.84					26.94	12.76	I	
 	Unbundled Loop Modification Removal of Load Coils - 4 Wire			332, 323	CLIVILO		000.04	000.04		1			20.04	12.70	—	
1	less than or equal to 18K ft			UHL, UCL	ULM4L		64.85	64.85					26.94	12.76	1	
1	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft			UCL	ULM4G		339.84	339.84					26.94	12.76		
				UAL, UHL, UCL,												
				UEQ, UEF, ULS, UEA, UEANL, UDL,											1	
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UDC, UDN, UDL,											1	
	per unbundled loop			USL	ULMBT		64.90	64.90					26.94	12.76		
SUB-LOOPS	F						000	000		İ			20.04	.2.70	1	
	op Distribution									1	1	1	1		1	1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring		201150	001111		Rates(\$)	0011411	0011411
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Up	- 1		UEANL	USBSA		498.09	498.09					26.94	12.76	15.12	15.12
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		45.04	45.04					26.94	12.76	15.12	15.12
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	- 1		UEANL	USBSC		313.01	313.01					26.94	12.76	15.12	15.12
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel													40.00	4= 40	
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	ı		UEANL	USBSD		108.06	108.06					26.94	12.76	15.12	15.12
	Zone 1	I	1	UEANL	USBN2	7.99	126.03	54.54	71.13	10.16			26.94	12.76	15.12	15.12
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	1	2	UEANL	USBN2	12.63	126.03	54.54	71.13	10.16			26.94	12.76	15.12	15.12
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_	LIEANII	LIODNIO	44.40	100.00	54.54	74.40	10.10			00.04	10.70	45.40	45.40
	Zone 3	- 1	3	UEANL	USBN2	14.43	126.03	54.54	71.13	10.16			26.94	12.76	15.12	15.12
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.34	45.34								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	9.23	156.52	79.66	78.56	13.53			26.94	12.76	15.12	15.12
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	14.63	156.52	79.66	78.56	13.53			26.94	12.76	15.12	15.12
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			i												
	Zone 3		3	UEANL	USBN4	16.73	156.52	79.66	78.56	13.53			26.94	12.76	15.12	15.12
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.34	45.34								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.50	114.05	37.20	76.58	10.81			26.94	12.76	15.12	15.12
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.34	45.34								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	3.75	127.67	50.82	78.71	10.69			26.94	12.76	15.12	15.12
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.34	45.34								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	7.33	137.10	60.24	76.58	10.81			26.94	12.76	15.12	15.12
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	10.95	137.10	60.24	76.58	10.81			26.94	12.76	15.12	15.12
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	12.36	137.10	60.24	76.58	10.81			26.94	12.76	15.12	15.12
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.34	45.34								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS4X	7.14	162.24	85.38	78.56	13.53			26.94	12.76	15.12	15.12
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS4X	11.09	162.24	85.38	78.56	13.53			26.94	12.76	15.12	15.12
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS4X	12.63	162.24	85.38	78.56	13.53			26.94	12.76	15.12	15.12
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.34	45.34								
Unbun	dled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF	ULM2X		353.95	12.20					26.94	12.76	15.12	15.12
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		353.95	12.20					26.94	12.76	15.12	15.12
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		557.78	14.23					26.94	12.76	15.12	15.12
Unbun	Idled Network Terminating Wire (UNTW)			OLI	OLIVI 4 I		337.76	14.23					20.94	12.70	13.12	13.12
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.44	64.98	64.98					26.94	12.76	15.12	15.12
Netwo	rk Interface Device (NID)	<u> </u>			1000			=	ļ					10		
	Network Interface Device (NID) - 1-2 lines	<u> </u>		UENTW	UND12		86.37	56.69	1				26.94	12.76	15.12	15.12
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	-		UENTW UENTW	UND16 UNDC2		127.93 11.68	98.21 11.68	1		1		26.94 26.94	12.76 12.76	15.12 15.12	15.12 15.12
	Network Interface Device Cross Connect - 2 W	-	-	UENTW	UNDC4		11.68	11.68					26.94	12.76	15.12	15.12
SUB-LOOPS	THOUTH INCOME DEVICE CIOSS CONNECT - TVV	- '-		CLIVIVV	CINDOT	+	11.00	11.00					20.94	12.70	13.12	10.12
	pop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,		1										
1	Distribution Facility set-up	l	l	UDN,UCL,UDL,UDC	USBFW		498.09						19.99	19.99	19.99	19.99

CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,			4= 0.4						40.00			
	set-up			UDN,UCL,UDL,UDC			45.04 523.51	45.04					19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
	USL Feeder DS1 Set-up at DSX location, per DS1 termination Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice			USL	USBFZ		523.51	11.31					19.99	19.99	19.99	19.99
	Grade - Zone 1		1	UEA	USBFA	11.43	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
-+	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		<u> </u>	OLA	OODI A	11.40	122.02	40.01	143.40	33.37			13.33	19.99	19.99	13.33
	Grade - Zone 2		2	UEA	USBFA	18.35	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,															
	Voice Grade - Zone 3		3	UEA	USBFA	21.04	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		45.34									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice						100 50						40.00			
	Grade - Zone 1		1	UEA	USBFB	11.43	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	18.35	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice			OLA.	ט וטטו	10.33	122.02	40.01	145.40	59.57			13.33	13.33	13.33	15.55
	Grade - Zone 3		3	UEA	USBFB	21.04	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45.34									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															1
	Voice Grade - Zone 1		1	UEA	USBFC	11.43	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 2		2	UEA	USBFC	18.35	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		3	UEA	USBFC	21.04	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Battery, Voice Grade - Zone 3 Order Coordination For Specified Conversion Time, per LSR		3	UEA	OCOSL	21.04	45.34	40.61	149.40	39.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			OLA	CCCCL		40.04									+
	Grade - Zone 1		1	UEA	USBFD	21.91	226.36	144.28					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFD	35.92	226.36	144.28					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3		3	UEA	USBFD	41.37	226.36	144.28					19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.34								-	+
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	21.91	226.36	144.28					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		-	OLA	OODI L	21.31	220.30	144.20					13.33	13.33	13.33	13.33
	Grade - Zone 2		2	UEA	USBFE	35.92	226.36	144.28					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															1
	Grade - Zone 3		3	UEA	USBFE	41.37	226.36	144.28					19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.34									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	19.63	202.01	105.88					19.99	19.99	19.99	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	31.61	202.01	105.88					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 Order Coordination For Specified Conversion Time, Per LSR		3	UDN UDN	USBFF OCOSL	36.27	202.01 45.34	105.88					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	19.63	202.01	105.88					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire ODC (IDSL compatible)		2	UDC	USBFS	31.61	202.01	105.88					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	36.27	202.01	105.88					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	39.69	393.01	153.37	<u> </u>				42.19	12.76		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	67.36	393.01	153.37					42.19	12.76		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	78.12	393.01	153.37					42.19	12.76		
	Order Coordination For Specified Conversion Time, Per LSR		L .	USL	OCOSL	10.0-	45.34									10
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	10.66	172.89	90.81					19.99	19.99	19.99	19.99
. 1	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		2	UCL	USBFH	16.44	172.89	90.81					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone			UUL	JOBET	10.44	172.09	90.61					19.99	19.99	19.99	19.98
.	3		3	UCL	USBFH	18.69	172.89	90.81					19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.34							12.30	12.30	1
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14.68	207.14	134.77	<u> </u>				19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	23.74	207.14	134.77					19.99	19.99	19.99	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	27.26	207.14	134.77					19.99	19.99	19.99	19.99

Version 1Q02: 03/22/2002 PAGE 243 OF 352

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR				Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
					+		Nonrec	urrina	Nonrecurring	a Disconnect			oss	Rates(\$)		l .
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	26.71	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	44.07	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	50.83	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFO	26.71	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	44.07	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			UDL	USBFU	44.07	215.00	132.92	-				19.99	19.99	19.99	19.99
	Zone 3		3	UDL	USBFO	50.83	215.00	132.92					19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR		Ť	UDL	OCOSL	00.00	45.34	102.02					10.00	10.00	10.00	10.00
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFP	26.71	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -													_		
	Zone 2	ļ	2	UDL	USBFP	44.07	215.00	132.92	ļ	ļ			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		_	LIDI	HODED	50.00	045.00	100.00	1				10.00	10.00	10.00	10.00
	Zone 3 Order Coordination For Specified Conversion Time, per LSR	 	3	UDL UDL	USBFP OCOSL	50.83	215.00 45.34	132.92	_		1		19.99	19.99	19.99	19.99
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSK			UDL	UCUSL		45.54		-							-
	l pop Feeder				+											
002 20	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	16.03										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	350.32	3,383.00	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	16.03	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	376.06	3,383.00	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	12.16										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
	Month			UDLO3	USBF5	56.60										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	564.14	3,383.00	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder - OC-12 - Per Mile Per Month Sub Loop Feeder - OC-12 - Facility Termination Protection Per		<u> </u>	UDL12	1L5SL	14.97										-
	Month			UDL12	USBF6	639.50										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,841.00	3,383.00	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	49.10	0,000.00									
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
	Month			UDL48	USBF9	319.92										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,603.00	3,569.00	406.81	160.39	90.92			26.94	12.76		
	Sub Loop Feeder - OC-12 Interface On OC-48	<u> </u>	ļ	UDL48	USBF8	360.95	787.73	406.81	160.39	90.92			26.94	12.76	ļ	<u> </u>
UNBUNDLED L	LOOP CONCENTRATION	<u> </u>	<u> </u>	LIIC	LICTOA	200.44	650.00	050.00	-				40.00	40.00	40.00	40.00
	Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008)	 		ULC	UCT8A UCT8B	398.41 58.36	652.26 271.78	652.26 271.78	_		1		19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
	Unbundled Loop Concentration - System B (1R008) Unbundled Loop Concentration - System A (TR303)	1	-	ULC	UCT3A	439.73	652.25	652.26	 	1	1	1	19.99	19.99	19.99	19.99
 	Unbundled Loop Concentration - System B (TR303)	1		ULC	UCT3B	98.34	271.78	271.78					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (11363)	1		ULC	UCTCO	5.52	126.85	92.35	33.65	9.42			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite															
	Card)	<u></u>		UDN	ULCC1	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - UDC Loop Interface (Brite													_		
	Card)	<u> </u>		UDC	ULCCU	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2 Wire Voice-Loop Start or				000											
	Ground Start Loop Interface (POTS Card)	ļ	-	UEA	ULCC2	2.19	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)	1		UEA	ULCCR	13.03	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface	1	1	ULA	OLCCR	13.03	21.11	∠1.00	10.81	10.74			19.99	19.99	19.99	19.98
1	(Specials Card)	1		UEA	ULCC4	7.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - TEST CIRCUIT Card	i		ULC	UCTTC	37.98	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop	1											1	1		
	Interface			UDL	ULCC7	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop															
				LUDI	IIII CCE	44.54	04.44	21.00	10.81	10.74	1	1	19.99	19.99	19.99	19.99
	Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop			UDL	ULCC5	11.51	21.11	21.00	10.01	10.74			19.99	19.99	15.55	10.00

Version 1Q02: 03/22/2002 PAGE 244 OF 352

UNBUNDI F	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR			Incremental Charge -	Incremental Charge - Manual Svo Order vs.
		""									·		Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Nonre			g Disconnect				Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE OTHER, F	ROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW UEANL,UEF,UEQ,U	UENCE											_
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
LINE OTHER E	PROVISIONING ONLY - NO RATE			ENTV	UNECN				-		+				-	
UNE OTHER, F	ROVISIONING ONLY - NO RATE										1					1
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
\vdash	rate		<u> </u>	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	ĺ		HEATIOL HOLLIS	HODES	2.22	0.00		1						1	
 	rate Unbundled DS1 Loop - Superframe Format Option - no rate	 	 	UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00		 		1				 	1
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00		-		+				-	
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP			002	COOLI	0.00	0.00				1					•
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	11.12										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	404.98	1,124.48	699.60					53.48	53.48		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	11.12										
	High Capacity Unbundled Local Loop - STS-1 - Facility												== 10	=0.40		
LOOPMAKEL	Termination per month			UDLSX	UDLS1	417.70	1,124.48	699.60					53.48	53.48		
LOOP MAKE-U	Loop Makeup - Preordering Without Reservation, per working or										-					
	spare facility queried (Manual).			UMK	UMKLW		56.34	56.34								
	Loop Makeup - Preordering With Reservation, per spare facility			OWIN	OWINLY		30.34	30.34			1					
	queried (Manual).			UMK	UMKLP		58.56	58.56								
	Loop MakeupWith or Without Reservation, per working or				0.0		00.00	00.00	İ		1				1	
	spare facility queried (Mechanized)			UMK	PSUMK		1.04	1.04								
HIGH FREQUE	NCY SPECTRUM															
SPLITT	ERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	152.73	424.61	0.00					26.94	12.76		
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.18	424.61	0.00					26.94	12.76		
	Line Sharing Splitter, Per System, 8 Line Capacity	ı		ULS	ULSD8	12.73	424.61	0.00					26.94	12.76		
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)		1	ULS	ULSDG		146.32	31.27	1				26.94	12.76		
ENDU	deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	CDEC	TOLIM		ULSDG		146.32	31.27			-		26.94	12.76		
END 0	Line Sharing - per Line Activation (BST Owned Splitter)	JPEG	LINOW	ULS	ULSDC	0.61	56.92	28.59	 		+		26.94	12.76	t	
	Line Sharing - per Subsequent Activity per Line			0_0	52000	0.01	30.32	20.55	†		1		20.34	12.10	†	t
	Rearrangement(BST Owned Splitter	ĺ		ULS	ULSDS		35.14	16.29	1				26.94	12.76	1	
	Line Sharing - per Subsequent Activity per Line								1						1	
	Rearrangement(DLEC Owned Splitter	L	L	ULS	ULSCS		35.14	16.29	<u> </u>	<u></u>	1		26.94	12.76	<u> </u>	
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74			26.94	12.76		
	Line Splitting - per line activation DLEC owned splitter	Ī		UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical	1		UEPSR UEPSB	UREBP	0.641	56.92	28.59	ļ				26.94	12.76	ļ	ļ
	Line Splitting - per line activation BST owned - virtual		ļ	UEPSR UEPSB	UREBV	0.639	56.92	28.59			<u> </u>		26.94	12.76	-	_
	DEDICATED TRANSPORT INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m hilli	- n'	d below DC2 arra	manth DCC	CTC 1_f	náho		 		1				1	1
	INTEROFFICE CHANNEL DEDICATED TRANSPORT - MINIMU DEFICE CHANNEL - DEDICATED TRANSPORT	m billin	g perio	a - pelow D53=one	montn, DS3/	S 13-7=Tour mo	ntns		-		 				-	
INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		 						 	-						
	Per Mile per month			U1TVX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0282										

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachment:		Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (- ,			per LSK	per LSK				Electronic-
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
			 		+		Nonrec	urring	Nonrecurring	Disconnect		1	220	Rates(\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	COMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		 			Rec	riist	Auu i	FIISL	Auu i	SOIVIEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAIN
				11477.07	LIATEDO	40.00	407.40	50.50	0.00	0.00			00.07	00.07		
	Facility Termination per month			U1TVX	U1TR2	18.00	137.48	52.58	0.00	0.00			38.07	38.07		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination per month			U1TVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile					,										
	per month		1	U1TDX	1L5XX	0.0282					l	1				
 	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		1		1	5.0202						 		†	†	1
	Termination per month	l	1	U1TDX	U1TD6	17.40	137.48	52.58	0.00	0.00		I	38.07	38.07	Ì	
 	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		 	5.1DA	01150	17.40	157.70	32.30	0.00	0.00		1	30.07	30.07	1	1
	month		1	U1TD1	1L5XX	0.5753										
+-			 	וטווטו	ILOAA	0.5753			1			-				
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		1	LIATDA	LIATEA	74.00	047.47	400.75					38.07	20.07		
	Termination per month			U1TD1	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			U1TD3	1L5XX	12.98										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	720.38	794.94	579.55					91.26	91.26		
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	6.14										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination per month			U1TS1	U1TFS	790.37	642.23	408.89					53.48	53.48		
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	a perio	d - bel	ow DS3=one month	. DS3/STS-1=f	our months										
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2								42.17	12.76		
	Local Channel - Dedicated - 2-Wire Voice Grade per month -		1													
	Zone 1		1	ULDVX	ULDV2	12.51	553.80	89.69								
	Local Channel - Dedicated - 2-Wire Voice Grade per month -		- '-	OLDVX	OLDVZ	12.01	333.00	03.03								
	Zone 2		2	ULDVX	ULDV2	21.23	553.80	89.69								
	Local Channel - Dedicated - 2-Wire Voice Grade per month -			OLDVX	OLDVZ	21.23	333.00	09.09								
			_	UNDVX		04.00	550.00	00.00								
-	Zone 3		3	UNDVX	ULDV2	24.62	553.80	89.69								
	Local Channel - Dedicated - 4-Wire Voice Grade per month -	l	1 .	L.,								I		Ì	Ì	
LL	Zone 1		1	UNDVX	ULDV4	13.40	562.23	92.67								
	Local Channel - Dedicated - 4-Wire Voice Grade per month -	l	1									I		Ì	Ì	
	Zone 2		2	UNDVX	ULDV4	22.73	562.23	92.67								
1 1 -	Local Channel - Dedicated - 4-Wire Voice Grade per month -		1	<u> </u>							1	i		<u> </u>	<u> </u>	
	Zone 3	<u> </u>	3	UNDVX	ULDV4	26.37	562.23	92.67				<u></u>			L	
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	30.12	534.48	462.69					42.17	12.76		
1	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	51.11	534.48	462.69					42.17	12.76		
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	59.28	534.48	462.69					42.17	12.76		
†	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	8.66						İ		i -	İ	Ì
	Local Channel - Dedicated - DS3 - Facility Termination per		t	<u> </u>		3.50						i		1	1	Ì
	month	l	1	ULDD3	ULDF3	496.76	562.25	527.88			1	I	56.25	56.25	Ì	
 	Local Channel - Dedicated - STS-1- Per Mile per month		 	ULDS1	1L5NC	8.66	302.23	321.00	1			1	30.23	50.25	1	1
	Local Channel - Dedicated - STS-1 - Facility Termination per		1	02001	ILOINO	0.00			1			1		1	1	1
	month	l	1	ULDS1	ULDFS	484.06	1,071.00	646.12			1	I	38.07	38.07	Ì	
MULTIPLEXE		-	1	01001	OLDI-9	404.00	1,07 1.00	040.12	1			 	30.07	30.07	 	}
WIOLIIPLEXE			 	LIVTD1	MO1	4.40.00	407.70	440.00	-		-	-	04.05	0.40		
	Channelization - DS1 to DS0 Channel System		<u> </u>	UXTD1	MQ1	146.69	197.78	140.06	ļ			ļ	24.85	8.16		1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	l	1	l	1,5,55		40				1	I			Ì	
	month (2.4-64kbs)		<u> </u>	UDL	1D1DD	2.00	13.09	9.38					24.85	8.16		
1	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	l	1	İ							1	I		Ì	Ì	
	month]	UDN	UC1CA	3.59	13.09	9.38					24.85	8.16		<u> </u>
\Box	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.27	13.09	9.38					24.85	8.16		
	DS3 to DS1 Channel System per month			UXTD3	MQ3	233.10	403.97	234.40					24.78	7.42		
1 1	STS1 to DS1 Channel System per month			UXTS1	MQ3	233.10	403.97	234.40					38.07	38.07		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order d Submitted Manually per LSR	Incremental Charge -		Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonrec	urring	Nonrecurring Discon	nect			Rates(\$)	2.00 .01	2.007.144.
					+	Rec	First	Add'l	First Add		SOMAN		SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	16.07	13.09	9.38	1.00			24.85	8.16		
	DS3 Interface Unit (DS1 COCI) used with Local Channel per														
	month			ULDD1	UC1D1	16.07	13.09	9.38				24.85	8.16		
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel														
DARK FIBER	per month			U1TD1	UC1D1	16.07	13.09	9.38				24.85	8.16		
DAKK FIBEK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				+						_	+		-	
	Thereof per month - Local Channel			UDF	1L5DC	53.86									
	NRC Dark Fiber - Local Channel			UDF	UDFC4	00.00	1,807.00	562.96			+	38.07	38.07		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							t	
	Thereof per month - Interoffice Channel			UDF	1L5DF	27.71								<u></u>	
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,807.00	562.96				38.07	38.07		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				I						1	1		_	
	Thereof per month - Local Loop			UDF	1L5DL	53.86	4 007 00	500.00				00.07	00.07		
	NRC Dark Fiber - Local Loop TEN DIGIT SCREENING	1		UDF	UDFL4		1,807.00	562.96			+	38.07	38.07	 	
	8XX Access Ten Digit Screening, Per Call	1	 	OHD	+ +	0.0005				+	+	 		t	
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OTID	+	0.0000					+				
	Number Reserved			OHD	N8R1X		7.05	0.96				26.94	26.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O														
	POTS Translations			OHD			23.82	2.73				26.94	26.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established With														
	POTS Translations			OHD	N8FTX		23.82	2.73				26.94	26.94		
	8XX Access Ten Digit Screening, Customized Area of Service			OLID	NOFCY		F 60	2.02				20.04	20.04		
	Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR			OHD	N8FCX	-	5.63	2.82				26.94	26.94		
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.59	3.77				26.94	26.94		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96				26.94	26.94		
	8XX Access Ten Digit Screening, Call Handling and Destination			-											
	Features			OHD	N8FDX		5.63					26.94	26.94		
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)														
	LIDB Common Transport Per Query			OQT		0.0003									
	LIDB Validation Per Query			OQU	NDDDV	0.0134	00.00					00.04	00.04		
SIGNALING (C	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		62.26					26.94	26.94	-	
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.83								1	
	CCS7 Signaling Usage, Per TCAP Message			UDB	1 100%	0.00009									
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02				19.99	19.99	19.99	19.99
	CCS7 Signaling Connection, Per link (B link) (also known as D														
	link)			UDB	TPP++	18.22	278.02	278.02				19.99	19.99	19.99	19.99
	CCS7 Signaling Usage, Per ISUP Message			UDB	OTUE?	0.00004						ļ			
	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code		-	UDB	STU56	338.98					+	 		1	
	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00				19.99	19.99	19.99	19.99
	CCS7 Signaling Point Code, per Destination Point Code	1	 	220	JOAI: U	ł	40.00	40.00		+	+	19.39	15.39	15.39	13.33
	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00				19.99	19.99	19.99	19.99
CALLING NAM	E (CNAM) SERVICE				1 - 1			2.30				1		12.30	
	CNAM for DB Owners, Per Query			OQV		0.01									
	CNAM for Non DB Owners, Per Query			OQV		0.01									
	CNAM (Non-Databs Owner), NRC, applies when using the			001/	ODDC::		F0= 0-	=== :-							
ODEDATOR	Character Based User Interface (CHUI) ALL PROCESSING			OQV	CDDCH		595.00	595.00			+	26.94	26.94	-	
UPERATUR CA	Oper. Call Processing - Oper. Provided, Per Min Using BST		-		+				 		+	 		-	
1	LIDB					1.20						1			
	Oper. Call Processing - Oper. Provided, Per Min Using	1			+ +	1.20				- 	+	1	1	†	
	Foreign LIDB					1.24						1			
	Oper. Call Processing - Fully Automated, per Call - Using BST	1										1			
1	LIDB		1			0.20						1			

UNDU	NDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
								Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	l.	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Oper. Call Processing - Fully Automated, per Call - Using															
		Foreign LIDB					0.20										
INWAR	D OPER	ATOR SERVICES															
		Inward Operator Services - Verification, Per Minute					1.15										
		Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1.15										
BRAND	ING - O	PERATOR CALL PROCESSING															
		Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
		Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00					19.99	19.99		
		ding via OLNS for UNEP CLEC															
		Loading of OA per OCN (Regional)						1,200.00	1,200.00								
		SSISTANCE SERVICES		<u> </u>											ļ	1	
	DIREC	TORY ASSISTANCE ACCESS SERVICE	ļ	<u> </u>	ļ												ļ
	DIE	Directory Assistance Access Service Calls, Charge Per Call	1.000	<u> </u>	ļ		0.275			ļ					ļ	-	ļ
 	DIKEC.	FORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	JACC)	<u> </u>	<u> </u>					1		1			 	1	
		Directory Assistance Call Completion Access Service (DACC), Per Call Attempt	l				0.062								1	I	
	DIDEC.	FORY TRANSPORT					0.062										
		SSISTANCE SERVICES										1					
		TORY ASSISTANCE DATA BASE SERVICE (DADS)										+					
	DIREC	Directory Assistance Data Base Service Charge Per Listing					0.04										
		Directory Assistance Data Base Service, per month				DBSOF	150.00					1				1	
BRAND	ING - D	IRECTORY ASSISTANCE										1				1	
	Facility	Based CLEC															
	_	Recording and Provisioning of DA Custom Branded															
		Announcement			AMT	CBADA		6,000.00	6,000.00								
		Loading of Custom Branded Announcement per DRAM															
		Card/Switch			AMT	CBADC		1,170.00	1,170.00								
	UNEP (
		Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
		Loading of DA Custom Branded Announcement per DRAM						4 470 00	4 470 00								
	Unbron	Card/Switch per OCN ding via OLNS for UNEP CLEC						1,170.00	1,170.00			1				-	
	Unbrar	Loading of DA per OCN (1 OCN per Order)						420.00	420.00			-					
		Loading of DA per Switch per OCN						16.00	16.00			1					
SELEC:	TIVE R	DUTING						10.00	10.00								
32220		Selective Routing Per Unique Line Class Code Per Request Per		<u> </u>												1	
		Switch	l			USRCR		229.65	229.65					40.18	9.45	1	
VIRTUA	L COL	-OCATION										1					
		Virtual Collocation - Application Cost			AMTFS	EAF		2,848.30	2,848.30						<u> </u>		<u> </u>
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		2,750.00	2,750.00								
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.20										
		Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	3.48										
		Virtual Collocation - Cable Support Structure, per entrance	1												1	_	
		cable	<u> </u>	<u> </u>	AMTFS	ESPSX	13.35			ļ		1				ļ	
					UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,												
		Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.09	41.78	39.23	4.75	4.75	<u> </u>		19.99	19.99	19.99	19.99
	-													_	_		
			l		UEA,UHL,UCL,UDL,										1	I	
			l		AMTFS, UAL, UDN,										1	I	
		Virtual Collocation - 4-wire Cross Connects (loop)		<u> </u>	UNCVX, UNCDX	UEAC4	0.18	41.91	39.25	4.73	4.73			19.99	19.99	19.99	19.99
					AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
	l	Virtual Collocation - 2-Fiber Cross Connects	l		ULD48, UDF	CNC2F	15.99	67.34	48.55		1	1		19.99	19.99	19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Charge -
							Nonrec	· J	Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	28.74	82.35	63.56					19.99	19.99	19.99	19.99
				USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,												
	Virtual collocation - DS1 Cross Connects			UNLD1	CNC1X	0.97	71.02	51.08								
				USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,												
	Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	56.25	151.90	11.83								
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0028										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0041										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure,per cable			AMTFS	VE1CC		532.72									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTFS	VE1CE		532.72									
	Virtual collocation - Security Escort - Basic, per half hour			AMTES	SPTBX		41.00	25.00								
	Virtual collocation - Security Escort - Overtime, per half hour Virtual collocation - Security Escort - Premium, per half hour			AMTFS AMTFS	SPTOX SPTPX		48.00 55.00	30.00 35.00								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64								
	Virtual collocation - Maintenance in CO - Overtime, per half hour				SPTOM		35.77	35.77								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90								
VIRTUAL COLI				,	0		10.00	10.00								
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSE	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Voice Grade PBX Trunk - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Analog Bus Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire			UEPSB	VE1R2	0.09	41.78	39.23					26.94	12.76		
	ISDN Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSX	VE1R2	0.09	41.78	39.23					26.94	12.76		
	ISDN Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			UEPTX	VE1R2	0.09	41.78	39.23					26.94	12.76		-
	ISDN DS1			UEPEX	VE1R4	0.18	41.91	39.25					26.94	12.76		
VIRTUAL COLI																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.0287	33.96	32.08	36.72	34.84			19.99	19.99		
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment				SRCEC		391,788.00	· · · · · · · · · · · · · · · · · · ·					19.99	19.99	19.99	
	End Office Establishment				SRCEO		320.53	320.53					19.99	19.99	19.99	
	Line/Port NRC, per end user				SRCLP		2.06	2.06					19.99	19.99	19.99	19.99
AIN DE:: 0 =:	Query NRC, per query		 	SRC		0.000448							ļ		ļ	<u> </u>
AIN - BELLSOL	JTH AIN SMS ACCESS SERVICE		<u> </u>										 	1	 	
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		294.77	294.77					26.94	26.94		

UNBUNDLFI	D NETWORK ELEMENTS - North Carolina											Attachment:	2	Exhibit: B	
	THE THE PARTY OF T									Svc Order	Svc Order			Incremental	Incrementa
											Submitted		Charge -	Charge -	Charge -
		l								Elec	Manually		Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	········-	m								per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urrina	Nonrecurring Disconnec	:t		oss	Rates(\$)		
						Rec	First	Add'l	First Add'l		SOMAN		SOMAN	SOMAN	SOMAN
						1.00									
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94	86.94				26.94	26.94		
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		86.94	86.94				26.94	26.94		
	AIN SMS Access Service - User Identification Codes - Per User								i i						
	ID Code			A1N	CAMAU		200.83	200.83				26.94	26.94		
	AIN SMS Access Service - Security Card, Per User ID Code,								i i						
	Initial or Replacement			A1N	CAMRC		172.05	172.05				26.94	26.94		
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0023									
	AIN SMS Access Service - Session, Per Minute					0.0791									
	AIN SMS Access Service - Company Performed Session, Per		1	1	1	2.2.0.						1	1		1
1	Minute	l	1	İ		2.08						Ì	I	I	l
AIN - BELLSOI	JTH AIN TOOLKIT SERVICE	1		1	1	2.50						1	1	t	İ
1	AIN Toolkit Service - Service Establishment Charge, Per State,	1		 	1	†				1		1	t	†	
	Initial Setup	l	1	CAM	BAPSC		290.05	290.05			15.69	Ì	I	I	l
 	AIN Toolkit Service - Training Session, Per Customer	1			BAPVX	†	8,363.00	8,363.00		1	15.69	1	t	†	
 	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1		 	1	†	5,500.00	5,500.00		1	10.00	1	t	†	
1	DN, Term. Attempt	l	1	İ	BAPTT		72.76	72.76			15.69	Ì	I	I	l
 	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	-	+	 	 	72.70	12.10		-	10.00		-	 	
	DN, Off-Hook Delay				BAPTD		72.76	72.76			15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ II ID		12.10	12.10			10.00				
	DN, Off-Hook Immediate				BAPTM		72.76	72.76			15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DAFTIVI		12.10	12.10			13.09				
	DN, 10-Digit PODP				BAPTO		149.95	149.95			15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI 10		140.00	143.33			15.05				
	DN. CDP				BAPTC		149.95	149.95			15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAFIC		149.93	149.55			13.09				
	DN, Feature Code				BAPTF		149.95	149.95			15.69				
	AIN Toolkit Service - Query Charge, Per Query				DAI II	0.02	140.00	143.33			15.05				
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.02									
	Subscription, Per Node, Per Query					0.005									
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.003									
	Account, Per 100 Kilobytes					1.45									
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				1	1.45				_	1				
	Subscription			CAM	BAPMS	15.98	71.80	71.80			15.69				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAW	DAI WO	15.50	71.00	71.00			15.05				
	Subscription	l	1	CAM	BAPLS	0.08	47.20	47.20			15.69	Ì	I	I	l
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	l	 	O/LIVI	DAFLO	0.06	41.20	41.20		-	13.09	1	 	1	
	Subscription	l		CAM	BAPDS	15.90	71.80	71.80			15.69		1	1	
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	l	 	O/ uvi	באו בט	13.90	71.00	71.00		-	15.05	1	 	1	
	Service Subscription	l	1	CAM	BAPES	0.003	47.20	47.20			15.69	Ì	I	I	l
ENHANCED EX	(TENDED LINK (EELs)	1	 	O, uvi	טרו בט	0.003	41.20	41.20		+	13.09	 	t	 	
	New EELs available in GA, TN, KY, LA, MS, & SC and density	ZONE 1	of foll	owing MSAs: Orland	do. Fl · Miam	ni.Fl·Ft laude	rdale. Fl ·			-			-	-	
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-									+		 	 	 	
	In all states, EEL network elements shown below also apply t							s is Charge a	nnlies to currently combin	ed facilities c	onverted to	LINEs (Non-re	curring rates	do not apply	1
	In GA, TN, KY, LA, MS & SC the EEL network elements apply to							ao io Gilaiye a	ppiiss to currently collidit	lou lacillites C	Jiiveiteu to	J.4L3.(14011-16	l	l ao not apply.	7
	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				- ONI).cinicinio	OWINGII MS IS GII	ai ye.j			-	1	1	 	1	
Z-441KE	First 2-Wire VG Loop - Service Level 2/DS1 Interofficed	LKOPF	IOE IN	ANDFORT (EEL)	 	 				+		 	 	 	
	Transport Combination - Statewide	l	SW	UNCVX	UEAL2	19.50	142.97	106.56				38.07	38.07		
1	Interoffice Transport - Dedicated - DS1 combination - Per Mile	l	SVV	011077	ULALL	13.30	172.37	100.30		-	1	30.07	30.07	1	
	per month	l	1	UNC1X	1L5XX	0.5753						Ì	I	I	l
+	Interoffice Transport - Dedicated - DS1 combination - Facility	1	 	014017	ILUAA	0.5755				+		 	t	 	
	Termination per month	l	1	UNC1X	U1TF1	71.29	217.17	163.75				38.07	38.07		
-	DS1 Channelization System Per Month	-	 	UNC1X	MQ1	146.69	197.78	140.06		-		38.07	38.07	 	-
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month	 		UNCVX	1D1VG	146.69	197.78	9.38		_		38.07	38.07	 	
		 		OINCVA	טיוטו	1.2/	13.09	9.38		_		38.07	38.07	 	
	Each Additional 2-Wire Vg Loop(Sl2) In The Same Ds1	l	1	UNCVX	UEAL2	19.50	142.97	400.50				38.07	38.07	I	l
				IUNUVA	IUEAL2	19.50	142.97	108.56	i l	1	1	1 38.07	38.07	i	
	Interoffice Transport Combination Per Month								1						
	Interoffice Transport Combination Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2										

Version 1Q02: 03/22/2002 PAGE 250 OF 352

UNBUNDLE	D NETWORK ELEMENTS - North Carolina				,								Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Dee	Nonrec		Nonrecurring		COMEC	SOMAN		Rates(\$)	COMAN	COMAN
	Voice Grade COCI - DS1 to DS0 Channel System combination -					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGAV	LINICOO		04.75	04.75	32.28	40.00			20.07	20.07		
4-WIDE	Is Charge VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EBOEE	ICE TE	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		-
4-11111	First 4-Wire Analog Voice Grade Loop/DS1 Interoffice Transport	LINOIT	I I	LANGI OKI (LLL)												
	Combination - Statewide		sw	UNCVX	UEAL4	27.49	288.47	237.45					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per															
	Month		ļ	UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	IDIVG	1.27	13.09	9.38					38.07	38.07		1
	Interoffice Transport Combination - Statewide		sw	UNCVX	UEAL4	27.49	288.47	237.45					38.07	38.07		
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIRE	IS Charge 5 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	DEFICE				21.75	21.75	32.28	10.96			38.07	38.07		1
4 11111	First 4-Wire 56Kbps Digital Grade Loop/DS1 Interoffice			TRAITO OR (EEE)	'											
	Transport Combination - Statewide		sw	UNCDX	UDL56	37.67	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month Interoffice Transport - Dedicated - DS1 - combination Facility			UNC1X	1L5XX	0.5753										
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per			0.10.71		7 11.20	2	100.10					00.07	00.07		
	Month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1											
	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	Interoffice Transport Combination - Statewide		sw	UNCDX	UDL56	37.67	489.04	337.51					38.07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System -		0	0.10271	02200	01.01	.00.01	007.01					00.07	00.07		
	combination per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
4-WIDE	Is Charge 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	EFICE	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		-
4-11111	First 4-Wire 64Kbps Digital Grade Loop/DS1 Interoffice	INTERC	1	TRANSFORT (EEE)	'											
	Transport Combination - Statewide		sw	UNCDX	UDL64	37.67	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per			UNCIA	01111	71.29	217.17	103.73					38.07	30.07		
	Month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System			LINORY	10100	2.00										
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	1D1DD	2.00	15.76	11.28			-		38.07	38.07		-
	Interoffice Transport Combination - Statewide		sw	UNCDX	UDL64	37.67	489.04	337.51					38.07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System		0.7													
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGAY	LINICOO		04.7-	04 ==	20.00	10.00			00.0=	00.07		
1-WIDE	Is Charge BOS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	EROFE!	CF TP	UNC1X	UNCCC		21.75	21.75	32.28	10.96	-		38.07	38.07		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	L.KOFFI	L	THOSE OR I (EEL)												
1	Transport - Statewide		sw	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Nonrec		Nonrecurring					Rates(\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			LINGAY	41.577	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.5755										
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-					_										
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR	ANSPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination -															
	Statewide Policy I Po		SW	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	12.98										
- 	Interoffice Transport - Dedicated - DS3 - Facility Termination per			OINOSA	ILUAA	12.98					 				 	
	month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07	1	
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	233.10	403.97	234.40					38.07	38.07	1	
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination -												_	_		
	Statewide		SW	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07	1	
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
2.WID	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EDOEE	ICE T		UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	-	-
Z-WIK	2-WireVG Loop used with 2-wire VG Interoffice Transport	LKOFF	ICE II	(ANGFORT (EEL)												
	Combination - Statewide		sw	UNCVX	UEAL2	19.50	142.97	106.56					38.07	38.07		
	Interoffice Transport - Dedicated - 2-wire VG combination - Per						-									
	Mile Per Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			11110101	1111000		04.75	04.75	00.00	40.00			00.07	00.07		
4 WID	Is Charge E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EDOE	ICE TO	UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-9916	4-WireVG Loop used with 4-wire VG Interoffice Transport	EKOFF	ICE II	KANSPORT (EEL)												
	Combination - Statewide		sw	UNCVX	UEAL4	27.49	288.47	237.45					38.07	38.07		
	Interoffice Transport - Dedicated - 4-wire VG combination - Per			0.10171	02/12:	21110	200.11	2011.10					00.01	00.01		
	Mile Per Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-						0.4 ===			40.00						
DC2 D	Is Charge IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	TDA	ICDO	UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
D33 D	High Capacity Unbundled Local Loop - DS3 combination - Per	EIRA	NOPUR	(CEL)											-	-
	Mile per month			UNC3X	1L5ND	11.12										
	High Capacity Unbundled Local Loop - DS3 combination -			0.100/1	120.12										İ	
	Facility Termination per month			UNC3X	UE3PX	404.98	1,071.00	646.12					38.07	38.07		
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
ļ	Termination per per month			UNC3X	U1TF3	720.38	794.94	579.55	ļl				38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
STS1	IS Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	ANSP		UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	-	-
5.31	High Capacity Unbundled Local Loop - STS1 combination - Per	.02 11			+				 		1				†	
	Mile per month			UNCSX	1L5ND	11.12									1	
	High Capacity Unbundled Local Loop - STS1 combination -						İ								1	
	Facility Termination per month			UNCSX	UDLS1	417.70	1,071.00	646.12	<u> </u>		<u> </u>		38.07	38.07	<u></u>	
	Interoffice Transport - Dedicated - STS1 combination - Per Mile							· · · · · · · · · · · · · · · · · · ·								
	per month			UNCSX	1L5XX	6.14									ļ	
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			LINICEY	U1TFS	790.37	794.94	670.55					38.07	38.07		
 	Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCSX	UIIFS	790.37	794.94	679.55	 		-		38.07	38.07	 	
	Is Charge	1	1	UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	1	

Version 1Q02: 03/22/2002 PAGE 252 OF 352

<u>JNBUNDLE</u>	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)													
	First 2-Wire ISDN Loop/DS1 Interoffice Combination Transport -			LINIONIN	1141.00/	04.00	005.04	054.04					00.07	00.07		
	Statewide Interoffice Transport - Dedicated - DS1 combination - Per Mile		SW	UNCNX UNC1X	U1L2X 1L5XX	24.98 0.5753	325.91	251.31					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Fer Mile Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILJAA	0.5755										
	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination -															
	per month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combination - per month			UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Statewide 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		SW	UNCNX	U1L2X	24.98	325.91	251.31					38.07	38.07		
	combintaion- per month			UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			ONON	OCTOA	3.33	13.70	11.20					30.07	30.07		
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination -			` ,												
	Statewide		sw	UNCIX	USLXX	62.78	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS1 combination - Facility				===		======									
	Termination STS1 to DS1 Channel System conbination per month			UNCSX UNCSX	U1TFS MQ3	790.37 233.10	794.94 403.90	679.55 234.40					38.07 38.07	38.07 38.07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Additional DS1Loop in STS1 Interoffice Transport Combination -			UNCIX	OCIDI	10.07	13.09	9.30					36.07	30.07		
	Statewide		sw	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			LINODY	1101.50	07.07	400.04	007.54					00.07	00.07		
	Combination - Statewide Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		SW	UNCDX	UDL56	37.67	489.04	337.51					38.07	38.07		
	Per Mile			UNCDX	1L5XX	0.0282										
-	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONODA	TLOXX	0.0202										
	Facility Termination			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Statewide			LINCDY	UDL64	37.67	489.04	227.54					38.07	38.07		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		SW	UNCDX	UDL64	37.07	489.04	337.51					38.07	38.07		
	Per Mile			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			OHODA	120/01	0.0202										
	Facility Termination			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr														ļ	
	used as ordinarilty combined network elements in Georgia, th	e non-r	ecurrir	g charges apply an	a the Switch	as is Charge do	oes not.								 	
	(SynchroNet) curring Currently Combined Network Elements "Switch As Is"	Charga	(One i	unnlies to each com	hination)						-				-	
NOTIFE	Nonrecurring Currently Combined Network Elements Switch As is		(Office a	ppnes to each com	ibiliatiOII)										1	
	Is Charge - 2 wire/4-Wire VG		1	UNCVX	UNCCC	1	21.75	21.75	32.28	10.96			38.07	38.07	1	
	Nonrecurring Currently Combined Network Elements Switch -As-				2000	İ	270	20	52.20				33.07	33.01	İ	
	Is Charge - 56/64 kbps		L	UNCDX	UNCCC		21.75	21.75	32.28	10.96	<u> </u>		38.07	38.07	<u> </u>	
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS1	1	Ì	UNC1X	UNCCC		21.75	21.75	32.28	10.96	1		38.07	38.07	1	l

Version 1Q02: 03/22/2002 PAGE 253 OF 352

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonre	urring	Nonrecurring	Disconnect		l .	OSS	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-							71441		7.44.	0020					
	Is Charge - DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	•														
	Is Charge - STS1			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3:	one month, DS3 an	d above=fou	ir months										
	LOCAL EXCHANGE SWITCHING(PORTS) nge Ports													-		
	Although the Port Rate includes all available features in GA,	KY I A	& TN +I	he desired features v	will need to	he ordered usir	ng retail USOC:									
	VOICE GRADE LINE PORT RATES (RES)	K1, EA		ne desired realures	Will fleed to	De ordered dan	lg retail 0000.	•								
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.19	21.60	21.60					26.94	12.76		
		l						-								
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	<u> </u>	<u> </u>	UEPSR	UEPRO	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.19	21.60	21.60					26.94	12.76		
 	Subsequent Activity	1	-	UEPSR	USASC	0.00	0.00	0.00	+		1	-	26.94	12.76		1
FEATU				OLI OK	COAGC	0.00	0.00	0.00					20.34	12.70		
1 1110	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		
2-WIRE	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.19	21.60	21.60					26.94	12.76		
	Exhange Ports - 2-Wire VG unbundled incoming only port with			OLFOB	OLFBO	2.19	21.00	21.00					20.94	12.70		
	Caller ID - Bus			UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU																
	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXCHA	ANGE PORT RATES (DID & PBX)			LUEDOE	LIEBBB	0.10	01.00	21.00						10.00		
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSE UEPSP	UEPRD UEPPC	2.18 2.18	21.60 21.60	21.60 21.60					26.94 26.94	12.76 12.76		_
+	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.18	21.60	21.60					26.94	12.76		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus	1		UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60		•			26.94	12.76		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	ļ		UEPSP	UEPXB	2.18	21.60	21.60	ļ				26.94	12.76		<u> </u>
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	 	<u> </u>	UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		
 	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	 	 	UEPSP	UEPXD	2.18	21.60	21.60	 				26.94	12.76		
	Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		0.	J /\L	2.70	21.50	21.50	1				20.04	12.70		t
	Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60				1	26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		<u> </u>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
 	Discount Room Calling Port	 	<u> </u>	UEPSP	UEPXO	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port Subsequent Activity	<u> </u>		UEPSP UEPSP	UEPXS USASC	2.18 0.00	21.60 0.00	21.60 0.00					26.94 26.94	12.76 12.76		
FEATU		1	 	ULFOF	USASU	0.00	0.00	0.00					20.94	12.76		+
I LATO	All Available Vertical Features	 		UEPSP UEPSE	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXCHA	ANGE PORT RATES (COIN)	1				20	2.30	2.30								
	Exchange Ports - Coin Port					2.59	21.60	21.60					26.94	12.76		
	Transmission/usage charges associated with POTS circuit so															
	Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fic	le Request/	New Busines:	s Request Pro	cess.	<u> </u>
	LOCAL EXCHANGE SWITCHING(PORTS)	1	Ī	I	1	1	l		1			l	l	1	l	1

Version 1Q02: 03/22/2002 PAGE 254 OF 352

LINDII	NDI EI	D NETWORK ELEMENTS - North Carolina													٠	E-1-11-11 B	
UNBU	NDLE	D NETWORK ELEMENTS - North Carolina			1	1						Cua Ordar	Svo Ordor	Attachment:		Exhibit: B	Ingramental
																Incremental	Incremental
													Submitted	_	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>			-				- 1	Nonrec	urrina	Monroourring	g Disconnect		l	000	Rates(\$)		
				1		-	B					001450	001111			001111	SOMAN
	EVOLIA	I NGE PORT RATES (DID & PBX)		-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHA			-	HEDEV	LIEBBO	40.00	100.70	04.00					00.04	10.70		
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	12.36	108.78	84.60					26.94	12.76		
,		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
		capability			UEPDD	UEPDD	123.65	143.53	82.68					19.99	19.99	19.99	19.99
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	24.50	117.59	117.59					55.30	55.30		
		All Features Offered			UEPTX UEPSX	UEPVF	3.40	0.00	0.00								
		Transmission/usage charges associated with POTS circuit sv															
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availa	ble onl						lities will be de	etermined via t	he Bona Fic	le Request/	New Busines:	s Request Pro	cess.	
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		
		OCAL SWITCHING, PORT USAGE							-								
		fice Switching (Port Usage)											l				
		End Office Switching Function, Per MOU					0.0015										
		End Office Trunk Port - Shared, Per MOU					0.00023										
	Tanden	n Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0006										
		Tandem Trunk Port - Shared, Per MOU					0.0003										
	Commo	on Transport					0.0000										
		Common Transport - Per Mile, Per MOU		1			0.00001										
		Common Transport - Facilities Termination Per MOU		1			0.00034										
UNRUN	DIFDE	PORT/LOOP COMBINATIONS - COST BASED RATES		1			0.00001										
		ased Rates are applied where BellSouth is required by FCC ar	ad/or St	tate Co	mmission rule to n	ovide Unbun	dlad Local Swit	ching or Swite	h Porte								
			t Racor					o the Stand-A	ana Unhundla	ad Part saction	of this Rata F	vhihit					
	Feature	es shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rate s	section in the same	manner as th	ey are applied to	o the Stand-Al	one Unbundle	ed Port section	of this Rate E	xhibit.	n Port/Loor	Combination	ne .		
	Feature End Of For Ge	es shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia. Kentucky: Louisiana Mississippi, South Carolina and T	t Based sage rat	tes in the	section in the same he Port section of the recurring UNF Por	manner as th is rate exhib t and I oon c	ey are applied to t shall apply to parges listed ar	all combinations to Current	one Unbundle ons of loop/po ly Combined a	ed Port section ort network eler and Not Curren	n of this Rate E ments except	xhibit. for UNE Coi Combos. T	n Port/Loop he first and	Combination	ns. ort nonrecurri	ng charges ar	anly to Not
	End Of For Ge	fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, MIssissippi, South Carolina and T	sage rat Tennes:	tes in tl see, the	he Port section of the recurring UNE Por	is rate exhib t and Loop c	t shall apply to narges listed ap	all combination	ons of loop/po ly Combined a	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T					
	End Of For Ge Current	fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, MIssissippi, South Carolina and 1 tly Combined Combos for all states. In GA, KY, LA, MS, SC an	sage rat Fenness nd TN th	tes in the see, the nese no	he Port section of the recurring UNE Por onrecurring charges	is rate exhib t and Loop c are commiss	t shall apply to narges listed ap ion ordered co	all combination all combination of the combination of the combination all combined	ons of loop/po ly Combined a and in AL, FL	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T					
	End Off For Geo Current For Cur	fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and T ity Combined Combos for all states. In GA, KY, LA, MS, SC an rrently Combined Combos in all other states, the nonrecurrin	sage rat Fenness nd TN th	tes in the see, the nese no	he Port section of the recurring UNE Por onrecurring charges	is rate exhib t and Loop c are commiss	t shall apply to narges listed ap ion ordered co	all combination all combination of the combination of the combination all combined	ons of loop/po ly Combined a and in AL, FL	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T					
	End Off For Geo Current For Cur 2-WIRE	fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and T tly Combined Combos for all states. In GA, KY, LA, MS, SC an rrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	sage rat Fenness nd TN th	tes in the see, the nese no	he Port section of the recurring UNE Por onrecurring charges	is rate exhib t and Loop c are commiss	t shall apply to narges listed ap ion ordered co	all combination all combination of the combination of the combination all combined	ons of loop/po ly Combined a and in AL, FL	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T					
	End Off For Gen Current For Cur 2-WIRE UNE Po	fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Titly Combined Combos for all states. In GA, KY, LA, MS, SC ar rerently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates	sage rat Fenness nd TN th	tes in the see, the nese no les sha	he Port section of the recurring UNE Por onrecurring charges	is rate exhib t and Loop c are commiss	t shall apply to narges listed ap sion ordered co ecurring - Curre	all combination all combination of the combination of the combination all combined	ons of loop/po ly Combined a and in AL, FL	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T					
	End Off For Geo Current For Cur 2-WIRE UNE Po	fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Titly Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide	sage rat Fenness nd TN th	tes in the see, the nese no	he Port section of the recurring UNE Por onrecurring charges	is rate exhib t and Loop c are commiss	t shall apply to narges listed ap ion ordered co	all combination all combination of the combination of the combination all combined	ons of loop/po ly Combined a and in AL, FL	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T					
	End Off For Ger Current For Cur 2-WIRE UNE Po	fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC and trently Combined Combos in all other states, the nonrecurring EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide States	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	ne Port section of the recurring UNE Por onrecurring charges II be those identifie	is rate exhib t and Loop c are commiss d in the Nonr	t shall apply to narges listed ap sion ordered co ecurring - Curre	all combination all combination of the combination of the combination all combined	ons of loop/po ly Combined a and in AL, FL	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T					
	End Off For Geo Current For Cur 2-WIRE UNE Po	fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide opp Rates 2-Wire Voice Grade Loop (SL1) - Statewide	sage rat Fenness nd TN th	tes in the see, the nese no les sha	he Port section of the recurring UNE Por onrecurring charges	is rate exhib t and Loop c are commiss	t shall apply to narges listed ap sion ordered co ecurring - Curre	all combination all combination of the combination of the combination all combined	ons of loop/po ly Combined a and in AL, FL	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T					
	End Off For Geo Current For Cur 2-WIRE UNE Po	fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Totly Combined Combos for all states. In GA, KY, LA, MS, SC and the Carolina and Totly Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide top Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res)	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	ne Port section of the recurring UNE Por precurring charges II be those identified UEPRX	is rate exhibit and Loop clare commission in the Nonr	t shall apply to narges listed ap- sion ordered co ecurring - Curre 16.46	all combination of the combination of the combines of the comb	ons of loop/po ly Combined a and in AL, FL d sections.	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		es and are al	so listed in the		
	End Off For Geo Current For Cur 2-WIRE UNE Po	fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and T tity Combined Combos for all states. In GA, KY, LA, MS, SC an rrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide top Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	he Port section of the recurring UNE Por onrecurring charges II be those identified UEPRX	is rate exhibit and Loop of are commissed in the Nonroll UEPLX	t shall apply to narges listed ap- sion ordered co ecurring - Curre 16.46	all combinations all combinations are to combine of the combine of	ons of loop/po ly Combined a and in AL, FL d sections.	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		tes and are als	so listed in the		
	End Off For Geo Current For Cur 2-WIRE UNE Po	fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC and trently Combined Combos in all other states, the nonrecurring EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide Nope Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	he Port section of the recurring UNE Por onrecurring charges if be those identified the those	is rate exhibit and Loop clare commiss of in the Nonr	t shall apply to arges listed agion ordered concurring - Current 16.46 14.18 2.28 2.28	all combination of the combination of the combined of the comb	pns of loop/po ly Combined a and in AL, FL d sections.	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18	9.45 9.45		
	End Off For Geo Current For Cur 2-WIRE UNE Po	fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide opp Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	he Port section of the recurring UNE Por onrecurring charges II be those identified UEPRX	is rate exhibit and Loop of are commissed in the Nonroll UEPLX	t shall apply to narges listed ap- sion ordered co ecurring - Curre 16.46	all combinations all combinations are to combine of the combine of	ons of loop/po ly Combined a and in AL, FL d sections.	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		tes and are als	so listed in the		
	End Off For Geo Current For Cur 2-WIRE UNE Po	fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and T tity Combined Combos for all states. In GA, KY, LA, MS, SC an rrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide top Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled ses, low usage line port with Caller ID	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	he Port section of the recurring UNE Por onrecurring charges II be those identified UPPRX UEPRX UEPRX UEPRX UEPRX UEPRX	is rate exhib t and Loop cl are commiss d in the Nonn UEPLX UEPRL UEPRC UEPRO	t shall apply to narges listed at ion ordered co scurring - Curre 16.46 14.18 2.28 2.28 2.28	all combination ply to Current st based rates entity Combine 90.00 90.00 90.00	90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18	9.45 9.45		
	End Off For Geo Current For Cui 2-WIRE UNE Po UNE Lo 2-Wire	fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) POICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) POICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) POICE GRADE LOOP (SL1) - Statewide 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sres, low usage line port with Caller ID (LUM)	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	he Port section of the recurring UNE Por onrecurring charges if be those identified the those	is rate exhibit and Loop clare commiss of in the Nonr	t shall apply to arges listed agion ordered concurring - Current 16.46 14.18 2.28 2.28	all combination of the combination of the combined of the comb	pns of loop/po ly Combined a and in AL, FL d sections.	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18	9.45 9.45		
	End Off For Ger Current For Cur 2-WIRE UNE Po UNE Lo 2-Wire	fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC and trently Combined Combos in all other states, the nonrecurring EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide 12-Wire Voice Grade Loop (SL1) - Statewide 12-Wire Voice Grade Loop (SL1) - Statewide 12-Wire voice unbundled port - residence 12-Wire voice unbundled port with Caller ID - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled port outgoing only - res 13-Wire voice unbundles res, low usage line port with Caller ID (LUM) 13-YERS	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	he Port section of the recurring UNE Por onrecurring charges II be those identified by the those ident	is rate exhibit and Loop clare commiss in the Normalian i	t shall apply to narges listed ar icino ordered co occurring - Curre 16.46 14.18 2.28 2.28 2.28	all combination ply to Current st based rates entity Combined (Combined Procedure) 90.00 90.00 90.00 90.00	90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18	9.45 9.45		
	End Off For Ger Current For Cur 2-WIRE UNE Po UNE Lo 2-Wire	fice and Tandem Switching Usage and Common Transport Usorogia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide - Voice Grade Loop (SL1) - Statewide - Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller port with Caller ID (LUM) RES All Features Offered	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	he Port section of the recurring UNE Por onrecurring charges II be those identified UPPRX UEPRX UEPRX UEPRX UEPRX UEPRX	is rate exhib t and Loop cl are commiss d in the Nonn UEPLX UEPRL UEPRC UEPRO	t shall apply to narges listed at ion ordered co scurring - Curre 16.46 14.18 2.28 2.28 2.28	all combination ply to Current st based rates entity Combine 90.00 90.00 90.00	90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18	9.45 9.45		
	End Off For Ger Current For Cur 2-WIRE UNE Po UNE Lo 2-Wire	fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and T tity Combined Combos for all states. In GA, KY, LA, MS, SC an rrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide top Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled ses, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	he Port section of the recurring UNE Por onrecurring charges il be those identified by the those ident	is rate exhibit and Loop of and Loop of are commission in the Nonroll UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	t shall apply to harges listed at a consumer of the consumer o	all combination ply to Current st based rates entity Combined (Combined Procedure) 90.00 90.00 90.00 90.00	90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18	9.45 9.45		
	End Off For Ger Current For Cur 2-WIRE UNE Po UNE Lo 2-Wire	fice and Tandem Switching Usage and Common Transport Usorogia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide - Voice Grade Loop (SL1) - Statewide - Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller port with Caller ID (LUM) RES All Features Offered	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	he Port section of the recurring UNE Por onrecurring charges II be those identified by the those ident	is rate exhibit and Loop clare commiss in the Normalian i	t shall apply to narges listed ar icino ordered co occurring - Curre 16.46 14.18 2.28 2.28 2.28	all combination ply to Current st based rates entity Combined (Combined Procedure) 90.00 90.00 90.00 90.00	90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18	9.45 9.45		
	End Off For Ger Current For Cur 2-WIRE UNE Pc UNE Lc 2-Wire	fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and T tity Combined Combos for all states. In GA, KY, LA, MS, SC an rrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide top Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled ses, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	he Port section of the recurring UNE Por onrecurring charges il be those identified by the those ident	is rate exhibit and Loop of and Loop of are commission in the Nonroll UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	t shall apply to harges listed at a consumer of the consumer o	all combination ply to Current st based rates entity Combined (Combined Procedure) 90.00 90.00 90.00 90.00	90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18	9.45 9.45		
	End Off For Ger Current For Cur 2-WIRE UNE Pc UNE Lc 2-Wire	fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC and the combined Combos in all other states, the nonrecurring EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or Combination Rates 2-Wire VG Loop/Port Combo - Statewide 2-Wire VG Loop/Port Combo - Statewide 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 4-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 4-Wire voice Unbundled port outgoing only - res 3-Wire voice Unbundled port outgoing only - res 4-Wire voice Open - residence 4-Wire voice Unbundled port outgoing only - res 4-Wire voice Unbundled port outgoing only - res 4-Wire voice Unbundled port outgoing only - res 4-Wire voice Open - residence 4-Wire voice Unbundled port outgoing only - res 4-Wire voice Unbundled port outgoing only - res 4-Wire voice Unbundled port outgoing only - res 4-Wire voice Open - residence 5-Wire voice Open - residence 6-Wire voice Open	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	he Port section of the recurring UNE Por onrecurring charges il be those identified by the those ident	is rate exhibit and Loop of and Loop of are commission in the Nonroll UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	t shall apply to harges listed at a consumer of the consumer o	all combination ply to Current st based rates entity Combined (Combined Procedure) 90.00 90.00 90.00 90.00	90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18	9.45 9.45 9.45		
	End Off For Ger Current For Cur 2-WIRE UNE Pc UNE Lc 2-Wire	fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Toty Combined Combos for all states. In GA, KY, LA, MS, SC and carrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide 12-Wire Voice Grade Loop (SL1) - Statewide 12-Wire Voice Grade Loop (SL1) - Statewide 12-Wire voice unbundled port - residence 12-Wire voice unbundled port with Caller ID - res 12-Wire voice unbundled port with Caller ID - res 12-Wire voice unbundled port with caller ID - res 12-Wire voice unbundled port with caller ID res 13-Wire voice unbundles res, low usage line port with Caller ID (LUM) 14- RES 15- All Features Offered 16- NUMBER PORTABILITY 16- LOCAL NUMBER PORTABILITY 16- LOCAL NUMBER (NRCs) - CURRENTLY COMBINED	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	he Port section of the recurring UNE Por onrecurring charges il be those identified by the those ident	is rate exhibit and Loop of and Loop of are commission in the Nonroll UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	t shall apply to harges listed at a consumer of the consumer o	all combination ply to Current st based rates entity Combined (Combined Procedure) 90.00 90.00 90.00 90.00	90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18	9.45 9.45 9.45		
	End Off For Ger Current For Cur 2-WIRE UNE Pc UNE Lc 2-Wire	fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide Voice Grade Loop (SL1) - Statewide Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	he Port section of the recurring UNE Por onrecurring charges II be those identified II be t	is rate exhib and Loop ci are commiss in the Nonr UEPLX UEPRL UEPRC UEPRO UEPAP UEPVF	t shall apply to harges listed at a consumer of the consumer o	all combination ply to Current st based rates entity Combiner 90.00 90.00 90.00 90.00 0.00	90.00 90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18 40.18	9.45 9.45 9.45		
	End Off For Ger Current For Cur 2-WIRE UNE Pc UNE Lc 2-Wire	fice and Tandem Switching Usage and Common Transport Usage and Common Transport Usage (Common Transport Usage) ty Combined Combos for all states. In GA, KY, LA, MS, SC and trently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide top Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles port with port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY LOCAL Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	is rate exhibit and Loop cide are commission in the Nonroll UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPAP UEPAP	t shall apply to harges listed at a consumer of the consumer o	all combination and combination and combination and combined and combi	90.00 90.00 90.00 90.00 90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
	End Off For Get Current For Cur 2-WIRE UNE Pc UNE Lc 2-Wire	fice and Tandem Switching Usage and Common Transport Usorogia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide top Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Orbandles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	he Port section of the recurring UNE Por onrecurring charges II be those identified II be t	is rate exhib and Loop ci are commiss in the Nonr UEPLX UEPRL UEPRC UEPRO UEPAP UEPVF	t shall apply to harges listed at a consumer of the consumer o	all combination ply to Current st based rates entity Combiner 90.00 90.00 90.00 90.00 0.00	90.00 90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18 40.18	9.45 9.45 9.45		
	End Off For Get Current For Cur 2-WIRE UNE Pc UNE Lc 2-Wire	fice and Tandem Switching Usage and Common Transport Usorogia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide Voice Grade Loop (SL1) - Statewide Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port Outgoing only - res 2-Wire voice Unbundled port Outgoing only - res 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	is rate exhibit and Loop cide are commission in the Nonroll UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPAP UEPAP	t shall apply to harges listed at a consumer of the consumer o	all combination of the combined of the combine	90.00 90.00 90.00 90.00 90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
	End Off For Gei Current For Cui 2-WIRE UNE Pc UNE Lc 2-Wire	fice and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage Common Transport Usage Common Transport Usage Common Transport Usage Common Co	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	is rate exhibit and Loop cide are commission in the Nonroll UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPAP UEPAP	t shall apply to harges listed at a consumer of the consumer o	all combination and combination and combination and combined and combi	90.00 90.00 90.00 90.00 90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
	End Off For Gei Current For Cui 2-WIRE UNE Pc UNE Lc 2-Wire	fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	is rate exhibit and Loop cide are commission in the Nonroll UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPAP UEPAP	t shall apply to harges listed at a consumer of the consumer o	all combination of the combined of the combine	90.00 90.00 90.00 90.00 90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
	End Off For Gei Current For Cui 2-WIRE UNE Pc UNE Lc 2-Wire	fice and Tandem Switching Usage and Common Transport Usorogia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice Unbundled port outgoing only - res [2-Wire voice Unbundled port outgoing only - res [2-Wire Voice Offered NUMBER PORTABILITY [Local Number Portability (1 per port) [3-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update [3-Wire Voice Grade Loop / Line Port Combination - Subsequent Ostabase Update [3-Wire Voice Grade Loop/Line Port Combination - Subsequent	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	ne Port section of the recurring UNE Por portion of the recurring UNE Por portion of the recurring charges if be those identified by the those identified under the those identified un	is rate exhibit and Loop of and Loop of and Loop of and Loop of an expensive state of the Normal State of	t shall apply to narges listed at ion ordered co-curring - Currer 16.46 14.18 2.28 2.28 2.28 3.40 0.35	90.00 90.00 90.00 90.00 90.00 90.00 1.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45		
	End Off For Gei Current For Cui 2-WIRE UNE Po UNE Lo 2-Wire	fice and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage Composition (Composition of Composition of	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	is rate exhibit and Loop cide are commission in the Nonroll UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPAP UEPAP	t shall apply to harges listed at a consumer of the consumer o	all combination of the combined of the combine	90.00 90.00 90.00 90.00 90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
	End Off FOR Ge Current FOR Current FOR CUIT FOR CUIT FOR CUIT FOR CUIT FEATU LOCAL NONRE ADDITI ADDITI ADDITI	fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Totyl Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide yop Rates 2-Wire Voice Grade Loop (SL1) - Statewide voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY LOCAL Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update ONAL NRCS 2-Wire Voice Grade Loop /Line Port Combination - Subsequent Database Update ONAL NRCS 2-Wire Voice Grade Loop /Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	ne Port section of the recurring UNE Por portion of the recurring UNE Por portion of the recurring charges if be those identified by the those identified under the those identified un	is rate exhibit and Loop of and Loop of and Loop of and Loop of an expensive state of the Normal State of	t shall apply to narges listed at ion ordered co-curring - Currer 16.46 14.18 2.28 2.28 2.28 3.40 0.35	90.00 90.00 90.00 90.00 90.00 90.00 1.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45		
	End Off FOR Ge Current FOR Current FOR CUIT FOR CUIT FOR CUIT FOR CUIT FEATU LOCAL NONRE ADDITI ADDITI ADDITI	fice and Tandem Switching Usage and Common Transport Usorogia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide top Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update ONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	sage rat Fenness nd TN th	see, the see, the see, the see, the see, the see, the see shall see shall see he recurring UNE Por portion of the recurring UNE Por portion of the recurring charges if be those identified by the those identified under the those identified un	is rate exhibit and Loop of and Loop of and Loop of and Loop of an expensive state of the Normal State of	t shall apply to narges listed at a consumer of the consumer o	90.00 90.00 90.00 90.00 90.00 90.00 1.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45			
	End Of For Gei Currenti For Cuil 2-WIRE UNE Pc UNE Lc 2-Wire	fice and Tandem Switching Usage and Common Transport Usorogia, Kentucky, Louisiana, Mississippi, South Carolina and Toty Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide Pop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Police Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port Outgoing only - res 2-Wire voice Unbundled port Outgoing only - res 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with Cande Loop / Line Port Combination - Conversion - Subsequent Database Update ONAL NRCs 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide	sage rat Fenness nd TN th	tes in the see, the nese no ges sha	ne Port section of the recurring UNE Por portion of the recurring UNE Por portion of the recurring charges if be those identified by the those identified under the those identified un	is rate exhibit and Loop of and Loop of and Loop of and Loop of an expensive process of a complex of the Normal State of the N	t shall apply to narges listed at ion ordered co-curring - Currer 16.46 14.18 2.28 2.28 2.28 3.40 0.35	90.00 90.00 90.00 90.00 90.00 90.00 1.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45		
	End Of For Gei Currenti For Cuil 2-WIRE UNE Pc UNE Lc 2-Wire	fice and Tandem Switching Usage and Common Transport Using Kentucky, Louisiana, Mississippi, South Carolina and Totyl Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide 12-Wire Voice Grade Loop (SL1) - Statewide 12-Wire Voice Grade Loop (SL1) - Statewide 12-Wire voice unbundled port - residence 12-Wire voice unbundled port with Caller ID - res 12-Wire voice unbundled port with Caller ID - res 12-Wire voice unbundled port with Caller ID - res 12-Wire voice unbundled port with Caller ID - res 13-Wire voice unbundled port with Caller ID - res 14-Wire voice unbundled port with Caller ID - res 15-Wire voice unbundles res, low usage line port with Caller ID (LUM) 16-RES 16-RES 17-RES 18-RES 18-RES 18-RES 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 12-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 18-RES 18-RES 18-RES 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 18-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 18-RES 18-RES 18-RES 18-RES 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Database Update 18-RES 18-RES 18-RES 18-RES 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Database Update 18-RES 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Database Update 18-RES 18-RES 18-RES 18-RES 18-RES 18-RES 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Database Update 18-RES	sage rat Fenness nd TN th	see, the see, the see, the see, the see, the see, the see, the see see and see shall see see a see see see see see see see s	DEPRX UEPRX	is rate exhibit and Loop of and Loop of are commiss of in the Nonroll UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAP UEPAP UEPAP UEVF LNPCX USAC2 USAC2	16.46 14.18 2.28 2.28 2.28 3.40 0.35	90.00 90.00 90.00 90.00 90.00 90.00 1.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45		
	End Off FOR Ge Current FOR Current FOR Current FOR Current FOR Current FOR Current FOR Current FEATU LOCAL NONRE ADDITI ADDITI ADDITI LOCAL UNE LC LOCAL UNE LC LOCAL LO	fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide	sage rat Fenness nd TN th	see, the see, the see, the see, the see, the see, the see shall see shall see he recurring UNE Por portion of the recurring UNE Por portion of the recurring charges if be those identified by the those identified under the those identified un	is rate exhibit and Loop of and Loop of and Loop of and Loop of an expensive process of a complex of the Normal State of the N	t shall apply to narges listed at a consumer of the consumer o	90.00 90.00 90.00 90.00 90.00 90.00 1.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45			
	End Off FOR Ge Current FOR Current FOR Current FOR Current FOR Current FOR Current FOR Current FEATU LOCAL NONRE ADDITI ADDITI ADDITI LOCAL UNE LC LOCAL UNE LC LOCAL LO	fice and Tandem Switching Usage and Common Transport Using Kentucky, Louisiana, Mississippi, South Carolina and Totyl Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide 12-Wire Voice Grade Loop (SL1) - Statewide 12-Wire Voice Grade Loop (SL1) - Statewide 12-Wire voice unbundled port - residence 12-Wire voice unbundled port with Caller ID - res 12-Wire voice unbundled port with Caller ID - res 12-Wire voice unbundled port with Caller ID - res 12-Wire voice unbundled port with Caller ID - res 13-Wire voice unbundled port with Caller ID - res 14-Wire voice unbundled port with Caller ID - res 15-Wire voice unbundles res, low usage line port with Caller ID (LUM) 16-RES 16-RES 17-RES 18-RES 18-RES 18-RES 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 12-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 18-RES 18-RES 18-RES 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 18-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 18-RES 18-RES 18-RES 18-RES 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Database Update 18-RES 18-RES 18-RES 18-RES 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Database Update 18-RES 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Database Update 18-RES 18-RES 18-RES 18-RES 18-RES 18-RES 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Database Update 18-RES	sage rat Fenness nd TN th	see, the see, the see, the see, the see, the see, the see, the see see and see shall see see a see see see see see see see s	DEPRX UEPRX	is rate exhibit and Loop of and Loop of are commiss of in the Nonroll UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAP UEPAP UEPAP UEVF LNPCX USAC2 USAC2	16.46 14.18 2.28 2.28 2.28 3.40 0.35	90.00 90.00 90.00 90.00 90.00 90.00 1.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	rt network eler and Not Curren	ments except ntly Combined	for UNE Coi Combos. T		40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45		

Version 1Q02: 03/22/2002 PAGE 255 OF 352

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
-	O Mine value with and and with College F404 ID. have			UEPBX	LIEDDO	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN 40.18	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC UEPBO	2.28	90.00 90.00	90.00	-				40.18	9.45 9.45		
	2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2.28 2.28	90.00	90.00	-				40.18	9.45		
LOCA	L NUMBER PORTABILITY			UEPBA	UPEDI	2.20	90.00	90.00					40.10	9.45		
LOCA	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT				OLI DX	LIVI OX	0.55										
I EAT	All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -						ĺ									
	Switch with change			UEPBX	USACC		2.77	0.40	<u> </u>		<u> </u>		40.18	9.45	<u> </u>	<u></u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -						ĺ						_			
	Subsequent Database Update						1.42						10.27			
ADDIT	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent								[_	
	Activity			UEPBX	USAS2		0.00	0.00					40.18	9.45		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE F	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Statewide		SW			16.46										
UNE L	Loop Rates				LIEBLY.											
- 1177	2-Wire Voice Grade Loop (SL 1) - Statewide		SW	UEPRG	UEPLX	14.18										
2-Wire	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			LIEDDO	LIEDDD	2.20	00.00	00.00					40.40	0.45		
1.004	IL NUMBER PORTABILITY			UEPRG	UEPRD	2.28	90.00	90.00	-				40.18	9.45		
LUCA	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	URES			ULFRG	LINE OF	3.13	0.00	0.00								
I EAT	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI ILO	OLI VI	0.40	0.00	0.00					40.10	0.40		
, total	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						1.42						10.27			
ADDIT	FIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -							<u> </u>								
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00			ļ		40.18	9.45		ļ
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt]						I	I
	Group						14.64	14.64	ļ		ļ		40.18	9.45		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)								ļ		ļ				-	
UNE F	Port/Loop Combination Rates		0		+	40.40	ļ								1	.
	2-Wire VG Loop/Port Combo - Statewide		SW		-	16.46			 		ļ				1	1
UNE L	_oop Rates 2-Wire Voice Grade Loop (SL 1) - Statewide		C***	UEPPX	UEPLX	14.18			 		1					
2-\\/:-	e Voice Grade Line Port Rates (BUS - PBX)		SW	ULFFA	JEPLA	14.18	ŀ		+ +		1				1	
Z-44116	- VOICE STATE LINE I OIL MALES (BUS - FBA)				+		1		 		 				t	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.28	90.00	90.00					40.18	9.45	1	
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.28	90.00	90.00	†				40.18	9.45	1	t
1	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.28	90.00	90.00	† 1				40.18	9.45		1
<u> </u>	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.28	90.00	90.00	†				40.18	9.45		
<u> </u>	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.28	90.00	90.00	†				40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.28	90.00	90.00	į į				40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	2.28	90.00	90.00	1				40.18	9.45	1	1

OMBUNDE	D NETWORK ELEMENTS - North Carolina										,		Attachment:		Exhibit: B	1
		l							·		Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (.,			per Lon	per Lon				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
$\overline{}$			 		-		Nonrec	urring	Nonrecurring	Disconnect			220	Rates(\$)		1
			-			Dan					SOMEC	COMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DATE WELL BOOK BROWN STATE					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			l												
	Administrative Calling Port			UEPPX	UEPXL	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	90.00	90.00					40.18	9.45		
LOCA	L NUMBER PORTABILITY		 	OLITA	OLI AO	2.20	50.00	00.00					40.10	0.40		
LOCAL	Local Number Portability (1 per port)		-	UEPPX	LNPCP	3.15	0.00	0.00					40.18	9.45		
		-	-	UEPFA	LINECE	3.13	0.00	0.00					40.16	9.43		
FEATU																
	All Features Offered		<u> </u>	UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		ļ
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>						<u> </u>							<u> </u>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is	l		UEPPX	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															1
	Conversion - Switch with Change	l		UEPPX	USACC		2.77	0.40					40.18	9.45		
-	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l	1		5550		2.11	5.70					70.10	5.40		1
1	Subsequent Database Update	l	1				1.42						10.27		Ì	
ADDIT					-		1.42						10.27			
ADDII	TONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					40.18	9.45		
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT.														
	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Statewide		SW			16.80										
LINE	oop Rates		344			10.00										
OIL L	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPCO	UEPLX	14.18										1
0.18/:			SW	UEPCO	UEPLA	14.10										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (NC)			UEPCO	UEPND	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(NC)	l		UEPCO	UEPNB	2.62	90.00	90.00					40.18	9.45		
-+	2-Wire Coin 2-Way with Operator Screening: 900 Blocking:	1	1	02.00	JEI ND	2.02	33.30	33.00					70.10	5.45		1
	900/976, 1+DDD, 011+, and Local (NC, TN)	l		UEPCO	UEPCA	2.62	90.00	90.00					40.18	9.45		
$\longrightarrow \longleftarrow$		 	 	OLFOO	ULFUA	2.02	90.00	90.00					40.18	9.45	 	
1	2-Wire Coin Outward with Operator Screening and 011 Blocking	l	1												1	
	(NC)		!	UEPCO	UEPNE	2.62	90.00	90.00					40.18	9.45		ļ
1	2-Wire Coin Outward with Operator Screening and Blocking:	l	1												1	
	900/976, 1+DDD, 011+, and Local (NC)	L	<u> </u>	UEPCO	UEPCL	2.62	90.00	90.00	<u> </u>				40.18	9.45	<u> </u>	<u> </u>
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin Outward Smartline with 900/976 (all states except				1											
1	LA)	l	1	UEPCO	UEPCR	2.62	90.00	90.00					40.18	9.45	1	
ADDIT	TONAL UNE COIN PORT/LOOP (RC)	1	1	1		2.02	55.55	55.50			1		.00	3.10	1	1
ADDIT	UNE Coin Port/Loop Combo Usage (Flat Rate)	1	1	UEPCO	URECU	3.70	90.00	90.00					40.18	9.45		1
1.004	L NUMBER PORTABILITY	l	1	JL: 00	JILLOU	5.70	30.00	30.00	1				70.10	3.40	1	1
LUCAI		 	 	LIEDCO	LNPCX	0.05									 	
	Local Number Portability (1 per port)	<u> </u>	 	UEPCO	LINPUX	0.35									ļ	!
NONR	ECURRING CHARGES - CURRENTLY COMBINED		!													ļ
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l	1												1	
	Switch-as-is	L	<u> </u>	UEPCO	USAC2		2.77	0.40	<u> </u>				40.18	9.45	<u> </u>	<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
1	Switch with change	l	1	UEPCO	USACC		2.77	0.40					40.18	9.45	1	
ADDIT	TONAL NRCs			Ì											İ	İ
ווכטה	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	l	1		+ +											
j	LE S . JOS CIAGO ECOP/ENTO I DIL CONDININGUON - CADSEQUENT	1	1	1	1				1		ı					1
				LIEDCO	1115455	ı	0.00	0.00					AO 10	0 45		
LIMBU	Activity NDLED REMOTE CALL FORWARDING - RES		-	UEPCO	USAS2		0.00	0.00					40.18	9.45		

Version 1Q02: 03/22/2002 PAGE 257 OF 352

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	вс	cs	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Charge -
I								Nonrec	urring	Nonrecurring D	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB		UEPVJ	2.19	21.60	21.60	11130	Auu	COME	COMPAR	26.94	12.76	COMPAR	COMPAR
UNBUNDLED F	PORT/LOOP COMBINATIONS - COST BASED RATES			02. 12		02. 10	2.10	21.00	200	1				20.0 .	12.10		
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
UNE Po	ort/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - Statewide		SW				31.07										
	pop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - Statewide		SW				19.50	142.97	106.56					40.18	9.45		
UNE Po	ort Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	12.36	485.00	75.00					40.18	9.45		
NONRE	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
\vdash	Switch-as-is	!	<u> </u>	UEPPX		USAC1		13.26	8.39					40.18	9.45		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	ĺ		LIEDEY		110440		40.00	0.00					40.71	- · · -		
ADDIT	with BellSouth Allowable Changes			UEPPX		USA1C		13.26	8.39					40.71	9.45		
ADDITI	ONAL NRCs			UEPPX		USAS1		53.49		 				40.18	9.45		
Tolonh	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk one Number/Trunk Group Establisment Charges			UEPPX		USAST		53.49						40.18	9.45		-
relepti	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								-
-	DID Numbers, Establish Trunk Group and Provide First Group			UEFFX		NDT	0.00	0.00	0.00			-					
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								+
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								•
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								•
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	E PORT														
UNE Po	ort/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEPPB													
	Statewide		SW	UEPPR			44.49										
UNE Lo	pop Rates																
	2-Wire ISDN Digital Grade Loop - Statewide		SW	UEPPB	UEPPR	USL2X	20.12	325.91	251.31					19.99	19.99		
	ort Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	24.37	525.00	400.00					19.99	19.99		
NONRE	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	LIEDDD	USACB	0.00	174.35	174.35					19.99	19.99		
ADDITI	ONAL NRCs			UEPPB	UEPPR	USACB	0.00	174.35	174.35	 				19.99	19.99		
	NUMBER PORTABILITY																-
LOCAL	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								-
B-CHAI	NNEL USER PROFILE ACCESS:			OLFFB	ULFFR	LINFOX	0.33	0.00	0.00	† 							
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	† 							
	CVS (EWSD)					U1UCB	0.00	0.00	0.00								
	CSD				UEPPR	U1UCC	0.00	0.00	0.00								•
B-CHAI	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C.MS. 8	(NT	J = D	J=1 1 1X		0.00	0.00	0.00							1	
	FERMINAL PROFILE	, <u>-, -</u>	Ι,	1										İ	İ		
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	1						İ	
VERTIC	CAL FEATURES		1														
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00					19.99	19.99		
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and								-]	
	facilities termination		<u></u>	UEPPB I		M1GNC	17.42	137.48	52.58					19.99	19.99		
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00				0.00				
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
UNE Po	ort/Loop Combination Rates	!	<u> </u>	ļ													_
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -	l															
	Statewide	ļ	SW	UEPPP			241.72										_
UNE Lo	pop Rates	<u> </u>															<u> </u>

Version 1Q02: 03/22/2002 PAGE 258 OF 352

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina												Attachment:		Exhibit: B	
								-			Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc			Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR			Order vs.	Order vs.
		m			0000			= 5(4)			perLSK	per LSK	Order vs.	Order vs.		
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		
					-	Rec					SOMEC	COMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AME DOAD'S STALL AND LINE 7		_	LIEDDD	1101.45	Rec	First	Add'l	First	Add'l	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P											
UNE	Port Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	179.01	1,150.00	1,150.00					19.99	19.99		
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	481.51	481.51					19.99	19.99		
ADDI	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP	PR7TG		1.17	1.17					19.99	19.99		
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent															
	Activity Outward tel nos. (NC only)			UEPPP	PR7TP		28.17	28.17					19.99	19.99	I	
- 	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		1		7 1		20.17	20.17					10.00	10.00	†	1
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		56.33	56.33					19.99	19.99		
1.004	AL NUMBER PORTABILITY		1	OL111	111/21		30.33	50.55	-		1		15.55	15.55	 	1
LOCA				LIEDDD	LNIDON	4.75										
15.7	Local Number Portability (1 per port)		1	UEPPP	LNPCN	1.75								 	 	
INTE	RFACE (Provsioning Only)		1	LIEDDD	DD74)/	0.00	0.00	0.00							1	1
	Voice/Data		<u> </u>	UEPPP	PR71V	0.00	0.00	0.00								ļ
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	36.92						19.99	19.99		
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	36.92						19.99	19.99		
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interc	office Channel Mileage			OLI I I	1100	0.00	0.00	0.00								
interc	Fixed Each Including First Mile			UEPPP	1LN1A	71.3683	217.17	163.75	0.00				19.99	19.99		
				UEPPP			217.17	103.73	0.00				13.33	19.99		
4 1405	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.0783										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC		186.23							19.99	19.99		
UNE I	Loop Rates															
	4-Wire DS1 Digital Loop - Statewide		SW	UEPDC	USLDC	62.71	714.84	482.62					19.99	19.99		
UNE I	Port Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	123.65							19.99	19.99		
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
İ	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is			UEPDC	USAC4		288.86	133.87					19.99	19.99	I	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination													1	İ	İ
	- Conversion with DS1 Changes			UEPDC	USAWA		288.86	133.37					19.99	19.99	I	
- 	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1	1				.00.07						.0.55	†	1
	- Conversion with Change - Trunk			UEPDC	USAWB		288.86	133.37					19.99	19.99	I	
ADDI	TIONAL NRCs		1	021 00	JOHVID		200.00	133.37	-		1		15.55	15.55	 	1
ADDI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1	 	+				-		1			 	 	1
	Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
			1	UEPDC	USAS4		127.63	127.63							1	1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			LIEBBO	LIDTTA		00.01	00.01					40.00	40.00		
	Subsequent Channel Activation/Chan - 2-Way Trunk		ļ	UEPDC	UDTTA		28.81	28.81					19.99	19.99		ļ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel													<u> </u>		
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99	I	
İ	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99	I	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan													12.00		i e
1	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.81	28.81					19.99	19.99	I	
			1	02, 00	ODITE		20.01	20.01					10.00	10.00		ļ
DIDO	LAR 8 ZERO SUBSTITUTION					ı										

Version 1Q02: 03/22/2002 PAGE 259 OF 352

JNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	1
											Svc Order	Svc Order	Incremental			Incremen
												Submitted	Charge -	Charge -	Charge -	Charge
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		m									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
				+	+	1	Nonrec	urrina	Nonrecurring	Disconnect			000	Rates(\$)	1	
						B					001150	001441			001111	001111
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	615.00					19.99	19.99		
Alterna	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	one Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
				UEPDC	UDIGZ	0.00							19.99	19.99		ļ
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00			1					1
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00				-			-			
i	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00						İ		
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedica	sted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loon			0.00	0.00	0.00			 					t
Deulca	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digital	СООР	With 4-Wile Doilo 1	Tunk i oit											
	Termination)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
	Termination)			UEPDC	ILNOT	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
	l															
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.0783	0.00	0.00								<u> </u>
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.0783	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															1
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Tommidion			OLI DO	TEITOO	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.0783	0.00	0.00								
_		-		UEPDC	LNPCP		0.00		0.00							ļ
	Local Number Portability, per DS0 Activated					3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	DS1 LOOP WITH CHANNELIZATION WITH PORT															ļ
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	System can have up to 24 combinations of rates depending on	type ar	nd nun	nber of ports used												
UNE D	S1 Loop															
	4-wire DS1 Loop UNE - Statewide		SW	UEPMG	USLDC	62.71							19.99			
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s	l	†	UEPMG	VUM96	492.24	0.00	0.00			 		19.99	19.99		t
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		-
			-	UEPMG	VUM19	984.48							19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s						0.00	0.00								ļ
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,230.60	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,461.20	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445.68	0.00	0.00					19.99	19.99		
Non-Re	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	eliztio	n with Port - Conver	rsion Charge	Based on a Svs	stem									1
	mum System configuration is One (1) DS1, One (1) D4 Channe															1
	les of this configuration functioning as one are considered Ac						-				ł – – – –			 	 	
wantip	NRC - Conversion (Currently Combined) with or without		11			Journey.	1				1			1	1	
	BellSouth Allowed Changes	l		UEPMG	USAC4	0.00	330.61	16.64			I		19.99	19.99		1
0		h C	nol:				330.61	16.64					19.99	19.99	-	
	n Additions at End User Locations Where 4-Wire DS1 Loop wit	ın Chan	neuza	ion with Port Comb	mation Curre	ently Exists and					ļ				ļ	
New (N	lot Currently Combined) In GA, KY, LA, MS & TN Only	 			ļ	ļ					ļ					
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc	l		İ							I			Ì		1
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68			19.99			
Bipola	r 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only	I	1	UEPMG	CCOSF	0.00	0.00	615.00				1			1	1

LINKLINDI F	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CHECHEL	TO NET WORK ELEMENTS - NORTH Carolina	1	1		1	ı					Cua Oudan					I
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									Po. 2011	Po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							N			. B'		l .		D - ((A)		
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	615.00								
Δltern	nate Mark Inversion (AMI)										1					
Antonia	Superframe Format	-	-	UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	ange Ports															
1	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00	1	l	40.18	9.45	1	
	Line Side Combination Channelized PBX Trunk Port - Business	1	1	UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00	1	 	40.18	9.45	1	
+-	Line Side Odtward Channelized PBA Trunk Port - Business	1	!	ULPFA	UEPUX	2.28	0.00	0.00	0.00	0.00	1	 	40.18	9.45	 	
												l				
	Line Side Inward Only Channelized PBX Trunk Port without DID	L	<u>L_</u>	UEPPX	UEP1X	2.28	0.00	0.00	0.00	0.00	<u> </u>	L	40.18	9.45	L	<u> </u>
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
Featur	re Activations - Unbundled Loop Concentration										1					
, cutti	Feature (Service) Activation for each Line Side Port Terminated	t	t		+						 	 			l	
1				LIEDDY	400044	0.05	05.07	40.04	4.45	4.40	1	l	40.40	0.45	1	
$-\!\!+\!\!-\!\!\!-$	in D4 Bank	<u> </u>	<u> </u>	UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12	ļ	ļ	40.18	9.45	ļ	
1	Feature (Service) Activation for each Trunk Side Port Terminated										1	l			1	
	in D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
Teleph	hone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL.GA. NC.& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00			1					
1				ULFFX	INDV	0.00	0.00	0.00								
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
UNBUNDI ED	PORT LOOP COMBINATIONS - MARKET RATES					0	0.00									
	et Rates shall apply where BellSouth is not required to provide	unhun	dlad lad	al awitahing ar awi	tab narta nar	ECC andler Ct	oto Commissis	n rulos			1					
		unbune	aled loc	al switching or swi	ich ports per	FCC and/or St	ate Commissio	ni ruies.								
	e scenarios include:															
	bundled port/loop combinations that are Not Currently Combin															
2. Uni	bundled port/loop combinations that are Currently Combined	or Not (Current	y Combined in Zon	e 1 of the To	p 8 MSAS in Be	ellSouth's region	on for end use	rs with 4 or mo	re DS0 equiva	lent lines.					
The To	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd	ale. Mia	mi): G/	(Atlanta): LA (New	Orleans): NO	(Greensboro-\	Winston Salem	-Highpoint/Ch	arlotte-Gaston	ia-Rock Hill):	FN (Nashvill	e).				
	outh currently is developing the billing capability to mechanica												NC. In the in	terim where	BellSouth car	not bill
	et Rates, BellSouth shall bill the rates in the Cost-Based section											, , <u>_</u> , , <u>_</u> a				
	larket Rate for unbundled ports includes all available features			neu or the market h	Tales and res	l ves the right	to true-up trie	billing unleter	I I		1					
The IVI		ın an st	ates.													
										nents except	for UNE Coi	n Port/Loop	Combination	s which have	e a flat rate us	age charge
End O	Office and Tandem Switching Usage and Common Transport Us	sage rat	es in th	e Port section of th	is rate exhibi	it shall apply to	all combination	ons of loop/po	rt network eier							
		sage rat	es in th	e Port section of th	is rate exhibi	it shall apply to	all combination	ons of loop/po	rt network eien					l'atad	in the NPC -	Currently
(USOC	Office and Tandem Switching Usage and Common Transport Us C: URECU).	Ū								•	ed scenario	s. the Nonre	curring char			
(USOC	Office and Tandem Switching Usage and Common Transport Us C: URECU). ot Currently Combined scenarios where Market Rates apply, th	e Nonre	curring	g charges are listed						•	ed scenario	s, the Nonre	ecurring charg	jes are listed	iii tile ivito - t	•
(USOC For No Combi	Office and Tandem Switching Usage and Common Transport Us C: URECU). ot Currently Combined scenarios where Market Rates apply, th oined section. Additional NRCs may apply also and are categoi	e Nonre	curring	g charges are listed						•	ed scenario	s, the Nonre	ecurring charg	jes are listed	III tile Nico -	•
(USOC For No Combi 2-WIRI	Office and Tandem Switching Usage and Common Transport Us C: URECU). of Currently Combined scenarios where Market Rates apply, th pined section. Additional NRCs may apply also and are categor IE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	e Nonre	curring	g charges are listed						•	ed scenario	s, the Nonre	ecurring char	jes are listed	in the Nico-	
(USOC For No Combi 2-WIRI	Office and Tandem Switching Usage and Common Transport Us C: URECU). of Currently Combined scenarios where Market Rates apply, th oined section. Additional NRCs may apply also and are categor IE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates	e Nonre	curring	g charges are listed		nd Additional I				•	ed scenario	s, the Nonre	ecurring charg	ges are listed	in the Nixo -	
(USOC For No Combi 2-WIRI	Office and Tandem Switching Usage and Common Transport Us C: URECU). of Currently Combined scenarios where Market Rates apply, th pined section. Additional NRCs may apply also and are categor IE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	e Nonre	curring	g charges are listed						•	ed scenario	s, the Nonre	ecurring charg	ges are listed		
(USOC For No Combi 2-WIRI UNE P	Office and Tandem Switching Usage and Common Transport Use C: URECU). of Currently Combined scenarios where Market Rates apply, the sined section. Additional NRCs may apply also and are categories VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide	e Nonre	ecurring cording	g charges are listed		nd Additional I				•	ed scenario	s, the Nonre	ecurring char	ges are listed		,
(USOC For No Combi 2-WIRI UNE P	Office and Tandem Switching Usage and Common Transport Usic: URECU). C: URECU). oir Currently Combined scenarios where Market Rates apply, the point of Currently Combined section. Additional NRCs may apply also and are categorate VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates	e Nonre	cording	g charges are listed gly.	in the First a	nd Additional I				•	ed scenario	s, the Nonre	ecurring char	ges are listed		,
(USOC For No Combi 2-WIRI UNE P	Office and Tandem Switching Usage and Common Transport Use: URECU). of Currently Combined scenarios where Market Rates apply, the spined section. Additional NRCs may apply also and are categorate VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide _oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide	e Nonre	cording	g charges are listed		nd Additional I				•	ed scenario	s, the Nonre	ecurring chare	ges are listed		
(USOC For No Combi 2-WIRI UNE P	Office and Tandem Switching Usage and Common Transport Use C: URECU). of Currently Combined scenarios where Market Rates apply, the office Currently Combined Scenarios where Market Rates apply, the office Combined Scenarios where Market Rates apply, the Use Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide	e Nonre	cording	g charges are listed gly. UEPRX	in the First a	28.18	NRC columns f	or each Port U		•	ed scenario	s, the Nonre				
(USOC For No Combi 2-WIRI UNE P	Office and Tandem Switching Usage and Common Transport Usic: URECU). C: URECU). ot Currently Combined scenarios where Market Rates apply, the price of Currently Combined Section. Additional NRCs may apply also and are categor USIC VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide 2-Wire Voice Grade Loop (SL1) - Statewide e Voice Grade Line Port (Res) [2-Wire voice unbundled port - residence	e Nonre	cording	g charges are listed gly. UEPRX	UEPLX	28.18 14.18	NRC columns f	For each Port U		•	ed scenario	s, the Nonre	40.18	9.45		
(USOC For No Combi 2-WIRI UNE P	Office and Tandem Switching Usage and Common Transport Use C: URECU). of Currently Combined scenarios where Market Rates apply, the office Currently Combined Scenarios where Market Rates apply, the office Combined Scenarios where Market Rates apply, the Use Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide	e Nonre	cording	g charges are listed gly. UEPRX	in the First a	28.18 14.18 14.00 14.00	90.00 90.00	or each Port U		•	ed scenario	s, the Nonre	40.18	9.45 9.45		
(USOC For No Combi 2-WIRI UNE P	Office and Tandem Switching Usage and Common Transport Use: URECU). C: URECU). of Currently Combined scenarios where Market Rates apply, the princed section. Additional NRCs may apply also and are categor to the prince of th	e Nonre	cording	g charges are listed gly. UEPRX	UEPLX UEPRL UEPRC	28.18 14.18	NRC columns f	For each Port U		•	ed scenario	s, the Nonre	40.18	9.45		
(USOC For No Combi 2-WIRI UNE P	Office and Tandem Switching Usage and Common Transport Use: URECU). of Currently Combined scenarios where Market Rates apply, the spined section. Additional NRCs may apply also and are categorate Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide 2-Wire Voice Grade Loop (SL1) - Statewide 2-Wire Voice Grade Loop (SL1) - Statewide 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	e Nonre	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX	UEPLX	28.18 14.18 14.00 14.00	90.00 90.00	90.00 90.00		•	ed scenario	s, the Nonro	40.18	9.45 9.45		
(USOC For No Combi 2-WIRI UNE P	Office and Tandem Switching Usage and Common Transport Usic: URECU). C: URECU). Other Combined Scenarios where Market Rates apply, the sined section. Additional NRCs may apply also and are categoric Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide	e Nonre	cording	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO	28.18 14.18 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00		•	ed scenario	s, the Nonre	40.18 40.18 40.18	9.45 9.45		
(USOC For Na Combi 2-WIRI UNE P UNE L 2-Wire	Office and Tandem Switching Usage and Common Transport Use: URECU). C: URECU). Oit Currently Combined scenarios where Market Rates apply, the princed section. Additional NRCs may apply also and are categored to the composition of the compo	e Nonre	cording	g charges are listed gly. UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC	28.18 14.18 14.00 14.00	90.00 90.00	90.00 90.00		•	ed scenario	s, the Nonre	40.18	9.45 9.45		
(USOC For Na Combi 2-WIRI UNE P UNE L 2-Wire	Office and Tandem Switching Usage and Common Transport Use: URECU). of Currently Combined scenarios where Market Rates apply, the sined section. Additional NRCs may apply also and are categore. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide	e Nonre	cording	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP	28.18 14.18 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00		•	ed scenario	s, the Nonre	40.18 40.18 40.18	9.45 9.45		
(USOC For No Combi 2-WIRI UNE P UNE L 2-Wire	Office and Tandem Switching Usage and Common Transport Usic: URECU). C: URECU). Ot Currently Combined scenarios where Market Rates apply, the sined section. Additional NRCs may apply also and are categorice Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide	e Nonre	cording	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO	28.18 14.18 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00		•	ed scenario	s, the Nonre	40.18 40.18 40.18	9.45 9.45		
(USOC For Na Combi 2-WIRI UNE P UNE L 2-Wire	Office and Tandem Switching Usage and Common Transport Usic: URECU). C: URECU). Ot Currently Combined scenarios where Market Rates apply, the sined section. Additional NRCs may apply also and are categorice Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide	e Nonre	cording	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP	28.18 14.18 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00		•	ed scenario	s, the Nonre	40.18 40.18 40.18	9.45 9.45		

Version 1Q02: 03/22/2002 PAGE 261 OF 352

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						_	Nonrec			g Disconnect				Rates(\$)		
					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	5		UEPRX	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with			HEDDY	USACC		44.50	44.50					40.40	0.45		
ADDI	change TIONAL NRCs		1	UEPRX	USACC		41.50	41.50		-			40.18	9.45	-	+
ADDI	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															+
	Subsequent			UEPRX	USAS2		0.00	0.00					40.18	9.45		
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLITIX	UUAUZ		0.00	0.00		1			40.10	3.43		+
	Port/Loop Combination Rates															+
- 0.12	2-Wire VG Loop/Port Combo - Statewide		SW		+	28.18										+
UNE	Loop Rates					20.10										†
12712	2-Wire Voice Grade Loop (SL1) - Statewide	1	SW	UEPBX	UEPLX	14.18										1
2-Wir	re Voice Grade Line Port (Bus)	1														1
, 	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					40.18	9.45		1
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					40.18	9.45		
i L	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					40.18	9.45		
LOC/	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	TURES															
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					40.18	9.45		
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	3		UEPBX	USAC2		41.50	41.50					40.18	9.45		
í	2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	change			UEPBX	USACC		41.50	41.50					40.18	9.45		
ADDI	TIONAL NRCs															
i l	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent Subsequent (REG. REY)			UEPBX	USAS2		0.00	0.00					40.18	9.45		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates					20.40				-						
——————————————————————————————————————	2-Wire VG Loop/Port Combo - Statewide Loop Rates		SW			28.18				-						
UNE	2-Wire Voice Grade Loop (SL1) - Statewide	-	CW	UEPRG	UEPLX	14.18										+
2.Wir	re Voice Grade Line Port Rates (RES - PBX)	-	SW	UEPRG	UEPLA	14.10										+
2-1111	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				+					1						+
<u> </u>	Res			UEPRG	UEPRD	14.00	90.00	90.00					40.18	9.45		
LOCA	AL NUMBER PORTABILITY			UEPRG	LNPCP	0.45										
FEAT	Local Number Portability (1 per port) FURES		1	UEPRG	LNPCP	3.15										
FEAT	All Features Offered	-	-	UEPRG	UEPVF	0.00	0.00	0.00					40.18	9.45		+
NON	RECURRING CHARGES - CURRENTLY COMBINED	+	1	UEPRG	UEPVF	0.00	0.00	0.00					40.16	9.45		+
INOINI	RECORDING CHARGES - CORRENTET COMBINED				+					1						+
ı l	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					40.18	9.45		
-+-	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			OLI ILO	00/102		41.00	41.00					40.10	0.40		+
ı l	Change			UEPRG	USACC		41.50	41.50					40.18	9.45		
ADDI	TIONAL NRCs															+
	2 Wire Loop/Line Side Port Combination - Non feature -															
ı	Subsequent Activity- Nonrecurring						0.00	0.00					40.18	9.45		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					40.18	9.45		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															1
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Statewide		SW			28.18			ļ	ļ				ļ	ļ	
UNE	Loop Rates	1		LUEBBY	UEB											
	2-Wire Voice Grade Loop (SL1) - Statewide	-	SW	UEPPX	UEPLX	14.18				-					-	4
2-Wir	re Voice Grade Line Port Rates (BUS - PBX)	1	-	1	+				 	!				 	!	+
																1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					40.18	9.45		

Version 1Q02: 03/22/2002 PAGE 262 OF 352

<u>UNBUND</u> L	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
AILOOKI	KATE ELEMENTO	m	Lone	B00	0000			IVATEO(#)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-		1					Managa		Nama and and	- Di			000	Rates(\$)		
							Nonrec		Nonrecurring							
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	 		ULFFX	ULFAL	14.00	90.00	90.00					40.10	3.43		
				LIEDDY	HEDVI	44.00	00.00	00.00					10.10	0.45		
	Administrative Calling Port	-	<u> </u>	UEPPX	UEPXL	14.00	90.00	90.00			1		40.18	9.45		1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1														1
	Room Calling Port	1		UEPPX	UEPXM	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1														
	Discount Room Calling Port	1		UEPPX	UEPXO	14.00	90.00	90.00					40.18	9.45	Ì	İ
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00	1				40.18	9.45	İ	1
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)	1		UEPPX	LNPCP	3.15										
EEA	TURES	1	1	OLITA	2111 01	0.10										
FLA	All Features Offered	 		UEPPX	UEPVF	0.00	0.00	0.00					40.18	9.45		
		1		UEPPA	UEPVF	0.00	0.00	0.00					40.10	9.43		
NON	RECURRING CHARGES - CURRENTLY COMBINED	<u> </u>	<u> </u>													
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPPX	USACC		41.50	41.50					40.18	9.45		
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00					40.18	9.45		
	2 Wire Loop/Line Side Port Combination - Non feature -	1	1	OLI I X	00/102		0.00	0.00					10.10	0.10		
	Subsequent Activity- Nonrecurring						0.00	0.00					40.18	9.45		
		1	1				0.00	0.00					40.10	9.43		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					40.18	9.45		
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POI	RT														
UNE	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Statewide		SW			28.18										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPCO	UEPLX	14.18										
2-Wii	re Voice Grade Line Port Rates (Coin)								1						İ	1
- 	2-Wire Coin 2-Way without Operator Screening and without	1	1		1										1	1
	Blocking (NC)	1		UEPCO	UEPND	14.00	90.00	90.00					40.18	9.45		1
- 	2-Wire Coin 2-Way with Operator Screening (NC)	+	1	UEPCO	UEPNC	14.00	90.00	90.00	 				40.18	9.45	 	1
		 	 	ULFUU	JEPING	14.00	90.00	90.00	 		-		40.18	9.45	-	-
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1		LIEBOO	LIEBES											1
	900/976, 1+DDD (NC, TN)	1		UEPCO	UEPRP	14.00			ļ				40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1													1	1
	(NC)	<u> </u>	<u></u>	UEPCO	UEPNB	14.00	90.00	90.00	L				40.18	9.45		<u> </u>
1	2-Wire Coin 2-Way with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (NC, TN)	1		UEPCO	UEPCA	14.00	90.00	90.00					40.18	9.45	1	1
	2-Wire Coin Outward with Operator Screening and 011 Blocking								1							
	(NC)	1		UEPCO	UEPNE	14.00	90.00	90.00					40.18	9.45	1	1
	2-Wire Coin Outward with Operator Screening and Blocking:	1	1			00	55.50	55.00					.0.10	3.40		
	900/976, 1+DDD, 011+, and Local (NC)	1		UEPCO	UEPCL	14.00	90.00	90.00					40.18	9.45	1	1
	AL NUMBER PORTABILITY	 	 	ULFUU	UEPUL	14.00	90.00	90.00	 		-		40.18	9.45	-	-
LUC		1	1	LIEBCO	LNDCY	0.05			 		-				 	!
	Local Number Portability (1 per port)	 	ļ	UEPCO	LNPCX	0.35										
	RECURRING CHARGES - CURRENTLY COMBINED	1	1													1
NON				1	1										1	1
NON			ı													•
NON	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50					40.18	9.45		
NON				UEPCO	USAC2		41.50	41.50					40.18	9.45		
NON	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO UEPCO	USAC2 USACC		41.50 41.50	41.50					40.18	9.45 9.45		

Version 1Q02: 03/22/2002 PAGE 263 OF 352

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Charge -
								Nonrec		Nonrecurring D					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO		USAS2		0.00	0.00					40.18	9.45		
	D PORT/LOOP COMBINATIONS - MARKET BASED RATES																
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
UNE	Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - Statewide		SW				71.50										
UNE	Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - Statewide		SW				19.50							40.18	9.45		
UNE	Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	52.00	485.00	75.00					40.18	9.45		
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-As-Is Top 8 MSAs only	1		UEPPX		USAC1		200.00	75.00					40.18	9.45		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion							-									
	with BellSouth Allowable Changes Top 8 MSAs only	1		UEPPX		USA1C		200.00	75.00	1		I		40.71	9.45	Ì	
ADD	ITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	1	İ	UEPPX		USAS1		75.00		† †				40.18	9.45	İ	
Telei	phone Number/Trunk Group Establisment Charges																
. 0.0	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00	+							†
	DID Numbers, Establish Trunk Group and Provide First Group			02			0.00	0.00	0.00	+							†
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00	+							†
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
1.00	AL NUMBER PORTABILITY			UEPPA		INDV	0.00	0.00	0.00	_							
LUC	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00	_							
2 14/1	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE CIDI	BODT			LINECE	3.13	0.00	0.00								
	Port/Loop Combination Rates	INE SIDE	FORI	l		-				_							-
UNE	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEPPB													
				UEPPB			05.40										
LINE	Statewide		SW	UEPPR			85.12										
UNE	Loop Rates																
	O Miles IODNI District Constant and Outstanding			LIEDDD	LIEDDD	1101 01	00.40							40.00	40.00		
	2-Wire ISDN Digital Grade Loop - Statewide		SW	UEPPB	UEPPR	USL2X	20.12							19.99	19.99		
UNE	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port	<u> </u>	1	UEPPB	UEPPR	UEPPB	65.00	450.00	375.00					19.99	19.99		↓
NON	RECURRING CHARGES - CURRENTLY COMBINED	ļ	<u> </u>			ļ									ļ	ļ	
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1			====											Ì	
ļ	Combination - Conversion - Top 8 MSAs only	ļ	<u> </u>	UEPPB	UEPPR	USACB	0.00	200.00	200.00					19.99	19.99	ļ	
	ITIONAL NRCs																
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)	<u> </u>		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								<u> </u>
B-CH	IANNEL USER PROFILE ACCESS:	<u> </u>										<u> </u>					1
	CVS/CSD (DMS/5ESS)	ļ		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								1
	CVS (EWSD)	ļ		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								1
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								1
	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	k TN)														
USE	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	TICAL FEATURES								-								
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00					19.99	19.99		
INTE	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination	1			UEPPR	M1GNC	17.42	137.48	52.58					19.99	19.99		
l l	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00								
4-WI	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	PORT															
	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -	1	İ			†				† †					İ	İ	
	Statewide	1	1	UEPPP		1	962.71							l			1

Version 1Q02: 03/22/2002 PAGE 264 OF 352

NBUNDLED NETWORK ELEMENTS - North Carolina	,		,									Attachment:		Exhibit: B	
ATT-000V	Interi		500				DATEO(\$)			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Incrementa Charge - Manual Sv
ATEGORY RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'l
						Nonrec		Nonrecurring			l l		Rates(\$)	•	l.
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Loop Rates	-	2	UEPPP	USL4P											
4-Wire DS1 Digital Loop - UNE Zone 3 UNE Port Rate		3	UEPPP	USL4P											-
Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	900.00	1,150.00	1,150.00					19.99	19.99		
NONRECURRING CHARGES - CURRENTLY COMBINED			02	02	000.00	1,100.00	1,100.00					10.00	10.00		
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port					1			†						İ	
Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00					19.99	19.99		
ADDITIONAL NRCs															
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP	PR7TG		1.17	1.17					19.99	19.99		
4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent	1	1	LIEDDD	DD TTD		00.1-	00.1=	1				40.00	40.00		
Activity Outward tel nos. (NC only)	 	<u> </u>	UEPPP	PR7TP		28.17	28.17					19.99	19.99	1	
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance	1		UEPPP	PR7ZT	l	56.33	56.33					19.99	19.99	1	
LOCAL NUMBER PORTABILITY	+	-	ULFFF	FR/ZI		56.33	56.33	 				19.99	19.99		-
Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTERFACE (Provsioning Only)			OLITI	LIVI OIV	1.75										
Voice/Data			UEPPP	PR71V	0.00										
Digital Data			UEPPP	PR71D	0.00										
Inward Data			UEPPP	PR71E	0.00										
New or Additional "B" Channel															
New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92						19.99	19.99		
New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	36.92						19.99	19.99		
New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	36.92						19.99	19.99		
CALL TYPES															
Inward			UEPPP	PR7C1	0.00										
Outward			UEPPP	PR7C0	0.00										
Two-way			UEPPP	PR7CC	0.00										
Interoffice Channel Mileage		1	UEPPP	41 N/4 A	74.0000	047.47	100.75	0.00				19.99	10.00	-	
Fixed Each Including First Mile Each Airline-Fractional Additional Mile		<u> </u>	UEPPP	1LN1A 1LN1B	71.3683 0.0783	217.17	163.75	0.00				19.99	19.99		-
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			UEPPP	ILINID	0.0763										
UNE Port/Loop Combination Rates															
4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC		186.23							19.99	19.99		
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC												
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC												
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC												
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC												
UNE Loop Rates															
4-Wire DS1 Digital Loop - Statewide	ļ	SW	UEPDC	USLDC	62.71	714.84	482.62					19.99	19.99	ļ	
4-Wire DS1 Digital Loop - UNE Zone 1	 	1	UEPDC	USLDC				ļ							
4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC											
4-Wire DS1 Digital Loop - UNE Zone 3	-	3	UEPDC	USLDC										1	
4-Wire DS1 Digital Loop - UNE Zone 4	1	4	UEPDC	USLDC	+			 					-	 	1
UNE Port Rate 4-Wire DDITS Digital Trunk Port	1	1	UEPDC	UDD1T	750.00	1,048.23	480.17	0.00	0.00			19.99	19.99	+	-
NONRECURRING CHARGES - CURRENTLY COMBINED	1		OLFDO	ווטטט	750.00	1,040.23	400.17	0.00	0.00			19.99	19.99	t	
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	. 			+	+			 						t	
- Switch-As-Is Top 8 MSAs only	1		UEPDC	USAC4		288.86	133.87					19.99	19.99		
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		288.86	133.37					19.99	19.99		
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		288.86	133.37					19.99	19.99		
ADDITIONAL NRCs															
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent					Ì	İ		İ							
Service Activity Per Service Order		1	UEPDC	USAS4		127.63	127.63	1		I			1	1	1

<u>UNBUNDLED NE</u>	TWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wir	re DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
Subs	sequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81					19.99	19.99		
	re DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEDDO	LIDTED		00.04	00.04					40.00	40.00		
	nnel Activation/Chan - 1-Way Outward Trunk re DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			UEPDC	UDTTB		28.81	28.81					19.99	19.99		
	ration/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
	re DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLI DO	ODITO		20.01	20.01					13.33	13.33		
	ration Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	re DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan								İ							
	ration / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.81	28.81					19.99	19.99		
BIPOLAR 8 Z	ZERO SUBSTITUTION															
	S -Superframe Format			UEPDC	CCOSF		0.00	615.00					19.99	19.99		
	S - Extended Superframe Format			UEPDC	CCOEF		0.00	615.00					19.99	19.99		
	ark Inversion															
	-Superframe Format			UEPDC	MCOSF		0.00	0.00								
	- Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	Number/Trunk Group Establisment Charges			UEPDC	UDTGX	0.00							10.00	40.00		
	phone Number for 2-Way Trunk Group			UEPDC	UDTGY	0.00							19.99 19.99	19.99 19.99		
	phone Number for 1-Way Outward Trunk Group phone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	Numbers, Establish Trunk Group and Provide First Group			UEPDC	UDIGZ	0.00							19.99	19.99		
	DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
	Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00								
	Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00								
	erve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
Rese	erve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	S1 (Interoffice Channel Mileage) -															
	4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	office Channel Mileage - Fixed rate 0-8 miles (Facilities															
Term	nination)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
	# O I I I I I I I I I I I I I I I I I I															
	office Channel Mileage - Additional rate per mile - 0-8 miles office Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC	1LNOA	0.0783	0.00	0.00								
	onice Channel Mileage - Fixed rate 9-25 miles (Facilities nination)			UEPDC	1LNO2	0.00	0.00	0.00								
	office Channel Mileage - Additional rate per mile - 9-25			UEPDC	ILINO2	0.00	0.00	0.00								
miles				UEPDC	1LNOB	0.0783	0.00	0.00								
	office Channel Mileage - Fixed rate 25+ miles (Facilities			OLI DO	ILIVOD	0.0703	0.00	0.00								
	nination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	,															
Interd	office Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.0783	0.00	0.00								
	Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	tral Office Termininating Point			UEPDC	CTG	0.00										
	LOOP WITH CHANNELIZATION WITH PORT															
	DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	n have various rate combinations based on type and nur	nber of	ports	used												
UNE DS1 Lo				UEPMG	USLDC	62.71							19.99	19.99		
LINE DSO Ch	re DS1 Loop UNE - Statewide hannelization Capacities (D4 Channel Bank Configuration) c)	SW	UEPING	USLDC	62.71							19.99	19.99		
24 D	SO Channel Capacity - 1 per DS1	13)		UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	SO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00	 		 		19.99	19.99		
	SO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
	DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00	† †				19.99	19.99		
	DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00	† †				19.99	19.99		
	DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,230.60	0.00	0.00	1				19.99	19.99		
	DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
	DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
	DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,461.20	0.00	0.00					19.99	19.99		
	DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
672 E	DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445.68	0.00	0.00					19.99	19.99	1	

Version 1Q02: 03/22/2002 PAGE 266 OF 352

UNBUN	DLED	NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
0												Svc Order	Svc Order		Incremental		Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
N	on-Re	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chan	neliztio	n with Port - Conve	rsion Charge											
		num System configuration is One (1) DS1, One (1) D4 Channel															
M	lultiple	es of this configuration functioning as one are considered Ad	ld'I afte	r the m	inimum system cor	nfiguration is	counted.										
		NRC - Conversion (Currently Combined) with or without			1	T											
		BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		
s	ystem	Additions Where Currently Combined and New (Not Currentl	y Comi	oined)													
		MSAs and AL, FL, and NC Only															
		1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
		Fea Activation -			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68			19.99	19.99		
В	ipolar	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
L_ 1		Activity Only	<u> </u>	<u>L</u>	UEPMG	CCOSF	0.00	0.00	615.00	<u> </u>		<u> </u>	<u></u>	<u> </u>	<u></u>	L	
		Clear Channel Capability Format - Extended Superframe -															
L1		Subsequent Activity Only	<u> </u>	L	UEPMG	CCOEF	0.00	0.00	615.00	<u> </u>		<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	
Α		e Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
E	xchan	ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	52.00	0.00	0.00	0.00	0.00			40.18	9.45		
F	eature	Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Side Port Terminated															
		in D4 Bank			UEPPX	1PQWM	0.65	40.00	20.00	10.00	5.00			40.18	9.45		
		Feature (Service) Activation for each Trunk Side Port Terminated															
		in D4 Bank			UEPPX	1PQWU	0.65	110.00	30.00	75.00	15.00			40.18	9.45		
		one Number/ Group Establishment Charges for DID Service			LIEBBY .												
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
-		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
-		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
-		Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers			UEPPX	ND5 ND6	0.00	0.00	0.00								-
					UEPPX				0.00			-					
⊢ 		Reserve DID Numbers umber Portability	 	1	UEPPX	NDV	0.00	0.00	0.00			1		 		 	
├		Local Number Portability - 1 per port	 	1	UEPPX	LNPCP	3.15	0.00	0.00			1		 		 	
 		RES - Vertical and Optional	-	 	OLFFA	LINE OF	3.15	0.00	0.00	-		1		 	-		
		witching Features Offered with Line Side Ports Only	1	1		+	+ +					1	 	 	1	 	1
 		All Features Available			UEPPX	UEPVF	3.40	0.00	0.00	 		 		40.18	9.45	 	
UNBUND		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>	1	OLI I A	OL: VI	3.40	0.00	0.00	+		1	 	40.10	5.40	 	1
		Based Rates are applied where BellSouth is required by FCC		State (Commission rule to	nrovide Unh	undled Local Su	witching or Sw	itch Ports			1	 	 	1	 	1
		res shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Pate	e Fyhihit		t	1	t	1
12	Fnd (Office and Tandem Switching Heads and Common Transport	lleane	rates in	the Port section of	f this rate ov	hihit shall annly	to all combine	tions of loon	nort network of	emente eveer	of for LINE	oin Port/Lo	on Combinat	ions	t	
F	or Geo	Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re	ecurrin	UNE	Port and Loop char	ges listed an	ply to Currently	Combined and	Not Currently	v Combined Co	mbos. The th	ne first and	additional F	ort nonrecurr	ing charges a	apply to Not (Surrently
		ed Combos for all states. In GA, KY, LA, MS and TN these no															
		ed Combos in all other states, the nonrecurring charges shall							,		3 goo u						,
		tet Rates for Unbundled Centrex Port/Loop Combination will								ı				1	I		
		CENTREX - 5ESS (Valid in All States)	l											<u> </u>	1	1	
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo	1	1	1	1	† †			 		1		†	1	t	1
		rt/Loop Combination Rates (Non-Design)	-	1		+	+			 		 		-		-	
 		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -	1	1		+	+			 		<u> </u>		 		 	
		Non-Design	l	sw	UEP95	1	16.46							I	1	I	
 		rt/Loop Combination Rates (Design)	1	344	021 00	+	10.40			 		<u> </u>		 		 	
⊢ ⊢ ⊢ ⊢		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -	1	!		+	+ +					†	<u> </u>	I	 	I	
		Design	l	sw	UEP95	1	21.78							I	Ì	I	
		op Rate	1			+	21.70			 		<u> </u>		 		 	
		· p · · · ·		1	1		1					1		1	1	1	

Version 1Q02: 03/22/2002 PAGE 267 OF 352

NRUNDLE	D NETWORK ELEMENTS - North Carolina			•								1 -	Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge -	Increment Charge - Manual St Order vs
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
							Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Statewide		SW	UEP95	UECS1	14.18										
	2-Wire Voice Grade Loop (SL 2) - Statewide		SW	UEP95	UECS2	19.50										
	ort Rate															
All Sta																
	2-Wire Voice Grade Port (Centrex) Basic Local Area		<u> </u>	UEP95	UEPYA	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	2.28							40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	2.28							40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	2.28							40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	2.28							40.18	9.45		
NC On																
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPUA	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPUM	2.28							40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPUZ	2.28							40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPU9	2.28							40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPU2	2.28							40.18	9.45		
Local	Switching			LIEDAE												
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.903										
Local	Number Portability Local Number Portability (1 per port)			UEP95	LNPCC	0.35				-	1				-	
Featur			1	OLF 93	LINFOC	0.33				1	1					
i catui	All Standard Features Offered, per port			UEP95	UEPVF	3.40										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40	101.100									
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	ļ	ļ	ļ		40.18	9.45	ļ	ļ
	aneous Terminations		1		1				ļ						-	
2-Wire	Trunk Side		-	LIEDOE	CENIDO	40.00			ļ	 	 			 	1	
4-141:	Trunk Side Terminations, each Digital (1.544 Megabits)		-	UEP95	CEND6	12.36			 	 	 			 	 	
4-vvire	DS1 Circuit Terminations, each		1	UEP95	M1HD1	186.23			†	-			40.18	9.45	+	1
	DS0 Channels Activated, each		 	UEP95	M1HD0	0.00	28.81		1	 	 		40.18	9.45	t	
Interof	fice Channel Mileage - 2-Wire			02. 00		5.50	20.01			1			40.10	5.45	1	
1	Interoffice Channel Facilities Termination			UEP95	MIGBC	18.00			1	1					1	1
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0282			1							
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65										
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW6	0.65										
+	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	1PQW7	0.65										├─
	Different Wire Center			UEP95	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65]						

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	g Disconnect				Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				400140											
	Slot			UEP95 UEP95	1PQWQ 1PQWA	0.65										
Non-E	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex			UEP95	IPQWA	0.65										
NOII-F	NRC Conversion Currently Combined Switch-As-Is with allowed									1					1	
	changes, per port			UEP95	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11	0.10		İ			40.18	9.45	İ	
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73						40.18	9.45		
UNE-F	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE F	Port/Loop Combination Rates (Non-Design)			1						ļ	ļ				1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -			LIEDOD						1					1	
	Non-Design		SW	UEP9D	+	16.46			1	.					1	
UNE	Port/Loop Combination Rates (Design)	1		 	+				-	-	 				 	-
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo - Design		sw	UEP9D		21.78				I						
UNE	oop Rate		SW	OLF3D		21.70										
OIVE I	2-Wire Voice Grade Loop (SL 1) - Statewide		SW	UEP9D	UECS1	14.18										
	2-Wire Voice Grade Loop (SL 2) - Statewide		SW	UEP9D	UECS2	19.50										
UNE F	Port Rate					10.00										
	TATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYG	2.28							40.18	9.45		
	Area			UEP9D	UEPYT	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	2.28							40.18	9.45		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	2.28							40.18	9.45		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYQ	2.28							40.18	9.45		

ONROND	LED NETWORK ELEMENTS - North Carolina												Attachment:		Exhibit: B	
]		·	-				Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lak	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-	_	-	+	1	Nonre	curring	Nonrecurring	Disconnect		l .	220	Rates(\$)		
			1			Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Miss Vision Crade Bart (Contravidiffor CMC (EBC ME242)2 2		_			Rec	riist	Add I	FIISL	Addi	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
	Basic Local Area			UEP9D	UEPYS	2.28							40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area			UEP9D	UEPY4	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															
	Basic Local Area			UEP9D	UEPY6	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
	Basic Local Area			UEP9D	UEPY7	2.28							40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				<u> </u>											
	Term		1	UEP9D	UEPYZ	2.28		I	1				40.18	9.45	I	
 	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	021 00	02.12	2.20		1	†		1		70.10	3.43	t	1
	Basic Local Area		1	UEP9D	UEPY9	2.28		1	1				40.18	9.45	I	
			1	UEF9D	UEFT9	2.20							40.16	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic		1	LIEDOD	LIEDYO	2.00		1	1				40.40	0.4-	I	
	Local Area		1	UEP9D	UEPY2	2.28			 		ļ		40.18	9.45		
NC	- /															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPUC	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPUD	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPUE	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPUF	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPUG	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPUT	2.28							40.18	9.45		
h	2-Wire Voice Grade Port (Centrex / EBS-M5208)3		1	UEP9D	UEPUU	2.28					1		40.18	9.45		-
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3	-	_	UEP9D	UEPUV	2.28							40.18	9.45		
			_	UEP9D	UEPU3	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3		1													
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPUH	2.28					ļ		40.18	9.45		ļ
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPUW	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPUJ	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPUM	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPUO	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPUP	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPUQ	2.28							40.18	9.45		
			1			=:=3			1		1			2.10	1	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		1	UEP9D	UEPUR	2.28		1	1				40.18	9.45	I	
 	2 Voice Grade i Gragostile Vallier GWO/LDG-WOT12/2, 3		 	021 00	OLI DIN	2.20			t		1		70.10	3.43	t	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		1	UEP9D	UEPUS	2.28		1	1				40.18	9.45	I	
\vdash	Z-VVIIG VOICE GIAUE FOIL (CEILLEX/UIITEI SVVC /EDS-IVISS12)2, 3	-	+	OFL 2D	ULFUS	2.20			 		 		40.18	9.45	 	
	O Mire Veice Conde Dark (Control / 177 - OMO /EDO MESSO)		1	LIEDOD	UEDU4	0.00		1	1				40.40	0.4-	I	
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		1	UEP9D	UEPU4	2.28			 		ļ		40.18	9.45		
			1	l	1	l		1	1					Ì	I	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		<u> </u>	UEP9D	UEPU5	2.28		ļ	1		ļ		40.18	9.45	ļ	1
			1	İ		l		1	1					Ì	I	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3	<u></u>	<u></u>	UEP9D	UEPU6	2.28		<u></u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	40.18	9.45		
							-									
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPU7	2.28							40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service					- 1										
	Term		1	UEP9D	UEPUZ	2.28		1	1				40.18	9.45	I	
 			 		52. 52	2.20			t		1		70.10	5.45	t	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPU9	2.28							40.18	9.45		
\vdash			1	UEP9D	UEPU2	2.28		1	+	1	 	1	40.18	9.45	 	+
 	2-Wire Voice Grade Port Terminated on 800 Service Term		1	05790	UEPU2	2.28			 		 		40.18	9.45	-	
LOC	al Switching		1	LIEDOD	LIDECO	2 222		-	+		1			 	 	
<u> </u>	Centrex Intercom Funtionality, per port		1	UEP9D	URECS	0.903										
Loc	al Number Portability										1					
ı 1 —	Local Number Portability (1 per port)	1	1	UEP9D	LNPCC	0.35		1		1	1			1		1

IRONDLED NE	TWORK ELEMENTS - North Carolina			1									Attachment:		Exhibit: B	1.
													Incremental		Incremental	
												Submitted	Charge -	Charge -	Charge -	Charg
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual
EGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order
		""									_	-	Electronic-	Electronic-	Electronic-	Electro
													1st	Add'l	Disc 1st	Disc Ad
		-					Nonrec	ina	Monroourrin	g Disconnect			000	Rates(\$)		
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Features						Nec	THOL	Auu i	THOU	Auu	JOHILO	JONAN	JOMAN	JONAN	JOHAN	JOINT,
	andard Features Offered, per port			UEP9D	UEPVF	3.40										
	elect Features Offered, per port			UEP9D	UEPVS	0.00	457.83						40.18	9.45		
	entrex Control Features Offered, per port			UEP9D	UEPVC	3,40										
NARS																
Unbu	indled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00					40.18	9.45		
	indled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00					40.18	9.45		
	indled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00					40.18	9.45		
	us Terminations															
2-Wire Trunk	c Side															
Trunk	k Side Terminations, each			UEP9D	CEND6	12.36										
	al (1.544 Megabits)															
	Circuit Terminations, each			UEP9D	M1HD1	186.23										
DS0 (Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
	•												40.18	9.45		
Interoffice Ch	hannel Mileage - 2-Wire															
	office Channel Facilities Termination			UEP9D	MIGBC	18.00										
Intero	office Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0282										
Feature Activ	vations (DS0) Centrex Loops on Channelized DS1 Service	ce					Î									
	Bank Feature Activations															
Featu	ure Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	<u>. </u>															
Featu	ure Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
Featu	ure Activation on D-4 Channel Bank FX Trunk Side Loop															
Slot				UEP9D	1PQW7	0.65										
Featu	ure Activation on D-4 Channel Bank Centrex Loop Slot -															
Differ	rent Wire Center			UEP9D	1PQWP	0.65										
	ure Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65										
	ure Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
Slot				UEP9D	1PQWQ	0.65										
Featu	ure Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
Non-Recurring	ng Charges (NRC) Associated with UNE-P Centrex															
	Conversion Currently Combined Switch-As-Is with allowed															1
	ges, per port	<u> </u>		UEP9D	USAC2		2.77	0.40					40.18	9.45		<u> </u>
	Centrex Standard Common Block	ļ		UEP9D	M1ACS	0.00	695.11			ļ			40.18	9.45		ļ
	Centrex Customized Common Block	<u> </u>		UEP9D	M1ACC	0.00	695.11						40.18	9.45		<u> </u>
	Establishment Charge, Per Occasion	<u> </u>		UEP9D	URECA	0.00	72.73						40.18	9.45		ļ
	al (1.544 Megabits)	<u> </u>														ļ
	uired Port for Centrex Control in 1AESS, 5ESS & EWSD	1														ļ
	jures Interoffice Channel Mileage	<u> </u>														ļ
Note 3 - Pegi	uires Specific Customer Premises Equipment	1		I							1	Ì		1	l	

UNBU	INDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc			
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	The "7	one" shown in the sections for stand-alone loops or loops as	nort of	0 00ml	ination refers to Co	o aronhicolly											
		www.interconnection.bellsouth.com/become a clec/html/inter				ograpilically	Deaverageu o	NE Zones. 10	view Geograpi	ilically Deaver	aged ONL ZOIN	e Designatio	nis by Cent	ai Office, reit	i to internet	website.	
			connec	uon.nu	III												
OPERA		SUPPORT SYSTEMS		<u> </u>		l			<u> </u>		l					L	<u> </u>
		(1) Electronic Service Order: CLEC should contact its contract															is rate
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill															
		elements that cannot be ordered electronically at present per t				e in this cate	gory reflects th	e charge that	would be billed	I to a CLEC on	ce electronic o	ordering cap	abilities co	me on-line fo	r that elemen	t. Otherwise,	the manual
	orderin	g charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR t	o BellSouth.												
		Manual Service Order Charge, per LSR, Disconnect Only (SC)				SOMAN				1.97							
		Electronic OSS Charge, per LSR, submitted via BST's OSS												_			
1		interactive interfaces (Regional)		1		SOMEC		3.50					1			Ì	
UNBUN	NDLED E	XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP				1											1
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32		15.69				1
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32		15.69				1
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32		15.69				1
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23				15.69				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90				15.69				
		CLEC to CLEC Conversion Charge Without Outside Dispatch			<u> </u>												
		(UVL-SL1)			UEANL	UREWO		15.81	8.96				15.69				
		Engineering Information Document (EI)			UEANL	O.K.E.V.O		13.47	13.47				10.00				
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17			1					
		Order Coordination for Specified Conversion Time for UVL-SL1			0271112	0270		0.11	0			1					
		(per LSR)			UEANL	OCOSL		18.13	18.13								
	2-WIRE	Unbundled COPPER LOOP			OLAIVL	CCCCL		10.13	10.13								-
	Z-VVIIVE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42		15.69				-
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i	2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42	1	15.69				
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i	3		UEQ2X	15.02	36.40	16.10	22.66	4.42	-	15.69				
-		Order Coordination 2 Wire Unbundled Copper Loop - Non-	-	3	UEQ	UEQZX	15.02	30.40	16.10	22.00	4.42	-	13.69				
					UEQ	USBMC		8.17	8.17				15.60				
		Designed (per loop) Engineering Information Document			UEQ	USBIVIC		13.47	13.47				15.69 15.69				
				-		LIDETA											
		Loop Testing - Basic 1st Half Hour		-	UEQ	URET1		34.23	34.23				15.69				
		Loop Testing - Basic Additional Half Hour		-	UEQ	URETA		19.90	19.90				15.69				
		CLEC to CLEC Conversion Charge Without Outside Dispatch			LIEO	LIBEWO		44.00	7.45				45.00				
LINIDUS	IDLES -	(UCL-ND)		1	UEQ	UREWO		14.30	7.45		 	1	15.69		-	 	
ONBON		EXCHANGE ACCESS LOOP	-	1		 			-		1	1	ļ		-	1	
	∠-WIRE	ANALOG VOICE GRADE LOOP				1						1					
1		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		l .	LIEDOD LIEGOS											Ì	
	<u> </u>	Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32		15.69		1		↓
ı	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1 .												Ì	
		Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32		15.69				
1		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1	l	L							1			Ì	
<u></u>	<u> </u>	Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32		15.69				
ı	1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1		l					Ì		1			Ì	
		Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32		15.69				
1		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1									1			Ì	
	ļ	Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32		15.69				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32		15.69				
UNBUN		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			-												
	<u> </u>	Ground Start Signaling - Zone 1	<u></u>	_1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61	<u> </u>	15.69		<u> </u>	<u> </u>	<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
1		Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69			Ì	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	1	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69		l	ĺ	
		Ground Start Signaling - Zone S															

Version 1Q02: 03/22/2002 PAGE 272 OF 352

UNBUND	LED NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	
							·				Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates(\$)	l.	l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				_	Nec	11130	Auu i	11130	Auu i	JONIEC	JONAN	JONAN	JONAN	JOHAN	JOHAN
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61		15.69				
			- ' -	UEA	UEARZ	10.00	105.96	00.43	55.05	10.61		15.69				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				LIEADO	00.40	405.00	00.40	50.05	40.04		45.00				
	Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61		15.69				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44				15.69				
4-W	IRE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
ĺ	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)	†	Ť	UEA	OCOSL		18.13	230	22.20		i				Ì	Ì
	CLEC to CLEC Conversion Charge without outside dispatch	1	1	UEA	UREWO		87.90	36.44				15.69				
2-10/	IRE ISDN DIGITAL GRADE LOOP	1	 	02.1	JILLIVO		57.30	55.44	 		1	10.00			<u> </u>	<u> </u>
2-00	2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61	1	15.69			†	†
		1									-				 	-
	2-Wire ISDN Digital Grade Loop - Zone 2	!	2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61	1	15.69		1	1	1
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.82	44.25				15.69				
2-W	IRE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	1		1	UDC	UDC2X	25.21	117.58	80.03	53.05	10.61		15.69				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	2		2	UDC	UDC2X	32.76	117.58	80.03	53.05	10.61		15.69				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3		3	UDC	UDC2X	37.70	117.58	80.03	53.05	10.61		15.69				
	CLEC to CLEC Conversion Charge without outside dispatch		-	UDC	UREWO	07.70	91.82	44.25	00.00	10.01		15.69				
2-1//	IRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDI	1.00		OKLVVO		31.02	44.20				15.05				
2-44		ATIBLE	LOUI	1												
	2 Wire Unbundled ADSL Loop including manual service inquiry				1141.07	40.40	400.04	70.50	50.07	7.00		45.00				
	& facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93		15.69				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93		15.69				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1	1	1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93	I	15.69		I		
T I	2 Wire Unbundled ADSL Loop without manual service inquiry &				1				i i	· ·						1
	facility reservaton - Zone 2	1	2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93	I	15.69		I		
	2 Wire Unbundled ADSL Loop without manual service inquiry &	†	Ė	† -			00.01	002	33.57		i	.0.00			Ì	Ì
	facility reservaton - Zone 3	1	3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93	I	15.69		I		
	Order Coordination for Specified Conversion Time (per LSR)	 	-	UAL	OCOSL	17.14	18.13	37.02	50.57	1.33	1	13.09		1	1	1
	CLEC to CLEC Conversion Charge without outside dispatch	1	1	UAL	UREWO		86.38	40.48			 	15.69		1	1	}
0.11		TID: F	LOCE	OAL	OKEWO		00.38	40.48	 		-	15.69			 	-
2-W	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LUUP	1	+				 		 			-	1	1
	2 Wire Unbundled HDSL Loop including manual service inquiry	1	١.	l	1, 11, 10, 1				== ==		I	,		I		
	& facility reservation - Zone 1	ļ	1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93	ļ	15.69				
	2 Wire Unbundled HDSL Loop including manual service inquiry	1	1	l	1						I			I		
	& facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93		15.69				
	2 Wire Unbundled HDSL Loop including manual service inquiry										1					
	& facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
1	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	1	1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93	I	15.69		I		
	2 Wire Unbundled HDSL Loop without manual service inquiry	1		1	1						İ			İ	Ì	İ
	and facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93	1	15.69				
	2 Wire Unbundled HDSL Loop without manual service inquiry	t	 	5. IL	CITEZVV	10.32	104.43	00.00	30.37	1.33	 	15.05		 	1	+
	and facility reservation - Zone 3	1	3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93	I	15.69		I		
	janu lacinty reservation - Zone 3	1	3	UHL	UHLZVV	11.40	104.49	06.00	50.37	7.93	l	15.69		ı	1	

Version 1Q02: 03/22/2002 PAGE 273 OF 352

UNBUNDL	ED NETWORK ELEMENTS - South Carolina			· ·		·			·				Attachment:	2	Exhibit: B	
		1									Svc Order	Svc Order	Incremental			Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
													151	Auu i	DISC 1St	DISC Add I
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO	1100	86.32	40.48	11100	Auu	COME	15.69	COMPAR	COMPAN	COMPAN	COMPAN
4 10/15	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDI E I	OOB	OFF	OKLVVO		00.02	40.40				13.03				+
4-771	4 Wire Unbundled HDSL Loop including manual service inquiry	IIDLE	LUUF	-												
					111111 437	40.00	450.40	407.00	55.40	40.00		45.00				
	and facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38		15.69				4
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									1
	4-Wire Unbundled HDSL Loop without manual service inquiry															+
	and facility reservation - Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop without manual service inquiry			OFFE	OTILATIV	10.02	100.14	55.10	00.1Z	10.00		10.00				+
			_	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38		15.69				
	and facility reservation - Zone 2		2	UHL	UHL4VV	14.33	133.14	95.16	55.12	10.38		15.69				4
	4-Wire Unbundled HDSL Loop without manual service inquiry	l	l .	L	1]			1		
	and facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48				15.69				
4-WIF	RE DS1 DIGITAL LOOP															1
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80	11.73		15.69				+
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	136.00	253.03	157.89	44.80	11.73		15.69				+
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	229.15	253.03	157.89	44.80	11.73		15.69				+
			3			229.13		137.09	44.00	11.73		15.69				+
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13				15.69				
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				+
			3	UDL	OCOSL	34.74	18.13	03.12	39.33	14.01		13.09			1	+
	Order Coordination for Specified Conversion Time (per LSR)					00.00		00.40	59.35	14.61		45.00				+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29.93	126.66	89.12				15.69				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61		15.69			1	1
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.34	49.85				15.69				
2-WIF	RE Unbundled COPPER LOOP															
1	2-Wire Unbundled Copper Loop/Short including manual service			İ							i				i e	1
	inquiry & facility reservation - Zone 1	l	1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93	l	15.69		1		
 	2-Wire Unbundled Copper Loop/Short including manual service	 			002.0	12.13	110.01	00.02	55.57	7.33	 	10.00		 	 	+
		l	2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93]	15.69		1		
	inquiry & facility reservation - Zone 2	 	- 2	UUL	UCLPB	13.71	119.91	69.62	50.37	7.93	 	15.69		1	 	+
	2 Wire Unbundled Copper Loop/Short including manual service	l	_	l			,				1			İ		
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93		15.69				1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2-Wire Unbundled Copper Loop/Short without manual service	l									l					
	inquiry and facility reservation - Zone 1	l	1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93		15.69		İ		
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 2	l	2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93		15.69		İ		
	2-Wire Unbundled Copper Loop/Short without manual service	l	<u> </u>	F	1		001	55.55	55.57		1	.0.00		 	1	†
	inquiry and facility reservation - Zone 3	l	3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93		15.69		İ		
		-	3			14.14			50.37	1.93	 	15.69		-	 	+
-	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC		8.17	8.17						1	1	+
I	2-Wire Unbundled Copper Loop/Long - includes manual srvc.	l	l	l	1]			1		
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	38.22	119.91	69.62	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.	l									l					
	inquiry and facility reservation - Zone 2	l	2	UCL	UCL2L	55.33	119.91	69.62	50.37	7.93]	15.69		1		
	2-Wire Unbundled Copper Loop/Long - includes manual svc.									,-	İ					1
	inquiry and facility reservation - Zone 3	l	3	UCL	UCL2L	67.95	119.91	69.62	50.37	7.93]	15.69		1		
	Order Coordination for Unbundled Copper Loops (per loop)	 		UCL	UCLMC	01.93	8.17	8.17	50.51	1.33		15.05			 	+

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec		Nonrecurring					Rates(\$)		
	O.W. and Jack and Jack and Common Long House with a standard common long in					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
.	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	38.22	94.87	56.89	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Long - without manual service			OOL	OOLZVV	30.22	34.07	30.03	30.37	7.95		10.00				
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	55.33	94.87	56.89	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Long - without manual service															
+-	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL2W UCLMC	67.95	94.87 8.17	56.89 8.17	50.37	7.93		15.69				<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch			OCL	UCLIVIC		0.17	0.17								-
	(UCL-Des)			UCL	UREWO		94.87	42.57				15.69				
4-WIR	E COPPER LOOP															ļ
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38		15.69				
- 	4-Wire Copper Loop/Short - including manual service inquiry			UGL	UUL43	19.04	144.17	93.88	55.12	10.38		15.69				
	and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 3		3	UCL UCL	UCL4S UCLMC	19.34	144.17 8.17	93.88 8.17	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop/Short - without manual service inquiry and			UCL	UCLIVIC		8.17	8.17								+
.	facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38		15.69				<u> </u>
.	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)		J	UCL	UCLMC	19.54	8.17	8.17	33.12	10.30		10.00				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	77.29	144.17	93.88	55.12	10.38		15.69				.
.	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	118.78	144.17	93.88	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			OOL	OCL4L	110.70	144.17	95.00	33.12	10.30		10.00				†
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	144.10	144.17	93.88	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4O	77.29	119.44	81.45	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - without manual svc.			UCL	UCL4U	11.29	119.44	61.45	55.12	10.36		15.09				+
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	118.78	119.44	81.45	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL UCL	UCL4O UCLMC	144.10	119.44 8.17	81.45 8.17	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch		1	UUL	UCLIVIC		8.17	8.17	 							+
	(UCL-Des)			UCL	UREWO		94.87	42.57	<u> </u>			15.69				
LOOP MODIFI	CATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		32.46	32.46				15.69				
	Unbundled Loop Modification, Removal of Load Coils - 2 wire			1101 1110	LILMOO		470.00	170.00				45.00				
	greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire			UCL, ULS	ULM2G		170.89	170.89				15.69				
. [less than or equal to 18K ft			UHL, UCL	ULM4L		32.46	32.46	1			15.69				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft Unbundled Loop Modification Removal of Bridged Tap Removal,			UCL UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL,	ULM4G		170.89	170.89				15.69				
	per unbundled loop			USL	ULMBT		32.48	32.48				15.69				ļ
SUB-LOOPS	1	I	1							l	1	l	l	l		1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	I		UEANL	USBSA		241.42	241.42				15.69				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		22.69	22.69				15.69				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		177.84	177.84				15.69				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		55.58	55.58				15.69				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71		15.69				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u>'</u>	Ė													
	Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71		15.69				
	Zone 3	ı	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71		15.69				-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop			UEANL	USBMC		8.17	8.17								
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09		15.69				
	Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09		15.69				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.41	53.13	18.21	45.35	6.71		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71		15.69				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71		15.69				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09		15.69				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF UEF	UCS4X UCS4X	14.17 12.64	79.21 79.21	44.29 44.29	49.82 49.82	9.09 9.09		15.69 15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
Unbun	dled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.17	5.11				15.69				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.17	5.11				15.69				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		278.82	6.13				15.69				
Unbun	nalled Network Terminating Wire (UNTW)		1	OLI	OLIVI II I		210.02	0.13			 	15.09			 	
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20				15.69		İ	1	
Netwo	rk Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79				15.69				
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		64.42	49.53				15.69				
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.92	5.92				15.69				
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.92	5.92				15.69			1	ļ
SUB-LOOPS		<u> </u>	<u> </u>	ļ											-	
Sub-Lo	pop Feeder	 	 	LIEA											!	├
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		241.42					15.69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,								4= 00				
	set-up			UDN,UCL,UDL,UDC			22.69 523.87	22.69				15.69 15.69				
-	USL Feeder DS1 Set-up at DSX location, per DS1 termination Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice			USL	USBFZ		523.87	11.34				15.69			-	
	Grade - Zone 1		1	UEA	USBFA	8.93	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		-	ULA	USBI A	0.53	93.20	30.09	34.00	13.74		15.05				
	Grade - Zone 2		2	UEA	USBFA	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		_	02.1	002.71		00.20	00.00	000			10.00				
	Voice Grade - Zone 3		3	UEA	USBFA	14.74	93.28	56.69	54.68	13.74		15.69				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.13									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFB	8.93	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			l												
	Grade - Zone 2		2	UEA	USBFB	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice			L.E.	LIODED	44	00.00	50.00	54.00	40 = 1		45.00		1	I	
-	Grade - Zone 3		3	UEA	USBFB	14.74	93.28	56.69	54.68	13.74		15.69			-	
	Order Coordination for Specified Time Conversion, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			UEA	OCOSL		18.13									
	Voice Grade - Zone 1		1	UEA	USBFC	8.93	93.28	56.69	54.68	13.74		15.69				
 	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		-	OLA	OODI C	0.33	33.20	30.03	34.00	13.74		15.05				
	Voice Grade - Zone 2		2	UEA	USBFC	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse			027.	002. 0		00.20	00.00	0 1.00			10.00			1	
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	14.74	93.28	56.69	54.68	13.74		15.69				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	21.63	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFD	27.57	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice							=				4= 00				
	Grade - Zone 3		3	UEA	USBFD	26.04	107.91	70.36	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			UEA	OCOSL		18.13									
	Grade - Zone 1		1	UEA	USBFE	21.63	107.91	70.36	62.26	17.52		15.69				
 	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		-	OLA	OODI L	21.03	107.31	70.50	02.20	17.52		15.05				
	Grade - Zone 2		2	UEA	USBFE	27.57	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			02.1	002. 2	2		7 0.00	02.20			10.00			1	
	Grade - Zone 3		3	UEA	USBFE	26.04	107.91	70.36	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	17.05	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	20.92	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	23.49	106.47	68.92	55.81	13.37		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL	47.05	18.13	00.00	55.04	40.07		45.00				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC UDC	USBFS USBFS	17.05 20.92	106.47	68.92 68.92	55.81	13.37		15.69 15.69				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	20.92	106.47 106.47	68.92	55.81 55.81	13.37 13.37		15.69				
	Unbundled Sub-Loop Feeder, 2 Wire ODC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	55.85	100.47	64.64	62.26	17.52		15.69				
-	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	109.16	102.19	64.64	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL	USBFG	203.35	102.19	64.64	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		18.13		320	32					1	
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	5.98	83.97	46.42	53.14	10.69		15.69				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	2		2	UCL	USBFH	4.80	83.97	46.42	53.14	10.69		15.69				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone									<u> </u>						
	3		3	UCL	USBFH	4.59	83.97	46.42	53.14	10.69		15.69				
\vdash	Order Coordination For Specified Conversion Time, per LSR		<u> </u>	UCL	OCOSL		18.13								ļ	
\vdash	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	13.21	101.22	63.67	58.03	13.29		15.69		ļ	-	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL UCL	USBFJ USBFJ	8.28 8.42	101.22 101.22	63.67 63.67	58.03 58.03	13.29 13.29		15.69 15.69		1	!	1
			1 .5	IUUL	USBEJ	8 42	101.22	03.67	1 58.03 I	13.29	1	15.69		1	1	1

ONBONDE	ED NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	1
		1			1						Svc Order	Svc Order		Incremental		Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-	1	Nonrec	urring	Nonrecurring	Disconnect	1		OSS	Rates(\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	 	1	UDL	USBFN	21.02	102.19	64.64	62.26	17.52	JOHLE	15.69	JONAN	JONAN	JOHAN	JONIAN
			2	UDL	USBFN	21.30	102.19	64.64		17.52	1	15.69				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop								62.26		ļ					
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	20.17	102.19	64.64	62.26	17.52	ļ	15.69				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFO	21.02	102.19	64.64	62.26	17.52		15.69				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFO	21.30	102.19	64.64	62.26	17.52		15.69				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFO	20.17	102.19	64.64	62.26	17.52		15.69				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		18.13									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		1						į i							
	Zone 1	1	1	UDL	USBFP	21.02	102.19	64.64	62.26	17.52		15.69		I		1
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	 			30511	21.02	102.13	U-1.U-1	02.20	17.02	 	10.00			<u> </u>	1
	Zone 2	1	2	UDL	USBFP	21.30	102.19	64.64	62.26	17.52		15.69		I		I
		-		UDL	USDEF	∠1.30	102.19	04.04	02.20	17.52	 	10.09			 	-
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			Libi	HODED	00.1-	100 10	04.51	00.00	47		45.00				
	Zone 3	<u> </u>	3	UDL	USBFP	20.17	102.19	64.64	62.26	17.52	ļ	15.69			ļ	
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18.13									
SUB-LOOPS																
Sub-	Loop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	20.44										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	348.12	3,392.00	407.90	160.83	91.17		15.69				
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	20.44										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	369.07	3,392.00	407.90	160.83	91.17		15.69				
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	15.51	.,									
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per			05200	12002	10.01										
	Month			UDLO3	USBF5	56.04										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	565.50	3,392.00	407.90	160.83	91.17	1	15.69				
							3,392.00	407.90	100.03	91.17		15.69				
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	19.08					ļ					
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
	Month			UDL12	USBF6	669.82										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,840.00	3,392.00	407.90	160.83	91.17		15.69				
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	62.60										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
	Month			UDL48	USBF9	326.16										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,560.00	3,578.00	407.90	160.83	91.17		15.69				
	Sub Loop Feeder - OC-12 Interface On OC-48		1	UDL48	USBF8	366.86	789.85	407.90	160.83	91.17		15.69				
UNBUNDI FI	D LOOP CONCENTRATION	1	1			300.00	. 00.00			0	1	.0.00			Ì	1
I	Unbundled Loop Concentration - System A (TR008)	 	I	ULC	UCT8A	318.73	326.13	326.13	 		1	15.69			 	t
 	Unbundled Loop Concentration - System B (TR008)	 	I	ULC	UCT8B	46.69	135.89	135.89	 		1	15.69			 	t
 	Unbundled Loop Concentration - System A (TR303)	 	1	ULC	UCT3A	351.78	326.13	326.13	 		1	15.69	1	1	1	t
		 	1						 		 				 	
	Unbundled Loop Concentration - System B (TR303)	 	1	ULC	UCT3B	78.67	135.89	135.89	10.00		1	15.69			1	
	Unbundled Loop Concentration - DS1 Loop Interface Card	<u> </u>	1	ULC	UCTCO	4.42	63.43	46.18	16.83	4.71	ļ	15.69			ļ	
	Unbundled Loop Concentration - ISDN Loop Interface (Brite					_			1 _ l	_		l				
	Card)		1	UDN	ULCC1	7.02	10.56	10.50	5.41	5.37	1	15.69				
	Unbundled Loop Concentration - UDC Loop Interface (Brite	1												1		
	Card)	<u> </u>	<u></u>	UDC	ULCCU	7.02	10.56	10.50	5.41	5.37	<u> </u>	15.69	<u></u>	<u></u>		
	Unbundled Loop Concentration2 Wire Voice-Loop Start or							-								
	Ground Start Loop Interface (POTS Card)	1		UEA	ULCC2	1.75	10.56	10.50	5.41	5.37		15.69		I		I
T I	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery		1						į i							
	Loop Interface (SPOTS Card)			UEA	ULCCR	10.42	10.56	10.50	5.41	5.37		15.69				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface	1	1			2	. 0.00		5	0.01	1	.0.00			Ì	1
	(Specials Card)	1		UEA	ULCC4	6.22	10.56	10.50	5.41	5.37		15.69		I		I
	Unbundled Loop Concentration - TEST CIRCUIT Card	 	1	ULC	UCTTC	30.38	10.56	10.50	5.41	5.37	1	15.69	1	1	1	t
		 	1	OLO	00110	30.38	10.00	10.30	5.41	5.37	 	15.69			 	
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			LIDI		2.21	10.50	10.50				45.00				
	Interface	-	<u> </u>	UDL	ULCC7	9.21	10.56	10.50	5.41	5.37	1	15.69	1	1	1	-
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop				0.5-				!							
	Interface		1	UDL	ULCC5	9.21	10.56	10.50	5.41	5.37	1	15.69]]		
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop	1]	1]		1
	Interface	1		UDL	ULCC6	9.21	10.56	10.50	5.41	5.37	1	15.69	1	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina					· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			Attachment:	2	Exhibit: B	1
											Svc Order	Svc Order			Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	,	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE OTHER.	PROVISIONING ONLY - NO RATE															
1	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	January and the same and the sa			UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER.	PROVISIONING ONLY - NO RATE				0.120.1											
1	The state of the s															
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			05/1,02/1,0/12,020	O. I.E.O. I	0.00	0.00									
]	rate	1		UEA,UDN,UCL,UDC	USBFO	0.00	0.00]						I	Ì
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	l	t	52. ,0D14,00E,0D0	2351 4	5.50	5.00		 		1			1	—	
1	rate	l		UEA,USL,UCL,UDL	USBFR	0.00	0.00								1	
 	Unbundled DS1 Loop - Superframe Format Option - no rate	1		USL	CCOSF	0.00	0.00		†		1				 	
 	Unbundled DS1 Loop - Expanded Superframe Format option -	1			20001	0.00	0.00		†		1				 	
1	no rate	1		USL	CCOEF	0.00	0.00]						I	Ì
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP			OOL	CCOLI	0.00	0.00									
IIIOII CAI ACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	12.26										
-	High Capacity Unbundled Local Loop - DS3 - Facility	-		ULS	ILSIND	12.20			-			-			-	
	Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77		15.69				
-	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	-		UES	UESFA	300.30	432.32	204.33	119.75	03.11		13.69			-	
	month			UDLSX	1L5ND	12.26						15.69				
	High Capacity Unbundled Local Loop - STS-1 - Facility		-	UDLOX	ILSIND	12.20						13.09				
	Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69				
LOOP MAKE-				UDLSX	UDLST	313.49	452.52	204.53	119.75	83.77		15.69				
LOOP MAKE-	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								
	Loop Makeup - Preordering With Reservation, per spare facility		-	UIVIK	UIVIKLVV		24.04	24.04								
	queried (Manual).			UMK	UMKLP		25.49	25.49								
	Loop MakeupWith or Without Reservation, per working or		-	UIVIK	UIVIKLP		25.49	25.49								
	spare facility queried (Mechanized)			UMK	PSUMK		0.34	0.34								
HICH EBEOU	ENCY SPECTRUM			UIVIK	PSUIVIK		0.34	0.34	-							
	TERS-CENTRAL OFFICE BASED		-													
SPLII			-	ULS	ULSDA	216.22	189.21	0.00	178.38	0.00		15.69				
	Line Sharing Splitter, per System 96 Line Capacity		-		ULSDA					0.00						
	Line Sharing Splitter, per System 24 Line Capacity		-	ULS		54.05 18.02	189.21	0.00	178.38	0.00		15.69				
\vdash	Line Sharing Splitter, Per System, 8 Line Capacity	_ '		ULS	ULSD8	18.02	189.21	0.00	178.38	0.00		15.69			 	
]	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)	1		ULS	ULSDG		86.67		49.95			15.69			I	Ì
END.	deactivation (per LSOD) ISER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	COPPO	TDI 'A		ULODG		70.08		49.95		<u> </u>	10.09			 	
END		SPEC	KUM .		ULSDC	0.61	18.55	10.62	10.04	4.93	<u> </u>	15.69			 	
 	Line Sharing - per Line Activation (BST owned Splitter)	 		ULS	OLODU	0.61	18.55	10.62	10.04	4.93	<u> </u>	15.69			 	
1	Line Sharing - per Subsequent Activity per Line	l		ULS	ULSDS		16.42	0.04				15.69			1	
 	Rearrangement(BST Owned Splitter)	1		ULO	OLODO		16.42	8.21	 		ļ	15.69		-	 	
	Line Sharing - per Subsequent Activity per Line	l	1				40.40	0.04]			45.00		I	I	l
 	Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCS	0.04	16.42 47.44	8.21 19.31	20.67	12.74	<u> </u>	15.69			 	
 	Line Sharing - per Line Activation (DLEC owned Splitter) Line Splitting - per line activation DLEC owned splitter	<u> </u>		ULS UEPSR UEPSB	UREOS	0.61 0.61	47.44	19.31	20.67	12.74	<u> </u>	15.69			 	
 		<u> </u>			UREBP	0.61 0.644	37.09	21.24	20.07	9.85	ļ	45.00		-	 	
 	Line Splitting - per line activation BST owned - physical	<u> </u>		UEPSR UEPSB UEPSR UEPSB	UREBV	0.644					ļ	15.69		-	 	
LINDUNDI 55	Line Splitting - per line activation BST owned - virtual		-	UEFOR UEFOB	OKEBV	0.642	37.09	21.24	20.07	9.85	 	15.69		-	 	
	DEDICATED TRANSPORT			d balanı DC2	manth DCC	CTC 4 favor	-41		 		 			-	 	
	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	milla m	y perio	u - below DS3=0Ne I	montn, DS3/	313-1=TOUR MOI	เนเร		 		<u> </u>	_			 	
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT	1							 		ļ			-	 	1
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1		LIATIV	11.577	0.0407]						I	Ì
 	Per Mile per month	ļ		U1TVX	1L5XX	0.0167					1				1	
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1		1470	114T) (C	2.25									I	Ì
 	Facility Termination per month	<u> </u>		U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91	<u> </u>	15.69		1	-	1
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	l		1470	41.5307	6 6 1 6 7									1	
	Rev Bat Per Mile per month	l	l	U1TVX	1L5XX	0.0167						1		l	1	

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonrec		Nonrecurring					Rates(\$)		
	Later (for Observat De France LT Control Of De De Control					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		1	UTIVA	UTIKZ	24.30	40.03	21.41	10.77	0.91		15.09				
	Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination per month			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91		15.69				
 	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			UTIDA	01105	10.76	40.03	21.41	10.77	0.91		15.09				
	per month			U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.3415										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48		15.69				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		-	וטווטו	UTIFT	77.14	89.47	81.99	16.39	14.48		15.69				
	month			U1TD3	1L5XX	8.02										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			01100	120/01	0.02										
	Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59		15.69				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	8.02										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
1.004	Termination per month L CHANNEL - DEDICATED TRANSPORT		1	U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59		15.69				
	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	a nerio	d - bal	w DS3-one month	DS3/STS-1-f	our months										
INOTE	Local Channel - Dedicated - 2-Wire Voice Grade Per Month	g perio	u - bei	ULDVX	ULDV2	15.33	193.53	33.24	36.72	3.21		15.69				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per								****							
	month			ULDVX	ULDR2	15.33	193.53	33.24	36.72	3.21		15.69				
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	16.54	193.97	33.68	37.19	3.68		15.69				
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	42.62	177.87	154.06	22.24	15.30		15.69				
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	70.32	177.87	154.06	22.24	15.30		15.69				
	Local Channel - Dedicated - DS1 per month - Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month		3	ULDD1 ULDD3	ULDF1 1L5NC	190.68 11.93	177.87	154.06	22.24	15.30		15.69				
	Interoffice Channel - Dedicated Transport - DS3 - Facility			ULDD3	ILSING	11.93										
	Termination per month			U1TD3	U1TF3	446.00	452.52	264.53	119.75	83.77		15.69				
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	11.93										
	Local Channel - Dedicated - STS-1 - Facility Termination per															
	month			ULDS1	ULDFS	435.10	452.52	264.53	119.75	83.77		15.69				
MULTIPLEXE			1	I DOTTE A	1101		0.1.0.1					1= 00				
 	Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1	UXTD1	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	month (2.4-64kbs)			UDL	1D1DD	1.19	6.59	4.73				15.69				
 	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		1	UDL	וטוטט	1.19	0.59	4.73	 			13.09				
	month			UDN	UC1CA	2.56	6.59	4.73				15.69				
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.56	6.59	4.73				15.69				
	DS3 to DS1 Channel System per month			UXTD3	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
	STS1 to DS1 Channel System per month			UXTS1	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
 	DS3 Interface Unit (DS1 COCI) used with Loop per month		1	USL	UC1D1	8.64	6.59	4.73				15.69				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	8.64	6.59	4.73				15.69				
 	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel		<u> </u>	OLDUI	וטוטט	8.04	90.09	4.73	+			15.09			 	
	per month			U1TD1	UC1D1	8.64	6.59	4.73				15.69				
DARK FIBER	por				30151	5.54	0.00	7.73				10.00				
[Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
\Box	Thereof per month - Local Channel			UDF	1L5DC	97.65			<u> </u>							
	NRC Dark Fiber - Local Channel			UDF	UDFC4		640.51	138.17	317.76	198.11		15.69				

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina					1						,	Attachment:		Exhibit: B	1
		1	1]							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (.,			per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1			 				Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates(\$)	1	1
					+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Deal. Files. Faus Files Otropede Des Deute Mile es Frantise		 		_	Rec	FIISL	Auu i	FIISL	Auu i	SOMEC	SUMAN	SUMAN	SUMAN	SOWAN	SUMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE	41.505	00.44										
	Thereof per month - Interoffice Channel			UDF	1L5DF	36.41	0.10 = 1	100.15	0.17.70			4= 00				
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		640.51	138.17	317.76	198.11		15.69				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	97.65										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		640.51	138.17	317.76	198.11		15.69				
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006673										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		2.59	0.44				15.69				
İ	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															1
	POTS Translations		1	OHD	1		5.95	0.81	4.58	0.54		15.69		1		
	8XX Access Ten Digit Screening, Per 8XX No. Established With	1	1		+		0.00	0.01		0.04	 	.0.00				1
	POTS Translations	1	1	OHD	N8FTX		5.95	0.81	4.58	0.54		15.69		İ		
		1	1	טווט	1101 17		ა.შე	0.01	4.50	0.34	 	15.09		 	1	1
	8XX Access Ten Digit Screening, Customized Area of Service	1	1	OHD	N8FCX		0.50	4.00				45.00		İ		
	Per 8XX Number	1	1	OHD	N8FCX		2.59	1.30	 		1	15.69		1	1	1
	8XX Access Ten Digit Screening, Multiple InterLATA CXR	1	1											İ		
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.03	1.74				15.69				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.03	0.44				15.69				
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		2.59	2.59				15.69				
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery			OHD		0.0006673										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.0006673										
LINE INFORM	IATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000246										
	LIDB Validation Per Query			OQU		0.0138158			+		1					
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0.0100100	34.40		42.18			15.69				
SIGNALING (001,000	IVINI DX		34.40		72.10		1	15.05				
SIGNALING (CCS7 Signaling Connection, Per 56 Kbps Facility		 	UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
							33.01	33.61	10.40	10.40						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49					ļ					
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000692										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48		15.69				
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48		15.69				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37		_								
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected	1	1	UDB	CCAPO		29.08	29.08	35.65	35.65		15.69		İ		
1	CCS7 Signaling Point Code, per Destination Point Code	†	t	1						22.30	1			1	Ì	1
	Establishment or Change, Per Stp Affected	1	1	UDB	CCAPD		29.08	29.08	35.65	35.65		15.69		İ		
E911 SERVIC		 	!	1000	00,40		23.00	23.00	33.03	55.05	1	13.03		 	 	
LJII JERVIC	Local Channel - Dedicated - 2-wr Voice Grade	 	 	 	+	15.33	193.53	33.24	36.72	3.21	1	15.69		1	1	1
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	1	 	-	+	0.0167	193.33	33.24	30.12	3.21	 	15.69			 	1
		1	1	 	+	0.0167			 		1			 	1	
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	1	1	İ								,		İ		
	Termination	<u> </u>	<u> </u>			24.30	40.63	27.47	16.77	6.91	ļ	15.69			ļ	
	Local Channel - Dedicated - DS1 - Zone 1	ļ	1			42.62	177.87	154.06	22.24	15.30		15.69				ļ
	Local Channel - Dedicated - DS1 - Zone 2	<u> </u>	<u> </u>	ļ		70.32	177.87	154.06	22.24	15.30		15.69				ļ
	Local Channel - Dedicated - DS1 - Zone 3					190.68	177.87	154.06	22.24	15.30		15.69				
	Interoffice Transport - Dedicated - DS1 Per Mile					0.3415										
								-					-			
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		1	1	1	77.14	89.47	81.99	16.39	14.48		15.69		1		
CALLING NAI	ME (CNAM) SERVICE															
	CNAM For DB Owners - Service Establishment	1	1	OQV	1		23.00	23.00	21.15	21.15	1	15.69		İ	Ì	i e
	CNAM For Non DB Owners - Service Establishment	†	t	OQV			23.00	23.00	21.15	21.15	1	15.69		1	Ì	1
	CNAM For DB Owners - Service Provisioning With Point Code	1	1	 	+		20.00	20.50		210	1	.0.00		 	1	1
	Establishment	1	1	oqv			993.09	734.47	269.53	198.18		15.69		İ		
	CNAM For Non DB Owners - Service Provisioning With Point	1	1	041	+		333.09	134.41	209.55	130.10	1	15.09		1	†	1
	DARBOLL OF INOU LIP CAMPES - DEFVICE PROVISIONING WITH POINT	1	Ì	I	1						1				1	1
	Code Establishment			OQV			343.09	245.69	275.87	198.18		15.69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM for Non DB Owners, Per Query			OQV		0.0010433										
	CNAM (Non-Databs Owner), NRC, applies when using the															
	Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00				15.69				
LNP Query Ser						0.0000007										_
	LNP Charge Per query LNP Service Establishment Manual				-	0.0008837	25.09	25.09	23.07	23.07		15.69				
	LNP Service Establishment Manual LNP Service Provisioning with Point Code Establishment						594.82	303.88	269.53	198.18	1	15.69				
OPERATOR CA	ALL PROCESSING				1		394.02	303.00	209.55	190.10		15.05				
OI EKATOK OZ	Oper. Call Processing - Oper. Provided, Per Min Using BST															
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using					20										
1 1	Foreign LIDB					1.24								1	1	
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB		L	<u> </u>		0.20			<u> </u>		<u></u>	<u> </u>		<u> </u>	<u> </u>	
	Oper. Call Processing - Fully Automated, per Call - Using	•														
	Foreign LIDB					0.20										
INWARD OPER	ATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Minute					1.15										
BRANDING - O	PERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.69				ļ
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				15.69				ļ
	ding via OLNS for UNEP CLEC						4 000 00	4 000 00				45.00				
	Loading of OA per OCN (Regional) SSISTANCE SERVICES				-		1,200.00	1,200.00				15.69				
	FORY ASSISTANCE ACCESS SERVICE				-											-
DIKEC	Directory Assistance Access Service Calls, Charge Per Call					0.275					1	-				
DIRECT	FORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	ACC)				0.273					1					-
DIREC	Directory Assistance Call Completion Access Service (DACC),	ACC)														
	Per Call Attempt					0.10										
DIRECT	TORY TRANSPORT					0.10										
	SSISTANCE SERVICES															
	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
BRANDING - D	IRECTORY ASSISTANCE															
Facility	Based CLEC															
	Recording and Provisioning of DA Custom Branded]	
<u> </u>	Announcement			AMT	CBADA		6,000.00	6,000.00								<u> </u>
	Loading of Custom Branded Announcement per DRAM				00450		4 4=0 00	4							1	
LINES (Card/Switch			AMT	CBADC		1,170.00	1,170.00			ļ			ļ	 	
UNEP (Recording of DA Custom Branded Announcement		<u> </u>		1		3.000.00	3.000.00	1		ļ			 	 	├
 			-		+		3,000.00	3,000.00	 		 	-		 	 	1
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00						1	1	
Hinhran	Iding via OLNS for UNEP CLEC				1		1,170.00	1,170.00	1		 			1	1	1
Clibial	Loading of DA per OCN (1 OCN per Order)				+		420.00	420.00						 	<u> </u>	
	Loading of DA per Switch per OCN				1		16.00	16.00								
SELECTIVE RO							. 5.00									
1	Selective Routing Per Unique Line Class Code Per Request Per				Ì				1					İ	1	
	Switch				USRCR		84.89	84.89	14.14	14.14		15.69		1	1	
VIRTUAL COLI									1							
	Virtual Collocation - Application Cost			AMTFS	EAF		1,207.95	1,207.95	0.51	0.51						
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		794.22	794.22	22.54	22.54						
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.95		· · · · · · · · · · · · · · · · · · ·								
	Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	9.19		-								
	Virtual Collocation - Cable Support Structure, per entrance]	
1	cable		<u>L</u>	AMTFS	ESPSX	18.66					<u> </u>					

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45						+
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74						
	()			AMTFS,UDL12,		0.000.									1	1
	Virtual Collocation - 2-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2.86	20.94	15.23	7.40	5.93						
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.71	25.61	19.90	9.73	8.26						
				USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,												
	Virtual collocation - DS1 Cross Connects			UNLD1	CNC1X	1.12	22.08	15.96	6.42	5.80						
				USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,												
	Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	14.21	20.94	15.23	7.39	5.93						
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0022										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0033										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		536.56									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		536.56									
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16.96	10.75							1	ļ
	Virtual collocation - Security Escort - Overtime, per half hour	 		AMTES	SPTOX		22.10	13.89	1						1	+
	Virtual collocation - Security Escort - Premium, per half hour Virtual collocation - Maintenance in CO - Basic, per half hour	ļ		AMTFS AMTFS	SPTPX CTRLX		27.23 27.99	17.02 10.75	-						 	+
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	SPTOM		36.56	13.89								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.12	17.02								
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina			1	1	1						-	Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
	Vistoral Callegation A Wise Conse Comment. Fundament Post A Wise					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	1.12	22.08	15.96	6.42	5.80		15.69				
VIRTUAL COL				ULFLX	VL IIV4	1.12	22.00	13.30	0.42	3.00		13.03			1	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR, UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45		15.69				
AIN SELECTIV	/E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85		15.69				
	End Office Establishment			SRC	SRCEO		175.66	175.66	1.70	1.70		15.69				
	Query NRC, per query			SRC		0.0035036										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		39.53	39.53	40.78	40.78		15.69				
	AIN SMS Access Service - Port Connection - Dial/Shared Access		1	A1N	CAMDP	1	7.85	7.85	9.11	9.11		15.69				
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access		1	A1N	CAM1P		7.85	7.85	9.11	9.11		15.69			+	+
- 	AIN SMS Access Service - Port Conflection - ISBN Access AIN SMS Access Service - User Identification Codes - Per User		1	AIIN	CAWITE		1.00	1.00	5.11	3.11		13.09			 	†
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU		35.08	35.08	27.12	27.12		15.69				
	Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74		15.69				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			7.111	O7 UVII (O	0.0027	41.00	41.00	111.74	11.7-4		10.00				
	AIN SMS Access Service - Session, Per Minute					0.7121										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8364										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.53	39.53 4,211.54	40.78	40.78		15.69				
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVX		4,211.54	4,211.54	0.00	0.00		15.69				
	DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				2,		7.00	7.00	0	0		10.00				
	DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11		15.69				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		34.54	34.54	14.39	14.39		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		34.54	34.54	14.39	14.39		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		34.54	34.54	14.39	14.39		15.69				
	AIN Toolkit Service - Query Charge, Per Query					0.0558238										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.000004.4										
	Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.0069214										
	Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	11.87	7.85	7.85	5.52	5.52		15.69				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	3.51	8.68	8.68			<u> </u>	15.69				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	8.48	7.85	7.85	5.52	5.52		15.69	-			
	AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription			CAM	BAPES	0.12	8.68	8.68				15.69				
	XTENDED LINK (EELs)			-												1
	New EELs available in GA, TN, KY, LA, MS, & SC and density															
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-															
NOTE:	In all states, EEL network elements shown below also apply t	o curre	ntly co	mbined facilities wi	hich are conv	erted to UNE ra	tes. A Switch	As Is Charge a	pplies to currer	ntly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	.)
NOTE:	In GA, TN, KY, LA, MS & SC the EEL network elements apply E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	to ordi	narily c	ombined network e	lements.(No	Switch As Is Ch	arge.)								-	↓
2-WIR	E VOIGE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EKUFF	ICE IK	ANSPURI (EEL)	1	1			l l		1	l		i .	ı	ь

UNBUNDLE	D NETWORK ELEMENTS - South Carolina			T								T -	Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urrina	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69			1	<u> </u>
	Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
	Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	TESKK	0.21										
	Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	DS1 Channelization System Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNCVX	1D1VG	0.56	6.59	4.73				15.69				_
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		<u> </u>	0.1017.	027122	10.00	100.00	00.10	00.00	10.01		10.00				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		_	1 15 10 10 1		00.40	405.00	00.40	50.05	10.01		45.00				
	Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	per month			UNCVX	1D1VG	0.56	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	EROFF	ICE IN	ANSPORT (EEL)											-	
	Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	ONOVA	OLAL+	43.30	132.30	94.03	39.33	14.01		15.05				
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
-	Voice Grade COCI - DS1 to DS0 Channel System combination -			ONOTA	IVIQI	107.57	31.24	02.71	10.30	3.01		15.05				-
	per month			UNCVX	1D1VG	0.56	6.59	4.73				15.69				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	Additional 4-Wire Analog Voice Grade Loop in same DS1		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Interoffice Transport Combination - Zone 3 Nonrecurring Currently Combined Network Elements Switch -As-		3			43.38				-						
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	OFFICE	TRANSPORT (EEL)											-	
	Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	1	15.69				
	Per Month			UNC1X	1L5XX	0.2732										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month		<u> </u>	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69			L	<u> </u>

ONBONDLE	D NETWORK ELEMENTS - South Carolina			1	1						_		Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
	loou pp cool (L.) Pour pos di					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDA	טטוטו	1.19	0.59	4.73			-	15.69				+
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			0.105/	02200	20.00	120.00	00.12	00.00			10.00				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WID	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	FEICE				5.61	5.61	7.00	7.00	-	15.69				+
7-8811	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice). I IOL		'											
] [Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 = 3.07											
	Per Month			UNC1X	1L5XX	0.2732										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination Per			UNCIX	01111	01.71	09.47	01.55	10.39	14.40		15.09				
	Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System			0.10.17		107.01	0	02.7.1	10.00	0.01		10.00				
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		_		l											
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDA	UDL04	34.74	120.00	09.12	39.33	14.01		15.09				
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1027	10.00		0.00	0	†			10.00				
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CE TR	ANSPORT (EEL)												
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		_	LINICAY	LICLYY	455.40	252.02	457.00	44.00	44.70		45.00				
	Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	Transport - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-	ONOTA	COLXX	201.00	200.00	107.00	44.00	11.70		10.00				
	Per Month			UNC1X	1L5XX	0.2732										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-															
L	Is Charge		<u> </u>	UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR	ANSPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
 	First DS1Loop in DS3 Interoffice Transport Combination - Zone		+-	ONCIA	USLAA	90.87	253.03	157.89	44.80	11./3		15.09			 	
] [2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone	1			30200	100.40	200.00	107.00	77.50	11.75		10.00			1	
] [3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile									-						
1 1	Per Month			UNC3X	1L5XX	6.42										

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		15.69				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73	00.00	01.00		15.69				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		_	0.10.71	002,01	100.10	200.00	101.00	11100			10.00				
	Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-		1	LINGSV	LINICCO		501	F.C.	7.00	7.00		45.00				
2-14/100	Is Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EBUE	ICE TO	UNC3X	UNCCC	-	5.61	5.61	7.00	7.00		15.69			-	
Z-VVIKE	2-WireVG Loop used with 2-wire VG Interoffice Transport	LNOFF	102 11	AMOFORT (EEL)	+	ł										
	Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade				1											
	combination - Facility Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIRE	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	FROFE	ICF TE		UNCCC		3.01	3.01	7.00	7.00		13.09				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		<u> </u>			İ										
	Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
+	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per		3	UNCVA	UEAL4	43.30	132.30	94.03	59.55	14.01		15.69				
	Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	01114	17.05	40.03	21.41	10.77	0.51		15.05				
	Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
DS3 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR	T (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	12.26										
	High Capacity Unbundled Local Loop - DS3 combination -			LINGOV	LIEOEV	600.05	/== ==					/= ac				
	Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X UNC3X	UE3PX 1L5XX	306.36 6.42	452.52	264.53	119.75	83.77		15.69				
+	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	ILSXX	6.42									1	
	Termination per per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69	<u> </u>			
STS1 F	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	ZANSP		UNCCC	+	5.01	5.01	7.00	7.00		13.09			 	
0.012	High Capacity Unbundled Local Loop - STS1 combination - Per			i ,												
	Mile per month High Capacity Unbundled Local Loop - STS1 combination -			UNCSX	1L5ND	12.26										
	Facility Termination per month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS1 combination - Facility	_	1						1		1					1

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			LINICOV	LINICCO		F C4	F C4	7.00	7.00		45.00				
2-WID	Is Charge E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T /FFI	·	UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
2-1111	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1													
	Transport - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination								00.00							
	Transport - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.2732										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination -			UNCIX	UIIFI	01.71	09.47	01.99	10.39	14.40	1	15.69				-
	per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		1	0.10171		101.01	01.21	02	10.00	0.01		10.00				
	combination - per month			UNCNX	UC1CA	2.56	6.59	4.73				15.69				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	UNCINA	UILZA	31.10	117.30	60.03	55.05	10.01	1	15.69				-
	combintaion- per month			UNCNX	UC1CA	2.56	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10.01	00.07	2.00	0.00	0				10.00				
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	First DS1 Loop in STS1 Interoffice Transport Combination -		2	LINIOAV	1101.307	455.40	050.00	457.00	44.00	44.70		45.00				
-	Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile		Ŭ	CHOTA	OOLSOC	201.00	200.00	107.00	44.00	11.70		10.00				
	Per Month			UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59		15.69				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	Additional DS1Loop in STS1 Interoffice Transport Combination -		1	LINICAV	LICLYY	00.07	252.02	457.00	44.00	44.70		45.00				
 	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -		-	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69			1	
] [Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
 	Additional DS1Loop in STS1 Interoffice Transport Combination -		-	551/	332,00	100.40	200.00	107.09	77.00	11.75		10.00				
] [Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		<u> </u>	UNCSX	UNCCC		5.61	5.61	7.00	7.00	ļ	15.69				
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	KANS	POR F (EEL)	1										1	
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
 	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	<u> </u>	+-	OINCDA	UDLOB	29.93	1∠0.06	89.12	59.35	14.61	1	15.09			1	
1 1	Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
 	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport				32230	55.53	120.00	00.12	55.55	14.01		10.00			1	
	Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -									-						
	Per Mile			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -													<u> </u>		
	Facility Termination			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91		15.69				

UNBUND	LED	NETWORK ELEMENTS - South Carolina	•		_	-		-						Attachment:	2	Exhibit: B	
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonrec		Nonrecurring					Rates(\$)		
-		Nonrecurring Currently Combined Network Elements Switch -As-					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-V		64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS		0.1000		0.01	0.01	1.00	1.00		10.00				
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
		Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
-		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			UNCDA	ODE04	33.99	120.00	09.12	39.33	14.01		13.09				
		Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	_	Per Mile			UNCDX	1L5XX	0.0134										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	OTTE	13.41	40.03	21.41	10.77	0.31		10.00				
	ı	Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
		ETWORK ELEMENTS															
		sed as a part of a currently combined facility, the non-recurr															
		sed as ordinarilty combined network elements in Georgia, the synchroNet)	e non-r	ecurrir	ng charges apply ar	nd the Switch	As is Charge d	oes not.									
		urring Currently Combined Network Elements "Switch As Is"	Chargo	(Ono	annlies to each com	hination)				-							
INO		Nonrecurring Currently Combined Network Elements Switch -As-	Charge	Cone	applies to each con												
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge - 56/64 kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-						= 0.1	= 0.1		=						
-		Is Charge - DS1 Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Is Charge - DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-			ONCOX	CITOCO		0.01	0.01	7.00	7.00		10.00				
	ı	ls Charge - STS1			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
NO		ocal Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3			r months										
		Local Channel - Dedicated - 2-Wire Voice Grade per month			UNCXV	ULDV2	15.33	193.53	33.24	36.72	3.21		15.69				
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCXV	ULDV4	16.54	193.97	33.68	37.19	3.68		15.69				
		Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	42.62	177.87	154.06	22.24	15.30		15.69				
		Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	70.32	177.87	154.06	22.24	15.30		15.69				
		Local Channel - Dedicated - DS1- Per Month Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month		3	UNC1X UNC3X	ULDF1 1L5NC	190.68 11.93	177.87	154.06	22.24	15.30		15.69			-	
\vdash		Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per		1	OINCOA	ILDING	11.93										
		month			UNC3X	ULDF3	446.00	452.52	264.53	119.75	83.77		15.69				
	ı	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	11.93										
	l	Local Channel - Dedicated - STS-1 - Facility Termination per															
<u></u>		month		<u> </u>	UNCSX	ULDFS	435.10	452.52	264.53	119.75	83.77		15.69				Ļ
		OCAL EXCHANGE SWITCHING(PORTS)		<u> </u>	1												
		ge Ports Although the Port Rate includes all available features in GA, l	(V I A	9 TNI 4	he desired feetures	will need to	o ordered	a rotail LICOS									
		NITION NEED AND LINE PORT RATES (RES)	ΛT, LA	οι IN, t	ire desired reatures	will need to I	je oraerea usin	ig retail USUCS	•	1							
2-4		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33		15.69				
		<u> </u>															
	E	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33		15.69				
													,				
\vdash		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		<u> </u>	UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33		15.69				-
		Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33		15.69				
\vdash		Exchange Ports - 2-Wire VG unbundled South Carolina Area		!	OLFOR	ULFAU	1.05	2.38	2.28	1.42	1.33		15.69				
		Calling port with Caller ID - Res (LW8)			UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33		15.69				
	I	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	١	with Caller ID (LUM)			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33		15.69				
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				15.69		ļ	ļ	ļ
FE	ATUR	KES	<u> </u>		1	1						l .			ļ]	l

Version 1Q02: 03/22/2002 PAGE 289 OF 352

NDUNDLE	D NETWORK ELEMENTS - South Carolina			П	1								Attachment:		Exhibit: B	+
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Charge -
													1st	Add'l	Disc 1st	Disc Add
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00				15.69				1
2-WIRE	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33		15.69				
	unbundled port with Caller+E-404 ID - Bus.			OLI OD	OLI DO	1.03	2.50	2.20	1.42	1.55		13.03				+
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled SC extended local			UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33		15.69				
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33		15.69				
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire VG unbundled South Carolina Bus Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33		15.69				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	1.72	1.33		15.69			<u> </u>	+
FEATU					33.30	0.00	0.00	0.00				10.00			1	
	All Available Vertical Features			UEPSB	UEPVF	3.04	0.00	0.00				15.69				
	All Available Vertical Features				UEPVF	3.04	0.00	0.00				15.69				1
EXCHA	ANGE PORT RATES (DID & PBX)															1
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90		15.69				+
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP UEPSP	UEPXB UEPXC	1.65 1.65	31.34 31.34	14.88 14.88	13.97 13.97	0.90 0.90		15.69 15.69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90		15.69				+
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			ULFSF	OLFAD	1.05	31.34	14.00	13.31	0.90		13.09				
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90		15.69				
	Administrative Calling Port			UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
	Calling Port			UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90		15.69				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				15.69				
FEATU				HEDOD HEDOE	LIEDVE	2.04	0.00	0.00				45.00				
EVCU	All Available Vertical Features ANGE PORT RATES (COIN)			UEPSP UEPSE	UEPVF	3.04	0.00	0.00				15.69				
EXCH	Exchange Ports - Coin Port				_	1.65	2.38	2.28	1.42	1.33		15.69				+
Local	Switching Features offered with Port					1.00	2.30	2.20	1.42	1.33		15.69				
	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to o	ircuit switche	d voice and/or	circuit switche	d data transn	nission by B-Ch	annels associ	iated with 2	wire ISDN n	orts.			
	Access to B Channel or D Channel Packet capabilities will be													Request Pro	ocess.	
	Exchange port - 4-wire ISDN trunk port -all available features included			, g	UEPEX	107.44	204.27	101.78	79.35	20.10		15.69		, , , , , , , , , , , , , , , , , , , ,		
BUNDI FD I	LOCAL EXCHANGE SWITCHING(PORTS)				OLI LA	107.44	204.21	101.76	19.55	20.10		10.09			1	
	ANGE PORT RATES (DID & PBX)				1											
20.0.0	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77		15.69				†
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID				1 -	2.20			22.20							†
	capability			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47		15.69				
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76		15.69				
	All Features Offered			UEPTX UEPSX	UEPVF	3.04	0.00	0.00								
	Transmission/usage charges associated with POTS circuit sv															

Version 1Q02: 03/22/2002 PAGE 290 OF 352

LONDOND	DLED	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
	Ŧ											Svc Order		Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Ì			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
Ì														1st	Add'I	Disc 1st	Disc Add'l
İ														151	Auu	DISC 1St	DISC Add I
								Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10		15.69				
		OCAL SWITCHING, PORT USAGE															
End		ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0010519										
		End Office Trunk Port - Shared, Per MOU					0.0002136										
Ian		Switching (Port Usage) (Local or Access Tandem)					0.0004004										
		Tandem Switching Function Per MOU					0.0001634										
0		Tandem Trunk Port - Shared, Per MOU					0.0002863										
Con		n Transport Common Transport - Per Mile, Per MOU	 			+	0.0000045			-	-				-	-	-
		Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU				-	0.0000045										
IINRIINDI F	ED P	ORT/LOOP COMBINATIONS - COST BASED RATES	1			+	0.0004095					-			1	1	
		used Rates are applied where BellSouth is required by FCC a	nd/or St	ate Co	l mmission rule to nr	ovide Unbun	dled Local Swi	ching or Swite	h Ports								
		s shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate F	xhihit			 		
Fnc	d Offi	ice and Tandem Switching Usage and Common Transport II	sane rat	es in th	ne Port section of th	is rate exhibi	it shall annly to	all combination	one of loon/no	rt network ele	ments excent	or UNE Coi	n Port/Loon	Combination	18		
For	r Geo	ice and Tandem Switching Usage and Common Transport Uprgia, Kentucky, Louisiana, MIssissippi, South Carolina and	Tenness	see. the	recurring UNE Port	t and Loop c	harges listed at	ply to Current	ly Combined a	and Not Currer	tly Combined	Combos. T	he first and	additional Po	ort nonrecurri	ng charges a	pply to Not
		ly Combined Combos for all states. In GA, KY, LA, MS, SC at															
		rently Combined Combos in all other states, the nonrecurrin								and no most	nomeounng	onarges are	market rut	co ana are an	oo noted in th	e marnet reac	. scotton.
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	Jonany	00 0110	ii be those identine	I III the Home	l duning duni	only combine	u 500010115.	l	l	I				l	I
		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNF	IE Lo	op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13.76										
	:	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.38										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	26.04										
2-W	Nire V	/oice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.13	37.93	16.72				15.69				
		O.M.C															
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.13	37.93	16.72				15.69				
i I		2-Wire voice unbundled port outgoing only - res			UEPRX UEPRX	UEPRC UEPRO	1.13 1.13	37.93 37.93	16.72 16.72								
		2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local			UEPRX	UEPRO	1.13	37.93	16.72				15.69 15.69				
	2	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res											15.69				
	:	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with			UEPRX UEPRX	UEPAU	1.13	37.93 37.93	16.72 16.72				15.69 15.69 15.69				
	:	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8)			UEPRX	UEPRO	1.13	37.93	16.72				15.69 15.69				
	:	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID			UEPRX UEPRX UEPRX	UEPAU UEPAJ	1.13 1.13 1.13	37.93 37.93 37.93	16.72 16.72				15.69 15.69 15.69				
	:	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX UEPRX	UEPAU	1.13	37.93 37.93	16.72 16.72				15.69 15.69 15.69				
FEA	ATUR	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES			UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP	1.13 1.13 1.13 1.13	37.93 37.93 37.93 37.93	16.72 16.72 16.72 16.72				15.69 15.69 15.69 15.69				
	ATUR	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered			UEPRX UEPRX UEPRX	UEPAU UEPAJ	1.13 1.13 1.13	37.93 37.93 37.93	16.72 16.72				15.69 15.69 15.69				
	ATUR DCAL	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPVF	1.13 1.13 1.13 1.13 3.04	37.93 37.93 37.93 37.93	16.72 16.72 16.72 16.72				15.69 15.69 15.69 15.69				
LOC	:ATUR	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP	1.13 1.13 1.13 1.13	37.93 37.93 37.93 37.93	16.72 16.72 16.72 16.72				15.69 15.69 15.69 15.69				
LOC	ATUR DCAL	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPVF	1.13 1.13 1.13 1.13 3.04	37.93 37.93 37.93 37.93	16.72 16.72 16.72 16.72				15.69 15.69 15.69 15.69				
LOC	ATUR DCAL	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPAP UEPYF	1.13 1.13 1.13 1.13 3.04	37.93 37.93 37.93 37.93 0.00	16.72 16.72 16.72 16.72 0.00				15.69 15.69 15.69 15.69 15.69				
LOC	EATUR DCAL	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPVF	1.13 1.13 1.13 1.13 3.04	37.93 37.93 37.93 37.93	16.72 16.72 16.72 16.72				15.69 15.69 15.69 15.69				
LOC	EATUR DCAL	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPVF LNPCX USAC2	1.13 1.13 1.13 1.13 3.04	37.93 37.93 37.93 37.93 0.00	16.72 16.72 16.72 16.72 0.00				15.69 15.69 15.69 15.69 15.69 15.69				
LOC	EATUR DCAL	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch vith change			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPAP UEPYF	1.13 1.13 1.13 1.13 3.04	37.93 37.93 37.93 37.93 0.00	16.72 16.72 16.72 16.72 0.00				15.69 15.69 15.69 15.69 15.69				
LOC	EATUR DCAL DDNREG	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPVF LNPCX USAC2	1.13 1.13 1.13 1.13 3.04	37.93 37.93 37.93 37.93 0.00	16.72 16.72 16.72 16.72 0.00				15.69 15.69 15.69 15.69 15.69 15.69				
LOC	EATUR DCAL DDNREG	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundled south Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPVF LNPCX USAC2	1.13 1.13 1.13 1.13 3.04 0.35	37.93 37.93 37.93 37.93 0.00	16.72 16.72 16.72 16.72 0.00				15.69 15.69 15.69 15.69 15.69 15.69 15.69				
LOC NON ADD	ATUR DCAL DNREG	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPVF LNPCX USAC2	1.13 1.13 1.13 1.13 3.04	37.93 37.93 37.93 37.93 0.00	16.72 16.72 16.72 16.72 0.00				15.69 15.69 15.69 15.69 15.69 15.69				
NON ADE	ATURE A STATE OF THE STATE OF T	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) Current Grade Loop / Line Port Combination - Conversion - Switch -as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPVF LNPCX USAC2	1.13 1.13 1.13 1.13 3.04 0.35	37.93 37.93 37.93 37.93 0.00	16.72 16.72 16.72 16.72 0.00				15.69 15.69 15.69 15.69 15.69 15.69 15.69				
NON ADE	DDITIC	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) rt/Loop Combination Rates		1	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPVF LNPCX USAC2	1.13 1.13 1.13 1.13 3.04 0.35	37.93 37.93 37.93 37.93 0.00	16.72 16.72 16.72 16.72 0.00				15.69 15.69 15.69 15.69 15.69 15.69 15.69				
NON ADE	DDITIC	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) **TULoop Combination Rates 2-Wire Volcopor Combination Rates 2-Wire Volcopor Combination Rates			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPVF LNPCX USAC2	1.13 1.13 1.13 1.13 3.04 0.35	37.93 37.93 37.93 37.93 0.00	16.72 16.72 16.72 16.72 0.00				15.69 15.69 15.69 15.69 15.69 15.69 15.69				
NON ADE	CAL III	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2 3 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPVF LNPCX USAC2	1.13 1.13 1.13 1.13 3.04 0.35 0.00	37.93 37.93 37.93 37.93 0.00	16.72 16.72 16.72 16.72 0.00				15.69 15.69 15.69 15.69 15.69 15.69 15.69				
ADD	ATURATURAL ATURA ATURAL ATURA ATUR	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPVF LNPCX USAC2	1.13 1.13 1.13 1.13 3.04 0.35	37.93 37.93 37.93 37.93 0.00	16.72 16.72 16.72 16.72 0.00				15.69 15.69 15.69 15.69 15.69 15.69 15.69				
ADD	ATURNE IE POOLITIC	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundled south Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) **TULOOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPVF LNPCX USAC2 USAC2 USAS2	1.13 1.13 1.13 1.13 3.04 0.35 0.35	37.93 37.93 37.93 37.93 0.00	16.72 16.72 16.72 16.72 0.00				15.69 15.69 15.69 15.69 15.69 15.69 15.69				
ADD	DDITIO	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2		3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAU UEPAJ UEPAP UEPVF LNPCX USAC2	1.13 1.13 1.13 1.13 3.04 0.35 0.00	37.93 37.93 37.93 37.93 0.00	16.72 16.72 16.72 16.72 0.00				15.69 15.69 15.69 15.69 15.69 15.69 15.69				

Version 1Q02: 03/22/2002 PAGE 291 OF 352

INBUNDLED NETWO	ORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			I .	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voice Gra	de Line Port (Bus)															
2-Wire voi	ce unbundled port without Caller ID - bus			UEPBX	UEPBL	1.13	37.93	16.72				15.69				
2-Wire voi	ce unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.13	37.93	16.72				15.69				
2-Wire voi	ce unbundled port outgoing only - bus			UEPBX	UEPBO	1.13	37.93	16.72				15.69				
	ce Grade unbundled South Carolina extended local															
	rity port with Caller ID - bus			UEPBX	UEPAZ	1.13	37.93	16.72				15.69				
	ce unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.13	37.93	16.72				15.69				
	ce unbundled South Carolina Bus Area Calling Port															
with Calle				UEPBX	UEPAB	1.13	37.93	16.72				15.69				
LOCAL NUMBER																<u> </u>
	nber Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATURES				L	<u> </u>										ļ	
All Feature				UEPBX	UEPVF	3.04	0.00	0.00				15.69			ļ	
	CHARGES (NRCs) - CURRENTLY COMBINED															
	ice Grade Loop / Line Port Combination - Conversion -															
Switch-as-				UEPBX	USAC2		0.10	0.10				15.69				
	ice Grade Loop / Line Port Combination - Conversion -															
Switch wit				UEPBX	USACC		0.10	0.10				15.69				
ADDITIONAL NR																
	ice Grade Loop/Line Port Combination - Subsequent															
Activity				UEPBX	USAS2		0.00	0.00				15.69				
	RADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	ombination Rates															
	Loop/Port Combo - Zone 1		1			14.89										<u> </u>
	Loop/Port Combo - Zone 2		2			21.52										.
	Loop/Port Combo - Zone 3		3			27.17										ļ
UNE Loop Rates				LIEBBO	LIEDLY	10.70										
	ice Grade Loop (SL 1) - Zone 1			UEPRG	UEPLX	13.76										
	ice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.38 26.04										
	ice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	26.04										├ ──
	de Line Port Rates (RES - PBX) Unbundled Combination 2-Way PBX Trunk Port -				1											
Res	Onbundled Combination 2-way PBX Trunk Port -			UEPRG	UEPRD	1.13	37.93	16.72				15.69				
LOCAL NUMBER	DODTABILITY			UEPRG	UEPRD	1.13	37.93	10.72				15.69				
	nber Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				-
FEATURES	iber Fortability (1 per port)			UEPRG	LINPOP	3.13	0.00	0.00				15.69				-
All Feature	os Offered			UEPRG	UEPVF	3.04	0.00	0.00				15.69				
	CHARGES (NRCs) - CURRENTLY COMBINED			OLFING	OLF VI	3.04	0.00	0.00				15.09				-
	ice Grade Loop/ Line Port Combination (PBX) -				+											
	n - Switch-As-Is			UEPRG	USAC2		7.93	1.91				15.69				
	ice Grade Loop/ Line Port Combination (PBX) -			OLI IKO	00/102		7.00	1.01				10.00				
	n - Switch with Change			UEPRG	USACC		7.93	1.91				15.69				
ADDITIONAL NR				02.110	00,100		7.00	1.01				10.00				t
2-Wire Vo	ice Grade Loop/ Line Port Combination (PBX) -				+											1
Subseque				UEPRG	USAS2	0.00	0.00	0.00				15.69				
	equent Activity - Change/Rearrange Multiline Hunt			02.70	00,102	0.00	0.00	0.00				10.00				
Group	q g						7.34	7.34				15.69				
	RADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	ombination Rates															
	Loop/Port Combo - Zone 1		1		1	14.89										
	Loop/Port Combo - Zone 2		2			21.52										
	Loop/Port Combo - Zone 3		3			27.17										
UNE Loop Rates					1											
2-Wire Vo	ice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.76										
	ice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	20.38										
2-Wire Vo	ice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	26.04										
	de Line Port Rates (BUS - PBX)															
	Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	1.13	37.93	16.72			1	15.69	l	l		1

											•				Exhibit: B	+
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
					+	1	Nonrec	urring	Nonrecurring	Disconnect			220	Rates(\$)		Ш
-+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Unbundled Outward PBX Trunk Port - Bus		1	UEPPX	UEPPO	1.13	37.93	16.72	FIISt	Auu i	SOWIEC	15.69	JOWAN	JOWAN	SOWAN	SOWAN
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.13	37.93	16.72				15.69				1
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.13	37.93	16.72				15.69				1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	37.93	16.72				15.69				
-	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
	Administrative Calling Port			UEPPX	UEPXL	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.13	37.93	16.72				15.69				<u> </u>
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1	l	I	l	l								I	
	Discount Room Calling Port			UEPPX	UEPXO	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
	Calling Port			UEPPX	UEPXT	1.13	37.93	16.72				15.69				
LOCAI	L NUMBER PORTABILITY		<u> </u>	LIEBBY .		0.45						4= 00				
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				
FEATU				HEDDY	HED) /E	0.04	0.00	0.00				45.00				
NOND	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPPX	UEPVF	3.04	0.00	0.00				15.69				ļ
NONKI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
				HEDDY	110400		7.00	4.04				45.00				
\longrightarrow	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		7.93	1.91				15.69				
	Conversion - Switch with Change			UEPPX	USACC		7.93	1.91				15.69				
ADDIT	TONAL NRCs			ULFFX	USACC		7.53	1.51				13.09				1
ADDIT	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1		+	1	1		+							
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLI I X	OOMOZ	0.00	0.00	0.00				10.00				
	Group						7.34	7.34				15.69				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT					7.01	7.0.				10.00				1
	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.89										
-	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.52										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			27.17										
UNE L	oop Rates															
1	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26.04										
2-Wire	Voice Grade Line Ports (COIN)															1
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (SC)			UEPCO	UEPSD	1.13	37.93	16.72				15.69				<u> </u>
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,									<u> </u>						
	900/976, 1+DDD (SC)			UEPCO	UEPSA	1.13	37.93	16.72				15.69				
1 -	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1	1		1	\neg	\neg								_	
	(SC)			UEPCO	UEPSH	1.13	37.93	16.72				15.69				<u> </u>
1 -	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;	1	1		1	\neg	\neg								_	
\longrightarrow	with Dialing Parity (SC)			UEPCO	UEPSC	1.13	37.93	16.72				15.69			ļ	
1	2-Wire Coin 2-Way with Operator Screening and: 900 Blocking:		1	l	1										I	
\longrightarrow	900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	37.93	16.72				15.69			.	
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,					,									1	
$-\!\!+\!\!-\!\!$	011+, Local; Enhanced Call OPT 3YV (SC)		<u> </u>	UEPCO	UEPCE	1.13	37.93	16.72				15.69				
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,			LIEBOO	LIEBOE	المداد	07.00	40 =0				45.00			1	
	011+, Local; Enhanced Call OPT AP7 (SC)		ļ	UEPCO	UEPCF	1.13	37.93	16.72				15.69			1	
	2-Wire Coin Outward without Blocking and without Operator															

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increments Charge - Manual Sv Order vs. Electronic
							Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(SC)			UEPCO	UEPSF	1.13	37.93	16.72				15.69				
	2-Wire Coin Outward with Operator Screening and Blocking:															
	011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	37.93	16.72				15.69				
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	37.93	16.72				15.69				
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,															
	011+, Local; Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1.13	37.93	16.72				15.69				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.13	37.93	16.72				15.69				
	2-Wire Coin Outward Smartline with 900/976 (all states except			UEPCO	UEPCR	4.40	07.00	10.70				45.00				
ADDITI	ILA) ONAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	1.13	37.93	16.72				15.69				-
				UEPCO	URECU	4.05	37.93	16.70			-	15.69				
	UNE Coin Port/Loop Combo Usage (Flat Rate) NUMBER PORTABILITY	!	 	ULPCU	UNECU	4.05	31.93	16.72	1	-	 	15.69	-	-	-	
LOCAL	Local Number Portability (1 per port)	-		UEPCO	LNPCX	0.35					1					-
NONDE	ECURRING CHARGES - CURRENTLY COMBINED	 	!	OLFOO	LINEUA	0.35			1	1	1		1	1	1	t
NONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -										1					
	Switch-as-is			UEPCO	USAC2		0.10	0.10				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI OO	00/102		0.10	0.10				10.00				
	Switch with change			UEPCO	USACC		0.10	0.10				15.69				
ADDITI	ONAL NRCs			02. 00	00/100		0.10	0.10				10.00				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0.00	0.00				15.69				
UNBUN	IDLED REMOTE CALL FORWARDING - RES															
UNBUN	IDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.65	2.38	2.28	1.42	1.33		15.69				
UNBUNDLED F	PORT/LOOP COMBINATIONS - COST BASED RATES															
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			23.75										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.20										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			35.52					1					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	16.68					-					-
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	-	2	UEPPX	UECD1	23.13					1					-
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	28.46					+					
UNF Po	ort Rate		Ŭ	OLITA	OLOD1	20.40					1					
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	7.06	225.55	87.21	113.08	14.38			15.69			
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
	Switch-as-is			UEPPX	USAC1		7.32	1.87					15.69			
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	with BellSouth Allowable Changes			UEPPX	USA1C		7.32	1.87					15.69			
	ONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		26.84						15.69			
	one Number/Trunk Group Establisment Charges			LIEDDY	NDT	0.00	0.00	0.00					45.00			
-	DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group			UEPPX	וטא	0.00	0.00	0.00			-		15.69			
	of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00					15.69			
 	Additional DID Numbers for each Group of 20 DID Numbers	 	!	UEPPX	ND4	0.00	0.00	0.00	1	1	1		15.69	1	1	
	DID Numbers, Non- consecutive DID Numbers , Per Number	1	!	UEPPX	ND5	0.00	0.00	0.00	1		1		15.69	 	 	<u> </u>
	Reserve Non-Consecutive DID numbers	1	†	UEPPX	ND6	0.00	0.00	0.00		1			15.69	1	1	
	Reserve DID Numbers	1	!	UEPPX	NDV	0.00	0.00	0.00	1		1		15.69	 	 	<u> </u>
	NUMBER PORTABILITY		1			2.20	2.20	2.30		1			12.30	İ	1	
	Local Number Portability (1 per port)		1	UEPPX	LNPCP	3.15	0.00	0.00								
2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDI	E PORT													
UNE Po	ort/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															1
1 1	UNE Zone 1	I	1	UEPPB UEPPR		30.86										1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina													Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
								Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 2		2	UEPPB	UEPPR		38.60										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_	l													
	UNE Zone 3		3	UEPPB	UEPPR		44.23										
	pop Rates 2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.90							15.69			
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USLZX	21.90							15.69			-
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64							15.69			
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27							15.69			
LINE P	ort Rate			OLI I D	OLITIK	OOLEX	00.27							10.00			
021	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37			15.69			1
NONRE	CURRING CHARGES - CURRENTLY COMBINED					<u> </u>	5.50			122.30					İ		1
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion	L		UEPPB	UEPPR	USACB	0.00	38.59	27.08		<u> </u>	<u> </u>		15.69	<u> </u>	<u> </u>	<u> </u>
	ONAL NRCs																
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHAI	NNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
D OUA	CSD		Th1\	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHAI	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO ICVS/CSD (DMS/5ESS)	ارک, IVIS, 8	IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
-	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								-
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE			OLITB	OLITIK	01001	0.00	0.00	0.00								
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00					15.69			
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91			15.69			
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00								
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
UNE Po	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1			UEPPP			470.00										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		- 1	UEPPP			176.82										
1	Zone 2		2	UEPPP			241.38									1	
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			JLIFF			241.30			 		 				 	
	Zone 3		3	UEPPP			347.84									1	
UNE La	pop Rates		Ť				011.04										1
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87							15.69	İ		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	155.43							15.69		<u> </u>	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	261.89							15.69			
UNE Po	ort Rate									_							
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83	ļ		15.69			
NONRE	CURRING CHARGES - CURRENTLY COMBINED															ļ	1
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			LIEBSS		110465		,,,,,									1
ADDIT	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	119.34	78.73	1		ļ		15.69	-	 	
ADDITI	ONAL NRCs 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			<u> </u>								 				-	
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.49	0.49					15.69			
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP		FK/ IF		0.49	0.49			 		15.69	-		
1	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.54	11.54					15.69		1	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			J_111		. 10, 10		11.54	11.54			1		15.09		 	†
1	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		23.07	23.07					15.69		1	
LOCAL	NUMBER PORTABILITY					1						1		12.00		1	1
						LNPCN											

ONRONDL	ED NETWORK ELEMENTS - South Carolina	,			<u>.</u>							,	Attachment:		Exhibit: B	ļ
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc		Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l .	OSS	Rates(\$)	1	I.
			 		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice/Data		1	UEPPP	PR71V	0.00	0.00		FIISL	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	SOWAN	JOWAN
				UEPPP				0.00								1
	Digital Data				PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.56						15.69			
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.56						15.69			
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.56						15.69			
CALL	. TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way	1	1	UEPPP	PR7CC	0.00	0.00	0.00	1		1	1		1	1	1
Inter	office Channel Mileage		!	J-111	111700	0.00	0.00	0.00	 		1			t	1	
miter		-	!	UEPPP	1LN1A	77.4815	89.47	81.99	16.20	14.48	 		15.69	-	1	1
	Fixed Each Including First Mile		1				89.47	81.99	16.39	14.48	1		15.69	1	1	1
	Each Airline-Fractional Additional Mile	<u> </u>	<u> </u>	UEPPP	1LN1B	0.3415					ļ				 	
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		<u> </u>						ļ		ļ			ļ	ļ	ļ
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		149.77										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		214.33										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		320.78										
UNE	Loop Rates															
0.12	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87							15.69			
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	155.43							15.69			
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89							15.69			
LINE	Port Rate		3	UEPDC	USLDC	201.09							15.09			1
UNE				LIEBBO		=0.00					ļ		1= 00			
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20			15.69			
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is			UEPDC	USAC4		129.78	67.17					15.69			
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes			UEPDC	USAWA		129.78	67.17					15.69			
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk			UEPDC	USAWB		129.78	67.17					15.69			
ADDI	TIONAL NRCs		 	OLI DO	OOMVD		120.70	07.17					10.00			
ADDI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent										1			-		
				UEPDC	UDTTB		44.54	14.51					45.00			
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDITB		14.51	14.51					15.69			1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.51	14.51					15.69			
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1	1	İ										1		
	Activation Per Chan - Inward Trunk with DID		<u> </u>	UEPDC	UDTTD		14.51	14.51					15.69		<u> </u>	<u> </u>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	l	1													
	Activation / Chan - 2-Way DID w User Trans	l	1	UEPDC	UDTTE		14.51	14.51					15.69			
BIPO	LAR 8 ZERO SUBSTITUTION												15.69			
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00					15.69			
	B8ZS - Extended Superframe Format	1	t	UEPDC	CCOEF		0.00	605.00	1		1		15.69	1	1	Ì
Δltor	nate Mark Inversion	l	1		- -		0.00	500.00	 		1		.0.00	1	1	1
Aiteil	AMI -Superframe Format	 	 	UEPDC	MCOSF		0.00	0.00	 		1	 		1	 	1
	AMI - Extended SuperFrame Format	l	 	UEPDC	MCOPO		0.00	0.00	 		1			1	1	1
Talan		 	 	OLFDO	IVICOPO		0.00	0.00	 		 			 	1	-
i eiep	hone Number/Trunk Group Establisment Charges	.	1	LIEDDO	LIDTOY	0.00					1		15.00	-	1	1
	Telephone Number for 2-Way Trunk Group	<u> </u>	<u> </u>	UEPDC	UDTGX	0.00					ļ		15.69		 	ļ
	Telephone Number for 1-Way Outward Trunk Group		<u> </u>	UEPDC	UDTGY	0.00			ļ		ļ		15.69	ļ	ļ	ļ
	Telephone Number for 1-Way Inward Trunk Group Without DID		<u> </u>	UEPDC	UDTGZ	0.00					1		15.69		ļ	Į
T	DID Numbers, Establish Trunk Group and Provide First Group	l	1													
	of 20 DID Numbers	l	1	UEPDC	NDZ	0.00	0.00	0.00					15.69			1
İ	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00			i i				15.69		1	1
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00					15.69		1	İ
	Reserve Non-Consecutive DID Nos.	1	1	UEPDC	ND6	0.00	0.00	0.00	†		1		15.69	I	1	1
			+	UEPDC	NDV		0.00	0.00	-				15.69	+	 	
	Reserve DID Numbers					0.00										

ONRONDL	LED NETWORK ELEMENTS - South Carolina			•	1								Attachment:		Exhibit: B	ļ
			1	1							Svc Order	Svc Order		Incremental		Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
															Disc 1st	Disc Add'l
													1st	Add'l	DISC 1St	DISC Add I
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48			15.69			
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3415	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			02. 50	12.10/1	0.0110	0.00	0.00			1					1
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			OLI DO	ILITOL	0.00	0.00	0.00								
	miles			UEPDC	1LNOB	0.3415	0.00	0.00								
				UEFDC	ILINOB	0.3413	0.00	0.00								-
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3415	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WI	IRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	tem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
	h System can have up to 24 combinations of rates depending on			her of ports used												
	DS1 Loop	ijpo u.	1	l												
ONE	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								1
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00			1					1
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC			0.00								
		L	3	UEPING	USLDC	261.89	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)		L												
	24 DSO Channel Capacity - 1 per DS1		<u> </u>	UEPMG	VUM24	82.78	0.00	0.00					15.69			
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	165.56	0.00	0.00					15.69			
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	331.12	0.00	0.00					15.69			
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	496.68	0.00	0.00					15.69			
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	662.24	0.00	0.00					15.69			
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	827.80	0.00	0.00					15.69			
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	993.36	0.00	0.00					15.69			
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,324.48	0.00	0.00					15.69			
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,655.60	0.00	0.00					15.69			
	576 DS0 Channel Capacity -1 per 24 DS1s		-	UEPMG	VUM57	1,986,72	0.00	0.00					15.69			
	672 DS0 Channel Capacity - 1 per 28 DS1s		 	UEPMG	VUM67	2,317.84	0.00	0.00					15.69			
Non	-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chan	2011-410					0.00					13.09			
							sterii									1
AMI	inimum System configuration is One (1) DS1, One (1) D4 Channe	Bank,	and U	0 10 24 DSO Ports V	vith Feature A	activations.					ļ					
Mult	tiples of this configuration functioning as one are considered Ac	d'i atte	r the n	ninimum system cor	ifiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.81	8.38			1		15.69			ļ
	tem Additions at End User Locations Where 4-Wire DS1 Loop wit	th Chan	neliza	tion with Port Comb	ination Curre	ently Exists and										
New	(Not Currently Combined) In GA, KY, LA, MS & TN Only															
. 1	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
. 1	Fea Activation - New GA, LA, KY, MS, &TN Only		1	UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69			15.69	İ		
Bipo	olar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent				1				1					1		1
1	Activity Only		1	UEPMG	CCOSF	0.00	0.00	605.00						İ		
	Clear Channel Capability Format - Extended Superframe -					2.00	2.00	222.00								i e
	Subsequent Activity Only		1	UEPMG	CCOEF	0.00	0.00	605.00						1		
Δlta	rnate Mark Inversion (AMI)	-	 		10021	0.00	0.00	500.00	 		1	 		 	1	
Aitei	Superframe Format		1	UEPMG	MCOSF	0.00	0.00	0.00	1		1			1	1	1
	Extended Superframe Format		 	UEPMG	MCOPO	0.00	0.00	0.00	 		 	1		 	1	1
F			Doort	ULFING	IVICOPO	0.00	0.00	0.00	 		1			 	 	
	hange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	!	1						1			1	1	1
Exch	hange Ports		<u> </u>								ļ					<u> </u>
1														1		
	Line Side Combination Channelized PBX Trunk Port - Business		<u> </u>	UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00			15.69			
T	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00			15.69			
. 1	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00			15.69	1		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		1	UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00	1	1	15.69	i e	1	1
				··		00	5.00	5.00	0.00	0.00	1			I.	1	1

Version 1Q02: 03/22/2002 PAGE 297 OF 352

UNBUNDLED NETWORK ELEMENTS - South Carolina	,											Attachment:		Exhibit: B	
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Nonrec		Nonrecurring					Rates(\$)		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature (Service) Activation for each Line Side Port Terminated			UEPPX	1PQWM	0.56	05.45	13.44	4.20	4.47			15.69			
in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated			UEPPX	IPQVVIVI	0.56	25.45	13.44	4.20	4.17			15.69			
in D4 Bank	"		UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60			15.69			
Telephone Number/ Group Establishment Charges for DID Service	1		02.17	4.10	0.00	70.01	10.10	00.07	11.00			10.00			
DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
Reserve DID Numbers		1	UEPPX	NDV	0.00	0.00	0.00								
Local Number Portability Local Number Portability - 1 per port	+	1	UEPPX	LNPCP	3.15	0.00	0.00							 	
FEATURES - Vertical and Optional	1	 	OLFFA	LINFOF	3.15	0.00	0.00						1	 	
Local Switching Features Offered with Line Side Ports Only	1	1		+										 	
All Features Available			UEPPX	UEPVF	3.04	0.00	0.00					15.69			
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES															
Market Rates shall apply where BellSouth is not required to provide	unbun	dled lo	cal switching or sw	itch ports per	FCC and/or St	ate Commissio	n rules.								
These scenarios include:															
1. Unbundled port/loop combinations that are Not Currently Combi															
2. Unbundled port/loop combinations that are Currently Combined The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Laudero															
BellSouth currently is developing the billing capability to mechanic	ally bill	the rec	curring and non-reci	urring Market	Rates in this se	ection except f	or nonrecurrir	g charges for i	not currently o	ombined in	AL, FL and	NC. In the in	nterim where	BellSouth car	not bill
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U	n prece in all st	ding in ates.	lieu of the Market F	Rates and res	erves the right	to true-up the l	billing differer	ce.	-						
Market Rates, BellSouth shall bill the rates in the Cost-Based section. The Market Rate for unbundled ports includes all available features. End Office and Tandem Switching Usage and Common Transport U (USOC: URECU).	n prece in all st sage rat	ding in ates. tes in t	lieu of the Market F	Rates and res	erves the right it shall apply to	to true-up the l	ons of loop/po	ce. rt network elen	nents except	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based sectio The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the	n prece in all st sage rat ne Nonre	ding in ates. tes in t	he Port section of the g charges are listed	Rates and res	erves the right it shall apply to	to true-up the l	ons of loop/po	ce. rt network elen	nents except	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based section. The Market Rate for unbundled ports includes all available features. End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are category.	n prece in all st sage rat ne Nonre	ding in ates. tes in t	he Port section of the g charges are listed	Rates and res	erves the right it shall apply to	to true-up the l	ons of loop/po	ce. rt network elen	nents except	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based sectio The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the	n prece in all st sage rat ne Nonre	ding in ates. tes in t	he Port section of the g charges are listed	Rates and res	erves the right it shall apply to	to true-up the l	ons of loop/po	ce. rt network elen	nents except	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	n prece in all st sage rat ne Nonre	ding in ates. tes in t	he Port section of the g charges are listed	Rates and res	erves the right it shall apply to	to true-up the l	ons of loop/po	ce. rt network elen	nents except	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1] [2-Wire VG Loop/Port Combo - Zone 2]	n prece in all st sage rat ne Nonre	ding in ates. tes in tecurrine cordin	he Port section of the g charges are listed	Rates and res	erves the right it shall apply to and Additional I 27.76 34.38	to true-up the l	ons of loop/po	ce. rt network elen	nents except	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	n prece in all st sage rat ne Nonre	ding in ates. tes in t ecurrin cordin	he Port section of the g charges are listed	Rates and res	erves the right it shall apply to and Additional I	to true-up the l	ons of loop/po	ce. rt network elen	nents except	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates	n prece in all st sage rat ne Nonre	ding in ates. tes in tecurrine coordin	lieu of the Market F he Port section of the g charges are listed gly.	Rates and res	erves the right it shall apply to and Additional I 27.76 34.38 40.04	to true-up the l	ons of loop/po	ce. rt network elen	nents except	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, if Combined section. Additional NRCs may apply also and are catego 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1	n prece in all st sage rat ne Nonre	ding in ates. tes in tes in tes cordinates.	lieu of the Market F he Port section of the g charges are listed gly. UEPRX	Rates and res	erves the right it shall apply to and Additional I 27.76 34.38 40.04 13.76	to true-up the l	ons of loop/po	ce. rt network elen	nents except	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based section. The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor 2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	n prece in all st sage rat ne Nonre	ding in ates. tes in tes in tes cordinates.	lieu of the Market F he Port section of the g charges are listed gly. UEPRX UEPRX	Rates and res	erves the right it shall apply to and Additional I 27.76 34.38 40.04 13.76 20.38	to true-up the l	ons of loop/po	ce. rt network elen	nents except	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, if Combined section. Additional NRCs may apply also and are categor 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	n prece in all st sage rat ne Nonre	ding in ates. tes in tes in tes cordinates.	lieu of the Market F he Port section of the g charges are listed gly. UEPRX	Rates and res	erves the right it shall apply to and Additional I 27.76 34.38 40.04 13.76	to true-up the l	ons of loop/po	ce. rt network elen	nents except	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res)	n prece in all st sage rat ne Nonre	ding in ates. tes in tes in tes cordinates.	lieu of the Market F he Port section of the g charges are listed gly. UEPRX UEPRX UEPRX UEPRX	Rates and res In the First a UEPLX UEPLX UEPLX UEPLX	erves the right it shall apply to and Additional I 27.76 34.38 40.04 13.76 20.38 26.04	to true-up the l	oilling differer	ce. rt network elen	nents except	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor 2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) [2-Wire voice unbundled port - residence	n prece in all st sage rat ne Nonre	ding in ates. tes in tes in tes cordinates.	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	erves the right it shall apply to and Additional II 27.76 34.38 40.04 13.76 20.38 26.04 14.00	to true-up the lead of all combinations of the lead of	poiling differences of loop/poor each Port U	ce. rt network elen	nents except	or UNE Coi	n Port/Loop s, the Nonre	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) [2-Wire voice unbundled port - residence] 2-Wire voice unbundled port - residence] 2-Wire voice unbundled port with Caller ID - res	n prece in all st sage rat ne Nonre	ding in ates. tes in tes in tes cordinates.	Dieu of the Market Fine Port section of the Port section of the grands are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Rates and res inis rate exhib in the First a UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	erves the right it shall apply to and Additional I 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00	o all combinations of the columns of	ons of loop/pc or each Port U	ce. rt network elen	nents except	or UNE Coi	n Port/Loop s, the Nonre	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor 2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) [2-Wire voice unbundled port - residence	n prece in all st sage rat ne Nonre	ding in ates. tes in tes in tes cordinates.	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	erves the right it shall apply to and Additional II 27.76 34.38 40.04 13.76 20.38 26.04 14.00	to true-up the lead of all combinations of the lead of	poiling differences of loop/poor each Port U	ce. rt network elen	nents except	or UNE Coi	n Port/Loop s, the Nonre	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based section. The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor 2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled prot outgoing only - res 2-Wire voice unbundled prot yeage line port with Caller ID	n prece in all st sage rat ne Nonre	ding in ates. tes in tes in tes cordinates.	UEPRX 14.00	o all combinations of the second of the seco	90.00 90.00	ce. rt network elen	nents except	or UNE Coi	15.69 15.69	Combination	ns which have	e a flat rate us	age charge		
Market Rates, BellSouth shall bill the rates in the Cost-Based sectio The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor 2-Wire Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire Voice Grade Loop to (SL1) - Zone 3 [2-Wire voice unbundled port residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled sers, low usage line port with Caller ID (LUM)	n prece in all st sage rat ne Nonre	ding in ates. tes in tes in tes cordinates.	UEPRX 14.00	o all combinations of the second of the seco	90.00 90.00	ce. rt network elen	nents except	or UNE Coi	15.69 15.69	Combination	ns which have	e a flat rate us	age charge		
Market Rates, BellSouth shall bill the rates in the Cost-Based sectio The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled see, low usage line port with Caller ID (LUM) LOCAL NUMBER PORTABILITY Local Number Portability (1 per port)	n prece in all st sage rat ne Nonre	ding in ates. tes in tes in tes cordinates.	UEPRX	90.00 90.00	90.00 90.00	ce. rt network elen	nents except	or UNE Coi	15.69 15.69	Combination	ns which have	e a flat rate us	age charge		
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, it Combined section. Additional NRCs may apply also and are categot 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) [2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res	n prece in all st sage rat ne Nonre	ding in ates. tes in tes in tes cordinates.	ueprx	o all combinations of all combinations of all combinations of the columns of the	90.00 90.00	ce. rt network elen	nents except	or UNE Coi	15.69 15.69	Combination	ns which have	e a flat rate us	age charge		
Market Rates, BellSouth shall bill the rates in the Cost-Based sectio The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, if Combined section. Additional NRCs may apply also and are catego 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered ADDITIONAL NRCS	n prece in all st sage rat ne Nonre	ding in ates. tes in tes in tes cordinates.	UEPRX	90.00 90.00	90.00 90.00	ce. rt network elen	nents except	or UNE Coi	15.69 15.69	Combination	ns which have	e a flat rate us	age charge		
Market Rates, BellSouth shall bill the rates in the Cost-Based sectio The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor 2-Wire Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire voice unbundled port residence [2-Wire voice unbundled port vith Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundles res, low usage line port with Caller ID (LUM) LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered ADDITIONAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	n prece in all st sage rat ne Nonre	ding in ates. tes in tes in tes cordinates.	UEPRX	90.00 90.00	90.00 90.00	ce. rt network elen	nents except	or UNE Coi	15.69 15.69	Combination	ns which have	e a flat rate us	age charge		
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, if Combined section. Additional NRCs may apply also and are categot 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res	n prece in all st sage rat ne Nonre	ding in ates. tes in tes in tes cordinates.	UEPRX	90.00 90.00 90.00	90.00 90.00 90.00	ce. rt network elen	nents except	or UNE Coi	15.69 15.69	Combination	ns which have	e a flat rate us	age charge		
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) [2-Wire voice unbundled port vith Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [3-Wire voice unbundled port outgoing only - res [3-Wire voice unbundled port outgoing only - res [3-Wire voice unbundled port outgoing only - res [3-Wire voice unbundled port outgoing only - res [3-Wire voice unbundled port outgoing only - res [3-Wire voice unbundled port outgoing only - res [3-Wire voice unbundled port outgoing only - res [3-Wi	n prece in all st sage rat ne Nonre	ding in ates. sees in t se	UEPRX UEPRX UEPRX UEPRX UEPRX	90.00 90.00 90.00	90.00 90.00 90.00	ce. rt network elen	nents except	or UNE Coi	15.69 15.69	Combination	ns which have	e a flat rate us	age charge		
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor 2-Wire Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port with Caller ID res [2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered ADDITIONAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1	n prece in all st sage rat ne Nonre	ding in ates. sees in t se	UEPRX UEPRX UEPRX UEPRX UEPRX	90.00 90.00 90.00	90.00 90.00 90.00	ce. rt network elen	nents except	or UNE Coi	15.69 15.69	Combination	ns which have	e a flat rate us	age charge		
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, if Combined section. Additional NRCs may apply also and are categot 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voic	n prece in all st sage rat ne Nonre	ding in ates. sees in t description at the security of the sec	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	27.76 34.38 26.04 27.76 34.38 26.04	90.00 90.00 90.00	90.00 90.00 90.00	ce. rt network elen	nents except	or UNE Coi	15.69 15.69	Combination	ns which have	e a flat rate us	age charge
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Combined section. Additional NRCs may apply also and are categor. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2	n prece in all st sage rat ne Nonre	ding in ates. sees in t se	UEPRX UEPRX UEPRX UEPRX UEPRX	90.00 90.00 90.00	90.00 90.00 90.00	ce. rt network elen	nents except	or UNE Coi	15.69 15.69	Combination	ns which have	e a flat rate us	age charge		
Market Rates, BellSouth shall bill the rates in the Cost-Based section The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, if Combined section. Additional NRCs may apply also and are categot 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voic	n prece in all st sage rat ne Nonre	ding in ates. sees in t description at the security of the sec	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	27.76 34.38 26.04 27.76 34.38 26.04	90.00 90.00 90.00	90.00 90.00 90.00	ce. rt network elen	nents except	or UNE Coi	15.69 15.69	Combination	ns which have	e a flat rate us	age charge

Version 1Q02: 03/22/2002 PAGE 298 OF 352

ONBONDL	ED NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec		Nonrecurring					Rates(\$)		
			<u> </u>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26.04										
2-Wi	re Voice Grade Line Port (Bus)		<u> </u>	LIEDBY	LIEDDI	44.00	00.00	00.00				45.00				
	2-Wire voice unbundled port without Caller ID - bus		<u> </u>	UEPBX	UEPBL	14.00	90.00	90.00				15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPBX UEPBX	UEPBC UEPBO	14.00	90.00 90.00	90.00				15.69				
	2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled South Carolina extended local			UEPBX	UEPBU	14.00	90.00	90.00				15.69				
	dialing parity port with Caller ID - bus			UEPBX	UEPAZ	14.00	90.00	90.00				15.69				
	2-Wire voice unbundled South Carolina Bus Area Calling Port		1	OLI DX	OLI AZ	14.00	30.00	30.00				15.05				
	with Caller ID (LMB)			UEPBX	UEPAB	14.00	90.00	90.00				15.69				
LOC	AL NUMBER PORTABILITY			OLI DX	OLITE	14.00	50.00	30.00				10.00				
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEA	TURES			1		5.55								İ	1	
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.69		1	t	1
ADD	ITIONAL NRCs			İ			2.23	2.30						İ	1	
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -				1 1	İ									1	
	Subsequent			UEPBX	USAS2	l	0.00	0.00				15.69			1	
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			27.76										
	2-Wire VG Loop/Port Combo - Zone 2		2			34.38										
	2-Wire VG Loop/Port Combo - Zone 3		3			40.04										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	26.04										
2-Wi	re Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	14.00	90.00	90.00				15.69				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15										
FEA	TURES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				
	RECURRING CHARGES - CURRENTLY COMBINED															
ADD	ITIONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring		<u> </u>		1		0.00	0.00				15.69			-	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1	ĺ		l	4401	44.01				45.00		1	I	
0.144	Group		 	 			14.64	14.64				15.69		1	!	
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		1	 	+	-					1			 	 	-
UNE	Port/Loop Combination Rates		1		+	27.76									 	
 	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	-		-		27.76 34.38					 			-	 	-
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		2		+	34.38 40.04									 	
LINIE	Loop Rates	-	3	-		40.04					 			-	 	-
UNE	2-Wire Voice Grade Loop (SL1) - Zone 1	-	1	UEPPX	UEPLX	13.76					}			1	+	
 	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	20.38					1				1	-
 	2-Wire Voice Grade Loop (SL1) - Zone 2		3	UEPPX	UEPLX	26.04								 	 	
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)		-	OLI I A	JLILA	20.04								 	 	
2-441	- 15.55 Stade Line i on nates (Boo - i DA)			 	+ +	+					 			 	t	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00				15.69			1	
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00				15.69			†	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00				15.69		1	t	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00				15.69		1	1	
1	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00				15.69		1	t	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				15.69		İ	İ	
\frown	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				15.69		İ	1	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			1	1	1								İ	İ	1
1 1	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				15.69				

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	
												Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISL	DISC Add I
							Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				15.69				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
FEA	TURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	ITIONAL NRCs	1		İ	1				İ	İ					İ	1
		1		İ	1				İ	İ					İ	1
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	1		UEPPX	USAS2		0.00	0.00				15.69				1
	2 Wire Loop/Line Side Port Combination - Non feature -	1		1	120.02		0.00	3.30				.0.00			1	1
	Subsequent Activity- Nonrecurring	1					0.00	0.00				15.69				1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	-					0.00	0.00				10.00				
	Group						7.34	7.34				15.69				
2-1/1/	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	DT					7.54	7.54				13.03				
	Port/Loop Combination Rates	<u>''N I</u>														
UNE	2-Wire VG Coin Port/Loop Combo – Zone 1	+	1		-	27.76										-
	2-Wire VG Coin Port/Loop Combo – Zone 1	-	2			34.38										
	2-Wire VG Coin Port/Loop Combo – Zone 2	-	3			40.04										
LINE	Loop Rates	-	3			40.04										
UNE	2-Wire Voice Grade Loop (SL1) - Zone 1	-	1	UEPCO	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPCO	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPCO	UEPLX	20.38										
0.14/	re Voice Grade Line Port Rates (Coin)	-	3	UEPCO	UEPLX	26.04										
Z-VVI		-	1													
	2-Wire Coin 2-Way without Operator Screening and without			UEPCO	UEPSD	14.00	90.00	90.00				45.00				
	Blocking (SC)	-	1	UEPCO	UEPSD	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011	·										4= 00				
	900/976, 1+DDD (AL, KY, LA, MS, SC)	1		UEPCO	UEPRA	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011	,														
	900/976, 1+DDD (SC)	1		UEPCO	UEPSA	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(SC)			UEPCO	UEPSH	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;														Ì	I
	with Dialing Parity (SC)	1		UEPCO	UEPSC	14.00	90.00	90.00			ļ	15.69			ļ	.
	2-Wire Coin 2-Way with Operator Screening and Blocking:	1														1
	900/976, 1+DDD, 011+, and Local (SC)	1		UEPCO	UEPCC	14.00	90.00	90.00				15.69				ļ
	2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD,	1														1
	011+ & Local; Enhanced Calling OPT 3YV (SC)	1		UEPCO	UEPCE	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+,															
	& Local; Enhanced Calling OPT AP7 (SC)			UEPCO	UEPCF	14.00	90.00	90.00				15.69				
	2-Wire Coin Outward without Blocking and without Operator															
	Screening (SC)			UEPCO	UEPSG	14.00	90.00	90.00				15.69			Ì	I
	2-Wire Coin Outward with Operator Screening and 011 Blocking	1														
	(SC)	1		UEPCO	UEPSF	14.00	90.00	90.00				15.69				1
	2-Wire Coin Outward with Operator Screening and Blocking:	1														
	011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	14.00	90.00	90.00				15.69			Ì	I
	2-Wire Coin Outward with Operator Screening and Blocking:	1		1							1					
	900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	14.00	90.00	90.00				15.69			Ì	I
	2-Wire Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+,	1			1						İ				İ	1
1	& Local ; w/ Enhanced Call OPT 3YW (SC)	1	1	UEPCO	UEPCP	14.00	90.00	90.00				15.69			Ì	1
J		+	1	 			55.55	55.50			1	.0.00				1
LOC	AL NUMBER PORTABILITY					1					1					
LOC	AL NUMBER PORTABILITY Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina													Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
								Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO		USAS2		0.00	0.00				15.69				
	PORT/LOOP COMBINATIONS - MARKET BASED RATES																
2-WIR	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				73.68										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				80.13										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				85.46										
UNE L	oop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - Statewide		SW														
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16.68			ļ							_
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	23.13										_
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	28.46										_
UNE P	Port Rate		ļ	HEDDY		LIEDD4	F7.00	000.00	75.00				45.00				_
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	57.00	600.00	75.00				15.69				
NONR	ECURRING CHARGES - CURRENTLY COMBINED		<u> </u>	1		 									1	 	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -			HEDDY		110404		405.00	75.00				45.00			Ì	
	Switch-As-Is Top 8 MSAs only			UEPPX		USAC1		125.00	75.00				15.69				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			LIEDDY		110440		405.00	75.00				45.00				
	with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		125.00	75.00				15.69				
ADDIT	TIONAL NRCs							=					4= 00				
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		53.68					15.69				
I elepr	hone Number/Trunk Group Establisment Charges			LIEDDY		NDT	0.00	0.00	0.00								
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								ļ
	DID Numbers, Establish Trunk Group and Provide First Group																
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00	<u> </u>							
	DID Numbers, Non- consecutive DID Numbers, Per Number Reserve Non-Consecutive DID numbers			UEPPX		ND5	0.00	0.00	0.00								
				UEPPX		ND6	0.00	0.00	0.00								
1.004	Reserve DID Numbers L NUMBER PORTABILITY			UEPPX		NDV	0.00	0.00	0.00	<u> </u>							
LOCAL				UEPPX		LNPCP	3.15	0.00	0.00								
2 WID	Local Number Portability (1 per port) E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE CIDI	- DODT			LNPCP	3.15	0.00	0.00								1
		NE SIDE	PURI	1													
UNE P	Port/Loop Combination Rates 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -									-							
	UNE Zone 1		1	UEPPB	UEPPR		76.90										
			-	UEPPB	UEFFR		76.90			+							-
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		84.64										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEPPB	UEFFR	 	04.04			 					-	-	
	UNE Zone 3		3	UEPPB	UEPPR		90.27										
UNE	oop Rates			CLIID	OLITIK	 	30.21			 						 	
ONLL	Loop Raies					1											
	2-Wire ISDN Digital Grade Loop - Statewide		sw	UEPPB	UEPPR	USL2X											
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR		21.90			-							+
	2 Wile Iobit Digital Grade Loop Give Zone i			OLITE	OLITIK	OOLEX	21.00										+
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		35.27										
LINF P	Port Rate		۲Ť	J D	52.110		55.27								1	1	†
- 1	Exchange Port - 2-Wire ISDN Line Side Port		1	UEPPB	UEPPR	UEPPB	55.00	525.00	400.00				15.69		1	1	†
NONR	ECURRING CHARGES - CURRENTLY COMBINED		†				55.55	320.00	.00.00				.0.00			1	
1.5	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		1			† †										1	
	Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	225.00	225.00				15.69				
ADDIT	TIONAL NRCs																
	L NUMBER PORTABILITY		İ			i 1				i					İ	İ	1
	Local Number Portability (1 per port)		İ	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	i					İ	İ	1
B-CHA	ANNEL USER PROFILE ACCESS:		i –			1	_	-									
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		-	1	LIEDDD	UEPPR	U1UCC	0.00	0.00	0.00	1							1
	CSD ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO		ı	OEPPB	UEFFR	01000	0.00	0.00	0.00								

Version 1Q02: 03/22/2002 PAGE 301 OF 352

JNBUNDLEI	NETWORK ELEMENTS - South Carolina													Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES(\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increment Charge Manual S Order vs Electroni Disc Add
								Nonrec	urring	Nonrecurring	Disconnect		l l	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
	ERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	AL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC	24.30	60.00	40.00	25.00	10.00		15.69				<u> </u>
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00								<u> </u>
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT				ļ				ļ						ļ	<u> </u>
UNE Po	ort/Loop Combination Rates	ļ		ļ		ļ						ļ					<u> </u>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1	 	1	UEPPP		 	940.87			1		1				!	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	l	2	UEPPP			4 005 40	l								1	
	Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP			1,005.43										
	Zone 3		3	UEPPP			4 444 00										
LINITI	pop Rates		3	UEPPP			1,111.89										
UNE LO	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87						15.69				
_	4-Wire DS1 Digital Loop - UNE Zone 1	-	2	UEPPP		USL4P	155.43	+					15.69			-	
_	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP		USL4P	261.89						15.69				
LINE D	ort Rate		3	OLFFF		U3L4F	201.09						13.09				
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	850.00	1,150.00	1,150.00				15.69				
	CURRING CHARGES - CURRENTLY COMBINED			OLFFF		OLFFF	850.00	1,130.00	1,130.00				13.09				
HONKE	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																-
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0.00	950.00	950.00				15.69				
ADDITI	ONAL NRCs			02		00,101	0.00	000.00	000.00				10.00				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP		PR7TG							15.69				
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent																
	Activity Outward tel nos. (NC only)			UEPPP		PR7TP							15.69				
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.9822					15.69				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		23.02	23.02				15.69				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	l															
	Subsequent Inward Tel Nos Above Std Allowance	ļ		UEPPP		PR7ZT		46.05	46.05	ļ			15.69			ļ	<u> </u>
LOCAL	NUMBER PORTABILITY															.	ļ
	Local Number Portability (1 per port)	<u> </u>		UEPPP		LNPCN	1.75									-	
INTER	FACE (Provsioning Only)	ļ		HEDDE		DD74) /	0.00	0.00	0.00			ļ					
	Voice/Data	<u> </u>		UEPPP		PR71V	0.00	0.00	0.00							-	
	Digital Data	ļ	_	UEPPP		PR71D	0.00	0.00	0.00			ļ				-	
M	Inward Data	 		UEPPP		PR71E	0.00	0.00	0.00	1		1				!	
New or	Additional "B" Channel	 		UEPPP		DD7D\/	0.00	40.00		ļ		1				 	-
	New or Additional - Voice/Data B Channel	1	-			PR7BV PR7BF	0.00	40.00		ļ		1				1	
	New or Additional - Digital Data B Channel New or Additional Inward Data B Channel	-	-	UEPPP UEPPP		PR7BD	0.00	40.00 40.00				 				 	
CALL T		-		ULFFF		ו ואוטט	0.00	40.00		 		1					
CALL	Inward	1	1	UEPPP		PR7C1	0.00	0.00	0.00	1		1				 	
-	Outward	 		UEPPP		PR7C0	0.00	0.00	0.00	1		1				t	
+	Two-way	1	1	UEPPP		PR7CC	0.00	0.00	0.00	1		1				 	
Interoff	ice Channel Mileage	1	 	J_111		. 117 00	0.00	0.00	0.00	 		1				 	
	Fixed Each Including First Mile	1		UEPPP		1LN1A	77.4815	89.47	81.99	16.39	14.48	1	15.69			I	
-+	Each Airline-Fractional Additional Mile	1		UEPPP		1LN1B	0.3415	03.47	01.39	10.39	14.40	1	10.03			I	
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1		J		12	3.0410			1						1	
	ort/Loop Combination Rates	1						-				1				I	†
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		-	UEPDC		-				-							+

Version 1Q02: 03/22/2002 PAGE 302 OF 352

IBUNDLED	NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	
								-			Svc Order	Svc Order		Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc	Manual Svc		Manual S
regory	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		m									per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						ı	Nonrec	urring	Nonrecurring	Disconnect	-		088	Rates(\$)	l .	l
			-		-	Dan	First				COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 	M DOA D'-'		_	LIEDDO		Rec	FIRST	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		840.87					ļ					
	W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		905.43										
	W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		1,011.89										
	W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC												
UNE Loo																
	-Wire DS1 Digital Loop - Statewide		SW	UEPDC	USLDC											
4	-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87										
4	-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	155.43										
	-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89										
	-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC											
UNE Por			-	OLI DO	OOLDO											
	-Wire DDITS Digital Trunk Port	l	1	UEPDC	UDD1T	750.00	1.005.07	478.99	213.53	20.94	1	15.69		1	1	
		 	-	OLFDC	ווטטט	750.00	1,005.07	4/8.99	213.53	20.94	1	15.09		1	1	-
	CURRING CHARGES - CURRENTLY COMBINED	<u> </u>		ļ	4				ļ		ļ				 	
	-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	l	l											1		
	Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		259.56	134.33				15.69				
		1					\neg		[<u> </u>		1
4	-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
-	Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		259.56	134.33				15.69				
	•															
4	-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		259.56	134.33				15.69				
	NAL NRCs		-	OLI DO	OOAVVD		200.00	134.33				10.03				
	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		-		-											
	Service Activity Per Service Order			UEPDC	USAS4							15.69				
				UEPDC	USAS4						ļ	15.69				
	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		29.01	29.01				15.69				
	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		29.01	29.01				15.69				
4	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		29.01	29.01				15.69				
	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		29.01	29.01				15.69				
	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLI DO	ODITO		23.01	23.01			1	13.03				
				UEPDC	UDTTE		29.01	29.01				15.69				
	activation / Chan - 2-Way DID w User Trans			UEPDC	UDITE		29.01	29.01			ļ	15.69				
	R 8 ZERO SUBSTITUTION															
	88ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00								
	88ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00								
Alternate	Mark Inversion															
	MI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
Α	MI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	ne Number/Trunk Group Establisment Charges														1	
	elephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00			1		1	15.69			i e	
	elephone Number for 1-Way Outward Trunk Group	l	†	UEPDC	UDTGY	0.00			 		l	15.69		 	1	
	elephone Number for 1-Way Inward Trunk Group Without DID	 	 	UEPDC	UDTGZ	0.00			 		1	15.69		1	1	
		 		OLFDO	שטוטב	0.00			 		 	15.69			1	-
	DID Numbers, Establish Trunk Group and Provide First Group	l	l	LIEDDO	ND7	0.00	0.00	0.00				45.00		1		
	of 20 DID Numbers	<u> </u>	_	UEPDC	NDZ	0.00	0.00	0.00			!	15.69		ļ	!	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.69			ļ	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00				15.69				
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.69				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.69				
	d DS1 (Interoffice Channel Mileage) -															
	for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port														1	
	nteroffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1				+			1		1			1	1	
	ermination)	1		UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48		15.69		İ		
+ +'	S	 		521 50	121101	77.17	03.47	01.33	10.59	17.70	1	15.09		1	1	
l	staroffice Channel Mileage Additional rate and all Committee	1		LIEDDO	11 N/C A	0.2445	0.00	0.00						İ		
	nteroffice Channel Mileage - Additional rate per mile - 0-8 miles		-	UEPDC	1LNOA	0.3415	0.00	0.00	1		1			1	1	
	nteroffice Channel Mileage - Fixed rate 9-25 miles (Facilities	l	1	l	1	l								1		
ı IT	ermination)	<u> </u>	<u></u>	UEPDC	1LNO2	0.00	0.00	0.00	<u> </u>		<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u></u>

UNBUNDLED	NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
In	nteroffice Channel Mileage - Additional rate per mile - 9-25															
	niles			UEPDC	1LNOB	0.7598	0.00	0.00								
	nteroffice Channel Mileage - Fixed rate 25+ miles (Facilities															
Te	ermination)			UEPDC	1LNO3	0.00	0.00	0.00								
	A LEG			LIEBBO	41.1100	0.7500	0.00	0.00								
	nteroffice Channel Mileage - Additional rate per mile - 25+ miles ocal Number Portability, per DS0 Activated			UEPDC	1LNOC LNPCP	0.7598 3.15	0.00	0.00			1				-	
	Central Office Termininating Point			UEPDC UEPDC	CTG	0.00	0.00	0.00			-					
	DS1 LOOP WITH CHANNELIZATION WITH PORT			OLFDC	CIG	0.00										
	s 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations														
	can have various rate combinations based on type and nu			used							1				1	
UNE DS1			<u> </u>								1					
	-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								
	-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								
	-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00								
	Channelization Capacities (D4 Channel Bank Configuration	ns)														
	4 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	103.47	0.00	0.00				15.69				
	8 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	206.94	0.00	0.00				15.69				
	6 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	413.88	0.00	0.00				15.69				ļ
	44 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14 VUM19	620.82	0.00	0.00				15.69				
18	92 DS0 Channel Capacity -1 per 8 DS1s 40 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG UEPMG	VUM20	827.76 1,034.70	0.00	0.00			-	15.69 15.69				
	88 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	1,034.70	0.00	0.00			-	15.69				
	84 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM38	1,655.52	0.00	0.00			+	15.69		-	-	
	80 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM40	2.069.40	0.00	0.00			+	15.69				
	76 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,483,28	0.00	0.00				15.69				
	72 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,897.16	0.00	0.00				15.69				
	urring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	neliztio		ersion Charge		stem									
A Minimu	um System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and U	p To 24 DSO Ports	with Feature A	ctivations.										
Multiples	of this configuration functioning as one are considered Ac	dd'I afte	r the m	ninimum system co	onfiguration is	counted.										
	IRC - Conversion (Currently Combined) with or without															
	ellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	301.62	16.76				15.69				
System A	Additions Where Currently Combined and New (Not Currentle	y Comb	ined)													
	MSAs and AL, FL, and NC Only															ļ
	DS1/D4 Channel Bank - Add NRC for each Port and Assoc			LIEDMO	VUMD4	0.00	747.74	105.01	4.40.00	47.00		45.00				
	ea Activation -			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69	-	15.69				
	Clear Channel Capability Format, superframe - Subsequent										+			-	-	
	ctivity Only			UEPMG	CCOSF	0.00	0.00	605.00						I		
	Clear Channel Capability Format - Extended Superframe -					0.00	3.55	333.30						1	1	
	subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00						1	1	
	Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	xtended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	e Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Exchange	e Ports			1										ļ	ļ	
	the Otto Continues of a college of the Continues of the C			HEDDY	LIEDOV							,=		1	1	
	ine Side Combination Channelized PBX Trunk Port - Business ine Side Outward Channelized PBX Trunk Port - Business			UEPPX UEPPX	UEPCX UEPOX	14.00 14.00	0.00	0.00	0.00	0.00		15.69 15.69		!	!	
L	ille Side Odtward Charmenzed PBA Trunk Port - Business	-	-	UEFFA	UEPUX	14.00	0.00	0.00	0.00	0.00	1	15.09				
1:	ine Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		15.69		1	I	
	-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	57.00	0.00	0.00	0.00	0.00		15.69		 	 	
	-Wire Channelized PBX Area Calling Service Combination Port			OLI I X	JEI DIVI	57.00	0.00	0.00	0.00	0.00		10.09		 	 	
	AL Only)			UEPPX	UEPA4									1	1	
	Wire Channelized PBX Area Calling Service Outgoing Only													1	1	
	ort (AL Only)			UEPPX	UEPA3									I		
Feature A	Activations - Unbundled Loop Concentration															
	eature (Service) Activation for each Line Side Port Terminated															
	D4 Bank	1	İ	UEPPX	1PQWM	0.70	40.00	20.00	6.00	5.00	1	15.69		1		1

ONBL	INDIE	D NETWORK ELEMENTS - South Carolina												Attack :	2	Evhibit: D	
	JINDLE	D NETWORK ELEMENTS - SOUTH CATOLINA	1	1			ı					Svc Order	Svc Order	Attachment: Incremental		Exhibit: B Incremental	Incrementa
1												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	-	Manual Svo
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				-			Manual Svc	
OA.L		NATE ELEMENTO	m	20.10	200	0000			itAT LO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Trunk Side Port Terminated															
		in D4 Bank			UEPPX	1PQWU	0.70	110.00	30.00	65.00	20.00		15.69				
	Teleph	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.69				
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00				15.69				
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.69				
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				15.69				
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.69				
-		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.69				
	Local	Number Portability			UEPPX	LNPCP	3.15	0.00	0.00								
-	EEATI	Local Number Portability - 1 per port JRES - Vertical and Optional	1	1	ULFFA	LINECE	3.15	0.00	0.00	1					1		
<u> </u>		Switching Features Offered with Line Side Ports Only	 	<u> </u>		+	-								-		
-	Local	All Features Available	1	1	UEPPX	UEPVF	3.04	0.00	0.00				15.69				
LINBIII	NDI ED (CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	<u> </u>		OLITA	OLI VI	3.04	0.00	0.00				13.03				
5.4501		t Based Rates are applied where BellSouth is required by FCC		State C	Commission rule to	provide Unb	indled Local S	witching or Sw	itch Ports								
		tures shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Rate	Exhibit.					
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		
	For Ge	eorgia, Kentucky, Louisiana, Mississippi and Tennessee, the re	ecurring	UNE I	ort and Loop charg	ges listed app	oly to Currently	Combined and	Not Currently	y Combined Co	ombos. The th	e first and a	additional P	ort nonrecurr	ing charges a	pply to Not C	urrently
		ned Combos for all states. In GA, KY, LA, MS and TN these no															
		ned Combos in all other states, the nonrecurring charges sha															•
		rket Rates for Unbundled Centrex Port/Loop Combination will															
		CENTREX - 5ESS (Valid in All States)															
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Non-Design		1	UEP95		14.89										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP95		21.52										
					ULF 93		21.32										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP95		27.17										
	UNE P	Non-Design ort/Loop Combination Rates (Design)		3													
	UNE P	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		3	UEP95		27.17										
	UNE P	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		3													
	UNE P	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	-	1	UEP95		27.17										
	UNE P	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	-	3 1 2	UEP95		27.17										
	UNE P	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	-	1 2	UEP95 UEP95 UEP95		27.17 17.81 24.26										
		Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	-	1	UEP95		27.17										
		Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design oop Rate	-	1 2 3	UEP95 UEP95 UEP95	UFCC4	27.17 17.81 24.26 29.59										
		Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1 2 3	UEP95 UEP95 UEP95 UEP95	UECS1	27.17 17.81 24.26 29.59										
		Non-Design ort/Loop Combination Rates (Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate [2-Wire Voice Grade Loop (SL 1) - Zone 1 [2-Wire Voice Grade Loop (SL 1) - Zone 2		1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1	27.17 17.81 24.26 29.59 13.76 20.38										
		Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1	27.17 17.81 24.26 29.59 13.76 20.38 26.04										
		Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1 2 3 1 1 2 3 1 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68										
		Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1		1 2 3 1 1 2 3 1 1 2	UEP95												
	UNE L	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2		1 2 3 1 1 2 3 1 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68										
	UNE LO	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate		1 2 3 1 1 2 3 1 1 2	UEP95												
	UNE L	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate tes		1 2 3 1 1 2 3 1 1 2	UEP95	40 30	19.90	24 98	6.65		15.60						
	UNE LO	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3		1 2 3 1 1 2 3 1 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13	40.30	19.90	24.98	6.65		15.69				
	UNE LO	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate tes 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)		1 2 3 1 1 2 3 1 1 2	UEP95	40.30	19.90	24.98	6.65		15.69 15.69						
	UNE LO	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3		1 2 3 1 1 2 3 1 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46										
	UNE LO	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area		1 2 3 1 1 2 3 1 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46	40.30	19.90	24.98	6.65		15.69				
	UNE LO	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 0-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 0-Oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 0-Tr Rate 1		1 2 3 1 1 2 3 1 1 2	UEP95	40.30	19.90	24.98	6.65		15.69						
	UNE LO	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate tes 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire		1 2 3 1 1 2 3 1 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB	27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46	40.30	19.90	24.98 24.98	6.65		15.69 15.69				
	UNE LO	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area		1 2 3 1 1 2 3 1 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB	27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46	40.30	19.90	24.98 24.98	6.65		15.69 15.69				
	UNE LO	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate tes 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area		1 2 3 1 1 2 3 1 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYH UEPYH	27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46 1.13 1.13	40.30 40.30 108.36	19.90 19.90 70.71	24.98 24.98 54.47	6.65 6.65 11.94		15.69 15.69				
	UNE LO	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate tes 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area		1 2 3 1 1 2 3 1 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYH UEPYH	27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46 1.13 1.13	40.30 40.30 108.36	19.90 19.90 70.71	24.98 24.98 54.47	6.65 6.65 11.94		15.69 15.69				
	UNE LO	Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate tes 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent		1 2 3 1 1 2 3 1 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYH UEPYH UEPYH UEPYM	27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46 1.13 1.13 1.13	40.30 40.30 108.36 108.36	19.90 19.90 70.71 70.71	24.98 24.98 54.47 54.47	6.65 6.65 11.94 11.94		15.69 15.69 15.69				

Version 1Q02: 03/22/2002 PAGE 305 OF 352

UNBUNDLED	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
					-	1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AL KY I	A, MS, SC, & TN Only					Nec	11131	Addi	11130	Addi	JONILO	JOHAN	JOINAIN	JOHAN	JOHIAN	JONAN
	-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69				
	-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65		15.69				
	-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69				
	-Wire Voice Grade Port (Centrex from diff Serving Wire		1													
	Center)2			UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69				
	-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	erm			UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69				
2-	-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69				
2-	-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69				
Local Sw																
	entrex Intercom Funtionality, per port			UEP95	URECS	0.7996										
	mber Portability															
	ocal Number Portability (1 per port)			UEP95	LNPCC	0.35										
Features																
	Il Standard Features Offered, per port			UEP95	UEPVF	3.04						15.69				
	Il Select Features Offered, per port			UEP95	UEPVS	0.00	406.42					15.69				
	Il Centrex Control Features Offered, per port			UEP95	UEPVC	3.04						15.69				
NARS																
	Inbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15.69				
	Inbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.69				
	Inbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				15.69				
	neous Terminations															
	runk Side															
	runk Side Terminations, each			UEP95	CEND6	8.86	119.57	18.78	60.03	3.77		15.69				
	igital (1.544 Megabits)															
	S1 Circuit Terminations, each			UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				
	SO Channels Activated, each			UEP95	M1HDO	0.00	14.51					15.69				
	e Channel Mileage - 2-Wire		<u> </u>	LIEDAE		24.22	40.00		10.			4= 00				
	nteroffice Channel Facilities Termination		<u> </u>	UEP95	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69				
	nteroffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0167										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e	<u> </u>													
	nel Bank Feature Activations eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56						15.69				
F	eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	IPQWS	0.56			1			15.69				
E-	eature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56						15.69				
	eature Activation on D-4 Channel Bank FX Trunk Side Loop			UEF93	IFQW6	0.56			1			15.69				
	eature activation on D-4 Channel Bank FX Trunk Side Loop		1	UEP95	1PQW7	0.56						15.69		1	I	
	eature Activation on D-4 Channel Bank Centrex Loop Slot -		 	OL: 30	11 Q 11 /	0.50			 			10.09		 	 	
	eature Activation on 5-4 Charmer Bank Centrex Loop Slot -		1	UEP95	1PQWP	0.56						15.69		1	I	
	mioroni vino contor		1	OL: 30	11 (2111	0.50						10.09			-	
F	eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56						15.69			1	
	eature Activation on D-4 Channel Bank Tivate Line Loop Slot		1			0.00			 			10.00			 	
	lot			UEP95	1PQWQ	0.56						15.69			1	
	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56						15.69		1	1	
	urring Charges (NRC) Associated with UNE-P Centrex				1	2.30			†					İ	İ	
	IRC Conversion Currently Combined Switch-As-Is with allowed			1	1 1	İ			† †					1	t	
	hanges, per port			UEP95	USAC2	l	37.93	16.72				15.69			1	
	lew Centrex Standard Common Block			UEP95	M1ACS	0.00	668.70					15.69				
	lew Centrex Customized Common Block			UEP95	M1ACC	0.00	668.70					15.69				
	IAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.89					15.69				
	ENTREX - DMS100 (Valid in All States)				1 1											
	G Loop/2-Wire Voice Grade Port (Centrex) Combo				1											
	t/Loop Combination Rates (Non-Design)															
	-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -								1							
N	lon-Design	<u></u>	1	UEP9D	_1	14.89			<u> </u>		<u></u>			<u> </u>	<u> </u>	<u></u>
2-	-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					ĺ			İ							
l N	lon-Design		2	UEP9D		21.52										1

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
LINIE	Non-Design		3	UEP9D		27.17										_
UNE	Port/Loop Combination Rates (Design)		1													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		17.81										
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF9D		17.01										
	Design		2	UEP9D		24.26										
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 3D		24.20										1
	Design		3	UEP9D		29.59										
UNF	Loop Rate			02.05		20.00										1
0.112	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	26.04										1
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.68										1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	23.13										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.46										1
UNE	Port Rate															1
	STATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area		1	UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local						40.00					4= 00				
	Area		1	UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local						40.00					4= 00				
	Area		1	UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			LIEDOD	LIEDVA /	4.40	40.00	40.00	04.00	0.05		45.00				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		1	UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65		15.69				
	Area			UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		1	OLF3D	ULF 13	1.13	40.30	19.90	24.90	0.03		15.09				1
	Area			UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLI 3D	OLI III	1.10	40.50	13.30	24.30	0.03		13.03				1
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			02.05	02	0	10.00	.0.00	21.00	0.00		10.00				1
	Basic Local Area			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)									0.00						
	2 Basic Local Area			UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3						-									1
	Basic Local Area			UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
	Basic Local Area			UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3						_									
	Basic Local Area			UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3									-				<u> </u>		
	Basic Local Area			UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94		15.69				ļ
_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3	1														
	Basic Local Area			UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94		15.69				
_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area		<u></u>	UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94	<u> </u>	15.69			<u> </u>	<u> </u>

NRONDER	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			LIEDOD	LIEDVC	4.40	400.00	70.74	54.47	44.04		45.00				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		<u> </u>	UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94		15.69				
	Basic Local Area			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 3D	OLI 17	1.13	100.50	70.71	34.47	11.54		13.03				+
	Term			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69				ļ
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPQB	1.13	40.30 40.30	19.90	24.98	6.65		15.69				
-	2-Wire Voice Grade Port (Centrex / EBS-PSET)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQC UEPQD	1.13 1.13	40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69			-	-
-	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65		15.69			-	-
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65		15.69				1
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65		15.69				1
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65		15.69			-	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94		15.69			1	-
	2 WHO VOICE CLOSE FOR (CONTINUATION CHIEF CAPE FOR 1/2, O			OLI OD	OLI QO	1.10	100.00	70.71	04.47	11.04		10.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94		15.69				
	0 M/2 - M/2 - O - L. Best (O - tree / 1/4 - 0 M/2 /FB0 M/5000)0 0			UEP9D	UEPQ4	1.13	100.00	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		<u> </u>	UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94		15.69				
	2-vviile voice Grade i ort (Gentiewainer Gwo /EBG-No200)2, 3			OLI 3D	OLI Q3	1.10	100.50	70.71	34.47	11.54		15.05				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94		15.69				
	(1										1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69				
															1	
_	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69			ļ	<u> </u>
Laset	2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69		-	1	<u> </u>
Local	Switching Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7996			1			15.69		 	1	
Local	Number Portability		-	OLFBD	UNLUG	0.7990			 			15.69		1	 	
Local	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35									t	†
Featu						0.00								1	1	
	All Standard Features Offered, per port			UEP9D	UEPVF	3.04						15.69				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	406.42					15.69				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.04						15.69				

BUNDLE	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
						•				•	Svc Order	Svc Order	Incremental	Incremental	Incremental	Increme
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Intent									Elec	Manually			Manual Svc	Manual
EGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order v
		m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electron
													1st	Add'l	Disc 1st	Disc Ad
							Nonreci	ırring	Nonrecurring	g Disconnect				Rates(\$)	l.	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
												15.69				
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				15.69				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.69				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.69				
Miscella	aneous Terminations															
	Trunk Side			_												
	Trunk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77		15.69				
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51					15.69				
Interoff	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0167										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56						15.69				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56						15.69				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.56						15.69				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.56						15.69				
	Billiototic Title Conto.			02. 05		0.00	-				1	10.00				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56						15.69				
	Feature Activation on D-4 Channel Bank Tilvate Line Loop Slot Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			OLI 3D	II QVVV	0.50	-					13.03				
	Slot			UEP9D	1PQWQ	0.56						15.69				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56						15.69				
	curring Charges (NRC) Associated with UNE-P Centrex			OLFBD	IFQWA	0.30	-				-	13.09			-	1
	NRC Conversion Currently Combined Switch-As-Is with allowed						-				-				-	1
	changes, per port			UEP9D	USAC2		37.93	16.72				15.69				
	New Centrex Standard Common Block		1	UEP9D UEP9D	M1ACS	0.00	668.70	10.72			 	15.69		-	-	
	New Centrex Standard Common Block New Centrex Customized Common Block			UEP9D UEP9D	M1ACS M1ACC	0.00	668.70			 	1	15.69		-	1	
											1				1	1
	NAR Establishment Charge, Per Occasion		 	UEP9D	URECA	0.00	72.89				1	15.69			1	
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD		 		+						1				1	
	- Requires Interoffice Channel Mileage		 		+						1				1	
	Requires Specific Customer Premises Equipment	1	1		1					1	1	1	1	1	l .	1

UNBUN	DLE	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	ĺ
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												•	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring			Disconnect				Rates(\$)		
L							Rec	First	Add'l	First	Add'l			SOMAN	SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				eographically	/ Deaveraged Ul	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	Designation	ns by Cent	ral Office, refe	er to Internet	Nebsite:	
h	ttp://w	ww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPERAT	ONAL	SUPPORT SYSTEMS															
		1) Electronic Service Order: CLEC should contact its contract	ct nego	iator i	it prefers the state :	specific elec	tronic service o	rdering charge	es as ordered b	y the State Co	mmissions. T	he electron	ic service or	dering charg	e currently co	ntained in thi	is rate
e	xhibit	is the BellSouth regional electronic service ordering charge.	CLEC	may ele	ect either the state s	pecific Com	mission ordered	rates for the	electronic serv	ice ordering cl	narges, or CLE	C may elect	the regiona	al electronic s	ervice orderii	ng charge.	
N	OTE:	2) Any element that can be ordered electronically will be bill	ed acco	rding	to the SOMEC rate li	sted in this	category. Pleas	e refer to Bell	South's Busine	ess Rules for L	ocal Ordering	(BBR-LO) to	determine	if a product of	an be ordere	d electronical	ly. For
		lements that cannot be ordered electronically at present per t															
		g charge, SOMAN, will be applied to a CLECs bill when it sub						-									
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
		interactive interfaces (Regional)				SOMEC		3.50									1
UNBUND	LED E	XCHANGE ACCESS LOOP															
2	-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92					20.35	10.54	13.32	13.32
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch														'	1
		(UVL-SL1)			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	13.32
		Engineering Information Document (EI)			UEANL			28.80	28.80								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
		Order Coordination for Specified Conversion Time for UVL-SL1														'	1
 		(per LSR)			UEANL	OCOSL		34.29	34.29								
2	-WIRE	Unbundled COPPER LOOP	<u> </u>	.			10.10	21.22		10.05					10 = 1		10.00
-		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		3	UEQ UEQ	UEQ2X UEQ2X	17.23 22.53	31.99 31.99	20.02	10.65 10.65	1.41 1.41			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Order Coordination 2 Wire Unbundled Copper Loop - Non-		3	UEQ	UEQZX	22.55	31.99	20.02	10.05	1.41			20.33	10.54	13.32	13.32
		Designed (per loop)			UEQ	USBMC		36.52	36.52					20.35	10.54	13.32	13.32
		Engineering Information Document			UEQ	OSDIVIC		28.80	28.80					20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					20.35	10.54	13.32	13.32
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch			OLG	OKETA		20.00	20.00					20.00	10.04	10.02	10.02
		(UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
UNBUND	LED E	XCHANGE ACCESS LOOP														10.00	10.00
		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1	1	1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41		1	20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1	<u> </u>	1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-														1	1
		Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-							-	<u> </u>				-	1	1	1
		Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		Ī]			1 7	1
		Zone 3	<u> </u>	3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		l	l							1			1 '	1
		Zone 3		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		XCHANGE ACCESS LOOP	ļ				1									 '	
2	-WIRE	ANALOG VOICE GRADE LOOP	ļ				1									 '	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	_		LIEALO	10.50	75.00	40.00	00 =0	17.01		1	20.0-	40.51	10.00	10.00
		Ground Start Signaling - Zone 1	<u> </u>	1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2		LIEALO	04.00	75.00	40.00	20 =2	47.01			20.0-	10.51	10.00	10.00
\vdash		Ground Start Signaling - Zone 2	 	2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
-		Order Coordination for Specified Conversion Time (per LSR)	 	3	UEA	OCOSL	∠8.∠8	75.06 34.29	48.20	∠8.70	17.04			∠0.35	10.54	13.32	13.32
		Oraci Coordination for Specified Conversion fillie (per LSR)	1		ULA	JUUJL	1	34.∠9		l	l		1		l	1	1

Version 1Q02: 03/22/2002 PAGE 310 OF 352

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
1							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_		LIEADO	00.00	75.00	40.00	00.70	47.04			00.05	40.54	40.00	40.00
	Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAR2 OCOSL	28.28	75.06 34.29	48.20	28.70	17.64			20.35	10.54	13.32	13.32
-	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
4-WIR	E ANALOG VOICE GRADE LOOP			OLA	OKEWO		75.00	30.41					20.55	10.54	13.32	10.02
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN UDN	U1L2X OCOSL	37.95	142.76 34.29	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2-WID	E Universal Digital Channel (UDC) COMPATIBLE LOOP			UDIN	UKEWU		91.77	44.22					20.33	10.54	13.32	13.32
Z-WIK	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															+
	1		1	UDC	UDC2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		Ė	020	OD OZA		2 0	00.00	70.00	00.10			20.00	10.01	10.02	10.02
	2		2	UDC	UDC2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															1
	3		3	UDC	UDC2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF) 												
	2 Wire Unbundled ADSL Loop including manual service inquiry		1		1141 01/	40.00	070.04	004.00	74.54	00.44			00.05	40.54	40.00	40.00
	& facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	10.03	270.01	234.03	74.34	35.14			20.33	10.54	13.32	13.32
	& facility reservation - Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	20.00	34.29	201.00	7 1.0 1	00			20.00	10.01	10.02	10.02
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1	- 1	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2	I	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &	١.							40.05						40.00	40.00
	facility reservation - Zone 3	ı	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 4		4	UAL	UAL2W											
	Order Coordination for Specified Conversion Time (per LSR)		-	UAL	OCOSL		34.29									+
-	CLEC to CLEC Conversion Charge without outside dispatch	-		UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	O/ IL	ONLWO		01.00	20.02					20.00	10.04	10.02	10.02
	2 Wire Unbundled HDSL Loop including manual service inquiry															1
	& facility reservation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry		_	L	[1			l		1
	& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
1	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry		1	UITL	UNLZVV	10.83	31.99	20.02	10.05	1.41			20.35	10.54	13.32	13.32
	2 Tring Gribundied Fibol Loop Williout Hailuai Service Inquiry		2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41	ı		20.35	10.54	13.32	13.32

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop without manual service inquiry		_			18.50	24.00	20.00	40.05	4.44			20.25	40.54	40.00	40.00
	and facility reservation - Zone 3	- 1	3	UHL	UHL2W OCOSL	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UHL UHL	UREWO		34.29 31.99	20.02					20.35	10.54	13.32	13.32
4-WID	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDI E I	OOB	OFIL	UKLWO		31.99	20.02			1		20.33	10.54	13.32	13.32
4-4411	4 Wire Unbundled HDSL Loop including manual service inquiry	I IDEL I														
	and facility reservation - Zone 1		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	ı	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	ı	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry	١.	_	l					40.05							40.00
	and facility reservation - Zone 3	- 1	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UHL UHL	OCOSL UREWO		34.29	20.00					20.35	40.54	40.00	13.32
4-WID	E DS1 DIGITAL LOOP	-		UHL	UREWU		31.99	20.02			-		20.35	10.54	13.32	13.32
4-WIR	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	Order Coordination for Specified Conversion Time (per LSR)		Ť	USL	OCOSL	00.00	34.59	2.02	00.00	10.10			10.00	0.10	11.00	11.00
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP						.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54		13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	24.42	34.29		20.70					10 = 1	10.00	10.00
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		2	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL UDL	UDL64 UDL64	40.61 53.11	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
-	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	55.11	34.29	141.30	90.70	44.10	-		20.33	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1	- 1	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2	- 1	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52							1	1
	2-Wire Unbundled Copper Loop/Short without manual service	١.			LIGIBIA	40.10	04.00	00.00	40.0=				00.05	40 = 1	40.00	40.00
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Short without manual service		2	LICI	LICI DW	47.00	24.00	20.00	40.05	4 44			20.25	40.54	40.00	40.00
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Short without manual service			UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
1	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	22.33	36.52	36.52	10.05	1.41			20.35	10.34	13.32	13.32
- 	2-Wire Unbundled Copper Loop/Long - includes manual srvc.				JOLIVIO		00.02	00.02	1						-	-
	inquiry and facility reservation - Zone 1	l i	1	UCL	UCL2L	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Long - includes manual svc.						250		75.00						.5.02	15.02
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL2L	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - includes manual svc.					Nec	FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	JOWAN	JOWAN
	inquiry and facility reservation - Zone 3	1	3	UCL	UCL2L	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1	- 1	1	UCL	UCL2W	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Long - without manual service		_			.=									40.00	
	inquiry and facility reservation - Zone 2 Order Coordination for Unbundled Copper Loops (per loop)	- 1	2	UCL UCL	UCL2W UCLMC	17.23	31.99 36.52	20.02 36.52	10.65	1.41			20.35	10.54	13.32	13.32
-	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC		36.52	36.32								
	(UCL-Des)	1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WI	RE COPPER LOOP				=		200								. 5.02	. 5.02
	4-Wire Copper Loop/Short - including manual service inquiry					-		_								
	and facility reservation - Zone 1	- 1	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop/Short - including manual service inquiry		_		1101.40											
	and facility reservation - Zone 2 4-Wire Copper Loop/Short - including manual service inquiry		2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16	1		20.35	10.54	13.32	13.32
	and facility reservation - Zone 3		3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC	72.17	36.52	36.52	70.00	33.10			20.00	10.04	10.02	10.02
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 1	- 1	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2	I	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop/Short - without manual service inquiry and	١.,	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
-	facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCL4VV UCLMC	42.17	36.52	36.52	76.35	39.16			20.35	10.54	13.32	13.32
 	4-Wire Unbundled Copper Loop/Long - includes manual svc.			OOL	OCLIVIC		30.32	30.32								
	inquiry and facility reservation - Zone 1	- 1	1	UCL	UCL4L	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL4L	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Unbundled Copper Loop/Long - includes manual svc.														40.00	
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	ı	3	UCL UCL	UCL4L UCLMC	42.17	122.76 36.52	85.57 36.52	76.35	39.16			20.35	10.54	13.32	13.32
-	4-Wire Unbundled Copper Loop/Long - without manual svc.			UCL	UCLIVIC		36.52	36.32								
	inquiry and facility reservation - Statewide	1	sw	UCL	UCL4O											
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)	I		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP MODI	FICATION		<u> </u>	UAL, UHL, UCL,					 	 	1					
			1	UEQ. ULS. UEA.					1							
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		1	UEANL, UDL, UDC,					1							
	pair less than or equal to 18k ft	- 1	1	UDN, UDL, USL	ULM2L		65.40	65.40	1				20.35	10.54	13.32	13.32
	Unbundled Loop Modification, Removal of Load Coils - 2 wire															
	greater than 18k ft	I	ļ	UCL, ULS	ULM2G		710.71	23.77	ļ				20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		1		ULM4L		05.40	05.40	1				00.0=	10.51	10.00	10.00
	less than or equal to 18K ft Unbundled Loop Modification Removal of Load Coils - 4 Wire		 	UHL, UCL	ULIVI4L		65.40	65.40	 	-	-		20.35	10.54	13.32	13.32
	pair greater than 18k ft	L		UCL	ULM4G		710.71	23.77					20.35	10.54	13.32	13.32
	,			UAL, UHL, UCL, UEQ, UEF, ULS,				201					25.50	10.04	.0.32	.5.02
			1	UEA, UEANL, UDL,					1							
	Unbundled Loop Modification Removal of Bridged Tap Removal,		1	UDC, UDN, UDL,					1							
SUB-LOOPS	per unbundled loop		<u> </u>	USL	ULMBT		65.44	65.44	 	 	1		20.35	10.54	13.32	13.32
	- Loop Distribution		1						 	1						
Gub.	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		†													
	Up	I		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		42.68	42.68	1				20.35	10.54	13.32	13.32

UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring					Rates(\$)		
	0.1.1					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			UEANL	LICEC		313.01	212.01					20.35	10.54	12.22	12.22
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			UEAINL	USBSC		313.01	313.01	-				20.35	10.54	13.32	13.32
	Set-Up	- 1		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -								†							
	Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			115 4411		7.00	4.47.00	75.44	00.00	40.00			00.05	40.54	40.00	40.00
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_	02/11/2	002.11	0.01		70	55.55	.0.00			20.00	10.01	10.02	10.02
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
Ì																
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
	Order Coordination for Unbroadlad Cob Lagran and sub-lagrangia			UEANL	USBMC		34.29	34.29								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	_		UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
	Sub-Loop 4-vviile intrabuliding Network Cable (INC)	-		OLANL	USBK4	2.20	110.14	37.10					20.33	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF UEF	USBMC	0.50	34.29	34.29	99.96	40.00			00.05	40.54	40.00	40.00
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X UCS4X	6.52 8.52	117.12 117.12	44.30 44.30	99.96	16.98 16.98			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4 Wife Copper Cribunated Sub-Loop Distribution - Zone 3	-	3	OLI	00047	11.14	117.12	44.50	33.30	10.90			20.55	10.54	13.32	10.02
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29								
Unbu	ndled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		335.36	7.82					20.34	10.54	13.32	13.32
	Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF	ULM4X		225.20	7.82					20.35	10.54	13.32	13.32
	Coil/Equip Removal per 4-W PR Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			UEF	ULIVI4X		335.36	7.82	-				20.35	10.54	13.32	13.32
	Tap Removal, per PR unloaded			UEF	ULM4T		528.48	9.74					20.35	10.54	13.32	13.32
Unbu	ndled Network Terminating Wire (UNTW)								†							
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.32
Netwo	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		89.69	54.56	0.6391	0.6391			20.35	10.54	13.32	13.32
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		129.65	94.51	0.6522	0.6522			20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W			UENTW UENTW	UNDC2 UNDC4		11.11 11.11	11.11 11.11					20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
SUB-LOOPS	Network Interface Device Cross Connect - 499		 	OCIVIVV	UNDC4		11.11	11.11	 				20.35	10.54	13.32	13.32
	Loop Feeder		1												t	t
0	USL-Feeder, DS0 Set-up per Cross Box location - CLEC		t	UEA,					†							
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		517.25		<u> </u>				20.35	10.54	13.32	13.32
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,				· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·				1		
	set-up			UDN,UCL,UDL,UDC			42.68	42.68	ļ				20.35	10.54	13.32	13.32
	USL Feeder DS1 Set-up at DSX location, per DS1 termination		1	USL	USBFZ		531.04	11.34					20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide		sw	UEA	USBFA	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time, per LSR		SW	UEA	OCOSL	12.05	34.29	85.05	10.35	39.16	1		20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		 	OLA.	JUUJL		34.29								†	†
	Grade - Statewide		sw	UEA	USBFB	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		34.29							İ	1	1

ONRONDLE	D NETWORK ELEMENTS - Tennessee			1							T -		Attachment:		Exhibit: B	↓
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							Nonrecurring		Nonrecurring	Disconnect		l	088	Rates(\$)	L	<u></u>
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		1			Rec	FIISL	Auu i	FIISL	Auu i	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	Voice Grade Loop - Statewide		sw	UEA	USBFC	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time, per LSR		SW	UEA	OCOSL	12.03	34.29	05.05	70.33	39.10		-	20.33	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			ULA	OCOSL		34.23		-			-		-	-	+
	Grade - Zone 1		1	UEA	USBFD	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		<u> </u>	OLA	OODI D	21.02	137.31	01.33	110.04	30.13			20.55	10.54	10.02	10.02
	Grade - Zone 2		2	UEA	USBFD	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice			OLA	CODI D	20.11	137.31	01.33	110.04	30.13	1		20.55	10.54	10.02	15.52
	Grade - Zone 3		3	UEA	USBFD	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time, Per LSR		Ŭ	UEA	OCOSL	00.70	34.29	01.00	110.01	00.10			20.00		10.02	10.02
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			02/1	00002		0 1.120									
	Grade - Zone 1		1	UEA	USBFE	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFE	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 3		3	UEA	USBFE	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34.29									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN	USBFF	16.11	142.83	67.45	104.67	18.53			19.99	19.99	19.99	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	21.04	142.83	67.45	104.67	18.53			19.99	19.99	19.99	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	27.51	142.83	67.45	104.64	18.53			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		34.29									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	16.11	142.83	67.45	104.67	18.53			19.99	19.99	19.99	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	21.04	142.83	67.45	104.67	18.53			19.99	19.99		
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	27.51	142.83	67.45	104.64	18.53			19.99	19.99	19.99	
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	39.74	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	51.90	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	67.86	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	USL	OCOSL USBFH	9.52	34.59 114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		-	UCL	USBFH	9.52	114.27	30.09	104.04	10.55		-	19.99	19.99	19.99	19.99
	2		2	UCL	USBFH	12.43	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone			OOL	CODITI	12.40	114.21	30.03	104.04	10.55			13.33	13.33	15.55	13.33
	3		3	UCL	USBFH	16.26	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR		Ŭ	UCL	OCOSL	.0.20	34.29	00.00	101101	10.00			10.00	10.00	10.00	10.00
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14.37	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	18.76	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	24.53	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34.29									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFO	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		l _													
	Zone 2		2	UDL	USBFO	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			LIBI	HODEO	44.50	440.00	40.00	400.00	40.04			40.00	40.00	40.00	40.00
	Zone 3		3	UDL	USBFO	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		-	UDL	OCOSL		34.29		-							+
	Zone 1		1	UDL	USBFP	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
-	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		- ' -	ODL	USBIF	20.00	110.00	40.02	100.02	10.91	1		19.99	19.99	15.55	15.55
	Zone 2		2	UDL	USBFP	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -				00011	0-1.00	110.00	70.02	100.02	10.01	1		10.00	15.55	13.33	10.99
	Zone 3		3	UDL	USBFP	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR		Ť	UDL	OCOSL	50	34.29	2						12.30	12.30	1
SUB-LOOPS	, , , , , , , , , , , , , , , , , , , ,						10		†				İ		1	†
Sub-L	oop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	14.11										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	333.26	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect		1	oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	14.11										L
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	359.02	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder – OC-3 – Per Mile Per Month Sub Loop Feeder - OC-3 - Facility Termination Protection Per			UDLO3	1L5SL	10.71			-							
	Month			UDLO3	USBF5	56.64										ı
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	546.31	3.390.00	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder - OC-12 - Per Mile Per Month				1L5SL	13.18	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
	Month			UDL12	USBF6	639.98										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month		<u> </u>	UDL12	USBF3	1,697.00	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	<u> </u>
	Sub Loop Feeder - OC-48 - Per Mile Per Month Sub Loop Feeder - OC-48 - Facility Termination Protection Per		-	UDL48	1L5SL	43.22	 		-				-		-	
	Month			UDL48	USBF9	320.36									1	1
	Sub Loop Feeder - OC-48 - Facility Termination Per Month				USBF4	1,457.00	3,576.00	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	361.44	789.41	407.68	165.17	501.31			20.35	10.54	13.32	
UNBUNDLED L	OOP CONCENTRATION															
	Loop Channelization System			ULC	ULCCS	307.07	307.34	74.37	4.18				20.35	10.54	13.32	13.32
	CO Channel Interface - 2-Wire Voice Grade		ļ		ULCC2 UCT8A	1.20 500.18	9.57	9.52	8.66	8.60	<u> </u>	ļ	20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008)			ULC ULC	UCT8B	54.82	613.60 255.67	613.60 255.67					20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	Unbundled Loop Concentration - System B (TR008) Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	539.00	613.60	613.60					20.35	10.54	13.32	13.32
+	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3B	92.37	255.67	255.67					20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	6.23	74.39	53.07	30.23	8.46			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - ISDN Loop Interface (Brite															
	Card)			UDN	ULCC1	8.46	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8.46	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.32	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery															ĺ
	Loop Interface (SPOTS Card)			UEA	ULCCR	12.45	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7.53	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.332
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35.77	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop															ĺ
	Interface			UDL	ULCC6	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
LINE OTHER D	PROVISIONING ONLY - NO RATE						-		9.71							
ONE OTHER, F	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX		1		+						1	
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	, ,			UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER, P	ROVISIONING ONLY - NO RATE		<u> </u>				ļ		ļ		ļ					
				UAL,UCL,UDC,UDL,					1							İ
	Unbundled Contact Name, Provisioning Only - no rate			UDN.UEA.UHL.ULC	LINECN	0.00	0.00		1							İ
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			ODIN,OLA,OHIL,OLO	SINLOIN	0.00	0.00				 				t	
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00		1							İ
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00				ļ					1
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									.
	Unbundled DS1 Loop - Expanded Superframe Format option -			1101	CCOEF	0.00	0.00									i
HIGH CABACIT	no rate Y UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00		 		 	-	-		 	
IIION CAFACII	I UNDUNDEED LOCAL LOOF		1				ı					1	·	·	1	

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee											•	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring			1		Rates(\$)		
	High Capacity Unbundled Local Loop - DS3 - Per Mile per					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	month			UE3	1L5ND	9.19										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84	19.01	19.01
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9.19										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
No.	Termination per month		<u> </u>	UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84	19.01	19.01
Note -LOOP MAKE	(1): Rates provided in TN for both electronic and manual Loop	wakeu	p are II	nterim and subject to	retro-active	true-up adjusi	ments penaing	a permanent	rate ruling on t	nese rate elen	nents from t	ne renness	ee Regulatory	Authority.		
LOOF WARE-	Loop Makeup - Preordering Without Reservation, per working or		1		1						1					
	spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76								
	Loop Makeup - Preordering With Reservation, per spare facility	_					l i									
	queried (Manual). Loop MakeupWith or Without Reservation, per working or	R		UMK	UMKLP		0.76	0.76								
	spare facility queried (Mechanized)	R		UMK	PSUMK		0.76	0.76								
HIGH FREQUI	ENCY SPECTRUM							****								
SPLIT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	100.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSD8	8.33	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		163.06		92.71				20.35	10.54	13.32	13.32
END I	JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	Y SPEC	TRUM				103.00		92.71				20.33	10.54	13.32	13.32
LIVE	Line Sharing - per Line Activation (BST owned Splitter)	1 0. 20	110111	ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing - per Subsequent Activity per Line			020	02020	0.01	10.00	01.00	0.00	0.00			20.00	10.01	10.02	10.02
	Rearrangement(BST Owned Splitter)			ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32
	Line Sharing - per Subsequent Activity per Line			ULS	000		00.00	45.00					00.05	40.54	40.00	40.00
	Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCS	0.61	30.00 47.44	15.00 19.31	0.00	0.00			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	Line Splitting - per line activation (DLEC owned splitter	<u> </u>	1	UEPSR UEPSB	UREOS	0.61	47.44	19.51	0.00	0.00			20.33	10.54	13.32	13.32
	Line Splitting - per line activation BST owned - physical	i i		UEPSR UEPSB	UREBP	0.97	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
	Line Splitting - per line activation BST owned - virtual	i i		UEPSR UEPSB	UREBV	0.91	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
UNBUNDLED	DEDICATED TRANSPORT															
	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	od - below DS3=one	month, DS3/	STS-1=four mo	onths									
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			U1TVX	1L5XX	0.0054										
	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTIVX	ILSAA	0.0054										
	Facility Termination per month			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			OTTVX	011172	10.00	00.00	17.07	27.00	0.01			20.00	21.00	3.00	10.04
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
	Facility Termination per month		1	U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month	1		U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		1	01117	ILUAA	0.0034					1					
	- Facility Termination per month			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	8.66	8.66
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			LIATOV	41.5307											
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility		-	U1TDX	1L5XX	0.0174										
	Termination per month			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month		ļ	U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
- 	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		-	UTIDA	UTIDO	17.98	55.39	17.37	21.90	3.51			20.35	21.09	9.80	10.54
	month			U1TD1	1L5XX	0.3562						1			1	

HINRHINE) FD	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CHECINE	/LED	ALIMONY EFFINENTS - TELLIESSEE										Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc			_
CATEGOR	RΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D100 100	DISC Add I
oxdot								Nonrecurring		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			III TO		77.00	110.10	70.07	40.55	44.00			00.05	04.00	0.00	40.54
\vdash		Termination per month			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09	9.80	10.54
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD3	1L5XX	2.34										
\vdash		Interoffice Channel - Dedicated Transport - DS3 - Facility			פטווט	ILSAA	2.34					-		-			
		Termination per month			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
		nteroffice Channel - Dedicated Transport - STS-1 - Per Mile per			01100	01110	040.00	000.20	170.00	100.04	100.01			00.04	00.04	10.01	10.01
		month			U1TS1	1L5XX	2.34										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination per month			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
LC	CAL	CHANNEL - DEDICATED TRANSPORT															
NC		OCAL CHANNEL DEDICATED TRANSPORT - minimum billing	perio	d - belo	w DS3=one month,	DS3/STS-1=f	our months										
		Local Channel - Dedicated - 2-Wire Voice Grade per month -											1				
\perp		Zone 1		1	ULDVX	ULDV2	17.18	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 2-Wire Voice Grade per month -		_									1				1
\vdash		Zone 2		2	ULDVX	ULDV2	22.44	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 2-Wire Voice Grade per month -		3	LINID) O/	111 50 60	00.04	100.00	04.40	54.04	4.00						
\vdash		Zone 3		3	UNDVX	ULDV2	29.34	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULDVX	ULDR2								20.35	21.09	9.80	10.54
\vdash		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per			ULDVX	ULDR2						-		20.35	21.09	9.80	10.54
		month - Zone 1		1	ULDVX	ULDR2	17.18	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per		<u> </u>	OLDVX	OLDINZ	17.10	199.55	24.10	34.01	4.00						1
		Month - Zone 2		2	ULDVX	ULDR2	22.44	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per		-	025 77	025.42		100.00	20	001							
		Month - Zone 3		3	ULDVX	ULDR2	29.34	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 4-Wire Voice Grade per month -															
		Zone 1		1	UNDVX	ULDV4	18.18	201.53	24.83	55.52	5.51						
		Local Channel - Dedicated - 4-Wire Voice Grade per month -															
		Zone 2		2	UNDVX	ULDV4	23.74	201.53	24.83	55.52	5.51						
		Local Channel - Dedicated - 4-Wire Voice Grade per month -															
		Zone 3		3	UNDVX	ULDV4	31.05	201.53	24.83	55.52	5.51						
		Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	36.24	277.35	233.26	33.18	22.30						
\vdash		Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	47.33	277.35	233.26	33.18	22.30						
-	!	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1 ULDD3	ULDF1 1L5NC	61.89 7.15	277.35	233.26	33.18	22.30			-	-		
\vdash		Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per			ULDU3	ILDING	7.15							+			+
		month			ULDD3	ULDF3	611.30	595.37	304.50	215.82	151.15		1	36.84	36.84	19.01	19.01
+		Local Channel - Dedicated - STS-1- Per Mile per month		\vdash	ULDS1	1L5NC	7.15	333.37	304.30	210.02	151.15		 	30.04	30.04	13.01	13.01
	- fi	Local Channel - Dedicated - STS-1 - Facility Termination per					0							1		1	1
	li li	month			ULDS1	ULDFS	599.59	588.07	297.20	215.82	151.15			20.35	21.09	9.80	10.54
MULTIPLE					-												
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	80.77	141.67	77.11	14.51	13.46			20.35	9.80	11.49	1.18
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per							-								
		month (2.4-64kbs)			UDL	1D1DD	1.82	6.07	4.66					20.35	9.80	11.49	1.18
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per							·								
		month			UDN	UC1CA	3.10	6.07	4.66					20.35	9.80	11.49	
$\vdash \vdash$		Voice Grade COCI - DS1 to DS0 Channel System - per month		\vdash	UEA	1D1VG	0.91	6.07	4.66	44 :-	40.00			20.35		11.49	
\vdash		DS3 to DS1 Channel System per month		 	UXTD3	MQ3	222.98	308.03	108.47	44.47	42.62			20.35	9.80	11.49	
\vdash		STS1 to DS1 Channel System per month		\vdash	UXTS1	MQ3	222.98	308.03	108.47	44.47	42.62	-		20.35	21.09	9.80	
\vdash		DS3 Interface Unit (DS1 COCI) used with Loop per month DS3 Interface Unit (DS1 COCI) used with Local Channel per		1	USL	UC1D1	17.58	6.07	4.66	1		-	 	20.35	9.80	11.49	1.18
		month			ULDD1	UC1D1		6.07	4.66				1	20.35	9.80	11.49	1.18
\vdash		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel		\vdash	02001	20101		0.07	4.00					20.35	9.00	11.49	1.10
		per month			U1TD1	UC1D1		6.07	4.66				1	20.35	9.80	11.49	1.18
DARK FIB		oo. monar			5.101	30.01		0.07	4.00			<u> </u>	 	20.33	3.30	11.49	1.10
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1								1		1	1
		Thereof per month - Local Channel			UDF	1L5DC	58.83							1			
		NRC Dark Fiber - Local Channel			UDF	UDFC4		1,121.00	153.19	580.26	357.17	1		20.35	21.09	9.80	10.54

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel			UDF	1L5DF	28.74										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.54
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop		<u> </u>	UDF	1L5DL	58.83		150.10	=00.00					24.00		
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.54
8XX ACCESS	TEN DIGIT SCREENING			OHD		0.0005400										-
	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX			ОНО	+	0.0005192										
	Number Reserved			OHD	N8R1X		5.21	0.76					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			ОПО	INOR IA		5.21	0.76					20.33	20.33	13.20	13.20
]]	POTS Translations	l	1	OHD	1		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
 	8XX Access Ten Digit Screening, Per 8XX No. Established With	1		55	+		11.47	1.40	7.54	0.7302			20.00	20.00	10.20	10.20
]]	POTS Translations	l	1	OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Customized Area of Service				1											
]]	Per 8XX Number	l	1	OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000354										
	LIDB Validation Per Query			OQU		0.0117403										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		49.03						20.35	20.35	13.28	13.28
SIGNALING (C			<u> </u>		DT001/	100.11										
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41										
	CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)			UDB UDB	TPP++	0.0000916 17.84	130.84	130.84					20.35	20.35	13.32	13.32
-	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D			UDB	IFF++	17.04	130.04	130.04					20.33	20.33	13.32	13.32
	link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
 	CCS7 Signaling Usage, Per ISUP Message		1	UDB	IFFTT	0.0000373	130.04	130.04	1				20.33	20.33	13.32	13.32
 	CCS7 Signaling Usage Surrogate, per link per LATA		1	UDB	STU56	352.30			1							
	Signaling Point Code, per Originating Point Code Establishment			ODD	01000	002.00										
	or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
CALLING NAM	E (CNAM) SERVICE															
	CNAM for DB Owners, Per Query			OQV		0.0010541										
	CNAM for Non DB Owners, Per Query			OQV		0.0010541										
	CNAM (Non-Databs Owner), NRC, applies when using the															
	Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00					20.35	20.35	13.28	13.28
OPERATOR CA	ALL PROCESSING						ļ						ļ	ļ	ļ	
	Oper. Call Processing - Oper. Provided, Per Min Using BST				1]									1
\vdash	LIDB		<u> </u>			1.08							ļ		ļ	↓
	Oper. Call Processing - Oper. Provided, Per Min Using				1]									1
\vdash	Foreign LIDB		<u> </u>		+	1.13					1		1	1	1	├
	Oper. Call Processing - Fully Automated, per Call - Using BST				1	0.4040050]									1
 	LIDB Oper Cell Processing Fully Automated, per Cell Liging	l	-		+	0.1010353			 				 	 	 	
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB	l	1		1	0.122818]						I	1	I	1
INWARD OPER	RATOR SERVICES	 		1	+	0.122010	1		 		1		t	1	t	
I OPER	Inward Operator Services - Verification, Per Minute				+	1.03	 		 		 		t	 	t	
	Inward Operator Services - Verification, 1 et William Inward Operator Services - Verification and Emergency Interrupt	1			1	1.03	1						<u> </u>		<u> </u>	†
	- Per Minute	l				1.03							1		1	1
BRANDING - C	PERATOR CALL PROCESSING				1	30			1				1	İ	1	
	Recording of Custom Branded OA Announcement				CBAOS		1,555.00	1,553.00	7.03	7.03			19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV			_	CBAOL		240.71	240.71					19.99	19.99		
Unbrar	iding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
DIRECTORY A	SSISTANCE SERVICES															

ONRONDER	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrecurring		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DIREC	CTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.2286787										
DIREC	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)														
	Directory Assistance Call Completion Access Service (DACC),															
NII INAT	Per Call Attempt BER SERVICES INTERCEPT ACCESS SERVICE					0.0364771									-	+
NUME	Number Services Intercept Per Query					0.017793										+
DIDEC	CTORY TRANSPORT (DT)					0.017793										+
DIKE	IDT-Local Channel DS1					40.99	277.35	233.26	33.18	22.30	1					+
	DT-DS1 Level Interoffice per mile					0.3562	211.55	233.20	33.10	22.50						+
	DT-DS1 Level Interoffice per facility termination					77.86	112.40	76.27	19.55	14.99						+
	SWA Common Transport per Directory Assistance Access					77.00	112.40	70.27	10.00	14.00						+
	Service Per Call					0.000271										
	SWA Common Transport per Directory Assistance Access															1
	Service Per Call Per Mile					0.0000165										
	Access Tandem Switching Per Directory Assistance Access															1
	Service Per Call					0.0001875										
	DT- Directory Assistance Interconnection Per Directory															1
	Assistance Service Call					0.00										
	DT-Installation NRC, Per Trunk or Signaling Connection						204.62	4.43	136.09	4.43						
	DT Local Channel DS1-Incremental Cost-Manual Svc Order vs															
	Electronic						45.68	1.76	21.75	1.76						
	DT Interoffice DS1-Incremental Cost-Manual Svc Order vs															
	Electronic						20.35	21.09	9.80	10.54						
	ASSISTANCE SERVICES															
DIREC	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.0485										
	Directory Assistance Data Base Service, per month				DBSOF	104.13										
	DIRECTORY ASSISTANCE															-
Facilii	ty Based CLEC					1									-	+
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		1.555.00	1,553.00	7.03	7.03						
	Loading of Custom Branded Announcement per DRAM			AIVII	CBADA	-	1,555.00	1,553.00	7.03	7.03						+
	Card/Switch			AMT	CBADC		240.71	240.71								
LINED	CLEC			AWII	CBADC		240.71	240.71			1					+
UNLF	Recording of DA Custom Branded Announcement					†	1,555.00	1,553.00	7.03	7.03						+
	Loading of DA Custom Branded Announcement per DRAM						1,555.00	1,555.00	7.03	7.03						+
	Card/Switch per OCN						240.71	240.71								
Unbra	anding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)					İ	420.00	420.00								1
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE R	ROUTING															
	Selective Routing Per Unique Line Class Code Per Request Per	1					1							1		1
	Switch				USRCR		179.60	179.60					20.35	20.35		
VIRTUAL COL																
	Virtual Collocation - Application Cost			AMTFS	EAF		2,633.00	2,633.00								
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		1,749.00	1,749.00								1
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.91									1	1
	Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	6.79									ļ	
	Virtual Collocation - Cable Support Structure, per entrance														1	1
	cable	<u> </u>	1	AMTFS	ESPSX	17.87			ļ					ļ	-	
				UEANL,UEA,UDN,U		1									1	
				DC,UAL,UHL,UCL,U EQ, AMTFS, UDL,		1									1	1
		1		UNCVX. UNCDX.		I								1	I	1
			1	IUINUVA. UNUUA.					1		1	1				1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee			1		1					T -	T -	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						İ	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0.57	11.81	10.04	10.44	8.67			2.07	2.81	0.67	1.41
	Virtual Collocation - 2-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	3.03	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
	Virtual Collocation - 2-1 iber Closs Collifects		1	AMTFS,UDL12,	CINCZI	3.03	41.50	29.02	12.90	10.54			2.09	2.09	1.50	1.50
	Virtual Collocation - 4-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
	Virtual collocation - DS1 Cross Connects			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.32	32.22	17.76	10.46	8.75			2.07	2.81	0.67	1.41
	Virtual collocation - DS3 Cross Connects			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	12.32	29.97	16.30	12.03	8.99			2.07	2.81	0.67	1.41
	Virtual Collocation - DS3 Cross Connects Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0031	29.97	16.30	12.03	8.99			2.07	2.81	0.67	1.41
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax				VE1CB VE1CD	0.0031										
	Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS AMTFS	VE1CD	0.0045	555.03									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		555.03									
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		33.15	20.44								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		41.50	25.61								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		49.86	30.79								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77								
VIRTUAL COL	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90								
VIRTUAL COL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40
VIRTUAL COL	LOCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - Tennessee										•		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	l.	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		190,638.00						20.35			
	End Office Establishment			SRC	SRCEO		317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
	Line/Port NRC, per end user			SRC	SRCLP											
AIN DELLOC	Query NRC, per query			SRC		0.0206047										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE		<u> </u>													
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		135.56	135.56					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		41.75	41.75					20.35	20.35		13.28
	AIN SMS Access Service - User Identification Codes - Per User				37 (1411)		41.75	41.75					20.00	20.00	10.20	10.20
1	ID Code		1	A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		113.67	113.67					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0024										
	AIN SMS Access Service - Session, Per Minute					0.0820123										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					2.27										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTI		31.21	31.21					20.35	20.35	13.28	13.28
	DN, Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DAI 1D		31.21	31.21	1				20.00	20.55	13.20	13.20
	DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Query Charge, Per Query					0.0211882										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0054774										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					4.50										
	Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		<u> </u>			1.50										
	Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service		1	CAW	DAFIVIO	17.43	33.32	33.32					20.33	20.55	13.20	13.20
	Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	1			2, 20	33 <u>2</u> 1110	55.25	00.20					20.00	20.00	10.20	10.20
	Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription		L	CAM	BAPES	0.0511435	36.23	36.23	<u> </u>		<u> </u>		20.35	20.35	13.28	13.28
	XTENDED LINK (EELs)															
	New EELs available in GA, TN, KY, LA, MS, & SC and density															
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-														Ļ	Ļ
NOTE:	In all states, EEL network elements shown below also apply t	o curre	ntly co	mbined facilities w	vnich are conv	erted to UNE ra	ates. A Switch A	s Is Charge a	pplies to curre	ntly combined	tacilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	'.)
NOTE:	In GA, TN, KY, LA, MS & SC the EEL network elements apply VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	to ordir	narily o	ombined network	elements.(No	Switch As Is Cl	narge.)								1	
Z-WIKE	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	LKUFF	ICE IN	MINOPURI (EEL)	-				 							1
1	Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		+	OI NO VA	ULALZ	10.36	100.70	33.47	12.54	10.00			20.33	21.09	9.00	10.34
l																

UNBUNDLE	D NETWORK ELEMENTS - Tennessee			1								1_	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed					Rec	FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SOWAN
	Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINICAV	1L5XX	0.3562										
	per month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	ILOXX	0.3562										
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	DS1 Channelization System Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.91	5.70	4.42								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		<u> </u>	ONOVA	OLALZ	10.50	100.70	33.47	72.54	10.00			20.55	21.03	3.00	10.54
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IDIVO	0.51	3.70	7.72								
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3562										
+	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNCIA	ILSAA	0.3362										1
	Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	IDIVO	0.31	3.70	7.72								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Voice Grade COCI - DS1 to DS0 Channel System combination -			ONOVA	OL/ L	42.10	100.70	00.47	72.54	10.00			20.00	21.00	3.00	10.04
	per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															
4-WID	Is Charge E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	NITEDO	EEICE	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-9916	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSPORT (EEL)	1											1
	Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	ONCDA	ODESO	55.11	100.76	33.47	12.94	10.66			20.33	21.09	9.60	10.34
	Per Month		1	UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination Per		1	UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			014017	141051	00.77	103.76	14.40	3.04	2.74						†
	month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								1

ONRONDLE	D NETWORK ELEMENTS - Tennessee	1		1	1							06	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					1		Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	L	J
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		_	LINODY	1101 50	50.44	100.70	05.47	70.04	40.00			00.05	04.00	0.00	40.54
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System -		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	combination per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	10100	0.31	5.70	7.72								
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIRE	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			,												
	Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL64	55.11	100.76	33.47	72.94	10.00			20.33	21.09	9.60	10.54
	Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility			0.10.7	120701	0.0002										1
	Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	10.54
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		4	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
-	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		-	UNCDX	UDL64	31.10	100.76	33.47	72.94	10.00			20.33	21.09	9.60	10.54
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		-	0.10271	CDLC:	10.01	100.70	00	72.01	10.00			20.00	21.00	0.00	10.01
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	OCU-DP COCI (data) - DS1 to DS0 Channel System															1
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIRE	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	ROFFI	CE IR	ANSPORT (EEL)												
	Transport - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			ONOTA	OOLAX	31.13	220.40	101.74	13.01	24.00			20.55	21.03	3.00	10.54
	Transport - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility			I IN CAN		77.00	474.04	440.40	70.07	00.00			00.05	04.00	0.00	40.54
	Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIRE	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR		014000		32.73	24.02	3.12	9.12			20.55	21.03	3.00	10.54
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	1	<u> </u>	1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	First DS1Loop in DS3 Interoffice Transport Combination - Zone					· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			-			
	2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
1	First DS1Loop in DS3 Interoffice Transport Combination - Zone		_	LINGAY	1101.707											
	Intereffice Transport Dedicated DCC associated DCC Association	1	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month	l		UNC3X	1L5XX	2.34										
- 	Interoffice Transport - Dedicated - DS3 - Facility Termination per	 		01100/	ILUM	2.34									t	
1	month	1		UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43	1		20.35	21.09	9.80	10.54

UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonrecurring		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77						
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.00			20.35	21.09	9.80	40.54
	Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIA	USLAA	31.13	220.40	101.74	19.01	24.88			20.33	21.09	9.00	10.54
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Additional DS1Loop in DS3 Interoffice Transport Combination -			ONOTA	OOLYON	70.40	220.40	101.74	70.07	24.00			20.00	21.00	0.00	10.04
	Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
2-WIF	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	TEROFF	ICE T	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport		l . ¯													
	Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	2-WireVG Loop used with 2-wire VG Interoffice Transport								=0.04							
	Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 2-wire VG combination - Per		3	UNCVA	UEALZ	20.20	100.70	33.47	72.94	10.00			20.33	21.09	9.00	10.54
	Mile Per Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade		1	UNCVA	ILJAA	0.0174										
	combination - Facility Termination per month			UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	UTIVE	21.70	70.00	44.00	00.02	01.00			20.00	21.00	5.50	10.04
	Is Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE T	RANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport			, , ,												
	Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade		-	UNCVX	ILSAA	0.0174										
	combination - Facility Termination per month			UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCVA	01174	21.30	79.03	44.00	09.32	31.00			20.33	21.09	9.00	10.54
	Is Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
DS3 E	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	NSPOF		0.1000		020	202	02	02			20.00	200	0.00	10.01
	High Capacity Unbundled Local Loop - DS3 combination - Per			Ι ΄												
	Mile per month			UNC3X	1L5ND	9.19										
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month			UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.34										
	Interoffice Transport - Dedicated - DS3 combination - Facility		1												1	_
	Termination per per month		<u> </u>	UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			LINCOV	LINICCO		50.70	04.65	0.40	0.40			00.0-	04.00	0.00	40.51
CTC4	Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	L FICE TO	ANCE	UNC3X	UNCCC		52.73	24.62	9.12	9.12	1		20.35	21.09	9.80	10.54
3131	High Capacity Unbundled Local Loop - STS1 combination - Per	LICE IN	ANOP	ONI (EEL)	+		-		1					-	-	-
	Mile per month		1	UNCSX	1L5ND	9.19									1	1
	High Capacity Unbundled Local Loop - STS1 combination -	1		5.100A	120140	3.13	1		† †						1	t
	Facility Termination per month		1	UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - STS1 combination - Per Mile				1	2220	2:0:20								2.30	1
	per month		1	UNCSX	1L5XX	2.34									1	I
Ì	Interoffice Transport - Dedicated - STS1 combination - Facility						Ì		ĺ							
	Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-		1		I										1	_
	Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
12-WIR	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT	RT (EEL	.)	1					1		1			l	I	1

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonrecurring		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Transport - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť	UNC1X	1L5XX	0.3562	100.70	00	72.01	10.00			20.00	21.00	0.00	10.0
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	10.5
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.24	5.70	4.42					20.35	21.09	9.80	10.54
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Combination - Zone 3 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	combintaion- per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCNX	UC1CA	3.24	5.70	4.42					20.35	21.09	9.80	10.54
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Zone 3 Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Per Month Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	2.34										1
	Termination			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.5
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	21.09	9.80	
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	5.70	4.42					20.35	21.09	9.80	10.54
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Additional DS1Loop in S1S1 interoffice Transport Combination - Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-		 	UNC1X	UC1D1	17.58	5.70	4.42					20.35	21.09	9.80	10.5
4-W/ID	Is Charge E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO		DANC	UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-VVIR	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	Frice	CHANS	FORT (EEL)	+		 									
	Combination - Zone 1 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Combination - Zone 2 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0174										
	Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD5 UNCCC	21.19	79.83 52.73	44.08 24.62	69.32 9.12	31.00 9.12			20.35	21.09	9.80	10.54
	Is Charge															10.54

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)	1	
					_	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport					.100		,,,,,,		71441	0020					
	Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -						== ==									
	Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
ADDITIONAL	NETWORK ELEMENTS			UNCDA	UNCCC		52.73	24.02	9.12	9.12			20.33	21.09	9.60	10.54
	n used as a part of a currently combined facility, the non-recurr	na cha	rnes de	not annly but a	Switch As Is c	harge does and	alv									
	n used as ordinarilty combined network elements in Georgia, the															
	e (SynchroNet)		<u> </u>	g charges apply at		/ to to ontarge a										
	recurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each con	nbination)											
	Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>		1											
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS1			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1			UNCSX	UNCCC	l	52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
NOTE	E: Local Channel - Dedicated Transport - minimum billing period Local Channel - Dedicated - 2-Wire Voice Grade Zone 1	1 - Belo		UNCVX	IULDV2	r months 17.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade Zone 2		2	UNCVX	ULDV2	22.44	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade Zone 3		3	UNCXV	ULDV2	29.34	108.76	35.47	72.94	10.86			20.35	21.09		10.54
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 1		1	UNCVX	ULDV4	18.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 2		2	UNCVX	ULDV4	23.74	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 2 Local Channel - Dedicated - 4-Wire Voice Grade Zone 3			UNCXV	ULDV4	31.05	108.76	35.47	72.94	10.86			20.35	21.09		10.54
-	Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	36.24	228.40	161.74	79.87	24.88			20.35	21.09		10.54
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	47.33	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	61.89	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	7.15								1	1	
	Local Channel - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	ULDF3	611.30	240.23	180.87	106.78	45.24			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	7.15							_			
	Local Channel - Dedicated - STS-1 - Facility Termination per															
	month			UNCSX	ULDFS	599.59	240.23	180.87	106.78	45.24			20.35	21.09	9.80	10.54
	D LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports															
	E: Although the Port Rate includes all available features in GA, I	(Y, LA	& TN, t	he desired features	will need to b	e ordered usir	g retail USOCs									
2-WII	RE VOICE GRADE LINE PORT RATES (RES)			LIEDOD	LIEDDI	4.00	0.00	0.40	2.00	0.00			20.35	40.54	40.00	4 40
	Exchange Ports - 2-Wire Analog Line Port- Res.		-	UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
 	Lacrange Forts - 2-vviile Ariatog Little Fort with Galler ID - Res.			OLFOR	ULFKU	1.09	9.93	9.19	3.00	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN extended local	-		OLI OIL	JLI NO	1.09	3.33	5.15	5.00	2.32			20.33	10.54	13.32	1.40
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus					55	5.55	00	5.50	2.02			20.00	.5.54	.3.32	
	with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
ı I	port with Caller ID - Res (F2R)	l	1	UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92	I		20.35	10.54	13.32	1.40

ONRONDE	ED NETWORK ELEMENTS - Tennessee										1 -	T -	Attachment:		Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	l	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
	port with Caller ID - Res (TACER)			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
	port with Caller ID - Res (TACSR)			UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
	port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSK	UEPAU	1.09	9.93	9.19	3.00	2.92			20.33	10.54	13.32	1.40
	with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	0.00	2.02			20.35	10.54	13.32	1.40
FEAT	TURES															
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
2-WI	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Fush and a Rosta C Wise Applied Line Bost sutering only. But			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled TN extended local			UEPSB	UEPBU	1.89	9.93	9.19	3.00	2.92			20.35	10.54	13.32	1.40
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exhange Ports - 2-Wire VG unbundled incoming only port with			OLI OD	OLI AV	1.03	9.95	5.15	3.00	2.32			20.55	10.54	10.02	1.40
	Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
	Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
	Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville															
	& Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
FFAT	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	-				20.35	10.54	13.32	1.40
FEA	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXC	HANGE PORT RATES (DID & PBX)			OLFOD	OLFVI	0.00	0.00	0.00					20.33	10.54	13.32	1.40
EXO.	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7				UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7				UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD							· · · · · · · · · · · · · · · · · · ·								
B.1.7				UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1													
B.1.7			<u> </u>	UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B 4 7	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	4 40
B.1.7	 Room Calling Port 2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy 		-	UEPSP	JEPAIVI	1.79	9.93	9.19	3.66	2.92			∠0.35	10.54	13.32	1.40
B.1.7			1	UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
5.1.7	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				02.701	1.73	0.00	5.19	5.50	2.02			20.00	10.04	10.02	1.40
B.1.7		1	1	UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

LINIDLINI	DI EE	NETWORK ELEMENTS - Tennessee													•	Exhibit: B	
UNDUNL	DLEL	NETWORK ELEMENTS - Tennessee					ı					Cus Onder	Svc Order	Attachment: Incremental			Incremental
												Submitted	Submitted		Charge -		Charge -
												Elec	Manually	_	Manual Svc	Charge - Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				,				
OAT LOOK		NATE ELEMENTO	m	20110	500	0000			π-1120(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
B.	.1.7	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling															
В.		Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
B.		Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
FE	EATU				HEDOD HEDOE	LIEDVE	0.00	0.00	0.00					00.05	40.54	40.00	4.40
		All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
HEX		NGE PORT RATES (COIN) Exchange Ports - Coin Port		-		-	0.44	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
N/C		Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit sv	witchod	Henna	will also annly to al-	rouit ewitch	2.11					ated with a	wire ISDN .		10.54	13.32	1.40
		Access to B Channel or D Channel Packet capabilities will be													Poguest Pro	1000	
		OCAL EXCHANGE SWITCHING(PORTS)	avandi	Jie Only	, anough brivitew	Luomess Re	44691 1 100699	nates for tile	packet capabi	III. WIII DE UE	Actionicu via l	ina bolla rik	ic iveduesi/	LIGHT DUSINES	i nequest PIC		
		NGE PORT RATES (DID & PBX)	-							t			 	t	t		
	1	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.40
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID					3.57	0		J.21	0.11			20.00	.5.54	.0.02	
		capability			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04		1	19.99	19.99	19.99	19.99
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			41.43	42.17	9.80	9.80
NC	OTE:	Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switche	ed data transm	nission by B-Cl	nannels assoc	ated with 2	wire ISDN	ports.			
NC	OTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New I	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	le Request/	New Busines:	s Request Pro	cess.	
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			40.69	42.17	9.07	10.54
		OCAL SWITCHING, PORT USAGE															
En		ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0008041										
Та		Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0009778										
Co	ommo	n Transport					0.0000064										
-		Common Transport - Per Mile, Per MOU															
LINDUND	ED D	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES					0.0003871			-							
		ISED RATES ISED RATES ISED RATES ISED RATES	adlar St	ato Co	mmission rulo to nro	wide Unbun	dlad Lacal Swi	tching or Swite	h Dorte	-				-	-		
		s shall apply to the Unbundled Port/Loop Combination - Cos								nd Port coction	of this Data E	yhihit					
Fn	nd Off	ice and Tandem Switching Usage and Common Transport Us	sane rat	es in th	e Port section of thi	is rate exhibi	it shall anniv to	all combination	one of loon/no	rt network eler	nents excent	or UNE Coi	n Port/Loor	Combination	ns		
Fo	or Geo	orgia, Kentucky, Louisiana, Mississippi, South Carolina and 1	Tennes	see. the	recurring UNE Port	and Loop ch	harges listed a	pply to Current	ly Combined a	and Not Curren	tly Combined	Combos. T	he first and	additional Po	ort nonrecurri	ng charges at	poly to Not
		ly Combined Combos for all states. In GA, KY, LA, MS, SC an															
		rently Combined Combos in all other states, the nonrecurring									•	•					
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UN		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
		2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
		2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
UN		op Rates								ļ							
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48			1				1	1		
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31			.				.	.		
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32			-				-	-		
2-1		Voice Grade Line Port Rates (Res)			HEDDY	LIEDDI	4.70	20.11	45.05	0.45	2.24			20.00	7.00		
\vdash		2-Wire voice unbundled port - residence		<u> </u>	UEPRX UEPRX	UEPRL UEPRC	1.70	22.14	15.25	8.45	3.91			30.89	7.03	ļ	
\vdash		2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res		-	UEPRX	UEPRO	1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			30.89 30.89	7.03 7.03		
\vdash		2-wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Tennessee extended local	-		ULFRA	UEPRU	1.70	22.14	15.25	8.45	3.91		 	30.89	7.03	1	
		dialing parity port with Caller ID - res			UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91		1	30.89	7.03		
\vdash		2-Wire voice unbundled Tennessee Area Plus with Caller ID -			OLI KX	ULFAG	1.70	22.14	15.25	0.45	3.91			30.09	7.03		
	j	res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
\vdash		2-Wire voice unbundled Tennessee Area Calling port with Caller	-		0=1 10A	OE1741	1.70	22.14	10.20	0.43	5.91		 	50.05	7.03		
		ID - res (F2R)			UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91		1	30.89	7.03		ļ
		2-Wire voice unbundled Tennessee Area Calling port with Caller		 			,0	22.14	.5.20	5.40	0.01			55.00			
		ID - res (TACER)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
		10 - 100 (1ACER)	<u> </u>	<u> </u>	ULFKA	UEPAL	1.70	22.14	15.25	8.45	3.91	l	I	30.89	7.03]	

Version 1Q02: 03/22/2002 PAGE 329 OF 352

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring					Rates(\$)		
	O. Wine visites with well and Terroreseas Asso Colline a cost with College				+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
FFAT	(LUM) URES			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					30.89	7.03		
LOCA	L NUMBER PORTABILITY				1 1	2.00	5.00	2,00	†				22.00			İ
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										1
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1.03	0.29					30.89	7.03		
	Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI TOX	00/100			0.23						7.03		
ADDI	Subsequent Database Update				+		0.76		-				7.97			
ADDII	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+											
	Activity			UEPRX	USAS2	0.00	0.00	0.00					30.89	7.03		
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE F	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
UNE L	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.48			-							
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32										
2-Wire	e Voice Grade Line Port (Bus)		Ŭ	OLI DX	OLI DX	21.02										
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
1	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
_	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
_	Port Standard Option (TACC2) 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
LOCA	Memphis Local Calling Port (B2F) L NUMBER PORTABILITY			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
=36/	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	URES															
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.76						7.97			
ADDIT	Subsequent Database Update		1	1			0.76		 		-		7.97			-
ADDII	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	110.400		2.2-						22.2-			
- 1200	Activity			UEPBX	USAS2	0.00	0.00	0.00	ļ				30.89	7.03		
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			l					1					<u> </u>	<u> </u>	<u> </u>

UNB	UNDLE	NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
CATE	EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
								Nonrecurring		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE P	ort/Loop Combination Rates					11.10										
		2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
		2-Wire VG Loop/Port Combo - Zone 2		2			18.01										<u> </u>
		2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16.31										
	0.140	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21.32										ļ
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	LOCAL	NUMBER PORTABILITY			02.110	020	0		10.20	0.10	0.01			00.00	7.00		
		Local Number Portability (1 per port)		t	UEPRG	LNPCP	3.15	0.00	0.00					30.89	7.03	1	1
	FEATU			!			5.10	5.50	3.00	†				55.00		<u> </u>	t
		All Features Offered		t	UEPRG	UEPVF	0.00	0.00	0.00	†				30.89	7.03	t	1
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		t		T	5.50	0.00	3.30	†				55.55		t	1
	- I CITIL	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				-											+
		Conversion - Switch-As-Is			UEPRG	USAC2		1.03	0.29					30.89	7.03		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLI KO	00/102		1.05	0.23					30.03	7.00		
		Conversion - Switch with Change			UEPRG	USACC		1.03	0.29					30.89	7.03		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI KO	OOACC		1.05	0.23					30.03	7.00		
		Subsequent Database Update						0.76						7.97			
	ADDITI	ONAL NRCs						0.70						1.51			
	ADDIII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+		-							-	-	
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					30.89	7.03		
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLI NO	00/102	0.00	0.00	0.00					30.03	7.00		
		Group						14.64	14.64					30.89	7.03		
	2-WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						14.04	14.04					30.09	7.03		
		ort/Loop Combination Rates				+		-							-	-	-
	ONLF	2-Wire VG Loop/Port Combo - Zone 1		1		+	14.18	-							-	-	-
		2-Wire VG Loop/Port Combo - Zone 2		2		+	18.01	-							-	-	-
		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		+	23.02	-							-	-	
		pop Rates		3		+	23.02	-							-	-	-
	ONE LO			1	UEPPX	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16.31										
				3		UEPLX	21.32										
	0.14/:	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21.32										
	z-wire	Voice Grade Line Port Rates (BUS - PBX)															
		Line Cide Habandled Combinetion C. West DDV Taurit Dest. Day			UEPPX	UEPPC	1.70	22.14	15.25	8.45	2.04			30.89	7.00		
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.70	22.14	15.25	8.45	3.91 3.91			30.89	7.03 7.03		
					UEPPX	UEPP1	1.70				3.91				7.03		
		Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91			30.89 30.89	7.03		
					UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
		2-Wire Voice Unbundled 2-Way Combination PBX Tennessee			LIEDDY	LIEDTO	4.70	20.44	45.05	0.45	2.04			20.00	7.00		
<u> </u>		Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee	-	<u> </u>	UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91	1		30.89	7.03	 	
					LIEDDY	LIEDTO	4 70	00.44	45.05	0.45	2.01			20.00	7.00	1	
	-	Calling Port		<u> </u>	UEPPX UEPPX	UEPTO UEPXA	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	1		30.89 30.89	7.03 7.03	 	
<u> </u>	+	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1								 				-	
<u> </u>		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-	<u> </u>	UEPPX	UEPXB	1.70	22.14	15.25	8.45	3.91	}		30.89	7.03	 	
<u> </u>	+	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPPX UEPPX	UEPXC UEPXD	1.70 1.70	22.14	15.25	8.45	3.91	 		30.89 30.89	7.03 7.03	 	
	-	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		<u> </u>	UEPPA	UEFAD	1.70	22.14	15.25	8.45	3.91	1		30.89	7.03	 	
		Capable Port			UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy														İ	
<u> </u>		Administrative Calling Port		<u> </u>	UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
1		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
-		2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy	-	 	UEFFA	UEFAIVI	1.70	22.14	15.25	8.45	3.91	}		30.89	7.03	 	
L	_L_	Administrative Calling Port TN Calling Port	<u> </u>	L	UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.70	22.14	15.25	8.45	3.91			30.89	7.03		

NDUNDLE	D NETWORK ELEMENTS - Tennessee			1	<u> </u>								Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
$\overline{}$					+		Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	l	1
-+-					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.70	22.14	15.25	8.45	3.91	0020		30.89	7.03		
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling															
	Port			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
	Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					30.89	7.03		ļ
FEATU				UEPPX	LIED\/E	0.00	0.00	0.00					30.89	7.00		
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					30.89	7.03	-	+
NONKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				-											-
	Conversion - Switch-As-Is		1	UEPPX	USAC2		1.03	0.29					30.89	7.03		
-+-	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	 	OLI I A	00/102		1.03	0.29					30.09	7.03	t	
	Conversion - Switch with Change		1	UEPPX	USACC		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				0000		1.00	0.20					55.53	7.00	†	1
	Subsequent Database Update						0.76						7.97			
	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					30.89	7.03		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					30.89	7.03		
	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.18										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.01										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			23.02										
	pop Rates		<u> </u>	LIEBOO		10.10										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO UEPCO	UEPLX UEPLX	12.48										
-+-	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	16.31 21.32										+
2 Wire	Voice Grade Line Ports (COIN)		3	UEPCO	UEPLA	21.32										
	2-Wire Coin 2-Way without Operator Screening and without															1
	Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
- 	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			OLI CO	OLITB	1.70	22.14	10.20	0.43	5.51			30.03	7.03		1
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			02. 00	02.74	0		10.20	0.10	0.01			00.00	7.00		
	(TN)		1	UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91			30.89	7.03	I	
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking:								- 10							
	900/976, 1+DDD, 011+, and Local (NC, TN)		l	UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91			30.89	7.03	1	
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Coin Outward with Operator Screening and Blocking:]		-										
	900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.88							30.89	7.03	1	
	2-Wire Coin Outward Smartline with 900/976 (all states except		l				l l								1	
ADDIT	LA)		<u> </u>	UEPCO	UEPCR	1.88	1						30.89	7.03	!	1
ADDITI	ONAL UNE COIN PORT/LOOP (RC)			UEPCO	URECU	3.45	0.00	0.00					30.89	7.03	-	1
+-	UNE Coin Port/Loop Combo Usage (Flat Rate) Local Number Portability (1 per port)		 	UEPCO	LNPCX	0.35	0.00	0.00					30.89	7.03		
_	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			021 00	LIVIOA	0.35	+							1	t	1
	Switch-as-is		1	UEPCO	USAC2		1.03	0.29					30.89	7.03	I	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				3002		00	3.20					55.00		1	
	Switch with change		1	UEPCO	USACC		1.03	0.29					30.89	7.03	I	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent													1	1	1
	Activity		1	UEPCO	USAS2	0.00	0.00	0.00					30.89	7.03	I	
UNBUN	IDLED REMOTE CALL FORWARDING - RES															
	IDLED DEMOTE OALL FORWARDING DO															
	IDLED REMOTE CALL FORWARDING - Bus															
UNBUN	IDLED REMOTE CALL FORWARDING - BUS Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus PORT/LOOP COMBINATIONS - COST BASED RATES			UEPVB	UEPVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

<u>JNBUND</u> LE	ED NETWORK ELEMENTS - Tennessee													Attachment:	2	Exhibit: B	<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
								Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE F	Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				18.38										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				19.87										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				24.78										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	9.60										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	11.09										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	16.00										
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03		
NONE	ECURRING CHARGES - CURRENTLY COMBINED			OLITA		OLIDI	0.70	75.77	23.34	0.43	5.51			30.03	7.03		
NON	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -					+				+							
	Switch-as-is			LIEDDY		LICACA		0.70	F 7F					30.89	7.00		
		-		UEPPX		USAC1		8.76	5.75	 				30.89	7.03	 	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1	l	HEDDY		110440		0.70						00.00	7.00	Ì	1
	with BellSouth Allowable Changes	<u> </u>	<u> </u>	UEPPX		USA1C		8.76	5.75					30.89	7.03	ļ	
I elep	hone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)	 		UEPPX		NDT	0.00	0.00	0.00	ļ							
	Additional DID Numbers for each Group of 20 DID Numbers	<u> </u>	<u> </u>	UEPPX		ND4	0.00	0.00	0.00							ļ	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2-WIR	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		<u> </u>	OLITO	OLITIK	,	02.27										
	UNE Zone 2		2	UEPPB	UEPPR		34.78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLFFB	OLFFR		34.70										
			3	UEPPB	UEPPR		44.32										
	UNE Zone 3		٠														
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										
			_														
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25										
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99		
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
ADDIT	FIONAL NRCs																
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	ļ						İ									
	Non Feature/Add Trunk	l		UEPPB	UEPPR	USASB		212.88						19.99	19.99		
LOCA	L NUMBER PORTABILITY									1							
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	i i		i i					
B-CH/	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)	1		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	† †						 	
	CVS (EWSD)	1		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	 		 					1
_	CSD CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	 						-	
B-CU	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	MS 2	TN)	OLI FD	JEITER	31000	0.00	0.00	0.00	 					1	1	
3-01/	CVS/CSD (DMS/5ESS)	ວ,⊪.ວ, α I	1111)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	+					1	 	
	CVS (EWSD)	1	-	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00	+					1	 	
	CSD	1	-	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00	+					-	-	
Here	TERMINAL PROFILE	 	-	UEPPB	UEPPK	UTUUF	0.00	0.00	0.00			 					
USER		-		LIEDDE	LIEDDO	11411040	0.00	0.00	0.00	 						 	
	User Terminal Profile (EWSD only)	<u> </u>	<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	ļ						ļ	
VERT	ICAL FEATURES	<u> </u>	<u> </u>	L		1										ļ	
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
	Interoffice Channel mileage each, including first mile and	l								1							
	facilities termination				UEPPR	M1GNC	17.91	53.99	17.37					19.99	19.99		
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.173	0.00	0.00								
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT						İ									
	Port/Loop Combination Rates			 		1						 			1		

Version 1Q02: 03/22/2002 PAGE 333 OF 352

UNBUNDL	ED NETWORK ELEMENTS - Tennessee					1						,	Attachment:		Exhibit: B	
												Svc Order			Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 2		2	UEPPP		150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 3		3	UEPPP		173.44										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	57.73										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	98.59										
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	74.85	415.53	366.90	89.28	77.43			19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED					30			55.20					12.30		1
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port						i i				İ					
	Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	328.53	328.53					19.99	19.99		
ADDI	TIONAL NRCs		t —	1	1	2.30								12.30	Ì	1
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP	PR7TF		0.94						19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			02			0.01						10.00	10.00		
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			02			22.00	22.00					10.00	10.00		1
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
LOC	AL NUMBER PORTABILITY			OLITT	110/21		77.71	44.70					10.00	10.00		1
200,	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75	1									1
INTE	RFACE (Provsioning Only)			OLITT	LIVI OIV	1.70										
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								1
-	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel			OLITI	110/12	0.00	0.00	0.00								
1.0.1	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39						19.99	19.99		1
-	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	29.11						19.99	19.99		
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39						19.99	19.99		
CALI	TYPES			02		0.00	20.00						10.00	10.00		
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage															
	Fixed Each Including First Mile		1	UEPPP	1LN1A	76.1825	145.98	109.85	19.55				19.99	19.99		1
	Each Airline-Fractional Additional Mile		t —	UEPPP	1LN1B	0.3525	0.00	.00.00							Ì	1
4-WII	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT				1	0.0020	† †				l -		1	 		t
	Port/Loop Combination Rates			1	1		† †				l -		1	 		t
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	1	93.28	†						19.99	19.99	Ì	1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	1	110.95	†						19.99	19.99	Ì	1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	1	134.14	†						19.99	19.99	Ì	1
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53					1		12.00	12.00		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75.40	† †				l -		1	 		t
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	98.59	† †				l -		1	 		t
	4-Wire DDITS Digital Trunk Port		Ť	UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99	Ì	1
NON	RECURRING CHARGES - CURRENTLY COMBINED		t -	1	1	55.50	3.2.00	2007	571	.0.40					Ì	1
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			1	1		† †				l -		1	 		t
	- Switch-as-is			UEPDC	USAC4		312.91	312.91					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1				2:2.01	2.2.01			1		12.00	12.00		
	- Conversion with DS1 Changes			UEPDC	USAWA		312.91	312.91					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				33,, (312.01	312.31			l -		10.00	10.99		t
	- Conversion with Change - Trunk			UEPDC	USAWB		312.91	312.91					19.99	19.99		
ADDI	TIONAL NRCs		1	02. 00	30,1112		012.01	012.01					10.99	10.99		-
ADDI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		 		+		+				1			 	1	t
1	Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88						l		
-+	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		 	02.100	00,104		34.00	34.00			 				<u> </u>	
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					19.99	19.99		
	Oubsequent Onanner Activation/Onan - 2-way Trunk	L	1	OLFDO	ODITA		100.07	100.07	I .		1	1	19.99	19.99	1	L

IBUNDLED	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Charge
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		400.07	400.07					40.00	40.00		
	ACTIVATION / Chan - 2-Way DID w User Trans RR 8 ZERO SUBSTITUTION			UEPDC	UDITE		108.67	108.67					19.99	19.99		
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	590.00					19.99	19.99		-
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	590.00					19.99	19.99		
	te Mark Inversion			OLI DO	OOOLI		0.00	000.00					10.00	10.00		
	AMI -Superframe Format		 	UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	one Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							19.99	19.99		
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00							19.99	19.99		
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers	D::-		UEPDC	NDV	0.00	0.00	0.00								
	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digita	Loop	With 4-Wire DDI15	Trunk Port											
	Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
+	Termination)			UEPDC	ILINOT	75.65	145.96	109.65	19.00	14.99						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			02. 50	12.1071	0.0020	0.00	0.00								
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25						1									
	miles			UEPDC	1LNOB	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3525	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CTG	0.00										
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations			-											
	ystem can have up to 24 combinations of rates depending on			her of ports used												
	St Loop	type a	la man	ibei oi poits useu												
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	75.40	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	98.59	0.00	0.00								
UNE DS	O Channelization Capacities (D4 Channel Bank Configuration	ns)														1
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	131.87	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527.48	0.00	0.00					19.99	19.99		
\perp	144 DS0 Channel Capacity - 1 per 6 DS1s	ļ	<u> </u>	UEPMG	VUM14	791.42	0.00	0.00					19.99	19.99	ļ	<u> </u>
-	192 DS0 Channel Capacity -1 per 8 DS1s	<u> </u>	<u> </u>	UEPMG	VUM19	827.76	0.00	0.00					19.99	19.99	 	
	240 DS0 Channel Capacity - 1 per 10 DS1s	 	<u> </u>	UEPMG	VUM20	1,318.70	0.00	0.00			1		19.99	19.99	 	
	288 DS0 Channel Capacity - 1 per 12 DS1s	 	<u> </u>	UEPMG	VUM28	1,582.44	0.00	0.00			1		19.99 19.99	19.99	 	
	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s	 	 	UEPMG UEPMG	VUM38 VUM40	2,109.92 2,637.40	0.00	0.00			1		19.99	19.99 19.99	 	+
	576 DS0 Channel Capacity -1 per 24 DS1s	1	 	UEPMG	VUM57	3.164.88	0.00	0.00			1		19.99	19.99	1	+
	672 DS0 Channel Capacity - 1 per 28 DS1s	 	!	UEPMG	VUM67	3,164.88	0.00	0.00					19.99	19.99	1	\leftarrow
	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chan	neliztio					0.00			1		13.35	13.33	 	
	num System configuration is One (1) DS1, One (1) D4 Channe						0.0.11				1				 	-
A Minin																

Version 1Q02: 03/22/2002 PAGE 335 OF 352

UNBUND	LED	NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
								Nonrecurring		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		RC - Conversion (Currently Combined) with or without															
Cvr		BellSouth Allowed Changes Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nolizat	UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
		t Currently Combined) In GA, KY, LA, MS & TN Only	n Char	nenzai	Ton with Fort Come	Jination Curre	Thing Exists and			-							-
1.00		DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
		ea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
Bip		3 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00	590.00								
		Clear Channel Capability Format - Extended Superframe -			LIEDMO	00055	0.00	0.00	500.00								
Ala		Subsequent Activity Only Mark Inversion (AMI)			UEPMG	CCOEF	0.00	0.00	590.00								
Aite		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
 		extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Exc		e Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	1		5.50	0.00	3.30	 							t
		e Ports															
		ine Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.79	0.00	0.00	0.00	0.00			30.89	7.03		
	L	ine Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.79	0.00	0.00	0.00	0.00			30.89	7.03		
							. ==										
		ine Side Inward Only Channelized PBX Trunk Port without DID			UEPPX UEPPX	UEP1X UEPDM	1.79 8.97	0.00	0.00	0.00	0.00			30.89 30.89	7.03 7.03		
For		Activations - Unbundled Loop Concentration			UEPPX	UEPDINI	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
1 60		eature (Service) Activation for each Line Side Port Terminated					1			1							
		n D4 Bank			UEPPX	1PQWM	0.66	23.94	12.64	3.82	3.80			30.89	7.03		
		eature (Service) Activation for each Trunk Side Port Terminated															
		n D4 Bank			UEPPX	1PQWU	0.66	73.67	17.37	54.09	10.57			30.89	7.03		
Tel		ne Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers			UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00	-							-
Loc		Imber Portability			ULFFX	NDV	0.00	0.00	0.00	1							
		ocal Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FE/		ES - Vertical and Optional															
Loc	cal Sw	vitching Features Offered with Line Side Ports Only															
		II Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
		ORT LOOP COMBINATIONS - MARKET RATES					1										
		ates shall apply where BellSouth is not required to provide	unbun	lled lo	cal switching or sw	itch ports per	FCC and/or St	ate Commission	n rules.								
		enarios include: ndled port/loop combinations that are Not Currently Combin	od in A	lohom	o Florido and North	. Corolina											
		ndled port/loop combinations that are Not Currently Combined of					n 8 MSAS in R	allSouth's region	on for and use	re with 4 or mo	re DSO equive	lant linas					-
		8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda											e).				
Bel	IISout	h currently is developing the billing capability to mechanica	lly bill	the rec	urring and non-reci	urring Market	Rates in this s	ection except f	or nonrecurring	g charges for r	not currently	ombined in	AL, FL and	NC. In the in	nterim where	BellSouth car	nnot bill
		ates, BellSouth shall bill the rates in the Cost-Based section									•		•				
		ket Rate for unbundled ports includes all available features i							Ŭ								
End	d Offic	ce and Tandem Switching Usage and Common Transport Us	age rat	es in tl	he Port section of the	his rate exhib	it shall apply to	all combination	ons of loop/po	rt network elem	nents except	or UNE Coi	n Port/Loop	Combination	ns which have	a flat rate us	sage charge
		JRECU).															
		Currently Combined scenarios where Market Rates apply, the				I in the First a	and Additional	NRC columns f	or each Port U	ISOC. For Curr	ently Combin	ed scenario	s, the Nonre	ecurring char	ges are listed	in the NRC -	Currently
		ed section. Additional NRCs may apply also and are categor	ized ac	cordin	gly.		1							1	T	T	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)			ļ	1								ļ			
UNI		t/Loop Combination Rates		-	1	1	00.40										1
 		P-Wire VG Loop/Port Combo - Zone 1 P-Wire VG Loop/Port Combo - Zone 2		2	1	+	26.48 30.31										
 		!-Wire VG Loop/Port Combo - Zone 2 !-Wire VG Loop/Port Combo - Zone 3		3	1	+	30.31			+		-		1	1	1	
		p Rates	-	J	 	+	33.32			+		-	-	1	1	1	
UNI	IE Loo																
UNI		-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48			1							

Version 1Q02: 03/22/2002 PAGE 336 OF 352

NRONDLE	D NETWORK ELEMENTS - Tennessee			,									Attachment:		Exhibit: B	ļ
											Submitted	Svc Order Submitted	Charge -	Charge -	Incremental Charge -	Charge -
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Sve Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	l	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32	1 01	7144	101	7.00.	0020	00				
2-Wire	Voice Grade Line Port (Res)		Ŭ	02.100	02.20	21.02										
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - res			UEPRX	UEPAQ	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPRX	UEPAK	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPRX	UEPAM	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPRX	UEPAN	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00					30.89	7.03		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEATU																
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONRI	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPRX	USACC		41.50	41.50					30.89	7.03		
ADDIT	IONAL NRCs															ļ
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2	0.00	0.00	0.00					30.89	7.03		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE P	ort/Loop Combination Rates		L .													ļ
	2-Wire VG Loop/Port Combo - Zone 1		1		_	26.48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
	2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
UNE L	oop Rates		4	LIEDDY	LIEDLY	10.10										
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		1 2	UEPBX UEPBX	UEPLX	12.48 16.31										
_	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32										
2 Wire	Voice Grade Line Port (Bus)		3	UEPBX	UEPLX	21.32										+
Z-VVIIE	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					30.89	7.03		
-	2-Wire voice unbundled port with Caller + E464 ib - bus 2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice Grade unbundled Tennessee extended local			OLI DX	OLI DO	14.00	30.00	30.00					30.03	7.03		
	dialing parity port with Caller ID - bus			UEPBX	UEPAV	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	14.00	90.00	90.00					30.89	7.03		<u> </u>
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	14.00	90.00	90.00					30.89	7.03		
1.00.	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPBX	UEPAE	14.00	90.00	90.00					30.89	7.03		
LOCAL	LOCAL NUMBER PORTABILITY Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATU																
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONRI	ECURRING CHARGES - CURRENTLY COMBINED							-		-						
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					30.89	7.03		

NBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrecurring First	Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Switch with					1100			11130	Addi	COMEC	COMPAR			COMPART	COMPAR
ADDIT	change ONAL NRCs			UEPBX	USACC		41.50	41.50			1		30.89	7.03		
ADDIT	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPBX	USAS2	0.00	0.00	0.00					30.89	7.03		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE P	ort/Loop Combination Rates					20.10										
	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			30.31 35.32										
UNE L	pop Rates		3			33.32										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	12.48					1					
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	21.32										
2-Wire	Voice Grade Line Port Rates (RES - PBX)			ļ												
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14.00	90.00	90.00					30.89	7.03		
LOCAL	. NUMBER PORTABILITY			ULPRU	UEPRD	14.00	90.00	90.00	 		+		30.89	1.03		
LOCAL	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATU									İ							
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONR	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPRG	USACC		41.50	41.50					30.89	7.03		
ADDIT	ONAL NRCs			ULFRG	USACC		41.30	41.50					30.09	7.03		
7.5511	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt						0.00	0.00					30.89	7.03		
	Group						14.64	14.64					30.89	7.03		
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
LINE	2-Wire VG Loop/Port Combo - Zone 3		3		-	35.32	-				-					
ONL L	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	12.48			1		1					
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	16.31			1	1	†					
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	21.32										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)								ļ							
	Line Cide Habandled Combination O West DDV Tool Day			HEDDY	LIEDDO	44.00	00.00	00.00	1				20.22	7.00		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX UEPPX	UEPPC UEPPO	14.00 14.00	90.00 90.00	90.00	 	-	1		30.89 30.89	7.03 7.03		
-	Line Side Unbundled Uncoming PBX Trunk Port - Bus			UEPPX	UEPPO UEPP1	14.00	90.00	90.00	 	1	1		30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00		1	1		30.89	7.03		
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port			UEPPX	UEPT2	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPPX	UEPTO	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00	1	1	1		30.89	7.03	1	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00			Ì		30.89	7.03		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					30.89	7.03		

NRONDL	ED NETWORK ELEMENTS - Tennessee			•									Attachment:		Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge Manual So Order vs Electronic
													1st	Add'l	Disc 1st	Disc Add'
							Nonrecurring		Nonrecurring					Rates(\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy				lues.a.											
	Administrative Calling Port TN			UEPPX	UEPXN	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					30.89	7.03		
-	2-Wire Voice Unbundled PBX Collierville and Memphis Calling		1	ULFFX	ULFAG	14.00	90.00	90.00					30.09	7.03		
	Port			UEPPX	UEPXU	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			OZ. I X	02.70	1 1.00	00.00	00.00					00.00	7.00		
	Callling Port			UEPPX	UEPXV	14.00	90.00	90.00					30.89	7.03		
LOCA	L NUMBER PORTABILITY	1			1											
	Local Number Portability (1 per port)	1		UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
			1]	1											
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with		1	l	1											
	Change			UEPPX	USACC		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2	0.00	0.00	0.00					30.89	7.03		
	2 Wire Loop/Line Side Port Combination - Non feature -						0.00	0.00					20.00	7.00		
	Subsequent Activity- Nonrecurring		1		+		0.00	0.00	-				30.89	7.03		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					30.89	7.03		
2-WIE	IGROUP RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP	DT.			+		14.64	14.64					30.89	7.03		
	Port/Loop Combination Rates	1	1		+											
ONL	2-Wire VG Coin Port/Loop Combo – Zone 1		1		+	26.48										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2		1	30.31										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3		1	35.32										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21.32										
2-Wir	e Voice Grade Line Port Rates (Coin)					•										
	2-Wire Coin 2-Way without Operator Screening and without							·								
	Blocking (TN)	<u> </u>		UEPCO	UEPTB	14.00	90.00	90.00					30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (NC, TN)	<u> </u>	1	UEPCO	UEPRP	14.00	90.00	90.00	ļ				30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEBCO	LIEDTA I	44.00	22.22	20.00					00.00	7.00		
-	(TN)	1	-	UEPCO	UEPTA	14.00	90.00	90.00	 				30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)		1	UEPCO	UEPCA	14.00	90.00	90.00]				30.89	7.03		
_	2-Wire Coin Outward with Operator Screening and 011 Blocking	 	-	ULPCU	UEPCA	14.00	90.00	90.00		-			30.89	1.03	-	
	(TN)			UEPCO	UEPTC	14.00	90.00	90.00					30.89	7.03		
_	2-Wire Coin Outward with Operator Screening and Blocking:	1	 	OLI CO	JLFIG	14.00	90.00	50.00	 				30.09	1.03		
	900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	14.00	90.00	90.00					30.89	7.03		
LOCA	L NUMBER PORTABILITY	†		1	52. 51	14.00	55.50	55.56					55.59	7.55	1	1
1:55	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35			1							
NONE	RECURRING CHARGES - CURRENTLY COMBINED				1	2.30								İ	İ	
		1			1											
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		1	UEPCO	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with	1			1											
	Change	<u> </u>	<u></u>	UEPCO	USACC		41.50	41.50	L	<u></u>			30.89	7.03	<u></u>	
ADDI	TIONAL NRCs															
			1]	1											
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	<u></u>	<u></u>	UEPCO	USAS2	0.00	0.00	0.00		<u></u>			30.89	7.03		
SLINDI ED	PORT/LOOP COMBINATIONS - MARKET BASED RATES															

<u>UNBUND</u> LE	ED NETWORK ELEMENTS - Tennessee													Attachment:	2	Exhibit: B	<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	scs	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
1								Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	l	.1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	†						7144		71441						
	Port/Loop Combination Rates		†														1
-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				49.60										1
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				51.09										+
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				56.00										1
UNF I	oop Rates		Ť				00.00										1
0.12	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	9.60										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	11.09										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	16.00										
	Exchange Ports - 2-Wire DID Port		Ŭ	UEPPX		UEPD1	40.00	600.00	45.00	8.45	3.91			30.89	7.03		+
NONR	ECURRING CHARGES - CURRENTLY COMBINED		†	OL: 17		02. 5.	10.00	000.00	10.00	0.10	0.01			00.00	7.00		1
110.11.	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-As-Is Top 8 MSAs only	l		UEPPX		USAC1		100.00	42.50					30.89	7.03	1	1
-	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			OL: 17		00/101		100.00	12.00					00.00	7.00		+
	with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		100.00	42.50					30.89	7.03		
Teleni	hone Number/Trunk Group Establisment Charges			OLITA		00/110		100.00	72.00					00.00	7.00		+
ГСССР	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								+
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								+
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								+
_	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								+
_	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								+
LOCA	L NUMBER PORTABILITY			OLFFX		INDV	0.00	0.00	0.00								+
LOCA	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00	-						-	+
2 WID	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDI	DOD			LINE OF	3.13	0.00	0.00	-						-	+
	Port/Loop Combination Rates	I SIDE	FOR	1		+				-						-	+
UNE F	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1														+
	UNE Zone 1		1	UEPPB	UEPPR		32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEFFB	UEFFR	•	32.21										+
	UNE Zone 2		2	UEPPB	UEPPR		34.78										
_	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLFFB	ULFFR	+	34.76			-						-	+
	UNE Zone 3		3	UEPPB	UEPPR		44.32										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	LICLOY						-					
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USLZX	16.20										
	2 Wise ICDN Digital Conde Lang. LINE Zone 2		2	LIEDDD	LIEDDD	LICLOY	40.74										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2			UEPPB	UEPPR	USL2X	18.71										-
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR UEPPR	USL2X UEPPB	28.25	505.00	400.00	75.00	70.00			00.00	7.00		
NOND	Exchange Port - 2-Wire ISDN Line Side Port		-	UEPPB	UEPPR	UEPPB	80.00	525.00	400.00	75.00	70.00			30.89	7.03		+
NONK	ECURRING CHARGES - CURRENTLY COMBINED		_	<u> </u>													
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			LIEDDD	LIEDDD	LICACD	0.00	225.00	225.00					20.00	7.00		
4000	Combination - Conversion - Top 8 MSAs only		-	UEPPB	UEPPR	USACB	0.00	225.00	225.00					30.89	7.03		
ADDII	TONAL NRCs		-														
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	İ						0.40.00									
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						30.89	7.03		
LOCA	L NUMBER PORTABILITY			LIEDDD		LLIBOY	0.05										
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH/	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)	<u> </u>	<u> </u>	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00							-	+
	CVS (EWSD)	 	<u> </u>	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			1					
D. 6	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			1					_
B-CH/	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	ວ,ໜວ່, 8 ເ	IN)	LIEBBB	LIEBBB	1141165		2.25								-	+
	CVS/CSD (DMS/5ESS)	<u> </u>	<u> </u>	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00							-	
	CVS (EWSD)		 	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00			1				1	+
	CSD		<u> </u>	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00			ļ					
USER	TERMINAL PROFILE	 	<u> </u>	LIEBBB	HESSE	114115		2.00				1					
	User Terminal Profile (EWSD only)	 	<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			1					
VERT	CAL FEATURES	ļ	<u> </u>	==	====												↓
_	All Vertical Features - One per Channel B User Profile		<u> </u>	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00						ļ	.	↓
	Interoffice Channel mileage each, including first mile and	l	1	l		1									l	I	1
	facilities termination				UEPPR	M1GNC	17.91	53.99	17.37								↓
1	Interoffice Channel mileage each, additional mile	L	<u> </u>	UEPPB	UEPPR	M1GNM	0.173	0.00	0.00	∟ Т		<u> </u>			<u> </u>		1

JNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrecurring		Nonrecurring	Disconnect			220	Rates(\$)		
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 10/15	 RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	DODT				Rec	FIISL	Add I	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOMAN	SOWAN	SUMAN
	Port/Loop Combination Rates	PURI														
UNE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		-													
	Zone 1		1	UEPPP		982.73										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		-	OLFFF		902.73										
	Zone 2		2	UEPPP		1,000.40										
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLFFF		1,000.40										
	Zone 3		3	UEPPP		1,023.59										
1	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	57.73										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	98.59										
	Exchange Ports - 4-Wire ISDN DS1 Port		Ŭ	UEPPP	UEPPP	925.00	950.00	950.00	130.00	100.00			30.89	7.03		
NONE	RECURRING CHARGES - CURRENTLY COMBINED				J=. / 1	320.00	300.00	300.00	100.00	100.00	1		55.55	7.55	<u> </u>	
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	Combination - Conversion -Switch-As-Is Top 8 MSAs only	1		UEPPP	USACP	0.00	925.00	925.00					30.89	7.03		
ADDI	TIONAL NRCs			OLITI	00/10/	0.00	320.00	020.00					00.00	7.00		
,,,,,,,	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP	PR7TF		0.94									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		44.71	44.70								
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39									
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	29.11									
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39									
CALL	. TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interd	office Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	76.1825	145.98	109.85	19.55							
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3525										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates			LIEDDO												
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW 1	UEPDC		00.00										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		2	UEPDC UEPDC		93.28										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3					110.95										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		3 4	UEPDC		134.14										
LINIE I			4	UEPDC												
UNE	Loop Rates			UEPDC	LICLEC											
	4-Wire DS1 Digital Loop - Statewide 4-Wire DS1 Digital Loop - UNE Zone 1	-	SW 1	UEPDC	USLDC	57.53					 			-	1	
	4-Wire DS1 Digital Loop - ONE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75.40			-					-	1	
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	-	3	UEPDC	USLDC	75.40 98.59					}			1		
	4-Wire DS1 Digital Loop - UNE Zone 3 4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	98.59			-					-	1	
LINE	Port Rate	-	4	OLFDO	USLDC						}			1		
ONE	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	982.57	450.10	196.09	19.23	1		30.89	7.03	1	1
NONE	RECURRING CHARGES - CURRENTLY COMBINED			021 00	00011	730.00	302.37	+50.10	130.09	19.23	1		30.09	7.03	1	
NONE	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	-		1	-						1				1	
	17 TYTIS DO I DIGITAL LOOP / T-TYTIS DDITO TIGITA I OIT COITIDINATION		1	1	1						1				1	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B]
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Indan:									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (- /			per LSK	per LSK			Electronic-	Electronic-
													Electronic-	Electronic-		
													1st	Add'l	Disc 1st	Disc Add'l
			-		+		Nonrecurring		Nonrecurring	Disconnect			220	Rates(\$)		1
			-		+	Rec	First	Add'l	First	Add'l	SOMEC	ROMAN	SOMAN	SOMAN	SOMAN	SOMAN
						Nec	FIISL	Auu i	FIISL	Auu i	SOWIEC	SOWAN	JOWAN	SOWAN	SOWAN	SOWAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
				LIEDDO	110 4144		040.04	040.04					00.00	7.00		
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		312.91	312.91					30.89	7.03		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		312.91	312.91					30.89	7.03		
ADDIT	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk		1	UEPDC	UDTTA		108.67	108.67					30.89	7.03		
 	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent								† 1		1		55.55	50	1	1
	Channel Activation/Chan - 1-Way Outward Trunk		1	UEPDC	UDTTB		108.67	108.67					30.89	7.03		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			021 00	00110		100.07	100.07	 		 		30.09	1.03	 	1
				LIEDDO	LIDTTC		400.07	400.07					20.00	7.00		
+-	Activation/Chan Inward Trunk w/out DID		-	UEPDC	UDTTC		108.67	108.67	 		1		30.89	7.03	 	
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1		LIEDDO	LIDTES										I	
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					30.89	7.03		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108.67	108.67					30.89	7.03		
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	590.00								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	590.00								
Altern	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telen	hone Number/Trunk Group Establisment Charges			OLI DO	WOOT O		0.00	0.00								
Гетері	Telephone Number for 2-Way Trunk Group		-	UEPDC	UDTGX	0.00	1									
	Telephone Number for 1-Way Outward Trunk Group		-	UEPDC	UDTGY	0.00										
				UEPDC			-									1
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00					ļ					
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedic	ated DS1 (Interoffice Channel Mileage) -															
	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port						ĺ									
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities		1				1									
	Termination)		1	UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
- 			1			. 2.00	1.2.00		12.00		1			1	1	1
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		1	UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		 	02.00	ILIVOA	0.0020	0.00	0.00	 		 			 	1	
	Termination)		1	UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25		-	OLPDO	ILINUZ	0.00	0.00	0.00	 		 			ļ	-	1
1		1		LIEDDO	41.1105									Ì	I	
	miles			UEPDC	1LNOB	0.3525	0.00	0.00	ļ		ļ					
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		1	l	1		[_ [
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
			1				1									
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3525	0.00	0.00	<u> </u>							
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT						ĺ									
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	vations					1									
	tem can have various rate combinations based on type and nu			used	1		†		† 1					İ	1	İ
	OS1 Loop				1		1		t 1		1			1	1	1
OITE D	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00	 		1			 	t	
			-		USLDC	75.40	0.00	0.00	+ +		1			-	1	
	4 Wire DS1 Loop LINE Zone 2															
	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3		3	UEPMG UEPMG	USLDC	98.59	0.00	0.00			-					1

Version 1Q02: 03/22/2002 PAGE 342 OF 352

<u> Jnbundled</u> net	WORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
												Submitted	Charge -	Charge -	Charge -	Charge
																_
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USUC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
													Electronic-	Electronic-	Electronic-	Electron
													1st	Add'l	Disc 1st	Disc Add
							Nonrecurring		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
24 DS0	O Channel Capacity - 1 per DS1			UEPMG	VUM24	131.87	0.00	0.00					30.89	7.03		
48 DS0	Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					30.89	7.03		
96 DS0	O Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527.48	0.00	0.00					30.89	7.03		
	60 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					30.89	7.03		
	60 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00					30.89	7.03		
	60 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,318.70	0.00	0.00					30.89	7.03		
	60 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					30.89	7.03		
	60 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					30.89	7.03		
	60 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,637.40	0.00	0.00					30.89	7.03		
	S0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					30.89	7.03		
	60 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,692.36	0.00	0.00					30.89	7.03		
Non-Recurring	Charges (NRC) Associated with 4-Wire DS1 Loop with	Chanr	neliztio	n with Port - Conver	sion Charge	Based on a Sy	stem									
A Minimum Sy	stem configuration is One (1) DS1, One (1) D4 Channel	Bank,	and Up	To 24 DSO Ports w	ith Feature A	ctivations.										
	nis configuration functioning as one are considered Ad															
	Conversion (Currently Combined) with or without															
	uth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	303.61	15.74					30.89	7.03		
	ons Where Currently Combined and New (Not Currently	, Camb	inad \	OLI IVIO	00/104	0.00	303.01	15.74			1		30.03	7.00		
		y Comi	inea)													
	s and AL, FL, and NC Only															
	D4 Channel Bank - Add NRC for each Port and Assoc															
	tivation -			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			30.89	7.03		
Bipolar 8 Zero																
Clear (Channel Capability Format, superframe - Subsequent															
Activity	Only			UEPMG	CCOSF	0.00	0.00	590.00								
Clear (Channel Capability Format - Extended Superframe -															
	quent Activity Only			UEPMG	CCOEF	0.00	0.00	590.00								
	(Inversion (AMI)			OLI WO	COOLI	0.00	0.00	000.00								
	rame Format			UEPMG	MCOSF	0.00	0.00	0.00								
	led Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00			1					
				UEPIVIG	MCOPO	0.00	0.00	0.00								
	ts Associated with 4-Wire DS1 Loop with Channelization	n with	Port													
Exchange Por	ts															
	de Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
Line Si	de Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
Line Si	de Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		l	30.89	7.03		
	Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	40.00	0.00	0.00	0.00	0.00	1	1	30.89	7.03	1	
	tions - Unbundled Loop Concentration			JL	OLI DIVI	40.00	0.00	0.00	3.00	0.00	1		55.03	7.00		
	e (Service) Activation for each Line Side Port Terminated						+		+		1				1	
in D4 E				LIEDDY	100///4	0.00	40.00	00.00	0.00	F 00		l				
			1	UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00	1	 			ļ	
	e (Service) Activation for each Trunk Side Port Terminated				1							l				
in D4 E				UEPPX	1PQWU	0.66	110.00	30.00	75.00	15.00]					
	mber/ Group Establishment Charges for DID Service															
DID Tre	unk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	ımbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00							İ	
	onsecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00			Ì	ĺ				
	e Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00			1	1			1	
	e DID Numbers			UEPPX	NDV	0.00	0.00	0.00	 		1	1				
Local Number				OLITA	140 4	0.00	0.00	0.00	 		1	 			 	
			-	UEPPX	LNPCP	0.45	0.00	0.00			 	 			 	
	Number Portability - 1 per port		1	UEPPA	LINPUP	3.15	0.00	0.00			1	 			ļ	
	/ertical and Optional										ļ	ļ				
	ng Features Offered with Line Side Ports Only															
	tures Available			UEPPX	UEPVF	0.00	0.00	0.00								
BUNDLED CENTRE	EX PORT/LOOP COMBINATIONS - COST BASED RATES	3														
	Rates are applied where BellSouth is required by FCC		State C	commission rule to i	provide Unbu	indled Local S	witching or Swi	tch Ports.			İ	i				
	all apply to the Unbundled Port/Loop Combination - Co								dled Port section	on of this Rate	Exhibit.	1			1	
	and Tandem Switching Usage and Common Transport Kentucky, Louisiana, Mississippi and Tennessee, the re											oin Bort/I o	on Combinet	one	1	
	and random owntoning obage and common transport	Jaye	utes III	the roll section of	ins rate exil	ion andii appiy	to an combina	10119 OI 100pl	POLL HELWOLK EL	cincino excep	. IOI DITE C	OIII I OII/LU	op combinat	V113.	1	

Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.

Combined Combos for all states. In GA, KY, LA, MS and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL, NC and SC these nonrecurring charges are Market Rates and are listed in the Market Rate section. For Currently

IINDIINDI	ED NETWORK ELEMENTS - Tennessee												Attachment	2	Exhibit: B	
JINDUNDLE	ED NETWORK ELEMENTS - Termessee	1	1	ı	1	1					Cua Ordar	Cua Ordar	Attachment: Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi	1_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													130	Auu	Diac 1at	Disc Add I
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
5 M:	arket Rates for Unbundled Centrex Port/Loop Combination will	he nea	otisted	on an Individual Ca	ee Racic un			Auu	11130	Addi	COMILO	COMPAN	JOINIAN	COMPAN	JOINTAIN	COMPAN
	P CENTREX - 1AESS - (Valid in AL.FL.GA.KY.LA.MS.&TN only		Tiateu	on an marvidual oa	13c Da3i3, uiii											
		"			-											
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>														
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design		1	UEP91		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP91		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP91		23.02										
UNF	Port/Loop Combination Rates (Design)	1	T		İ		İ		i e		1			i		
- 10.112.1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1 -		1	 			1		I	 	†			
	Design		1	UEP91		18.26										
+-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	+	+ '	OLF91	 	10.20			 		1	-	 	-		
			_													
	Design	1	2	UEP91	 	23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1													
	Design		3	UEP91		29.98										
UNE I	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP91	UECS1	21.32										
+-	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
-+-	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	2	UEP91	UECS2	21.63										
+-		1	3													
	2-Wire Voice Grade Loop (SL 2) - Zone 3	.	3	UEP91	UECS2	28.28										
UNE F		<u> </u>														
All St	ates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 31	OLI IIVI	1.70	22.17	10.20	0.40	0.01		00.00	1.00			
				UEP91	UEPYZ	4.70	20.44	45.05	0.45	2.04		30.89	7.00			
+-	Term - Basic Local Area	.+	+	OLF91	UEF1Z	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1											1		
	- Basic Local Area		1	UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -		1													
	Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1		1				1	2.3.	1	1	1.50			
	Center)2		1	UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-+-	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	+-	+	OL: 31	OLI GIVI	1.70	22.14	10.20	0.43	5.91	 	50.09	7.03			
	Term		1	UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
\longrightarrow	TOTAL	+	+	OLFSI	UEPUL	1.70	22.14	15.25	0.45	3.91	<u> </u>	30.89	1.03			
	O Mine Vision Condo Book towning to 12 to 1845 and 1945 at 19	.1	1	LIEDO4	LIEBOS	4	20.44	45.00	0.4-			00.00	7.00			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	4	1	UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>	1	UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
	Switching		1									ļ				
Local	Contract Internacy Fronting ality, and and		<u> </u>	UEP91	URECS	0.6381			<u> </u>					L		
	Centrex Intercom Funtionality, per port															
	Number Portability															
				UEP91	LNPCC	0.35										
Local	Number Portability Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Number Portability Local Number Portability (1 per port) res											30.89	7.03			
Local	Number Portability Local Number Portability (1 per port) res All Standard Features Offered, per port			UEP91	UEPVF	0.00	433.78					30.89	7.03			
Local	Number Portability Local Number Portability (1 per port) res						433.78					30.89 30.89 30.89	7.03 7.03 7.03			

JNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
							Nonrecurring		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				30.89	7.03			
	laneous Terminations															
2-Wire	Trunk Side			LIEDO.	051110		20.11		0.45							
	Trunk Side Terminations, each			UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
Interof	fice Channel Mileage - 2-Wire			LIEDOA	MIODO	10.50	00.44	45.05	0.45	0.04		00.00	7.00			
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0174										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	annel Bank Feature Activations			LIEDO4	400000	0.00										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP91	1PQWS	0.66	-							-	1	!
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI 01	11 00177	0.00										
NOIT IX	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		1.03	0.29				30.89	7.03			
-	New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60	0.20	+			30.89	7.03			
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	658.60		+			30.89	7.03			
	Secondary Block, per Block			UEP91	M2CC1	0.00	73.55					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57					30.89	7.03			
UNE-P	CENTREX - 5ESS (Valid in All States)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP95		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		3	UEP95		23.02										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP95		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2	UEP95		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>			20.00	+									
LINE	Design oop Rate		3	UEP95		29.98										
JINE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP95	UECS1	12.48	+							1	1	1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	16.31	+								1	
	2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP95	UECS1	21.32	-		+							
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP95	UECS2	16.56	+									
	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP95	UECS2	21.63	1									
	2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP95	UECS2	28.28	+									
UNE P	ort Rate	l	Ť				1									
All Sta					1		İ									
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	İ		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			

Version 1Q02: 03/22/2002 PAGE 345 OF 352

ONBOND	LED NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrecurring		Nonrecurring					Rates(\$)		
	O.W Main Cont. But (On the form 1970)					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEF95	UEPTIVI	1.70	22.14	15.25	0.40	3.91		30.09	7.03			
	Term - Basic Local Area			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL,	KY, LA, MS, SC, & TN Only			LIEDOE	LIEDOA	4.70	00.44	45.05	0.45	0.01		00.00	7.00			
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95 UEP95	UEPQA UEPQB	1.70 1.70	22.14 22.14	15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03			
-	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP95	UEPQB	1.70	22.14	15.25 15.25	8.45	3.91	-	30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	OLF 93	ULFQII	1.70	22.14	13.23	0.45	3.91	1	30.09	7.03			
	Center)2			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02.00	02. Q	0		.0.20	0.10	0.01		00.00	7.00			
	Term			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	& GA Only															
Loc	al Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Loc	al Number Portability			LIEBOE	LNDOO	0.05										
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feat	All Standard Features Offered, per port			UEP95	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port		1	UEP95	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port		1	UEP95	UEPVC	0.00	433.70					30.89	7.03			
NAF			1	OLI GO	OLI VO	0.00						00.00	7.00			
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				30.89	7.03			
	cellaneous Terminations															
2-W	ire Trunk Side															
	Trunk Side Terminations, each		1	UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			
4-W	ire Digital (1.544 Megabits)			LIEBOE	MALIDA	05.55	75.00	00.45				00.00	7.00			
	DS1 Circuit Terminations, each DS0 Channels Activated, each		1	UEP95 UEP95	M1HD1 M1HDO	35.55 0.00	75.93 108.67	38.15	-			30.89 30.89	7.03 7.03			
Inte	roffice Channel Mileage - 2-Wire		1	UEF95	IVITIDO	0.00	100.07				-	30.69	7.03			
inte	Interoffice Channel Facilities Termination		1	UEP95	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0174	22.17	10.20	0.40	0.01		00.00	7.00			
Feat	ture Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				450				j				1			
	Slot		1	UEP95	1PQW7	0.66			ļ							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66			j				1			
	Different wire center		 	UEP95	IPQWP	0.66			 				1	1	 	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66]				1			
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		1	OLI 30	11 02 9 9 9	0.00	 		1				1	1	1	1
	Slot			UEP95	1PQWQ	0.66]				1			
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66			†				1			
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex				1	2700			†							
	NRC Conversion Currently Combined Switch-As-Is with allowed												1			
	changes, per port			UEP95	USAC2		1.03	0.29	<u> </u>			30.89	7.03			
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			

UNBUNDLE	D NETWORK ELEMENTS - Tennessee										•		Attachment:		Exhibit: B	<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring					Rates(\$)		
	Nicolar Control Control Physics			LIEBOE	144.000	Rec	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion			UEP95 UEP95	M1ACC URECA	0.00	658.60 68.57					30.89 30.89	7.03 7.03		 	
UNF-P	CENTREX - DMS100 (Valid in All States)			UEF95	URECA	0.00	66.57					30.09	7.03			
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Non-Design		2	UEP9D		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		23.02										
LINE P	ort/Loop Combination Rates (Design)		3	OLF 9D		23.02										
OIL I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		29.98										
UNE L	pop Rate			LIEDOD	LIEGGA	40.40										
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D UEP9D	UECS1 UECS1	12.48 16.31										-
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	21.32										1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9D	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28										
	ort Rate															
ALL S																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Area			UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			

	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Charge -
							Nonrecurring		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
	Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			LIEDOD	LIEDYO	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			+
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEF9D	UEPTK	1.70	22.14	15.25	0.40	3.91		30.69	7.03			+
	Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			OLI 3D	OLI 10	1.70	22.14	10.20	0.45	5.51		30.03	7.00			+
	Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			02.05	02			10.20	0.10	0.01		00.00	7.00			+
	Basic Local Area			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3					_										†
	Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															1
	Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
AL, K	Y, LA, MS, SC, & TN Only			LIEDAD	LIEBOA	4 70	00.44	45.05	0.45	0.04		00.00	7.00			_
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			-
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D UEP9D	UEPQB UEPQC	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03			+
	2-Wire Voice Grade Port (Centrex / EBS-PSE1)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			+
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			+
	2-Wire Voice Grade Port (Centrex / EBS-M5203)3			UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			+
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			+
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			†
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			†
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															1
	Indication)3			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
.	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			l]]				
	2			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03		ļ	ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	
	O Wise Veice Conde Bot (Control/differ CMC /EDO MESSON)			UEP9D	UEPQP	4.70	20.44	45.05	0.45	2.04	1	20.00	7.00	1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D UEP9D	UEPQP	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03	 	1	+
	2-vvite voice Grade Fort (Centrex/differ SWC /EBS-5209)2, 3			OFLAD	UEFQQ	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03	-	1	+
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-+	2 WITO VOICE CTAGE I OIT (CEITHENGINE) SWO /LDG-WINTTZ)2, 3			OLI 3D	טבו עוז	1.70	22.14	13.23	0.40	3.91	 	30.08	1.03	 	 	+
.	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2.22 2.22 2.21 (22			- "		0		.0.20	50	3.31		30.00		1		1
.	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	, , , , , , , , , , , , , , , , , , , ,					-								1		Ī
.	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	1		
	, ,															T
L	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
						-										
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03	ļ		
				i	1		1		1		i	i		Ì	1	1

BUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	<u> </u>
		Interi									Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -	Incrementa Charge - Manual Sv
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'
							Nonrecurring		Nonrecurring					Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated in 60 Wegamik of equivalent			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local S	Switching														İ	
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
Local I	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feature				LIEDAD												
	All Standard Features Offered, per port			UEP9D UEP9D	UEPVF	0.00	433.78					30.89 30.89	7.03 7.03			
_	All Select Features Offered, per port All Centrex Control Features Offered, per port		<u> </u>	UEP9D UEP9D	UEPVS	0.00	433.78					30.89	7.03			-
NARS	All Centres Control Features Chereu, per port		 	OLFBD	JLF VC	0.00			 			30.09	1.03		t	-
117110	Unbundled Network Access Register - Combination		 	UEP9D	UARCX	0.00	0.00	0.00	 			30.89	7.03		 	
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	† †			30.89	7.03		1	
Miscel	laneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67					30.89	7.03			
Interof	fice Channel Mileage - 2-Wire			LIEDAD	111000	10.50	20.11									
	Interoffice Channel Facilities Termination		<u> </u>	UEP9D	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
F4	Interoffice Channel mileage, per mile or fraction of mile		1	UEP9D	MIGBM	0.0174			 							
	e Activations (DS0) Centrex Loops on Channelized DS1 Service Innel Bank Feature Activations	е	<u> </u>													
D4 CITE	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	eature Activation on 5-4 channel Bank Centrex Loop Glot			OLI 3D	II QWO	0.00										-
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>													.
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP9D	USAC2		1.03	0.29				30.89	7.03			
	changes, per port New Centrex Standard Common Block		<u> </u>	UEP9D UEP9D	M1ACS	0.00	658.60	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	68.57					30.89	7.03			
UNF-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			02. 05	OTTE OFT		00.07					00.00	7.00			1
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						j		ĺ							
	Non-Design		1	UEP9E		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		23.02										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9E		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E		23.33										1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee									-			Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electronic
													1st	Add'l	Disc 1st	Disc Add
							Nonrecurring		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		29.98										
UNE Lo	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16.31										1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56										1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										+
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28.28					1					+
LINE D	ort Rate		3	ULF9L	ULUGZ	20.20					1					+
					_						1					+
AL, FL	, KY, LA, MS, & TN only		1	LIEDOE	LIEDY/A	4 =	00.11	15.05	0.4-	201	 	00.00	7.00	ļ	ļ	
	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local									= :				Ì	Ì	
	Area			UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91]	30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				i l]					1		Ì	Ì	
	Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire							-		-						
	Center)2 Basic Local Area			UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI 3L	OLI 12	1.70	22.14	10.20	0.40	5.51	1	30.03	7.00			
				UEP9E	UEPY9	1.70	22.14	45.05	0.45	3.91		30.89	7.03			
	- Basic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -					. =-										
	Basic Local Area			UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, KY	, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								0							
	Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	10111		1	02.02	02. Q2			10.20	0.10	0.01		00.00	7.00			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated in 61 Weganitk of equivalent			UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
				UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
Local S	Switching		<u> </u>	LIEDOE	LIBECO						1	ļ				₩
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.6381										
Local N	lumber Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										<u> </u>
Feature																
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00					Ì	30.89	7.03			1
NARS			1		1 1	2.30	1				İ	1	1.30	1	1	
	Unbundled Network Access Register - Combination		1	UEP9E	UARCX	0.00	0.00	0.00			1	30.89	7.03	†	†	
	Unbundled Network Access Register - Indial		!	UEP9E	UAR1X	0.00	0.00	0.00			 	30.89	7.03	 	 	
	Unbundled Network Access Register - India Unbundled Network Access Register - Outdial		1	UEP9E	UAROX	0.00	0.00	0.00			 	30.89	7.03	 	 	+
Missall	aneous Terminations		<u> </u>	OLI DL	UANUA	0.00	0.00	0.00			1	30.09	1.03	-	-	
			1	ļ	+		 				 	 	-	 	 	₩
∠-wire	Trunk Side		<u> </u>	LIEDOE	OFNES				2.1-		1	60.0-				├
	Trunk Side Terminations, each		1	UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91	ļ	30.89	7.03			
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67					30.89	7.03			
Interof	fice Channel Mileage - 2-Wire															T
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0174	1				1	1				
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1			0.0	1				İ	1		1	1	
		-	-		+				1		1	l	l	†		-
	nnel Bank Feature Activations															

NRONDLE	ED NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc	Manual Svc		Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
VI EGOIVI	NATE ELEMENTO	m		500	0000			π. Ευ(φ)			per LSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
			-			-	Nonrecurring		Nonrecurring	Disconnect			000	Rates(\$)	<u> </u>	
							First	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						Rec	FIRST	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9E	1PQWQ	0.66										
-	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
h!				UEPSE	IFQWA	00.0					-				1	-
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>								1				 	
	NRC Conversion Currently Combined Switch-As-Is with allowed	1				l								İ		
	changes, per port			UEP9E	USAC2		1.03	0.29				30.89	7.03		ļ	
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57					30.89	7.03			
UNE-F	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)														1	
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
UNL I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		4	UEP93		14.18										
			-	UEF93		14.10										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_													
	Non-Design		2	UEP93		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP93		23.02										
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP93		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP93		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI SO		20.00										
	Design		3	UEP93		29.98										
I INIT I			3	UEF93		29.90										
UNE	Loop Rate					10.10										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	12.48					ļ				ļ	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	16.31									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21.32									<u> </u>	
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28.28										
UNF F	Port Rate															
	Y, LA, MS, & TN only															
AL, K				LIEDOS	LIEDVA	1.70	22.14	15.05	8.45	3.91		30.89	7.03			
-	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	 	 	
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local									= .				1		
	Area			UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03		ļ	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local													1		
	Area		<u></u>	UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03		<u></u>	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area	1		UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	İ		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1													
	Term - Basic Local Area	l	l	UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
_	2-Wire Voice Grade Port terminated in on Megalink or equivalent	—	 	021 00	JL: 12	1.70	۷۲. ۱۲	10.20	0.40	5.51	1	30.03	1.03	 	 	
	- Basic Local Area	1		UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03	İ		
			-	UEP93	UEPTS	1.70	22.14	15.25	ö.45	3.91	1	30.89	7.03	1	1	
	2-Wire Voice Grade Port Terminated on 800 Service Term -	l	l	l										1		
	Basic Local Area			UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03		ļ	
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03		İ	

DUNDLE	D NETWORK ELEMENTS - Tennessee			1									Attachment:		Exhibit: B	+
					1							Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual
TEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
		m									P	p = = = = = = =	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Ad
													151	Add I	DISC ISL	DISC AU
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
_	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															†
	Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
																+
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching			02. 00	0L: QL	0		10.20	0.10	0.01		00.00	7.00			+
	Centrex Intercom Funtionality, per port		t	UEP93	URECS	0.6381	1		+		-			1		†
l ocal	Number Portability		t			3.0301	1		+		-			1		†
Local	Local Number Portability (1 per port)		-	UEP93	LNCCC	0.35			+		ł – – – –				 	†
Featur			 	OL: 30	LINGUU	0.33			+		1					+
i catul	All Standard Features Offered, per port			UEP93	UEPVF	0.00	ŀ		+		1			1	1	+
-	All Centrex Control Features Offered, per port		1	UEP93	UEPVC	0.00			+		 			1	1	+
NARS				ULF 93	OLF VC	0.00			-							+
NAKS			-	UEP93	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Combination		-	UEP93	UARCX UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Indial						0.00									
14'	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00				30.89	7.03			
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	108.67					30.89	7.03			
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0174										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot		<u></u>	UEP93	1PQW6	0.66										<u> </u>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot		L	UEP93	1PQW7	0.66			<u> </u>		<u> </u>			<u> </u>		<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -							-								1
	Different Wire Center		<u> </u>	UEP93	1PQWP	0.66			<u> </u>							<u> </u>
																T
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															1
	Slot			UEP93	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex						İ									1
	NRC Conversion Currently Combined Switch-As-Is with allowed						İ									1
	changes, per port		1	UEP93	USAC2		1.03	0.29	1		I	30.89	7.03	I		1
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60		1		İ	30.89	7.03			1
1	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60				i	30.89	7.03		Ì	†
	NAR Establishment Charge, Per Occasion		1	UEP93	URECA	0.00	68.57				i	30.89	7.03			†
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD		t	00			55.51		+		-	55.55	7.00	1		†
	2 - Required For For Centrex Control in FAECO, 3ESO & EWOD		 		+				+		1				1	+
	- Requires Specific Customer Premises Equipment		 		+				+		 				1	+
	- Neudines Opecinic Cusionici Ficiniscs Eudipilicili		1	ue-up as set forth i	1									l	1	

ATTACHMENT 3 NETWORK INTERCONNECTION

TABLE OF CONTENTS

1.	GENERAL	
	DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)	
	NETWORK INTERCONNECTION	
4.	INTERCONNECTION TRUNK GROUP ARCHITECTURES	6
5.	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTIO	N13
6.	LOCAL DIALING PARITY	15
7.	INTERCONNECTION COMPENSATION	16
8.	FRAME RELAY SERVICE INTERCONNECTION	21
9.	ORDERING CHARGES	24
Rates E		Exhibit A
Basic Architecture E		Exhibit B
One Way Architecture E.		Exhibit C
Two Way Architecture Ex		Exhibit D
Supergroup Architecture Ex		Exhibit E

NETWORK INTERCONNECTION

1. GENERAL

- 1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
- 2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)
- 2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:
- 2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- 2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide ("LERG").
- 2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
- 2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
- 2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
- 2.1.8 **Interconnection Point ("IP")** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and NTBS.
- 2.1.9 **ISP-bound Traffic** is as defined in Section 7 of this Attachment.

- 2.1.10 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center.
- 2.1.11 **Local Traffic** is as defined in Section 7 of this Attachment.
- 2.1.12 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
- 2.1.13 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
- 2.1.14 **Transit Traffic** is traffic originating on NTBS's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to NTBS's network.

3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where NTBS owns and provides its switch(es).
- 3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic and ISP-bound Traffic.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic and ISP-bound Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic and ISP-bound Traffic to the other Party for Call Transport and Termination by the terminating Party.

When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, the Parties must agree to the location of the IP(s).

3.3 Interconnection via Dedicated Facilities

- 3.3.1 Local Channel Facilities. As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request ("ASR") process.

3.4 Fiber Meet

3.4.1 If NTBS elects to interconnect with BellSouth pursuant to a Fiber Meet, NTBS and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission

system. However, NTBS's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.

- 3.4.2 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the NTBS Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification ("CLLI") code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.4 Upon verbal request by NTBS, BellSouth shall allow NTBS access to the fusion splice point for the Fiber Meet point for maintenance purposes on NTBS's side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. NTBS shall be billed for a mixed use of the Local Channel as set forth in the appropriate tariff(s) using the PIU/PLF factors supplied by NTBS. Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

- 4.1 BellSouth and NTBS shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.
- 4.2 NTBS shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of NTBS's originated Local Traffic and for the receipt and delivery of Transit Traffic. To the extent NTBS desires to deliver Local Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which NTBS has established interconnection trunk groups, NTBS shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.
- 4.2.1 Notwithstanding the forgoing, NTBS shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where NTBS has

homed (i.e. assigned) its NPA/NXXs. NTBS shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. NTBS shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.

- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on NTBS's NXX access tandem homing arrangement as specified by NTBS in the LERG.
- Any NTBS interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to NTBS from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require NTBS to submit a Bona Fide Request/New Business Request (BFR/NBR) via the BFR/NBR Process as set forth in this Agreement.
- 4.5 Recurring and non-recurring rates associated with interconnecting trunk groups between BellSouth and NTBS are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and facilities. NTBS shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.
- In cases where NTBS is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Local Interconnection Switching Center (LISC) Project Management Group and NTBS's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic. NTBS shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic to the other Party.

4.10.1 **BellSouth Access Tandem Interconnection**

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem ("Intratandem Access"). Access tandem interconnection is available for any of the following access tandem architectures

4.10.1.1 **Basic Architecture**

In the basic architecture, NTBS's originating Local Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between NTBS and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between NTBS and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which NTBS desires to exchange traffic. This trunk group also carries NTBS originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to NTBS. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

4.10.1.2 **One-Way Trunk Group Architecture**

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for NTBS-originated Local Traffic destined for BellSouth end-users. A second one-way trunk group carries BellSouth-originated Local Traffic destined for NTBS end-users. A two-way trunk group provides Intratandem Access for NTBS's originating and terminating Transit Traffic. This trunk group carries Transit

Traffic between NTBS and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which NTBS desires to exchange traffic. This trunk group also carries NTBS originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to NTBS. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

4.10.1.3 **Two-Way Trunk Group Architecture**

The two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic between NTBS and BellSouth. In addition, a separate two-way transit trunk group must be established for NTBS's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between NTBS and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which NTBS desires to exchange traffic. This trunk group also carries NTBS originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to NTBS. However, where NTBS is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.1.4 **Supergroup Architecture**

In the supergroup architecture, the Parties' Local Traffic and NTBS's Transit Traffic are exchanged on a single two-way trunk group between NTBS and BellSouth to provide Intratandem Access to NTBS. This trunk group carries Transit Traffic between NTBS and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which NTBS desires to exchange traffic. This trunk group also carries NTBS originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be

transported on a separate single one-way trunk group terminating to NTBS. However, where NTBS is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

- 4.10.1.5 Multiple Tandem Access Interconnection
- 4.10.1.5.1 Where NTBS does not choose access tandem interconnection at every BellSouth access tandem within a LATA, NTBS may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA NTBS must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route NTBS's originated Local Traffic for LATA wide transport and termination. NTBS must also establish an interconnection trunk group(s) at all BellSouth access tandems where NTBS NXXs are homed as described in Section 4.2.1 above. If NTBS does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, NTBS can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate NTBS's Local Traffic to end-users served through those BellSouth access tandems where NTBS does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.
- 4.10.1.5.2 NTBS may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to NTBS will be delivered to and from IXCs based on NTBS's NXX access tandem homing arrangement as specified by NTBS in the LERG.
- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent NTBS does not purchase MTA in a LATA served by multiple access tandems, NTBS must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent NTBS routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, NTBS shall pay BellSouth the associated MTA charges.
- 4.10.2 **Local Tandem Interconnection**

- 4.10.2.1 Local Tandem Interconnection arrangement allows NTBS to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of NTBS-originated Local Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.2.2 When a specified local calling area is served by more than one BellSouth local tandem, NTBS must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, NTBS may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. NTBS may deliver Local Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where NTBS does not choose to establish an interconnection trunk group(s). It is NTBS's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to NTBS's codes. Likewise, NTBS shall obtain its routing information from the LERG.
- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, NTBS must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which NTBS has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).
- 4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that NTBS has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

4.10.3 **Direct End Office-to-End Office Interconnection**

- 4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic and ISP-bound Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:

- 4.10.3.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between NTBS and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between NTBS's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.3.2.3 Mutual Agreement The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

4.10.4 Transit Traffic Trunk Group

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by NTBS to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

4.10.4.1 **Toll Free Traffic**

- 4.10.4.1.1 If NTBS chooses BellSouth to perform the Service Switching Point ("SSP")
 Function (i.e., handle Toll Free database queries) from BellSouth's switches, all
 NTBS originating Toll Free traffic will be routed over the Transit Traffic Trunk
 Group and shall be delivered using GR-394 format. Carrier Code "0110" and
 Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.2 NTBS may choose to perform its own Toll Free database queries from its switch. In such cases, NTBS will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, NTBS will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, NTBS will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and NTBS shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, NTBS will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or

- (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to NTBS's network but that are connected to BellSouth's access tandem.
- 4.10.5 All post-query Toll Free calls for which NTBS performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- 5.1 <u>Network Management and Changes</u>. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where NTBS chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling ("SS7"), SS7 connectivity is required between the NTBS switch and the BellSouth Signaling Transfer Point ("STP"). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- Ouality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification ("ANI"), originating line information ("OLI") calling company category and charge number. All privacy indicators will be honored, and the Parties will

exchange Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.

5.6 <u>Signaling Call Information</u>. BellSouth and NTBS will send and receive 10 digits for Local Traffic. Additionally, BellSouth and NTBS will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

5.7 Forecasting for Trunk Provisioning

- 5.7.1 Within six (6) months after execution of this Agreement, NTBS shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of NTBS's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, NTBS-to-BellSouth one-way trunks ("NTBS Trunks"), BellSouth-to-NTBS one-way trunks ("Reciprocal Trunks") and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop Reciprocal Trunk and/or two-way interconnection trunk forecast quantities.
- All forecasts shall include, at a minimum, Access Carrier Terminal Location ("ACTL"), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for NTBS location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 5.7.2 Once initial interconnection trunk forecasts have been developed, NTBS shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. NTBS shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.

5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

5.8 **Trunk Utilization**

- 5.8.1 BellSouth and NTBS shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 365 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized reciprocal trunk(s) and the Party whose trunks are disconnected shall refund to the other Party associated trunk and facility charges paid by such other Party, if any.
- BellSouth's Local Interconnection Switching Center (LISC) will notify NTBS of any under-utilized reciprocal trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated NTBS interface. NTBS will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which NTBS expects to need such trunks. BellSouth's LISC Project Manager and Circuit Capacity Manager will discuss the information with NTBS to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to NTBS. The due date of these orders will be four weeks after NTBS was first notified in writing of the underutilization of the trunk groups.
- 5.8.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties shall negotiate in good faith for the installation of augmented facilities.

6. LOCAL DIALING PARITY

6.1 BellSouth and NTBS shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be

provided for all originating telecommunications services that require dialing to route a call.

7. INTERCONNECTION COMPENSATION

- 7.1 Compensation for Call Transportation and Termination for Local Traffic and ISP-bound Traffic
- 7.1.1 For reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any circuit switched call that is originated by an end user of one Party and terminated to an end user of the other Party within a given LATA on that other Party's network, except for those calls that are originated or terminated through switched access arrangements as established by the ruling regulatory body.
- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one LATA to an ISP server or modem in the same LATA. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction..
- 7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 ("ISP Order on Remand"), BellSouth and NTBS agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or NTBS that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and NTBS further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or NTBS that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 7.1.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.
- 7.1.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.

- 7.1.6 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.7 If NTBS assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to NTBS end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a NTBS customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, NTBS agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to NTBS at BellSouth's switched access tariff rates.
- 7.2 If NTBS does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole NTBS NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if NTBS can provide sufficient information for BellSouth to determine whether or not said traffic is Local Traffic.

7.3 **Jurisdictional Reporting**

- 7.3.1 **Percent Local Use.** Each Party shall report to the other a Percent Local Usage ("PLU") factor. The application of the PLU will determine the amount of local minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local call and every long distance call, excluding Transit Traffic. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PLU factor, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.
- 7.3.2 Percent Local Facility. Each Party shall report to the other a Percent Local Facility ("PLF") factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and

reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

- 7.3.3 **Percent Interstate Usage**. Each Party shall report to the other the projected Percent Interstate Usage ("PIU") factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to NTBS. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use (PIUs, PLU, and PLF) for the past three months ending the last day of December, March, June and September. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PIU and PLU factors, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.
- Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.
- Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and NTBS shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

7.4 Compensation for 8XX Traffic

- 7.4.1 <u>Compensation for 8XX Traffic</u>. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. NTBS will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.
- 7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 7.4.3 <u>8XX Access Screening</u>. BellSouth's provision of 8XX Toll Free Dialing ("TFD") to NTBS requires interconnection from NTBS to BellSouth's 8XX Signal Channel Point ("SCP"). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. NTBS shall establish SSS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that NTBS desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

7.5 Mutual Provision of Switched Access Service

- 7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.
- 7.5.2 If the BellSouth end user chooses NTBS as their presubscribed interexchange carrier, or if the BellSouth end user uses NTBS as an interexchange carrier on a 101XXXX basis, BellSouth will charge NTBS the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating,

switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.

- 7.5.4 When NTBS's end office switch provides an access service connection to or from an interexchange carrier ("IXC") by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by NTBS as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The parties shall utilize a thirty (30) day billing period.
- 7.5.4.1 When NTBS's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to NTBS, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.

7.5.9 NTBS agrees not to deliver switched access traffic to BellSouth for termination except over NTBS ordered switched access trunks and facilities.

7.6 **Transit Traffic**

- 7.6.1 BellSouth shall provide tandem switching and transport services for NTBS's Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between NTBS and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between NTBS and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.
- 7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that NTBS is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to NTBS. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, NTBS shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

8. FRAME RELAY SERVICE INTERCONNECTION

- 8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and NTBS's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which NTBS is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between NTBS and BellSouth Frame Relay Switches in the same LATA.
- 8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection ("IP(s)") within the LATA. All IPs shall be within the

same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.

- 8.3 Upon the request of either Party, such interconnection will be established where BellSouth and NTBS have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").
- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA ("InterLATA VC").
- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, NTBS may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies NTBS that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and NTBS will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. NTBS will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of NTBS's PLCU.

- The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1 Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and NTBS will pay, the total non-recurring and recurring charges for the NNI port. NTBS will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by NTBS's PLCU.
- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 8.8 For the PVC segment between the NTBS and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If NTBS orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the NTBS Frame Relay switch, BellSouth will invoice, and NTBS will pay, the total non-recurring and recurring PVC charges for the PVC segment between the BellSouth and NTBS Frame Relay switches. If the VC is a Local VC, NTBS will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to NTBS for the PVC segment.
- 8.9.2 If BellSouth orders a Local VC connection between a NTBS subscriber's PVC segment and a PVC segment from the NTBS Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and NTBS will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and NTBS Frame Relay switches. If the VC is a Local VC, NTBS will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to NTBS for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If NTBS requests a change, BellSouth will invoice and NTBS will pay a Feature Change charge for each affected PVC segment.


- 8.9.4.1 If BellSouth requests a change to a Local VC, NTBS will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- NTBS will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

9. ORDERING CHARGES

9.1 The terms, conditions and rates for Ordering Charges are as set forth in FCC Tariff for Access Service Records.


Basic Architecture

Exhibit B



One-Way Architecture

Exhibit C



Two-Way Architecture

Exhibit D





Exhibit E

Supergroup Architecture



LOCAL	INTE	RCONNECTION - Alabama												Attachment:	3	Exhibit: A	
LUCA		NOONITE O HON - Alaballia	1	ı			1					Sun Orden	Svo Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec		Manual Svc			
CAILG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							1100	11100	Addi	11100	Addi	COMILO	COMPAR	COMPAN	COMPAR	COMPAR	COMPAN
LOCAL	INTERC	CONNECTION (CALL TRANSPORT AND TERMINATION)															-
		"bk" beside a rate indicates that the Parties have agreed to bi	II and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
		M SWITCHING	1	1													
		Tandem Switching Function Per MOU			OHD		0.0005692bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem															
		only)			OHD		0.0005692bk										
		Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	* This c	harge is applicable only to transit traffic and is applied in ad	dition to	applio	cable switching and	l/or interconr	ection charges	i.									
		CHARGE															
		Installation Trunk Side Service - per DS0			OHD	TPP++		333.69	56.91								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
		rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swit	ching, per MOl	J rate elements	3								
		ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU			OHD		0.0000026bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0003685bk										
LOCAL	INTERC	CONNECTION (DEDICATED TRANSPORT)															
	INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHL, OHM	1L5NF	0.0101										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination per month			OHL, OHM	1L5NF	24.15	54.82		13.79							
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			OHL, OHM	1L5NK	0.0101										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination per month			OHL, OHM	1L5NK	17.28	54.82		13.79							
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			OHL, OHM	1L5NK	0.0101										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			OHL, OHM	1L5NK	17.28	54.82		13.79							
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month		<u> </u>	OH1, OH1MS	1L5NL	0.2067										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination per month			OH1, OH1MS	1L5NL	68.75	163.61		28.88							
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			0110 0110140	41.55154	4.07										
\vdash		month Interoffice Channel - Dedicated Transport - DS3 - Facility	├	 	OH3, OH3MS	1L5NM	4.67			1		 			-	-	
		Termination per month			OH3, OH3MS	1L5NM	804.02	325.51		116.91							1
\vdash	וטכאי	CHANNEL - DEDICATED TRANSPORT	├	 	OI IS, UNSIVIS	IVIVICAL	804.02	323.51		110.91		 			-	-	
$\vdash \vdash \vdash$	LOCAL	Local Channel - Dedicated - 2-Wire Voice Grade per month	 	-	OHL, OHM	TEFV2	15.96	386.19	66.33	73.28	6.39				-	-	-
$\vdash \vdash \vdash$		Local Channel - Dedicated - 2-Wire Voice Grade per month Local Channel - Dedicated - 4-Wire Voice Grade per month	 		OHL, OHM	TEFV4	17.06	386.19	67.20	73.28	7.33	}			1	1	
\vdash		Local Channel - Dedicated - 4-wire voice Grade per month Local Channel - Dedicated - DS1 per month	 	1	OHL, OHM OH1	TEFHG	41.52	354.94	307.43	44.38	30.52	1			1	1	
		Local Gharmer - Dedicated - Do I per month	 		0.11	ILIIIG	41.52	304.94	301.43	44.38	30.32	1			1	1	t
		Local Channel - Dedicated - DS3 Facility Termination per month	1	1	ОН3	TEFHJ	476.04	903.03	527.87	238.97	167.16				Ì	Ì	I
\vdash	LOCAL	INTERCONNECTION MID-SPAN MEET	1	 	0110	121110	470.04	303.03	521.01	250.51	107.10				 	 	1
		If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch	annel rate is annlica	hle				1		1			 	 	t
\vdash	NOTE:	Local Channel - Dedicated - DS1 per month	VICE LO	Cai Cile	OH1MS	TEFHG	0.00	0.00							 	 	1
\vdash		Local Channel - Dedicated - DS1 per month	 		OH3MS	TEFHJ	0.00	0.00		1		 			 	 	t
\vdash	MUI TIE	PLEXERS	1	l	CCIVIO	1 1 10	5.00	0.00									-
├		Channelization - DS1 to DS0 Channel System	1	l	OH1, OH1MS	SATN1	122.50	182.08	125.14	21.07	19.58						-
				+	OH3, OH3MS	SATNS	201.37	356.28	187.94	66.51	63.65	 	 			 	
		IDS3 to DS1 Channel System per month															
		DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month			OH3, OH3MS OH1, OH1MS	SATCO	15.39	13.15	9.43		05.05						

Version 1Q02: 03/22/2002 PAGE 1 OF 9

LOCAL INTE	RCONNECTION - Florida												Attachment:	3	Exhibit: A	
LOCAL INTE	ACCOMMEDITOR - FIORICA					1					Syc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7000	BCS	usoc			RATES(\$)			Elec		Manual Svc			
CATEGORY	RAIE ELEMENIS	m	Zone	BCS	USUC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							1		1							
							Names		N	Di			000	Detec(t)		
		1				Rec	Nonred First	arring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
		1				Rec	FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
LOCAL INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)															
	"bk" beside a rate indicates that the Parties have agreed to b	ll and k	een for	that element nursu	ant to the ter	me and conditi	ions in Attachr	nont 3			1					
	M SWITCHING	II alla k	eep ioi	that element pursu	T TO THE TE	Ins and conditi	IOIIS III Attaciii	ilent J.			1					
IANDL	Tandem Switching Function Per MOU			OHD	+	0.0006019bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem			OTID	+	0.00000 T3DK										
	only)			OHD		0.0006019bk										
	Tandem Intermediary Charge, per MOU*			OHD	+	0.0015										
	charge is applicable only to transit traffic and is applied in ad	dition to	annli		/or intercon						1					
	CHARGE	l l	Гарріі	Dable Switching and	, or microom	leotion onarges	î.				1					
- Income	Installation Trunk Side Service - per DS0		1	OHD	TPP++		336.43	57.38	t	1	1			t	1	t
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00	000.40	07.00								
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00					1					
** This	rate element is recovered on a per MOU basis and is included	in the	End Of				I rate elements				1					
	ON TRANSPORT (Shared)		<u> </u>	lice our terming and	1	l g, por mo					1					
-	Common Transport - Per Mile, Per MOU			OHD		0.0000035bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0004372bk										
LOCAL INTER	CONNECTION (DEDICATED TRANSPORT)			0.15		0.000 10.201										
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL. OHM	1L5NF	25.32	31.78		7.03							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile						00		1.55							
	per month			OHL, OHM	1L5NK	0.0091										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	18.44	31.78		7.03							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	18.44	31.78		7.03							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	88.44	98.47		19.05							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	3.87										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	1,071.00	219.28		70.56							
LOCAL	CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	21.94	265.84	46.97	37.63	4.00						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	22.81	266.54	47.67	44.22	5.33						
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	35.28	216.65	183.54	24.30	16.95						
														1		1
	Local Channel - Dedicated - DS3 Facility Termination per month		1	OH3	TEFHJ	531.91	556.37	343.01	139.13	96.84	ļ				ļ	
	INTERCONNECTION MID-SPAN MEET	<u> </u>	<u> </u>											1		└
NOTE:	f Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch											1		
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
	Local Channel - Dedicated - DS3 per month		1	OH3MS	TEFHJ	0.00	0.00				ļ				ļ	
MULTII	PLEXERS				1											
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	211.19	199.28	118.64	40.34	39.07						
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	13.76	10.07	7.08			1					
Notes:	If no rate is identified in the contract, the rates, terms, and c	ondition	s for ti	ne specific service o	or function w	ill be as set for	th in applicable	e BellSouth ta	riff.	1					<u> </u>	1

LOCAL	INTE	RCONNECTION - Georgia												Attachment:	3	Exhibit: A	
LUCA	_ 1141 E	Incontraction - Georgia	1	1			1					Svo Order	Svo Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec		Manual Svc			
CAILG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										ı							<u> </u>
								Nonred	urring	Nonrecurring	n Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							1100	11130	Addi	11100	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
LOCAL	INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)									+						
		"bk" beside a rate indicates that the Parties have agreed to be	II and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachr	nent 3.								
		M SWITCHING	1	1													
		Tandem Switching Function Per MOU			OHD		0.0011009bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem															
		only)			OHD		0.0011009bk										
		Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	* This c	charge is applicable only to transit traffic and is applied in ad	dition to	applio	cable switching and	l/or interconr	nection charges	5.									
		CHARGE		Ľ,													
		Installation Trunk Side Service - per DS0			OHD	TPP++		333.28	56.84								
		Dedicated End Office Trunk Port Service-per DS0**	<u></u>		OHD	TDE0P	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
		rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swit	tching, per MOI	U rate elements	5								
	COMM	ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU			OHD		0.000008bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0004152bk										
		CONNECTION (DEDICATED TRANSPORT)															
	INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHL, OHM	1L5NF	0.0222										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination per month			OHL, OHM	1L5NF	17.07	36.08									
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			OHL, OHM	1L5NK	0.0222										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
<u> </u>		Termination per month		<u> </u>	OHL, OHM	1L5NK	16.45	36.08									
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
—		per month			OHL, OHM	1L5NK	0.0222										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OLU OLUM	41.5802	40.45	20.00									
-		Termination per month	-	-	OHL, OHM	1L5NK	16.45	36.08			-						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1, OH1MS	1L5NL	0.4523										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			OHT, OHTIMS	ILDINL	0.4523										-
		Termination per month	1		OH1, OH1MS	1L5NL	78.47	111.75							1	I	1
\vdash		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	 		OTTI, OTTINO	/ LUINL	10.41	111.75		1	1				1	t	
		month	1	1	OH3. OH3MS	1L5NM	2.72				1				Ì	I	1
\vdash		Interoffice Channel - Dedicated Transport - DS3 - Facility	 	1	5. 10, 51 IOIVIO	72014101	2.12			1	+	1				 	—
		Termination per month		1	OH3, OH3MS	1L5NM	788.00	330.77								1	1
	LOCAL	CHANNEL - DEDICATED TRANSPORT	†		2.10, 0.10WO	7 = 0. 1IVI	7 00.00	300.11		1	1	1			 	I	—
		Local Channel - Dedicated - 2-Wire Voice Grade per month		1	OHL, OHM	TEFV2	13.91	382.95	62.40	†	1				1	†	†
		Local Channel - Dedicated - 4-Wire Voice Grade per month	†	t	OHL, OHM	TEFV4	14.99	368.44	64.05	1	1				1	t	
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	38.36	356.15	312.89	†	1				İ	İ	
			1	1		1	22.30	2220	2:=:30	İ	1				İ	İ	
		Local Channel - Dedicated - DS3 Facility Termination per month	1	1	ОНЗ	TEFHJ	515.91	639.50	426.31		1				Ì	I	1
	LOCAL	INTERCONNECTION MID-SPAN MEET															
		If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch	annel rate is applica	ble.											
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
	MULTII	PLEXERS															
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	126.22	198.22	123.59								
		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	182.04	280.66	195.33								
		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	11.02	12.02	8.66								
1	Notes:	If no rate is identified in the contract, the rates, terms, and the rates, the	ondition	s for t	ne specific service o	or function w	ill be as set for	th in applicable	e BellSouth ta	riff.							

LOCA	INTE	RCONNECTION - Kentucky												Attachment:	3	Exhibit: A	
LUCA	- 114115	NOOMMED HOM - NEHROCKY	I	1			I					Svo Orde-	Syn Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec		Manual Svc			Manual Svc
CAILG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										1							
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							1100	11100	Addi	11100	Addi	COMILO	COMPAR	COMPAN	COMPAR	COMPAR	COMPAN
LOCAL	INTERC	ONNECTION (CALL TRANSPORT AND TERMINATION)				+											
		bk" beside a rate indicates that the Parties have agreed to bi	II and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
		M SWITCHING	1	1													
		Tandem Switching Function Per MOU			OHD		0.0006772bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem															
		only)			OHD		0.0006772bk										
		Tandem Intermediary Charge, per MOU*			OHD		0.0015										
		harge is applicable only to transit traffic and is applied in ad	dition to	applio	cable switching and	l/or intercon	ection charges										
		CHARGE															
		Installation Trunk Side Service - per DS0		1	OHD	TPP++		334.09	57.12								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00								İ	İ	İ
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
		rate element is recovered on a per MOU basis and is included	in the	End Of			ching, per MOL	J rate elements									
		ON TRANSPORT (Shared)	1	1			, p										
		Common Transport - Per Mile, Per MOU			OHD		0.0000030bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0007466bk										
LOCAL		CONNECTION (DEDICATED TRANSPORT)			0.15		C.CCC1 ICCCI										
		FFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHL, OHM	1L5NF	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			O. I.E., O. IIII	120111	0.01										
		Facility Termination per month			OHL. OHM	1L5NF	29.11	47.34		22.77							
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTIL, OTIVI	120141	20.11	47.04		22.77							
		per month			OHL, OHM	1L5NK	0.0115										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			O. I.E., O. IIII	1201111	0.01.0										
		Termination per month			OHL, OHM	1L5NK	20.97	47.35		22.77							
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTIL, OTIM	TEOTITE	20.07	47.00		22.77							
		per month			OHL, OHM	1L5NK	0.0115										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTIL, OTIM	ILOIVIC	0.0113					1					
		Termination per month			OHL, OHM	1L5NK	20.97	47.35		22.77							
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OTIL, OTIM	TEOTAIX	20.01	47.00		22.77							
		month			OH1, OH1MS	1L5NL	0.23										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTTI, OTTINO	TESINE	0.23										
		Termination per month	1	1	OH1, OH1MS	1L5NL	96.04	105.52		23.09					l	Ì	l
\vdash		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	 	 	C. II, CITIVIO	/ LOI VL	30.04	103.32		20.09		1			 	 	
		month	1	1	OH3. OH3MS	1L5NM	4.97								l	Ì	l
—		Interoffice Channel - Dedicated Transport - DS3 - Facility	1	l	OT 10, OT IOWO	ILOINIVI	7.31										
		Termination per month			OH3, OH3MS	1L5NM	1,175.15	335.40		89.57							
\vdash		CHANNEL - DEDICATED TRANSPORT	 	 	5. 10, 51 IOIVIO	/ LOI VIVI	1,173.13	333.70		03.37		1			 	 	
\vdash		Local Channel - Dedicated - 2-Wire Voice Grade per month	 	 	OHL, OHM	TEFV2	18.57	265.78	46.96	46.79	4.98	1			 	 	
-		Local Channel - Dedicated - 4-Wire Voice Grade per month	 	 	OHL, OHM	TEFV4	19.86	266.48	47.65	47.54	5.73	 			-	-	
		Local Channel - Dedicated - 4-Wife Voice Grade per month	 	1	OH1	TEFHG	40.46	209.60	176.51	30.21	21.07	1					
		2004 On a more Doubleton Do I per month	 	1	0.11	721110	70.70	203.00	170.31	30.21	21.07	1					
		Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	576.05	551.38	338.08	173.00	120.42						
\vdash	LOCAL	INTERCONNECTION MID-SPAN MEET	 	 	0.10	7 E 1 1 10	370.03	331.30	330.00	175.00	120.42	1			 	 	
		f Access service ride Mid-Span Meet, one-half the tariffed ser	rvice I o	cal Ch	annel rate is annlica	ble.						1					
	11011.1	Local Channel - Dedicated - DS1 per month	1106 20	Jai Olla	OH1MS	TEFHG	0.00	0.00									
-		Local Channel - Dedicated - DS3 per month	 	 	OH3MS	TEFHJ	0.00	0.00				 			-	-	
	MIII TIE	PLEXERS	 	 	C. 101VIC	7 E 1 1 10	0.00	0.00		 		1			 	 	
				-	0114 0114140	SATN1	113.33	101.40	71.60	13.79	13.04	1	1		-	-	
		Channelization - DS1 to DS0 Channel System															
		Channelization - DS1 to DS0 Channel System DS3 to DS1 Channel System per month			OH1, OH1MS												
		Channelization - DS1 to DS0 Channel System DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month			OH3, OH3MS OH1, OH1MS	SATNS	158.20 11.80	199.23 10.07	118.62 7.08	50.16	48.59						

LOCAL	INTE	RCONNECTION - Louisiana												Attachment:	3	Exhibit: A	
LUCAI	- 1141E	NOOMINEO I IOIN - LOUISIAIIA	I	1			1					Sun Orden	Suc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec		Manual Svc			
CATEG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-							1			ı							
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							1100	11100	Addi	11100	Addi	COMILO	COMPAR	COMPAN	COMPAR	COMPAR	COMPAR
LOCAL	INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)									+	1					
		"bk" beside a rate indicates that the Parties have agreed to be	ll and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
		M SWITCHING		1													
		Tandem Switching Function Per MOU			OHD		0.0005507bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem															
		only)			OHD		0.0005507bk										
		Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	* This c	harge is applicable only to transit traffic and is applied in ad	dition to	o applio	cable switching and	l/or interconr	ection charges	i.									
		CHARGE															
		Installation Trunk Side Service - per DS0			OHD	TPP++		334.94	56.98								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
		rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swit	ching, per MOl	J rate elements	3								
	COMM	ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU			OHD		0.0000032bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0003748bk										
LOCAL	INTER	CONNECTION (DEDICATED TRANSPORT)															
	INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHL, OHM	1L5NF	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination per month			OHL, OHM	1L5NF	22.60	26.62									
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			OHL, OHM	1L5NK	0.013										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination per month			OHL, OHM	1L5NK	15.61	26.62									
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			OHL, OHM	1L5NK	0.013										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			OHL, OHM	1L5NK	15.61	26.62									
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			OH1, OH1MS	1L5NL	0.2652										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility						=0.44									
-		Termination per month			OH1, OH1MS	1L5NL	70.47	79.44									
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1		OH3. OH3MS	1L5NM	0.04				1				Ì	Ì	1
\vdash		month Interoffice Channel - Dedicated Transport - DS3 - Facility	├	1	UH3, UH3IVIS	ILDINIVI	6.04			1	+	+	-		-	-	
		Termination per month			OH3, OH3MS	1L5NM	850.45	158.05									1
 	LOCAL	CHANNEL - DEDICATED TRANSPORT	├	1	OI IS, UNSIVIS	IVIVICAL	850.45	60.861		1	+	+	-		-	-	
	LOCAL	Local Channel - Dedicated - 2-Wire Voice Grade per month	 	<u> </u>	OHL, OHM	TEFV2	18.32	187.51	32.21	 	+	+			-	-	
\vdash		Local Channel - Dedicated - 2-Wire Voice Grade per month Local Channel - Dedicated - 4-Wire Voice Grade per month	 	1	OHL, OHM	TEFV4	18.32	187.51	32.21	1	+	1			1	1	
 		Local Channel - Dedicated - 4-wire voice Grade per month Local Channel - Dedicated - DS1 per month	 	1	OHL, OHM OH1	TEFHG	39.18	172.34	149.27	l .	+	1			1	1	
		Local Ghanner - Dedicated - Do I per month	1	1	0111	ILITIG	35.10	112.34	143.21	 	+	†			 	 	
		Local Channel - Dedicated - DS3 Facility Termination per month	1		ОН3	TEFHJ	469.44	438.46	256.30		1				Ì	Ì	1
\vdash	LOCAL	INTERCONNECTION MID-SPAN MEET	 	l -	0.10	/LITIO	405.44	+30.40	230.30	1	+	+			1	1	
		If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	ral Ch	annel rate is annlica	hle	 			 	+	+			 	 	
	NOTE:	Local Channel - Dedicated - DS1 per month	VICE LO	Cai Cila	OH1MS	TEFHG	0.00	0.00		 	+	†			 	 	
 		Local Channel - Dedicated - DS3 per month	 	!	OH3MS	TEFHJ	0.00	0.00		 	+	+			 	 	
 	MUI TIE	PLEXERS	1	!	CCIVIO	1 1 10	5.00	0.00		†	1	+					—
		Channelization - DS1 to DS0 Channel System	 	1	OH1, OH1MS	SATN1	105.09	88.41	60.76	1	+	+					—
		DS3 to DS1 Channel System per month		1	OH3, OH3MS	SATNS	201.48	172.99	91.25	†	1	1			1		†
		DS3 Interface Unit (DS1 COCI) per month	1	1	OH1, OH1MS	SATCO	11.78	6.39	4.58	†	1	1			1		†

CATEGORY RATE ELEMENTS BCS USOC RATES(\$) Svc Order Svc Order Incremental Incremental Charge - Charge	1.0041	INITE	DOONNECTION Missississis														I= ·	1
ATERIOR WITH CALL TRANSPORT AND TERMINATION POTE: "ATERIA TRANSPORT AND TERMINATION" POTE: "ATERIA TRANSPORT AND	LOCAL	INIE	KCONNECTION - MISSISSIPPI			Ι	1	1					10	00			Exhibit: A	
ATTEMPT Part								I										
CATEGORY RAYE ELEMENTS Image Society																		_
Bestroom Bestroom	CATEGO	אחע	DATE ELEMENTO	Interi	7	Dec	11000			DATEC(A)				,				
150 April 150 April	CATEGO	JK T	RATE ELEMENTS	m	Zone	BUS	USUC			KAIES(\$)			per LSR	per LSR				Order vs.
Rec															Electronic-	Electronic-	Electronic-	Electronic-
Rec First Add? First Add? SOME															1st	Add'l	Disc 1st	Disc Add'l
Rec First Add? First Add? SOME											ı			l		l .		
Rec First Add? First Add? SOME									Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
COAL INTER-ONE SCRIPT CALL TRANSPORT AND TEMBRATORY TOTAL CALL T								Rec					SOMEC	SOMAN			SOMAN	SOMAN
NOTE: "Not Position a rise indicates that the Parlies have appeted to bill and keep for that efferent pursuant to the terms and conditions in Attachment 3.										7.00.		71441						
NOTE: "Not Position a rise indicates that the Parlies have appeted to bill and keep for that efferent pursuant to the terms and conditions in Attachment 3.	LOCAL I	NTERC	CONNECTION (CALL TRANSPORT AND TERMINATION)															
TARGET SWITCHING				II and k	eep for	that element pursua	ant to the te	ms and conditi	ons in Attachr	nent 3.								
Multiple Transfer Sworthing, per MOU popies to initial sandering (p. 1975) DED D000037958, D1000037958,																		
Multiple Transfer Sworthing, per MOU popies to initial sandering (p. 1975) DED D000037958, D1000037958,						OHD		0.0005379bk										
Tracken Intermediacy Charge, part MCUP 0.0015 0.001			Multiple Tandem Switching, per MOU (applies to intial tandem															
TRUMC MADE 1 to 1 mont traffic and is applied in addition to applicable switching and/or interconnection charges.						OHD		0.0005379bk										
TRUNK CHARGE																		
Installation Trusk Side Service - per DSI				dition to	applio	cable switching and	or interconi	nection charges	S.									
Decided End Office Trush For Sentreper DS0" CHICAGO		RUNK								·								
Decisional Enter Office Trans Port Service per DS1** Dirt Office Trans Port Service per DS1** Dirt Office Trans Port Service per DS1** Dirt Office Trans Port Service per DS1** Dirt Office Trans Port Service per DS1** Dirt Office Trans Port Service per DS1** Dirt Office Trans Port Service per DS1** Dirt Office Trans Port Service per DS1** Dirt Office Trans Port Service per DS1** Dirt Office Trans Port Service per DS1** Dirt Office Trans Port Service Per DS1** Dirt Office									334.11	56.98								
Decicated Tandem Trunk Port Servose-per DS0" OHD IDWOP 0.00 - This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																		
Common Transport Part Part Service Part																		
This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements	\vdash												ļ					
COMMON TRANSPORT (Shared)				1									<u> </u>			-	 	ļ
Common Transport - Fee Millo, per MOU OHD 0.0000000000				in the	⊨nd Of	Tice Switching and	andem Swi	cning, per MOI	u rate elements	3						-		
Common Triansport - Facilities Termination Per MOU CHO CAL INTERCORNECTION (DECRATED TRANSPORT) CHOCAL INT	H-19	OMINIC				OHD	-	0.00000000								 	ļ	
INTERCONNECTION (DEDICATED TRANSPORT)	\vdash			-			1						 	 			-	
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month 1LSNF 0.0098	LOCAL	NTED		-		טו וט	 	0.0004541DK					}	-		+	1	1
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month							 	1					1			t	1	1
Per Mile per month	 						 	1					1			t	1	1
Interoffice Channel - Dedicated Transport - 2 Wire Voice Grade - Facility Termination per month						OHL. OHM	1L5NF	0.0098								1		
Facility Termination per month Delicated Transport - 56 kbps - per mile DHL, OHM 1LSNK 0.0098 Delicated Transport - 56 kbps - per mile DHL, OHM 1LSNK 0.0098 DHL, OHM 1LSNK 0.0098 DHL, OHM 1LSNK 0.0098 DHL, OHM 1LSNK 0.0098 DHL, OHM 1LSNK 0.0098 DHL, OHM 1LSNK 0.0098 DHL, OHM 1LSNK 0.0098 DHL, OHM 1LSNK 0.0098 DHL, OHM 1LSNK 0.0098 DHL, OHM 0.0098 DHL,	 					, o		3.5350								1		
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month ILSNK 0.0098						OHL, OHM	1L5NF	22.52	27.57		7.11			1		I	1	
per month OHL, OHM LLSNK 0.0098									,							1		İ
Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month DHL, OHM 1L5NK 15.68 27.57 7.11 Termination per month DHL, OHM 1L5NK 0.0098 Degree month DHL, OHM 1L5NK 0.0098 DHL, OHM DHL						OHL, OHM	1L5NK	0.0098						1		I	1	
Interoffice Channel - Dedicated Transport - 64 kbps - per mile OHL, OHM 1L5NK 0.0098			Interoffice Channel - Dedicated Transport - 56 kbps - Facility				1											
Der month InterOffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month						OHL, OHM	1L5NK	15.68	27.57		7.11							
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month Termination						_									_			
Termination per month OHL, OHM 1L5NK 15.68 27.57 7.11						OHL, OHM	1L5NK	0.0098										
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per										<u> </u>								
month						OHL, OHM	1L5NK	15.68	27.57		7.11							
Interoffice Channel - Dedicated Transport - DS1 - Facility							l., _,,							1		I	1	
Termination per month	\vdash					OH1, OH1MS	1L5NL	0.201					ļ					
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month OH3, OH3MS 1L5NM 4.76						0114 011440			00.55		44.55			1		I	1	
month	 					UH1, UH1MS	1L5NL	57.33	82.28		14.90		<u> </u>			-	 	ļ
Interoffice Channel - Dedicated Transport - DS3 - Facility OH3, OH3MS 1L5NM 641.90 163.70 60.29						OLIO OLIOMO	41.55184	4.70								1		
Termination per month	\vdash					UH3, UH3MS	IL5NM	4./6					1			 	 	
Local Channel - Dedicated - 2-Wire Voice Grade per month						Ons Onswe	11 5NM	641.00	162.70		60.20			1		I	1	
Local Channel - Dedicated - 2-Wire Voice Grade per month	 	OCAI				OI IS, UNSIVIS	ILDINIVI	041.90	103.70		60.29					-	-	-
Local Channel - Dedicated - 4-Wire Voice Grade per month		JUAL				OHL OHM	TEFV2	14 01	194 22	33.36	37 70	3 30	1			1		
Local Channel - Dedicated - DS1 per month	 												 	 		t	 	
Local Channel - Dedicated - DS3 Facility Termination per month OH3 TEFHJ 413.87 454.13 264.47 123.23 86.19	 												1	 		I	 	
LOCAL INTERCONNECTION MID-SPAN MEET NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.	\vdash							55.55	170.00	10-1.01	22.00	10.74				1	1	
LOCAL INTERCONNECTION MID-SPAN MEET NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.			Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	413.87	454.13	264.47	123.23	86.19				1		
NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable. Local Channel - Dedicated - DS1 per month	L	OCAL														İ	İ	
Local Channel - Dedicated - DS1 per month				vice Lo	cal Ch	annel rate is applica	ble.									1		l
Local Channel - Dedicated - DS3 per month								0.00	0.00									
MULTIPLEXERS													Ì					
DS3 to DS1 Channel System per month	1	NULTIF																
DS3 Interface Unit (DS1 COCI) per month OH1, OH1MS SATCO 12.96 6.62 4.74			Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	102.85	91.57	62.94	10.87	10.10						
DS3 Interface Unit (DS1 COCI) per month											34.30	32.82						
Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.			DS3 Interface Unit (DS1 COCI) per month															
	1	lotes:	If no rate is identified in the contract, the rates, terms, and co	ondition	s for t	ne specific service o	r function w	ill be as set for	th in applicable	e BellSouth tai	riff.							

LOCAL INT	ERCONNECTION - North Carolina												Attachment:	3	Exhibit: A	
LOCAL INTI	LINGUINE OFFICIA - NOTHE CALCINIA	1		I		1					Svc Order	Svc Order	Incremental			Incremental
												Submitted				Charge -
														Charge -	Charge -	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec		Manual Svc			
CATEGORI	NATE ELEMENTO	m	20116	500	0000			KAT LO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									1					ı	1	
							Nonrec	urrina	Nonrecurring	n Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						.100		7144		7.00.		00		00		
LOCAL INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)															
	"bk" beside a rate indicates that the Parties have agreed to be	ill and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
	EM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0012bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0012bk										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	charge is applicable only to transit traffic and is applied in ad	dition to	o appli	cable switching and	l/or interconr	ection charges	i.									
	CHARGE			•												
	Installation Trunk Side Service - per DS0			OHD	TPP++		333.54	56.88								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00			1							
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** This	rate element is recovered on a per MOU basis and is included	d in the	End Of	fice Switching and	Tandem Swit	ching, per MOI	J rate elements	5								
	ION TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.00001bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.00034bk										
LOCAL INTER	CONNECTION (DEDICATED TRANSPORT)															
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0282										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL, OHM	1L5NF	18.00	52.58									
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0282										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	17.40	52.58									
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0282										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	17.40	52.58									
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.5753										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															1
	Termination per month			OH1, OH1MS	1L5NL	71.29	163.75		<u> </u>							<u> </u>
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															1
	month		1	OH3, OH3MS	1L5NM	12.98				1					ļ	
	Interoffice Channel - Dedicated Transport - DS3 - Facility							·								1
	Termination per month			OH3, OH3MS	1L5NM	720.38	579.55									
LOCAL	CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	14.82	553.80	89.69		1						
	Local Channel - Dedicated - 4-Wire Voice Grade per month		<u> </u>	OHL, OHM	TEFV4	15.87	562.23	92.67		1						1
	Local Channel - Dedicated - DS1 per month		<u> </u>	OH1	TEFHG	35.68	534.48	462.69		1						1
	l			<u> </u>						1					Ì	1
	Local Channel - Dedicated - DS3 Facility Termination per month		<u> </u>	OH3	TEFHJ	498.87	562.25	527.88	ļ							
	L INTERCONNECTION MID-SPAN MEET	1	<u> L</u>	<u> </u>	1				<u> </u>						ļ	1
NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch													
	Local Channel - Dedicated - DS1 per month	1	ļ	OH1MS	TEFHG	0.00	0.00		<u> </u>						ļ	1
	Local Channel - Dedicated - DS3 per month		<u> </u>	OH3MS	TEFHJ	0.00	0.00			1						1
MULTI	PLEXERS		<u> </u>		1					1						1
	Channelization - DS1 to DS0 Channel System		<u> </u>	OH1, OH1MS	SATN1	146.69	197.78	140.06		1						1
	DS3 to DS1 Channel System per month		<u> </u>	OH3, OH3MS	SATNS	233.10	403.97	234.40	ļ							
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	16.07	13.09	9.38	1	1					ļ	
Notes:	If no rate is identified in the contract, the rates, terms, and co	onditior	ns for ti	he specific service o	or function w	ill be as set for	th in applicable	e BellSouth ta	riff.		1			1		1

LOCAL II	NTF	RCONNECTION - South Carolina												Attachment:	3	Exhibit: A	
LOCAL II	.416	NOOTHILD HOIT - GOULH GAIUIIIIA					1					Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
CATEGOR		RATE ELEMENTS	Interi	Zana	BCS	usoc			RATES(\$)			Elec		Manual Svc			
CATEGOR	K T	RATE ELEMENTS	m	Zone	BCS	USUC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>	<u> </u>						1							
											D'				D-1(6)		
-			-	-			B	Nonrec		Nonrecurring		001150	001441		Rates(\$)	0011411	001141
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 00 11 11	TER	CONNECTION (OALL TRANSPORT AND TERMINATION)															
		CONNECTION (CALL TRANSPORT AND TERMINATION) 'bk" beside a rate indicates that the Parties have agreed to be	ll and k	oon for	that alament nursu	ant to the to	me and senditi	ana in Attachn	nont 3			1					
		M SWITCHING	II allu k	eep ioi	liiat eleilleilt pursu	T TO THE TEL	ilis aliu coliulu	Olis III Attacili	ilent 3.			1					
I A		Tandem Switching Function Per MOU			OHD		0.000736bk					1					
		Multiple Tandem Switching, per MOU (applies to intial tandem			OLID		0.000730DK										-
		only)			OHD		0.000736bk										
		Tandem Intermediary Charge, per MOU*			OHD		0.0007300K					1					
* T		harge is applicable only to transit traffic and is applied in ad	dition to	annli		Vor interconr						1					
		CHARGE		Ιαρριι	able switching and	lioi intercom	lection charges	•									+
H 1.1		Installation Trunk Side Service - per DS0	 	1	OHD	TPP++		335.14	57.16	†		1			1	<u> </u>	
		Dedicated End Office Trunk Port Service-per DS0**	 	 	OHD	TDE0P	0.00	555.14	57.10	 		1			 	1	
		Dedicated End Office Trunk Port Service-per DS0* Dedicated End Office Trunk Port Service-per DS1**	 	 	0H1 OH1MS	TDE1P	0.00			 		1			 	1	
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										-
		Dedicated Tandem Trunk Port Service-per DS0**			OH1 OH1MS	TDW1P	0.00										-
**		rate element is recovered on a per MOU basis and is included	in the	End Of				I rate elements									+
		ON TRANSPORT (Shared)	1	Liiu Oi	noc owntoning and	Tunacin Own	lonning, per mee	o rate ciement	,								+
		Common Transport - Per Mile, Per MOU			OHD		0.0000045bk										†
		Common Transport - Facilities Termination Per MOU			OHD		0.0004095bk										†
LOCAL IN		CONNECTION (DEDICATED TRANSPORT)			OTID		0.000+000DK										†
		FFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHL, OHM	1L5NF	0.0167										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination per month			OHL. OHM	1L5NF	24.30	40.63		16.77							
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			O. 1.2, O. 1.11	120111	200	10.00									
		per month			OHL, OHM	1L5NK	0.0167										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination per month			OHL, OHM	1L5NK	16.76	40.63		16.77							
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			OHL, OHM	1L5NK	0.0167										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			OHL, OHM	1L5NK	16.76	40.63		16.77							
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			OH1, OH1MS	1L5NL	0.3415										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination per month			OH1, OH1MS	1L5NL	77.14	89.47		16.39							
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
		month	<u></u>	<u> </u>	OH3, OH3MS	1L5NM	8.02					<u> </u>	<u> </u>				
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month	<u></u>	<u></u>	OH3, OH3MS	1L5NM	880.65	279.37		60.33					<u> </u>		
LO		CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	15.33	193.53	33.24	36.72	3.21						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	16.54	193.97	33.68	37.19	3.68						<u> </u>
		Local Channel - Dedicated - DS1 per month		<u> </u>	OH1	TEFHG	42.62	177.87	154.06	22.24	15.30						
			1	1													
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	446.00	452.52	264.53	119.75	83.77						<u> </u>
		INTERCONNECTION MID-SPAN MEET		<u> </u>													
NO	TE: I	f Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Cha						ļ							ļ
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									<u> </u>
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									1
MU		PLEXERS															
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	107.57	91.24	62.71	10.56	9.81						
		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	144.02	178.54	94.18	33.33	31.90						<u> </u>
		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	8.64	6.59	4.73								<u> </u>
No	toe.	If no rate is identified in the contract, the rates, terms, and co	ondition	s for th	ne specific service o	or function w	ill be as set fort	th in applicable	e BellSouth ta	riff.		1				1	1

LOCAL IN	FERCONNECTION - Tennessee												Attachment:	3	Exhibit: A	1
											Svc Order	Svc Order			Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												•	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l		Disc Add'l
													150	Add I	Disc 1st	DISC Add I
1							Nonre	curring	Nonrecurring	Disconnect	+		088	Rates(\$)	<u> </u>	
+						D		Add'I		Add'l	COMEC	SOMAN			SOMAN	SOMAN
		-				Rec	First	Addi	First	Addi	SOMEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
NOT	E: "bk" beside a rate indicates that the Parties have agreed to bi	ill and k	eep for	r that element pursu	ant to the te	rms and conditi	ions in Attach	ment 3.								
TANI	DEM SWITCHING															1
	Tandem Switching Function Per MOU			OHD		0.0009778bk										1
	Multiple Tandem Switching, per MOU (applies to intial tandem			OT ID		0.0000110DK										+
				OUD		0.00007701.1										
	only)			OHD		0.0009778bk										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	s charge is applicable only to transit traffic and is applied in ad	dition to	appli	cable switching and	l/or interconi	nection charges	5.									
TRU	NK CHARGE															
1	Installation Trunk Side Service - per DS0			OHD	TPP++	Ì	334.29	57.01	1		İ			1	İ	1
	Dedicated End Office Trunk Port Service-per DS0**	†		OHD	TDE0P	0.00	007.20	37.01			+				 	+
		1	-		TDE1P				 	 	+	 		-	 	+
	Dedicated End Office Trunk Port Service-per DS1**	<u> </u>		0H1 OH1MS		0.00	ļ				-			-	ļ	
	Dedicated Tandem Trunk Port Service-per DS0**	1		OHD	TDW0P	0.00]				1]	1
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00	L									
** Th	is rate element is recovered on a per MOU basis and is included	d in the	End Of	ffice Switching and	Tandem Swi	tching, per MO	U rate element	s								
COM	MON TRANSPORT (Shared)			1												
	Common Transport - Per Mile, Per MOU	1		OHD		0.0000064bk										+
	Common Transport - Facilities Termination Per MOU			OHD		0.0003871bk					+					+
				OUD		0.000367 IDK										
	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0174										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															+
	Facility Termination per month			OHL, OHM	1L5NF	18.58	17.37		3.51							
-				Onl, Onivi	ILSINF	10.30	17.37		3.31							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	17.98	17.37		3.51							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0174										
-				Onl, Onivi	ILSINK	0.0174										+
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			L												
	Termination per month			OHL, OHM	1L5NK	17.98	17.37		3.51							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.3562										
i i	Interoffice Channel - Dedicated Tranport - DS1 - Facility							İ								1
	Termination per month	1	1	OH1, OH1MS	1L5NL	77.86	76.27		14.99	1	1]				1
 	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1	1	J, JIIII	0. 4_	77.00	70.27		17.55	1	+				†	+
1		1	1	OUR OURMS	41.58184	2.24	1	1	1	1	1]				1
ļ	month		_	OH3, OH3MS	1L5NM	2.34	ļ	ļ	-		+				ļ	
1 1	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	1	İ			1	1	1	1	1]				1
	Termination per month	<u></u>	<u></u>	OH3, OH3MS	1L5NM	848.99	176.56		105.91	<u> </u>					<u> </u>	<u> </u>
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month	1	1	OHL, OHM	TEFV2	19.43	199.33	24.16	54.81	4.80	1					1
 	Local Channel - Dedicated - 4-Wire Voice Grade per month	1	†	OHL, OHM	TEFV4	20.56	201.53	24.83	55.52	5.51				1		+
 	Local Channel - Dedicated - DS1 per month	1	1	OH1	TEFHG	40.99	277.35	233.26	33.18	22.30					†	+
	Local Granner - Dedicated - DST per month	 	-	UITI	IEFFIG	40.99	211.35	233.26	33.18	22.30	+			1	1	+
		1	1								.1]				1
	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	611.30	595.37	304.50	215.82	151.15	i					
	AL INTERCONNECTION MID-SPAN MEET						L									
NOT	E: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch	annel rate is applica	ble.											
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00				1				1	1
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
MII II .	TIPLEXERS	 	 	5. IOIVIO	/ L 1 1 10	0.00	0.00	 	 	t	+	 		1	1	+
IWIUL		 	-	OLIA OLIAMO	CATNIA	00 77	444.07	77 11	44.47	40.00				-	1	+
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	80.77	141.87	77.11	44.47	42.62						↓
	DS3 to DS1 Channel System per month	1		OH3, OH3MS	SATNS	222.98	308.03	108.47	6.34	4.23	1					<u> </u>
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	17.58	6.07	4.66								
	s: If no rate is identified in the contract, the rates, terms, and co	ondition	c for t					e BellSouth ta	riff						i e	1

Page 1

Attachment 4

Physical Collocation

BELLSOUTH

PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when NTBS is physically collocated as a sole occupant or as a Host within a Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment.
- Right to Occupy. BellSouth shall offer to NTBS collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms and conditions of this Attachment where space is available and it is technically feasible, BellSouth will allow NTBS to occupy that certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by NTBS and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for BellSouth locations other than BellSouth Premises shall be negotiated upon request for collocation at such location(s).
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth below.
- 1.2.1.1 In all states other than Florida, the size specified by NTBS may contemplate a request for space sufficient to accommodate NTBS's growth within a two-year period.
- 1.2.1.2 In the state of Florida, the size specified by NTBS may contemplate a request for space sufficient to accommodate NTBS's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate <customer_ name>'s requested preferences if any. In allocating Collocation Space, BellSouth shall not materially increase NTBS's cost or materially delay NTBS's occupation and use of the Collocation Space, shall not assign Collocation Space that will impair the quality of service or otherwise limit the service the NTBS wishes to offer, and shall not reduce unreasonably the total space available for physical collocation or preclude unreasonably physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocator; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly

reserved for future use, either by BellSouth or by another carrier; or (f) essential for the administration and proper functioning of BellSouth's Premises. BellSouth may segregate collocation space and require separate entrances in accordance with FCC rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Central Office Premises, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Central Office Premises. NTBS will be responsible for any justification of unutilized space within its space, if the appropriate state commission requires such justification.
- 1.5 <u>Use of Space</u>. NTBS shall use the Collocation Space for the purposes of installing, maintaining and operating NTBS's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Attachment. The Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. NTBS agrees to pay the rates and charges identified in Exhibit C attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less National holidays will be excluded.
- 1.8 The parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

- 2.1 Space Availability Report. Upon request from NTBS, BellSouth will provide a written report ("Space Availability Report") describing in detail the space that is available for collocation and specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises.
- 2.1.1 The request from NTBS for a Space Availability Report must be written and must include the Premises street address, as identified in the Local Exchange Routing Guide ("LERG"), and Common Language Location Identification ("CLLI") code of the Premises. CLLI code information is located in the National Exchange Carriers Association ("NECA") Tariff FCC No. 4.

Page 4

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify NTBS and inform NTBS of the time frame under which it can respond.

3. Collocation Options

- 3.1 <u>Cageless.</u> BellSouth shall allow NTBS to collocate NTBS's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow NTBS to have direct access to NTBS's equipment and facilities. BellSouth shall make cageless collocation available in single bay increments. Except where NTBS's equipment requires special technical considerations (e.g., special cable racking, isolated ground plane, etc.), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, NTBS must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At NTBS's expense, NTBS may arrange with a Supplier certified by BellSouth ("Certified Supplier") to construct a collocation arrangement enclosure in accordance with BellSouth's guidelines and specifications prior to starting equipment installation. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specification, NTBS and NTBS's Certified Supplier must comply with the more stringent local building code requirements. NTBS's Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with NTBS and provide, at NTBS's expense, the documentation, including existing building architectural drawings, enclosure drawings, and specifications required and necessary for NTBS to obtain the zoning, permits and/or other licenses. NTBS's Certified Supplier shall bill NTBS directly for all work performed for NTBS pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by NTBS's Certified Supplier. NTBS must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access NTBS's locked enclosure prior to notifying NTBS. Upon request, BellSouth shall construct the enclosure for NTBS.
- 3.2.1 BellSouth may elect to review NTBS's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. Notification to NTBS indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if NTBS has

Page 5

indicated its desire to construct its own enclosure. If NTBS's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review NTBS's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's guidelines and specifications, as applicable. BellSouth shall require NTBS to remove or correct within seven (7) calendar days at NTBS's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.

- 3.3 <u>Shared Caged Collocation</u>. NTBS may allow other telecommunications carriers to share NTBS's caged collocation arrangement pursuant to terms and conditions agreed to by NTBS ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. NTBS shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by NTBS that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and NTBS.
- 3.3.1 NTBS, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide NTBS with a proration of the costs of the collocation space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the foregoing, NTBS shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement of Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or Subsequent Application Fee, as set forth in Exhibit C, which will be charged to the Host.
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.

- 3.3.3 NTBS shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of NTBS's Guests in the Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent collocation arrangements ("Adjacent Arrangement") on the Premises' property, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property. The Adjacent Arrangement shall be constructed or procured by NTBS and in conformance with BellSouth's design and construction specifications. Further, NTBS shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 Should NTBS elect Adjacent Collocation, NTBS must arrange with a Certified Supplier to construct an Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, NTBS and NTBS's Certified Supplier must comply with the more stringent local building code requirements. NTBS's Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. NTBS's Certified Supplier shall bill NTBS directly for all work performed for NTBS pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by NTBS's Certified Supplier. NTBS must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access NTBS's locked enclosure prior to notifying NTBS.
- 3.4.2 NTBS must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review NTBS's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Adjacent Arrangement during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require NTBS to remove or correct within seven (7) calendar days at NTBS's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's guidelines and specifications.
- 3.4.3 NTBS shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At NTBS's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and Version 1Q02: 02-20-02

facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC. NTBS's Certified Supplier shall be responsible, at NTBS's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.

- 3.5 <u>Co-Carrier Cross Connect (CCXC)</u>. The primary purpose of collocating CLEC equipment is to interconnect with BellSouth's network or access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will permit NTBS to interconnect between its virtual or physical collocation arrangements and those of another collocated CLEC whose Agreement contains rates, terms and conditions for CCXC language. At no point in time shall NTBS use the Collocation Space for the sole or primary purpose of cross connecting to other CLECs.
- 3.5.1 The CCXC shall be provisioned through facilities owned by NTBS. Such connections to other carriers may be made using either optical or electrical facilities. NTBS may deploy such optical or electrical connections directly between its own facilities and the facilities of other CLEC(s) without being routed through BellSouth equipment. NTBS may not self provision CCXC on any BellSouth distribution frame, Pot Bay, DSX or LGX. NTBS is responsible for ensuring the integrity of the signal.
- 3.5.2 NTBS shall be responsible for providing written authorization to BellSouth from the other CLEC prior to installing the CCXC. NTBS must use a BellSouth Certified Supplier to place the CCXC. There will be a recurring charge per linear foot of common cable support structure used. NTBS-provisioned CCXC shall utilize common cable support structure. In the case of two contiguous caged collocation arrangements, NTBS may have the option of constructing its own dedicated support structure.
- 3.5.3 To order CCXCs NTBS must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXC, as defined in Exhibit C, will apply. If modifications in addition to the placement of CCXCs are requested, the Initial Application or Subsequent Application Fee will apply.

4. Occupancy

4.1 Occupancy. BellSouth will notify NTBS in writing that the Collocation Space is ready for occupancy ("Space Ready Date"). NTBS will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying NTBS that the collocation space is ready for occupancy. In the event that NTBS fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by NTBS and billing

will commence on the sixteenth day after BellSouth releases the collocation space. NTBS must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, NTBS's telecommunications equipment will be deemed operational when cross connected to BellSouth's network for the purpose of service provisioning.

- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Agreement, NTBS may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate NTBS's right to occupy the Collocation Space in the event NTBS fails to comply with any provision of this Agreement.
- 4.2.1 Upon termination of occupancy, NTBS at its expense shall remove its equipment and other property from the Collocation Space. NTBS shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of NTBS's Guests, unless NTBS's Guest has assumed responsibility for the collocation space housing the Guest's equipment and executed the documentation required by BellSouth prior to such removal date. NTBS shall continue payment of monthly fees to BellSouth until such date as NTBS, and if applicable NTBS's Guest, has fully vacated the Collocation Space and the Space Relinquish Form has been accepted by BellSouth.. Should NTBS or NTBS's Guest fail to vacate the Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and other property of NTBS or NTBS's Guest at NTBS's expense and with no liability for damage or injury to NTBS's property or NTBS's Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of NTBS's right to occupy Collocation Space, NTBS shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by NTBS except for ordinary wear and tear, unless otherwise agreed to by the Parties. NTBS's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's guidelines and specifications including but not limited to Central Office Record Drawings and ERMA Records. NTBS shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits, power cables, etc.), at the termination of occupancy and restoring the grounds to their original condition.

5. <u>Use of Collocation Space</u>

5.1 <u>Equipment Type</u>. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for

interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.

- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: Traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support CLEC network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on NTBS's failure to comply with this Section.
- 5.1.3 NTBS shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that NTBS submits an application for terminations that exceed the total capacity of the collocated equipment, NTBS will be informed of the discrepancy and will be required to submit a revision to the application.
- 5.2 NTBS shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- 5.3 NTBS shall place a plaque or other identification affixed to NTBS's equipment necessary to identify NTBS's equipment, including a list of emergency contacts with telephone numbers.

- 5.4 Entrance Facilities. NTBS may elect to place NTBS-owned or NTBS-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault, which are physically accessible by both Parties. NTBS will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. NTBS will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth, which will extend from the splice location to NTBS's equipment in the Collocation Space. In the event NTBS utilizes a nonmetallic, riser-type entrance facility, a splice will not be required. NTBS must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. NTBS is responsible for maintenance of the entrance facilities. At NTBS's option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point.
- Dual Entrance. BellSouth will provide at least two interconnection points at each Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide NTBS with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to NTBS's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.
- 5.4.2 <u>Shared Use.</u> NTBS may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to NTBS's collocation arrangement within the same BellSouth Premises. BellSouth shall allow the splice, provided that the fiber is non-working fiber. NTBS must arrange with BellSouth for BellSouth to splice the NTBS provided riser cable to the spare capacity on the entrance facility. The rates set forth in Exhibit C will apply. If NTBS desires to allow another CLEC to use its entrance facilities, additional rates, terms and conditions will apply and shall be negotiated between the Parties.
- 5.5 <u>Demarcation Point</u>. BellSouth will designate the point(s) of demarcation between NTBS's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). NTBS shall be responsible for providing, and a supplier

certified by BellSouth ("BellSouth Certified Supplier") shall be responsible for installing and properly labeling/stenciling the common block and necessary cabling pursuant to Section 7. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. NTBS or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests.

- 5.5.1 In Tennessee, BellSouth will designate the point(s) of demarcation between NTBS's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a NTBS provided Point of Termination Bay (POT Bay) in a common area within the Premises. NTBS shall be responsible for providing, and a supplier certified by BellSouth shall be responsible for installing and properly labeling/stenciling the POT Bay as well as installing the necessary cabling between NTBS's collocation space and the demarcation point. NTBS or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee in the event that NTBS desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.
- NTBS's Equipment and Facilities. NTBS, or if required by this Attachment, NTBS's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by NTBS which must be performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. NTBS and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to NTBS at least 48 hours before access to the Collocation Space is required. NTBS may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that NTBS will not bear any of the expense associated with this work.
- 5.8 <u>Access.</u> Pursuant to Section 12, NTBS shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. NTBS agrees to provide the name and social security number or date of birth or driver's license number of each Version 1Q02: 02-20-02

employee, contractor, or agent of NTBS or NTBS's Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by NTBS and returned to BellSouth Access Management within fifteen (15) calendar days of NTBS's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. NTBS agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of NTBS employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with NTBS or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.

- BellSouth will permit one accompanied site visit to NTBS's designated collocation arrangement location after receipt of the Bona Fide Firm Order without charge to NTBS. NTBS must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of thirty (30) calendar days prior to the date NTBS desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, NTBS may submit such a request at any time subsequent to BellSouth's receipt of the Bona Fide Firm Order. In the event NTBS desires access to the Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit NTBS to access the Collocation Space accompanied by a security escort at NTBS's expense. NTBS must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.9 <u>Lost or Stolen Access Keys</u>. NTBS shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), NTBS shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- Interference or Impairment. Notwithstanding any other provisions of this Attachment, NTBS shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of NTBS violates the provisions of this paragraph, BellSouth shall give written notice to NTBS, which notice shall direct NTBS to cure the violation within forty-eight (48) hours of NTBS's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of

the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.

- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if NTBS fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to NTBS's equipment. BellSouth will endeavor, but is not required, to provide notice to NTBS prior to taking such action and shall have no liability to NTBS for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.10.2 For purposes of this Section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and NTBS fails to take curative action within forty-eight (48) hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to NTBS or, if subsequently necessary, the relevant Commission, must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, NTBS shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly deployed technology.
- 5.11 Personalty and its Removal. Facilities and equipment placed by NTBS in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by NTBS at any time. Any damage caused to the Collocation Space by NTBS's employees, agents or representatives during the removal of such property shall be promptly repaired by NTBS at its expense.
- Alterations. In no case shall NTBS or any person acting on behalf of NTBS make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by NTBS. Any such material rearrangement,

Page 14

modification, improvement, addition, or other alteration shall require a Subsequent Application and Subsequent Application Fee.

Janitorial Service. NTBS shall be responsible for the general upkeep of the Collocation Space. NTBS shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis upon request.

6. Ordering and Preparation of Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to NTBS and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.
- 6.2 <u>Initial Application</u>. For NTBS or NTBS's Guest(s) initial equipment placement, NTBS shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Initial Application"). The Initial Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply.
- 6.3 <u>Subsequent Application.</u> In the event NTBS or NTBS's Guest(s) desires to modify the use of the Collocation Space after Bona Fide Firm Order, NTBS shall complete an application detailing all information regarding the modification to the Collocation Space ("Subsequent Application"). The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Subsequent Application are completed with the appropriate type of information. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by NTBS in the application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.3.1 <u>Subsequent Application Fee.</u> The application fee paid by NTBS for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. The fee for a Subsequent Application where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. If the modification requires capital expenditure, an Initial Application Fee shall apply.
- 6.4 <u>Space Preferences.</u> If NTBS has previously requested and received a Space Availability Report for the Premises, NTBS may submit up to three (3) space Version 1Q02: 02-20-02

preferences on its application identifying specific space identification numbers as referenced on the Space Availability Report. In the event that BellSouth can not accommodate the NTBS's preference(s), NTBS may elect to accept the space allocated by BellSouth or may cancel its application and submit another application requesting additional preferences, which will be treated as a new application and an application fee will apply.

6.5 <u>Space Availability Notification.</u>

- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify NTBS of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by NTBS or differently configured, NTBS must resubmit its application to reflect the actual space available.
- BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an application fee will be assessed. When BellSouth's Application Response includes an amount of space less than that requested by NTBS or differently configured, NTBS must amend its application to reflect the actual space available prior to submitting Bona Fide Firm Order.
- 6.5.3 BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, it is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify NTBS of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by NTBS or differently configured, NTBS must resubmit its application to reflect the actual space available. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide.
- 6.6 <u>Denial of Application</u>. If BellSouth notifies NTBS that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying NTBS that BellSouth has no available space in the requested Premises, BellSouth will allow NTBS, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the

request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.

- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit NTBS to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A CLEC that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- When space becomes available, NTBS must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If NTBS has originally requested caged collocation space and cageless collocation space becomes available, NTBS may refuse such space and notify BellSouth in writing within that time that NTBS wants to maintain its place on the waiting list without accepting such space. NTBS may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If NTBS does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting list and remove NTBS from the waiting list. Upon request, BellSouth will advise NTBS as to its position on the list.

Page 17

- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Central Offices that are without available space. BellSouth shall update such document within ten (10) calendar days of the date BellSouth becomes aware that there is insufficient space to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list.
- 6.10 <u>Application Response.</u>
- 6.10.1 In Alabama, Kentucky and North Carolina, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within twenty-three (23) business days of the receipt of a Bona Fide application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10.2 In South Carolina, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide applications one (1) to five (5); within thirty-six (36) calendar days for Bona Fide applications six (6) to ten (10); within forty-two (42) calendar days for Bona Fide applications eleven (11) to fifteen (15). Response intervals for multiple Bona Fide applications submitted within the same timeframe for the same state in excess of fifteen (15) must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.
- 6.10.3 In Tennessee, BellSouth will provide a written response ("Application Response") within fifteen (15) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and a firm price quote for the space preparation fees, as described in Section 8 provided that NTBS has given BellSouth a forecast of NTBS's collocation needs at least ten (10) calendar days prior to submitting an application if the NTBS has standardized space preparation rates in their Agreement and twenty (20) calendar days prior to submitting an application if the NTBS has standardized space preparation rates in their Agreement.
- 6.10.4 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response ("Application Response") including sufficient information to enable NTBS to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records

Fee, and the space preparation fees, as described in Section 8. When NTBS submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.

- 6.10.5 In Georgia and Mississippi, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide a written response ("Application Response") within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10.6 In Louisiana, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications it is increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.11 <u>Application Modifications</u>.

6.11.1 If a modification or revision is made to any information in the Bona Fide application prior to Bona Fide Firm Order, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of NTBS or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth may charge NTBS an additional application fee. The fee for an application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. A modification involving a capital expenditure by BellSouth shall require NTBS to submit the application with an Initial Application Fee.

6.12 <u>Bona Fide Firm Order</u>.

6.12.1 In Alabama (Caged Only), Kentucky, and North Carolina, NTBS shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when NTBS has completed the Application/Inquiry process described in Section 6, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to NTBS's Bona Fide

application in order to receive the intervals set forth in Section 7. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to NTBS's Bona Fide application or the application will expire. If the BFFO is received between the fifth business day and the thirtieth calendar day after the Application Response, then the intervals set forth in Section 7.1.1 will be extended day for day for each day after the fifth business day the Bona Fide Firm Order is received until the application expires.

- 6.12.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply._NTBS shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Firm Order to BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to NTBS's Bona Fide application or the application will expire.
- BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of NTBS's Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.

7. <u>Construction and Provisioning</u>

- 7.1 <u>Construction and Provisioning Intervals</u>
- 7.1.1 In Alabama (Caged Only), Kentucky, and North Carolina, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event NTBS submits a forecast as described in the following paragraph three (3) months or more prior to the application date, the above intervals shall apply. In the event NTBS submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event NTBS submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with NTBS at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide collocation space including but

not limited to HVAC, Power, etc., conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an application.

- 7.1.1.1 To be considered a timely and accurate forecast, NTBS must submit to BellSouth the CLEC Forecast Form, as set forth in Exhibit B attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, number of Caged square feet and/or Cageless bays, number of DS0, DS1, DS3 frame terminations, number of fused amps and planned application date.
- 7.1.2 In Alabama (Cageless), BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a Bona Fide Firm Order and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and NTBS cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the Bona Fide Firm Order for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.4 In Georgia, Mississippi and South Carolina, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a Bona Fide Firm Order and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to

support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.5 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days for caged and sixty (60) calendar days for cageless from receipt of a Bona Fide Firm Order for an initial request, and within sixty (60) calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within one hundred twenty (120) calendar days for caged and ninety (90) calendar days for cageless from the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.6 In Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as follows: (i) for caged collocation arrangements, within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order, or as agreed to by the Parties; (ii) for cageless collocation arrangements, within thirty (30) calendar days from receipt of a Bona Fide Firm Order when there is conditioned space and NTBS installs the bays/racks. In no event shall the provisioning interval for cageless collocation exceed ninety (90) calendar days from the receipt of a Bona Fide Firm Order, unless otherwise agreed to by the parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with NTBS or seek a waiver from this interval from the Commission. For the purpose of defining conditioned space as referenced in the Commission order setting intervals for cageless collocation in Tennessee, conditioned space is defined as follows: i) floor space must be available; ii) floor space must be equipped with adequate air conditioning to accommodate equipment listed on application; iii) Cable racking, any fiber duct, riser cable support structure and power cable support structure must be in place to support equipment listed on the application; and iv) power plant capacity at BDFB or main power board must be available. If LGX or DGX equipment is requested on the application and adequate existing capacity is not available then

- conditioned space is considered unavailable. If BellSouth is required by the application to place power cabling, conditioned space is considered unavailable.
- Joint Planning. Joint planning between BellSouth and NTBS will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a Bona Fide Firm Order. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the Bona Fide Firm Order. The Collocation Space completion time period will be provided to NTBS during joint planning.
- 7.3 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walk Through. NTBS will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying NTBSthat the collocation space is ready for occupancy ("Space Ready Date"). In the event that NTBS fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by NTBS. BellSouth will correct any deviations to NTBS's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will make best efforts to provide CFAs to NTBS if NTBS informs BellSouth of the frame locations and the designation of NTBS's tie cables prior to Space Ready Date. If NTBS does not provide BellSouth the frame locations and the designation of NTBS's tie cables prior to the Space Ready Date, BellSouth will provide NTBSthe CFAs after the Space Ready Date and the equipment to be installed in the Collocation Space has been verified by NTBS. Furthermore, BellSouth will bill NTBS a nonrecurring charge as set forth in Exhibit C each time NTBS requests a resend of CFAs.
- Use of BellSouth Certified Supplier. NTBS shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. NTBS and NTBS's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, NTBS must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide NTBS with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing NTBS's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and NTBS upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill NTBS directly for all work performed for NTBS pursuant to this Attachment, and BellSouth Shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier.

BellSouth shall consider certifying NTBS or any supplier proposed by NTBS. All work performed by or for NTBS shall conform to generally accepted industry guidelines and standards.

- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. NTBS shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service NTBS's Collocation Space. Upon request, BellSouth will provide NTBS with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by NTBS. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.8 Virtual to Physical Collocation Relocation. In the event physical collocation space was previously denied at a location due to technical reasons or space limitations, and physical collocation space has subsequently become available, NTBS may relocate its virtual collocation arrangements to physical collocation arrangements and pay the appropriate fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by NTBS, such information will be provided to NTBS in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to NTBS within one hundred eighty (180) calendar days of BellSouth's written denial of NTBS's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) NTBS was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then NTBS may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. NTBS must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.9 <u>Virtual to Physical Conversion (In Place)</u>. Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. The application fee for the conversion from virtual to in-place, physical collocation is as set forth in Exhibit C. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days.

- 7.9.1 In Florida, for Virtual to Physical conversions in place that require no physical changes, the only applicable charges shall cover the administrative billing and engineering records updates.
- 7.9.2 In Tennessee, BellSouth will complete Virtual to Physical conversions in place within thirty (30) calendar days.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, NTBS cancels its order for the Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if NTBS cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill NTBS for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> NTBS, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Application Fee</u>. BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6. Payment of said application fee will be due as dictated by NTBS's current billing cycle and is non-refundable.
- 8.1.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by NTBS.
- 8.2 Space Preparation
- 8.2.1 Recurring Charges. The recurring charges for space preparation begin on the date NTBS executes the written document accepting the collocation space pursuant to Section 4 or on the Space Ready Date, whichever is first. If NTBS fails to schedule and complete an acceptance walk through within fifteen (15) calendar days after BellSouth releases the space for occupancy, BellSouth shall begin billing NTBS for recurring charges as of the sixteenth day after the Space Ready Date.
- 8.2.2 Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications, assessed per arrangement, per square foot, and common systems modifications, assessed per arrangement, per square foot, for cageless collocation and per cage for caged collocation. NTBS shall

remit payment of the nonrecurring firm order-processing fee coincident with submission of a Bona Fide Firm Order. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event NTBS opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to NTBS as prescribed in this Section.

- 8.2.3 In North Carolina, space preparation fees consist of monthly recurring charges for central office modifications, assessed per arrangement, per square foot; common systems modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation; and power, assessed per the nominal –48V DC ampere requirements specified by NTBS on the Bona Fide application. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event NTBS opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to NTBS as described in this Section.
- 8.3 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed.
- 8.4 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, NTBS shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, NTBS shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event NTBS's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, NTBS shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.4.1 The recurring charges for floor space begin on the Space Ready Date or on the date NTBS first occupies the Collocation Space, whichever is first. If NTBS fails to schedule and complete an acceptance walk through within fifteen (15) calendar days after BellSouth releases the space for occupancy, BellSouth shall begin billing NTBS for recurring charges as of the sixteenth day after the Space Ready Date.
- 8.5 <u>Power</u>. BellSouth shall make available –48 Volt (-48V) DC power for NTBS's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at NTBS's option within the Premises.

- 8.5.1 Recurring charges for -48V DC power will be assessed per ampere per month based upon the BellSouth Certified Supplier engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to NTBS's equipment or space enclosure. Recurring power charges begin on the Space Ready Date or on the date NTBS first occupies the Collocation Space, whichever is sooner. When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by NTBS's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by NTBS's BellSouth Certified Supplier. NTBS is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or power board to NTBS's equipment. The determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by NTBS must provide BellSouth a copy of the engineering power specification prior to the day on which NTBS's equipment becomes operational. BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or power board and NTBS's arrangement area. NTBS shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within NTBS's arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. NTBS shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling.
- 8.5.2 If BellSouth has not previously invested in power plant capacity for collocation at a specific site, NTBS has the option to add its own dedicated power plant; provided, however, that such work shall be performed by a BellSouth Certified Supplier who shall comply with BellSouth's guidelines and specifications. Where the addition of NTBS's dedicated power plant results in construction of a new power plant room, upon termination of NTBS's right to occupy collocation space at such site, NTBS shall have the right to remove its equipment from the power plant room, but shall otherwise leave the room intact.
- 8.5.3 If NTBS elects to install its own DC Power Plant, BellSouth shall provide AC power to feed NTBS's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by NTBS's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. NTBS's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit C. AC power voltage and phase ratings shall be determined on a per location basis. At NTBS's option, NTBS may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

- 8.5.4 In Tennessee, Recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to NTBS's equipment or space enclosure. NTBS shall contract with a Certified Supplier who will be responsible for the following: dedicated power cable support structure within NTBS's arrangement and terminations of cable within the collocation space.
- 8.5.4.1 In Tennessee, Non recurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and NTBS's arrangement area.
- 8.5.5 In Louisiana and South Carolina, NTBS has the option to purchase power directly from an electric utility company. Under such an option, NTBS is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by NTBS. NTBS's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. Any floor space, cable racking, etc utilized by NTBS in provisioning said power will be billed on an ICB basis.
- 8.5.6 If NTBS requests a reduction in the amount of power that BellSouth is currently providing NTBS must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit C will apply. If modifications are requested in addition to the reduction of power the Subsequent Application Fee will apply.
- 8.6 Security Escort. A security escort will be required whenever NTBS or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit C beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and NTBS shall pay for such half-hour charges in the event NTBS fails to show up.
- 8.7 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.
- 8.8 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. <u>Insurance</u>

- 9.1 NTBS shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 9.2 NTBS shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of NTBS's real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 NTBS may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days notice to NTBS to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by NTBS shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all NTBS's property has been removed from BellSouth's Premises, whichever period is longer. If NTBS fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from NTBS.
- 9.5 NTBS shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. NTBS shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from NTBS's insurance company. NTBS shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 NTBS must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If NTBS's net worth exceeds five hundred million dollars (\$500,000,000), NTBS may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. NTBS shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to NTBS in the event that self-insurance status is not granted to NTBS. If BellSouth approves NTBS for self-insurance, NTBS shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of NTBS's corporate officers. The ability to self-insure shall continue so long as the NTBS meets all of the requirements of this Section. If the NTBS subsequently no longer satisfies this Section, NTBS is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to NTBS to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or NTBS), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

BellSouth may conduct an inspection of NTBS's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between NTBS's equipment and equipment of BellSouth. BellSouth may conduct an inspection if NTBS adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide NTBS with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

- Unless otherwise specified, NTBS will be required, at its own expense, to conduct a statewide investigation of criminal history records for each NTBS employee hired in the past five years being considered for work on the BellSouth Premises, for the states/counties where the NTBS employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. NTBS shall not be required to perform this investigation if an affiliated company of NTBS has performed an investigation of the NTBS employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if NTBS has performed a preemployment statewide investigation of criminal history records of the NTBS employee for the states/counties where the NTBS employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- NTBS will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- NTBS shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and NTBS's name. BellSouth reserves the right to remove from its premises any employee of NTBS not possessing identification issued by NTBS or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. NTBS shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. NTBS shall be solely responsible for ensuring that any Guest of NTBS is in compliance with all subsections of this Section.
- NTBS shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. NTBS shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth

reserves the right to refuse building access to any NTBS personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that NTBS chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, NTBS may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

- 12.4.1 NTBS shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 NTBS shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each NTBS employee or agent hired by NTBS within five years of being considered for work on the BellSouth Premises, who requires access to a BellSouth Premises pursuant to this Attachment, NTBS shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, NTBS will disclose the nature of the convictions to BellSouth at that time. In the alternative, NTBS may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other NTBSemployees requiring access to a BellSouth Premises pursuant to this Attachment, NTBS shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, NTBS shall promptly remove from BellSouth's Premises any employee of NTBS BellSouth does not wish to grant access to its premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of NTBS is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.
- Notification to BellSouth. BellSouth reserves the right to interview NTBS's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to NTBS's Security contact of such interview. NTBS and its contractors shall reasonably cooperate with BellSouth's

investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving NTBS's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill NTBS for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that NTBS's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill NTBS for BellSouth property, which is stolen or damaged where an investigation determines the culpability of NTBS's employees, agents, or contractors and where NTBS agrees, in good faith, with the results of such investigation. NTBS shall notify BellSouth in writing immediately in the event that NTBS discovers one of its employees already working on the BellSouth premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth Premises, any employee found to have violated the security and safety requirements of this Section. NTBS shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Collocation Space

In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for NTBS's permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for NTBS's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to NTBS, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to

delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. NTBS may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If NTBS's acceleration of the project increases the cost of the project, then those additional charges will be incurred by NTBS. Where allowed and where practical, NTBS may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, NTBS shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for NTBS's permitted use, until such Collocation Space is fully repaired and restored and NTBS's equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where NTBS has placed an Adjacent Arrangement pursuant to Section 3, NTBS shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. <u>Eminent Domain</u>

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and NTBS shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

15. Nonexclusivity

NTBS understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and NTBS agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 <u>Notice</u>. BellSouth and NTBS shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. NTBS should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for NTBS to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. NTBS will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by NTBS when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the NTBS space with proper notification. BellSouth reserves the right to stop any NTBS work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by NTBS are owned by NTBS. NTBS will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial

new safety or environmental hazards can be created by NTBS or different hazardous materials used by NTBS at BellSouth Facility. NTBS must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by NTBS to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and NTBS will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and NTBS will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, NTBS must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and NTBS shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, NTBS agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. NTBS further agrees to cooperate with BellSouth to ensure that NTBS's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by NTBS, its employees, agents and/or subcontractors.
- 2.2 The most current version of reference documentation must be requested from BellSouth.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact E/S Management)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage	Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps	Std T&C 450 Std T&C 450-B (Contact E/S for copy of appropriate E/S M&Ps.) Std T&C 660
tanks) Transportation of hazardous material	Insurance Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact E/S Management)
Maintenance/operations work which may produce a waste Other maintenance work	Compliance with all application local, state, & federal laws and regulations Protection of BST employees and equipment	29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)

		Page 37			
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	P&SM Manager - Procurement Fact Sheet Series 17000			
	All Hazardous Material and Waste	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS			
	Asbestos notification and protection of employees and equipment	(Hazcom)			
Manhole cleaning	Compliance with all applicable	Std T&C 450			
	local, state, & federal laws and	Fact Sheet 14050			
	regulations	BSP 620-145-011PR			
		Issue A, August 1996			
	Pollution liability insurance	Std T&C 660-3			
	EVET approval of contractor	Approved Environmental Vendor List (Contact E/S Management)			
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740			

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std. T&C - Standard Terms & Conditions

THREE MONTH CLEC FORECAST

CLEC NAME	DATE
-----------	-------------

STATE	Central Office/City	CAG ED Sq. Ft.	CAGELESS # Bays		FRAME TERMINATI ONS	CLEC Provided BDFB Amps Load	BDFB	Heat Dissipation BTU/Hour	H cheathe	Proposed Applicatio n Date	NOTES
			Standard Bays*	Non- Standar d Bays**							

^{*}Standard bays are defined as racks, bays or cabinets, including equipment and cable, with measurements equal to or less than the following: Width - 26", Depth - 12". The standard height for all collocated equipment bays in BellSouth is 7'0".

Notes: Forecast information will be used for no other purpose than collocation planning.

^{**} Any forecast for non-standard cageless bays must include an attachment describing the quantity and width and depth measurements.

Attachment 4

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when NTBS is occupying the Remote Collocation Space as a sole occupant or as a Host within a Remote Site Location pursuant to this Attachment.
- 1.2 Right to occupy. BellSouth shall offer to NTBS Remote Site Collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment where space is available and collocation is technically feasible, BellSouth will allow NTBS to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by NTBS and agreed to by BellSouth (hereinafter "Remote Collocation Space"). BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth remote locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth remote locations other than those specified above.

1.3 Space Reservation.

- 1.3.1 In all states other than Florida, the number of racks/bays specified by NTBS may contemplate a request for space sufficient to accommodate NTBS's growth within a two year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by NTBS may contemplate a request for space sufficient to accommodate NTBS's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and conditions of this

Attachment. Additionally, where BellSouth notifies NTBS that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon NTBS's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for NTBS. NTBS agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for NTBS. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for NTBS as above, NTBS shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with NTBS in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. NTBS will be responsible for any justification of unutilized space within its Remote Collocation Space, if the appropriate state commission requires such justification.
- 1.6 <u>Use of Space.</u> NTBS shall use the Remote Collocation Space for the purposes of installing, maintaining and operating NTBS's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Attachment. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. NTBS agrees to pay the rates and charges identified in Exhibit C attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

2.1 Space Availability Report. Upon request from NTBS, BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to

make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.1 The request from NTBS for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving central office. The CLLI code information for the serving central office is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4. If NTBS is unable to obtain the CLLI code from, for example, a site visit to the remote site, NTBS may request the CLLI code from BellSouth. To obtain a CLLI code for a remote site directly from BellSouth, NTBS should submit to BellSouth a Remote Site Interconnection Request for Remote Site CLLI Code prior to submitting its request for a Space Availability Report. NTBS should complete all the requested information and submit the Request with the applicable fee to BellSouth.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify NTBS and inform NTBS of the time frame under which it can respond.
- Remote Terminal information. Upon request, BellSouth will provide NTBS with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a NTBS request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by NTBS, up to a maximum of thirty (30) wire centers per NTBS request per month per state, and up to for a maximum of 120 wire centers total per month per state for all CLECs; and (iii) NTBS agrees to pay the costs incurred by BellSouth in providing the information.

3. Collocation Options

3.1 <u>Cageless</u>. BellSouth shall allow NTBS to collocate NTBS's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow NTBS to have direct access to NTBS's equipment and facilities. BellSouth shall make

cageless collocation available in single rack/bay increments. Except where NTBS's equipment requires special technical considerations (e.g., special cable racking, isolated ground plane, etc.), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, NTBS must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant.

- 3.2 <u>Caged</u>. At NTBS's expense, NTBS may arrange with a Supplier certified by BellSouth ("Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's guidelines and specifications prior to starting equipment installation. BellSouth will provide guidelines and specifications upon request. NTBS's Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with NTBS and provide, at NTBS's expense, the documentation, including existing building architectural drawings, enclosure drawings, and specifications required and necessary for NTBS to obtain the zoning, permits and/or other licenses. NTBS's Certified Supplier shall bill NTBS directly for all work performed for NTBS pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by NTBS's Certified Supplier. NTBS must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access NTBS's locked enclosure prior to notifying NTBS. Upon request, BellSouth shall construct the enclosure for NTBS.
- 3.2.1 BellSouth may elect to review NTBS's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. Notification to NTBS indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if NTBS has indicated their desire to construct their own enclosure. If NTBS's Initial Application does not indicate their desire to construct their own enclosure, but their subsequent firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review NTBS's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's guidelines and specifications, as applicable. BellSouth shall require NTBS to remove or correct within seven (7) calendar days at NTBS's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.

- 3.3 Shared Collocation. NTBS may allow other telecommunications carriers to share NTBS's Remote Collocation Space pursuant to terms and conditions agreed to by NTBS ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. NTBS shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by NTBS that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and NTBS.
- 3.3.1 NTBS, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide NTBS with a proration of the costs of the collocation space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, NTBS shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement of Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or Subsequent Application Fee, as set forth in Exhibit C, which will be charged to the Host.
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 NTBS shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of NTBS's Guests in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 <u>Adjacent Collocation</u>. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") on the property on which the Remote Site is located, where the

Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by NTBS and in conformance with BellSouth's design and construction specifications. Further, NTBS shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.

- 3.4.1 Should NTBS elect Adjacent Collocation, NTBS must arrange with a Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, NTBS and NTBS's Certified Supplier must comply with local building code requirements. NTBS's Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. NTBS's Certified Supplier shall bill NTBS directly for all work performed for NTBS pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by NTBS's Certified Supplier. NTBS must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access NTBS's locked enclosure prior to notifying NTBS.
- 3.4.2 NTBS must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review NTBS's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require NTBS to remove or correct within seven (7) calendar days at NTBS's expense any structure that does not meet these plans and specifications.
- NTBS shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At NTBS's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC. NTBS's Certified Supplier shall be responsible, at NTBS's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.

- 3.5 <u>Co-carrier cross-connect (CCXC)</u>. The primary purpose of collocating CLEC equipment is to interconnect with BellSouth's network or access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will permit NTBS to interconnect between its virtual or physical collocation arrangements and those of another collocated CLEC whose Agreement contains co-carrier cross-connect language. At no point in time shall NTBS use the Collocation Space for the sole or primary purpose of cross connecting to other CLECs.
- 3.5.1 The CCXC shall be provisioned through facilities owned by NTBS. Such connections to other carriers may be made using either optical or electrical facilities. NTBS may deploy such optical or electrical connections directly between its own facilities and the facilities of other CLEC(s) without being routed through BellSouth equipment. NTBS may not self-provision CCXC on any BellSouth distribution frame, Pot Bay, DSX or LGX. NTBS is responsible for ensuring the integrity of the signal.
- 3.5.2 NTBS shall be responsible for obtaining authorization from the other CLEC(s) involved. NTBS must use a BellSouth Certified Supplier to place the CCXC. There will be a recurring charge per linear foot of common cable support structure used. NTBS-provisioned CCXC shall utilize common cable support structure. In the case of two contiguous collocation arrangements, NTBS may have the option of constructing its own dedicated support structure.
- 3.5.3 To order CCXCs NTBS must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXC, as defined in Exhibit C, will apply. If modifications in addition to the placement of CCXCs are requested, the Initial Application or Subsequent Application Fee will apply.

4. Occupancy

- 4.1 Occupancy. BellSouth will notify NTBS in writing that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). NTBS will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying NTBS that Remote Collocation Space is ready for occupancy ("Space Ready Date"). In the event that NTBS fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by NTBS and billing will commence on the sixteenth day after BellSouth releases the Remote Collocation Space. NTBS must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, NTBS's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Attachment, NTBS may terminate occupancy in a particular Remote Collocation Space by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate NTBS's right to occupy the Remote Collocation Space in the event NTBS fails to comply with any provision of this Agreement.
- 4.2.1 Upon termination of occupancy, NTBS at its expense shall remove its equipment and other property from the Remote Collocation Space. NTBS shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of NTBS's Guests, unless NTBS's Guest has assumed responsibility for the collocation space housing the Guest's equipment and executed the documentation required by BellSouth prior to such removal date. NTBS shall continue payment of monthly fees to BellSouth until such date as NTBS, and if applicable NTBS's Guest, has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should NTBS or NTBS's Guest fail to vacate the Remote Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and other property of NTBS or NTBS's Guest at NTBS's expense and with no liability for damage or injury to NTBS or NTBS's Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of NTBS's right to occupy Remote Collocation Space, NTBS shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the NTBS except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts NTBS's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's guidelines and specifications including but not limited to Record Drawings and ERMA Records. NTBS shall be responsible for the cost of removing any enclosure, together

with all support structures (e.g., racking, conduits, power cables, etc.), at the termination of occupancy and restoring the grounds to their original condition.

5. <u>Use of Remote Collocation Space</u>

- 5.1 <u>Equipment Type</u>. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocated Space must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: Traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support CLEC network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1 and equipment design spatial requirements per GR-63-CORE, Section 2, requirement numbers 3, 23, 25 and 34. Cageless collocation arrangements must additionally meet GR-63-CORE, Section 2, requirement numbers 1, 2, 5, 6, 15, 17, 19, 20, 21 and 26. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on NTBS's failure to comply with this Section.
- 5.1.2.1 All NTBS equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid state protector unit (over-voltage protection only) which has been listed by a nationally recognized testing laboratory.
- NTBS shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.

- 5.3 NTBS shall place a plaque or other identification affixed to NTBS's equipment to identify NTBS's equipment, including a list of emergency contacts with telephone numbers.
- Entrance Facilities. NTBS may elect to place NTBS-owned or NTBS-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. NTBS will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. NTBS must contact BellSouth for instructions prior to placing the entrance facility cable. NTBS is responsible for maintenance of the entrance facilities.
- 5.4.1 <u>Shared Use.</u> NTBS may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to NTBS's collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. The rates set forth in Exhibit C will apply. If NTBS desires to allow another CLEC to use its entrance facilities, additional rates, terms and conditions will apply and shall be negotiated between the Parties.
- 5.5 <u>Demarcation Point</u>. BellSouth will designate the point(s) of demarcation between NTBS's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. NTBS or its agent must perform all required maintenance to NTBS equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- NTBS's Equipment and Facilities. NTBS, or if required by this Attachment, NTBS's Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by NTBS which must be performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. NTBS and its selected Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.7 <u>BellSouth's Access to Remote Collocation Space</u>. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications.

- Access. Pursuant to Section 12, NTBS shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. NTBS agrees to provide the name and social security number or date of birth or driver's license number of each employee, contractor, or agents of NTBS or NTBS's Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by NTBS and returned to BellSouth Access Management within fifteen (15) calendar days of NTBS's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. NTBS agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of NTBS employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with NTBS or upon the termination of this Attachment or the termination of occupancy of an individual Remote Site collocation arrangement.
- BellSouth will permit one accompanied site visit to NTBS's designated collocation arrangement location after receipt of the Bona Fide Firm Order without charge to NTBS. NTBS must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date NTBS desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, NTBS may submit such a request at any time subsequent to BellSouth's receipt of the Bona Fide Firm Order. In the event NTBS desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit NTBS to access the Remote Collocation Space accompanied by a security escort at NTBS's expense. NTBS must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.9 <u>Lost or Stolen Access Keys.</u> NTBS shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), NTBS shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- Interference or Impairment. Notwithstanding any other provisions of this Attachment, NTBS shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4)creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of NTBS violates the provisions of this paragraph, BellSouth shall give

written notice to NTBS, which notice shall direct NTBS to cure the violation within forty-eight (48) hours of NTBS's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.

- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if NTBS fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to NTBS's equipment. BellSouth will endeavor, but is not required, to provide notice to NTBS prior to taking such action and shall have no liability to NTBS for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and NTBS fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to NTBS or, if subsequently necessary, the relevant Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, NTBS shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.
- Personalty and its Removal. Facilities and equipment placed by NTBS in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by NTBS at any time. Any damage caused to the Remote Collocation Space by NTBS's employees, agents or representatives shall be promptly repaired by NTBS at its expense.
- 5.12 <u>Alterations</u>. In no case shall NTBS or any person acting on behalf of NTBS make any rearrangement, modification, improvement, addition, or other alteration which could

affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by NTBS. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee.

5.13 <u>Upkeep of Remote Collocation Space</u>. NTBS shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. NTBS shall be responsible for removing any NTBS debris from the Remote Collocation Space and from in and around the Remote Collocation Site on each visit.

6. Ordering and Preparation of Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to NTBS and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- 6.2 <u>Initial Application</u>. For NTBS or NTBS's Guest(s) initial equipment placement, NTBS shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Initial Application"). The application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply.
- Subsequent Application In the event NTBS or NTBS's Guest(s) desires to modify the use of the Remote Collocation Space after Bona Fide Firm Order, NTBS shall complete an application detailing all information regarding the modification to the Remote Collocation Space ("Subsequent Application"). BellSouth shall determine what modifications, if any, to the Remote Site Location are required to accommodate the change requested by NTBS in the application. Such necessary modifications to the Remote Site Location may include, but are not limited to floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- Application Fee for Subsequent Application. The application fee paid by NTBS for its request to modify the use of the Collocation Space shall be a full Application Fee as set forth in Exhibit C. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information.
- 6.4 <u>Availability of Space</u>. Upon submission of an application, BellSouth will permit NTBS to physically collocate, pursuant to the terms of this Attachment, at any

BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that Remote Site Collocation is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify NTBS of the amount that is available.

6.5 <u>Space Availability Notification.</u>

- 6.5.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify NTBS of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by NTBS or differently configured, NTBS must resubmit its application to reflect the actual space available.
- BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be assessed. When BellSouth's Application Response includes an amount of space less than that requested by NTBS or differently configured, NTBS must amend its application to reflect the actual space available prior to submitting Bona Fide Firm Order.
- 6.5.3 BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, it is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify NTBS of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by NTBS or differently configured, NTBS must resubmit its application to reflect the actual space available. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.
- 6.5 <u>Denial of Application</u>. If BellSouth notifies NTBS that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying NTBS

that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow NTBS, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.

- 6.6 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit NTBS to inspect any plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A CLEC that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- When space becomes available, NTBS must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If NTBS has originally requested caged collocation space and cageless collocation space becomes available, NTBS may refuse such space and notify BellSouth in writing within that time that NTBS wants to maintain its place on the waiting list without accepting such space. NTBS may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If NTBS does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting

list and remove NTBS from the waiting list. Upon request, BellSouth will advise NTBS as to its position on the list.

- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate Remote Site Collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.10 <u>Application Response</u>.
- 6.10.1 In Alabama, Kentucky and North Carolina, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within twenty-three (23) business days of the receipt of a Bona Fide application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10.2 In South Carolina, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide applications one (1) –to five (5); within thirty-six (36) calendar days for Bona Fide applications six (6) –to ten (100; within forty-two (42) calendar days for Bona Fide applications eleven (11) –to fifteen (15). Response intervals for multiple Bona Fide applications submitted within the same timeframe for the same state in excess of fifteen (15) must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.
- 6.10.3 In Tennessee, BellSouth will provide a written response ("Application Response") within fifteen (15) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and a firm price quote for the space preparation fees, as described in Section 8 provided that NTBS has given BellSouth a forecast of NTBS's collocation needs at least ten (10) calendar days prior to submitting an application if the NTBS has standardized space preparation rates in their Agreement and twenty (20) calendar days prior to submitting an application if the NTBS has standardized space preparation rates in their Agreement.
- 6.10.3 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will

provide a written response ("Application Response") including sufficient information to enable NTBS to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When NTBS submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.

- 6.10.4 In Georgia and Mississippi, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10.5 In Louisiana, when space has been determined to be available, BellSouth will respond with a written response ("Application Response") within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, it is increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.11 Application Modifications.

6.11.1 If a modification or revision is made to any information in the Bona Fide application prior to Bona Fide Firm Order, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of NTBS or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge NTBS a full application fee as set forth in Exhibit C.

6.12 <u>Bona Fide Firm Order</u>.

6.12.1 Bona Fide Firm Order. In Alabama, Kentucky and North Carolina, NTBS shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when NTBS has completed the Application/Inquiry process described in Section 6, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to NTBS's Bona Fide application. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to NTBS's Bona Fide application or the application will expire.

If the BFFO is received between the fifth business day and the thirtieth calendar day after the Application Response, then the intervals set forth in 7.1.1 will be extended day for day for each day after the fifth business day the Bona Fide Firm Order is received until the application expires.

- 6.12.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. NTBS shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to NTBS's Bona Fide application or the application will expire.
- BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of NTBS's Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.

7. Construction and Provisioning

- 7.1 <u>Construction and Provisioning Intervals.</u>
- 7.1.1 In Alabama, Kentucky and North Carolina, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event NTBS submits a forecast as described in the following paragraph three (3) months or more prior to the application date, the above intervals shall apply. In the event NTBS submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event NTBS submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with NTBS at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide collocation space including but not limited to HVAC, Power, etc., conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter,

- and adding a splitter, will be forty five (45) business days from receipt of an application.
- 7.1.1.1 To be considered a timely and accurate forecast, NTBS must submit to BellSouth the CLEC Forecast Form, as set forth in Exhibit B attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, Remote Site CLLI, number of Caged square feet and/or Cageless bays, number of DS0, DS1, DS3, STS-1, OC-3, OC-12, OC-48, and OC-192 frame terminations, number of fused amps and planned application date.
- 7.1.2 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and NTBS cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the Bona Fide Firm Order for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.3 In Georgia, Mississippi and South Carolina, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.4 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.5 In Tennessee, BellSouth will complete construction for collocation arrangements under Ordinary Conditions within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order, or as agreed to by the Parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with NTBS or seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In

such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide NTBS with the estimated completion date in its Response.

- Joint Planning. Joint planning between BellSouth and NTBS will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a Bona Fide Firm Order. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the Bona Fide Firm Order. The Collocation Space completion time period will be provided to NTBS during joint planning.
- 7.4 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- 7.5 Acceptance Walk Through. NTBS will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying NTBS that the collocation space is ready for occupancy ("Space Ready Date"). In the event that NTBS fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by NTBS. BellSouth will correct any deviations to NTBS's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.6 Use of BellSouth Certified Supplier. NTBS shall select a supplier which has been approved by BellSouth to perform all engineering and installation workNTBS and NTBS's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, NTBS must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide NTBS with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing NTBS's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and NTBS upon successful completion of installation. The BellSouth Certified Supplier shall bill NTBS directly for all work performed for NTBS pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying NTBS or any supplier proposed by NTBS. All work performed by or for NTBS shall conform to generally accepted industry guidelines and standards.
- 7.7 <u>Alarm and Monitoring</u>. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. NTBS shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service NTBS's Remote Collocation Space. Upon request, BellSouth will provide

NTBS with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by NTBS. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.

- 7.8 Virtual Remote Site Collocation Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, NTBS may relocate its virtual Remote Site collocation arrangements to physical Remote Site collocation arrangements and pay the appropriate fees for physical Remote Site collocation and for the rearrangement or reconfiguration of services terminated in the virtual Remote Site collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Site collocation may become available at the location requested by NTBS, such information will be provided to NTBS in BellSouth's written denial of physical Remote Site collocation. To the extent that (i) physical Remote Collocation Space becomes available to NTBS within one hundred eighty 180 calendar days of BellSouth's written denial of NTBS's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) NTBS was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty 180 calendar days, then NTBS may relocate its virtual Remote Site collocation arrangement to a physical Remote Site collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Site collocation. NTBS must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.
- Virtual to Physical Conversion (In Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. The application fee for the conversion from virtual to in-place, physical collocation is as set forth in Exhibit C. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days.
- 7.9.1 In Florida, for Virtual to Physical conversions in place that require no physical changes, the only applicable charges shall cover the administrative billing and engineering records updates.

- 7.9.2 In Tennessee, BellSouth will complete Virtual to Physical conversions in place within thirty (30) calendar days.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, NTBS cancels its order for the Remote Collocation Space(s) ("Cancellation"),BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if NTBS cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill NTBS for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses</u>. NTBS, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 2. Payment of said Application Fee will be due as dictated by NTBS's current billing cycle and is non-refundable.
- 8.1.1 In Tennessee the applicable Application Fee is the Planning Fee for both Initial Applications and Subsequent Applications placed by NTBS.
- 8.2 Space Preparation
- 8.2.1 Recurring Charges. Recurring charges begin on the date that NTBS executes the written document accepting the Remote Collocation Space pursuant to Section 7, or on the Space Ready Date, whichever is first. If NTBS fails to schedule and complete a walkthrough within fifteen (15) calendar days after BellSouth releases the space for occupancy, then BellSouth shall begin billing NTBS for recurring charges as of the sixteenth day after the Space Ready Date..
- 8.2.2 <u>Rack/Bay Space</u>. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power NTBS's equipment. NTBS shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.

- 8.2 <u>Power</u>. BellSouth shall make available –48 Volt (-48V) DC power for NTBS's Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at NTBS's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for NTBS's equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis.
- Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by NTBS's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. NTBS's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit C. AC power voltage and phase ratings shall be determined on a per location basis. At NTBS's option, NTBS may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.3 <u>Security Escort</u>. A security escort will be required whenever NTBS or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit C beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and NTBS shall pay for such half-hour charges in the event NTBS fails to show up.
- 8.4 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. <u>Insurance</u>

- 9.1 NTBS shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 9.2 NTBS shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.

- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of NTBS's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 NTBS may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days notice to NTBS to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by NTBS shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all NTBS's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If NTBS fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from NTBS.
- 9.5 NTBS shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. NTBS shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from NTBS's insurance company. NTBS shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 NTBS must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If NTBS's net worth exceeds five hundred million dollars (\$500,000,000), NTBS may elect to request self-insurance status in lieu of obtaining

any of the insurance required in Sections 9.2.1 and 9.2.2. NTBS shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to NTBS in the event that self-insurance status is not granted to NTBS. If BellSouth approves NTBS for self-insurance, NTBS shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of NTBS's corporate officers. The ability to self-insure shall continue so long as NTBS meets all of the requirements of this Section. If the NTBS subsequently no longer satisfies this Section, NTBS is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.

- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to NTBS to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or NTBS), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

BellSouth may conduct an inspection of NTBS's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between NTBS's equipment and equipment of BellSouth. BellSouth may conduct an inspection if NTBS adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide NTBS with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

- Unless otherwise specified, NTBS will be required, at its own expense, to conduct a statewide investigation of criminal history records for each NTBS employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the NTBS employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. NTBS shall not be required to perform this investigation if an affiliated company of NTBS has performed an investigation of the NTBS employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if NTBS has performed a preemployment statewide investigation of criminal history records of the NTBS employee for the states/counties where the NTBS employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 NTBS will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- NTBS shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and NTBS's name. BellSouth reserves the right to remove from its Remote Site Location any employee of NTBS not possessing identification issued by NTBS or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. NTBS shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. NTBS shall be solely responsible for ensuring that any Guest of NTBS is in compliance with all subsections of this Section 12.
- NTBS shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. NTBS shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any NTBS personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that NTBS chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, NTBS may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 NTBS shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with

- BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 NTBS shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former contractor of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each NTBS employee or agent hired by NTBS within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, NTBS shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, NTBS will disclose the nature of the convictions to BellSouth at that time. In the alternative, NTBS may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other NTBS employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, NTBS shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, NTBS shall promptly remove from BellSouth's Remote Site Location any employee of NTBS BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of NTBS is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.
- Notification to BellSouth. BellSouth reserves the right to interview NTBS's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to NTBS's Security contact of such interview. NTBS and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving NTBS's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill NTBS for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that NTBS's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill NTBS for BellSouth property, which is stolen or damaged where an investigation determines the culpability of NTBS's employees, agents, or contractors and where NTBS agrees, in good faith,

with the results of such investigation. NTBS shall notify BellSouth in writing immediately in the event that the NTBS discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. NTBS shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Remote Collocation Space

13.1 In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for NTBS's permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for NTBS's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to NTBS, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. NTBS may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Contractor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a

BellSouth Certified Vendor. If NTBS's acceleration of the project increases the cost of the project, then those additional charges will be incurred by NTBS. Where allowed and where practical, NTBS may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, NTBS shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for NTBS's permitted use, until such Remote Collocation Space is fully repaired and restored and NTBS's equipment installed therein (but in no event later than thirty (30) business days after the Remote Collocation Space is fully repaired and restored). Where NTBS has placed a Remote Site Adjacent Arrangement pursuant to Section 3, NTBS shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

14. <u>Eminent Domain</u>

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and NTBS shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

15. Nonexclusivity

NTBS understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and NTBS agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and NTBS shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. NTBS should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for NTBS to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. NTBS will require its contractors, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by NTBS when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the NTBS space with proper notification. BellSouth reserves the right to stop any NTBS work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by NTBS are owned by NTBS. NTBS will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by NTBS or different hazardous materials used by NTBS at BellSouth Facility. NTBS must demonstrate

adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by NTBS to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and NTBS will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and NTBS will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, NTBS must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and NTBS shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, NTBS agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. NTBS further agrees to cooperate with BellSouth to ensure that NTBS's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by NTBS, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material	Compliance with all applicable	• Std T&C 450

		Page 33
or other regulated material (e.g., batteries, fluorescent	local, state, & federal laws and regulations	• Fact Sheet Series 17000
tubes, solvents & cleaning materials)	Pollution liability insurance	• Std T&C 660-3
	EVET approval of contractor	Approved Environmental Vendor List (Contact E/S Management)
Emergency response	Hazmat/waste release/spill firesafety emergency	 Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location)
Contract labor/outsourcing for services with environmental implications to be performed	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
on BellSouth Remote Site Location	Performance of services in	Std T&C 450-B(Contact E/S for copy of
(e.g., disposition of hazardous material/waste; maintenance of	accordance with BST's environmental M&Ps	appropriate E/S M&Ps.)
storage tanks)	Insurance	• Std T&C 660
Transportation of hazardous	Compliance with all applicable	• Std T&C 450
material	local, state, & federal laws and regulations	• Fact Sheet Series 17000
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of contractor	Approved Environmental Vendor List (Contact E/S Management)
Maintenance/operations work	Compliance with all application	• Std T&C 450
which may produce a waste	local, state, & federal laws and regulations	
Other maintenance work	Dayley Company of DCT and a second	- 20CED 1010 147 (OSHA
	Protection of BST employees and equipment	• 29CFR 1910.147 (OSHA Standard)
		• 29CFR 1910 Subpart O
		(OSHA Standard)
Janitorial services	All waste removal and disposal	P&SM Manager -
	must conform to all applicable federal, state and local regulations	Procurement
	All Hazardous Material and Waste	• Fact Sheet Series 17000

		Page 34
	Asbestos notification and protection of employees and equipment	• GU-BTEN-001BT, Chapter 3 • BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	 Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of contractor	Approved Environmental Vendor List (Contact E/S Management)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

 $\underline{DEC/LDEC} \text{ - Department Environmental Coordinator/Local Department Environmental Coordinator}$

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

THREE-MONTH CLEC FORECAST

STATE		CAGED		FRAME	CLEC	BST	Heat	Entrance	Proposed	NOTES
	Site/Cit	Sq. Ft.	LESS	TERMINATIONS	Provided	Provided	Dissipation	Facilities	Application	
	y		# Bays		BDFB	BDFB	BTU/Hour	# sheaths	Date	
					Amps	Amps		& #		
					Load	Load		fibers		

Notes: Forecast information will be used for no other purpose than collocation planning.

COLLO	COLLOCATION - Alabama													Attachment:	4	Exhibit: D	_
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svo Order vs. Electronic-
						 	B	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
							Rec	FIFSt	Addi	FIRST	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
DHASICVI	COL	LOCATION										1					
IIIIOICA		Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,760.00	3,760.00								
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,134.00	3,134.00								+
		Physical Collocation - Space Preparation - Firm Order			020			0,101.00	0,101.00								
		Processing	l i		CLO	PE1SJ		1,211.00	1,211.00								
		Physical Collocation - Space Preparation - C.O. Modification per						,	, , , , , , , , , , , , , , , , , , , ,								
		square ft.	- 1		CLO	PE1SK	2.24										
		Physical Collocation - Space Preparation - Common Systems															
		Modification per square ft Cageless	I		CLO	PE1SL	3.01										
		Physical Collocation - Space Preparation - Common Systems															
		Modification per Cage			CLO	PE1SM	102.16	. ==	. ==								
\vdash		Physical Collocation - Cable Installation		<u> </u>	CLO	PE1BD	2.00	1,751.00	1,751.00			-					
\vdash		Physical Collocation - Floor Space per Sq. Ft. Physical Collocation - Cable Support Structure	 	 	CLO CLO	PE1PJ PE1PM	3.68 19.67					1				 	
-		Physical Collocation - Cable Support Structure Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	7.14										+
		Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR	7.14	399.51				1					1
		1 Trysical Collocation - 1 Ower Reduction, Application 1 ee	<u> </u>		OLO	LIIIX		333.31									+
		Physical Collocation - 120V, Single Phase Standby Power Rate	l ı		CLO	PE1FB	5.63										
		· · · · · · · · · · · · · · · · · · ·					0.00					1					
		Physical Collocation - 240V, Single Phase Standby Power Rate	1		CLO	PE1FD	11.26										
		Physical Collocation - 120V, Three Phase Standby Power Rate	- 1		CLO	PE1FE	16.89										
		Physical Collocation - 277V, Three Phase Standby Power Rate	- 1		CLO	PE1FG	38.99										
		Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL,	PE1P2	0.031	33.68	31.79								
					UDN, UEA, UHL, UNCVX, UNCDX,												
		Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.062	33.63	31.67								
					CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
		Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.28	52.93	39.87								
					CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,	DE4D0	40.07	54.00	00.50								
\vdash		Physical Collocation - DS3 Cross-Connects	 	<u> </u>	UNLD3, UDL	PE1P3	16.27	51.99	38.59	-	1	1		1		 	↓
		Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3.23	52.00	38.60								
		Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5.73	64.54	51.14								
		Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	178.65										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	17.52										
		Physical Collocation - Security Access System - Security System															
		per Central Office			CLO	PE1AX	54.14										

COLLOCA	ΓΙΟΝ - Alabama												Attachment:		Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0607	46.20	46.20	8.72	8.72						
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card			CLO	PE1AA		15.40	15.40								
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		45.02	45.02								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.19	26.19								
	Physical Collocation - Security Access - Key, Replace Lost or			01.0	DE 4 4 1		00.40	00.40								
	Stolen Key, per Key	<u> </u>		CLO	PE1AL		26.19	26.19								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		2,150.00	2,150.00								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.08										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.17										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	0,69										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	4.74										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	32.02										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	40.48										
	Physical Collocation - Request Resend of CFA Information, per	l		l., .	DE 40-										1	
 	CLLI	ļ	 	CLO	PE1C9		77.56		005.00							
 	Collocation Cable Records - per request	<u> </u>		CLO	PE1CR		1,518.57		265.99					ļ	 	
	Collocation Cable Records - VG/DS0 Cable, per cable record		<u> </u>	CLO	PE1CD		653.83		378.24							
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.62	9.62	11.79	11.79						
	Collocation Cable Records - DS1, per T1TIE	ļ		CLO	PE1C1		4.50	4.50	5.52	5.52						
	Collocation Cable Records - DS3, per T3TIE	ļ		CLO	PE1C3		15.75	15.75	19.32	19.32					ļ	
	Collocation Cable Records - Fiber Cable, per 99 fiber records		<u> </u>	CLO	PE1CB		168.97	168.97	154.25	154.25						
1	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.85	21.45						l		

COLLOCAT	ION - Alabama									Attachment:	4	Exhibit: D				
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs.
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.09	27.71								
				0.00.000	DE 4 DE		= 4.00									
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.33	33.96								
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLOUDE	DE4EC	0.0011										
	Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO,UDF	PE1ES	0.0011										+
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0016										
	Physical Collocation - Co-Carrier Cross Connects - Application			CLO, ULS, USL	FLIDS	0.0010					1					+
	Fee, per application			CLO	PE1DT		584.22									
ADJACENT CO				020			00									+
7.207.102.11. 01	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.2542										1
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.44										1
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0598	24.95	23.97	12.80	11.67						1
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			UEA,UHL,UDL,UCL,												1
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.1196	25.14	24.11	13.18	11.96						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.04	44.19	32.13	12.94	11.82						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.12	41.93	30.69	14.72	12.05						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.39	41.93	30.69	14.72	12.06						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.57	51.14	39.90	18.97	16.30						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,555.00		0.99							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5.39										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	10.79										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	16.18										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	37.37										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA	201.00	608.17	608.17	323.44	323.44						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	224.82										
	Dhusiasi Callacation in the Demote City Consists Access Key			CLODE	DEADD		25.00	05.00								
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PE1RD		25.88	25.88								
	Report per Premises Requested			CLORS	PE1SR		229.02	229.02								
	Physical Collocation in the Remote Site - Remote Site CLLI			CLORS	PEISK		229.02	229.02			1					+
	Code Request, per CLLI Code Requested	l		CLORS	PE1RE		74.22	74.22							1	1
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.38	14.22								+
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT	1		020110		+	200.00								-	+
		1				+									<u> </u>	
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27									1	1
				-												1
	Remote Site-Adjacent Collocation - Real Estate, per square foot	l		CLORS	PE1RT	0.134									1	1
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								1

COLLOCA	ATION - Florida		•	_		-							Attachment:	4	Exhibit: D	
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svo Order vs. Electronic-
		<u> </u>				P	Nonrec		Nonrecurring		COMEC	COMAN		Rates(\$)	SOMAN	COMAN
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BUVEICAL	COLLOCATION	 				1										
FITISICAL	Physical Collocation - Application Fee - Initial	1	-	CLO	PE1BA		2,597.00		1.01		1					
	Physical Collocation - Application Fee - Subsequent	1		CLO	PE1CA		2,236.00		1.01		1					
	Physical Collocation - Space Preparation - Firm Order	1		OLO	1 2 10/1		2,200.00									+
	Processing			CLO	PE1SJ		288.93									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.38										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless			CLO	PE1SL	2.96										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per Cage			CLO	PE1SM	92.55										
	Physical Collocation - Cable Installation per Cable			CLO	PE1BD		1,750.00		45.16							
L	Physical Collocation - Floor Space per Sq. Ft.	 	1	CLO CLO	PE1PJ PE1PM	7.86 18.96					ļ		!	1	1	
	Physical Collocation - Cable Support Structure Physical Collocation - Power, per Fused Amp	1		CLO	PE1PM PE1PL	7.80										
-	Physical Collocation - Power, per Fused Amp Physical Collocation - Power Reduction, Application Fee	+		CLO	PE1PR	7.00	399.43					1				
	Physical Collocation - Power Reduction, Application Lee	+ '-		CLO	FLIFK		355.43									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.56										
	1 Hydrodi Gonocation 1201, Cingle 1 Hade Grandby 1 Given Hare			020		0.00										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.14										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.70										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	38.57										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL, UDN, UEA, UHL,	PE1P2	0.0276	8.22	7.22	5.74	4.58						
				UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0552	8.42	7.36	5.90	4.66						
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects	<u> </u>	ļ	UDL	PE1P1	1.32	27.77	15.52	5.93	4.77	ļ		ļ			
				CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,						_						
	Physical Collocation - DS3 Cross-Connects	 	1	UNLD3, UDL	PE1P3	16.81	25.48	14.05	7.77	5.01	ļ					↓
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3.34	41.94	30.52	13.91	11.16						
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5.92	51.30	39.87	18.29	15.54						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	189.45										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	18.58		·		·						
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft.			CLO	PE1AY	0.0105										

COLLOCAT	ION - Florida										· <u> </u>		Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		N	RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
						Doo	Nonrec		Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
 	Physical Collocation - Security Access System - New Access	-	-			Rec	First	Add'l	FIISL	Auu i	JUNEU	JUNIAN	JUNAN	JOINAIN	JOINAIN	SONIAN
	Card Activation, per Card			CLO	PE1A1	0.0577	55.80									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card			CLO	PE1AA		15.65									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.75									
	Physical Collocation - Security Access - Initial Key, per Key				PE1AK		26.30									†
	Physical Collocation - Security Access - Key, Replace Lost or			020	,		20.00									
	Stolen Key, per Key			CLO	PE1AL		26.30									
	Physical Collocation - Space Availability Report per premises				PE1SR		2,159.00									
	Physical Collocation - Request Resend of CFA Information, per						_,									
	CLLI	l		CLO	PE1C9		77.54						1	1	1	
	Collocation Cable Records - per request			CLO	PE1CR		1,525.00		267.08							
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		656.50		379.78							
	·															
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair	<u> </u>		CLO	PE1CO		9.66	9.66	11.84	11.84		<u> </u>				
	Collocation Cable Records - DS1, per T1TIE				PE1C1		4.52	4.52	5.54	5.54						
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15.82	15.82	19.40	19.40						
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		169.67	169.67	154.89	154.89						
	Physical Collocation - Security Escort - Basic, Per Quarter Hour			CLO	PE1BQ		10.89									
+	Physical Collocation - Security Escort - Desic, Fer Quarter Flour			CLO	FLIDQ		10.09									
	Hour			CLO	PE1OQ		13.64									
	Physical Collocation - Security Escort - Premium, Per Quarter Hour			CLO	PE1PQ		16.40									
	Physical Collocation - Security Escort - Basic, per Half Hour				PE1BT		33.99	21.54								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.27	27.82								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.55	34.10								
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO,CLONG			54.55	34.10								
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0014										
	Physical Collocation - Co-Carrier Cross Connects - Application															
	Fee, per application			CLO	PE1DT		584.11									
ADJACENT CO		ļ	ļ	0.010	55444	0.10										
 	Adjacent Collocation - Space Charge per Sq. Ft.	ļ		CLOAC	PE1JA	0.1635										_
\vdash	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	<u> </u>	<u> </u>	CLOAC	PE1JC	5.11	04.00	22.22	44 77	00.70						
 	Adjacent Collocation - 2-Wire Cross-Connects	 	<u> </u>	CLOAC	PE1P2	0.0213	24.68	23.69	11.77	23.79			 	 	 	
	Adjacent Collocation - 4-Wire Cross-Connects	l		UEA,UHL,UDL,UCL, CLOAC	PE1P4	0.0426	24.88	23.83	12.04	10.80			1	1	1	
 	Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects	1			PE1P4 PE1P1	1.22	24.88 44.24	31.98	12.04	10.80	}		1	1	1	1
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects	-	-		PE1P1	16.56	41.94	30.52	13.91	11.15			-	-	-	
 	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect	1			PE1F3 PE1F2	2.81	41.94	30.52	13.91	11.15	}		1	1	1	
 	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect	1		CLOAC	PE1F2 PE1F4	5.36	51.30	39.87	18.29	15.54	}		1	1	1	
 	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee	 			PE1F4 PE1JB	შ.ან	2,785.00	39.07	1.01	15.54	1		1	1	1	
	Adjacent Collocation - Application ree Adjacent Collocation - 120V, Single Phase Standby Power Rate	1		020/10			2,700.00		1.01		1		 	 	 	†
	per AC Breaker Amp			CLOAC	PE1FB	5.38										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.77										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.15										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp Adjacent Collocation - Cable Support Structure per Entrance			CLOAC	PE1FG	37.30					<u> </u>					
PHYSICAL CO	Cable LLOCATION IN THE REMOTE SITE		1	CLOAC	PE1PM	18.96										
		-	├	CLORS	PE1RA		617.91		328.81		1	 	 	1	1	
	Physical Collocation in the Remote Site - Application Fee															

COLLOCAT	ION - Florida												Attachment:	4	Exhibit: D	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
	1										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
OATEGORI	NATE ELEMENTO	m		200	0000			= = (+)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
							Nonrec	urring	Nonrecurring	Disconnect		l.	oss	Rates(\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dhusiasi Callagation in the December City Consuits Assess Key			CL ODC	PE1RD		20.20									
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PETRU		26.30									
	Physical Collocation in the Remote Site - Space Availability			0.000	55.05											
	Report per Premises Requested			CLORS	PE1SR		232.69									
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		75.41									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.51									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become necessity	essary 1	or rem	ote site collocation	the Parties v	vill negotiate ap	propriate rate	s.								

COLL	ОСАТІ	ON - Georgia												Attachment:	4	Exhibit: D	
COLL	JUAII	Ori Ocorgia					l					Svc Order	Svc Order			Incremental	Incremental
1												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Electronic-	Electronic-	Electronic-	Electronic-
							1	Nonrec	urrina	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSIC	CAL CO	LLOCATION															
		Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,850.00									
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,130.00	3,130.00								
		Physical Collocation - Space Preparation Fee Per Square Ft.			CLO	PE1SS		100.00	100.00								
		Physical Collocation - Space Preparation - Firm Order															
		Processing			CLO	PE1SJ		1,187.00									
		Physical Collocation - Space Preparation - C.O. Modification per						·									
		square ft.			CLO	PE1SK	2.02										
		Physical Collocation - Space Preparation - Common Systems															
	1	Modification per square ft Cageless		1	CLO	PE1SL	2.80				I				Ì	I	
		Physical Collocation - Space Preparation - Common Systems															
	1	Modification per Cage		1	CLO	PE1SM	95.23				I				Ì	I	
		Physical Collocation - Cable Installation			CLO	PE1BD	1	2,750.00	2,750.00								
		Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.50										
		Physical Collocation - Floor Space - Zone B per Sq. Ft.			CLO	PE1PK	6.75										
		Physical Collocation - Cable Support Structure			CLO	PE1PM	13.35										
		Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.06										
		Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR		398.80									
		Physical Collocation - 120V, Single Phase Standby Power Rate	- 1		CLO	PE1FB	5.52										
		Physical Collocation - 240V, Single Phase Standby Power Rate	- 1		CLO	PE1FD	11.05										
		Physical Collocation - 120V, Three Phase Standby Power Rate	- 1		CLO	PE1FE	16.58										
		Physical Collocation - 277V, Three Phase Standby Power Rate	- 1		CLO	PE1FG	38.27										
					UEANL,UEA,UDN,U												
					DC,UAL,UHL,UCL,U												
					EQ, UDL, UNCVX,												
		Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.30	12.60	12.60								
					CLO, UAL, UDL,												
					UDN, UEA, UHL,												
					UNCVX, UNCDX,												
		Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.50	12.60	12.60								
					CLO,UEANL,UEQ,W	1											
					DS1L,WDS1S, USL,												
	1			1	U1TD1, UXTD1,						I				Ì	I	
	l			1	UNC1X, ULDD1,						1					1	
	1			1	USLEL, UNLD1,						I				Ì	I	
		Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	8.00	155.00	27.00								
					CLO, UE3,U1TD3,												
					UXTD3, UXTS1,												
	l				UNC3X, UNCSX,						1						
	l			1	ULDD3,						1					1	
1	1			1	U1TS1,ULDS1,						I				Ì	I	
		Physical Collocation - DS3 Cross-Connects		<u> </u>	UNLD3, UDL	PE1P3	72.00	155.00	27.00		L			<u> </u>		<u> </u>	
	1			1	CLO, ULDO3,									I			
	1			1	ULD12, ULD48,						I				Ì	I	
	1			1	U1TO3, U1T12,						I				Ì	I	
1	1				U1T48, UDLO3,						I				1	I	
		Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.86	52.14	38.72								
1	l				CLO, ULDO3,]		
	l			1	ULD12, ULD48,						1					1	
1	1			1	U1TO3, U1T12,						I				Ì	I	
1	l				U1T48, UDLO3,						1						
		Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF	PE1F4	5.08	64.74	51.31								
		Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	161.27										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.		1	CLO	PE1CW	15.82				l .		l .]	l .	

COLLOCATI	ION - Georgia												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	I Nove	Pi		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic
						Rec	Nonrec First	urring Add'l	Nonrecurrin First	g Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Physical Collocation - Security System Per Central Office Per		<u> </u>			Rec	FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
	Physical Collocation - Security Access System - New Access			CLO	PE1AY	0.0172										
	Physical Collocation - Security Access System - New Access Card Activation, per Card Physical Collocation - Security Access System - New Access	I		CLO	PE1A1	0.0607	46.20	46.20								
	Card Deactivation, per Card			CLO	PE1A4		8.72	8.72								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card	1		CLO	PE1AA		15.40	15.40								
	Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AR		45.02	45.02								
-	Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key				PE1AK PE1AK		26.16	26.16			-					
	Physical Collocation - Security Access - Hittal Rey, per Rey Physical Collocation - Security Access - Key, Replace Lost or			CLO	FLIAN		20.10	20.10			+					
	Stolen Key, per Key			CLO	PE1AL		26.16	26.16							1	
	Physical Collocation - Space Availability Report per premises	-		CLO	PE1SR		2,148.00	2,148.00								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect				PE1PE	0.40										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect				PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	8.00										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect				PE1B2	38.79										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	52.31										
	Physical Collocation - Request Resend of CFA Information, per CLLI			CI O	DE400		77.40								1	
 	CLLI Collocation Cable Records - per request		-	CLO CLO	PE1C9 PE1CR		77.42 1,706.00		-	1		1			 	
 	Collocation Cable Records - per request Collocation Cable Records - VG/DS0 Cable, per cable record		-		PE1CR PE1CD		1,706.00 922.38		1	1	+	-			 	
 	Conocation Cable Records - VG/DGO Cable, per Cable record		1	OLO	ILIOD		322.30								+	
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		18.00	18.00							1	
	Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.43	8.43			1					

COLLOCAT	ION - Georgia												Attachment:	4	Exhibit: D	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc		Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											perLSK	per LSK				Electronic-
													Electronic-	Electronic-	Electronic-	Electronic-
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.49	29.49								
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		278.61	278.61								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		41.00	25.00								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		48.00	30.00								
	Disciple College (Co. Co. Co. Co. Co. Co. Co. Co. Co. Co.			01 0 01 0 00	DEADT		55.00	05.00								
-	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		55.00	35.00								
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax		-	CLO,UDF	PEIES	0.001										
					PE1DS	0.0045										
	Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects - Application	 		CLO, UE3, USL	LE IDS	0.0015					1			-	-	
	Fee, per application	l		CLO	PE1DT		583.18									1
ADJACENT C		 		CLO	FEIDI		ეგე. 18				1			-	-	
ADJACENT C	Adjacent Collocation - Space Charge per Sq. Ft.	<u> </u>	 	CLOAC	PE1JA	0.2542					 				-	-
	Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.		-	CLOAC	PE1JC	5.44										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects		-	CLOAC	PE1JC PE1P2	0.598	24.95	23.97	11.80	10.67						
	Adjacent Collocation - 2-wire Cross-Connects		-	UEA,UHL,UDL,UCL,	PE IP2	0.598	24.95	23.97	11.80	10.67						
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.1196	25.14	24.11	12.15	10.93						
-	Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P4 PE1P1	1.04	44.19	32.13	11.93	10.93						
	Adjacent Collocation - DS1 Cross-Connects		-	CLOAC	PE1P3	14.12	41.93	30.69	13.71	11.04						
	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect		-	CLOAC	PE1F3	2.39	41.93	30.69	13.71	11.04						
	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F2 PE1F4	2.39 4.57	51.14	39.90	17.96	15.29						
-	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee			CLOAC	PE1F4 PE1JB	4.57	1,555.00	39.90	17.96	15.29						
	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate		-	CLUAC	PEIJD		1,555.00									
	per AC Breaker Amp			CLOAC	PE1FB	5.39										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLUAC	PETFB	5.39										
	per AC Breaker Amp			CLOAC	PE1FD	10.79										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate		-	CLUAC	PEIFU	10.79										
	per AC Breaker Amp			CLOAC	PE1FE	16.18										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLOAC	FLIIL	10.10					1					
	per AC Breaker Amp			CLOAC	PE1FG	38.27										
	Adjacent Collocation - 240V, Three Phase Standby Power Rate			CLOAC	FLIIG	30.21										
	per AC Breaker Amp			CLOAC	PEIJD	37.37										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE			OLOAG	LIDE	37.37										
TITIOICAL CC	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		608.18	608.17	323.63	323.63	1	1				
	Cabinet Space in the Remote Site or Bay/ Rack			CLORS	PE1RB	224.82	000.10	000.17	323.03	323.03	1	1				
	Cabinet Opace in the Nemote Site per Bay/ Nack			OLONO	LIKE	224.02										
	Physical Collocation in the Remote Site - Security Access - Key	1		CLORS	PE1RD		25.88	25.88						1		1
	Physical Collocation in the Remote Site - Space Availability			OLONO	LIND		20.00	20.00								
	Report per Premises Requested	1		CLORS	PE1SR		229.02	229.02						l		I
 	Physical Collocation in the Remote Site - Remote Site CLLI	1		020110	1010	l	220.02	220.02								<u> </u>
1	Code Request, per CLLI Code Requested	l		CLORS	PE1RE		74.22	74.22								1
 	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	1		CLORS	PE1RR	l	232.88	22								<u> </u>
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT	1			İ .									1	Ì	1
1		l												1		1
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
,	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE	If Security Escort and/or Add'l Engineering Fees become necessity	essary f	or rem	ote site collocation.	the Parties v	vill negotiate an	propriate rate	s.			1		_			

COLLOCAT	TION - Kentucky												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svo Order vs. Electronic-
							Nonrec		Nonrecurring			•		Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO				0.0	55.5		0 ==0 = 1									ļ
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,773.54	3,773.54	1.01	1.01						ļ
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,145.35	3,145.35	1.01	1.01						
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		1,206.07	1,206.07								
	Physical Collocation - Space Preparation - C.O. Modification per			CLO	PETOJ	1	1,206.07	1,206.07								1
	square ft.			CLO	PE1SK	2.32										
	Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless			CLO	PE1SL	3.26										
	Physical Collocation - Space Preparation - Common Systems			CLO	PEISL	3.20										
	Modification per Cage			CLO	PE1SM	110.57										
	Physical Collocation - Cable Installation			CLO	PE1BD	110.57	1,729.11		45.16							
	Physical Collocation - Floor Space per Sq. Ft.	1		CLO	PE1PJ	7.99	.,. 20									1
	Physical Collocation - Cable Support Structure			CLO	PE1PM	19.86	İ		1							1
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.06										
	Physical Collocation - Power Reduction, Application Fee	- 1		CLO	PE1PR		399.50									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.44										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.88										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.32										-
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.68										
	Physical Collocation - 2-Wire Cross-Connects				PE1P2	0.0333	24.68	23.68	12.14	10.95						
	Fly start Outland from AMF a October October			CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,	DE4D4	0.0005	04.00	00.00	40.77	44.40						
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0665	24.88	23.82	12.77	11.46						
	Division Collegation DC4 Const Constants			CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,	PE1P1	1.48	44.23	24.00	40.04	44.57						
	Physical Collocation - DS1 Cross-Connects		-	UDL CLO, UE3,U1TD3,	PETPT	1.48	44.23	31.98	12.81	11.57	+					
				UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects	!	1	UNLD3, UDL	PE1P3	18.89	41.93	30.51	14.75	11.83	1					.
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	55.450											
	Physical Collocation - 2-Fiber Cross-Connect Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3.75 6.65	41.93 51.29	30.51	14.76	11.84						
 	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	184.97	55						İ		İ	1
j	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.		L	CLO	PE1CW	18.14			<u> </u>							
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	76.10								_		

COLLOCA	ION - Kentucky			ı	1	ı							Attachment:		Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.058	55.79	55.79								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card			CLO	PE1AA		15.64	15.64								
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card		ļ	CLO	PE1AR		45.74	45.74								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.29	26.29								
	Physical Collocation - Security Access - Key, Replace Lost or			01.0	DE 4 4 1		00.00	00.00								
	Stolen Key, per Key			CLO	PE1AL		26.29	26.29								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		2,158.67	2,158.67								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.113										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.23										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.60										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	14.23										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	48.57										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	65.50										
	Physical Collocation - Request Resend of CFA Information, per			0.0	DE 10-										1	
	CLLI		 	CLO	PE1C9		77.55		007.00		1					
	Collocation Cable Records - per request		1	CLO	PE1CR		1,524.45		267.02		ļ					
	Collocation Cable Records - VG/DS0 Cable, per cable record		1	CLO	PE1CD		656.37		379.70		ļ					
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.65	9.65	11.84	11.84						
	Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		4.52	4.52	5.54	5.54						
	Collocation Cable Records - DS3, per T3TIE		ļ	CLO	PE1C3		15.81	15.81	19.39	19.39	ļ				ļ	
	Collocation Cable Records - Fiber Cable, per 99 fiber records		<u> </u>	CLO	PE1CB		169.63	169.63	154.85	154.85	ļ					
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.98	21.53								l

COLLOCAT	ION - Kentucky												Attachment:		Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs.
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.26	27.81								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.54	34.09								
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			0.0.05	55450											
	Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO,UDF	PE1ES	0.0012										+
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0018										
	Physical Collocation - Co-Carrier Cross Connects - Application			CLO, UE3, USL	PEIDS	0.0016										+
	Fee, per application			CLO	PE1DT		584.20									
ADJACENT CO				OLO	I LIDI		004.20									+
ADDAOLINI O	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0173										+
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.35										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0258	24.68	23.68	12.14	10.95						+
				UEA,UHL,UDL,UCL,		0.0200										
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0515	24.88	23.82	12.77	11.46						
	Adjacent Collocation - DS1 Cross-Connects			USL.CLOAC	PE1P1	1.37	44.23	31.98	12.81	11.57						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	18.61	41.93	30.51	14.75	11.83						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.15	41.93	30.51	14.76	11.84						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.02	51.29	39.87	19.41	16.49						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,165.50		1.01							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5.44										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	10.88										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	16.32										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
5111/01011 00	per AC Breaker Amp			CLOAC	PE1FG	37.68										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA	040.07	617.78		338.89							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.67										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.29									
	Physical Collocation in the Remote Site - Security Access - Rey Physical Collocation in the Remote Site - Space Availability			CLURS	PETRU		26.29									+
	Report per Premises Requested			CLORS	PE1SR		232.64									
	Physical Collocation in the Remote Site - Remote Site CLLI			CLORS	PEISK		232.04									+
	Code Request, per CLLI Code Requested	l		CLORS	PE1RE		75.40									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	1		CLORS	PE1RR		233.42								1	+
PHYSICAL CO	PLLOCATION IN THE REMOTE SITE - ADJACENT	1		020110	. = 11111	-	200.42								1	+
1		1			1											
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	l		CLORS	PE1RS	6.27										
				-												1
	Remote Site-Adjacent Collocation - Real Estate, per square foot	l		CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								

COLLOC	ATION - Louisiana												Attachment:	4	Exhibit: D	
CATEGOR		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svo Order vs. Electronic-
						_	Nonrec			g Disconnect	001150	001441		Rates(\$)	SOMAN	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BHAGICAL	COLLOCATION										-					
FITTSICAL	Physical Collocation - Application Fee - Initial		-	CLO	PE1BA		1,837.24									
-	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,533.41									
	Physical Collocation - Space Preparation - Firm Order			OLO	1 2 10/1		1,000.41				+					
	Processing			CLO	PE1SJ		583.33									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.31										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless			CLO	PE1SL	2.70										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per Cage			CLO	PE1SM	91.60										
	Physical Collocation - Cable Installation			CLO	PE1BD		841.54	841.54								
L L	Physical Collocation - Floor Space per Sq. Ft. Physical Collocation - Cable Support Structure			CLO CLO	PE1PJ PE1PM	5.30 18.31										1
	Physical Collocation - Cable Support Structure Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PM PE1PL	8.32										
	Physical Collocation - Power Reduction, Application Fee	H		CLO	PE1PL PE1PR	8.32	398.88									-
-	Friysical Collocation - Fower Reduction, Application Lee	- '	-	CLO	FLIFK		390.00									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.45										
	i nyolodi concodileri. 1201; cinglo i naco cianasy i onei mate			020		0.10										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.92										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.37										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.80										
	Physical Collocation - 2-Wire Cross-Connects			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,	PE1P2	0.0318	11.94	11.46								
	Physical Callegation 4 Wire Cross Connects				PE1P4	0.0636	12.04	11 52								
	Physical Collocation - 4-Wire Cross-Connects			UCL CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,			12.04	11.53								
	Physical Collocation - DS1 Cross-Connects		<u> </u>	UDL	PE1P1	1.04	21.39	15.47	 	ļ			ļ			
				CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,	DE4D2		20.05									
	Physical Collocation - DS3 Cross-Connects		<u> </u>	UNLD3, UDL	PE1P3	13.21	20.28	14.76	 	ļ			ļ			
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.62	20.28	14.76								
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	4.65	24.81	19.29								
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	184.50										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	18.10										
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft.			CLO	PE1AY	0.0224										

COLLOCA	TION - Louisiana					,						,	Attachment:		Exhibit: D	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
							Nonrec			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0579	27.50									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card			CLO	PE1AA		7.74	7.74								
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		22.64	22.64								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.01	13.01								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		13.01	13.01								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,044.07	1,044.07								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.079										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, USL, UNCVX, UNCDX UEANL, UEA, UDN, U	PE1PF	0.158										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.12										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	9.95										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	33.96										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect Physical Collocation - Request Resend of CFA Information, per			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	45.80										
	Physical Collocation - Request Resend of CFA Information, per CLLI			CI O	DE100		77.40								Ì	
 			1	CLO	PE1C9	10.0=	77.43			 	+	 			 	-
	Collocation Cable Records - per request		1	CLO	PE1CR	10.97				ļ	-					
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD	5.29				ļ]
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO	0.08										
	Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1	0.04										
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3	0.13										
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB	1.37										
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.44	10.42		1	1	i i			İ	İ

COLLOCAT	ION - Louisiana												Attachment:		Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
							Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		21.41	13.45								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		26.38	16.49								
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			0.0.05	55450											
	Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO,UDF	PE1ES	0.001										
				CLO, UE3, USL	PE1DS	0.0015										
	Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects - Application			CLO, UE3, USL	PE IDS	0.0015										
	Fee, per application			CLO	PE1DT		583.30									
ADJACENT CO				CLO	PEIDI		363.30				-					
ADJACENT CO	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0552					-					-
	Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.61					1					
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0245	11.94	11.46			-					-
	Adjacent Conocation - 2-wire Cross-Connects			UEA,UHL,UDL,UCL,	FLIFZ	0.0245	11.54	11.40			1					
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0491	12.04	11.53								
	Adjacent Collocation - 4-Wire Cross-Connects			USL.CLOAC	PE1P1	0.9605	21.39	15.47								
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	13.01	20.28	14.76			+					
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.20	20.28	14.76								
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.21	24.81	19.29			+					
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,543.20	10.20								
	Adjacent Collocation - 120V, Single Phase Standby Power Rate			OLONO	I LIOD		1,040.20									
	per AC Breaker Amp			CLOAC	PE1FB	5.45										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	10.92										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	16.37										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	37.80										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		298.80	298.80								
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225.39										
								<u> </u>					<u></u>			
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.01	13.01								
	Physical Collocation in the Remote Site - Space Availability							<u> </u>					<u></u>			
	Report per Premises Requested			CLORS	PE1SR		112.52	112.52								
	Physical Collocation in the Remote Site - Remote Site CLLI															1
	Code Request, per CLLI Code Requested			CLORS	PE1RE		36.47	36.47								1
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.21									1
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT										1					1
				0.000												1
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	<u> </u>		CLORS	PE1RS	6.27					1					-
	Demote Cite Adiacost Collegation Deal Fotate Collegation			CL ODC	DEADT	0.404										
	Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation-Application Fee			CLORS CLORS	PE1RT PE1RU	0.134	755.62	755.62		+	+			-	1	1
1		1	1	ote site collocation,						1					<u> </u>	

COLLOCA	TION - Mississippi												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DHASICVI C	OLLOCATION															1
THIOICAL	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,890.38		0.051							+
	Physical Collocation - Application Fee - Subsequent				PE1CA		1,575.69		0.51							
	Physical Collocation - Space Preparation - Firm Order				_											
	Processing	- 1		CLO	PE1SJ		604.19									
	Physical Collocation - Space Preparation - C.O. Modification per square ft.	I		CLO	PE1SK	2.30										
	Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless	I		CLO	PE1SL	2.52										
	Physical Collocation - Space Preparation - Common Systems			0.0	55.01											
	Modification per Cage Physical Collocation - Cable Installation		!	CLO CLO	PE1SM PE1BD	85.67	926.27	926.27	22.62							-
	Physical Collocation - Cable Installation Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1BD PE1PJ	5.74	926.27	926.27	22.02		-					
	Physical Collocation - Cable Support Structure		1	CLO	PE1PM	17.42										
	Physical Collocation - Power -48V DC Power, per Fused Amp				PE1PL	7.33										
	Physical Collocation - Power Reduction, Application Fee	ı			PE1PR		398.76									
	Physical Collocation - 120V, Single Phase Standby Power Rate	ı		CLO	PE1FB	5.29										
	Physical Collocation - 240V, Single Phase Standby Power Rate	ı		CLO	PE1FD	10.58										
	Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	15.87										
	Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	36.65										
	Physical Collocation - 2-Wire Cross-Connects			CLO, UAL, UDL,	PE1P2	0.0288	12.37	11.87	6.04	5.45						
				UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0576	12.47	11.94	6.59	5.91						
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects				PE1P1	1.14	22.16	16.02	6.60	5.97						
				CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,	DE4D°											
	Physical Collocation - DS3 Cross-Connects		}		PE1P3	14.49	21.01	15.29	7.61	6.10	1					
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.87	21.01	15.29	7.61	6.10						
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1F4	5.10		19.97	10.01	8.50						
	Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.		1		PE1F4 PE1BW	183.20	25.70	19.97	10.01	8.50	1					
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.		†		PE1BW PE1CW	17.97					+					
	Physical Collocation - Security Access System - Security System		†			17.07			-		1					†
	per Central Office	- 1	1	CLO	PE1AX	75.23						1				

COLLOCA	FION - Mississippi			ı	1	1					1 -		Attachment:		Exhibit: D	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - New Access Card Activation, per Card	ı		CLO	PE1A1	0.0576	27.95	27.95								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card	ı		CLO	PE1AA		7.84	7.84								
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		22.91	22.91								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.17	13.17								
	Physical Collocation - Security Access - Key, Replace Lost or			01.0	DE441		40.47	10.17								
	Stolen Key, per Key	<u> </u>		CLO	PE1AL		13.17	13.17								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,081.40	1,081.40								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.0867										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.1734										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1,22										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	10.91										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	37.26										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	50.24										
	Physical Collocation - Request Resend of CFA Information, per	l		0.0	DE400											1
 	CLLI	ļ	 	CLO	PE1C9		77.41		100 ==							
L	Collocation Cable Records - per request	ļ		CLO	PE1CR		763.69		133.77							
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		328.81		190.22		ļ					
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.84	4.84	5.93	5.93						
	Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		2.27	2.27	2.78	2.78						
	Collocation Cable Records - DS3, per T3TIE	ļ		CLO	PE1C3		7.92	7.92	9.72	9.72						
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		84.98	84.98	77.58	77.58						
l	Physical Collocation - Security Escort - Basic, per Half Hour		<u> </u>	CLO,CLORS	PE1BT		17.02	10.79			<u> </u>					<u> </u>

COLLOCAT	ION - Mississippi												Attachment:	4	Exhibit: D	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Submitted	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.17	13.94								<u> </u>
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.32	17.08								
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application															
	Fee, per application			CLO	PE1DT		583.13									
ADJACENT CO																
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0678										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.68										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0223	12.37	11.87	6.04	5.45						
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0446	12.47	11.94	6.59	5.91						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.05	22.16	16.02	6.60	5.97						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.27	21.01	15.29	7.61	6.10						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.42	21.01	15.29	7.61	6.10						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.62	25.70	19.97	10.01	8.50						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,585.83		0.51							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5.29										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.58										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	15.87										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate			020710		10.01										1
	per AC Breaker Amp			CLOAC	PE1FG	36.65										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															1
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		309.48		168.63							1
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	210.05										1
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.17	13.17							1	
	Physical Collocation in the Remote Site - Space Availability			-	1										İ	†
	Report per Premises Requested			CLORS	PE1SR		116.54	116.54							1	
İ	Physical Collocation in the Remote Site - Remote Site CLLI			-	_	İ										1
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77	37.77							1	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.14									1
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT						j									1
							j									1
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134									1	1
	Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU	0.134	755.62	755.62	-							+
1			1	ote site collocation,											ļ	

OOLLOO!	ION - North Carolina		_	ı	1						I		Attachment:		Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial	- 1		CLO	PE1BA		3,850.00	3,850.00								
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,119.00	3,119.00								
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.	- 1		CLO	PE1SK	1.57										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless	- 1		CLO	PE1SL	3.26										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per Cage	- 1		CLO	PE1SM	110.79										
	Space Preparation Fees - Power Per Nominal -48V Dc Amp	1		CLO	PEIFH	5.76										
	Physical Collocation - Cable Installation			CLO	PE1BD		2,305.00	2,305.00								
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	3.45	,	,								
	Physical Collocation - Cable Support Structure	i	1	CLO	PE1PM	21.33					1				1	
	Physical Collocation - Power -48V DC Power, per Fused Amp	i		CLO	PE1PL	8.50					1					
	Physical Collocation - Power Reduction, Application Fee	i		CLO	PE1PR	0.00	399.13				1					
	1 Trysload Collocation 1 Gwel Reduction, 7 ppiloation 1 ce		1	OLO	I E II IX		000.10									
	Physical Collocation - 120V, Single Phase Standby Power Rate	1		CLO	PE1FB	5.50										
	Friysical Collocation - 120V, Single Friase Standby Fower Rate			OLO	FLIIB	3.30					1					
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.01										
	Physical Collocation - 240V, Single Phase Standby Power Rate	- !	-	CLO	PETFU	11.01										
	District College (100) / The District College (100)			01.0	DE4EE	40.54										
	Physical Collocation - 120V, Three Phase Standby Power Rate		1	CLO	PE1FE	16.51										
	D			0.0	55.50											
	Physical Collocation - 277V, Three Phase Standby Power Rate	ı		CLO	PE1FG	38.12										
	Physical Collocation - 2-Wire Cross-Connects	I		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,	PE1P2	0.32	41.78	39.23								
	Physical Collocation - 4-Wire Cross-Connects	- 1		UCL	PE1P4	0.64	41.91	39.25								
	Physical Collocation - DS1 Cross-Connects	I		CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL CLO, UE3,U1TD3, UXTD3, UXTS1,	PE1P1	2.34	71.02	51.08								
	Physical Collocation - DS3 Cross-Connects	I		UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	42.84	69.84	49.43								
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.94	51.97	38.59								
	Physical Collocation - 4-Fiber Cross-Connect	ı		CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5.62	64.53	51.15								
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	102.76										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	10.44										
	Physical Collocation - Security Access System - Security System															
	per Central Office	1 1	1	CLO	PE1AX	41.03				l	1					ı

COLLOCAT	ON - North Carolina												Attachment:		Exhibit: D	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES(\$)						Submitted	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-
							Nonrec First	urring Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Dhysical Callegation Cogurity Assess System New Assess		1			Rec	FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	Physical Collocation - Security Access System - New Access Card Activation, per Card	ı		CLO	PE1A1	0.062	55.30	55.30								ļ
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card	ı		CLO	PE1AA		15.51	15.51								
	Physical Collocation - Security Access System - Replace Lost or															í
	Stolen Card, per Card			CLO CLO	PE1AR PE1AK		45.34	45.34 26.18								
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or		1	CLO	PETAK		26.18	26.18		-	-					
	Stolen Key, per Key			CLO	PE1AL		26.18	26.18								í
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		2,140.00	2,140.00			1					
-	1 hysical collocation - Space Availability Report per premises			UEANL,UEA,UDN,U	LIOK		2,140.00	2,140.00			1					
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.10										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL,												
	per cross-connect				PE1PF	0.19										ı
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL,	25.120											
	per cross-connect			UNLD1 UEANL,UEA,UDN,U	PE1PG	0.79										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	4.85										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	45.30										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	61.09										
	Physical Collocation - Request Resend of CFA Information, per	l]		1					1
	CLLI		<u> </u>	CLO	PE1C9		77.48			1						
	Collocation Cable Records - per request		<u> </u>		PE1CR		1,707.00			1						
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD	ļ	923.08		ļ	1	1					
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		18.02	18.02								
ļļ_	Collocation Cable Records - DS1, per T1TIE				PE1C1		8.43	8.43		1						
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.51	29.51								
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		278.82	278.82			1					
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		42.92	25.56				l				

COLLOCAT	ION - North Carolina												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs.
							Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		54.51	32.44								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		66.10	39.32								
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLOUDE	DE4E0	0.0018										
	Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO,UDF	PE1ES	0.0018					-					+
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0027										
	Physical Collocation - Co-Carrier Cross Connects - Application			CLO, ULS, USL	FLIDS	0.0027										+
	Fee, per application			CLO	PE1DT		583.66									
ADJACENT CO				020	. 2.5.		000.00									+
7.207.102.11. 01	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.179										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.96										1
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.32	41.78	39.23								
	,,			UEA,UHL,UDL,UCL,												1
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.64	41.91	39.25								
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	2.34	71.02	51.08								
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	42.84	69.84	49.43								
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.94	51.97	38.59								
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5.62	64.53	51.15								
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,153.00									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5.50										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	11.01										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	16.51										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	38.12										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		865.34	865.34								
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	254.02										
	Dhysical Callegation in the Descript City Consists Access Key			CLODE	DEADD		20.00	20.00								
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.06	26.06								
	Physical Collocation in the Remote Site - Space Availability			CLORS	PE1SR		220.00	230.60								
	Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI	-	1	CLUKS	FEISK		230.60	230.60		+	+				-	+
	Code Request, per CLLI Code Requested	l		CLORS	PE1RE		74.74	74.74							1	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	1	1	CLORS	PE1RR		232.94	14.14		+	1				1	+
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT		 	OLONO	LINK		202.34			+					 	+
		-	1							†	+				-	+
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27									1	
	in the second control										1				İ	†
	Remote Site-Adjacent Collocation - Real Estate, per square foot	l		CLORS	PE1RT	0.134									1	
-	Remote Site-Adjacent Collocation-Application Fee		1	CLORS	PE1RU		755.62	755.62			ì					1

ACTEGORY RATE ELEMENTS Interest of the company of	COLLOCAT	ION - South Carolina												Attachment:	4	Exhibit: D	
ATTENDED Part Colore P	COLLOCAT	- South Carolina					1					Svc Order	Svc Order				Incremental
Part																	
Color Colo			Intori														Charge -
Process Coloration Process P	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)					Manual Svc	Manual Svc	Manual Svc	Manual Svc
			m						- (17)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Flectronic-	Flectronic-	Electronic-
Rec First Add SOME SOMAN S																2.000.00	
Project Collocation - Application Fee - Interest Collocation - Application Fee - Interest Collocation - Application Fee - Interest Collocation - Application - App								Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	•	
PRINTSCAL ON INCOTTONS							Pec					SOMEC	SOMAN			SOMAN	SOMAN
Psychological Collection - Application Fee - Friend O.O. PSTEAR 1,866.07 1,870.10 1,570.10 0,511	-						Nec	11100	Auu	11100	Auui	COME	COMAIN	COMPAN	COMPAR	COMPAR	COMPAN
Psychological Collection - Application Fee - Friend O.O. PSTEAR 1,866.07 1,870.10 1,570.10 0,511	DUVELCAL CO	LLOCATION															
Private Collection - Application Fave - Storegorest	PHYSICAL CO				01.0	DE / D /				0.54	0.54						
Prysical Collectories - Space Preparation - Fem Coter Proceed																	
Project Collection - Space Preparation - CO. Marification per Co. D. PETER Co. D. D. PETER Co.	1,570.10	1,570.10	0.51	0.51													
Physical Collocation - 120V, Engle Phose Standby Power Rate CLO PETR S.		Physical Collocation - Space Preparation - Firm Order															
Sequent No. Propried Collocation - State Propagation - Common Systems CLO Print St. 2.75		Processing			CLO	PE1SJ		602.05	602.05								
Separate Color Petrol Petrol Color Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Color Petrol Petrol Petrol Color Petrol Petro		Physical Collocation - Space Preparation - C.O. Modification per															
Physical Collocation - Space Preparation - Common Systems CLC					CLO	PF1SK	2 75										
Modification per square fi - Clappless CLO PE15L 3.24	 				020	1 2 1011	20										
Physical Collocation - Space Preparation - Cornect Systems CLO PE18M 110.16			1		CLO	DE10I	2 24					l	1	1	1	1	
Modification per Cage CLO PF ISM 110.16	\vdash		-	-	OLO	LIOL	3.24					 	-	 	-	 	
Physical Collocation - Cable Installation					0.0	DE 40: :						1	I	1	1	1	
Physical Collocation - Pior Space per 62, F1. CLO PETPI 3.36	L						110.16					ļ					
Physical Collocation - Study Support Structure			<u></u>	<u> </u>			<u> </u>	794.22	794.22	22.54	22.54	L		L	<u> </u>	L	
Physical Collocation - Study Support Structure		Physical Collocation - Floor Space per Sq. Ft.			CLO		3.95										
Physical Collocation - Power -48/07 Deptower, per Flusted Argo C.C.O PETPIR 9.19		Physical Collocation - Cable Support Structure			CLO	PE1PM	21.33										
Physical Collocation - Power Reductors, Application Feet I CLO PETPR 400.33												İ					
Physical Collocation - 120V, Single Phase Standby Power Rate							55	400.33				l	i	1	1	1	
Physical Collocation - 240V, Single Phase Standby Power Rate	 	1 11/51001 CONCOUNTING TOWOT TOUGHOUT, Application 1 66	- '-			11 10	 	400.00				 					
Physical Collocation - 240V, Single Phase Standby Power Rate		Physical Collegation 120V Single Phase Standby Bower Bata			CLO	DE1ED	E 67					1	I	1	1	1	
Physical Collocation - 120V, Three Phase Standby Power Rate		Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PEIFB	5.07										
Physical Collocation - 120V, Three Phase Standby Power Rate																	
Physical Collocation - 277V. Three Phase Standby Power Rate		Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.36										
Physical Collocation - 277V. Three Phase Standby Power Rate																	
UEANL_UEA_UDN_U DC_UAL_UHL_UCL_U DC_UAL_UHL_UHL_UHL_UHL_UHL_UHL_UHL_UHL_UHL_UH		Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	17.03										
UEANL_UEA_UDN_U DC_UAL_UHL_UCL_U DC_UAL_UHL_UHL_UHL_ULL_UHL_UHL_ULL_U DC_UAL_UHL_UHL_UHL_UHL_UHL_UHL_UHL_UHL_UHL_UH																	
UEANL_UEA_UDN_U DC_UAL_UHL_UCL_U DC_UAL_UHL_UHL_ULL_U DC_UAL_UHL_ULL_UHL_UHL_ULL_UHL_UHL_UHL_UHL_UH		Physical Collocation - 277V. Three Phase Standby Power Rate			CLO	PE1FG	39.33										
CLO_UEANL_UEG.W DSIL_WDSIS, USL U1TD1, UXTD1, UXTD1, UXTD1, UXTD1, UXTD1, UXTD1, UXD1, USLE, UNLD1, UDL PE1P1 1.12 22.08 15.96 6.42 5.80 U1TD1, USLE, UNLD1, UDL PE1P1 1.12 22.08 15.96 6.42 5.80 U1TD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXD3, ULD2, ULD3, ULD3, ULD3, ULD12, ULD48, U1TD3, UT112, U1T48, UDL03, ULD12, ULD48, U1T03, UT112, UT148, UDL03, ULD12, ULD48, U1T03, UT112, UT148, ULD13, UT12, UT148, ULD13, UT12, UT148, ULD3, UT12, UT148, ULD3, UT12, UT148, ULD3, UT12, UT148, ULD3, UT12, UT148, ULD3, UT12, UT148, ULD3, UT12, UT148, ULD3, UT12, UT148, ULD3, UT12, UT148, ULD3, UT12, UT148, ULD3, UT12, UT148, ULD3, UT12, UT148, ULD3, UT12, UT148, ULD3, UT12, UT148, ULD3, UT12, UT148, ULD3, UT13, UT13, UT12, UT148, ULD3, UT13,					DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,												
DS1LNDS1S, USL URLD		1 Hysical Collocation - 4-Ville Closs-Collinects				1 - 11 -	0.0002	12.72	11.30	0.40	3.74						
CLO, UE3,U1TD3, UNTD3, UNTD3, UNTD3, UNTD3, UNTD3, UNTD3, UNTD3, UNTD3, UNTD3, UNTD3, UNDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD4, ULDD48, U1TD3, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, UDF PE1F2 2.82 20.94 15.23 7.40 5.93		Dhyrical Callogation, DC4 Cross Connects			DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,	DE4D4	1.12	22.09	15.00	6.42	F 90						
UXTD3, UXTS1, UNC3X, UNCSX, ULD3, UTS1, ULDS1, UNLD3, UDL PE1P3	\vdash	i nyaida donodallon - Don Gross-Confidents	-	-		I E IF I	1.12	22.00	15.90	0.42	5.00	 					
CLO, ULDO3, ULD12, ULD48, U1TO3, UT112, U1T48, UDL03, UDL12, UDF PE1F2 2.82 20.94 15.23 7.40 5.93					UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,	DE 10 -											
ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, UDL12, UDF PE1F2		Physical Collocation - DS3 Cross-Connects				PE1P3	14.21	20.94	15.23	7.39	5.93						
CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T14, U1T03, U1T12, U1T148, UDL03, UDL12, UDF PE1F4 5.01 25.61 19.90 9.73 8.26 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 219.19 Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. CLO PE1CW 21.50 Physical Collocation - Security Access System - Security System CLO PE1CW 21.50 Physical Collocation - Security Access System - Security System CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50 CLO PE1CW 21.50		Dhysical Collocation 2 Fiber Cross Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	DE1E2	2.02	20.04	15.22	7.40	5.03						
ULD12, ULD48, U1T03, U1T12, U1T148, UDL03, Physical Collocation - 4-Fiber Cross-Connect UDL12, UDF PE1F4 5.01 25.61 19.90 9.73 8.26 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 219.19 Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. CLO PE1CW 21.50 Physical Collocation - Security Access System - Security System CLO PE1CW 21.50 Physical Collocation - Security Access System - Security System CLO PE1CW 21.50 Physical Collocation - Security Access System - Security System CLO PE1CW 21.50 Physical Collocation - Security Access System - Security System CLO PE1CW 21.50 Physical Collocation - Security Access System - Security System CLO PE1CW 21.50 Physical Collocation - Security Access System - Security System CLO PE1CW 21.50 Physical Collocation - Security Access System - Security System CLO PE1CW 21.50 Physical Collocation - Security Access System - Security System CLO PE1CW 21.50 Physical Collocation - Security System CLO PE1CW 21.50 Physical Collocation - Security System CLO PE1CW 21.50 Physical Collocation - Security System CLO PE1CW 21.50 Physical Collocation - Security System CLO PE1CW 21.50 Physical Collocation - Security System CLO PE1CW 21.50 Physical Collocation - Security System CLO PE1CW 21.50 Physical Collocation - Security System CLO PE1CW 21.50 Physical Collocation - Security System CLO PE1CW 21.50 Physical Collocation - Security System CLO PE1CW 21.50 Physical Collocation - Security System CLO PE1CW 21.50 Physical Collocation - Security System CLO PE1CW 21.50 Physical Collocation - Security System CLO PE1CW 21.50 Physical Collocation - Security System CLO PE1CW 21.50 Physical Collocation - Security System CLO PE1CW 21.50 Physical Collocation - Security System CLO PE1CW 21.50 Physical Collocation - Secu	\vdash	r nysicai Conocation - 2-ribei Cioss-Connect				FLIFZ	2.82	20.94	13.23	7.40	5.93	 	-	-	-	-	
Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. CLO PE1CW 21.50 Physical Collocation - Security Access System - Security System					ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF			25.61	19.90	9.73	8.26						
Physical Collocation - Security Access System - Security System																	
					CLO	PE1CW	21.50										
		Physical Collocation - Security Access System - Security System															
		per Central Office	1		CLO	PE1AX	74.72					l	1	1	1	1	

COLLOCA	ΓΙΟΝ - South Carolina		1	ı	1	1							Attachment:		Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0601	27.85	27.85								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card			CLO	PE1AA		7.81	7.81								
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		22.83	22.83								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.13	13.13								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		13.13	13.13								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,077.57	1,077.57								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.085										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, USL, UNCVX, UNCDX UEANL, UEA, UDN, U	PE1PF	0.1701										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1,20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	10.71										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	36.55										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	49.29										
	Physical Collocation - Request Resend of CFA Information, per			0.0	D= 40-											
	CLLI		1	CLO	PE1C9		77.71									
	Collocation Cable Records - per request			CLO	PE1CR		760.98		133.29							
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		327.65		189.54							
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.82	4.82	5.91	5.91						
	Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		2.26	2.26	2.77	2.77						
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7.90	7.90	9.68	9.68						
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		84.68	84.68	77.30	77.30						
r t	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.96	10.75								

COLLOCAT	ION - South Carolina												Attachment:		Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.10	13.89								
	District College in Constitution of Description and Helf Head			01 0 01 0 00	DE 4 DT		07.00	47.00								
	Physical Collocation - Security Escort - Premium, per Half Hour Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO,CLORS	PE1PT		27.23	17.02								
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO,UDF	PETES	0.001										
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application			OLO, OLO, OOL	LIDO	0.0013										
	Fee, per application			CLO	PE1DT		584.42									
ADJACENT CO																
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0264	12.32	11.83	6.04	5.45						
	·			UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0527	12.42	11.90	6.40	5.74						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.08	15.96	6.42	5.80						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.00	20.94	15.23	7.39	5.93						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.37	20.94	15.23	7.40	5.93						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.53	25.61	19.90	9.73	8.26						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,580.20		0.51							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5.67										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			0.0.0	DE 1 E D	44.00										
	per AC Breaker Amp			CLOAC	PE1FD	11.36										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	PE1FE	17.03										
	per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLUAC	PETFE	17.03										
	per AC Breaker Amp			CLOAC	PE1FG	39.33										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE			CLOAC	FLIIG	39.33										
I	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		308.38	308.38	168.60	168.60						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44	000.00	000.00	100.00	100.00						
	Cabinet opace in the Hemote cite per Bay, Hack			020110		2.0										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.13	13.13								
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		116.13	116.13								
	Physical Collocation in the Remote Site - Remote Site CLLI					j	ĺ		İ							
	Code Request, per CLLI Code Requested		<u></u>	CLORS	PE1RE		37.64	37.64	<u> </u>						<u> </u>	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.50									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT							·								
															1	
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		<u> </u>	CLORS	PE1RS	6.27										ļ
	Demote Cite Adiacest Collegetics - Deal Fetate			CL ODC	DEADT	0.404									1	
	Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation-Application Fee		1	CLORS CLORS	PE1RT PE1RU	0.134	755.62	755.62							1	1
	: If Security Escort and/or Add'l Engineering Fees become nec															

COLLOCA	TION - Tennessee												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL C	OLLOCATION Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,767.00	3,767.00						1		
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,140.00	3,140.00								
	Physical Collocation - Space Preparation - Firm Order						5,115155									
	Processing	- 1		CLO	PE1SJ		1,204.00	1,204.00								
	Physical Collocation - Space Preparation - C.O. Modification per	l .		0.0	DE 1011											
	square ft. Physical Collocation - Space Preparation - Common Systems			CLO	PE1SK	2.74								1		
	Modification per square ft Cageless	l ,		CLO	PE1SL	2.95										
	Physical Collocation - Space Preparation - Common Systems			020	. 2.02	2.00										
	Modification per Cage	I		CLO	PE1SM	100.14										
	Physical Collocation - Cable Installation			CLO	PE1BD		1,757.00	1,757.00								
	Physical Collocation - Floor Space per Sq. Ft. Physical Collocation - Cable Support Structure			CLO CLO	PE1PJ PE1PM	6.75 19.80								1		
	Physical Collocation - Cable Support Structure Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.87										
	Physical Collocation - Power Reduction, Application Fee	i		CLO	PE1PR	0.07	400.10									
	Physical Collocation - 120V, Single Phase Standby Power Rate	-		CLO	PE1FB	5.60										
	Physical Collocation - 240V, Single Phase Standby Power Rate	ı		CLO	PE1FD	11.22										
	Physical Collocation - 120V, Three Phase Standby Power Rate	1		CLO	PE1FE	16.82										
	Physical Collocation - 277V, Three Phase Standby Power Rate	1		CLO	PE1FG	38.84										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL,	PE1P2	0.033	33.82	31.92								
				UDN, UEA, UHL,												
	Physical Collocation - 4-Wire Cross-Connects			UNCVX, UNCDX, UCL	PE1P4	0.066	33.94	31.95								
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.51	53.27	40.16								
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	19.26	52.37	38.89								
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1F2	15.64	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
	Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.		1	UDL12, UDF CLO	PE1F4 PE1BW	28.11 218.53	50.53	38.78	16.97	14.35	-	1	2.69	2.69	1.56	1.56
1	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	ļ	1		PE1BW PE1CW	218.53						ļ	ļ			

CATEGORY RATE ELEMENTS Intent Zone BCS USOC RATES(\$) Sec Order Sec Order Charge-Barbara Election Submitted Charge-Barbara Election Septiments Section Secti	chibit: D																((()) ()((\D))
CATEGORY RATE ELEMENTS Inter m	STREETHALL HICKMINES					Svc Order							1			OATION Telliessee	COLLOCATI
CATEGORY RATE ELEMENTS Interior 2000 BCS USOC RATES(\$) Elic Manually Not Per LSR Manually Not Per LSR	Charge - Charge												1				
Coling Coling	anual Svc Manual S													_	Interi		
Nonrecurring Nonrecurring Security Access System - Security System CLO PE1AX S.5.59	Order vs. Order vs				-				ES(\$)			USOC	BCS	Zone		RY RATE ELEMENTS	CATEGORY
Nonrecurring Nonrecurring Disconnect OSS Rates(S)	lectronic- Electron				per Lor	per Lor											
Physical Collocation - Security Access System - Security System per Central Office CLO PE1AX 55.99 CLO PE1AX 55.99 CLO PE1AX 55.99 CLO PE1AX 55.99 CLO PE1AX CLO PE1	ectionic- Liection	,- Liect	Liectionic	Liectionic-													
Physical Collocation - Security Access System - Security System per Central Office Per Ce																	
Physical Collocation - Security Access System - New Access CLO PE1AX 55.99																	
Der Central Office CLO	SOMAN SOMAN	SOI	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First A	dd'l	st	Rec					District College in Accordance Control Control	
Physical Collocation - Security Access System - Mark Access Card per Card											EE 00	DE1AV	CLO				
CLO PE1A1 0.059 55.67		+-	-						-		55.99	PETAX	CLO				
Physical Collocation - Security Access System - Administrative CLO PE1AA 15.61 15.61									55 67	55 67	0.050	DE1A1	CLO				
Change, existing Access Card, per Card		+-							00.07	00.01	0.000	1 = 17(1	OLO				
Physical Collocation - Security Access System - Replace Lost or Stoken Card, per Card									15.61	15.61		PE1AA	CLO				
Physical Collocation - Security Access - Key, Replace Lost of Stolen Key, per Key																	
Physical Collocation - Security Access - Key, Replace Lost or Science Key per Key CLO PE1AL 26.24 26.24 Science Key per Key Physical Collocation - Space Availability Report per premises I CLO PE1SR 2,027,00 2,154.00 CLO. CLO. CLO. PE1SR 2,027,00 2,154.00 CLO. CLo. CLo																	
Stolen Key, per Key									26.24	26.24		PE1AK	CLO				
Physical Collocation - Space Availability Report per premises 1			1														1
POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, UNLOW, UNCOX, UNCOX PE1PE 0.40 UEANL, UEA, UDN, U DC, UAL, UH, UCL, U EQ, CLO, USL, UNCOX, UNCOX PE1PF 1.20 UEANL, UEA, UDN, U DC, UAL, UH, UCL, U EQ, CLO, USS, USL, UTD1, UXTD1, UNCOX, ULDD1, USLEL, UNLD1 PE1PG 1.20 UEANL, UEA, UDN, U DC, UAL, UH, UCL, U EQ, CLO, UES, UNLD1 UEANL, UEA, UDN, U DC, UAL, UH, UCL, U EQ, CLO, UES, UNLD3, UTTS1, UNCOX, ULDD3, UTTS1, UDS3, UNCOX, UNCOX, ULDD3, UTTS1, UDS1, UNLD3, UDL, UDLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLD3, UNLS3, UNLS3, UNLD3, UNLS3, UNLS3, UNLD3, UNLS3, UNLS3, UNLD3, UNLS3, UNL	\longrightarrow	$+\!-\!$	1	-										-	 		
DC_UAL_UHL_UCL_U EQ_CLO_UDL UNCVX_UNCDX DC_UAL_UHL_UCL_U EQ_CLO_UDL UNCVX_UNCDX DC_UAL_UHL_UCL_U EQ_CLO_USL UNCVX_UNCDX DC_UAL_UHL_UCL_U EQ_CLO_USL UNCVX_UNCDX DC_UAL_UHL_UCL_U EQ_CLO_USL UNCVX_UNCDX DC_UAL_UHL_UCL_U EQ_CLO_USL UNCVX_UNCDX DC_UAL_UHL_UCL_U EQ_CLO_USL UNCVX_UNCDX DC_UAL_UHL_UCL_U EQ_CLO_USL UNCVX_UNCDX DC_UAL_UHL_UCL_U EQ_CLO_USL UNCVX_UNCDX DC_UAL_UHL_UCL_U EQ_CLO_USL UNCVX_UNCDX UNCVX_UNCDX UNCVX_UNCDX UNCVX_UNCDX_UN		+-	 						,154.00	127.00	+	PE15K				Priysical Collocation - Space Availability Report per premises	
POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect D.C.O.X., UNCOX, UNCOX, UNCOX, UNCOX, UNCOX D.C.O.A., UNCOX, UNC			1														1
POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/9			1														1
DECIDIAL DECIDIAL			1													POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect.	1
POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX DC,UAL,UHL,UCL,U EQ,CLO, WDS1L,W DSIS, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 PE1PG 1.20											0.40	PE1PE					
POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect EQ.CLO, USL. UNCVX, UNCDX PE1FF 1.20			1												l		
Der cross-connect UNCVX, UNCDX PE1PF 1.20			1										DC,UAL,UHL,UCL,U				1
UEANL_UEA_UDN,U DC,UAL_UHL_UCL_U EQ.(CL,O,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 PE1PG 1.20																	
DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 USLEL, UNLD1 USLEL, UNLD1 USLEL, UNLD1 USLA, ULDD1, USLEL, UNLD1 USLA, ULD01, USLEL, UNLD1 DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDD3, UNTS1, ULDD3, UNTS1, ULDD3, UNTS1, ULDD1, UDLSX PE1PH 8.00 UEANL, UEA, UDN, UDLSX USAN, UDLSX UD			ļ								1.20	PE1PF				per cross-connect	
EQ.CLO.WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UND1, USLEL, UND1, USLEL, UNLD1 USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1 DC;UAL,UHL,UCL,U EQ.CLO.UE3, U1TD3, UXTD3, UXTD3, UXTS1, UNC3X, UNC3X, ULDD3, USLD3, ULDD3, USLED, UNC3X, ULDD3, USLED, UNC3X, ULDD3, USLED, UNLD3, UDL, USLEL UNLD3, UDL, USLEL DS3 Cross-Connect, UNLD3, UDL, UDLSX PE1PH 8.00 UEANL,UEA,UDN,U DC;UAL,UHL,UCL,U EQ.CLO, ULDO3, USLEA,ULDA,U DC;UAL,UHL,UCL,U EQ.CLO, ULDO3, USLEA,ULDA,U DC;UAL,UHL,UCL,U EQ.CLO, ULDO3, USLEA,UDN,U DC;UAL,UHL,UCL,U EQ.CLO, ULDO3, USLEA,UDN,U DC;UAL,UHL,UCL,U EQ.CLO, ULDO3, USLEA,UDN,U DC;UAL,UHL,UCL,U EQ.CLO, ULDO3, USLEA,UDN,U DC;UAL,UHL,UCL,U EQ.CLO, ULDO3, USLEA,UDN,U DC;UAL,UHL,UCL,U EQ.CLO, ULDO3, USLEA,UDN,U DC;UAL,UHL,UCL,U EQ.CLO, ULDO3, USLEA,UDN,U DC;UAL,UHL,UCL,U EQ.CLO, ULDO3, USLEA,UDN,U DC;UAL,UHL,UCL,U EQ.CLO, ULDO3, USLEA,UDN,U DC;UAL,UHL,UCL,U EQ.CLO, ULDO3, USLEA,UDN,U DC;UAL,UHL,UCL,U EQ.CLO, ULDO3, USLEA,UDN,U EQ.CLO,																	
DS1S, USL, U1TD1, UND1, UND1, UND1, UND1, UND1, UND1, UND1, UND1, USLEL, UND1, USLEL, UNLD1 PE1PG 1.20																	
POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect UXTD1, UNC1X, ULDD1, USLEL, UNLD1 PE1PG 1.20																	
POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect ULDD1, USLEL, UNLD1 PE1PG 1.20 UEANL, UEA, UDN, UDC, UAL, UHL, UCL, UEQ, CLO, UE3, U1TD3, UXTD3, UXTD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, UDS1, UNLD3, UDL, per cross-connect UDLSX PE1PH 8.00 UEANL, UEA, UDL, UDLSX PE1PH 8.00 UEANL, UEA, UDL, UDL, UDL, UDL, UDL, UDL, UDL, UDL																	
Dec Dec																POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect.	
DC,UAL,UHL,UCL,U EQ,CLO,UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UNLD3, UDL, UDLSX PE1PH 8.00 UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3,											1.20	PE1PG					
EQ,CLO,UE3,																	
U1TD3, UXTD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, UNCSX, ULDD3, U1TS1, ULDS1, UNCSX, ULDD51, UNLD51, UNLD51, UNLD51, UNLD51, UDLSX PE1PH 8.00 PE1PH 8.00 PE1PH 8.00 PEQCALO, ULDO3, UDC, UAL, UHL, UCL, U EQ., CLO, ULDO3, PEQCALO, ULDO3, UDC, ULDO3																	
UXTS1, UNC3X, UNC3X, UNC5X, ULDD3, ULTS1, ULDS1, UNLD3, ULTS1, ULDS1, UNLD3, ULDS1, UNLD3, UDL, UDLSX PE1PH 8.00 UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3,																	
UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX PE1PH 8.00 UEANIL, UEA, UDL, UDL, UDL, UDL, UDL, ULL, ULL, ULL																	
U1TS1, ULDS1, UNLD3, UDL, UDLSX PE1PH 8.00 UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, EQ, CLO, ULDO3, U1TS1, ULDS1, UNLD3, UDL, UDLSX PE1PH R.00 UEANL, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD																	
POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, UNLD3, UDL, UDLSX PE1PH 8.00																	
Der cross-connect			1													POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect	1
UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3,			1								8.00	PE1PH					1
			1	1													
			1														1
													ULD12, ULD48,				
DOT Dot Approximate 2(4/00 - 0 Fiber County U1TO3, U1T12, U1TO3, U1T12, U1TO3, U			1													DOT Day Assessments asias to 0/4/00 to 57 to 000 to	1
POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, U1T48, UDLO3, Per Cross-Connect UDL12, UDF PE1B2 38.79			1								29 70	DE1D2					1
Per Cross-Connect UDL12, UDF PE1B2 38.79		+-	1					-	+	+	30.19	FLID2		\vdash	1	F 61 01055-001111801	
DEANL, UCL, U			1														1
			1														1
ULD12, ULD48,													ULD12, ULD48,				
			1														1
POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, U1T48, UDLO3,																	
per cross-connect UDL12, UDF PE1B4 52.31		\bot									52.31	PE1B4	UDL12, UDF		ļ		
Physical Collocation - Request Resend of CFA Information, per			1							77.07		DE400	CI O				1
CLLI CLO PE1C9 77.67		+-	 						-		+				1		
Collocation Cable Records - V6/DSQ Cable, per cable record CLO PETCD 925,06		+-	1					-	+		+			\vdash	1		
	-	+	1					-	+	20.00	+	1 2100	020			Conceation Cable Records - vo/200 Cable, per cable record	
Collocation Cable Records - VG/DS0 Cable, per each 100 pair CLO PE1CO 18.05 18.05			1						18.05	18.05		PE1CO	CLO			Collocation Cable Records - VG/DS0 Cable, per each 100 pair	1
Collocation Cable Records - DS1, per T1TIE CLO PE1C1 8.45 8.45			1	1					8.45	8.45		PE1C1	CLO			Collocation Cable Records - DS1, per T1TIE	
Law to all But and a page trains	· i								29.57	29.57		PE1C3	CLO			Collocation Cable Records - DS3, per T3TIE	

COLLOCA	FION - Tennessee				· <u> </u>		· <u></u>						Attachment:	4	Exhibit: D	
											Svc Order	Svc Order	Incremental			Incrementa
		1									Submitted			Charge -	Charge -	Charge -
		Interi	l_					DATES(A)			Elec	Manually				
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)								
											per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
									1			I .		1	1	
							Nonrecurring		Nonrocurrin	g Disconnect			000	Rates(\$)		
			 			Rec		Add'l	First		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Outleasting Outle Bounds Film Outle and OO film outle			01.0	DETOD	Rec	First		FIRST	Add'l	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		279.42	279.42								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.91	21.49								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.17	27.76								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.42	34.02								
	Physical Caged Collocation-App Cost(initial & sub)-Planning,															
	per request			CLO	PEIAC	16.16	2,903.66	2,903.66								
	Physical Caged Collocation-Space Prep-Grounding, per location			CLO	PE1BB	4.32					1	1				
	Physical Caged Collocation-Space Prep-Power Delivery, per 40				1							1		1	1	1
	amp Feed	1	1	CLO	PE1SN		142.40				1					
 	Physical Caged Collocation-Space Prep-Power Delivery, per 100		 	- -			20					1	1	1	1	1
	amp Feed	1	1	CLO	PE1SO		185.72				1					
 	Physical Caged Collocation-Space Prep-Power Delivery, per 200	 	 	020	. 2.00		100.72		1	1	1	1	1	1	1	1
1 1	amp Feed	1		CLO	PEISP		242.05									
\vdash		 	├	OLO	FEIOF		242.05		 	 	 	-	 	1	1	1
1 1	Physical Caged Collocation-Space Enclosure-Cage Preparation,			CLO	DE104	440.07										
	per first 100 sq. ft.			CLO	PE1S1	110.97										
	Phycical Caged Collocation-Space Enclosure-Cage															
	Preparation2, per add'l 50 sq. ft.			CLO	PE1S5	55.49										
	Physical Caged collocation-Cable Installation-Entrance Fiber															
	Structure, interduct per ft.			CLO	PE1CP	0.0156										
	Phycical Caged Collocation-Cable Installation-Entrance Fiber,															
	per cable			CLO	PE1CQ	2.56	944.27									
	Physical Caged Collocation-Floor Space-Land & Buildings, per															
	sq. ft.			CLO	PE1FS	5.94										
	Physical Caged Collocation-Cable Support Structure-Cable															
	Racking, per entrance cable			CLO	PE1CS	21.47										
 	Plhysical Caged Collocation-Power-Power Consumption, per			020												
	amp DC plant			CLO	PE1PN	3.55										
	Physical Caged Collocation-Power-Power Consumption,per amp			CLO	FLIFIN	3.33										
	AC usage			CLO	PE1PO	2.03										
		-	-	CLO	PETPU	2.03										
	Physical Caged Collocation-2-wire Cross Connects-Voice Grade			CLO	DE 400	0.0475	7.00									
	ckts, per ckt.			CLO	PE12C	0.0475	7.68									
	Physical Caged Collocation-4-wire Cross Connects-Voice Grade															
\vdash	Ckts, per ckt.		 	CLO	PE14C	0.0475	7.68							ļ	ļ	ļ
	Physical Caged Collocation-DS1 Cross Connects-connection to	1	1	L	L						1					
	DCS, per ckt.			CLO	PE11S	7.68	41.65								1	ļ
1 1	Physical Caged Collocation-DS1 Cross Connects-Connection to															
	DSX, per ckt.			CLO	PE11X	0.38	41.65									
	Physical Caged Collocation-DS3 Cross Connects-Connection to		1			<u> </u>										
	DCS, per ckt.			CLO	PE13S	53.96	298.03				1	1				
	Physical Caged Collocation-DS3 Cross Connects-Connection to															
	DSX, per ckt.			CLO	PE13X	9.32	298.03				1	1				
	Physical Caged Collocation-Security Access-Access Cards, per										İ	İ				
	5 Cards	1	1	CLO	PE1A2		76.10				1					
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable		1	-	T -	İ			Ì	Ì	1	İ	Ì	İ	İ	i e
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0013					1	1				
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax	1	1	,00.		0.0010			<u> </u>	<u> </u>	1	1		1	1	1
	Cable Support Structure, per cable, per lin. ft.	1	1	CLO, UE3, USL	PE1DS	0.0019					1					
\vdash	Physical Collocation - Co-Carrier Cross Connects - Application	 	1	OLO, OLO, UOL	LLIDO	0.0019	1		1	}	1	}	}	1	1	1
1 1	Fee, per application			CLO	PE1DT		585.09				1	1				
AD IACENT		1	1	CLO	PEIDI		ეგე.09		1	1	1	1	1	1	1	1
ADJACENT (COLLOCATION			CLOAC	DE4 IA	0.0050			1	1		1	1	1	1	1
 	Adjacent Collocation - Space Charge per Sq. Ft.	<u> </u>	<u> </u>	CLOAC	PE1JA	0.0656			ļ	ļ		1	-	ļ	ļ	
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.		 	CLOAC	PE1JC	5.53								ļ	ļ	ļ
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.034	11.12	10.18	11.33	10.23]]	1.77	1.77	1.12	1.12
1 -		1	1	UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.33	11.30	10.31	11.62	10.44	1	1	1.77			
	Adjacent Collocation - DS1 Cross-Connects	[USL,CLOAC	PE1P1	1.70	28.39	16.88	11.65	10.54			1.77	1.77	1.12	1.12

COLLOCAT	ION - Tennessee												Attachment:	-	Exhibit: D	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORI	NATE ELEMENTO	m	20116	B00	0000			πΑ1 Ε0(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-		Electronic-	Electronic-	Electronic-	Electronic-
							Nonrecurring		Nonrecurring	Disconnect			088	Rates(\$)		I.
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	19.03	26.23	15.51	13.40	10.77	JONEC	JONAN	1.77	1.77	1.12	1.12
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.49	26.23	15.51	13.41	10.78			1.77	1.77	1.12	1.12
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.50	29.75	19.02	17.60	14.97			1.77	1.77	1.12	1.12
	Adjacent Collocation - Application Fee			CLOAC	PE1JB	0.00	2.973.00	.0.02	0.9475						2	2
	Adjacent Collocation - 120V, Single Phase Standby Power Rate						_,_,_,_									
	per AC Breaker Amp			CLOAC	PE1FB	5.81										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	11.64										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	17.45										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	40.30										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		580.20		312.76							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	220.41										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		24.69									
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		218.49									
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		70.81									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.15									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
		ĺ			[
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134			ļ							
	Remote Site-Adjacent Collocation-Application Fee If Security Escort and/or Add'l Engineering Fees become nec			CLORS	PE1RU		755.62	755.62								

ATTACHMENT 5 ACCESS TO NUMBERS AND NUMBER PORTABILITY

TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
SC	2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT DLUTION (LNP)	
3.	INTERIM SERVICE PROVIDER NUMBER PORTABILITY (ISPNP)	4
4.	ISPNP IMPLEMENTATION	5
5.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	7
D o	otos – Fyhi	hit A

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- 1.1 During the term of this Agreement, where NTBS is utilizing its own switch, NTBS shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, NTBS will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- Where BellSouth provides local switching or resold services to NTBS, BellSouth will provide NTBS with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. NTBS acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. NTBS acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that NTBS return unused intermediate numbers to BellSouth. NTBS shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 1.3 BellSouth will allow NTBS to designate up to 100 intermediate telephone numbers per rate center for NTBS's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. NTBS acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)

2.1 The Parties will offer Number Portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora. Interim Service Provider Number Portability (ISPNP) will be available only in those end offices where no carrier has requested implementation of Local Service Provider Number Portability – Permanent Solution (LNP). Once LNP is implemented in an end office pursuant to the request of a carrier, both Parties must withdraw their ISPNP offerings. The transition from existing ISPNP arrangements to LNP shall occur

within one hundred and twenty (120) days from the date LNP is implemented in the end office. Neither Party shall charge the other Party for conversion from ISPNP to LNP.

- 2.2 <u>End User Line Charge</u>. Where NTBS subscribes to BellSouth's local switching, BellSouth shall bill and NTBS shall pay the end user line charge associated with implementing LNP as set forth in BellSouth's FCC Tariff No. 1. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.
- To limit service outage, BellSouth and NTBS will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and NTBS.
- 2.4 The Parties will set Local Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- 2.7 BellSouth and NTBS will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.

3. INTERIM SERVICE PROVIDER NUMBER PORTABILITY (ISPNP)

3.1 Where LNP has not been implemented in an end office, the Parties shall provide ISPNP. ISPNP is a service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same BellSouth rate center as his existing number. Except as otherwise expressly provided herein, ISPNP is available only where the local exchange carrier is currently providing basic local exchange service to the end user. ISPNP for a particular assigned telephone number will be disconnected when any end user, Commission, BellSouth, or CLEC initiated activity (e.g., a change in exchange / rate center boundaries) would normally result in a telephone number change had the end user retained his initial local exchange service.

- 3.2 <u>Methods of Providing ISPNP</u>. ISPNP is available through either remote call forwarding or direct inward dialing trunks. Remote call forwarding (ISPNP-RCF) is an existing switch-based service that redirects calls within the telephone network. Direct inward dialing trunks (ISPNP-DID) allow calls to be routed over a dedicated facility to the switch that serves the subscriber.
- 3.3 <u>Signaling Requirements</u>. SS7 Signaling is required for the provision of ISPNP services.
- 3.4 Rates
- 3.4.1 Rates for ISPNP are set out in Exhibit A to this Attachment. If no rate is identified in the Attachment, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

4. ISPNP IMPLEMENTATION

- 4.1 ISPNP-RCF is a telecommunications service whereby a call dialed to an ISPNP-RCF equipped telephone number is automatically forwarded to an assigned seven-or ten- digit telephone number within the local calling area as defined in BellSouth's General Subscriber Services Tariff. The forwarded-to number shall be specified by NTBS or BellSouth, as appropriate. The forwarding Party will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the ISPNP-RCF end user cannot be guaranteed, however. ISPNP-RCF provides a single call path for the forwarding of no more than one call to the receiving Party's specified forwarded-to number. Additional call paths for the forwarding of multiple simultaneous calls are available on a per path basis at rates as outlined in this Attachment.
- 4.2 ISPNP-DID service provides trunk side access to end office switches for direct inward dialing to the other Party's premises equipment from the telecommunications network to lines associated with the other Party's switching equipment and must be provided on all trunks in a group arranged for inward service. ISPNP-DID is available from BellSouth on a per DS0, DS1 or DS3 basis. A ISPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched dedicated transport apply as contained in BellSouth's Intrastate Access Services tariff, as amended from time to time. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method. ISPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes. Transport

facilities arranged for ISPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities. ISPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering Party is properly equipped. Where ISPNP-DID service is required from more than one wire center or from separate trunk groups within the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service. Only customer-dialed sent-paid calls will be completed to the first number of an ISPNP-DID number group; however, there are no restrictions on calls completed to other numbers of an ISPNP-DID number group. Sent-paid calls refer to those calls placed by an end user who physically deposits currency in a public telephone. Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in BellSouth's Intrastate Access Services Tariff, § E6.1.3.A as amended from time to time.

- 4.3 ISPNP-DID Service requires ordering consecutive telephone numbers in blocks of twenty. NTBS may order non-consecutive telephone numbers or telephone numbers in less than blocks of twenty pursuant to BellSouth's tariffs.
- 4.4 The calling Party shall be responsible for payment of the applicable charges for sent-paid calls to the ISPNP number. For collect, third-party, or other operatorassisted non-sent paid calls to the ported telephone number, BellSouth or NTBS shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable. Either Party may request that the other Party block collect and third party non-sent paid calls to the ISPNP-assigned telephone number. If a Party does not request blocking, the other Party will provide itemized local usage detail for the billing of non-sent paid calls on the monthly bill of usage charges provided at the individual end user account level. The detail will include itemization of all billable usage. Each Party shall have the option of receiving this usage data on a daily basis via a data file transfer arrangement. This arrangement will utilize the existing industry uniform standard, known as EMI standards, for exchange of billing data. Files of usage data will be created daily for the optional service. Usage originated and recorded in the sending BellSouth RAO will be provided in unrated or rated format, depending on the processing system. NTBS usage originated elsewhere and delivered via CMDS to the sending BellSouth RAO shall be provided in rated format.
- 4.5 The new service provider shall be responsible for obtaining authorization from the end user for the handling of the disconnection of the end user's service, the provision of new local service and the provision of ISPNP services. Each Party shall be responsible for coordinating the provision of service with the other to assure that its switch is capable of accepting ISPNP ported traffic. Each Party shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other Party or any of its end users. In the event that either Party determines in its reasonable judgment that the other Party will likely impair or is impairing or interfering with any equipment, facility or service of any of its end users, that Party may either

refuse to provide ISPNP service or may terminate ISPNP service to the other Party after providing appropriate notice.

- 4.6 Each Party shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to ISPNP-DID services for which it is not presently providing local exchange service or terminating to an end user. Where either Party chooses to disconnect or terminate any ISPNP service, that Party shall be responsible for designating the preferred standard type of announcement to be provided.
- 4.7 End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over ISPNP facilities and the fact that another carrier is involved in the provisioning of service. Neither Party shall specify end-to-end transmission characteristics for ISPNP calls.
- 4.8 Where ISPNP-RCF is utilized for ISPNP, for terminating IXC traffic ported to either Party which requires use of either Party's tandem switching, the tandem provider will bill the IXC tandem switching, the interconnection charge, and a portion of the transport, and the other Party will bill the IXC local switching, the carrier common line and a portion of the transport. If the tandem provider is unable to provide the necessary access records to permit the other Party to bill the IXC directly for terminating access to ported numbers, then the tandem provider will bill the IXC full terminating switched access charges at the tandem provider's rate and will compensate the other Party at the tandem Party's tariff rates via a process used by BellSouth to estimate the amount of ported switched access revenues due the other Party. If an intraLATA toll call is delivered, the delivering Party will pay terminating access rates to the other Party.

5. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

5.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

ERVICE PR	OVIDER NUMBER PORTABILITY - Alabama												Attachment:	5	Exhibit: A	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 2011	Electronic-		Electronic-	Electronic
													1st	Add'I	Disc 1st	Disc Add
													151	Auu	DISC 1St	DISC Auu
							Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Any element that can be ordered electronically will be bille	d accoud!		- COMEC sets lists	d Diagon and	an ta DallCauthi	- D D	dee feet eeel (Sandardina (DDD	I O) to determ					41	-4-41-4
cannot	be ordered electronically at present per the BBR-LO, the li	sted SOM	EC rate	reflects the charge	that would b	e billed to a CLI	EC once elect	ronic ordering	capabilities co	me on-line fo	r that eleme	nt. Otherw	ise, the manu	al ordering cl	narge, SOMAN	l, will be
cannot applied	be ordered electronically at present per the BBR-LO, the li	sted SOM	IEC rate	reflects the charge	that would b	e billed to a CLI	EC once elect	ronic ordering	capabilities co	ome on-line fo	r that eleme	ent. Otherw	ise, the manu	al ordering ch	harge, SOMAN	l, will be
cannot applied NTERIM SERV	be ordered electronically at present per the BBR-LO, the lid to a CLEC's bill when it submits an LSR to BellSouth. VICE PROVIDER NUMBER PORTABILITY	sted SOM	IEC rate	reflects the charge				ronic ordering		ome on-line fo		nt. Otherw	<u> </u>			
cannot applied NTERIM SERV	be ordered electronically at present per the BBR-LO, the li to a CLEC's bill when it submits an LSR to BellSouth. IJCE PROVIDER NUMBER PORTABILITY IRCF, per number ported (Business Line)	sted SOM	EC rate	reflects the charge	TNPBL	2.13 2.13	0.65 0.65	ronic ordering	0.07 0.07	ome on-line fo	3.50 3.50	nt. Otherw	19.99 19.99	19.99		19.9
cannot applied NTERIM SERV	be ordered electronically at present per the BBR-LO, the li to a CLEC's bill when it submits an LSR to BellSouth. //ICE PROVIDER NUMBER PORTABILITY RCF, per number ported (Business Line) RCF, per number ported (Residence Line)	sted SOM	EC rate	reflects the charge	TNPBL	2.13	0.65	ronic ordering	0.07	ome on-line fo	3.50	ent. Otherwi	19.99	19.99	19.99	19.9
cannot applied NTERIM SERV	be ordered electronically at present per the BBR-LO, the li to a CLEC's bill when it submits an LSR to BellSouth. IJCE PROVIDER NUMBER PORTABILITY IRCF, per number ported (Business Line)	sted SOM	EC rate	reflects the charge	TNPBL	2.13	0.65	ronic ordering	0.07	ome on-line fo	3.50	nt. Otherwi	19.99	19.99	19.99	19.9
cannot applied NTERIM SERV	be ordered electronically at present per the BBR-LO, the list of a CLEC's bill when it submits an LSR to BellSouth. ICE PROVIDER NUMBER PORTABILITY RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, add'l capacity for simultaneous call forwarding, per	sted SOM	EC rate	reflects the charge	TNPBL	2.13 2.13	0.65	ronic ordering	0.07	ome on-line fo	3.50	nt. Otherwi	19.99	19.99	19.99	19.9 19.9 19.9
cannot applied VTERIM SERV	be ordered electronically at present per the BBR-LO, the lit to a CLEC's bill when it submits an LSR to BellSouth. ICCE PROVIDER NUMBER PORTABILITY RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, add'l capacity for simultaneous call forwarding, per additional path	sted SOM	EC rate	reflects the charge	TNPBL TNPRL	2.13 2.13	0.65 0.65		0.07		3.50 3.50	nt. Otherw	19.99	19.99 19.99	19.99	19.9 19.9
cannot applied VTERIM SERV	be ordered electronically at present per the BBR-LO, the li to a CLEC's bill when it submits an LSR to BellSouth. ICE PROVIDER NUMBER PORTABILITY IRCF, per number ported (Business Line) IRCF, per number ported (Residence Line) IRCF, add'l capacity for simultaneous call forwarding, per additional path IRCF, per service order, per location (Business)	sted SOM	EC rate	reflects the charge	TNPBL TNPRL	2.13 2.13	0.65 0.65	1.44	0.07 0.07	1.44	3.50 3.50 3.50	nt. Otherwi	19.99 19.99	19.99 19.99	19.99 19.99	19.9 19.9
cannot applied NTERIM SERV	be ordered electronically at present per the BBR-LO, the li to a CLEC's bill when it submits an LSR to BellSouth. ICE PROVIDER NUMBER PORTABILITY RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence)	sted SOM	EC rate	reflects the charge	TNPBL TNPRL	2.13 2.13	0.65 0.65	1.44	0.07 0.07	1.44	3.50 3.50 3.50	nt. Otherw	19.99 19.99	19.99 19.99 19.99 19.99	19.99 19.99	19.9 19.9 19.9
cannot applied NTERIM SERV	be ordered electronically at present per the BBR-LO, the lit to a CLEC's bill when it submits an LSR to BellSouth. ICE PROVIDER NUMBER PORTABILITY IRCF, per number ported (Business Line) IRCF, per number ported (Residence Line) IRCF, add'l capacity for simultaneous call forwarding, per additional path IRCF, per service order, per location (Business) IRCF, per service order, per location (Residence) IRCF, per Service order, per location (Residence)	sted SOM	EC rate	reflects the charge	TNPBL TNPRL TNPBD TNPRD	2.13 2.13	0.65 0.65 1.44 1.44	1.44	0.07 0.07 1.44 1.44	1.44	3.50 3.50 3.50 3.50	nt. Otherw	19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99	19.9 19.9
cannot applied	be ordered electronically at present per the BBR-LO, the li to a CLEC's bill when it submits an LSR to BellSouth. ICCE PROVIDER NUMBER PORTABILITY RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence) ICCE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence)	sted SOM	EC rate	reflects the charge	TNPBL TNPRL TNPBD TNPRD TNPRD	2.13 2.13	0.65 0.65 1.44 1.44	1.44	0.07 0.07 1.44 1.44	1.44	3.50 3.50 3.50 3.50 3.50 3.50 3.50	nt. Otherw	19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99	19.9 19.9 19.9 19.9 19.9
cannot applied NTERIM SERV	be ordered electronically at present per the BBR-LO, the li to a CLEC's bill when it submits an LSR to BellSouth. ICE PROVIDER NUMBER PORTABILITY RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence) ICE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence) DID per number ported (Business)	sted SOM	EC rate	reflects the charge	TNPBL TNPRL TNPBD TNPRD TNPRD TNPDR TNPDR	2.13 2.13	0.65 0.65 1.44 1.44 1.18 1.18	1.44	0.07 0.07 1.44 1.44 1.18 1.18	1.44 1.44	3.50 3.50 3.50 3.50 3.50 3.50	nt. Otherw	19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.5 19.5 19.5 19.5

SERVICE PR	OVIDER NUMBER PORTABILITY - Florida												Attachment:	5	Exhibit: A	
											Svc Order					Incremental
													Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
CATEGORI	NATE ELEMENTO	m	20116	500	0000			KATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1		Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	to a CLEC's bill when it submits an LSR to BellSouth. ICE PROVIDER NUMBER PORTABILITY - RCF	1			1						1	1				
	be ordered electronically at present per the BBR-LO, the list to a CLEC's bill when it submits an LSR to BellSouth.			· ·				·	•				•	ū		
	RCF, per number ported (Business Line)				TNPBL	2.05	0.4145	0.4145	0.0415	0.0415	3.50	11.90			1.83	
	RCF, per number ported (Residence Line)				TNPRL	2.05	0.4145	0.4145	0.0415	0.0415	3.50	11.90			1.83	
	RCF, Per Additional Path					0.7179										
INTERIM SERV	ICE PROVIDER NUMBER PORTABILITY - DID															
	DID per number ported (Residence)				TNPDR		0.6923	0.6923	0.6923	0.6923	3.50	11.90			1.83	
	DID per number ported (Business)				TNPDB		0.6923	0.6923	0.6923	0.6923	3.50	11.90			1.83	
	DID, per trunk termination, Initial				TNPT2	54.95	161.29	80.58	32.73	32.73	3.50	11.90			1.83	
SERVICE PROV	/IDER NUMBER PORTABILITY (RIPH)															
	RIPH, Functionality, Per Rearrangement						20.08	20.08			3.50	11.90			1.83	
	RIPH, Per Number Ported					1.83	0.2165	0.2165	0.0216	0.0216	3.50	11.90			1.83	
	RIPH, Functionality, Per Central Ofc						90.47	90.47	2.54	2.54	3.50	11.90			1.83	

IOLIV VIOL	PROVIDER NUMBER PORTABILITY - Georgia												Attachment:	5	Exhibit: A	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Addi	DISC 1St	DISC Add I
							Nonred	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	not be ordered electronically at present per the BBR-LO, the lis			reneous the ontarge	ilat would b	e billed to a OL	LO Office elect	omo oracimig	Сарабіннез	Joine On-Inie 10	tilat cicilic	iii. Otiiciwi	se, the manu	ai ordering ci	large, SOWAN	i, will be
	lied to a CLEC's bill when it submits an LSR to BellSouth.			remedia the ontarge	ilat would b	e billed to a OL	LO OTICE EIECE	omo oracimg	Саравіннез с	Joine On-Inte 10	i tilut cicilic	iii. Oliiciwi	se, the manua	ai ordering ci	large, SOMAN	i, will be
арр				Tenesis ine sharge	nat would b		LO Office elect	onio oracinig	Саравине	Joine on-line to	Tinut cicine		se, the manua	ar ordering cr	large, SOWAN	, will be
арр	lied to a CLEC's bill when it submits an LSR to BellSouth.			Tenesis the ontarge	TNPBL	2.03	0.51		capabilities	.ome on-line to	3.50	l dilerwi	18.94	18.94	large, SOMAN	, will be
арр	lied to a CLEC's bill when it submits an LSR to BellSouth. ERVICE PROVIDER NUMBER PORTABILITY - RCF			Tenedia the change				- Come Gracing	capabilities	Some on-line to					large, SOMAN	, will be
арр	lied to a CLEC's bill when it submits an LSR to BellSouth. ERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line)			Tenedia the change	TNPBL	2.03	0.51	omo oracimiy	capabilities	Some on-line to	3.50		18.94	18.94	large, SOWAN	, will be
арр	Ilied to a CLEC's bill when it submits an LSR to BellSouth. ERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line)			Tenedo the undige	TNPBL TNPRL	2.03	0.51	omo oracimiy	Capabilities	Sine on-line to	3.50		18.94	18.94	large, SOWAN	, will be
арр	Ided to a CLEC's bill when it submits an LSR to BellSouth. ERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business)			Tenedo the ondige	TNPBL	2.03 2.03	0.51	2.10	capabilities	Some on-line to	3.50		18.94	18.94	large, SOMAN	, will be
арр	Alied to a CLEC's bill when it submits an LSR to BellSouth. ERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, add'l capacity for simultaneous call forwarding, per additional path				TNPBL TNPRL	2.03 2.03	0.51 0.51		Capabilities	one on-line to	3.50 3.50		18.94 18.94	18.94 18.94	large, SOMAIN	, will be
app INTERIM SE	Ided to a CLEC's bill when it submits an LSR to BellSouth. ERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business)			Tollies the onlinge	TNPBL TNPRL TNPBD	2.03 2.03	0.51 0.51 2.10	2.10	Capabilities	one on-line to	3.50 3.50 3.50		18.94 18.94	18.94 18.94 18.94	large, SOMAIN	, will be
app INTERIM SE	Ided to a CLEC's bill when it submits an LSR to BellSouth. ERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence)			Tonicate the onling	TNPBL TNPRL TNPBD	2.03 2.03	0.51 0.51 2.10	2.10	Capabilities	one on-time to	3.50 3.50 3.50		18.94 18.94	18.94 18.94 18.94	large, SOMAIN	, will be
app INTERIM SE	Ided to a CLEC's bill when it submits an LSR to BellSouth. ERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence) ERVICE PROVIDER NUMBER PORTABILITY - DID			Tonocas the onling	TNPBL TNPRL TNPBD TNPRD	2.03 2.03	0.51 0.51 2.10 2.10	2.10	Capabilities	one on-time to	3.50 3.50 3.50 3.50		18.94 18.94 18.94 18.94	18.94 18.94 18.94	alge, Johan	, will be
app INTERIM SE	Alied to a CLEC's bill when it submits an LSR to BellSouth. ERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence) ERVICE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence)			Tonicate the onling	TNPBL TNPRL TNPBD TNPRD TNPRD	2.03 2.03	0.51 0.51 2.10 2.10	2.10	Capabilities		3.50 3.50 3.50 3.50 3.50 3.50		18.94 18.94 18.94 18.94	18.94 18.94 18.94 18.94	al ye, SOMAN	, will be
app INTERIM SE	Ided to a CLEC's bill when it submits an LSR to BellSouth. ERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence) ERVICE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence) DID per number ported (Business)				TNPBL TNPRL TNPBD TNPRD TNPRD TNPDR TNPDR TNPDB	2.03 2.03	0.51 0.51 2.10 2.10 0.93 0.93	2.10 2.10	Capabilities	Sile of the fo	3.50 3.50 3.50 3.50 3.50 3.50		18.94 18.94 18.94 18.94 18.94	18.94 18.94 18.94 18.94 18.94	arye, Soman	, will be
app INTERIM SE	Idied to a CLEC's bill when it submits an LSR to BellSouth. ERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence) ERVICE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence) DID per number ported (Business) DID per service order, per location (Residence)				TNPBL TNPRL TNPBD TNPRD TNPRD TNPDR TNPDR TNPDB TNPRD	2.03 2.03	0.51 0.51 2.10 2.10 0.93 0.93 2.10	2.10 2.10	Саравине	Sile of the fo	3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50		18.94 18.94 18.94 18.94 18.94 18.94	18.94 18.94 18.94 18.94 18.94 18.94	arye, Soman	, will be

SERVICE PR	OVIDER NUMBER PORTABILITY - Kentucky												Attachment:	5	Exhibit: A	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -		
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	urring	Nonrecurring	g Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE:	BellSouth and CLEC will each bear their own costs of provide	lina rem	ote cal	forwarding as an in	terim numb	er portability o	ption.									

SERVICE PROVIDER NUMBER PORTABILITY - Louisiana	3											Attachment:	5	Exhibit: A	
										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	lutani			BCS USOC							_		Manual Svc	-	
CATEGORY RATE ELEMENTS	Interi	Zone	BCS									Order vs.	Order vs.	Order vs.	Order vs.
	m									por zore	po. 2011	Electronic-		Electronic-	Electronic
												1st	Add'I	Disc 1st	Disc Add'l
					1	Nonrec	urring	Nonrecurrin	ng Disconnect			OSS	Rates(\$)		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
NOTE: Any element that can be ordered electronically will be cannot be ordered electronically at present per the BBR-LO, applied to a CLEC's bill when it submits an LSR to BellSout	the listed SOM					EC once electr	onic ordering	capabilities of	ome on-line fo	or that eleme	nt. Otherwi	se, the manu	al ordering ch	arge, SOMAN	, will be
cannot be ordered electronically at present per the BBR-LO,	the listed SOM					EC once electron	onic ordering	capabilities o	come on-line fo	or that eleme	nt. Otherwi	se, the manu	al ordering ch	narge, SOMAN	, will be
cannot be ordered electronically at present per the BBR-LO, applied to a CLEC's bill when it submits an LSR to BellSout	the listed SOM					EC once electrons 0.25	onic ordering	capabilities o	come on-line fo	3.50	nt. Otherwi	se, the manu	al ordering ch	narge, SOMAN	, will be
cannot be ordered electronically at present per the BBR-LO, applied to a CLEC's bill when it submits an LSR to BellSout INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF	the listed SOM			that would b	e billed to a CLI			capabilities o	come on-line fo			se, the manu	al ordering ch	narge, SOMAN	, will be
cannot be ordered electronically at present per the BBR-LO, applied to a CLEC's bill when it submits an LSR to BellSout INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line)	the listed SOM			that would b	e billed to a CLI	0.25	0.25	capabilities o	come on-line fo	3.50	15.20	se, the manu	al ordering ch	arge, SOMAN	, will be
cannot be ordered electronically at present per the BBR-LO, applied to a CLEC's bill when it submits an LSR to BellSout INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line)	the listed SOM			that would b	2.91 2.91	0.25	0.25	capabilities o	come on-line fo	3.50	15.20	se, the manu	al ordering ch	arge, SOMAN	, will be
cannot be ordered electronically at present per the BBR-LO, applied to a CLEC's bill when it submits an LSR to BellSout INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, Per Additional Path	the listed SOM			that would b	2.91 2.91	0.25	0.25	capabilities o	come on-line fo	3.50	15.20	se, the manu	al ordering ch	aarge, SOMAN	, will be
cannot be ordered electronically at present per the BBR-LO, applied to a CLEC's bill when it submits an LSR to BellSout INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, Per Additional Path INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID	the listed SOM			TNPBL	2.91 2.91	0.25 0.25	0.25 0.25	capabilities o	come on-line fo	3.50 3.50	15.20 15.20	se, the manu	al ordering ch	aarge, SOMAN	, will be
cannot be ordered electronically at present per the BRR-LO, applied to a CLEC's bill when it submits an LSR to BellSout INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, Per Additional Path INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence)	the listed SOM			TNPBL TNPRL TNPDR	2.91 2.91	0.25 0.25 0.42	0.25 0.25	capabilities o	come on-line fo	3.50 3.50 3.50	15.20 15.20	se, the manu	al ordering ch	aarge, SOMAN	, will be
cannot be ordered electronically at present per the BBR-LO, applied to a CLEC's bill when it submits an LSR to BellSout INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, Per Additional Path INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence) DID per number ported (Business)	the listed SOM			TNPBL TNPRL TNPDR TNPDR TNPDB	2.91 2.91 1.24	0.25 0.25 0.42 0.42	0.25 0.25 0.42 0.42	capabilities o	come on-line fo	3.50 3.50 3.50 3.50	15.20 15.20 15.20	se, the manu	al ordering ch	arge, SOMAN	, will be
cannot be ordered electronically at present per the BBR-LO, applied to a CLEC's bill when it submits an LSR to BellSout INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, Per Additional Path INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence) DID per number ported (Business) DID, per trunk termination, Initial	the listed SOM			TNPBL TNPRL TNPDR TNPDR TNPDB	2.91 2.91 1.24	0.25 0.25 0.42 0.42	0.25 0.25 0.42 0.42	capabilities o	come on-line fo	3.50 3.50 3.50 3.50	15.20 15.20 15.20	se, the manu	al ordering ch	arge, SOMAN	, will be
cannot be ordered electronically at present per the BBR-LO, applied to a CLEC's bill when it submits an LSR to BellSout INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, per number ported (Residence Line) RCF, per number ported (Residence Line) RCF, per number ported (Residence) DID per number ported (Residence) DID per number ported (Business) DID, per trunk termination, Initial SERVICE PROVIDER NUMBER PORTABILITY (RIPH)	the listed SOM			TNPBL TNPRL TNPDR TNPDR TNPDB	2.91 2.91 1.24	0.25 0.25 0.42 0.42 0.42 185.13	0.25 0.25 0.42 0.42 68.79	capabilities o	come on-line fo	3.50 3.50 3.50 3.50 3.50 3.50	15.20 15.20 15.20 15.20 15.20	se, the manu	al ordering ch	aarge, SOMAN	, will be
cannot be ordered electronically at present per the BRR-LO, applied to a CLEC's bill when it submits an LSR to BellSout INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line) RCF, per number ported (Residence Line) RCF, per Additional Path RCF, Per Additional Path INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence) DID per number ported (Business) DID, per trunk termination, Initial SERVICE PROVIDER NUMBER PORTABILITY (RIPH) RIPH, Functionality, Per Rearrangement	the listed SOM			TNPBL TNPRL TNPDR TNPDR TNPDB	2.91 2.91 1.24 68.47	0.25 0.25 0.42 0.42 185.13	0.25 0.25 0.42 0.42 68.79	capabilities c	come on-line fo	3.50 3.50 3.50 3.50 3.50 3.50	15.20 15.20 15.20 15.20 15.20 15.20	se, the manu	al ordering ch	arge, SOMAN	, will be

SERVICE PR	OVIDER NUMBER PORTABILITY - Mississippi												Attachment:	5	Exhibit: A	
	, , , , , , , , , , , , , , , , , , ,		1								Svc Order	Svc Order				Incremental
													Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
OAT LOOK!	NATE ELEMENTO	m		500	0000		per Lork per Lork						Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1		Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	I to a CLEC's bill when it submits an LSR to BellSouth. /ICE PROVIDER NUMBER PORTABILITY - RCF	1		<u> </u>	1						ı	1	l			
		,		•									•			
		-	-		TNIDDI	0.00	0.0500	0.0500	0.0000	0.0000	0.50	45.75				
	RCF, per number ported (Business Line)	+	1		TNPBL	3.08	0.2596	0.2596	0.0282	0.0282	3.50	15.75				
	RCF, per number ported (Residence Line)				TNPRL	3.08	0.2596	0.2596	0.0282	0.0282	3.50	15.75				
	RCF, Per Additional Path					1.17										
	ICE PROVIDER NUMBER PORTABILITY - DID															
	DID per number ported (Residence)				TNPDR		0.4335	0.4335	0.4701	0.4701	3.50	15.75				
	DID per number ported (Business)				TNPDB		0.4335	0.4335	0.4701	0.4701	3.50	15.75				1
	DID, per trunk termination, Initial				TNPT2	58.41	191.75	71.25	28.94	28.94	3.50	15.75				i .
SERVICE PROV	VIDER NUMBER PORTABILITY (RIPH)															i
	RIPH, Functionality, Per Rearrangement						19.93	19.93			3.50	15.75				1
	RIPH, Per Number Ported					1.96	0.1972	0.1972	0.0214	0.0214	3.50	15.75				
	RIPH, Functionality, Per Central Ofc					_	85.52	85.52	2.51	2.51	3.50	15.75				

0==1																	
SERVI	CE PR	OVIDER NUMBER PORTABILITY - North Carolina	1											Attachment:		Exhibit: A	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									P	p. 0 0	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE:	Any element that can be ordered electronically will be billed	d accordi	na 40 4h	a COMEC rata liata	d Diagon rof	ior to BallCauth!	a Buainaga Bu	ulaa far Laaal (Ordering (DDD	I (1) to dotorm	ing if a pro-	duct can be	ardered elect	ranically Fa	than alama	sto that
		be ordered electronically at present per the BBR-LO, the lis	sted SOM	EC rate	reflects the charge	that would b	be billed to a CL	EC once electi	ronic ordering	capabilities co	ome on-line to	r that eleme	ent. Otherwi	se, the manua	al ordering ch	arge, SOMAN	, will be
		to a CLEC's bill when it submits an LSR to BellSouth.															
INTERI		ICE PROVIDER NUMBER PORTABILITY - RCF															
		RCF, per number ported (Business Line)				TNPBL	1.66	0.71		0.50		3.50		19.99	19.99	19.99	19.99
		RCF, per number ported (Residence Line)				TNPRL	1.66	0.71		0.50		3.50		19.99	19.99	19.99	19.99
		RCF, add'l capacity for simultaneous call forwarding, per															
		additional path					0.32										
		RCF, per service order, per location (Business)				TNPBD		2.73	2.73			3.50		19.99	19.99	19.99	19.99
		RCF, per service order, per location (Residence)				TNPRD		2.73	2.73			3.50		19.99	19.99	19.99	19.99
INTERI	M SERV	ICE PROVIDER NUMBER PORTABILITY - DID															
		DID per number ported (Residence)				TNPDR		2.25				3.50		19.99	19.99	19.99	19.99
		DID per number ported (Business)				TNPDB		2.25				3.50		19.99	19.99	19.99	
		DID per service order, per location (Residence)						2.20					1			40.00	19.99
		DID per service order, per location (Business)				TNPRD		2.73	2.73			3.50		19.99	19.99	19.99	19.99 19.99
						TNPRD TNPBD			2.73 2.73			3.50 3.50		19.99 19.99	19.99 19.99	19.99	
		DID, per trunk termination, Initial					11.43	2.73									19.99

	ICE PROVIDER NUMBER PORTABILITY - South Carolina	а											Attachment:	5	Exhibit: A	
											Svc Order				Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec				Manual Svc	
CATE	ORY RATE ELEMENTS	Interi	Zone	BCS	USOC	RATES(\$)										Order vs.
0	NATE ELEMENTO	m	20110	500	0000							per LSR	Order vs.	Order vs.	Order vs.	
													Electronic-	Electronic-		Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecu		Nonrecurring					Rates(\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTED	cannot be ordered electronically at present per the BBR-LO, the li- applied to a CLEC's bill when it submits an LSR to BellSouth.	J. S. G. S. G. W.	Lorate	I	T WOULD	e billed to a CEI	-o once electro	nic ordering	capabilities coi	ne on-me loi	that eleme	ii. Otherwi	I	I Ordering Ci	I SOWAN	, w se
INTER	M SERVICE PROVIDER NUMBER PORTABILITY - RCF															
	RCF, per number ported (Business Line)				TNPBL	2.68	0.26	0.26	0.03	0.03	3.50		19.99	19.99	19.99	19.99
					IIVI DL	2.00	0.20	0.20	0.00	0.03						
	RCF, per number ported (Residence Line)				TNPRL	2.68	0.26	0.26	0.03	0.03	3.50		19.99	19.99	19.99	19.99
	RCF, per number ported (Residence Line)					2.68										
	RCF, per number ported (Residence Line) RCF, Per Additional Path					2.68										
	RCF, per number ported (Residence Line) RCF, Per Additional Path RCF, add'l capacity for simultaneous call forwarding, per					2.68 1.04	1.37				3.50					
	RCF, per number ported (Residence Line) RCF, Per Additional Path RCF, add'l capacity for simultaneous call forwarding, per additional path				TNPRL	2.68 1.04	0.26	0.26	0.03	0.03	3.50		19.99	19.99	19.99	19.99
INTER	RCF, per number ported (Residence Line) RCF, Per Additional Path RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business)				TNPRL TNPBD TNPRD	2.68 1.04	1.37	1.37 1.37	0.03 44.70	0.03	3.50 3.50 3.50		19.99	19.99	19.99	19.99
INTER	RCF, per number ported (Residence Line) RCF, Per Additional Path RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence)				TNPRL	2.68 1.04	1.37	0.26	0.03 44.70	0.03	3.50	15.69	19.99	19.99	19.99	19.99
INTER	RCF, per number ported (Residence Line) RCF, Per Additional Path RCF, add't capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence) M SERVICE PROVIDER NUMBER PORTABILITY - DID				TNPRL TNPBD TNPRD	2.68 1.04	0.26 1.37 1.37 0.43 0.43	0.26 1.37 1.37 0.43 0.43	0.03 44.70 44.70	0.03 44.70 44.70	3.50 3.50 3.50 3.50 3.50	15.69	19.99	19.99	19.99	19.99
INTER	RCF, per number ported (Residence Line) RCF, Per Additional Path RCF, add't capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence) M SERVICE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence) DID per number ported (Business) DID per service order, per location (Residence)				TNPRL TNPBD TNPRD TNPRD TNPDR TNPDB TNPRD	2.68 1.04	0.26 1.37 1.37 0.43 0.43 1.37	0.26 1.37 1.37 0.43 0.43 1.37	0.03 44.70 44.70 0.47 0.47 44.70	0.03 44.70 44.70 0.47 0.47 44.70	3.50 3.50 3.50 3.50 3.50 3.50 3.50	15.69 15.69	19.99	19.99	19.99	19.99
INTER	RCF, per number ported (Residence Line) RCF, Per Additional Path RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence) M SERVICE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence) DID per number ported (Business) DID per service order, per location (Residence) DID per service order, per location (Residence)				TNPRL TNPBD TNPRD TNPDR TNPDR TNPDB TNPDB TNPRD TNPBD	2.68 1.04 0.3854	0.26 1.37 1.37 0.43 0.43 1.37 1.37	0.26 1.37 1.37 0.43 0.43 1.37 1.37	0.03 44.70 44.70 0.47 0.47 44.70 44.70	0.03 44.70 44.70 0.47 0.47 44.70 44.70	3.50 3.50 3.50 3.50 3.50 3.50 3.50	15.69 15.69 15.69	19.99	19.99	19.99	19.99
INTER	RCF, per number ported (Residence Line) RCF, Per Additional Path RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence) M SERVICE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence) DID per number ported (Business) DID per service order, per location (Residence) DID per service order, per location (Residence) DID per service order, per location (Business) DID, per trunk termination, Initial				TNPRL TNPBD TNPRD TNPRD TNPDR TNPDB TNPRD	2.68 1.04 0.3854	0.26 1.37 1.37 0.43 0.43 1.37 1.37 191.07	0.26 1.37 1.37 0.43 0.43 1.37 1.37 191.07	0.03 44.70 44.70 0.47 0.47 44.70 44.70 28.84	0.03 44.70 44.70 0.47 0.47 44.70 44.70 28.84	3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50	15.69 15.69 15.69 15.69	19.99	19.99	19.99	19.99
	RCF, per number ported (Residence Line) RCF, Per Additional Path RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence) M SERVICE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence) DID per number ported (Business) DID per service order, per location (Residence) DID per service order, per location (Business) DID, per trunk termination, Initial DID, per trunk termination, Subsequent				TNPRL TNPBD TNPRD TNPDR TNPDR TNPDB TNPDB TNPRD TNPBD	2.68 1.04 0.3854	0.26 1.37 1.37 0.43 0.43 1.37 1.37	0.26 1.37 1.37 0.43 0.43 1.37 1.37	0.03 44.70 44.70 0.47 0.47 44.70 44.70	0.03 44.70 44.70 0.47 0.47 44.70 44.70	3.50 3.50 3.50 3.50 3.50 3.50 3.50	15.69 15.69 15.69	19.99	19.99	19.99	19.99
	RCF, per number ported (Residence Line) RCF, Per Additional Path RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence) M SERVICE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence) DID per number ported (Business) DID per service order, per location (Residence) DID per service order, per location (Residence) DID per service order, per location (Business) DID, per trunk termination, Initial DID, per trunk termination, Subsequent E PROVIDER NUMBER PORTABILITY (RIPH)				TNPRL TNPBD TNPRD TNPDR TNPDR TNPDB TNPDB TNPRD TNPBD	2.68 1.04 0.3854	0.26 1.37 1.37 0.43 0.43 1.37 1.37 191.07 71.00	0.26 1.37 1.37 0.43 0.43 1.37 1.37 191.07 71.00	0.03 44.70 44.70 0.47 0.47 44.70 44.70 28.84 28.84	0.03 44.70 44.70 0.47 0.47 44.70 44.70 28.84 28.84	3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50	15.69 15.69 15.69 15.69	19.99	19.99	19.99	19.99
	RCF, per number ported (Residence Line) RCF, Per Additional Path RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence) MSERVICE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence) DID per number ported (Business) DID per service order, per location (Residence) DID per service order, per location (Business) DID, per trunk termination, Initial DID, per trunk termination, Subsequent E PROVIDER NUMBER PORTABILITY (RIPH) RIPH, Functionality, Per Central Ofc				TNPRL TNPBD TNPRD TNPDR TNPDR TNPDB TNPDB TNPRD TNPBD	2.68 1.04 0.3854	0.26 1.37 1.37 0.43 0.43 1.37 1.37 191.07 71.00	0.26 1.37 1.37 0.43 0.43 1.37 1.37 191.07 71.00 82.23	0.03 44.70 44.70 0.47 0.47 44.70 44.70 28.84	0.03 44.70 44.70 0.47 0.47 44.70 44.70 28.84	3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50	15.69 15.69 15.69 15.69 15.69	19.99	19.99	19.99	19.99
	RCF, per number ported (Residence Line) RCF, Per Additional Path RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location (Business) RCF, per service order, per location (Residence) M SERVICE PROVIDER NUMBER PORTABILITY - DID DID per number ported (Residence) DID per number ported (Business) DID per service order, per location (Residence) DID per service order, per location (Residence) DID per service order, per location (Business) DID, per trunk termination, Initial DID, per trunk termination, Subsequent E PROVIDER NUMBER PORTABILITY (RIPH)				TNPRL TNPBD TNPRD TNPDR TNPDR TNPDB TNPDB TNPRD TNPBD	2.68 1.04 0.3854	0.26 1.37 1.37 0.43 0.43 1.37 1.37 191.07 71.00	0.26 1.37 1.37 0.43 0.43 1.37 1.37 191.07 71.00	0.03 44.70 44.70 0.47 0.47 44.70 44.70 28.84 28.84	0.03 44.70 44.70 0.47 0.47 44.70 44.70 28.84 28.84	3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50	15.69 15.69 15.69 15.69	19.99	19.99	19.99	19.99

SERVICE PR	ROVIDER NUMBER PORTABILITY - Tennessee												Attachment:	5	Exhibit: A	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	RATES(\$)				per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444.
							Nonrecurring		Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	be ordered electronically at present per the BBR-LO, the list to a CLEC's bill when it submits an LSR to BellSouth.	ted SOM	EC rate	reflects the charge t	that would b	e billed to a Cl	EC once elect	onic ordering	capabilities c	ome on-line fo	r that eleme	nt. Otherwi	ise, the manu	al ordering ch	narge, SOMAN	, will be
INTERIM SERV	/ICE PROVIDER NUMBER PORTABILITY - RCF															
	RCF, per number ported (Business Line)				TNPBL	1.50										
	RCF, per number ported (Residence Line)				TNPRL	1.25										
	RCF, add'l capacity for simultaneous call forwarding, per additional path					0.50										
	RCF, per service order, per location (Business)				TNPBD		25.00	25.00			3.50		19.99	19.99	19.99	19.99
	RCF, per service order, per location (Residence)				TNPRD		25.00	25.00			3.50		19.99	19.99	19.99	19.99
Note: I	f no rate is identified in the contract, the rate for the specific	c service	or fund	tion will be as set fo	orth in applic	able BellSouth	tariff or as ne	otiated by the	Parties upon	request by eit	her Partv.					

Attachment 6

Pre-Ordering, Ordering and Provisioning, Maintenance and Repair

TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.	3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide pre-ordering, ordering, provisioning, and maintenance and repair services to NTBS that are equivalent to the pre-ordering, ordering, provisioning, and maintenance and repair services BellSouth provides to itself or any other CLEC, where technically feasible. The guidelines for pre-ordering, ordering, provisioning, and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules are found at http://www.interconnection.bellsouth.com and are incorporated herein by reference.
- 1.2 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday – 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated,
coordinated orders and order
coordinated-time specific)
Saturday - 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated orders)

- 1.2.1 The above hours represent the hours, either Eastern or Central Time, of the location where the physical work is being performed.
- 1.2.2 To the extent NTBS requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or Project Manager to work outside of regular working hours, overtime billing charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or Project Manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of NTBS, BellSouth will not assess NTBS additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

2.1 BellSouth shall provide NTBS access to operations support systems ("OSS") functions for pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of

Version 1Q02: 02/20/02

NTBS to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for NTBS's access and use of BellSouth's electronic interfaces are set forth at www.interconnection.bellsouth.com and are incorporated herein by reference.

- 2.1.1 Pre-Ordering. In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer record information includes customer specific information in CRIS and RSAG. NTBS shall provide to BellSouth access to customer record information including circuit numbers associated with each telephone number where applicable. NTBS shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, NTBS shall provide to BellSouth paper copies of customer record information including circuit numbers associated with each telephone number where applicable within twentyfour (24) hours of request. The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. NTBS will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided. BellSouth reserves the right to audit NTBS's access to customer record information. If a BellSouth audit of NTBS's access to customer record information reveals that NTBS is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to NTBS may take corrective action, including but not limited to suspending or terminating NTBS's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.2 <u>Service Ordering</u>. BellSouth will make available the Electronic Data Interchange (EDI) interface and the TAG ordering interface for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. NTBS may integrate the EDI interface or the TAG ordering interface with the TAG pre-ordering interface. In addition, BellSouth will provide integrated pre-ordering and ordering capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.
- 2.1.3 <u>Maintenance and Repair</u>. NTBS may report and monitor service troubles and obtain repair services from BellSouth via electronic interfaces. BellSouth provides several options for electronic trouble reporting. For exchange services, BellSouth will offer NTBS non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth will offer an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway

Version 1Q02: 02/20/02

interface. For designed services, BellSouth will provide non-discriminatory trouble reporting via the ECTA Gateway. BellSouth will provide NTBS an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. Requests for trouble repair will be billed in accordance with the provisions of this Attachment. BellSouth and NTBS agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via the Internet at http://www.interconnection.bellsouth.com.

- 2.2 <u>Change Management</u>. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.3 <u>BellSouth's Versioning Policy for Electronic Interfaces.</u> BellSouth's Versioning Policy is part of the Change Control Process (CCP). Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to NTBS, is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.4 <u>Rates.</u> Charges for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement and are incorporated herein by reference.

3. MISCELLANEOUS

- 3.1 <u>Pending Orders</u>. Orders placed in the hold or pending status by NTBS will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, NTBS shall be required to submit a new service request. Incorrect or invalid requests returned to NTBS for correction or clarification will be held for thirty (30) days. If NTBS does not return a corrected request within thirty (30) days, BellSouth will cancel the request.
- 3.2 <u>Single Point of Contact</u>. NTBS will be the single point of contact with BellSouth for ordering activity for network elements and other services used by NTBS to provide services to its end users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected end user. NTBS and BellSouth shall each execute a blanket letter of authorization with respect to customer requests. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes, including Un-PIC. Pursuant to a request from another carrier, BellSouth may disconnect any

network element being used by NTBS to provide service to that end user and may reuse such network elements or facilities to enable such other carrier to provide service to the end user. BellSouth will notify NTBS that such a request has been processed, but will not be required to notify NTBS in advance of such processing.

- 3.3 <u>Use of Facilities</u>. When a customer of NTBS elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to NTBS by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify NTBS that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier ("IXC") (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.
- 3.6 Cancellation Charges. If NTBS cancels a request for network elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if NTBS places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements or services requested in accordance with the transmission characteristics of the network elements or services requested, cancellation charges described in this Section shall not apply. Where NTBS places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, NTBS may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should NTBS elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by NTBS, Service Date Advancement charges will apply

for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

Attachment 7

Billing

TABLE OF CONTENTS

1.	PAYMENT AND BILLING ARRANGEMENTS	3
2.	BILLING DISPUTES	6
	RAO HOSTING	
	OPTIONAL DAILY USAGE FILE	
	ACCESS DAILY USAGE FILE	
	ites Fyl	

BILLING

1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- 1.1 <u>Billing</u>. BellSouth will bill through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) provided to NTBS under this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.
- 1.1.1 For any service(s) BellSouth receives from NTBS, NTBS shall bill BellSouth in CABS format.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.
- 1.1.3 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.4 BellSouth will render bills each month for resold lines on established bill days for each of NTBS's accounts. If either Party requests multiple billing media or additional copies of the bills, the Billing Party will provide these at a reasonable cost.
- 1.1.5 BellSouth will bill NTBS in advance for all resold services to be provided during the ensuing billing period except charges associated with service usage, which will be billed in arrears. Charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill NTBS, and NTBS will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees.
- 1.1.6 BellSouth will not perform billing and collection services for NTBS as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 1.2 <u>Establishing Accounts</u>. After receiving certification as a local exchange carrier from the appropriate regulatory agency, NTBS will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services, Collocation and/or resold services. Such documentation shall include the

Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Abbreviation (ACNA), as applicable, and a tax exemption certificate, if applicable.

- 1.2.1 Payment Responsibility. Payment of all charges will be the responsibility of NTBS. NTBS shall make payment to BellSouth for all services billed. Payments made by NTBS to BellSouth as payment on account will be credited to NTBS's accounts receivable master account. BellSouth will not become involved in billing disputes that may arise between NTBS and NTBS's customer.
- 1.3 Payment Due. Payment for services provided will be due on or before the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 1.4 If the payment due date falls on a Sunday or on a Holiday that is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.
- 1.5 <u>Tax Exemption</u>. Upon BellSouth's receipt of tax exemption certificate, the total amount billed to NTBS will not include those taxes or fees from which NTBS is exempt. NTBS will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of NTBS.
- Late Payment. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, NTBS may be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.
- 1.7 <u>Discontinuing Service to NTBS</u>. The procedures for discontinuing service to NTBS are as follows:

- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by NTBS of the rules and regulations of BellSouth's tariffs.
- 1.7.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth will provide written notice to NTBS that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, provide written notice to the person designated by NTBS to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to NTBS if payment is not received by the thirtieth day following the date of the initial notice.
- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and NTBS's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to NTBS without further notice.
- 1.7.5 Upon discontinuance of service on NTBS's account, service to NTBS's end users will be denied. BellSouth will reestablish service for NTBS upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application procedures. NTBS is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen (15) days after NTBS has been denied and no arrangements to reestablish service have been made consistent with this subsection, NTBS's service will be disconnected.
- 1.8 Deposit Policy. NTBS shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. Any such security deposit shall in no way release NTBS from its obligation to make complete and timely payments of its bill. NTBS shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in NTBS's "accounts receivables and proceeds." Interest on a security

deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event NTBS fails to remit to BellSouth any deposit requested pursuant to this Section, service to NTBS may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to NTBS's account(s).

- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from NTBS, shall be forwarded to the individual and/or address provided by NTBS in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by NTBS as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notice from NTBS to BellSouth's billing organization, a final notice of disconnection of services purchased by NTBS under this Agreement shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.
- 1.10 Rates. Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. BILLING DISPUTES

- 2.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. NTBS shall report all billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- For purposes of this Section 2, a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the

billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.

2.3 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge and interest, where applicable, shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date multiplied by the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for designed network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

3. RAO HOSTING

- 3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to NTBS by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 NTBS shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- Charges or credits, as applicable, will be applied by BellSouth to NTBS on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 3.4 NTBS must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, NTBS must request that BellSouth establish a unique hosted RAO code for NTBS. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.

- 3.5 BellSouth will receive messages from NTBS that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region. NTBS shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from NTBS.
- 3.7 All data received from NTBS that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.8 All data received from NTBS that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by NTBS and will forward them to NTBS on a daily basis for processing.
- 3.10 Transmission of message data between BellSouth and NTBS will be via CONNECT:Direct.
- 3.10.1 Data circuits (private line or dial-up) will be required between BellSouth and NTBS for the purpose of data transmission. Where a dedicated line is required, NTBS will be responsible for ordering the circuit and coordinating the installation with BellSouth. NTBS is responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on a individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to NTBS. Additionally, all message toll charges associated with the use of the dial circuit by NTBS will be the responsibility of NTBS. Associated equipment on the BellSouth end, including a modem, will be negotiated on a individual case basis between the Parties. All equipment, including modems and software, that is required on the NTBS end for the purpose of data transmission will be the responsibility of NTBS.
- 3.11 All messages and related data exchanged between BellSouth and NTBS will be formatted for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.12 NTBS will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.

- 3.13 Should it become necessary for NTBS to send data to BellSouth more than sixty (60) days past the message date(s), NTBS will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or NTBS, where necessary, to notify all affected LECs.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data. If the data cannot be retrieved, the Party responsible for losing or destroying the data will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the resolution of the amount owed, or as mutually agreed upon by the Parties.
- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from NTBS, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify NTBS of the error. NTBS will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, NTBS will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.16 In association with message distribution service, BellSouth will provide NTBS with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.18 Intercompany Settlements Messages
- 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by NTBS as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between NTBS and the involved company(ies), unless that company is participating in NICS.
- 3.18.2 Both traffic that originates outside the BellSouth region by NTBS and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by NTBS, is covered by CATS. Also covered is traffic that either is originated by or billed by NTBS, involves a

- company other than NTBS, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 3.18.3 Once NTBS is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.
- 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of NTBS. BellSouth will distribute copies of these reports to NTBS on a monthly basis.
- 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of NTBS. BellSouth will distribute copies of these reports to NTBS on a monthly basis.
- 3.18.6 BellSouth will collect the revenue earned by NTBS from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of NTBS. BellSouth will remit the revenue billed by NTBS to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on NTBS. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to NTBS via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 3.18.7 BellSouth will collect the revenue earned by NTBS within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of NTBS. BellSouth will remit the revenue billed by NTBS within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to NTBS via a monthly CABS miscellaneous bill.
- 3.18.8 BellSouth and NTBS agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from NTBS, BellSouth will provide the Optional Daily Usage File (ODUF) service to NTBS pursuant to the terms and conditions set forth in this section.
- 4.2 NTBS shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a NTBS customer.

4.4 Charges for the ODUF will appear on NTBSs' monthly bills. The charges are as set forth in Exhibit A to this Attachment. 4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format. 4.6 Messages that error in the billing system of NTBS will be the responsibility of NTBS. If, however, NTBS should encounter significant volumes of errored messages that prevent processing by NTBS within its systems, BellSouth will work with NTBS to determine the source of the errors and the appropriate resolution. 4.7 The following specifications shall apply to the ODUF feed. 4.7.1 ODUF Messages to be Transmitted 4.7.1.1 The following messages recorded by BellSouth will be transmitted to NTBS: 4.7.1.1.1 Message recording for per use/per activation type services (examples: Three -Way Calling, Verify, Interrupt, Call Return, etc.) 4.7.1.1.2 Measured billable Local 4.7.1.1.3 Directory Assistance messages 4.7.1.1.4 IntraLATA Toll 4.7.1.1.5 WATS and 800 Service 4.7.1.1.6 N11 4.7.1.1.7 Information Service Provider Messages 4.7.1.1.8 **Operator Services Messages** 4.7.1.1.9 Operator Services Message Attempted Calls (Network Element only) 4.7.1.1.10 Credit/Cancel Records 4.7.1.1.11 Usage for Voice Mail Message Service 4.7.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately. 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to NTBS.

- 4.7.1.4 In the event that NTBS detects a duplicate on ODUF they receive from BellSouth, NTBS will drop the duplicate message and will not return the duplicate to BellSouth.
- 4.7.2 ODUF Physical File Characteristics
- 4.7.2.1 ODUF will be distributed to NTBS via CONNECT:Direct or another mutually agreed medium. The ODUF feed will be a variable block format (2476) with a Logical Record Link (LRECL) of 2472. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and NTBS for the purpose of data transmission as set forth in Section 3.10.1 above.
- 4.7.3 ODUF Packing Specifications
- 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to NTBS which BellSouth RAO that is sending the message. BellSouth and NTBS will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by NTBS and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 4.7.4 ODUF Pack Rejection
- 4.7.4.1 NTBS will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. NTBS will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to NTBS by BellSouth.
- 4.7.5 ODUF Control Data
- 4.7.5.1 NTBS will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate NTBS's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by NTBS for reasons stated in the above section.

4.7.6 ODUF Testing

4.7.6.1 Upon request from NTBS, BellSouth shall send ODUF test files to NTBS. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that NTBS set up a production (live) file. The live test may consist of NTBS's employees making test calls for the types of services NTBS requests on ODUF. These test calls are logged by NTBS, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

5. ACCESS DAILY USAGE FILE

- 5.1 Upon written request from NTBS, BellSouth will provide the Access Daily Usage File (ADUF) service to NTBS pursuant to the terms and conditions set forth in this section.
- 5.2 NTBS shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that NTBS has purchased from BellSouth
- 5.4 Charges for ADUF will appear on NTBS's monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard ATIS EMI record format.
- Messages that error in the billing system of NTBS will be the responsibility of NTBS. If, however, NTBS should encounter significant volumes of errored messages that prevent processing by NTBS within its systems, BellSouth will work with NTBS to determine the source of the errors and the appropriate resolution.
- 5.6 ADUF Messages To Be Transmitted
- 5.6.1 The following messages recorded by BellSouth will be transmitted to NTBS:
- 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.
- 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.
- 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to NTBS.

- 5.6.3 In the event that NTBS detects a duplicate on ADUF they receive from BellSouth, NTBS will drop the duplicate message and will not return the duplicate to BellSouth.
- 5.6.4 ADUF Physical File Characteristics
- ADUF will be distributed to NTBS via CONNECT:Direct or another mutually agreed medium. The ADUF feed will be a fixed block format (2476) with an LRECL of 2472. The data on the ADUF feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and NTBS for the purpose of data transmission as set forth in Section 3.10.1 above.
- 5.6.5 ADUF Packing Specifications
- 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to NTBS which BellSouth RAO is sending the message. BellSouth and NTBS will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by NTBS and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 5.6.6 ADUF Pack Rejection
- 5.6.6.1 NTBS will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. NTBS will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to NTBS by BellSouth.
- 5.6.7 ADUF Control Data
- 5.6.7.1 NTBS will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate NTBS's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by NTBS for reasons stated in the above section.

- 5.6.8 ADUF Testing
- Upon request from NTBS, BellSouth shall send a test file of generic data to NTBS via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

ODUF/ADU	F/CMDS - Alabama												Attachment:	7	Exhibit: A	
000177100	Trombo raddana	1			1						Svc Order					Incremental
												Submitted		Charge -	Charge -	Charge -
		l									Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/	CMDS															
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.004										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
OPTI	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0002										
	ODUF: Message Processing, per message				N/A	0.0033										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	55.19										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00004										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										ļ
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
Notes	: If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appli	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by e	ther Party.					

Version 1Q02: 03/22/2002 PAGE 1 OF 9

ODUF/ADL	F/CMDS - Florida												Attachment:	7	Exhibit: A	
000.77.00	1										Svc Order					Incremental
												Submitted		Charge -	Charge -	Charge -
		l									Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
																I I
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/	CMDS															
ACCI	ESS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.014391										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012973										
OPTI	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000071										
	ODUF: Message Processing, per message				N/A	0.006835										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.96										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010811										
CEN	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
Note	s: If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by t	he Parties upor	request by e	ther Party.					

ODUF/ADU	F/CMDS - Georgia							•	•	•			Attachment:	7	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs.	Charge -
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/																
ACC	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.0136327										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
OPTI	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0001275										
	ODUF: Message Processing, per message				N/A	0.0082548										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	28.85										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004	•									
	CMDS: Data Transmission (CONNECT:DIRECT), per message			·	N/A	0.001										

ODUF/ADU	F/CMDS - Kentucky			•	•	•	•	•	•	•			Attachment:	7	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs.
												Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l		
							Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/																
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.001857										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000136]
	ODUF: Message Processing, per message				N/A	0.002506										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.90										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010372										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message			•	N/A	0.004	•									
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										

ODUF/ADI	IF/CMDS - Louisiana												Attachment:	7	Exhibit: A	
000177400	- Constant	1	1								Svc Order					Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
OAT LOOK!	TATE ELEMENTO	m		500	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF	CMDS															
ACC	ESS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.007983										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012681										
OPTI	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000117										
	ODUF: Message Processing, per message				N/A	0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010568										
CEN	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
		ĺ														
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										ļ
Note	s: If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appli	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by e	ther Party.					

ODUF/ADU	F/CMDS - Mississippi												Attachment:	7	Exhibit: A	
00017700	Trompo imodiscippi	1	1			l					Svc Order					Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
OATEGORI	KATE EEEMENTO	m	20.10	500	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurring	Disconnect		1	oss	Rates(\$)	1	-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/	CMDS															
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.008087										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012803										
OPTIO	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000063										
	ODUF: Message Processing, per message				N/A	0.004707										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	49.04										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010669										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
		1														
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
Notes	: If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by e	ther Party.					

ODUF/ADI	JF/CMDS - North Carolina												Attachment:	7	Exhibit: A	
00017700	Troining Troining		1								Svc Order					Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR				Order vs.	Order vs.
G/11200111		m		200	5555			==(+)			perLSK	per LSR	Order vs.	Order vs.		
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF	/CMDS															
ACC	ESS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.004										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
OPTI	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0003										
	ODUF: Message Processing, per message				N/A	0.0032										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	54.61										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0004										
CEN	TRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
Note	s: If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by e	ther Party.					

F/ADUF/CMDS - South Carolina												Attachment:	7	Exhibit: A	
										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
GORY RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	- ""											Electronic-	Electronic-	Electronic-	Electronic-
												1st	Disc 1st	Disc Add'l	
						Nonre	curring	Nonrecurring	g Disconnect			Rates(\$)	1		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
/ADUF/CMDS															
ACCESS DAILY USAGE FILE (ADUF)															
ADUF: Message Processing, per message				N/A	0.008061										
ADUF: Data Transmission (CONNECT:DIRECT), per messa	ge			N/A	0.00013036										
OPTIONAL DAILY USAGE FILE (ODUF)															
ODUF: Recording, per message				N/A	0.0000216										
ODUF: Message Processing, per message				N/A	0.004704										
ODUF: Message Processing, per Magnetic Tape provisione				N/A	48.87										
ODUF: Data Transmission (CONNECT:DIRECT), per messa	ge			N/A	0.00010863										
CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
CMDS: Message Processing, per message				N/A	0.004										
CMDS: Data Transmission (CONNECT:DIRECT), per messa				N/A	0.001										
											N/A 0.001 Parties upon request by either Party.				

ODUF/ADUF/CMDS - Tennessee												Attachment:	7	Exhibit: A	
										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	Interi	;								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY RATE ELEME	NTS m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	""									-		Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
				1		Nonrecurring		Nonrecurring	Disconnect			oss	1		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/CMDS															
ACCESS DAILY USAGE FILE (ADUF)															
ADUF: Message Processing, per me	ssage			N/A	0.004										<u> </u>
ADUF: Data Transmission (CONNEC	T:DIRECT), per message			N/A	0.001										
OPTIONAL DAILY USAGE FILE (ODUF)															
ODUF: Recording, per message				N/A	0.0000044										
ODUF: Message Processing, per me	ssage			N/A	0.0027366										
ODUF: Message Processing, per Ma	gnetic Tape provisioned			N/A	52.75										
ODUF: Data Transmission (CONNEC	CT:DIRECT), per message			N/A	0.0000339										
CENTRALIZED MESSAGE DISTRIBUTION	SERVICE (CMDS)														
CMDS: Message Processing, per me	ssage			N/A	0.004										
CMDS: Data Transmission (CONNEC				N/A	0.001										
Notes: If no rate is identified in the contra	ct, the rate for the specific servic	e or fur	ction will be as set	forth in appli	icable BellSout	h tariff or as ne	egotiated by t	he Parties upor	request by ei	ther Party.					

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

ATTACHMENT 9

PERFORMANCE MEASUREMENTS

PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at https://pmap.bellsouth.com. At the request of the Tennessee Regulatory Authority (TRA), the following Regional Service Quality Measurements (SQM) plan is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues an Order pertaining to Performance Measurements, such Performance Measurements shall supersede the Regional SQM contained in the Agreement.

BellSouth Service Quality Measurement Plan (SQM)

Region Performance Metrics

Measurement Descriptions Version 0.05

Issue Date: December 21, 2001

Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)¹ and its Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Mississippi, and North Carolina have and continue to influence the SQM.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3rd Party audit requirements and Commission requirements.

This document is intended for use by someone with knowledge of telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: https://pmap.bellsouth.com in the Documentation Downloads folder.

Report Publication Dates

Each month, preliminary SQM reports will be posted to BellSouth's SQM web site (https://www.pmap.bellsouth.com) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. Final validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. SEEM reports will posted on the 15th of the following month. Payments due will also be paid on the 15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the last day of June. Final validated SEEM reports will be posted and payments mailed on July 15th. In the event the 15th falls on a weekend or holiday, reports and payments will be posted/made the next business day.

-

Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.

Report Delivery Methods

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. Commissions will be given access to the web site. In addition, a copy of the Monthly State Summary reports will be filed with the appropriate Commissions as soon as possible after the last day of each month.

Document Number: RGN-V005-122101

Contents

Section 1: Operations Support Systems (OSS)	1-1
OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)	1-1
OSS-2: Interface Availability (Pre-Ordering/Ordering)	1-5
OSS-3: Interface Availability (Maintenance & Repair)	1-7
OSS-4: Response Interval (Maintenance & Repair)	
PO-1: Loop Makeup - Response Time – Manual	1-11
PO-2: Loop Make Up - Response Time - Electronic	
Section 2: Ordering	2-1
O-1: Acknowledgement Message Timeliness	
O-2: Acknowledgement Message Completeness	2-3
O-3: Percent Flow-Through Service Requests (Summary)	
O-4: Percent Flow-Through Service Requests (Detail)	
O-5: Flow-Through Error Analysis	
O-6: CLEC LSR Information	
LSR Flow Through Matrix	2-11
O-7: Percent Rejected Service Requests	
O-8: Reject Interval	
O-9: Firm Order Confirmation Timeliness	
O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual	2-22
O-11: Firm Order Confirmation and Reject Response Completeness	
O-12: Speed of Answer in Ordering Center	
O-13: LNP-Percent Rejected Service Requests	
O-14: LNP-Reject Interval Distribution & Average Reject Interval	
O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confir	
Average Interval	
Section 3: Provisioning	3-1
P-1: Mean Held Order Interval & Distribution Intervals	
P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices	
P-3: Percent Missed Installation Appointments	
P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution	
P-5: Average Completion Notice Interval	
P-6: % Completions/Attempts without Notice or < 24 hours Notice	
P-7: Coordinated Customer Conversions Interval	
P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% Within Interval and Aver	
Interval	_
P-7B: Coordinated Customer Conversions – Average Recovery Time	3-19
P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a complete	ted
Service Order	
P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested	3-23
P-9: % Provisioning Troubles within 30 days of Service Order Completion	
P-10: Total Service Order Cycle Time (TSOCT)	
P-11: Service Order Accuracy	
P-12: LNP-Percent Missed Installation Appointments	3-32
P-13: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distr	

3-34 3-36
4-1
4-1
4-3
4-5
4-7
4-9
4-11
4-12
5-1
5-1
5-3
5-5
5-6
5-7
5-8
5-9
5-10
6-1
6-1
6-2
6-3
stance
6-4
7-1
7-1
7-3
7-5
8-1
8-1
8-2
8-3
9-1
9-1
9-3
10-1
10-1
10-2
10-3
11-4
11-4
11-5

CM-3: Timeliness of Documents Associated with Change	11-6
CM-4: Change Management Documentation Average Delay Days	11-7
CM-5: Notification of CLEC Interface Outages	
Section 12: Bona Fide / New Business Request Process	12-1
BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days	
BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed V	
(10/30/60) Business Days	12-2
Appendix A: Reporting Scope	1
A-1: Standard Service Groupings	
A-2: Standard Service Order Activities	
Appendix B: Glossary of Acronyms and Terms	1
Annendix C: RellSouth Audit Policy	1

Section 1: Operations Support Systems (OSS)

OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)

Definition

Average response time and response intervals are the average times and number of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service & feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

Exclusions

None

Business Rules

The average response time for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The response interval starts when the client application (LENS or TAG for CLECs and RNS or ROS for BellSouth) submits a request to the legacy system and ends when the appropriate response is returned to the client application. The number of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the number of accesses which take more than 6 seconds, and the number which are less than or equal to 6.3 seconds are also captured.

Calculation

Response Time = (a - b)

- a = Date & Time of Legacy Response
- b = Date & Time of Legacy Request

Average Response Time = c / d

- c = Sum of Response Times
- d = Number of Legacy Requests During the Reporting Period

Report Structure

- · Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Report Month
• Legacy Contract (per reporting dimension)	• Legacy Contract (per reporting dimension)
Response Interval	Response Interval
Regional Scope	Regional Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• RSAG – Address (Regional Street Address Guide-	
Address) – stores street address information used to	
validate customer addresses. CLECs and BellSouth query	
this legacy system.	
• RSAG – TN (Regional Street Address Guide-Telephone	
number) – contains information about facilities available	
and telephone numbers working at a given address.	

678 of 834

CLECs and BellSouth query this legacy system.

- ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system.
- **COFFI** (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- DSAP (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.
- P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems)
 Information on feature and rate availability. BellSouth queries this legacy system.

Table 1: Legacy System Access Times For RNS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. Sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSACCTS	CSR	X	X	X	X	X
OASIS	OASISCAR	Feature/Service	X	X	X	X	X
OASIS	OASISLPC	Feature/Service	X	Х	X	X	Х
OASIS	OASISMTN	Feature/Service	X	X	X	X	X
OASIS	OASISBIG	Feature/Service	X	Х	X	X	Х

Table 2: Legacy System Access Times For R0S

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSOCSR	CSR	X	X	X	X	X
OASIS	OASISBIG	Feature/Service	X	X	X	X	X

1-2

Table 3: Legacy System Access Times For LENS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
HAL	HAL/CRIS	CSR	X	X	X	X	X
COFFI	COFFI/USOC	Feature/Service	X	X	X	X	X
P/SIMS	PSIMS/ORB	Feature/Service	X	X	X	X	Х

Table 4: Legacy System Access Times For TAG

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
ATLAS	ATLAS-MLH	TN	X	X	X	X	X
ATLAS	ATLAS-DID	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSECSRL	CSR	X	X	X	X	X
CRIS	CRSECSR	CSR	X	X	X	X	X

SEEM Measure

SEEM Measure							
Yes	Yes Tier I						
	Tier II X						

Note: CLEC specific data is not available in this measure. Queries of this sort do not have company specific signatures.

SEEM Disaggregation - Analog/Benchmark

ſ	SEEM Disaggregation	SEEM Analog/Benchmark
Ī	• RSAG – Address (Regional Street Address Guide-	• Percent Response Received within 6.3 seconds: > 95%
	Address) – stores street address information used to	• Parity + 2 seconds
	validate customer addresses. CLECs and BellSouth query	/
	this legacy system.	
	• RSAG – TN (Regional Street Address Guide-Telephone	
	number) – contains information about facilities available	
	and telephone numbers working at a given address.	
	CLECs and BellSouth query this legacy system.	
	• ATLAS (Application for Telephone Number Load	
	Administration and Selection) – acts as a warehouse for	
	storing telephone numbers that are available for	
	assignment by the system. It enables CLECs and	
	BellSouth service reps to select and reserve telephone	
	numbers. CLECs and BellSouth query this legacy system.	ı.
	• COFFI (Central Office Feature File Interface) – stores	
	information about product and service offerings and	
	availability. CLECs query this legacy system.	
	• DSAP (DOE Support Application) – provides due date	
	information. CLECs and BellSouth query this legacy	
	system.	
	• HAL/CRIS (Hands-Off Assignment Logic/Customer	
	Record Information System) – a system used to access the	e

Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.

- P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems) Information on feature and rate availability. BellSouth queries this legacy system.

SEEM OSS Legacy Systems

System	BellSouth	CLEC				
Telephone Number/Address						
RSAG-ADDR	RNS, ROS	TAG, LENS				
RSAG-TN	RNS, ROS	TAG, LENS				
ATLAS	RNS,ROS	TAG. LENS				
	Appointment Schedu	uling				
DSAP	RNS, ROS	TAG, LENS				
	CSR Data	·				
CRSACCTS	RNS					
CRSOCSR	ROS					
HAL/CRIS		LENS				
CRSECSRL		TAG				
CRSECSR		TAG				
	Service/Feature Availa	ability				
OASISBIG	RNS, ROS					
PSIMS/ORB		LENS				

OSS-2: Interface Availability (Pre-Ordering/Ordering)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for pre-ordering and ordering. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss hour.html)

Exclusions

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
 they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of pre-ordering and ordering systems.

Calculation

Interface Availability (Pre-Ordering/Ordering) = (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Report Month
• Legacy Contract Type (per reporting dimension)	• Legacy Contract Type (per reporting dimension)
 Regional Scope 	Regional Scope
 Hours of Downtime 	 Hours of Downtime

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark	
Regional Level	• >= 99.5%	

OSS Interface Availability

Application Applicable to		% Availability
EDI	CLEC	X
TAG	CLEC	X
LENS	CLEC	X
LEO	CLEC	X
LESOG	CLEC	X
LNP Gateway	CLEC	X
COG	CLEC	Under Development
SOG	CLEC	Under Development
DOM	CLEC	Under Development
DOE	CLEC/BellSouth	X
SONGS	CLEC/BellSouth	X
ATLAS/COFFI	CLEC/BellSouth	X
BOCRIS	CLEC/BellSouth	X
DSAP	CLEC/BellSouth	X
RSAG	CLEC/BellSouth	X
SOCS	CLEC/BellSouth	X
CRIS	CLEC/BellSouth	X

SEEM Measure

SEEM Measure				
Yes	Tier I			
	Tier II	X		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

SEEM OSS Interface Availability

Application	Applicable to	% Availability
EDI	CLEC	X
HAL	CLEC	X
LENS	CLEC	X
LEO Mainframe	CLEC	X
LESOG	CLEC	X
PSIMS	CLEC	X
TAG	CLEC	X

OSS-3: Interface Availability (Maintenance & Repair)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for maintenance and repair. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss hour.html)

Exclusions

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
 they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of maintenance and repair systems.

Calculation

OSS Interface Availability (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance	
Availability of CLEC TAFI	Availability of BellSouth TAFI	
• Availability of LMOS HOST, MARCH, SOCS, CRIS,	• Availability of LMOS HOST, MARCH, SOCS, CRIS,	
PREDICTOR, LNP and OSPCM	PREDICTOR, LNP and OSPCM	
• ECTA		

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• >= 99.5%

OSS Interface Availability (M&R)

OSS Interface	% Availability
BST TAFI	X
CLEC TAFI	X
CLEC ECTA	X
BellSouth & CLEC	X
CRIS	X
LMOS HOST	X
LNP	X
MARCH	X
OSPCM	X
PREDICTOR	X
SOCS	X

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

OSS Interface Availability (M&R)

OSS Interface	% Availability
CLEC TAFI	X
CLEC ECTA	Х

685 of 834

OSS-4: Response Interval (Maintenance & Repair)

Definition

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

Exclusions

None

Business Rules

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface_and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

Calculation

OSS Response Interval = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

Percent Response Interval (per category) = (c / d) X 100

- c = Number of Response Intervals in category "X"
- d = Number of Queries Submitted in the Reporting Period

where, "X" is
$$\leq 4$$
, ≥ 4 , ≤ 10 , ≤ 10 , ≥ 10 , or ≥ 30 seconds.

Report Structure

- · Not CLEC Specific
- Not product/service specific
- · Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Transaction Intervals	BellSouth Business and Residential Transactions
	Intervals

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• Parity

Legacy System Access Times for M&R

System	BellSouth & CLEC	Count				
		<= 4	> 4 <= 10	<= 10	> 10	> 30
CRIS	X	X	X	X	X	X
DLETH	X	X	X	X	X	X
DLR	X	X	X	X	X	X
LMOS	Х	X	X	X	X	X
LMOSupd	X	X	X	X	X	X
LNP	X	X	X	X	X	X
MARCH	Х	X	X	X	X	X
OSPCM	X	X	X	X	X	X
Predictor	Х	X	X	X	X	X
SOCS	X	X	X	X	X	X
NIW	X	X	X	X	X	X

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

PO-1: Loop Makeup - Response Time - Manual

Definition

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- Inquiries, which are submitted electronically.
- Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation.
- · Canceled Inquiries.

Business Rules

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via mail or FAX to BellSouth's Complex Resale Support Group (CRSG).

This measurement combines three intervals:

- 1. From receipt of the Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Look-up."
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

Note: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC.

Calculation

Response Interval = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e / f) X 100

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for manual LMUs:
 - $0 \le 1 \text{ day}$
 - >1 <= 2 days
 - >2 <= 3 days
 - $0 \le 3 \text{ days}$
 - >3 <= 6 days
 - >6 <= 10 days
 - > 10 days
- · Average Interval in days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of Inquiries	
SI Intervals	
State and Region	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark
	• 95% <= 3 Business Days

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Loops	Benchmark
	• 95% <= 3 Business Days

PO-2: Loop Make Up - Response Time - Electronic

Definition

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- · Manually submitted inquiries.
- Designated Holidays are excluded from the interval calculation.
- Canceled Requests.
- · Scheduled OSS Maintenance.

Business Rules

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, LENS, TAG or RoboTAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via LENS, TAG or RoboTAG Interfaces.

Note: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

Calculation

Response Interval = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e / f) X 100

- e = Total LMUSIs received within the interval
- \bullet f = Total Number of LMUSIs processed within the reporting period

Report Structure

- CLEC Aggregate
- · CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for electronic LMUs:
 - $0 \le 1$ minute
 - >1 <= 5 minutes
 - $0 \le 5$ minutes
- $> 5 \le 8$ minutes
- > 8 <= 15 minutes
- > 15 minutes
- Average Interval in minutes

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable

Legacy Contract
Response Interval
Regional Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark
	• 90% <= 5 Minutes (05/01/01)
	• 95% <= 1 Minute (08/01/01)

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Loop	• 90% <= 5 Minutes (05/01/01)
	• 95% <= 1 Minute (08/01/01)

Section 2: Ordering

O-1: Acknowledgement Message Timeliness

Definition

This measurement provides the response interval from the time an LSR or transmission (may contain multiple LSRs from one or more CLECs in multiple states) is electronically submitted via EDI or TAG respectively until an acknowledgement notice is sent by the system.

Exclusions

· Scheduled OSS Maintenance

Business Rules

The process includes EDI & TAG system functional acknowledgements for all messages/Local Service Requests (LSRs) which are electronically submitted by the CLEC. Users of EDI may package many LSRs into one transmission which will receive the acknowledgement message. EDI users may place multiple LSRs in one "envelope" requesting service in one or more states which will mask the identity of the state and CLEC. The start time is the receipt time of the message at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). If more than one CLEC uses the same ordering center (aggregator), an Acknowledgement Message will be returned to the "Aggregator". However, BellSouth will not be able to determine which specific CLEC or state this message represented.

Calculation

Response Interval = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time messages/LSRs electronically submitted by the CLEC via EDI or TAG respectively

Average Response Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total number of electronically submitted messages/LSRs received, from CLECs via EDI or TAG respectively, in the Reporting Period.

Reporting Structure

- · CLEC Aggregate
- CLEC Specific/Aggregator
- Geographic Scope
 - Region
- · Electronically Submitted LSRs

 $0 - \le 10$ minutes

>10 -<= 20 minutes

>20 - <= 30 minutes

 $0 - \le 30$ minutes

>30 - <= 45 minutes

>45 - <= 60 minutes

>60 - <= 120 minutes

>120 minutes

· Average interval for electronically submitted messages/LSRs in minutes

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	 Not Applicable
 Record of Functional Acknowledgements 	

692 of 834

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• EDI	• EDI
	- 90% <= 30 minutes (05/01/01)
	- 95% <= 30 minutes (08/01/01)
• TAG	• TAG – 95% <= 30 minutes

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	• EDI
	- 90% <= 30 minutes (05/01/01)
	- 95% <= 30 minutes (08/01/01)
• TAG	• TAG – 95% <= 30 minutes

O-2: Acknowledgement Message Completeness

Definition

This measurement provides the percent of transmissions/LSRs received via EDI or TAG respectively, which are acknowledged electronically.

Exclusions

- · Manually submitted LSRs
- · Scheduled OSS Maintenance

Business Rules

EDI and TAG send Functional Acknowledgements for all transmissions/LSRs, which are electronically submitted by a CLEC. Users of EDI may package many LSRs from multiple states in one transmission. If more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the transmission/LSR will be partially mechanized or fully mechanized.

Calculation

Acknowledgement Completeness = $(a / b) \times 100$

- a = Total number of Functional Acknowledgements returned in the reporting period for transmissions/LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted transmissions/LSRs received in the reporting period by EDI or TAG respectively

Report Structure

- CLEC Aggregate
- · CLEC Specific/Aggregator
- · Geographic Scope
 - Region

Note: The Order calls for Mechanized, Partially Mechanized, and Totally Mechanized, however, the Acknowledgement message is generated before the system recognizes whether this electronic transmission will be partially or fully mechanized.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Record of Functional Acknowledgements	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• EDI	• Benchmark: 100%
• TAG	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	• Benchmark: 100%
• TAG	

O-3: Percent Flow-Through Service Requests (Summary)

Definition

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

Exclusions

- Fatal Rejects
- · Auto Clarification
- · Manual Fallout
- · CLEC System Fallout
- · Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- 2. Special pricing plans
- 3. Some Partial migrations
- New telephone number not yet posted to BOCRIS
- Pending order review required
- CSR inaccuracies such as invalid or missing CSR data in
- Expedites (requested by the CLEC)
- Denials-restore and conversion, or disconnect and conver sion orders
- Class of service invalid in certain states with some types of
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

*See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

Percent Achieved Flow Through = $a / [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

Report Structure

- · CLEC Aggregate
 - Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Total Number of LSRs Received, by Interface, by CLEC	Total Number of Errors By Type
- TAG	- Bellsouth System Error
- EDI	
- LENS	
Total Number of Errors by Type, by CLEC	
- Fatal Rejects	
- Auto Clarification	
- CLEC Caused System Fallout	
Total Number of Errors by Error Code	
Total Fallout for Manual Processing	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark ²
Residence	• Benchmark: 95%
Business	• Benchmark: 90%
• UNE	• Benchmark: 85%
• LNP	Benchmark: 85%

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark ³
Residence	Benchmark: 95%
• Business	• Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

Benchmarks do not apply to the "Percent Achieved Flow Through."

Benchmarks do not apply to the "Percent Achieved Flow Through."

O-4: Percent Flow-Through Service Requests (Detail)

Definition

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

Exclusions

- Fatal Rejects
- Auto Clarification
- · Manual Fallout
- · CLEC System Fallout
- · Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and three types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- 2. Special pricing plans
- 3. Some Partial migrations
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in
- 10. Low volume such as activity type "T" (move)

sion orders

service

11. More than 25 business lines, or more than 15 loops

Denials-restore and conversion, or disconnect and conver

Class of service invalid in certain states with some types of

- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

7. Expedites (requested by the CLEC)

*See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

Percent Achieved Flow Through = $a / [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

Report Structure

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- · Number of fatal rejects
- · Mechanized interface used
- · Total mechanized LSRs
- · Total manual fallout
- · Number of auto clarifications returned to CLEC
- · Number of validated LSRs
- · Number of BellSouth caused fallout
- · Number of CLEC caused fallout
- · Number of Service Orders Issued
- · Base calculation
- · CLEC error excluded calculation

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance	
Report Month	Report Month	
• Total Number of LSRs Received, by Interface, by CLEC	 Total Number of Errors by Type 	
- TAG	- Bellsouth System Error	
- EDI		
- LENS		
 Total Number of Errors by Type, by CLEC 		
- Fatal Rejects		
- Auto Clarification		
- CLEC Errors		
 Total Number of Errors by Error Code 		
Total Fallout for Manual Processing		

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark⁴
Residence	• Benchmark: 95%
Business	• Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

_

⁴ Benchmarks do not apply to the "Percent Achieved Flow Through."

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark⁵
Residence	• Benchmark: 95%
• Business	• Benchmark: 90%
• UNE	• Benchmark: 85%
• LNP	Benchmark: 85%

2-8

⁵ Benchmarks do not apply to the "Percent Achieved Flow Through."

O-5: Flow-Through Error Analysis

Definition

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

Exclusions

Each Error Analysis is error code specific, therefore exclusions are not applicable.

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Total for each error type.

Report Structure

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

- Error Type (by error code)
- · Count of each error type
- · Percent of each error type
- · Cumulative percent
- · Error Description
- · CLEC Caused Count of each error code
- · Percent of aggregate by CLEC caused count
- · Percent of CLEC caused count
- BellSouth Caused Count of each error code
- Percent of aggregate by BellSouth caused count
- Percent of BellSouth by BellSouth caused count

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	• Report Month
Total Number of LSRs Received	 Total Number of Errors by Type (by error code)
• Total Number of Errors by Type (by error code)	- BellSouth System Error
- CLEC Caused Error	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark	
Not Applicable	Not Applicable	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark			
Not Applicable	Not Applicable			

O-6: CLEC LSR Information

Definition

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

Exclusions

- Fatal Rejects
- · LSRs submitted manually

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Not Applicable

Report Structure

Provides a list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period with an explanation of the of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR.

- CC
- PON
- Ver
- Timestamp
- Type
- Err #
- Note or Error Description

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
 Record of LSRs Received by CC, PON and Ver 	
• Record of Timestamp, Type, Err # and Note or Error	
Description for each LSR by CC, PON and Ver	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark			
Not Applicable	Not Applicable			

SEEM Measure

SEEM Measure				
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark			
Not Applicable	Not Applicable			

LSR Flow Through Matrix

Product	Product	Reqtype	ACT Type	F/T ³	Comple	Com	Planned	EDI	TAG	LEN
	Туре				x	plex	Fallout For		2	S^4
					Service	Order				
							Handling ¹			
2 wire analog DID trunk port	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire analog port	U	A	N,T	No	UNE	No	Yes	Y	Y	N
2 wire ISDN digital line	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire ISDN digital loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
3 Way Calling	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
4 wire analog voice grade loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
4 wire DSO & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire DS1 & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire ISDN DSI digital trunk ports	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
Accupulse	С	Е	N,C,T,V,W	No	Yes	Yes	NA	N	N	N
ADSL	R,B,C	Е	V,W	No	UNE	No	No	Y	Y	N
Area Plus	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Basic Rate ISDN	U,C	A	N,T	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	С	Е	C, D,T,V,W	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	С	Е	N,T	No	Yes	Yes	N/A	N	N	N
Basic Rate ISDN 2 Wire UNE P	C	M	N,C,D,V	No	YES	Yes	N/A	N	N	N
Analog Data/Private Line	C	E	N, C, T, V, W, D, P,	No	Yes	Yes	N/A	N	N	N
			Q							
Call Block	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Forwarding	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Return	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Selector	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Tracing	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting Deluxe	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Caller ID	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
CENTREX	С	P	V,P	No	Yes	Yes	NA	N	N	N
DID ACT W	С	N	W	No	Yes	Yes	Yes	Y	Y	Y
Digital Data Transport	U	Е	N,C,T,V,W	No	UNE	Yes	NA	N	N	N
Directory Listing Indentions	B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	No	No	No	Yes	Y	Y	Y
Directory Listings Captions	R,B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	No	No	Yes	Yes	Y	Y	Y
Directory Listings (simple)	R,B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	Yes	No	No	No	Y	Y	Y
DS3	U	A,M	N,C,V	No	UNE	Yes	NA	N	N	N
DS1Loop	U	A,M	N,C,V	Yes	UNE	Yes	No	Y	Y	N
DSO Loop	U	A, B	N,C,D,T,V	Yes	UNE	Yes	No	Y	Y	N
Enhanced Caller ID	R,B	E,M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
ESSX	C	P	C,D,T,V,S,B,W,L ,P,Q	No	Yes	Yes	NA	N	N	N
Flat Rate/Business	В	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Flat Rate/Residence	R	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
FLEXSERV	С	E	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Frame Relay	С	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
FX	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Ga. Community Calling	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
HDSL	Ú	A	N,C,D	Yes	UNE	No	No	Y	Y	N
Hunting MLH	R,B	E, M	C,D,N,T,V,W	No	C/S4	C/S	Yes	Y	Y	N
Hunting Series Completion	R,B	E, M	C,D,N,T,V,W	Yes	C/S	C/S	No	Y	Y	Y
INP to LNP Conversion	U	С	С	No	UNE	Yes	Yes	Y	Y	N

Product	Product	Regtype	ACT Type	F/T ³	Comple	Com	Planned	EDI	TAG	LEN
	Туре	','	,		x	plex	Fallout For		2	S^4
					Service	Order	Manual Handling ¹			
LightGate	С	E	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Line Sharing	U	A	C,D	Yes	UNE	No	No	Y	Y	Y
Local Number Portability	U	C	C,D,P,V,Q	Yes	UNE	Yes	No	Y	Y	N
LNP With Complex Listing	C	C	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
LNP with Partial Migration	U	C	D,P,V,Q	No	UNE	Yes	Yes	Y	Y	N
LNP with Complex Services	C	C	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
Loop+INP	U	В	D,P,V,Q	Yes	UNE	No	No	Y	Y	N
Loop+LNP	U	В	C,D,N,V	Yes	UNE	No	No	Y	Y	N
Measured Rate/Bus	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Measured Rate/Res	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Megalink	C	E	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N
Megalink-T1	C	E,M	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N
Memory Call	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Memory Call Ans. Svc.	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Multiserv	C	P	N,C,D,T,V,S,B,	No	Yes	Yes	NA	N	N	N
Widitisci v		1	W,L,P,Q	110	103	103	1471	11	11	11
Native Mode LAN Interconnection	С	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
(NMLI)			, , ,							
Off-Prem Stations	C	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N
Optional Calling Plan	R,B	E, M	N	Yes	No	No	No	Y	Y	Y
Package/Complete Choice and Area	R,B	E, M	N,T,C,V,W	Yes	No	No	No	Y	Y	Y
Plus		·								
Pathlink Primary Rate ISDN	C	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Pay Phone Provider	В	E	C,D,T,N,V,W	No	No	No	NA	N	N	N
PBX Standalone Port	C	F	N,C,D	No	Yes	Yes	Yes	Y	Y	N
PBX Trunks	R,B	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	Yes	Y	Y	N
Port/Loop PBX	U	M	A,C,D,V	No	No	No	Yes	Y	Y	N
Port/Loop Simple	U	M	A,C,D,V	Yes	No	No	Yes	Y	Y	Y
Preferred Call Forward	R,B,U	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
RCF Basic	R,B	Е	N,D,W,T,F	Yes	No	No	No	Y	Y	Y
Remote Access to CF	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Repeat Dialing	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Ringmaster	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Smartpath	R,B	E	C,D,T,N,V,W	No	Yes	Yes	NA	N	N	N
SmartRING	С	Е	N,D,C,V,W	No	Yes	Yes	NA	N	N	N
Speed Calling	R,B	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Synchronet	С	E	N	Yes	Yes	Yes	Yes	Y	Y	N
Tie Lines	С	E	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N
Touchtone	R,B	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Unbundled Loop-Analog 2W, SL1,	U	A,B	C,D,T,N,V,W	Yes	UNE	No	No	Y	Y	Y
SL2										
WATS	R,B	Е	W,D	No	Yes	Yes	NA	N	N	N
XDSL	C,U	A,B	N,T,C,V,D	Yes	UNE	No	No	Y	Y	N
XDSL Extended LOOP	C,U	A,B	N,T,C,V,D	No	UNE	Yes	NA	N	N	N
Collect Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
900 Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
3rd Party Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
Three Way Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
PIC/LPIC Change	R,B	Е	T,C,V,	Yes	No	No	No	Y	Y	Y
PIC/LPIC Freeze	R,B	E	N,T,C,V	Yes	No	No	No	Y	Y	Y

Note¹: Planned Fallout for Manual Handling denotes those services that are electronically submitted and are not intended to flow through due to the complexity of the service.

Note²: The TAG column includes those LSRs submitted via Robo TAG.

Note³: For all services that indicate 'No' for flow-through, the following reasons, in addition to errors or complex services, also prompt manual handling: Expedites from CLECs, special pricing plans, denials restore and conversion or disconnect and conversion both required, partial migrations (although conversions-as-is flow through for issue 9), class of service invalid in certain states with some TOS e.g. government, or cannot be changed when changing main TN on C activity, low volume e.g. activity type T=move, pending order review required, more than 25 business lines, CSR inaccuracies such as invalid or missing CSR data in CRIS, Directory listings – Indentions, Directory listings – Captions, transfer of calls option for CLEC end user – new TN not yet posted to BOCRIS. Many are unique to the CLEC environment.

Note⁴: Services with C/S in the Complex Service and/or the Complex Order columns can be either complex or simple.

Note⁵: EELs are manually ordered.

Note⁶: LSRs submitted for Resale Products and Services for which there is a temporary promotion or discount plan will be processed identically to those LSRs ordering the same Products or Services without a promotion or discount plan.

O-7: Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) received which are rejected due to error or omission. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by the CLEC prior to being rejected/clarified.
- · Scheduled OSS Maintenance

Business Rules

Fully Mechanized: An LSR is considered "rejected" when it is submitted electronically but does not pass LEO edit checks in the ordering systems (EDI, LENS, TAG, LEO, LESOG) and is returned to the CLEC without manual intervention. There are two types of "Rejects" in the Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. Fatal rejects are excluded from the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** occurs when a valid LSR is electronically submitted but rejected from LESOG because it does not pass further edit checks for order accuracy.

Partially Mechanized: A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and "falls out" for manual handling. It is then put into "clarification" and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs electronically submitted by the CLEC.

Non-Mechanized: LSRs which are faxed or mailed to the LCSC for processing and "clarified" (rejected) back to the CLEC by the BellSouth service representative.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Interconnection Purchasing Center (IPC). Trunk data is reported separately.

Calculation

Percent Rejected Service Requests = (a / b) X 100

- a = Total Number of Rejected Service Requests in the Reporting Period
- b = Total Number of Service Requests Received in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- · CLEC Aggregate
- Geographic Scope
 - State
 - Region
- Product Specific Percent Rejected
- Total Percent Rejected

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
 Total Number of LSRs 	
 Total Number of Rejects 	
State and Region	
• Total Number of ASRs (Trunks)	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Mechanized, Partially Mechanized and Non-Mechanized	Diagnostic
Resale - Residence	
Resale - Business	
• Resale – Design (Special)	
• Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non-Design	
2W Analog Loop With LNP Design	
2W Analog Loop With LNP Non-Design	
• UNE Loop + Port Combinations	
Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
UNE ISDN Loop	
UNE Other Design	
UNE Other Non-Design	
Local Interoffice Transport	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure				
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-8: Reject Interval

Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by CLEC prior to being rejected/clarified
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is rejected (date and time stamp or reject in EDI, TAG or LENS). Auto Clarifications are considered in the Fully Mechanized category.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via LENS, EDI, or TAG.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.

Non-Mechanized: The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately. All interconnection trunks are counted in the non-mechanized category.

Calculation

Reject Interval = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- · Geographic Scope

- State
- Region
- · Mechanized:
 - $0 \le 4$ minutes
 - >4 <= 8 minutes
- >8 <= 12 minutes
- >12 <= 60 minutes
- $0 \le 1$ hour
- >1 <=4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- >24 hours
- Partially Mechanized:
 - 0 <= 1 hour
 - >1 <= 4 hours
 - >4 <= 8 hours
 - >8 <= 10 hours
- $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- >24 hours
- Non-mechanized:
- $0 \le 1 \text{ hour}$
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- $0 \le 24 \text{ hours}$
- > 24 hours
- Trunks:
 - <= 4 days
- >4 <= 8 days
- >8 <= 12 days
- >12 <= 14 days
- >14 <= 20 days >20 days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
Total Number of LSRs	
Total Number of Rejects	
State and Region	
• Total Number of ASRs (Trunks)	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale - Residence	Mechanized:
Resale - Business	- 97% <= I Hour
Resale - Design (Special)	Partially Mechanized:
• Resale PBX	- 85% <= 24 hours
Resale Centrex	- 85% <= 18 Hours (05/01/01)

Resale ISDN	- 85% <= 10 Hours (08/01/01)
• LNP (Standalone)	• Non-Mechanized: - 85% <= 24 hours
• INP (Standalone)	
• 2W Analog Loop Design	
• 2W Analog Loop Non-Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non-Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non-Design	
• UNE Loop + Port Combinations	
• Switch Ports	
• UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
• Line Sharing	
• UNE ISDN Loops	
UNE Other Non-Design	
 Local Interoffice Transport 	
• UNE Other Design	
• Local Interconnection Trunks	• Trunks: - 85% <= 4 Days

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 97% <= 1 Hour
Partially Mechanized	• 85% <= 24 Hours
	• 85% <= 18 Hours (05/01/01)
	• 85% <= 10 Hours (08/01/01)
Non-Mechanized	• 85% <= 24 Hours

O-9: Firm Order Confirmation Timeliness

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR to distribution of a Firm Order Confirmation.

Exclusions

- · Rejected LSRs
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI. LENS or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.
- Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately.

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution (for each interval) = (e / f) X 100

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
 - CLEC Specific
 - CLEC Aggregate
- · Geographic Scope
 - State
- Region
- Fully Mechanized:
- $0 \le 15$ minutes
- >15 <= 30 minutes
- >30 <= 45 minutes
- >45 <= 60 minutes
- >60 <= 90 minutes
- >90 <= 120 minutes
- >120 <= 180 minutes
- $0 \le 3$ hours
- >3 <= 6 hours
- >6 <= 12 hours
- >12 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Partially Mechanized:
 - $0 \le 4$ hours
 - >4 <= 8 hours
 - >8 <= 10 hours
 - $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- 0 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Non-Mechanized:
 - $0 \le 4$ hours
 - >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- >24 <= 36 hours
- $0 \le 36 \text{ hours}$
- >36 <= 48 hours
- >48 hours
- Trunks:
- $0 \le 5 \text{ days}$
- >5 <= 10 days
- $0 \le 10 \text{ days}$
- >10 <= 15 days
- >15 <= 20 days
- >20 days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
• Interval for FOC	
 Total Number of LSRs 	
State and Region	
• Total Number of ASRs (Trunks)	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale – Residence	• Mechanized: - 95% <= 3 Hours
• Resale – Business	Partially Mechanized:
• Resale – Design (Special)	- 85% <= 24 Hours
Resale PBX	- 85% <= 18 Hours (05/01/01)
Resale Centrex	- 85% <= 10 Hours (08/01/01)
Resale ISDN	• Non-mechanized: - 85% <= 36 Hours
• LNP (Standalone)	
• INP(Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non-Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non-Design	
• UNE Loop + Port Combinations	
Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
• UNE ISDN Loops	
UNE Other Design	
UNE Other Non-Design	
Local Interoffice Transport	
Local Interconnection Trunks	• Trunks: - 95% <= 10 Days

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% <= 3 Hours
Partially Mechanized	• 85% <= 24 Hours
	• 85% <= 18 Hours (05/01/01)
	• 85% <= 10 Hours (08/01/01)
Non-Mechanized	• 85% <= 36 Hours
IC Trunks	• 95% <= 10 Days

O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual⁶

Definition

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

Exclusions

- Designated Holidays are excluded from the interval calculation
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry
- · Canceled Requests
- Electronically Submitted Requests
- Scheduled OSS Maintenance

Business Rules

This measurement combines four intervals:

- 1. From receipt of Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
- 4. From receipt of SI/LSR in the LCSC to Firm Order Confirmation.

Calculation

FOC Timeliness Interval = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSR returned to CLEC
- b = Date and Time SI with LSR received

Average Interval = (c / d)

- c = Sum of all FOC Timeliness Intervals
- d = Total number of SIs with LSRs received in the reporting period

Percent Within Interval = (e / f) X 100

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center (LCSC)
- f = Total number of Service Inquiries with LSRs received in the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- · Geographic Scope
 - State
 - Region
- Intervals

 $0 - \le 3 \text{ days}$

>3 - <= 5 days

 $0 - \le 5 \text{ days}$ >5 - \le 7 days

>7 - <= 10 days

>10 - <= 15 days

>15 days

⁶ See O-9 for FOC Timeliness

• Average Interval measured in days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of Requests	
• SI Intervals	
State and Region	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• xDSL (includes UNE unbundled ADSL, HDSL and UNE	• 95% Returned <= 5 Business days
Unbundled Copper Loops)	
Unbundled Interoffice Transport	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-11: Firm Order Confirmation and Reject Response Completeness

Definition

A response is expected from BellSouth for every Local Service Request transaction (version). More than one response or differing responses per transaction is not expected. Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

Exclusions

- · Service Requests canceled by the CLEC prior to FOC or Rejected/Clarified
- · Non-Mechanized LSRs
- · Scheduled OSS Maintenance

Business Rules

Mechanized – The number of FOCs or Auto Clarifications sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG).

Partially Mechanized – The number of FOCs or Rejects sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG), which fall out for manual handling by the LCSC personnel.

Total Mechanized - The number of the combination of Fully Mechanized and Partially Mechanized LSRs

Non-Mechanized – The number of FOCs or Rejects sent to the CLEC via FAX Server in response to manually submitted LSRs (date and time stamp in FAX Server).

Note: Manual (Non-Mechanized) LSRs have no version control by the very nature of the manual process, therefore, non-mechanized LSRs are not captured by this report.

For CLEC Results:

Firm Order Confirmation and Reject Response Completeness is determined in two dimensions:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Percent of multiple responses is determined by computing the number of Local Service Request unique versions receiving more than one Firm Order Confirmation, Reject or the combination of the two and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Calculation

Single FOC/Reject Response Expected

Firm Order Confirmation / Reject Response Completeness = (a / b) X 100

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

Multiple or Differing FOC / Reject Responses Not Expected

Response Completeness = $[(a + b) / c] \times 100$

- a = Total Number of Firm Order Confirmations Per LSR Version
- b = Total Number of Reject Responses Per LSR Version
- c = Total Number of Service Requests (All Versions) Received in the Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- · State and Region
- CLEC Specific
- CLEC Aggregate
- · BellSouth Specific

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
• Total Number of LSRs	
• Total Number of Rejects	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• 95% Returned
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
• 2W Analog Loop Design	
• 2W Analog Loop Non - Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non - Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non - Design	
UNE Loop and Port Combinations	
• Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
• Line Sharing	
UNE ISDN Loops	
• UNE Other Design	
• UNE Other Non - Design	
Local Interoffice Transport	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% Returned

O-12: Speed of Answer in Ordering Center

Definition

Measures the average time a customer is in queue.

Exclusions

None

Business Rules

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

Calculation

Speed of Answer in Ordering Center = (a / b)

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

Report Structure

Aggregate

- CLEC Local Carrier Service Center
- · BellSouth
 - Business Service Center
- Residence Service Center

Note: Combination of Residence Service Center and Business Service Center data.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Mechanized tracking through LCSC Automatic Call	Mechanized tracking through BellSouth Retail center
Distributor	support system.

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Aggregate	Parity with Retail
CLEC – Local Carrier Service Center	
BellSouth	
- Business Service Center	
- Residence Service Center	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-13: LNP-Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) which are rejected due to error or omission. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete, i.e., fatal rejects are never accepted and, therefore, are not included.

Exclusions

- Service Requests canceled by the CLEC
- · Scheduled OSS Maintenance

Business Rules

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR (via EDI or TAG) but required fields are not populated correctly and the request is returned to the CLEC.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which is electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

Calculation

LNP-Percent Rejected Service Requests = (a / b) X 100

- a = Number of Service Requests Rejected in the Reporting Period
- b = Number of Service Requests Received in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- · CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Not Applicable	Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Diagnostic
• UNE Loop With LNP	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-14: LNP-Reject Interval Distribution & Average Reject Interval

Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by the CLEC
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BellSouth receives LSR until that LSR is rejected back to the CLEC. Elapsed time for each LSR is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are not populated correctly and the request is returned to the CLEC.

An **Auto Clarification** is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

Calculation

Reject Interval = (a - b)

- a = Date & Time of Service Request Rejection
- b = Date & Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Total Number of Service Requests Rejected in Reporting Period

Reject Interval Distribution = (e / f) X 100

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State, Region
- Fully Mechanized:
- $0 \le 4$ minutes
- >4 <= 8 minutes
- >8 <= 12 minutes
- >12 <= 60 minutes
- $0 \leftarrow 1 \text{ hour}$
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- > 24 hours
- Partially Mechanized:
 - $0 \le 1 \text{ hour}$
 - >1 <= 4 hours
 - >4 <= 8 hours
 - >8 <= 10 hours
 - $0 \le 10 \text{ hours}$
 - >10 <= 18 hours
 - $0 \le 18 \text{ hours}$
 - >18 <= 24 hours
- > 24 hours
- Non-Mechanized:
 - $0 \le 1 \text{ hour}$
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours >12 - <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- $0 \le 24 \text{ hours}$
- >24 hours
- · Average Interval in Days or Hours

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
 Total Number of LSRs 	
• Total number of Rejects	
State and Region	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• Mechanized: 97% <= I Hour
UNE Loop with LNP	• Partially Mechanized: 85% <= 24 Hours
	• Partially Mechanized: 85% <= 18 Hours (05/01/01)
	• Partially Mechanized: 85% <= 10 Hours (08/01/01)
	• Non-Mechanized: 85% <= 24 Hours

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

722 of 834

O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirmation Average Interval

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of a valid LSR to distribution of a firm order confirmation.

Exclusions

- · Rejected LSRs
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group - Monday through Saturday 7:00PM until 7:00AM

From 7:00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups - Monday through Friday 6:00PM until 8:00AM

From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI, LENS or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution (for each interval) = $(e / f) \times 100$

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State and Region
- Fully Mechanized:
- 0 <= 15 minutes
- >15 <= 30 minutes
- >30 <= 45 minutes
- >45 <= 60 minutes
- >60 <= 90 minutes
- >90 <= 120 minutes
- >120 <= 180 minutes
- $0 \le 3$ hours
- >3 <= 6 hours
- >6 <= 12 hours
- >12 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Partially Mechanized:
- $0 \le 4$ hours
- >4 <= 8 hours
- >8 <= 10 hours
- $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- $0 \le 24 \text{ hours}$
- >24 <= 48 hours
- >48 hours
- Non-Mechanized:
- $0 \le 4 \text{ hours}$
- >4 <= 8 hours >8 - <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- >24 <= 36 hours
- $0 \le 36 \text{ hours}$
- >36 <= 48 hours
- >48 hours

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of LSRs	
• Total Number of FOCs	
State and Region	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• Mechanized: 95% <= 3 Hours
UNE Loop with LNP	 Partially Mechanized: 85% <= 24 Hours
	• Partially Mechanized: 85% <= 18 Hours (05/01/01)
	• Partially Mechanized: 85% <= 10 Hours (08/01/01)
	• Non-Mechanized: 85% <= 36 hours

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
• Not Applicable	Not Applicable

Section 3: Provisioning

P-1: Mean Held Order Interval & Distribution Intervals

Definition

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BellSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date at the close of the reporting period. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

Exclusions

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D) & From (F) orders
- · Orders with appointment code of 'A' for Rural orders

Business Rules

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

Held Order Distribution Interval: This measure provides data to report total days held and identifies these in categories of >15 days and >90 days. (Orders counted in >90 days are also included in >15 days).

Calculation

Mean Held Order Interval = a / b

- a = Sum of held-over-days for all Past Due Orders Held for the reporting period
- b = Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

Held Order Distribution Interval (for each interval) = (c / d) X 100

- c = # of Orders Held for >= 15 days or # of Orders Held for >= 90 days
- d = Total # of Past Due Orders Held and Pending But Not Completed)

Report Structure

- CLEC Specific
- · CLEC Aggregate
- BellSouth Aggregate
- Circuit Breakout < 10, >= 10 (except trunks)

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number and PON (PON) Order Submission Date (TICKET_ID) Committed Due Date (DD) Service Type (CLASS_SVC_DESC) Hold Reason Total Line/circuit Count Geographic Scope 	 Report Month BellSouth Order Number Order Submission Date Committed Due Date Service Type Hold Reason Total Line/circuit Count Geographic Scope
Note : Code in parentheses is the corresponding header four	ad
in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
• Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	• Retail Residence and Business (POTS)
• INP (Standalone)	• Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
• 2W Analog Loop Non-Design	• Retail Residence and Business - POTS Excluding Switch-
	Based Orders
• 2W Analog Loop With LNP Design	 Retail Residence and Business Dispatch
• 2W Analog Loop With LNP Non-Design	• Retail Residence and Business - POTS Excluding Switch-
	Based Orders
• 2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business - POTS Excluding Switch-
	Based Orders
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE Loop + Port Combinations	Retail Residence and Business
• UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
• UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport)	• Retail DS1/DS3 Interoffice
• Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices

Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the commitment date of the order. The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

Exclusions

- · Orders held for CLEC end user reasons
- Disconnect (D) & From (F) orders
- · Non-Dispatch Orders

Business Rules

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

Calculation

Jeopardy Interval = a - b

- a = Date and Time of Jeopardy Notice
- b = Date and Time of Scheduled Due Date on Service Order

Average Jeopardy Interval = c / d

- c = Sum of all jeopardy intervals
- d = Number of Orders Notified of Jeopardy in Reporting Period

Percent of Orders Given Jeopardy Notice = $(e \ / \ f) \ X \ 100$

- e = Number of Orders Given Jeopardy Notices in Reporting Period
- f = Number of Orders Confirmed (due) in Reporting Period)

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch Orders
- Mechanized Orders
- · Non-Mechanized Orders

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number and PON Date and Time Jeopardy Notice Sent Committed Due Date Service Type Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month BellSouth Order Number Date and Time Jeopardy Notice Sent Committed Due Date Service Type

SQM Analog/Benchmark
Retail Residence
Retail Business
Retail Design
Retail PBX
Retail Centrex
Retail ISDN
Retail Residence and Business (POTS)
Retail Residence and Business (POTS)
Retail Residence and Business Dispatch
Retail Residence and Business - (POTS Excluding
Switch- Based Orders)
Retail Residence and Business Dispatch
Retail Residence and Business - (POTS Excluding
Switch- Based Orders)
Retail Residence and Business Dispatch
• Retail Residence and Business (POTS Excluding Switch-
Based Orders)
• Retail Digital Loop < DS1
• Retail Digital Loop >= DS1
Retail Business and Residence
• Retail Residence and Business (POTS)
Retail Residence, Business and Design Dispatch
ADSL Provided to Retail
Retail ISDN BRI
ADSL Provided to Retail
Retail Design
Retail Residence and Business
Retail DS1/DS3 Interoffice
Parity with Retail
• 95% >= 48 Hours

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
• Not Applicable	Not Applicable

P-3: Percent Missed Installation Appointments

Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc.)
- Disconnect (D) & From (F) orders
- End User Misses on Local Interconnection Trunks

Business Rules

Percent Missed Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be included and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

Calculation

Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)
- · Dispatch/No Dispatch

Report Explanation: The difference between End User MA and Total MA is the result of BellSouth caused misses. Here, Total MA is the total percent of orders missed either by BellSouth or CLEC end user. The End User MA represents the percentage of orders missed by the CLEC or their end user.

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Status Notice Date Standard Order Activity Geographic Scope 	 Report Month BellSouth Order Number Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Status Notice Date Standard Order Activity Geographic Scope
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	• Retail Residence, Business and Design Dispatch
	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport)	• Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

731 of 834

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	 Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

Definition

The "average completion interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D&F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)

Business Rules

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's actual order completion date. This includes all delays for BellSouth's CLEC/End Users. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0.5 = 0.4.99, 5.10 = 5.9.99, 10.15 = 10.14.99, 15.20 = 15.19.99, 20.25 = 20.24.99, 25.30 = 25.29.99, >= 30 = 30 and greater.

Calculation

Completion Interval = (a - b)

- a = Completion Date
- b = Order Issue Date

Average Completion Interval = (c / d)

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

Order Completion Interval Distribution (for each interval) = (e / f) X 100

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Residence & Business reported in day intervals = 0, 1, 2, 3, 4, 5, 5+
- UNE and Design reported in day intervals = 0-5, 5-10, 10-15, 15-20, 20-25, 25-30,>= 30
- All Levels are reported <10 line/circuits; >= 10 line/circuits (except trunks)
- ISDN Orders included in Non-Design

Relating to CLEC Experience	Relating to BellSouth Performance
Report MonthCLEC Company NameOrder Number (PON)	Report MonthBellSouth Order Number

	Application Date & Time (TICKET_ID)	Application Date & Time
	Completion Date (CMPLTN_DT)	Order Completion Date & Time
	• Service Type (CLASS_SVC_DESC)	Service Type
	Geographic Scope	Geographic Scope
Note: Code in parentheses is the corresponding header found		
	in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
• Resale Business	Retail Business
Resale Design	Retail Design
• Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
 2W Analog Loop With INP Non-Design 	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
 UNE Loop + Port Combinations 	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	• Retail Residence, Business and Design Dispatch
	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE xDSL (HDSL, ADSL and UCL) without	• 7 Days
conditioning	
• UNE xDSL (HDSL, ADSL and UCL) with conditioning	• 14 Days
• UNE ISDN	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
• Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL without conditioning	• 7 Days
UNE xDSL with conditioning	• 14 Days
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

735 of 834

P-5: Average Completion Notice Interval

Definitions

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

Exclusions

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D&F orders (Exception: "D" orders associated with LNP Standalone)

Business Rules

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the 5PM due date stamp; the end time for mechanized orders is the time stamp the notice was transmitted to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders the end timestamp will be timestamp of order update to C-SOTS system.

Calculation

Completion Notice Interval = (a - b)

- a = Date and Time of Notice of Completion
- b = Date and Time of Work Completion

Average Completion Notice Interval = c / d

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Mechanized Orders
- Non-Mechanized Orders
- Reporting intervals in Hours; 0, 1-2, 2-4, 4-8, 8-12, 12-24, >= 24 plus Overall Average Hour Interval (The categories are inclusive of these time intervals: 0-1 = 0.99; 1-2 =1-1.99; 2-4 = 2-3.99, etc.)
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number (so_nbr) Work Completion Date (cmpltn_dt) Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Geographic Scope 	 Report Month BellSouth Order Number (so_nbr) Work Completion Date (cmpltn_dt) Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Geographic Scope
Note: Code in parentheses is the corresponding header found	NOTE: Code in parentheses is the corresponding header

in the raw data file.	found in the raw data file.

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• 2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
 2W Analog Loop With LNP Non-Design 	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• 2W Analog Loop With INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	Retail Residence and Business (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
• UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	• Retail Residence, Business and Design Dispatch (Including
Discould	Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail Description of the second
• UNE ISDN	Retail ISDN BRI A DSL Provide La Pare 11
• UNE Line Sharing	ADSL Provided to Retail
• UNE Other Design	Retail Design
• UNE Other Non-Design	Retail Residence and Business Part 1 D01 (D02 Late Control of the Control o
Local Transport (Unbundled Interoffice Transport)	• Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-6: % Completions/Attempts without Notice or < 24 hours Notice

Definition

This Report measures the interval from the FOC end timestamp on the LSR until 5:00 P.M. on the original committed due date of a service order. The purpose of this measure is to report if BellSouth is returning a FOC to the CLEC in time for the CLEC to notify their customer of the scheduled date.

Exclusions

"0" dated orders or any request where the subscriber requested an earlier due date of < 24 hours prior to the original commitment date, or any LSR received < 24 hours prior to the original commitment date.

Business Rules

For CLEC Results:

Calculation would exclude any successful or unsuccessful service delivery where the CLEC was informed at least 24 hours in advance. BellSouth may also exclude from calculation any LSRs received from the requesting CLEC with less than 24 hour notice prior to the commitment date.

For BellSouth Results:

BellSouth does not provide a FOC to its retail customers.

Calculation

Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice = (a / b) X 100

- a = Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received < 24 Hours of original Committed Due Date
- b = All Completions

Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispatch /Non-Dispatch
- Total Orders FOC < 24 Hours
- Total Completed Service Orders
- % FOC < 24 Hours

Relating to CLEC Experience	Relating to BellSouth Performance
Committed Due Date (DD)	Not Applicable
FOC End Timestamp	
Report Month	
CLEC Order Number and PON	
Geographic Scope	
- State / Region	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Diagnostic
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop With LNP-Design	
• 2W Analog Loop With LNP Non-Design	
• 2W Analog Loop With INP-Design	
• 2W Analog Loop With INP Non-Design	
• UNE Digital Loop < DS1	
• UNE Digital Loop >=DS1	
• UNE Loop + Port Combinations	
• UNE Switch ports	
UNE Combo Other	
• UNE xDSL (HDSL, ADSL and UCL)	
• UNE ISDN	
UNE Line Sharing	
• UNE Other Design	
UNE Other Non -Design	
• Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-7: Coordinated Customer Conversions Interval

Definition

This report measures the average time it takes BellSouth to disconnect an unbundled loop from the BellSouth switch and cross connect it to CLEC equipment. This measurement applies to service orders with INP and with LNP, and where the CLEC has requested BellSouth to provide a coordinated cut over.

Exclusions

- · Any order canceled by the CLEC will be excluded from this measurement
- Delays due to CLEC following disconnection of the unbundled loop
- · Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested

Business Rules

When the service order includes INP, the interval includes the total time for the cut over including the translation time to place the line back in service on the ported line. When the service order includes LNP, the interval only includes the total time for the cut over (the port of the number is controlled by the CLEC). The interval is calculated for the entire cut over time for the service order and then divided by items worked in that time to give the average per-item interval for each service order.

Calculation

Coordinated Customer Conversions Interval = (a - b)

- a = Completion Date and Time for Cross Connection of a Coordinated Unbundled Loop
- b = Disconnection Date and Time of an Coordinated Unbundled Loop

Percent Coordinated Customer Conversions (for each interval) = (c / d) X 100

- c = Total number of Coordinated Customer Conversions for each interval
- d = Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- The interval breakout is 0.5 = 0.4.99, 5.15 = 5.14.99, >=15 = 15 and greater, plus Overall Average Interval.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exists
CLEC Order Number	100 Deliboutii Alialog Laists
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
• Cut over Start Time	
Cut over Completion Time	
 Portability Start and Completion Times (INP orders) 	
• Total Conversions (Items)	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
 Unbundled Loops with INP/LNP 	• 95% <= 15 minutes
Unbundled Loops without INP/LNP	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Unbundled Loops	• 95% <= 15 minutes

741 of 834

P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% Within Interval and Average Interval

Definition

This category measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

Exclusions

- · Any order canceled by the CLEC will be excluded from this measurement
- · Delays caused by the CLEC
- · Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested
- All unbundled loops on multiple loop orders after the first loop

Business Rules

This report measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cut over start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered "on time" if the first line is cut within the interval. <= 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, <= 30 minutes includes cuts within 15:00 – 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time.

Calculation

% within Interval = $(a/b) \times 100$

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

Interval = (c - d)

- c = Scheduled Time for Cross Connection of a Coordinated Unbundled Loop Order
- d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

Average Interval = (e / f)

- · Sum of all Intervals
- Total Number of Coordinated Unbundled Loop Orders for the reporting period.

Report Structure

- CLEC Specific
- · CLEC Aggregate

Reported in intervals of early, on time and late cuts % <=15 minutes; % >15 minutes, <= 30 minutes; % > 30 minutes, plus Overall Average Interval.

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog exists
• CLEC Order Number (so_nbr)	No Delisoutii Alialog exists
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
Cut over Scheduled Start Time	
Cut over Actual Start Time	
 Total Conversions Orders 	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Product Reporting Level	• 95% Within + or – 15 minutes of Scheduled Start Time
- SL1 Time Specific	
- SL1 Non-Time Specific	
- SL2 Time Specific	
- SL2 Non-Time Specific	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE Loops	• 95% Within + or – 15 minutes of Scheduled Start time

743 of 834

P-7B: Coordinated Customer Conversions – Average Recovery Time

Definition

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

Exclusions

- · Cut overs where service outages are due to CLEC caused reasons
- Cut overs where service outages are due to end-user caused reasons

Business Rules

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

Calculation

Recovery Time = (a - b)

- a = Date & Time That Trouble is Closed by CLEC
- b = Date & Time Initial Trouble is Opened with BellSouth

Average Recovery Time = (c / d)

- c = Sum of all the Recovery Times
- d = Number of Troubles Referred to the BellSouth

Report Structure

- CLEC Specific
- CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	• None
CLEC Company Name	VIVOIC
• CLEC Order Number (so_nbr)	
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
• CLEC Acceptance Conflict (CLEC_CONFLICT)	
• CLEC Conflict Resolved (CLEC_RESOLVE)	
• CLEC Conflict MFC (CLEC_CONFLICT_MFC)	
Total Conversion Orders	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Unbundled Loops with INP/LNP	Diagnostic
Unbundled Loops without INP/LNP	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a completed Service Order

Definition

Percent Provisioning Troubles received within 7 days of a completed service order associated with a Coordinated and Non-Coordinated Customer Conversion. Measures the quality and accuracy of Hot Cut Conversion Activities.

Exclusions

- · Any order canceled by the CLEC
- · Troubles caused by Customer Provided Equipment

Business Rules

Measures the quality and accuracy of completed service orders associated with Coordinated and Non-Coordinated Hot Cut Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated and Non-Coordinated Hot Cut Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

Calculation

% Provisioning Troubles within 7 days of service order completion = $(a / b) \times 100$

- a = The sum of all Hot Cut Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of Hot Cut service order circuits completed in the previous report calendar month

Report Structure

- CLEC Specific
- CLEC Aggregate
- · Dispatch/Non-Dispatch

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report MonthCLEC Order Number (so nbr)	No BellSouth Analog Exists
• PON	
Order Submission Date (TICKET_ID)	
Order Submission Time (TICKET_ID)	
• Status Type	
Status Notice Date	
Standard Order Activity	
Geographic Scope	
Total Conversion Circuits	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
UNE Loop Design	• <= 5%
UNE Loop Non-Design	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE Loops	• <= 5%

P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested

Definition

The loop will be considered cooperatively tested when the BellSouth technician places a call to the CLEC representative to initiate cooperative testing and jointly performs the tests with the CLEC.

Exclusions

- Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)
- xDSL lines with no request for cooperative testing

Business Rules

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short.

Calculation

Cooperative Acceptance Testing - % of xDSL Loops Tested = $(a / b) \times 100$

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- b = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Type of Loop tested

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exists
CLEC Company Name (OCN)	100 Delisoutii Alidiog Exists
 CLEC Order Number (so_nbr) and PON (PON) 	
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
• Acceptance Testing Completed (ACCEPT_TESTING)	
• Acceptance Testing Declined (ACCEPT_TESTING)	
• Total xDSL Orders	
Note : Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark:
• UNE xDSL	• 95% of Lines Tested
- ADSL	
- HDSL	
- UCL	
- OTHER	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE xDSL	• 95% of Lines Tested

749 of 834

P-9: % Provisioning Troubles within 30 days of Service Order Completion

Definition

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- · D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

Business Rules

Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect.

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

% Provisioning Troubles within 30 days of Service Order Activity = (a / b) X 100

- a = Trouble reports on all completed orders 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch (except trunks)

Re	elating to CLEC Experience	Relating to BellSouth Performance
Report MonthCLEC Order NOrder Submissi	fumber and PON ion Date (TICKET_ID) ion Time (TICKET_ID) Date Activity	 Report Month BellSouth Order Number Order Submission Date Order Submission Time Status Type Status Notice Date Standard Order Activity Geographic Scope
Note: Code in particular in the raw data	rentheses is the corresponding header found file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS - Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
• INP (Standalone)	Retail Residence and Business (POTS)
• LNP (Standalone)	Retail Residence and Business (POTS)
• UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
• UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
Disposed	(Including Dispatch Out and Dispatch In)
- Dispatch Non Dispatch (Dispatch In)	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
Local Transport (Unbundled Interoffice Transport) LDUE Od a New Project	Retail DS1/DS3 Interoffice
• UNE Other Non-Design	Retail Residence and Business Retail Design
• UNE Other Design	Retail Design Design
Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	 Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

P-10: Total Service Order Cycle Time (TSOCT)

Definition

This report measures the total service order cycle time from receipt of a valid service order request to the return of a completion notice to the CLEC Interface.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D (Disconnect Except "D" orders associated with LNP Standalone.) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new address)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- · Orders with CLEC/Subscriber caused delays or CLEC/Subscriber requested due date changes

Business Rules

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval. For UNE XDSL Loop, this measurement combines Service Inquiry Interval (SI), FOC Timeliness, Average Completion Interval, and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI) and the BellSouth Legacy Systems. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) = (e / f) X 100

- e = Total Number of Service Requests Completed in "X" minutes/hours
- f = Total Number of Service Requests Received in Reporting Period

Report Structure

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- · Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >= 30 Days. The interval breakout is: 0-5=0-4.99, 5-10=5-9.99, 10-15=10-14.99, 15-20=15-19.99, 20-25=20-24.99, 25-30=25-29.99, >= 30=30 and greater.

Relating to CLEC Experience	Relating to BellSouth Performance
Report MonthInterval for FOC	Report Month BellSouth Order Number

 CLEC Company Name (OCN) Order Number (PON) Submission Date & Time (TICKET_ID) Completion Date (CMPLTN_DT) Completion Notice Date and Time 	 Order Submission Date & Time Order Completion Date & Time Service Type Geographic Scope
Service Type (CLASS_SVC_DESC)Geographic Scope	
Note: Code in parentheses is the corresponding header found in the raw data file	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• Diagnostic
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
• 2W Analog Loop With LNP Design	
2W Analog Loop With LNP Non-Design	
UNE Switch Ports	
• UNE Loop + Port Combinations	
UNE Combo Other	
• UNE xDSL (HDSL, ADSL and UCL)	
• UNE ISDN	
UNE Line Sharing	
UNE Other Design	
UNE Other Non -Design	
• UNE Digital Loops < DS1	
• UNE Digital Loops >= DS1	
• Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-11: Service Order Accuracy

Definition

The "service order accuracy" measurement measures the accuracy and completeness of a sample of BellSouth service orders by comparing what was ordered and what was completed.

Exclusions

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders

Business Rules

A statistically valid sample of service orders, completed during a monthly reporting period, is compared to the original account profile and the order that the CLEC sent to BellSouth. An order is "completed without error" if all service attributes and account detail changes (as determined by comparing the original order) completely and accurately reflect the activity specified on the original order and any supplemental CLEC order. For both small and large sample sizes, when a Service Request cannot be matched with a corresponding Service Order, it will not be counted. For small sample sizes an effort will be made to replace the service request.

Calculation

Percent Service Order Accuracy = (a / b) X 100

- a = Orders Completed without Error
- b = Orders Completed in Reporting Period

Report Structure

- · CLEC Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits
- · Dispatch / No Dispatch

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	No BellSouth Analog Exist
 CLEC Order Number and PON 	
• Local Service Request (LSR)	
Order Submission Date	
Committed Due Date	
Service Type	
Standard Order Activity	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• 95% Accurate
 Resale Business 	
• Resale Design (Specials)	
• UNE Specials (Design)	
• UNE (Non-Design)	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-12: LNP-Percent Missed Installation Appointments

Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that CLECs can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for total misses and End User Misses.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable

Business Rules

Percent Missed Installation Appointments (PMI) is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates. Missed Appointments caused by end-user reasons will be included and reported in a separate category. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date, which means there cannot be a cutoff time for commitments as certain types of orders are requested to be worked after standard business hours.

Calculation

LNP Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State/Region
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)

Report explanation: Total Missed Appointments is the total percent of orders missed either by BellSouth or the CLEC end user. End User MA represents the percentage of orders missed by the CLEC end user. The difference between End User Missed Appointments and Total Missed Appointments is the result of BellSouth caused misses.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
 CLEC Order Number and PON (PON) 	Not Applicable
• Committed Due Date (DD)	
• Completion Date (CMPLTN DD)	
• Status Type	
Status Notice Date	
Standard Order Activity	
Geographic Scope	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Retail Residence and Business (POTS)

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• LNP	• 95% Due Dates Met ^a

^aDue to data structure issues, BellSouth is using a benchmark comparison for SEEM rather than the Truncated Z as stated in the Order.

P-13: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution

Definition

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable.

Business Rules

The Disconnect Timeliness interval is determined for each telephone number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each telephone number on the service order is disconnected in the Central Office switch. Elapsed time for each ported telephone number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period.

Calculation

Disconnect Timeliness Interval = (a - b)

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date & time

Average Disconnect Timeliness Interval = (c / d)

- c = Sum of all Disconnect Timeliness Intervals
- d = Total Number of disconnected numbers completed in reporting period

Disconnect Timeliness Interval Distribution (for each interval) = (e / f) X 100

- e = Disconnected numbers completed in "X" days
- f = Total disconnect numbers completed in reporting period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- Geographic Scope
 - State, Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Order Number	Not Applicable
Telephone Number/Circuit Number	
Committed Due Date	
Receipt Date/Time (ESI Number Manager)	
Date/Time of Recent Change Notice	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• 95% <= 15 Minutes

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
LNP Standalone	• 95% <= 15 Minutes

P-14: LNP-Total Service Order Cycle Time (TSOCT)

Definition

Total Service Order Cycle Time measures the interval from receipt of a valid service order request to the completion of the final service order associated with that service request.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable
- "L" appointment coded orders (indicating the customer has requested a later than offered interval)
- "S" missed appointment coded orders (indicating subscriber missed appointments), except for "SP" codes (indicating subscriber prior due date requested). This would include "S" codes assigned to subsequent due date changes.

Business Rules

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI). Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day.

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) = (e / f) X 100

- e = Total Number of Service Orders Completed in "X" minutes/hours
- f = Total Number of Service Orders Received in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of < 10 lines/circuits; >= lines/circuits (except trunks)
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >= 30 Days. The interval breakout is: 0-5=0-4.99, 5-10=5-9.99, 10-15=10-14.99, 15-20=15-19.99, 20-25=20-24.99, 25-30=25-29.99, >=30=30 and greater.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
• Interval for FOC	• Not Applicable
CLEC Company Name (OCN)	
Order Number (PON)	
• Submission Date & Time (TICKET_ID)	
Completion Date (CMPLTN_DT)	
Completion Notice Date and Time	

Service Type (CLASS_SVC_DESC)
 Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Diagnostic

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

762 of 834

Section 4: Section 4: Maintenance & Repair

M&R-1: Missed Repair Appointments

Definition

The percent of trouble reports not cleared by the committed date and time.

Exclusions

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

Note: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

Percentage of Missed Repair Appointments = (a / b) X 100

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Trouble reports closed in Reporting Period

Report Structure

- · Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 CLEC Company Name Submission Date & Time (TICKET_ID) Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) 	 Report Month BellSouth Company Code Submission Date & Time Completion Date Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail business
Resale Design	Retail Design
Resale PBX	•
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
• UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-2: Customer Trouble Report Rate

Definition

Percent of initial and repeated customer direct or referred troubles reported within a calendar month per 100 lines/circuits in service.

Exclusions

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

Calculation

Customer Trouble Report Rate = (a / b) X 100

- a = Count of Initial and Repeated Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) # Service Access Lines in Service at the end of period Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month BellSouth Company Code Ticket Submission Date & Time Ticket Completion Date Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) # Service Access Lines in Service at the end of period Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	• Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
• UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
Tier II X		

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
• UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-3: Maintenance Average Duration

Definition

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

Exclusions

- Trouble tickets canceled at the CLEC request
- · BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

For Average Duration the clock starts on the date and time of the receipt of a correct repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

Calculation

Maintenance Duration = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Trouble Ticket was Opened

Average Maintenance Duration = (c / d)

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Troubles in the reporting period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month Total Tickets (LINE_NBR) CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission Time Ticket Completion Date Ticket Completion Time Total Duration Time Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
• UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

768 of 834

M&R-4: Percent Repeat Troubles within 30 Days

Definition

Closed trouble reports on the same line/circuit as a previous trouble report received within 30 calendar days as a percent of total troubles closed reported

Exclusions

- Trouble tickets canceled at the CLEC request
- · BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

Includes Customer trouble reports received within 30 days of an original Customer trouble report.

Calculation

Percent Repeat Troubles within 30 Days = (a / b) X 100

- a = Count of closed Customer Troubles where more than one trouble report was logged for the same service line within a continuous 30 days
- b = Total Trouble Reports Closed in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month Total Tickets (LINE_NBR) CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Total and Percent Repeat Trouble Reports within 30 Days (TOT_REPEAT) Service Type Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope 	 Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission Time
Note : Code in parentheses is the corresponding header found in the raw data file.	**

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
• UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

770 of 834

M&R-5: Out of Service (OOS) > 24 Hours

Definition

For Out of Service Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

Exclusions

- Trouble Reports canceled at the CLEC request
- BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles

Business Rules

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the trouble report is created in LMOS/WFA and the trouble is counted if the elapsed time exceeds 24 hours.

Calculation

Out of Service (OOS) > 24 hours = (a / b) X 100

- a = Total Cleared Troubles OOS > 24 Hours
- b = Total OOS Troubles in Reporting Period

Report Structure

- Dispatch/Non Dispatch
- CLEC Specific
- · BellSouth Aggregate
- CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month Total Tickets CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT Percentage of Customer Troubles out of Service > 24 Hours (OOS>24_FLAG) Service type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE-DESC) Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission time Ticket Completion Date Ticket Completion Time Percent of Customer Troubles out of Service > 24 Hours Service type Disposition and Cause (Non-Design/Non-Special only)

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	 Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

772 of 834

M&R-6: Average Answer Time – Repair Centers

Definition

This measures the average time a customer is in queue when calling a BellSouth Repair Center.

Exclusions

None

Business Rules

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call (abandoned calls are not included).

Note: The Total Column is a combined BellSouth Residence and Business number.

Calculation

Answer Time for BellSouth Repair Centers = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

Average Answer Time for BellSouth Repair Centers = (c / d)

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

Report Structure

- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Average Answer Time	BellSouth Average Answer Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region. CLEC/BellSouth Service Centers and BellSouth	• For CLEC, Average Answer Times in UNE Center and
Repair Centers are regional.	BRMC are comparable to the Average Answer Times in
	the BellSouth Repair Centers.

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

M&R-7: Mean Time To Notify CLEC of Network Outages

Definition

This report measures the time it takes for the BellSouth Network Management Center (NMC) to notify the CLEC of major network outages.

Exclusions

None

Business Rules

BellSouth will inform the CLEC of any major network outages (key customer accounts) via a page or email. When the BellSouth NMC becomes aware of a network incident, the CLEC and BellSouth will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

The CLECs will be notified in accordance with the rules outlined in Appendix D of the CLEC "Customer Guide" which is published on the internet at: www.interconnection.bellsouth.com/guides/other_guides/html/gopue/indexf.htm.

Calculation

Time to Notify CLEC = (a - b)

- a = Date and Time BellSouth Notified CLEC
- b = Date and Time BellSouth Detected Network Incident

Mean Time to Notify CLEC = (c / d)

- c = Sum of all Times to Notify CLEC
- d = Count of Network Incidents

Report Structure

- · BellSouth Aggregate
- CLEC Aggregate
- CLEC Specific

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Major Network Events	 Major Network Events
• Date/Time of Incident	 Date/Time of Incident
• Date/Time of Notification	 Date/Time of Notification

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
BellSouth Aggregate	Parity by Design
CLEC Aggregate	
CLEC Specific	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 5: Billing

B-1: Invoice Accuracy

Definition

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

Exclusions

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- Test Accounts

Business Rules

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes.

Calculation

Invoice Accuracy = $[(a - b) / a] \times 100$

- a = Absolute Value of Total Billed Revenues during current month
- b = Absolute Value of Billing Related Adjustments during current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Retail Type
- UNE	- CRIS
- Resale	- CABS
- Interconnection	Total Billed Revenue
Total Billed Revenue	Billing Related Adjustments
Billing Related Adjustments	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	 CLEC Invoice Accuracy is comparable to BellSouth
- Resale	Invoice Accuracy
- UNE	
- Interconnection	

775 of 834

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• CLEC State	Parity With Retail
BellSouth State	

B2: Mean Time to Deliver Invoices

Definition

Bill Distribution is calculated as follows: CRIS BILLS-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first work day. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

Exclusions

Any invoices rejected due to formatting or content errors.

Business Rules

This report measures the mean interval for timeliness of billing records delivered to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

Calculation

Invoice Timeliness = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

Mean Time To Deliver Invoices = (c / d)

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
 - Region
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Invoice Type
- UNE	- CRIS
- Resale	- CABS
- Interconnection	Invoice Transmission Count
Invoice Transmission Count	 Date of Scheduled Bill Close
Date of Scheduled Bill Close	

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	• CRIS-based invoices will be released for delivery within
Resale	six (6) business days.
• UNE	• CABS-based invoices will be released for delivery within
Interconnection	eight (8) calendar days.
	CLEC Average Delivery Intervals for both CRIS and
	CABS Invoices are comparable to BellSouth Average
	delivery for both systems.

SEEM Measure

SEEM Measure		
Yes	Tier I	X
Tier II X		

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity with Retail
- CRIS	
- CABS	
BellSouth Region	

B3: Usage Data Delivery Accuracy

Definition

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

Exclusions

None

Business Rules

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

Calculation

Usage Data Delivery Accuracy = $(a - b) / a \times 100$

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	• Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	 CLEC Usage Data Delivery Accuracy is comparable to
	BellSouth Usage Data Delivery Accuracy

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity With Retail
BellSouth Region	

B4: Usage Data Delivery Completeness

Definition

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Completeness = $(a / b) \times 100$

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording date
- b = Total number of Recorded usage records delivered during the current month

Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	• Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• CLEC Usage Data Delivery Completeness is comparable
	to BellSouth Usage Data Delivery Completeness

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

B5: Usage Data Delivery Timeliness

Definition

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Timeliness Current month = (a / b) X 100

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- b = Total number of usage records sent

Report Structure

- CLEC Aggregate
- CLEC Specific
- · BellSouth Aggregate
- Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• CLEC Usage Data Delivery Timeliness is comparable to
	BellSouth Usage Data Delivery Timeliness

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

B6: Mean Time to Deliver Usage

Definition

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the average number of days it takes BellSouth to deliver Usage data to the appropriate CLEC. Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

Calculation

Mean Time to Deliver Usage = (a X b) / c

- a = Volume of Records Delivered
- b = Estimated number of days to deliver
- c = Total Record Volume Delivered

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31.5 days.

Report Structure

- CLEC Aggregate
- · CLEC Specific
- · BellSouth Aggregate
- Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• Mean Time to Deliver Usage to CLEC is comparable to
	Mean Time to Deliver Usage to BellSouth.

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

B7: Recurring Charge Completeness

Definition

This measure captures percentage of fractional recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

Calculation

Recurring Charge Completeness = $(a / b) \times 100$

- a = Count of fractional recurring charges that are on the correct bill¹
- b = Total count of fractional recurring charges that are on the correct bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Report Month
Invoice Type	Retail Analog
Total Recurring Charges Billed	Total Recurring Charges Billed
Total Billed on Time	Total Billed on Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	
Resale	• Parity
• UNE	Benchmark 90%
Interconnection	Benchmark 90%

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

¹Correct bill = next available bill

B8: Non-Recurring Charge Completeness

Definition

This measure captures percentage of non-recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

Calculation

Non-Recurring Charge Completeness = $(a / b) \times 100$

- a = Count of non-recurring charges that are on the correct bill¹
- b = Total count of non-recurring charges that are on the correct bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Retail Analog
Total Non-recurring Charges Billed	Total Non-recurring Charges Billed
• Total Billed on Time	Total Billed on Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	
Resale	• Parity
• UNE	Benchmark 90%
Interconnection	Benchmark 90%

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

¹Correct bill = next available bill

Section 6: Operator Services And Directory Assistance

OS-1: Speed to Answer Performance/Average Speed to Answer - Toll

Definition

Measurement of the average time in seconds calls wait before answered by a toll operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer - Toll = a/b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- · Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds - Toll

Definition

Measurement of the percent of toll calls that are answered in less than ten seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

DA-1: Speed to Answer Performance/Average Speed to Answer - Directory Assistance (DA)

Definition

Measurement of the average time in seconds calls wait before answered by a DA operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- · Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggre	ation SQM Analog/Benchmark
• None	 Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Directory Assistance (DA)

Definition

Measurement of the percent of DA calls that are answered in less than twelve seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 7: Database Update Information

D-1: Average Database Update Interval

Definition

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB), Directory Assistance and Directory Listings. For E-911, see Section 8.

Exclusions

- · Updates Canceled by the CLEC
- · Initial update when supplemented by CLEC
- · BellSouth updates associated with internal or administrative use of local services

Business Rules

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB). The end time stamp is the date and time of completion of updates to the system.

For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below.

Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process
 makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

Calculation

Update Interval = (a - b)

- a = Completion Date & Time of Database Update
- b = Submission Date and Time of Database Change

Average Update Interval = (c / d)

- c = Sum of all Update Intervals
- d = Total Number of Updates Completed During Reporting Period

Report Structure

- CLEC Specific (Under development)
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Database File Submission Time 	 Database File Submission Time
 Database File Update Completion Time 	 Database File Update Completion Time
 CLEC Number of Submissions 	 BellSouth Number of Submissions
• Total Number of Updates	 Total Number of Updates

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark:
Database Type	Parity by Design
• LIDB	
Directory Listings	
Directory Assistance	

SEEM Measure

SEEM Measure			
N	Ю	Tier I	
		Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

D-2: Percent Database Update Accuracy

Definition

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB), Directory Assistance, and Directory Listings using a statistically valid sample of LSRs/Orders in a manual review. This manual review is not conducted on BellSouth Retail Orders.

Exclusions

- · Updates canceled by the CLEC
- Initial update when supplemented by CLEC
- · CLEC orders that had CLEC errors
- BellSouth updates associated with internal or administrative use of local services

Business Rules

For each update completed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (order) submitted by the CLEC. Each database (LIDB, Directory Assistance, and Directory Listings) should be separately tracked and reported.

A statistically valid sample of CLEC Orders are pulled each month. That sample will be used to test the accuracy of the database update process. This is a manual process.

Calculation

Percent Update Accuracy = (a / b) X 100

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

Report Structure

- CLEC Aggregate
- CLEC Specific (not available in this report)
- BellSouth Aggregate (not available in this report)

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
 CLEC Order Number (so_nbr) and PON (PON) 	• Not Applicable
• Local Service Request (LSR)	
Order Submission Date	
Number of Orders Reviewed	
Note : Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Database Type	• 95% Accurate
• LIDB	
Directory Assistance	
Directory Listings	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date

Definition

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded in end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure, BellSouth will identify whether or not a particular NXX has been flagged as LNP capable (set triggers for dips) by the LERG effective date.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NXX(s), including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, is established based on the information contained in the Translation Work Instructions (TWINs) document.

Exclusions

- · Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date
- · Expedite requests

Business Rules

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration -Dispatch In database.

Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date = (a / b) X 100

- a = Count of NXXs and LRNs loaded by the LERG effective date
- b = Total NXXs and LRNs scheduled to be loaded by the LERG effective date

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth (Not Applicable)

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Company Name	Not Applicable
Company Code	
NPA/NXX	
LERG Effective Date	
Loaded Date	

SQM Level of Disaggregation	SQM Analog/Benchmark
Geographic Scope	• 100% by LERG Effective Date
- Region	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

ĺ	SEEM Disaggregation	SEEM Analog/Benchmark
	• Not Applicable	Not Applicable

Section 8: E911

E-1: Timeliness

Definition

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period.

Exclusions

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Timeliness = (a / b) X 100

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report month
- · Aggregate data

SQM Disaggregation - Analog/Benchmark

	SQM Level of Disaggregation	SQM Analog/Benchmark
• N	None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

E-2: Accuracy

Definition

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

Exclusions

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Accuracy = (a / b) X 100

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report month
- Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

E-3: Mean Interval

Definition

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

Exclusions

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted is 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Interval = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

E911 Mean Interval = (c / d)

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report month
- · Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 9: Trunk Group Performance

TGP-1: Trunk Group Performance-Aggregate

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk groups for which valid data is not available for an entire study period
- Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- Final groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- · Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth
- Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

Point B

CLEC Affecting Categories:

Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem
BellSouth Affecting Categories:		

Point A

Point A Point B

Category 9: BellSouth End Office BellSouth End Office

Calculation

Monthly Average Blocking:

• For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.

• The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Aggregate
- BellSouth Aggregate
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Trunk Groups	Total Trunk Groups
 Number of Trunk Groups by CLEC 	 Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC aggregate	 Any 2 hour period in 24 hours where CLEC blockage
BellSouth aggregate	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Aggregate	 Any 2 hour period in 24 hours where CLEC blockage
BellSouth Aggregate	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1,3,4,5,10,16 for CLECs and 9 for
	BellSouth

799 of 834

TGP-2: Trunk Group Performance-CLEC Specific

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk Groups for which valid data is not available for an entire study period
- Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- · Final groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

CLEC Affecting Categories:

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Cotogowy 2.	DallCanda End Office	CLEC Constants

Category 3: BellSouth End Office CLEC Switch
Category 4: BellSouth Local Tandem CLEC Switch
Category 5: BellSouth Access Tandem CLEC Switch

Category 10: BellSouth End Office BellSouth Local Tandem Category 16: BellSouth Tandem BellSouth Tandem

BellSouth Affecting Categories:

Point A Point B

Category 9: BellSouth End Office BellSouth End Office

800 of 834

Calculation

Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Specific
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Trunk Groups	Total Trunk Groups
Number of Trunk Groups by CLEC	 Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	 Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	•

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC Trunk Group	• Any 2 hour period in 24 hours where CLEC blockage
_	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Trunk Group	• Any 2 hour period in 24 hours where CLEC blockage
BellSouth Trunk Group	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

Section 10: Collocation

C-1: Collocation Average Response Time

Definition

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within 10 calendar days after having received a bona fide application for physical collocation, BellSouth must respond as to whether space is available or not.

Exclusions

Any application canceled by the CLEC.

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

Calculation

Response Time = (a - b)

- a = Request Response Date
- b = Request Submission Date

Average Response Time = (c / d)

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period

Report Structure

- · Individual CLEC (alias) Aggregate
- Aggregate of all CLECs

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

Level of Disaggregation	SQM Analog/Benchmark
• State	Virtual - 20 Calendar Days
Virtual-Initial	 Physical Caged - 30 Calendar Days
Virtual-Augment	 Physical Cageless - 30 Calendar Days
Physical Caged-Initial	
Physical Caged-Augment	
Physical-Cageless-Initial	
Physical Cageless-Augment	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

C-2: Collocation Average Arrangement Time

Definition

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC.

Exclusions

- Any Bona Fide firm order canceled by the CLEC
- · Any Bona Fide firm order with a CLEC-negotiated interval longer than the benchmark interval

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC.

Calculation

Arrangement Time = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

Average Arrangement Time = (c / d)

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period

Report Structure

- · Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	Virtual - 50 Calendar Days (Ordinary)
Virtual-Initial	• Virtual - 75 Calendar Days (Extraordinary)
Virtual-Augment	Physical Caged - 90 Calendar Days
Physical Caged-Initial	 Physical Cageless - 60 Calendar Days (Ordinary)
Physical Caged-Augment	 Physical Cageless - 90 Calendar Days (Extraordinary)
Physical Cageless-Initial	
Physical Cageless-Augment	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

C-3: Collocation Percent of Due Dates Missed

Definition

Measures the percent of missed due dates for both virtual and physical collocation arrangements.

Exclusions

Any Bona Fide firm order canceled by the CLEC.

Business Rules

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The clock starts on the date that BellSouth receives a complete and accurate Bona Fide firm order accompanied by the appropriate fee if required. The arrangement is considered a missed due date if it is not completed on or before the committed due date.

Calculation

% of Due Dates Missed = (a / b) X 100

- a = Number of Completed Orders that were not completed within BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

Report Structure

- · Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	• >= 95% on time
• Virtual-Initial	
Virtual-Augment	
Physical Caged-Initial	
Physical Caged-Augment	
Physical Cageless-Initial	
Physical Cageless-Augment	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
All Collocation Arrangements	• >= 95% on time

Section 11: Change Management

CM-1: Timeliness of Change Management Notices

Definition

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Timeliness of Change Management Notices = (a / b) X 100

- a = Total number of Change Management Notifications Sent Within Required Timeframes
- b = Total Number of Change Management Notifications Sent

Report Structure

• BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

	SQM Level of Disaggregation	SQM Analog/Benchmark
Ī	• Region	• 95% >= 30 Days of Release

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Region	• 95% >= 30 Days of Release

CM-2: Change Management Notice Average Delay Days

Definition

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Change Management Notice Delay Days = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days = (c / d)

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

Report Structure

· BellSouth Aggregate

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• <= 8 Days

SEEM Measure

ĺ	SEEM Measure			
	No	Tier I		
		Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

CM-3: Timeliness of Documents Associated with Change

Definition

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and timeframes set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Timeliness of Documents Associated with Change = (a / b) X 100

- a = Change Management Documentation Sent Within Required Timeframes after Notices
- b = Total Number of Change Management Documentation Sent

Report Structure

• BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- · Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 95% >= 30 days if new features coding is required
	• 95% >= 5 days for documentation defects, corrections or
	clarifications

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Region	• $95\% >= 30$ days of the change

CM-4: Change Management Documentation Average Delay Days

Definition

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change Control Process.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Change Management Documentation Delay Days = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

Change Management Documentation Average Delay Days = (c / d)

- c = Sum of all CM Documentation Delay Days
- d = Total Change Management Documents Sent

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- · Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• <= 8 Days

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

CM-5: Notification of CLEC Interface Outages

Definition

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface.

Exclusions

None

Business Rules

This measure is designed to notify the CLEC of interface outages within 15 minutes of BellSouth's verification that an outage has taken place. This metric will be expressed as a percentage.

Calculation

Notification of CLEC Interface Outages = (a / b) X 100

- a = Number of Interface Outages where CLECS are notified within 15 minutes
- b = Total Number of Interface Outages

Report Structure

• CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Number of Interface Outages	Not Applicable
• Number of Notifications <= 15 minutes	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• By interface type for all interfaces accessed by CLECs	• 97% in 15 Minutes

Interface	Applicable to
EDI	CLEC
CSOTS	CLEC
LENS	CLEC
TAG	CLEC
ECTA	CLEC
TAFI	CLEC/BellSouth

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

Section 12: Bona Fide / New Business Request Process

BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days

Definition

Percentage of Bona Fide/New Business Requests processed within 30 business days for the development and purchases of network elements not currently offered.

Exclusions

Any application cancelled by the CLEC

Business Rules

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth completes application processing for Network Elements that are not operational at the time of the request.

Calculation

Percentage of BFR/NBR Requests Processed Within 30 Business Days = (a / b) X 100

- a = Count of number of requests processed within 30 days
- b = Total number of requests

Report Structure

- Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• 90% <= 30 business days

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days

Definition

Percentage of quotes provided in response to Bona Fide/New Business Requests within X (10/30/60) business days for network elements not currently offered.

Exclusions

· Requests that are subject to pending arbitration

Business Rules

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth responds back to the application with a price quote.

Calculation

Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days = (a / b) X 100

- a = Count of number of requests processed within "X" days
- b = Total number of requests where "X" = 10, 30, or 60 days

Report Structure

- New Network Elements that are operational at the time of the request
- New Network Elements that are ordered by the FCC
- New Network Elements that are not operational at the time of the request

Data Retained

- · Report Period
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 90% <= 10/30/60 business days
	- Network Elements that are operational at the time of
	the request – 10 days
	- Network Elements that are Ordered by the FCC – 30
	days
	- New Network Elements – 90 days

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Appendix A: Reporting Scope

A-1: Standard Service Groupings

See individual reports in the body of the SQM.

A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

Service Order Activity Types

- Service Migrations Without Changes
- · Service Migrations With Changes
- Move and Change Activities
- Service Disconnects (Unless noted otherwise)
- New Service Installations

Pre-Ordering Query Types

- Address
- Telephone Number
- Appointment Scheduling
- Customer Service Record
- Feature Availability
- · Service Inquiry

Maintenance Query Types:

TAFI - TAFI queries the systems below

- CRIS
- March
- Predictor
- LMOS
 - DLR
 - DLETH
 - LMOSupd
- LNP
- NIW
- OSPCM
- SOCS

Report Levels

- CLEC RESH
- CLEC State
- CLEC Region
- · Aggregate CLEC State
- Aggregate CLEC Region
- · BellSouth State
- BellSouth Region

Appendix B: Glossary of Acronyms and Terms

Symbols used in calculations

Σ

A mathematical symbol representing the sum of a series of values following the symbol.

A mathematical operator representing subtraction.

+

A mathematical operator representing addition.

/

A mathematical operator representing division.

<

A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.

<=

A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.

>

A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.

>=

A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.

()

Parentheses, used to group mathematical operations which are completed before operations outside the parentheses.

Α

ACD

Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Aggregate

Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.

ALEC

Alternative Local Exchange Company = FL CLEC

ADSL

Asymmetrical Digital Subscriber Line

ASR

Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.

ATLAS

Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

ATLASTN

ATLAS software contract for Telephone Number.

Auto Clarification

The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

В

BFR:

Bona Fide Request

BILLING

The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

BOCRIS

Business Office Customer Record Information System (Front-end to the CRIS database.)

BRI

Basic Rate ISDN

BRC

Business Repair Center - The BellSouth Business Systems trouble receipt center which serves business and CLEC customers.

BellSouth

BellSouth Telecommunications, Inc.

C

CABS

Carrier Access Billing System

CCC

Coordinated Customer Conversions

CCP

Change Control Process

Centrex

A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

CKTID

A unique identifier for elements combined in a service configuration

CLEC

Competitive Local Exchange Carrier

CLP

Competitive Local Provider = NC CLEC

CM

Change Management

CMDS

Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

COFFI

Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI is a part of DOE/ SONGS. It indicates all services available to a customer.

COG

Corporate Gateway - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

CRIS

Customer Record Information System - The BellSouth proprietary corporate database and billing system for non-access customers and services.

CRSACCTS

CRIS software contract for CSR information

CRSG

Complex Resale Support Group

C-SOTS

CLEC Service Order Tracking System

CSR

Customer Service Record

CTTG

Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

CWINS Center

Customer Wholesale Interconnection Network Services Center (formerly the UNE Center).

D

DA

Directory Assistance

Design

Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities.

Disposition & Cause

Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

DLETH

Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

DLR

Detail Line Record - All the basic information maintained on a line record in LMOS, e.g. name, address, facilities, features etc.

DS_0

The worldwide standard speed for one digital voice signal (64000 bps).

DS-1

24 DS-0s (1.544Mb/sec., i.e. carrier systems)

DOE

Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.

DOM

Delivery Order Manager - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

DSAI

DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

DSAPDDI

DSAP software contract for schedule information.

DSL

Digital Subscriber Line

DUI

Database Update Information

Ε

E911

Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

EDI

Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

ESSX

BellSouth Centrex Service

F

Fatal Reject

LSRs electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated.

Flow-Through

In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

FOC

Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

FX

Foreign Exchange

GH

HAL

"Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

HALCRIS

HAL software contract for CSR information

HDSL

High Density Subscriber Loop/Line

IJK

ILEC

Incumbent Local Exchange Company

INP

Interim Number Portability

ISDN

Integrated Services Digital Network

IPC

Interconnection Purchasing Center

L

LAN

Local Area Network

LAUTO

The automatic processor in the LNP Gateway that validates LSRs and issues service orders.

LCSC

Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.

Legacy System

Term used to refer to BellSouth Operations Support Systems (see OSS)

LENS

Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

LEO

Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

LERG

Local Exchange Routing Guide

LESOG

Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

LFACS

Loop Facilities Assessment and Control System

LIDB

Line Information Database

LISC

Local Interconnection Service Center - The center that issues trunk orders.

LMOS

Loop Maintenance Operations System - A BellSouth Operations System that stores the assignment and selected account information for use by downstream OSS and BellSouth personnel during provisioning and maintenance activities.

LMOS HOST

LMOS host computer

LMOSupd

LMOS updates

LMU

Loop Make-up

LMUS

Loop Make-up Service Inquiry

LNP

Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

Loops

Transmission paths from the central office to the customer premises.

LRN

Location Routing Number

LSR

Local Service Request – A request for local resale service or unbundled network elements from a CLEC.

M

Maintenance & Repair

The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

MARCH

BellSouth Operations System which accepts service orders, interprets the coding contained in the service order image, and constructs the specific switching system Recent Change command messages for input into end office switches.

Ν

NBR

New Business Request

NC

"No Circuits" - All circuits busy announcement.

NIW

Network Information Warehouse

NMLI

Native Mode LAN Interconnection

NPA

Numbering Plan Area

NXX

The "exchange" portion of a telephone number.

0

OASIS

Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

OASISBSN

OASIS software contract for feature/service

OASISCAR

OASIS software contract for feature/service

OASISLPC

OASIS software contract for feature/service

OASISMTN

OASIS software contract for feature/service

OASISNET

OASIS software contract for feature/service

OASISOCP

OASIS software contract for feature/service

ORDERING

The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.

OSPCM

Outside Plant Contract Management System - Provides Scheduling Information.

OSS

Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and application which is used to provide the support functions.

Out Of Service

Customer has no dial tone and cannot call out.

P

PMAP

Performance Measurement Analysis Platform

PMOAP

Performance Measurement Quality Assurance Plan

PON

Purchase Order Number

POTS

Plain Old Telephone Service

PREDICTOR

The BellSouth Operations system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups (e.g. RRC & BRC) to Mechanized Loop Testing and switching system I/O ports, and provide certain information regarding the attributes and capabilities of outside plant facilities.

Preordering

The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

PRI

Primary Rate ISDN

Provisioning

The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

PSIMS

Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

PSIMSORB

PSIMS software contract for feature/service.

QR

RNS

Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

ROS

Regional Ordering System

RRC

Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.

RSAG

Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.

RSAGADDR

RSAG software contract for address search.

RSAGTN

RSAG software contract for telephone number search.

S

SAC

Service Advocacy Center

SEEM

Self Effectuating Enforcement Mechanism

SOCS

Service Order Control System - The BellSouth Operations System which routes service order images among BellSouth drop points and BellSouth Operations Systems during the service provisioning process.

SOG

Service Order Generator - Telcordia product designed to generate a service order for xDSL.

SOIR

Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

SONGS

Service Order Negotiation and Generation System.

Т

TAFI

Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

TAG

Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

TN

Telephone Number

Total Manual Fallout

The number of LSRs which are entered electronically but require manual entering into a service order generator.

UV

UNE

Unbundled Network Element

UCL

Unbundled Copper Link

USOC

Universal Service Order Code

WXYZ

WATS

Wide Area Telephone Service

WFA

Work Force Administration

WMC

Work Management Center

WTN

Working Telephone Number.

Appendix C: Appendix C: BellSouth Audit Policy

BellSouth currently provides many CLECs with certain audit rights as a part of their individual interconnection agreements. However, it is not reasonable for BellSouth to undergo an audit of the SQM for every CLEC with which it has a contract. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the aggregate level reports for both BellSouth and the CLEC(s) each of the next five (5) years (2001-2005) to be conducted by an independent third party. The results of that audit will be made available to all the parties subject to proper safeguards to protect proprietary information. This aggregate level audit includes the following specifications:

- 1. The cost shall be borne 50% by BellSouth and 50% by the CLEC or CLECs.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLEC(s) shall jointly determine the scope of the audit.

BellSouth reserves the right to make changes to this audit policy as growth and changes in the industry dictate.

Attachment 10

BellSouth Disaster Recovery Plan

CON	TENT	<u>S</u>		PAGE
1.0	Purpo			2
2.0	Single Point of Contact			
3.0	Identifying the Problem			2
	3.1	Site Co	ontrol	3
	3.2	Enviro	nmental Concerns	4
4.0	The Emergency Control Center (ECC)			4
5.0	Recovery Procedures		5	
	5.1 CLEC Outage			5
	5.2	<u> </u>		5
		5.2.1	Loss of Central Office	6
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6
		5.2.3	Loss of a Central Office with Tandem Functions	6
		5.2.4	Loss of a Facility Hub	6
	5.3 Combined Outage (CLEC and BellSouth Equipment)		7	
6.0	T1 Id		on Procedures	7
7.0	Acroi	nvms		8

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently then normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

CLEC - Competitive Local Exchange Carrier

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Attachment 11

Bona Fide Request and New Business Requests Process

Version 1Q02: 02/20/02

BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

- 1.0 The Parties agree that NTBS is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. NTBS also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 11.
- 2.0 Bona Fide Requests ("BFR") are to be used when NTBS makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when NTBS makes a request of BellSouth to provide a new or custom capability or function to meet NTBS's business needs that was not previously included in the Agreement.
- 3.0 A BFR or a NBR shall be submitted in writing by NTBS and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a NTBS's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to NTBS's Account Executive.
- 4.0 Within thirty (30) business days of its receipt of a BFR or NBR from NTBS, BellSouth shall respond to NTBS by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection or Network Element or is otherwise not required to be provided under the Act. However, if the preliminary analysis is determined to be of such complexity that it causes BellSouth to expend inordinate resources, a fee will be levied upon NTBS and collected prior to the beginning of the preliminary analysis and the thirty (30) business days will begin upon receipt of the fee. In addition to the preliminary analysis, an explanation of the fee will be provided.
- 5.0 NTBS may cancel a BFR or NBR at any time. If NTBS cancels the request more than three (3) business days after submitting it, NTBS shall pay

Version 1Q02: 02/20/02

BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If NTBS does not cancel a BFR or NBR, NTBS shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.

- BellSouth shall propose a firm price quote and a detailed implementation plan for BFRs within thirty (30) business days of NTBS's acceptance of the preliminary analysis. BellSouth shall propose a firm price and a detailed implementation plan for NBRs within sixty (60) business days of NTBS's acceptance of the preliminary analysis.
- 7.0 If NTBS accepts the preliminary analysis, BellSouth shall proceed with NTBS's BFR or NBR, and NTBS agrees to pay the non-refundable amount identified in the preliminary analysis for the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR or NBR. These costs will be referred to as "development" costs. The development costs identified in the preliminary analysis are fixed. If NTBS cancels a BFR or NBR after BellSouth has received NTBS's acceptance of the preliminary analysis, NTBS agrees to pay BellSouth the reasonable, demonstrable, and actual costs, if any, directly related to complying with NTBS's BFR or NBR up to the date of cancellation, to the extent such costs were not included in the non-refundable amount set forth above.
- 8.0 If NTBS believes that BellSouth's firm price quote is not consistent with the requirements of the Act, NTBS may seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- 9.0 Unless NTBS agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.
- 10.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.
- Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.